

Appendix K_NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n5 Conducted Power_ Measured Pmax, Folder Open RCV(RSI)

1)_ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.35	23.53	23.61	0
				1	13	23.36	23.52	23.53	0
				1	23	23.44	23.59	23.61	0
				12	0	22.88	23.08	23.13	0.5
				12	7	23.44	23.59	23.65	0
				12	13	22.94	23.11	23.13	0.5
				25	0	22.91	23.09	23.15	0.5
			QPSK	1	1	23.36	23.53	23.62	0
				1	13	23.34	23.55	23.58	0
				1	23	23.42	23.60	23.62	0
				12	0	22.40	22.58	22.67	1
				12	7	23.44	23.62	23.65	0
				12	13	22.45	22.62	22.65	1
				25	0	22.41	22.59	22.64	1
			16QAM	1	1	22.43	22.56	22.68	1
			64QAM	1	1	20.67	21.05	21.16	2.5
			256QAM	1	1	18.81	18.97	19.08	4.5
		CP	QPSK	1	1	21.84	21.99	22.13	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.57	0
				1	26	23.68	0
				1	50	23.63	0
				25	0	23.08	0.5
				25	14	23.60	0
				25	27	23.13	0.5
			QPSK	50	0	23.10	0.5
				1	1	23.60	0
				1	26	23.66	0
				1	50	23.64	0
				25	0	22.58	1
				25	14	23.61	0
				25	27	22.64	1
				50	0	22.60	1
			16QAM	1	1	22.59	1
			64QAM	1	1	21.07	2.5
			256QAM	1	1	18.98	4.5
		CP	QPSK	1	1	22.08	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.46	0
				1	40	23.51	0
				1	77	23.64	0
				36	0	23.06	0.5
				36	22	23.59	0
				36	43	23.15	0.5
			QPSK	75	0	23.06	0.5
				1	1	23.47	0
				1	40	23.55	0
				1	77	23.65	0
				36	0	22.53	1
				36	22	23.59	0
				36	43	22.64	1
				75	0	22.58	1
			16QAM	1	1	22.44	1
			64QAM	1	1	20.97	2.5
			256QAM	1	1	18.84	4.5
		CP	QPSK	1	1	21.95	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.37	0
				1	53	23.68	0
				1	104	23.60	0
				50	0	22.99	0.5
				50	28	23.59	0
				50	56	23.19	0.5
				100	0	23.13	0.5
			QPSK	1	1	23.41	0
				1	53	23.69	0
				1	104	23.63	0
				50	0	22.52	1
				50	28	23.61	0
				50	56	22.68	1
				100	0	22.58	1
			16QAM	1	1	22.40	1
			64QAM	1	1	20.95	2.5
			256QAM	1	1	18.79	4.5
		CP	QPSK	1	1	21.81	1.5

**NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.27	23.48	23.46	0
				1	13	23.26	23.46	23.40	0
				1	23	23.35	23.43	23.47	0
				12	0	22.82	23.03	23.08	0
				12	7	23.37	23.45	23.49	0
				12	13	22.87	23.05	23.10	0
			QPSK	25	0	22.84	23.05	23.10	0
				1	1	23.32	23.41	23.48	0
				1	13	23.31	23.40	23.42	0
				1	23	23.39	23.47	23.47	0
				12	0	22.34	22.55	22.62	0
				12	7	23.37	23.45	23.42	0
				12	13	22.38	22.55	22.60	0
				25	0	22.36	22.54	22.61	0
			16QAM	1	1	22.39	22.50	22.46	0
			64QAM	1	1	20.87	20.93	21.12	1
			256QAM	1	1	18.66	18.89	19.02	3
		CP	QPSK	1	1	21.80	21.99	22.09	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.39	0
				1	26	23.48	0
				1	50	23.43	0
				25	0	22.98	0
				25	14	23.49	0
				25	27	23.03	0
			QPSK	50	0	23.01	0
				1	1	23.44	0
				1	26	23.41	0
				1	50	23.47	0
				25	0	22.49	0
				25	14	23.43	0
				25	27	22.56	0
				50	0	22.51	0
			16QAM	1	1	22.64	0
			64QAM	1	1	20.97	1
			256QAM	1	1	18.92	3
		CP	OPSK	1	1	22.11	0

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.35	0
				1	40	23.42	0
				1	77	23.44	0
				36	0	22.95	0
				36	22	23.40	0
				36	43	23.06	0
				75	0	23.00	0
			QPSK	1	1	23.39	0
				1	40	23.44	0
				1	77	23.46	0
				36	0	22.45	0
				36	22	23.06	0
				36	43	22.50	0
				75	0	22.45	0
			16QAM	1	1	22.32	0
			64QAM	1	1	20.97	1
			256QAM	1	1	18.75	3
		CP	QPSK	1	1	21.89	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.22	0
				1	53	23.47	0
				1	104	23.44	0
				50	0	22.87	0
				50	28	23.44	0
				50	56	23.05	0
				100	0	22.94	0
			QPSK	1	1	23.29	0
				1	53	23.49	0
				1	104	23.45	0
				50	0	22.41	0
				50	28	22.91	0
				50	56	23.45	0
				100	0	22.47	0
			16QAM	1	1	22.27	0
			64QAM	1	1	20.89	1
			256QAM	1	1	18.68	3
		CP	QPSK	1	1	21.80	0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	20.24	20.39	19.91	19.95	20.35	0
				1	12	20.23	20.42	19.87	19.98	20.34	0
				1	22	20.20	20.28	19.77	19.99	20.32	0
				12	0	20.18	20.26	19.80	19.96	20.33	0
				12	6	20.15	20.31	19.78	19.98	20.29	0
				12	12	20.23	20.24	19.84	19.91	20.31	0
				24	0	20.14	20.29	19.87	19.92	20.31	0
			QPSK	1	1	20.23	20.28	19.89	19.87	20.29	0
				1	12	20.30	20.29	19.85	19.95	20.26	0
				1	22	20.17	20.28	19.76	19.99	20.34	0
				12	0	20.20	20.29	19.84	19.93	20.26	0
				12	6	20.17	20.31	19.80	19.89	20.28	0
				12	12	20.28	20.27	19.85	19.98	20.27	0
				24	0	20.25	20.17	19.87	19.95	20.28	0
			16QAM	1	1	20.21	20.29	19.73	20.03	20.23	0
			64QAM	1	1	20.16	20.21	19.94	19.93	20.33	0
			256QAM	1	1	20.20	20.12	19.72	19.81	20.24	0
		CP	QPSK	1	1	20.23	20.38	19.89	19.89	20.34	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	20.22	20.40	19.97	19.91	20.21	0
				1	18	20.20	20.27	19.87	19.98	20.28	0
				1	36	20.35	20.38	19.92	20.04	20.29	0
				18	0	20.21	20.36	19.93	19.94	20.29	0
				18	9	20.28	20.33	19.89	19.90	20.27	0
				18	18	20.28	20.27	19.82	19.97	20.32	0
				36	0	20.23	20.37	19.85	19.93	20.31	0
			QPSK	1	1	20.24	20.32	19.92	19.93	20.28	0
				1	18	20.23	20.27	19.81	19.90	20.29	0
				1	36	20.28	20.31	19.82	20.01	20.31	0
				18	0	20.19	20.35	19.91	19.96	20.22	0
				18	9	20.30	20.33	19.86	19.94	20.28	0
				18	18	20.30	20.24	19.84	20.02	20.29	0
				36	0	20.26	20.38	19.84	19.94	20.30	0
			16QAM	1	1	20.22	20.30	19.93	19.86	20.30	0
			64QAM	1	1	20.28	20.49	19.93	19.87	20.26	0
			256QAM	1	1	20.14	19.96	19.82	19.83	20.17	0
		CP	QPSK	1	1	20.21	20.37	19.94	19.87	20.31	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	20.15	20.20	19.99	19.86	19.78	0
				1	26	20.18	20.17	19.81	19.98	20.39	0
				1	49	20.28	20.21	19.84	20.09	20.35	0
				25	0	20.11	20.29	19.84	19.88	20.32	0
				25	13	20.20	20.20	19.83	19.94	20.27	0
				25	26	20.26	20.27	19.84	20.03	20.31	0
				50	0	20.17	20.19	19.84	19.91	20.37	0
			QPSK	1	1	20.12	20.24	19.94	19.82	20.27	0
				1	26	20.19	20.19	19.86	19.94	20.32	0
				1	49	20.24	20.22	19.78	20.00	20.41	0
				25	0	20.16	20.34	19.90	19.87	20.30	0
				25	13	20.13	20.26	19.79	20.01	20.35	0
				25	26	20.21	20.18	19.81	20.03	20.39	0
				50	0	20.16	20.22	19.89	19.96	20.35	0
			16QAM	1	1	20.11	20.29	19.93	19.90	20.41	0
			64QAM	1	1	20.15	20.28	19.99	19.86	20.21	0
			256QAM	1	1	19.95	20.13	19.82	19.79	20.20	0
		CP	QPSK	1	1	20.14	20.32	20.00	19.85	20.32	0

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	20.20	20.24	19.91	19.72	20.26	0
				1	32	20.21	20.20	19.84	19.83	20.21	0
				1	63	20.36	20.21	19.77	20.03	20.30	0
				32	0	20.19	20.23	19.80	19.76	20.15	0
				32	17	20.26	20.26	19.80	19.79	20.23	0
				32	33	20.21	20.18	19.76	19.85	20.22	0
				64	0	20.25	20.26	19.78	19.80	20.27	0
			QPSK	1	1	20.13	20.30	19.90	19.64	20.11	0
				1	32	20.22	20.27	19.80	19.82	20.15	0
				1	63	20.32	20.18	19.74	19.96	20.30	0
				32	0	20.19	20.27	19.86	19.71	20.25	0
				32	17	20.19	20.25	19.74	19.87	20.19	0
				32	33	20.31	20.30	19.81	19.91	20.23	0
				64	0	20.22	20.24	19.75	19.79	20.24	0
			16QAM	1	1	20.15	20.26	19.82	19.70	20.13	0
			64QAM	1	1	20.27	20.38	19.85	19.75	20.18	0
			256QAM	1	1	20.07	19.90	19.60	19.67	19.98	0
		CP	QPSK	1	1	20.21	20.35	19.95	19.81	20.18	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.15	20.31	19.93	19.67	20.03	0
				1	39	20.24	20.18	19.88	19.79	20.36	0
				1	76	20.38	20.22	19.89	19.97	20.28	0
				36	0	20.18	20.29	19.88	19.64	20.15	0
				36	21	20.24	20.21	19.79	19.75	20.14	0
				36	42	20.32	20.27	19.80	19.87	20.19	0
				75	0	20.20	20.37	19.78	19.75	20.12	0
			QPSK	1	1	20.14	20.29	19.88	19.71	20.04	0
				1	39	20.19	20.27	19.80	19.88	20.24	0
				1	76	20.38	20.19	19.84	19.95	20.22	0
				36	0	20.18	20.26	19.91	19.71	20.14	0
				36	21	20.21	20.19	19.76	19.81	20.23	0
				36	42	20.29	20.25	19.72	19.92	20.20	0
				75	0	20.29	20.18	19.79	19.78	20.14	0
			16QAM	1	1	20.21	20.32	19.97	19.60	20.01	0
			64QAM	1	1	20.04	20.40	19.92	19.67	20.03	0
			256QAM	1	1	20.14	20.06	19.83	19.48	19.81	0
		CP	QPSK	1	1	20.08	19.99	19.61	19.71	20.08	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	20.10	20.18		19.64	19.94	0
				1	53	20.26	20.17		19.90	20.36	0
				1	104	20.31	19.98		20.00	20.32	0
				50	0	20.13	20.17		19.65	19.96	0
				50	28	20.26	20.02		19.73	20.16	0
				50	56	20.33	20.05		19.86	20.30	0
				100	0	20.22	20.13		19.83	20.24	0
			QPSK	1	1	20.18	20.23		19.67	19.91	0
				1	53	20.28	20.12		19.84	20.24	0
				1	104	20.36	20.01		19.99	20.37	0
				50	0	20.14	20.14		19.70	20.00	0
				50	28	20.18	20.09		19.74	20.18	0
				50	56	20.29	20.06		19.91	20.25	0
				100	0	20.27	20.12		19.79	20.20	0
			16QAM	1	1	20.04	20.30		19.62	19.61	0
			64QAM	1	1	20.41	20.42		19.96	19.88	0
			256QAM	1	1	19.87	20.05		19.69	19.68	0
		CP	QPSK	1	1	20.18	20.23		19.66	19.89	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	20.10		19.99		19.72	0
				1	67	20.22		19.81		20.09	0
				1	131	20.33		19.98		20.43	0
				64	0	20.19		19.85		19.90	0
				64	35	20.33		19.76		20.02	0
				64	69	20.31		19.81		20.23	0
				128	0	20.32		19.76		20.08	0
			QPSK	1	1	20.17		20.00		19.81	0
				1	67	20.32		19.78		20.07	0
				1	131	20.32		19.93		20.42	0
				64	0	20.20		19.84		19.91	0
				64	35	20.29		19.80		20.07	0
				64	69	20.30		19.81		20.28	0
				128	0	20.28		19.72		20.01	0
			16QAM	1	1	20.15		20.04		19.67	0
			64QAM	1	1	20.19		20.16		19.75	0
			256QAM	1	1	19.88		19.68		19.53	0
		CP	QPSK	1	1	20.26		20.08		19.78	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	20.43		19.57		19.74	0
				1	81	20.44		19.48		20.27	0
				1	160	20.49		19.65		20.44	0
				81	0	20.45		19.51		19.78	0
				81	41	20.45		19.39		20.02	0
				81	81	20.49		19.46		20.26	0
				162	0	20.30		19.40		20.09	0
			QPSK	1	1	20.41		19.72		19.68	0
				1	81	20.35		19.43		20.18	0
				1	160	20.49		19.66		20.31	0
				81	0	20.43		19.53		19.84	0
				81	41	20.40		19.37		20.09	0
				81	81	20.48		19.47		20.30	0
				162	0	20.31		19.49		20.06	0
			16QAM	1	1	20.42		19.62		19.62	0
			64QAM	1	1	20.49		19.71		19.49	0
			256QAM	1	1	20.33		19.71		20.10	0
		CP	QPSK	1	1	20.39		20.19		19.55	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	20.44				19.05	0
				1	81	20.48				20.26	0
				1	160	20.48				20.48	0
				81	0	20.44				20.16	0
				81	41	20.48				20.33	0
				81	81	20.41				20.35	0
				162	0	20.35				20.33	0
			QPSK	1	1	20.49				20.07	0
				1	81	20.26				20.27	0
				1	160	20.35				20.45	0
				81	0	20.47				20.09	0
				81	41	20.36				20.27	0
				81	81	20.25				20.41	0
				162	0	20.27				20.34	0
			16QAM	1	1	20.36				20.08	0
			64QAM	1	1	20.26				20.03	0
			256QAM	1	1	20.17				19.68	0
		CP	QPSK	1	1	20.47				20.01	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	20.37				20.15	0
				1	109	20.49				20.48	0
				1	215	20.25				20.41	0
				108	0	20.47				20.18	0
				108	55	20.29				20.36	0
				108	109	20.20				20.42	0
				216	0	20.21				20.41	0
			QPSK	1	1	20.38				20.02	0
				1	109	20.41				20.40	0
				1	215	20.15				20.39	0
				108	0	20.35				20.08	0
				108	55	20.47				20.35	0
				108	109	20.25				20.41	0
				216	0	20.35				20.37	0
		CP	16QAM	1	1	20.39				20.01	0
			64QAM	1	1	20.29				19.95	0
			256QAM	1	1	20.35				19.87	0
		CP	QPSK	1	1	20.46				19.99	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.12				19.93	0
				1	123	20.45				20.08	0
				1	243	20.46				20.46	0
				120	0	20.36				19.98	0
				120	63	20.48				20.13	0
				120	125	20.42				20.36	0
				243	0	20.40				20.23	0
			QPSK	1	1	20.48				19.96	0
				1	123	20.41				20.14	0
				1	243	20.45				20.48	0
				120	0	20.33				19.98	0
				120	63	20.32				20.22	0
				120	125	20.48				20.40	0
				243	0	20.32				20.28	0
			16QAM	1	1	20.49				19.95	0
			64QAM	1	1	20.39				20.03	0
			256QAM	1	1	20.42				19.96	0
		CP	QPSK	1	1	20.37				19.88	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			20.39		0
				1	137			19.89		0
				1	271			20.37		0
				135	0			20.25		0
				135	69			20.02		0
				135	138			20.24		0
				270	0			20.08		0
			QPSK	1	1			20.47		0
				1	137			19.93		0
				1	271			20.40		0
				135	0			20.29		0
				135	69			20.41		0
				135	138			20.20		0
				270	0			20.48		0
			16QAM	1	1			20.39		0
			64QAM	1	1			20.30		0
			256QAM	1	1			20.28		0
		CP	QPSK	1	1			20.24		0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open RCV (RSI

1) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.15	24.36	23.89	23.89	24.32	0
				1	12	24.26	24.41	23.96	23.96	24.41	0
				1	22	24.20	24.28	23.84	23.96	24.40	0
				12	0	24.21	24.26	23.92	23.94	24.35	0
				12	6	24.18	24.33	23.85	23.97	24.35	0
				12	12	24.21	24.30	23.83	23.97	24.32	0
				24	0	24.18	24.31	23.81	23.98	24.32	0
			QPSK	1	1	24.18	24.30	23.88	23.92	24.34	0
				1	12	24.24	24.31	23.88	23.99	24.40	0
				1	22	24.21	24.25	23.85	24.02	24.42	0
				12	0	23.72	23.82	23.39	23.48	23.83	0
				12	6	24.26	24.35	23.85	24.01	24.39	0
				12	12	23.75	23.76	23.36	23.49	23.82	0
				24	0	23.74	23.78	23.36	23.45	23.84	0
			16QAM	1	1	23.76	23.90	23.44	23.54	23.84	0
			64QAM	1	1	22.12	22.38	21.96	21.89	22.41	1.5
			256QAM	1	1	20.07	20.31	19.88	19.85	20.27	3.5
		CP	QPSK	1	1	23.20	23.43	22.91	22.97	23.44	0.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.23	24.34	23.96	23.93	24.22	0
				1	18	24.18	24.27	23.85	23.96	24.30	0
				1	36	24.33	24.28	23.89	23.98	24.31	0
				18	0	24.22	24.19	23.89	23.91	24.27	0
				18	9	24.21	24.25	23.82	23.93	24.29	0
				18	18	24.18	24.25	23.81	23.96	24.33	0
				36	0	24.22	24.24	23.81	23.91	24.27	0
			QPSK	1	1	24.18	24.31	23.93	23.92	24.31	0
				1	18	24.13	24.30	23.83	23.95	24.30	0
				1	36	24.27	24.29	23.83	24.07	24.35	0
				18	0	23.71	23.82	23.40	23.44	23.74	0
				18	9	24.26	24.33	23.90	23.99	24.30	0
				18	18	23.79	23.80	23.28	23.53	23.81	0
				36	0	23.73	23.81	23.33	23.44	23.82	0
			16QAM	1	1	23.81	23.87	23.51	23.46	23.85	0
			64QAM	1	1	22.20	22.45	21.94	21.97	22.26	1.5
			256QAM	1	1	20.11	20.17	19.97	19.85	20.11	3.5
		CP	QPSK	1	1	23.27	23.40	23.06	22.94	23.27	0.5

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.15	24.32	23.90	23.86	23.96	0
				1	26	24.19	24.28	23.87	23.94	24.00	0
				1	49	24.26	24.23	23.86	24.06	24.13	0
				25	0	24.15	24.24	23.83	23.89	24.02	0
				25	13	24.14	24.23	23.84	23.92	24.03	0
				25	26	24.29	24.27	23.84	24.02	24.09	0
				50	0	24.18	24.27	23.86	23.85	24.02	0
			QPSK	1	1	24.16	24.36	23.95	23.89	24.11	0
				1	26	24.21	24.32	23.81	23.99	24.03	0
				1	49	24.25	24.32	23.77	24.01	24.12	0
				25	0	23.73	23.76	23.36	23.37	23.80	0
				25	13	24.26	24.32	23.88	23.98	24.05	0
				25	26	23.71	23.73	23.28	23.47	23.90	0
				50	0	23.73	23.72	23.36	23.42	23.88	0
			16QAM	1	1	23.78	23.85	23.46	23.48	23.79	0
			64QAM	1	1	22.17	22.40	21.93	21.89	22.32	1.5
			256QAM	1	1	20.14	20.36	19.75	19.85	20.17	3.5
		CP	QPSK	1	1	23.28	23.41	22.94	22.90	23.35	0.5

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.24	24.35	23.96	23.88	24.24	0
				1	32	24.29	24.27	23.89	23.96	24.33	0
				1	63	24.36	24.31	23.89	24.15	24.43	0
				32	0	24.15	24.27	23.89	23.84	24.33	0
				32	17	24.26	24.24	23.78	23.89	24.30	0
				32	33	24.24	24.23	23.84	24.04	24.31	0
				64	0	24.20	24.29	23.83	23.92	24.35	0
			QPSK	1	1	24.24	24.34	23.98	23.78	24.27	0
				1	32	24.22	24.21	23.80	23.99	24.30	0
				1	63	24.30	24.20	23.83	24.05	24.38	0
				32	0	23.67	23.75	23.36	23.35	23.77	0
				32	17	24.22	24.28	23.81	23.97	24.37	0
				32	33	23.75	23.76	23.28	23.45	23.85	0
				64	0	23.77	23.78	23.36	23.42	23.78	0
			16QAM	1	1	23.80	23.85	23.58	23.29	23.69	0
			64QAM	1	1	22.20	22.44	21.90	21.84	22.23	1.5
			256QAM	1	1	20.21	20.18	19.87	19.75	20.20	3.5
		CP	QPSK	1	1	23.29	23.40	23.02	22.92	23.23	0.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.24	24.05	23.97	23.74	24.20	0
				1	39	24.27	23.98	23.91	23.95	24.37	0
				1	76	24.45	23.70	23.90	24.04	24.38	0
				36	0	24.15	23.99	23.94	23.83	24.26	0
				36	21	24.22	24.00	23.79	23.84	24.21	0
				36	42	24.28	24.01	23.81	24.00	24.31	0
				75	0	24.20	23.76	23.91	23.88	24.21	0
			QPSK	1	1	24.14	24.11	24.03	23.83	24.17	0
				1	39	24.21	24.05	23.89	24.03	24.32	0
				1	76	24.41	23.97	23.91	24.09	24.29	0
				36	0	23.75	23.88	23.45	23.30	23.79	0
				36	21	24.24	23.99	23.93	23.92	24.28	0
				36	42	23.78	23.84	23.30	23.48	23.81	0
				75	0	23.76	23.80	23.36	23.33	23.77	0
			16QAM	1	1	23.74	23.80	23.69	23.33	23.65	0
			64QAM	1	1	22.21	22.32	22.02	21.73	22.12	1.5
			256QAM	1	1	20.17	20.26	19.92	19.75	19.99	3.5
		CP	QPSK	1	1	23.29	23.42	23.02	22.81	23.18	0.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.19	24.27		23.82	24.01	0
				1	53	24.29	24.17		24.00	24.34	0
				1	104	24.35	24.08		24.18	24.41	0
				50	0	24.13	24.19		23.75	24.14	0
				50	28	24.23	24.16		23.83	24.25	0
				50	56	24.27	24.03		23.93	24.31	0
				100	0	24.26	24.18		23.90	24.32	0
			QPSK	1	1	24.11	24.31		23.72	24.04	0
				1	53	24.27	24.15		23.96	24.44	0
				1	104	24.33	24.12		24.17	24.41	0
				50	0	23.66	23.68		23.22	23.66	0
				50	28	24.22	24.18		23.89	24.28	0
				50	56	23.82	23.62		23.42	23.79	0
				100	0	23.76	23.69		23.34	23.75	0
			16QAM	1	1	23.53	23.78		23.34	23.60	0
			64QAM	1	1	22.11	22.35		21.57	22.01	1.5
			256QAM	1	1	20.14	20.10		19.61	19.64	3.5
		CP	QPSK	1	1	23.20	23.25		22.73	22.95	0.5

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	
						MHz		MHz		MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.20		24.16		23.95	0
				1	67	24.28		23.79		24.21	0
				1	131	24.37		24.02		24.31	0
				64	0	24.23		24.02		24.01	0
				64	35	24.30		23.82		24.18	0
				64	69	24.25		23.90		24.29	0
				128	0	24.27		23.92		24.17	0
			QPSK	1	1	24.27		24.15		23.93	0
				1	67	24.26		23.78		24.17	0
				1	131	24.37		24.01		24.42	0
				64	0	23.76		23.43		23.49	0
				64	35	24.32		23.89		24.20	0
				64	69	23.77		23.37		23.83	0
				128	0	23.75		23.38		23.71	0
			16QAM	1	1	23.78		23.69		23.32	0
			64QAM	1	1	22.07		22.06		22.07	1.5
			256QAM	1	1	20.11		19.91		19.92	3.5
		CP	QPSK	1	1	23.28		23.12		22.95	0.5

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	24.34		24.23		23.92	0
				1	81	24.47		23.98		24.32	0
				1	160	24.41		24.10		24.36	0
				81	0	24.28		23.94		23.70	0
				81	41	24.34		23.80		24.20	0
				81	81	24.32		23.90		24.40	0
				162	0	24.38		23.91		24.21	0
			QPSK	1	1	24.32		24.19		23.84	0
				1	81	24.41		23.85		24.20	0
				1	160	24.44		24.13		24.32	0
				81	0	23.85		23.52		23.41	0
				81	41	24.38		23.92		24.18	0
				81	81	23.86		23.37		23.94	0
				162	0	23.85		23.45		23.73	0
			16QAM	1	1	23.85		23.37		23.37	0
			64QAM	1	1	22.24		22.05		21.80	1.5
			256QAM	1	1	20.22		20.10		19.85	3.5
		CP	QPSK	1	1	23.31		23.22		22.96	0.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	24.25				23.93	0
				1	81	24.34				24.14	0
				1	160	24.33				24.35	0
				81	0	24.19				23.91	0
				81	41	24.25				24.05	0
				81	81	24.25				24.25	0
				162	0	24.28				24.14	0
			QPSK	1	1	24.27				23.84	0
				1	81	24.34				24.06	0
				1	160	24.31				24.31	0
				81	0	23.75				23.41	0
				81	41	24.32				24.12	0
				81	81	23.75				23.82	0
				162	0	23.79				23.81	0
			16QAM	1	1	23.76				23.69	0
			64QAM	1	1	22.29				22.09	1.5
			256QAM	1	1	20.13				19.95	3.5
		CP	QPSK	1	1	23.24				23.04	0.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.37				23.84	0
				1	109	24.21				24.09	0
				1	215	24.28				24.40	0
				108	0	24.29				23.82	0
				108	55	24.32				24.06	0
				108	109	24.30				24.40	0
				216	0	24.29				24.14	0
			QPSK	1	1	24.41				23.78	0
				1	109	24.23				23.99	0
				1	215	24.33				24.34	0
				108	0	23.79				23.33	0
				108	55	24.29				24.08	0
				108	109	23.74				23.90	0
				216	0	23.79				23.64	0
			16QAM	1	1	23.86				23.31	0
			64QAM	1	1	22.41				21.68	1.5
			256QAM	1	1	20.21				19.69	3.5
		CP	QPSK	1	1	23.33				22.95	0.5

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
						MHz					MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.31				23.85	0
				1	123	24.26				23.96	0
				1	243	24.32				24.43	0
				120	0	24.31				23.73	0
				120	63	24.34				23.96	0
				120	125	24.23				24.38	0
			243	0	24.36				24.05	0	
			QPSK	1	1	24.34				23.87	0
				1	123	24.30				23.95	0
				1	243	24.27				24.36	0
				120	0	23.80				23.30	0
				120	63	24.33				23.98	0
				120	125	23.73				23.94	0
			243	0	23.93				23.48	0	
			16QAM	1	1	23.84				23.29	0
			64QAM	1	1	22.35				21.78	1.5
			256QAM	1	1	20.33				19.78	3.5
		CP	QPSK	1	1	23.36				22.91	0.5

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			24.38		0
				1	137			23.88		0
				1	271			24.37		0
				135	0			24.22		0
				135	69			23.83		0
				135	138			24.05		0
			QPSK	270	0			23.97		0
				1	1			24.46		0
				1	137			23.83		0
				1	271			24.37		0
				135	0			23.66		0
				135	69			24.25		0
				135	138			23.49		0
				270	0			24.08		0
			16QAM	1	1			23.81		0
			64QAM	1	1			22.38		1.5
			256QAM	1	1			20.27		3.5
		CP	QPSK	1	1			23.36		0.5

NR FDD Band n66 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [Ant B]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.86	25.13	25.37	0
				1	13	24.80	25.11	25.31	0
				1	23	24.80	25.16	25.35	0
				12	0	24.38	24.66	24.86	0.5
				12	7	24.90	25.17	25.40	0
				12	13	24.36	24.66	24.86	0.5
				25	0	24.39	24.66	24.88	0.5
			QPSK	1	1	24.93	25.15	25.41	0
				1	13	24.85	25.13	25.33	0
				1	23	24.86	25.17	25.37	0
				12	0	23.91	24.16	24.38	1
				12	7	24.93	25.19	25.39	0
				12	13	23.85	24.15	24.38	1
				25	0	23.90	24.15	24.36	1
			16QAM	1	1	23.91	24.04	24.26	1
			64QAM	1	1	22.53	22.73	22.96	2.5
			256QAM	1	1	20.35	20.51	20.79	4.5
		CP	QPSK	1	1	23.39	23.60	24.00	1.5

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.01	25.15	25.38	0
				1	26	25.12	25.22	25.52	0
				1	50	24.94	25.24	25.36	0
				25	0	24.50	24.67	24.87	0.5
				25	14	24.97	25.19	25.42	0
				25	27	24.45	24.70	24.91	0.5
				50	0	24.46	24.69	24.94	0.5
			QPSK	1	1	25.04	25.18	25.41	0
				1	26	24.99	25.30	25.51	0
				1	50	24.99	25.23	25.42	0
				25	0	23.99	24.16	24.40	1
				25	14	24.99	25.21	25.45	0
				25	27	23.97	24.20	24.42	1
				50	0	23.95	24.19	24.41	1
			16QAM	1	1	24.00	24.19	24.29	1
			64QAM	1	1	22.63	22.61	23.05	2.5
			256QAM	1	1	20.41	20.59	20.79	4.5
		CP	QPSK	1	1	23.51	23.69	23.98	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04	25.19	25.25	0
				1	40	24.92	25.18	25.33	0
				1	77	25.00	25.23	25.40	0
				36	0	24.48	24.71	24.85	0.5
				36	22	25.00	25.26	25.41	0
				36	43	24.48	24.75	24.94	0.5
				75	0	24.52	24.76	24.89	0.5
			QPSK	1	1	25.08	25.24	25.34	0
				1	40	24.97	25.22	25.38	0
				1	77	25.05	25.26	25.43	0
				36	0	23.99	24.23	24.35	1
				36	22	25.03	25.28	25.43	0
				36	43	23.99	24.26	24.32	1
				75	0	24.02	24.22	24.30	1
			16QAM	1	1	24.05	24.17	24.11	1
			64QAM	1	1	22.55	22.80	22.78	2.5
			256QAM	1	1	20.42	20.61	20.64	4.5
		CP	QPSK	1	1	23.60	23.67	23.81	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04	25.18	25.27	0
				1	53	25.04	25.26	25.46	0
				1	104	25.06	25.28	25.38	0
				50	0	24.46	24.73	24.84	0.5
				50	28	25.00	25.26	25.41	0
				50	56	24.53	24.77	24.94	0.5
				100	0	24.50	24.75	24.91	0.5
			QPSK	1	1	25.07	25.21	25.31	0
				1	53	25.05	25.35	25.53	0
				1	104	25.10	25.32	25.44	0
				50	0	23.99	24.23	24.34	1
				50	28	25.03	25.27	25.37	0
				50	56	24.02	24.24	24.39	1
				100	0	24.00	24.24	24.34	1
			16QAM	1	1	23.98	24.16	24.16	1
			64QAM	1	1	22.60	22.88	22.84	2.5
			256QAM	1	1	20.40	20.59	20.67	4.5
		CP	QPSK	1	1	23.57	23.72	23.82	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.01	25.15	25.26	0
				1	66	25.16	25.33	25.41	0
				1	131	25.15	25.30	25.42	0
				64	0	24.50	24.75	24.84	0.5
				64	35	24.99	25.29	25.37	0
				64	69	24.56	24.80	24.96	0.5
				128	0	24.49	24.80	24.86	0.5
			QPSK	1	1	25.06	25.19	25.30	0
				1	66	24.99	25.27	25.40	0
				1	131	25.21	25.26	25.48	0
				64	0	24.00	24.20	24.34	1
				64	35	25.02	25.27	25.38	0
				64	69	24.08	24.24	24.47	1
				128	0	24.00	24.22	24.35	1
			16QAM	1	1	24.00	24.12	24.20	1
			64QAM	1	1	22.70	22.73	22.82	2.5
			256QAM	1	1	20.40	20.55	20.63	4.5
		CP	QPSK	1	1	23.48	23.64	23.74	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.11	0
				1	80	25.28	0
				1	158	25.33	0
				80	0	24.74	0.5
				80	40	25.29	0
				80	80	24.79	0.5
				160	0	24.67	0.5
			QPSK	1	1	25.07	0
				1	80	25.31	0
				1	158	25.28	0
				80	0	24.20	1
				80	40	25.26	0
				80	80	24.26	1
				160	0	24.22	1
			16QAM	1	1	23.94	1
			64QAM	1	1	22.63	2.5
			256QAM	1	1	20.51	4.5
		CP	OPSK	1	1	23.57	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.08	0
				1	98	25.24	0
				1	186	25.35	0
				90	0	24.71	0.5
				90	45	25.28	0
				90	90	24.78	0.5
				180	0	24.78	0.5
			QPSK	1	1	25.13	0
				1	98	25.30	0
				1	186	25.39	0
				90	0	24.23	1
				90	45	25.30	0
				90	90	24.29	1
				180	0	24.26	1
			16QAM	1	1	24.09	1
			64QAM	1	1	22.48	2.5
			256QAM	1	1	20.45	4.5
		CP	QPSK	1	1	23.66	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.07	0
				1	108	25.30	0
				1	214	25.30	0
				108	0	24.72	0.5
				108	54	25.25	0
				108	108	24.85	0.5
				216	0	24.78	0.5
			QPSK	1	1	25.04	0
				1	108	25.29	0
				1	214	25.57	0
				108	0	24.19	1
				108	54	25.44	0
				108	108	24.30	1
				216	0	24.24	1
			16QAM	1	1	24.08	1
			64QAM	1	1	22.88	2.5
			256QAM	1	1	20.44	4.5
		CP	QPSK	1	1	23.82	1.5

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.30	19.54	19.77	0
				1	13	19.23	19.52	19.70	0
				1	23	19.20	19.57	19.69	0
				12	0	19.33	19.57	19.77	0
				12	7	19.30	19.58	19.76	0
				12	13	19.27	19.58	19.78	0
				25	0	19.31	19.57	19.77	0
			QPSK	1	1	19.32	19.56	19.75	0
				1	13	19.24	19.52	19.71	0
				1	23	19.26	19.58	19.74	0
				12	0	19.33	19.59	19.78	0
				12	7	19.32	19.59	19.78	0
				12	13	19.28	19.58	19.76	0
				25	0	19.31	19.59	19.78	0
			16QAM	1	1	19.30	19.60	19.75	0
			64QAM	1	1	19.46	19.67	19.94	0
			256QAM	1	1	19.37	19.50	19.81	0
		CP	QPSK	1	1	19.36	19.53	19.78	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	19.57	19.78	0
				1	26	19.52	19.61	19.94	0
				1	50	19.34	19.61	19.74	0
				25	0	19.41	19.59	19.79	0
				25	14	19.36	19.60	19.81	0
				25	27	19.39	19.62	19.80	0
				50	0	19.37	19.61	19.81	0
			QPSK	1	1	19.43	19.56	19.78	0
				1	26	19.35	19.66	19.87	0
				1	50	19.35	19.59	19.76	0
				25	0	19.40	19.58	19.79	0
				25	14	19.37	19.59	19.80	0
				25	27	19.37	19.62	19.78	0
				50	0	19.38	19.60	19.76	0
			16QAM	1	1	19.44	19.54	19.67	0
			64QAM	1	1	19.50	19.70	19.90	0
			256QAM	1	1	19.43	19.54	19.75	0
		CP	QPSK	1	1	19.50	19.52	19.75	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.40	19.59	19.60	0
				1	40	19.29	19.56	19.65	0
				1	77	19.37	19.58	19.70	0
				36	0	19.35	19.61	19.71	0
				36	22	19.36	19.63	19.74	0
				36	43	19.35	19.59	19.78	0
				75	0	19.38	19.60	19.73	0
			QPSK	1	1	19.39	19.56	19.65	0
				1	40	19.29	19.53	19.69	0
				1	77	19.35	19.56	19.72	0
				36	0	19.37	19.58	19.71	0
				36	22	19.37	19.61	19.75	0
				36	43	19.36	19.62	19.79	0
				75	0	19.38	19.61	19.74	0
			16QAM	1	1	19.51	19.49	19.55	0
			64QAM	1	1	19.52	19.76	19.94	0
			256QAM	1	1	19.36	19.48	19.60	0
		CP	QPSK	1	1	19.42	19.55	19.67	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.38	19.54	19.64	0
				1	53	19.39	19.62	19.82	0
				1	104	19.40	19.63	19.72	0
				50	0	19.35	19.60	19.68	0
				50	28	19.35	19.63	19.78	0
				50	56	19.34	19.62	19.79	0
				100	0	19.33	19.61	19.74	0
			QPSK	1	1	19.38	19.55	19.61	0
				1	53	19.35	19.66	19.83	0
				1	104	19.43	19.63	19.74	0
				50	0	19.34	19.59	19.69	0
				50	28	19.36	19.62	19.81	0
				50	56	19.38	19.60	19.82	0
				100	0	19.36	19.61	19.77	0
			16QAM	1	1	19.30	19.54	19.43	0
			64QAM	1	1	19.53	19.68	19.80	0
			256QAM	1	1	19.38	19.53	19.57	0
		CP	QPSK	1	1	19.44	19.57	19.60	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37	19.52	19.61	0
				1	66	19.48	19.70	19.76	0
				1	131	19.49	19.62	19.73	0
				64	0	19.36	19.60	19.68	0
				64	35	19.32	19.65	19.70	0
				64	69	19.43	19.65	19.80	0
			QPSK	128	0	19.34	19.63	19.69	0
				1	1	19.38	19.52	19.61	0
				1	66	19.28	19.61	19.68	0
				1	131	19.52	19.58	19.74	0
				64	0	19.35	19.58	19.69	0
				64	35	19.34	19.60	19.70	0
				64	69	19.44	19.60	19.80	0
				128	0	19.35	19.59	19.70	0
			16QAM	1	1	19.41	19.50	19.56	0
			64QAM	1	1	19.53	19.70	19.76	0
			256QAM	1	1	19.41	19.49	19.62	0
		CP	QPSK	1	1	19.38	19.50	19.56	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.43	0
				1	80	19.60	0
				1	158	19.59	0
				80	0	19.59	0
				80	40	19.60	0
				80	80	19.62	0
			QPSK	160	0	19.60	0
				1	1	19.46	0
				1	80	19.63	0
				1	158	19.62	0
				80	0	19.59	0
				80	40	19.61	0
				80	80	19.62	0
				160	0	19.61	0
			16QAM	1	1	19.58	0
			64QAM	1	1	19.54	0
			256QAM	1	1	19.42	0
		CP	QPSK	1	1	19.40	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	0
				1	98	19.61	0
				1	186	19.66	0
				90	0	19.60	0
				90	45	19.62	0
				90	90	19.60	0
				180	0	19.63	0
			QPSK	1	1	19.45	0
				1	98	19.59	0
				1	186	19.70	0
				90	0	19.59	0
				90	45	19.63	0
				90	90	19.64	0
				180	0	19.62	0
			16QAM	1	1	19.74	0
			64QAM	1	1	19.53	0
			256QAM	1	1	19.37	0
		CP	QPSK	1	1	19.45	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.38	0
				1	108	19.62	0
				1	214	19.70	0
				108	0	19.54	0
				108	54	19.61	0
				108	108	19.65	0
				216	0	19.61	0
			QPSK	1	1	19.42	0
				1	108	19.65	0
				1	214	19.73	0
				108	0	19.57	0
				108	54	19.61	0
				108	108	19.68	0
				216	0	19.60	0
			16QAM	1	1	19.32	0
			64QAM	1	1	19.59	0
			256QAM	1	1	19.40	0
		CP	QPSK	1	1	19.36	0

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open RCV(RSI 1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3),
Folder Close Hotspot(RSI 4) _ SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.88	19.76	19.64	0
				1	13	19.82	19.71	19.57	0
				1	23	19.85	19.71	19.62	0
				12	0	19.89	19.79	19.68	0
				12	7	19.90	19.77	19.66	0
				12	13	19.86	19.75	19.64	0
				25	0	19.88	19.77	19.68	0
			QPSK	1	1	19.86	19.74	19.64	0
				1	13	19.81	19.69	19.58	0
				1	23	19.84	19.70	19.61	0
				12	0	19.90	19.78	19.67	0
				12	7	19.89	19.78	19.66	0
				12	13	19.88	19.75	19.66	0
				25	0	19.89	19.78	19.67	0
			16QAM	1	1	19.87	19.83	19.62	0
			64QAM	1	1	19.96	19.87	19.82	0
			256QAM	1	1	18.12	18.04	17.91	1.5
		CP	QPSK	1	1	19.88	19.73	19.65	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.79	0
				1	26	19.85	0
				1	50	19.72	0
				25	0	19.83	0
				25	14	19.79	0
				25	27	19.76	0
				50	0	19.80	0
			QPSK	1	1	19.81	0
				1	26	19.81	0
				1	50	19.71	0
				25	0	19.81	0
				25	14	19.80	0
				25	27	19.76	0
				50	0	19.79	0
			16QAM	1	1	19.87	0
			64QAM	1	1	19.80	0
			256QAM	1	1	18.09	1.5
		CP	QPSK	1	1	19.79	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.86	0
				1	40	19.75	0
				1	77	19.71	0
				36	0	19.86	0
				36	22	19.82	0
				36	43	19.76	0
				75	0	19.80	0
			QPSK	1	1	19.84	0
				1	40	19.72	0
				1	77	19.68	0
				36	0	19.86	0
				36	22	19.80	0
				36	43	19.78	0
				75	0	19.82	0
			16QAM	1	1	19.88	0
			64QAM	1	1	19.94	0
			256QAM	1	1	18.13	1.5
		CP	QPSK	1	1	19.80	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.90	0
				1	53	19.89	0
				1	104	19.69	0
				50	0	19.88	0
				50	28	19.83	0
				50	56	19.78	0
				100	0	19.85	0
			QPSK	1	1	19.91	0
				1	53	19.85	0
				1	104	19.67	0
				50	0	19.89	0
				50	28	19.82	0
				50	56	19.76	0
				100	0	19.80	0
			16QAM	1	1	19.87	0
			64QAM	1	1	19.89	0
			256QAM	1	1	18.19	1.5
		CP	QPSK	1	1	19.88	0

NR FDD Band n5 Conducted Power_ Measured Folder Open RCV(RSI 1), _

SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37	19.23	19.11	0
				1	13	19.28	19.18	19.06	0
				1	23	19.31	19.18	19.09	0
				12	0	19.37	19.24	19.14	0
				12	7	19.35	19.22	19.12	0
				12	13	19.35	19.23	19.12	0
				25	0	19.36	19.24	19.13	0
			QPSK	1	1	19.34	19.22	19.12	0
				1	13	19.27	19.16	19.06	0
				1	23	19.27	19.18	19.08	0
				12	0	19.36	19.27	19.16	0
				12	7	19.35	19.25	19.15	0
				12	13	19.34	19.23	19.13	0
				25	0	19.36	19.24	19.14	0
			16QAM	1	1	19.41	19.24	19.19	0
			64QAM	1	1	19.35	19.19	19.12	0
			256QAM	1	1	18.03	17.96	17.88	1
		CP	QPSK	1	1	19.47	19.31	19.15	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.26	0
				1	26	19.31	0
				1	50	19.17	0
				25	0	19.27	0
				25	14	19.24	0
				25	27	19.22	0
				50	0	19.24	0
			QPSK	1	1	19.25	0
				1	26	19.27	0
				1	50	19.13	0
				25	0	19.28	0
				25	14	19.26	0
				25	27	19.22	0
				50	0	19.25	0
			16QAM	1	1	19.28	0
			64QAM	1	1	19.31	0
			256QAM	1	1	17.99	1
		CP	QPSK	1	1	19.34	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.29	0
				1	40	19.16	0
				1	77	19.14	0
				36	0	19.28	0
				36	22	19.23	0
				36	43	19.2	0
				75	0	19.24	0
			QPSK	1	1	19.28	0
				1	40	19.16	0
				1	77	19.13	0
				36	0	19.28	0
				36	22	19.25	0
				36	43	19.22	0
				75	0	19.25	0
			16QAM	1	1	19.27	0
			64QAM	1	1	19.33	0
			256QAM	1	1	18.00	1
		CP	QPSK	1	1	19.37	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	0
				1	53	19.28	0
				1	104	19.06	0
				50	0	19.27	0
				50	28	19.21	0
				50	56	19.16	0
				100	0	19.24	0
			QPSK	1	1	19.30	0
				1	53	19.28	0
				1	104	19.08	0
				50	0	19.28	0
				50	28	19.23	0
				50	56	19.17	0
				100	0	19.24	0
			16QAM	1	1	19.25	0
			64QAM	1	1	19.36	0
			256QAM	1	1	18.04	1.5
		CP	QPSK	1	1	19.41	0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.22	17.87	17.53	17.89	17.92	0
				1	12	18.23	17.90	17.95	17.92	18.01	0
				1	22	18.20	17.84	17.90	17.94	17.93	0
				12	0	18.23	17.86	17.91	17.92	17.93	0
				12	6	18.21	17.86	17.91	17.95	17.90	0
				12	12	18.19	17.87	17.92	17.96	17.92	0
				24	0	18.18	17.88	17.92	17.94	17.93	0
			QPSK	1	1	18.23	17.88	17.92	17.90	17.91	0
				1	12	18.25	17.92	17.94	17.94	17.96	0
				1	22	18.19	17.86	17.91	17.94	17.92	0
				12	0	18.21	17.86	17.93	17.94	17.93	0
				12	6	18.21	17.86	17.92	17.94	17.94	0
				12	12	18.19	17.88	17.94	17.97	17.93	0
				24	0	18.20	17.86	17.91	17.94	17.93	0
			16QAM	1	1	18.33	17.86	17.82	17.88	18.01	0
			64QAM	1	1	18.26	18.02	17.85	17.91	17.90	0
			256QAM	1	1	17.96	18.17	18.18	17.83	17.79	0
		CP	QPSK	1	1	17.79	17.79	17.85	17.94	17.99	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.13	18.18	17.91	17.92	18.14	0
				1	18	18.24	18.15	17.89	17.86	18.12	0
				1	36	18.21	18.17	17.94	17.95	18.13	0
				18	0	18.26	17.93	17.94	17.90	18.13	0
				18	9	18.26	17.91	17.92	17.91	18.12	0
				18	18	18.25	17.88	17.91	17.93	18.14	0
				36	0	18.25	17.90	17.92	17.90	18.10	0
			QPSK	1	1	18.33	17.88	17.91	17.88	18.13	0
				1	18	18.25	17.86	17.93	17.86	18.08	0
				1	36	18.28	17.85	17.94	17.96	18.13	0
				18	0	18.26	17.88	17.91	17.88	18.14	0
				18	9	18.25	17.89	17.92	17.91	18.13	0
				18	18	18.24	17.89	17.92	17.94	18.13	0
				36	0	18.26	17.90	17.91	17.91	18.14	0
			16QAM	1	1	18.30	18.02	18.01	17.98	18.11	0
			64QAM	1	1	18.29	17.98	17.81	17.93	18.18	0
			256QAM	1	1	18.29	17.92	17.95	18.21	18.15	0
		CP	QPSK	1	1	17.95	18.01	17.93	18.24	18.17	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.82	17.88	17.96	17.87	17.90	0
				1	26	17.80	17.90	17.95	17.86	18.09	0
				1	49	17.93	17.92	17.95	17.93	18.09	0
				25	0	17.84	17.93	17.91	17.88	18.09	0
				25	13	17.83	17.94	17.94	17.87	18.10	0
				25	26	17.85	17.92	17.92	17.90	18.10	0
				50	0	17.84	17.96	17.92	17.86	18.09	0
			QPSK	1	1	17.84	17.92	17.95	17.86	18.14	0
				1	26	17.81	17.89	17.93	17.89	18.08	0
				1	49	17.84	18.01	17.93	17.93	18.09	0
				25	0	17.84	17.94	17.91	17.86	18.09	0
				25	13	17.82	17.92	17.93	17.86	18.10	0
				25	26	17.85	17.91	17.92	17.93	18.11	0
				50	0	17.83	17.93	17.92	17.86	18.10	0
			16QAM	1	1	17.90	18.01	17.99	17.82	18.15	0
			64QAM	1	1	18.01	17.82	17.83	17.85	18.00	0
			256QAM	1	1	17.91	18.24	18.18	18.13	18.13	0
		CP	QPSK	1	1	17.83	17.95	17.89	18.16	18.09	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.42	18.11	18.34	17.87	18.36	0
				1	32	18.09	18.39	17.98	17.88	18.35	0
				1	63	18.15	18.35	18.01	17.97	18.36	0
				32	0	18.13	18.37	17.97	17.88	18.35	0
				32	17	18.12	18.26	17.97	17.87	18.33	0
				32	33	18.12	18.06	17.99	17.92	18.35	0
				64	0	18.11	18.06	17.98	17.88	18.34	0
			QPSK	1	1	18.15	18.08	18.01	17.87	18.31	0
				1	32	18.12	17.97	17.98	17.93	18.36	0
				1	63	18.14	17.81	18.00	17.97	18.36	0
				32	0	18.11	18.32	17.97	17.87	18.33	0
				32	17	18.12	18.30	17.96	17.85	18.33	0
				32	33	18.15	18.30	17.98	17.95	18.32	0
				64	0	18.12	18.05	17.67	17.86	18.34	0
			16QAM	1	1	18.28	18.11	17.97	17.95	18.34	0
			64QAM	1	1	18.11	17.75	17.96	17.76	18.34	0
			256QAM	1	1	18.17	18.02	18.28	18.13	18.39	0
		CP	QPSK	1	1	18.24	18.03	17.99	17.86	18.08	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.03	18.26	16.55	17.94	18.35	0
				1	39	18.21	17.94	17.89	18.01	18.19	0
				1	76	18.19	17.87	17.92	17.73	18.15	0
				36	0	18.16	17.95	17.88	18.05	18.18	0
				36	21	18.20	17.94	17.89	18.03	18.15	0
				36	42	18.18	17.90	17.89	18.03	18.15	0
				75	0	18.22	17.95	17.89	18.03	18.18	0
			QPSK	1	1	18.25	17.97	17.96	18.07	18.23	0
				1	39	18.18	17.96	17.94	18.03	18.19	0
				1	76	18.20	17.86	17.91	18.07	18.12	0
				36	0	18.19	17.93	17.87	18.00	18.20	0
				36	21	18.16	17.93	17.88	18.00	18.15	0
				36	42	18.19	17.92	17.88	18.03	18.15	0
				75	0	18.20	17.92	17.88	18.01	18.17	0
			16QAM	1	1	18.23	17.94	17.92	18.21	18.14	0
			64QAM	1	1	18.24	17.96	17.81	18.12	18.16	0
			256QAM	1	1	18.20	18.27	18.19	18.30	18.45	0
		CP	QPSK	1	1	17.96	17.97	18.21	18.04	18.44	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.88	17.95		17.56	18.19	0
				1	53	17.79	17.83		17.94	18.09	0
				1	104	17.86	17.79		17.92	18.09	0
				50	0	17.82	17.82		17.87	18.07	0
				50	28	17.81	17.80		17.88	18.07	0
				50	56	17.82	17.79		17.88	18.08	0
				100	0	17.82	17.82		17.87	18.07	0
			QPSK	1	1	17.91	17.92		17.90	18.06	0
				1	53	17.79	17.84		17.93	18.07	0
				1	104	17.82	17.79		17.92	18.12	0
				50	0	17.82	17.86		17.87	18.08	0
				50	28	17.81	17.89		17.87	18.07	0
				50	56	17.83	17.80		17.88	18.06	0
				100	0	17.83	17.83		17.87	18.08	0
			16QAM	1	1	18.09	17.93		18.06	18.05	0
			64QAM	1	1	17.94	17.92		18.10	18.21	0
			256QAM	1	1	18.23	18.31		18.07	18.23	0
		CP	QPSK	1	1	18.23	17.24		18.12	18.25	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.05		17.69		18.17	0
				1	67	17.93		17.87		18.12	0
				1	131	17.98		17.98		18.16	0
				64	0	17.96		17.92		18.11	0
				64	35	17.94		17.88		18.14	0
				64	69	17.95		17.91		18.15	0
				128	0	17.96		17.89		18.16	0
			QPSK	1	1	18.01		17.97		18.09	0
				1	67	17.88		17.87		18.10	0
				1	131	17.95		17.94		18.13	0
				64	0	17.95		17.94		18.11	0
				64	35	17.96		17.89		18.14	0
				64	69	17.96		17.92		18.15	0
				128	0	17.95		17.89		18.16	0
			16QAM	1	1	18.09		18.20		18.15	0
			64QAM	1	1	18.30		18.06		18.34	0
			256QAM	1	1	18.16		18.30		18.31	0
		CP	QPSK	1	1	17.71		17.70		18.18	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.22		17.99		17.99	0
				1	81	18.11		17.87		18.00	0
				1	160	18.20		17.93		18.07	0
				81	0	18.13		17.94		17.96	0
				81	41	18.32		17.88		18.00	0
				81	81	17.87		17.92		18.04	0
				162	0	17.86		17.88		18.04	0
			QPSK	1	1	17.97		18.01		17.98	0
				1	81	17.79		17.87		18.02	0
				1	160	17.88		18.00		18.12	0
				81	0	18.15		17.95		17.94	0
				81	41	17.81		17.89		17.98	0
				81	81	17.96		17.93		18.04	0
				162	0	17.85		17.89		18.03	0
			16QAM	1	1	17.81		18.03		17.95	0
			64QAM	1	1	17.83		17.95		18.04	0
			256QAM	1	1	17.92		18.32		18.32	0
		CP	QPSK	1	1	17.99		18.08		18.12	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.12				18.30	0
				1	81	17.98				18.16	0
				1	160	17.89				18.25	0
				81	0	18.01				17.84	0
				81	41	17.93				17.71	0
				81	81	17.95				17.99	0
				162	0	17.97				17.91	0
			QPSK	1	1	18.08				18.00	0
				1	81	17.93				17.84	0
				1	160	17.94				17.99	0
				81	0	17.98				17.88	0
				81	41	17.95				17.86	0
				81	81	17.94				17.97	0
				162	0	17.95				17.91	0
			16QAM	1	1	18.00				17.98	0
			64QAM	1	1	18.11				18.00	0
			256QAM	1	1	18.46				18.21	0
		CP	QPSK	1	1	17.86				17.34	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.40				18.20	0
				1	109	18.09				18.28	0
				1	215	18.30				18.39	0
				108	0	18.17				17.99	0
				108	55	18.07				18.23	0
				108	109	18.20				18.12	0
				216	0	17.88				18.04	0
			QPSK	1	1	18.11				18.09	0
				1	109	17.78				17.90	0
				1	215	18.05				18.13	0
				108	0	17.90				17.85	0
				108	55	17.83				17.99	0
				108	109	17.87				18.13	0
				216	0	17.89				18.04	0
			16QAM	1	1	18.15				18.15	0
			64QAM	1	1	18.10				18.24	0
			256QAM	1	1	18.25				18.08	0
		CP	QPSK	1	1	18.23				18.13	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						508200					528996	
						2541 MHz					2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.25				18.46	0	
				1	123	17.92				18.29	0	
				1	243	18.05				18.42	0	
				120	0	18.05				18.38	0	
				120	63	17.97				18.33	0	
				120	125	17.94				18.42	0	
			QPSK	243	0	18.05				18.37	0	
				1	1	18.26				18.47	0	
				1	123	17.90				18.27	0	
				1	243	18.06				18.48	0	
				120	0	18.03				18.39	0	
				120	63	17.97				18.34	0	
			16QAM	120	125	17.95				18.42	0	
				243	0	18.04				18.38	0	
				1	1	18.31				18.40	0	
				64QAM	1	1	18.30				18.42	0
				256QAM	1	1	16.83				18.46	0
		CP	QPSK	1	1	18.26				18.13	0	

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.45		0
				1	137			17.89		0
				1	271			18.25		0
				135	0			18.22		0
				135	69			17.91		0
				135	138			18.24		0
				270	0			18.38		0
			QPSK	1	1			18.49		0
				1	137			17.88		0
				1	271			18.24		0
				135	0			18.06		0
				135	69			18.48		0
				135	138			17.99		0
				270	0			18.40		0
			16QAM	1	1			18.36		0
			64QAM	1	1			18.30		0
			256QAM	1	1			18.41		0
		CP	QPSK	1	1			18.42		0

NR TDD Band n41 (PC3) Conducted Power_ Measured Folder Open RCV(RSI

1)_ SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.48	14.77	15.23	15.23	15.27	0
				1	12	15.50	15.19	15.24	15.26	15.33	0
				1	22	15.44	15.15	15.23	15.26	15.25	0
				12	0	14.49	14.88	15.23	15.23	15.25	0
				12	6	14.49	15.18	15.23	15.26	15.24	0
				12	12	15.25	15.17	15.23	15.27	15.24	0
				24	0	15.24	15.16	15.23	15.26	15.26	0
			QPSK	1	1	15.26	15.18	15.23	15.25	15.26	0
				1	12	15.27	15.26	15.32	15.32	15.32	0
				1	22	15.25	15.16	15.23	15.28	15.26	0
				12	0	15.25	15.17	15.22	15.22	15.25	0
				12	6	15.24	15.17	15.23	15.25	15.26	0
				12	12	15.25	15.17	15.25	15.25	15.25	0
				24	0	15.25	15.17	15.22	15.25	15.23	0
			16QAM	1	1	15.21	15.24	15.27	15.24	15.38	0
			64QAM	1	1	15.27	15.21	15.17	15.18	15.27	0
			256QAM	1	1	15.27	15.36	15.44	15.43	15.44	0
		CP	QPSK	1	1	15.28	15.22	15.18	15.13	15.23	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.58	15.21	15.19	15.21	15.44	0
				1	18	15.47	15.17	15.19	15.19	15.42	0
				1	36	15.52	15.19	15.19	15.26	15.42	0
				18	0	15.35	15.21	15.23	15.20	15.44	0
				18	9	15.32	14.96	15.23	15.22	15.45	0
				18	18	15.31	15.22	15.23	15.25	15.44	0
				36	0	15.31	15.20	15.23	15.20	15.44	0
			QPSK	1	1	15.35	15.19	15.23	15.23	15.50	0
				1	18	15.28	15.14	15.21	15.19	15.46	0
				1	36	15.31	15.15	15.23	15.27	15.43	0
				18	0	15.68	15.21	15.22	15.23	15.44	0
				18	9	15.31	15.21	15.23	15.21	15.44	0
				18	18	15.32	15.19	15.23	15.25	15.45	0
				36	0	15.33	15.20	15.24	15.22	15.45	0
			16QAM	1	1	15.30	15.18	15.26	15.16	15.32	0
			64QAM	1	1	15.31	15.13	15.18	15.25	15.42	0
			256QAM	1	1	15.39	15.38	15.42	15.24	15.61	0
		CP	QPSK	1	1	15.31	15.53	15.19	14.41	15.41	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.20	15.26	15.23	15.19	15.46	0
				1	26	15.16	15.21	15.23	15.17	15.43	0
				1	49	15.20	15.23	15.26	15.26	15.41	0
				25	0	15.16	15.24	15.23	15.19	15.40	0
				25	13	15.15	15.22	15.22	15.17	15.41	0
				25	26	15.16	15.21	15.23	15.22	15.41	0
				50	0	15.15	15.24	15.23	15.18	15.41	0
			QPSK	1	1	15.16	15.27	15.28	15.20	15.44	0
				1	26	15.11	15.27	15.25	15.17	15.39	0
				1	49	15.15	15.26	15.28	15.25	15.39	0
				25	0	15.15	15.25	15.25	15.20	15.41	0
				25	13	15.14	15.23	15.23	15.17	15.42	0
				25	26	15.16	15.22	15.24	15.21	15.42	0
				50	0	15.15	15.23	15.24	15.18	15.41	0
			16QAM	1	1	15.29	15.28	15.27	15.23	15.30	0
			64QAM	1	1	15.22	15.33	15.28	15.19	15.45	0
			256QAM	1	1	15.34	15.30	15.45	15.24	15.44	0
		CP	QPSK	1	1	15.19	15.23	15.24	15.09	15.43	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.45	15.51	15.30	15.16	15.35	0
				1	32	15.43	15.25	15.24	15.15	15.36	0
				1	63	15.44	15.23	15.26	15.25	15.38	0
				32	0	15.40	15.27	15.24	15.16	15.37	0
				32	17	15.39	15.26	15.25	15.16	15.36	0
				32	33	15.27	15.24	15.25	15.19	15.37	0
				64	0	15.21	15.27	15.24	15.15	15.36	0
			QPSK	1	1	15.27	15.30	15.26	15.28	15.41	0
				1	32	15.23	15.37	15.17	15.22	15.45	0
				1	63	15.29	15.24	15.25	15.27	15.42	0
				32	0	15.21	15.46	15.24	15.16	15.37	0
				32	17	15.20	15.27	15.26	15.15	15.35	0
				32	33	15.22	15.24	15.24	15.21	15.37	0
				64	0	15.20	15.27	15.24	15.16	15.36	0
			16QAM	1	1	15.30	15.32	15.26	15.30	15.40	0
			64QAM	1	1	15.34	15.34	15.30	15.07	15.40	0
			256QAM	1	1	15.46	15.48	15.52	15.35	15.54	0
		CP	QPSK	1	1	15.46	15.49	15.24	15.03	15.34	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.48	15.51	15.29	15.39	15.52	0
				1	39	15.44	15.30	15.32	15.35	15.53	0
				1	76	15.46	15.27	15.28	15.38	15.23	0
				36	0	15.45	15.31	15.25	15.35	15.52	0
				36	21	15.46	15.28	15.22	15.34	15.51	0
				36	42	15.26	15.26	15.26	15.37	15.49	0
				75	0	15.53	15.30	15.24	15.35	15.52	0
			QPSK	1	1	15.30	15.21	15.26	15.36	15.54	0
				1	39	15.23	14.96	15.21	15.35	15.54	0
				1	76	15.30	14.90	15.34	15.40	15.50	0
				36	0	15.27	15.30	15.24	15.36	15.55	0
				36	21	15.26	15.29	15.28	15.34	15.51	0
				36	42	15.27	15.26	15.24	15.36	15.51	0
				75	0	15.27	15.30	15.23	15.36	15.52	0
			16QAM	1	1	15.35	15.23	15.30	15.41	15.53	0
			64QAM	1	1	15.36	15.38	15.26	15.28	15.56	0
			256QAM	1	1	15.54	15.50	15.48	15.59	15.71	0
		CP	QPSK	1	1	15.53	15.31	15.35	15.36	15.55	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.26	15.30		15.50	15.11	0
				1	53	15.25	15.31		15.29	15.51	0
				1	104	15.25	15.20		15.51	15.46	0
				50	0	15.25	15.25		15.28	15.53	0
				50	28	15.22	15.21		15.29	15.44	0
				50	56	15.50	15.21		15.29	15.46	0
				100	0	15.23	15.23		15.29	15.47	0
			QPSK	1	1	15.21	15.24		15.50	15.39	0
				1	53	15.16	15.15		15.50	15.51	0
				1	104	15.21	15.11		15.53	15.48	0
				50	0	15.22	15.27		15.51	15.44	0
				50	28	15.24	15.25		15.48	15.48	0
				50	56	15.25	15.22		15.49	15.48	0
				100	0	15.25	15.24		15.30	15.47	0
			16QAM	1	1	15.41	15.39		15.29	15.58	0
			64QAM	1	1	15.37	15.38		15.50	15.51	0
			256QAM	1	1	15.55	15.57		15.42	15.63	0
		CP	QPSK	1	1	15.28	15.30		15.61	15.37	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.41		15.41		15.61	0
				1	67	15.31		15.28		15.75	0
				1	131	15.39		15.37		15.78	0
				64	0	15.37		15.34		15.73	0
				64	35	15.35		15.33		15.56	0
				64	69	15.35		15.54		15.58	0
				128	0	15.56		15.33		15.55	0
			QPSK	1	1	15.47		15.29		15.52	0
				1	67	15.30		15.19		15.56	0
				1	131	15.36		15.30		15.59	0
				64	0	15.37		15.36		15.53	0
				64	35	15.36		15.32		15.56	0
				64	69	15.53		15.36		15.54	0
				128	0	15.38		15.32		15.56	0
			16QAM	1	1	15.50		15.51		15.63	0
			64QAM	1	1	15.47		15.63		15.62	0
			256QAM	1	1	15.63		15.73		15.68	0
		CP	QPSK	1	1	15.44		15.41		15.57	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	15.38		15.46		15.34	0
				1	81	15.27		15.29		15.48	0
				1	160	15.39		15.40		15.56	0
				81	0	15.29		15.38		15.42	0
				81	41	15.26		15.32		15.46	0
				81	81	15.31		15.38		15.51	0
				162	0	15.30		15.35		15.51	0
			QPSK	1	1	15.30		15.38		15.36	0
				1	81	15.17		15.24		15.36	0
				1	160	15.30		15.31		15.46	0
				81	0	15.31		15.37		15.43	0
				81	41	15.27		15.34		15.48	0
				81	81	15.34		15.39		15.52	0
				162	0	15.32		15.35		15.52	0
			16QAM	1	1	15.42		15.62		15.46	0
			64QAM	1	1	15.33		15.54		15.55	0
			256QAM	1	1	15.67		15.42		15.77	0
		CP	QPSK	1	1	15.36		15.46		15.41	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	15.23				15.05	0
				1	95	15.31				15.24	0
				1	187	15.32				15.47	0
				90	0	15.41				15.26	0
				90	50	14.54				15.27	0
				90	99	15.47				15.37	0
				180	0	15.35				15.33	0
			QPSK	1	1	15.48				15.32	0
				1	95	15.36				15.24	0
				1	187	15.38				15.42	0
				90	0	15.42				15.29	0
				90	50	15.37				15.32	0
				90	99	15.37				15.41	0
				180	0	15.40				15.37	0
			16QAM	1	1	15.58				15.47	0
			64QAM	1	1	15.36				15.57	0
			256QAM	1	1	15.63				15.63	0
		CP	QPSK	1	1	15.50				15.38	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	15.48				15.55	0
				1	109	15.17				15.37	0
				1	215	15.36				15.65	0
				108	0	15.32				15.39	0
				108	55	15.26				15.33	0
				108	109	15.23				15.54	0
				216	0	15.33				15.40	0
			QPSK	1	1	15.39				15.52	0
				1	109	15.12				15.27	0
				1	215	15.37				15.65	0
				108	0	15.34				15.42	0
				108	55	15.26				15.43	0
				108	109	15.31				15.54	0
				216	0	15.29				15.48	0
			16QAM	1	1	15.67				15.67	0
			64QAM	1	1	15.53				15.60	0
			256QAM	1	1	15.43				15.74	0
		CP	QPSK	1	1	15.43				15.59	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
				MHz					MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.60				15.61	0
				1	123	15.30				15.42	0
				1	243	15.43				15.63	0
				120	0	15.41				15.28	0
				120	63	15.37				15.41	0
				120	125	15.54				15.47	0
				243	0	15.65				15.54	0
			QPSK	1	1	15.43				15.59	0
				1	123	15.19				15.41	0
				1	243	15.36				15.49	0
				120	0	15.44				15.45	0
				120	63	15.29				15.49	0
				120	125	15.27				15.51	0
				243	0	15.44				15.55	0
			16QAM	1	1	15.64				15.71	0
			64QAM	1	1	15.76				15.70	0
			256QAM	1	1	15.55				15.54	0
		CP	QPSK	1	1	15.57				15.28	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			15.72		0
				1	137			15.24		0
				1	271			15.59		0
				135	0			15.42		0
				135	69			15.56		0
				135	138			15.31		0
				270	0			15.34		0
			QPSK	1	1			15.79		0
				1	137			15.17		0
				1	271			15.61		0
				135	0			15.66		0
				135	69			15.78		0
				135	138			15.40		0
				270	0			15.54		0
			16QAM	1	1			15.77		0
			64QAM	1	1			15.74		0
			256QAM	1	1			15.55		0
		CP	QPSK	1	1			15.79		0

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.40	19.95	19.64	0
				1	13	20.38	19.88	19.58	0
				1	23	20.37	19.89	19.62	0
				12	0	20.44	19.96	19.65	0
				12	7	20.41	19.94	19.64	0
				12	13	20.40	19.92	19.64	0
				25	0	20.40	19.94	19.65	0
			QPSK	1	1	20.43	19.95	19.64	0
				1	13	20.34	19.88	19.57	0
				1	23	20.40	19.90	19.61	0
				12	0	20.44	19.95	19.65	0
				12	7	20.42	19.94	19.66	0
				12	13	20.38	19.94	19.65	0
				25	0	20.40	19.94	19.66	0
			16QAM	1	1	20.34	19.99	19.59	0
			64QAM	1	1	20.39	20.04	19.62	0
			256QAM	1	1	20.28	19.82	19.63	0
		CP	QPSK	1	1	20.41	19.98	19.70	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.39	19.94	19.68	0
				1	26	20.40	19.92	19.78	0
				1	50	20.28	19.88	19.61	0
				25	0	20.37	19.92	19.68	0
				25	14	20.36	19.90	19.66	0
				25	27	20.31	19.90	19.64	0
				50	0	20.35	19.92	19.66	0
			QPSK	1	1	20.40	19.95	19.69	0
				1	26	20.34	19.96	19.70	0
				1	50	20.26	19.88	19.58	0
				25	0	20.39	19.94	19.69	0
				25	14	20.35	19.91	19.66	0
				25	27	20.30	19.92	19.64	0
				50	0	20.35	19.92	19.67	0
			16QAM	1	1	20.31	19.89	19.67	0
			64QAM	1	1	20.47	20.03	19.78	0
			256QAM	1	1	20.33	19.90	19.58	0
		CP	QPSK	1	1	20.42	19.98	19.78	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.38	19.96	19.64	0
				1	40	20.21	19.84	19.57	0
				1	77	20.18	19.81	19.57	0
				36	0	20.34	19.94	19.68	0
				36	22	20.29	19.91	19.64	0
				36	43	20.22	19.89	19.62	0
				75	0	20.29	19.91	19.65	0
			QPSK	1	1	20.38	19.96	19.65	0
				1	40	20.22	19.83	19.58	0
				1	77	20.17	19.84	19.56	0
				36	0	20.34	19.96	19.69	0
				36	22	20.28	19.91	19.66	0
				36	43	20.24	19.89	19.62	0
				75	0	20.30	19.90	19.64	0
			16QAM	1	1	20.14	19.88	19.68	0
			64QAM	1	1	20.48	19.94	19.66	0
			256QAM	1	1	20.25	19.92	19.58	0
		CP	QPSK	1	1	20.39	19.97	19.71	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.37	19.98	19.72	0
				1	53	20.32	19.92	19.72	0
				1	104	20.07	19.80	19.59	0
				50	0	20.32	20.00	19.70	0
				50	28	20.27	19.91	19.70	0
				50	56	20.15	19.89	19.65	0
				100	0	20.28	19.91	19.72	0
			QPSK	1	1	20.36	19.98	19.75	0
				1	53	20.28	19.95	19.76	0
				1	104	20.07	19.80	19.59	0
				50	0	20.33	20.02	19.72	0
				50	28	20.27	19.91	19.72	0
				50	56	20.16	19.91	19.65	0
				100	0	20.27	19.92	19.71	0
			16QAM	1	1	20.29	20.00	19.56	0
			64QAM	1	1	20.35	20.05	19.83	0
			256QAM	1	1	20.27	19.93	19.69	0
		CP	QPSK	1	1	20.38	20.02	19.80	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.34	20.01	19.80	0
				1	66	20.32	20.01	19.76	0
				1	131	19.94	19.78	19.57	0
				64	0	20.30	19.99	19.77	0
				64	35	20.17	19.91	19.69	0
				64	69	20.09	19.88	19.67	0
				128	0	20.18	19.93	19.70	0
			QPSK	1	1	20.34	20.02	19.81	0
				1	66	20.13	19.97	19.66	0
				1	131	19.94	19.79	19.59	0
				64	0	20.29	19.99	19.76	0
				64	35	20.18	19.91	19.69	0
				64	69	20.10	19.81	19.67	0
				128	0	20.18	19.90	19.71	0
			16QAM	1	1	20.34	20.01	19.75	0
			64QAM	1	1	20.37	20.01	19.85	0
			256QAM	1	1	20.24	19.93	19.76	0
		CP	QPSK	1	1	20.38	20.08	19.85	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	0	
				1	80	19.92	0	
				1	158	19.74	0	
				80	0	19.99	0	
				80	40	19.91	0	
				80	80	19.86	0	
				160	0	19.92	0	
			QPSK	1	1	20.09	0	
				1	80	19.96	0	
				1	158	19.77	0	
				80	0	20.00	0	
				80	40	19.90	0	
				80	80	19.85	0	
				160	0	19.93	0	
				16QAM	1	1	20.02	0
				64QAM	1	1	20.09	0
				256QAM	1	1	20.03	0
		CP	QPSK	1	1	17.03	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.13	0
				1	98	19.88	0
				1	186	19.72	0
				90	0	20.02	0
				90	45	19.93	0
				90	90	19.87	0
			QPSK	180	0	19.94	0
				1	1	20.15	0
				1	98	19.88	0
				1	186	19.74	0
				90	0	20.03	0
				90	45	19.93	0
				90	90	19.87	0
				180	0	19.95	0
			16QAM	1	1	20.08	0
			64QAM	1	1	20.24	0
			256QAM	1	1	20.17	0
		CP	QPSK	1	1	20.22	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.21	0
				1	108	19.92	0
				1	214	19.72	0
				108	0	20.03	0
				108	54	19.92	0
				108	108	19.83	0
			QPSK	216	0	19.95	0
				1	1	20.21	0
				1	108	19.96	0
				1	214	19.73	0
				108	0	20.02	0
				108	54	19.93	0
				108	108	19.85	0
				216	0	19.94	0
			16QAM	1	1	20.16	0
			64QAM	1	1	20.19	0
			256QAM	1	1	20.20	0
		CP	QPSK	1	1	20.31	0

NR FDD Band n66 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.28	17.86	17.63	0
				1	13	18.21	17.82	17.56	0
				1	23	18.23	17.83	17.60	0
				12	0	18.30	17.89	17.63	0
				12	7	18.25	17.89	17.65	0
				12	13	18.25	17.89	17.63	0
				25	0	18.28	17.89	17.64	0
			QPSK	1	1	18.27	17.89	17.63	0
				1	13	18.18	17.82	17.58	0
				1	23	18.21	17.85	17.60	0
				12	0	18.29	17.91	17.66	0
				12	7	18.27	17.90	17.65	0
				12	13	18.25	17.90	17.65	0
				25	0	18.28	17.92	17.67	0
			16QAM	1	1	18.32	18.00	17.62	0
			64QAM	1	1	18.36	18.03	17.68	0
			256QAM	1	1	18.27	17.82	17.59	0
		CP	QPSK	1	1	18.29	17.92	17.72	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.43	17.96	17.72	0
				1	26	18.40	17.93	17.82	0
				1	50	18.27	17.91	17.62	0
				25	0	18.40	17.95	17.75	0
				25	14	18.36	17.95	17.73	0
				25	27	18.33	17.92	17.69	0
				50	0	18.37	17.95	17.72	0
			QPSK	1	1	18.41	17.97	17.75	0
				1	26	18.34	17.99	17.74	0
				1	50	18.29	17.90	17.65	0
				25	0	18.40	17.96	17.74	0
				25	14	18.37	17.95	17.71	0
				25	27	18.34	17.92	17.69	0
				50	0	18.38	17.95	17.72	0
			16QAM	1	1	18.46	18.02	17.82	0
			64QAM	1	1	18.41	18.08	17.83	0
			256QAM	1	1	18.29	17.98	17.70	0
		CP	QPSK	1	1	18.44	18.02	17.85	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.44	18.00	17.68	0
				1	40	18.27	17.89	17.62	0
				1	77	18.22	17.88	17.59	0
				36	0	18.41	18.01	17.72	0
				36	22	18.33	17.96	17.70	0
				36	43	18.27	17.95	17.67	0
				75	0	18.37	17.97	17.73	0
			QPSK	1	1	18.43	18.01	17.73	0
				1	40	18.27	17.89	17.63	0
				1	77	18.20	17.88	17.63	0
				36	0	18.40	18.02	17.75	0
				36	22	18.33	17.96	17.71	0
				36	43	18.29	17.49	17.66	0
				75	0	18.35	17.94	17.72	0
			16QAM	1	1	18.46	17.96	17.70	0
			64QAM	1	1	18.41	18.09	17.88	0
			256QAM	1	1	18.37	17.88	17.62	0
		CP	QPSK	1	1	18.43	18.04	17.75	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.42	18.04	17.79	0
				1	53	18.38	17.98	17.80	0
				1	104	18.13	17.87	17.65	0
				50	0	18.39	18.06	17.78	0
				50	28	18.33	17.97	17.78	0
				50	56	18.22	17.95	17.70	0
				100	0	18.33	17.98	17.77	0
			QPSK	1	1	18.42	18.05	17.81	0
				1	53	18.34	18.03	17.82	0
				1	104	18.12	17.87	17.66	0
				50	0	18.38	18.06	17.77	0
				50	28	18.34	17.98	17.79	0
				50	56	18.22	17.97	17.71	0
				100	0	18.33	17.98	17.79	0
			16QAM	1	1	18.44	18.09	17.84	0
			64QAM	1	1	18.45	18.07	17.84	0
			256QAM	1	1	18.37	18.01	17.75	0
		CP	QPSK	1	1	18.46	18.16	17.85	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.41	18.08	17.87	0
				1	66	18.39	18.04	17.82	0
				1	131	18.00	17.85	17.65	0
				64	0	18.34	18.07	17.84	0
				64	35	18.24	17.98	17.76	0
				64	69	18.15	17.95	17.74	0
			QPSK	128	0	18.24	18.00	17.79	0
				1	1	18.41	18.08	17.89	0
				1	66	18.20	18.04	17.74	0
				1	131	18.02	17.86	17.66	0
				64	0	18.36	18.06	17.85	0
				64	35	18.25	18.00	17.76	0
				64	69	18.16	17.95	17.13	0
				128	0	18.26	17.99	17.75	0
			16QAM	1	1	18.47	18.17	17.78	0
			64QAM	1	1	18.45	18.16	17.92	0
			256QAM	1	1	18.31	18.05	17.84	0
		CP	QPSK	1	1	18.46	18.13	17.87	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.17	0
				1	80	17.98	0
				1	158	17.80	0
				80	0	18.07	0
				80	40	17.98	0
				80	80	17.92	0
			QPSK	160	0	17.99	0
				1	1	18.14	0
				1	80	18.02	0
				1	158	17.81	0
				80	0	18.07	0
				80	40	17.99	0
				80	80	17.93	0
				160	0	17.99	0
			16QAM	1	1	18.21	0
			64QAM	1	1	18.20	0
			256QAM	1	1	18.11	0
		CP	QPSK	1	1	18.23	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.22	0
				1	98	17.96	0
				1	186	17.79	0
				90	0	18.07	0
				90	45	18.00	0
				90	90	17.93	0
			QPSK	180	0	18.01	0
				1	1	18.21	0
				1	98	17.94	0
				1	186	17.79	0
				90	0	18.08	0
				90	45	18.00	0
				90	90	17.94	0
				180	0	18.00	0
			16QAM	1	1	18.10	0
			64QAM	1	1	18.28	0
			256QAM	1	1	18.17	0
		CP	QPSK	1	1	18.27	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.28	0
				1	108	17.99	0
				1	214	17.79	0
				108	0	18.13	0
				108	54	17.98	0
				108	108	17.90	0
			QPSK	216	0	18.01	0
				1	1	18.28	0
				1	108	18.04	0
				1	214	17.79	0
				108	0	18.11	0
				108	54	17.99	0
				108	108	17.91	0
				216	0	18.01	0
			16QAM	1	1	18.27	0
			64QAM	1	1	18.32	0
			256QAM	1	1	18.24	0
		CP	QPSK	1	1	18.33	0