

Appendix L_NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured Pmax, Folder Open RCV(RSI 1)_ MAIN2 [Ant B]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73	24.80	24.86	0
				1	13	24.69	24.82	24.80	0
				1	23	24.77	24.89	24.86	0
				12	0	24.28	24.33	24.35	0.5
				12	7	24.79	24.92	24.89	0
				12	13	24.26	24.38	24.39	0.5
				25	0	24.27	24.38	24.37	0.5
			QPSK	1	1	24.85	24.89	24.96	0
				1	13	24.79	24.90	24.92	0
				1	23	24.81	24.96	24.93	0
				12	0	23.82	23.85	23.88	1
				12	7	24.83	24.96	24.95	0
				12	13	23.78	23.91	23.90	1
				25	0	23.80	23.89	23.90	1
			16QAM	1	1	23.82	23.89	23.94	1
			64QAM	1	1	22.37	22.37	22.42	2.5
			256QAM	1	1	20.16	20.26	20.31	4.5
		CP	QPSK	1	1	23.20	23.30	23.35	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.85	24.82	24.91	0
				1	26	24.91	24.94	25.04	0
				1	50	24.85	24.88	24.90	0
				25	0	24.39	24.34	24.44	0.5
				25	14	24.86	24.90	24.96	0
				25	27	24.36	24.38	24.42	0.5
				50	0	24.35	24.37	24.43	0.5
			QPSK	1	1	24.95	24.91	25.01	0
				1	26	24.96	25.01	25.01	0
				1	50	24.97	24.97	25.00	0
				25	0	23.91	23.87	23.98	1
				25	14	24.94	24.94	24.99	0
				25	27	23.93	23.91	23.94	1
				50	0	23.89	23.86	23.96	1
			16QAM	1	1	24.01	23.84	23.93	1
			64QAM	1	1	22.38	22.41	22.49	2.5
			256QAM	1	1	20.33	20.30	20.37	4.5
		CP	QPSK	1	1	23.39	23.42	23.43	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.82	24.85	24.81	0
				1	40	24.74	24.81	24.77	0
				1	77	24.81	24.92	24.77	0
				36	0	24.30	24.34	24.31	0.5
				36	22	24.85	24.88	24.83	0
				36	43	24.35	24.35	24.29	0.5
				75	0	24.31	24.36	24.31	0.5
			QPSK	1	1	24.93	24.94	24.94	0
				1	40	24.87	24.89	24.84	0
				1	77	24.92	25.01	24.88	0
				36	0	23.84	23.87	23.84	1
				36	22	24.90	24.93	24.89	0
				36	43	23.88	23.89	23.81	1
				75	0	23.85	23.89	23.84	1
			16QAM	1	1	23.99	24.00	23.91	1
			64QAM	1	1	22.56	22.32	22.38	2.5
			256QAM	1	1	20.34	20.24	20.25	4.5
		CP	QPSK	1	1	23.40	23.36	23.32	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.76	24.86	24.91	0
				1	53	24.89	24.93	24.90	0
				1	104	24.83	24.90	24.81	0
				50	0	24.26	24.35	24.36	0.5
				50	28	24.83	24.89	24.88	0
				50	56	24.33	24.37	24.33	0.5
				100	0	24.32	24.36	24.32	0.5
			QPSK	1	1	24.88	24.97	25.00	0
				1	53	24.97	24.98	24.94	0
				1	104	24.92	25.01	24.88	0
				50	0	23.82	23.88	23.91	1
				50	28	24.90	24.94	24.90	0
				50	56	23.84	23.89	23.85	1
				100	0	23.85	23.87	23.88	1
			16QAM	1	1	23.94	23.96	23.98	1
			64QAM	1	1	22.40	22.43	22.31	2.5
			256QAM	1	1	20.31	20.30	20.39	4.5
		CP	QPSK	1	1	23.43	23.36	23.38	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73		24.93	0
				1	66	24.90		25.02	0
				1	131	24.83		24.85	0
				64	0	24.26		24.44	0.5
				64	35	24.81		24.91	0
				64	69	24.31		24.38	0.5
				128	0	24.31		24.42	0.5
			QPSK	1	1	24.84		25.00	0
				1	66	24.90		24.99	0
				1	131	24.90		24.91	0
				64	0	23.79		23.97	1
				64	35	24.86		24.94	0
				64	69	23.87		23.90	1
				128	0	23.78		23.91	1
			16QAM	1	1	23.79		24.05	1
			64QAM	1	1	22.26		22.27	2.5
			256QAM	1	1	20.30		20.30	4.5
		CP	QPSK	1	1	23.26		23.56	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.84		24.93	0
				1	80	24.97		25.04	0
				1	158	24.82		24.87	0
				80	0	24.37		24.49	0.5
				80	40	24.91		25.01	0
				80	80	24.44		24.43	0.5
				160	0	24.38		24.47	0.5
			QPSK	1	1	24.92		25.05	0
				1	80	24.96		25.12	0
				1	158	24.97		24.97	0
				80	0	23.91		24.03	1
				80	40	24.93		25.03	0
				80	80	23.97		23.94	1
				160	0	23.90		23.99	1
			16QAM	1	1	23.99		24.07	1
			64QAM	1	1	22.44		22.51	2.5
			256QAM	1	1	20.31		20.41	4.5
		CP	QPSK	1	1	23.44		23.47	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.84		0
				1	98	24.88		0
				1	186	24.83		0
				90	0	24.30		0.5
				90	45	24.79		0
				90	90	24.43		0.5
				180	0	24.41		0.5
			QPSK	1	1	24.91		0
				1	98	24.93		0
				1	186	25.00		0
				90	0	23.93		1
				90	45	24.90		0
				90	90	23.97		1
				180	0	23.83		1
			16QAM	1	1	23.91		1
			64QAM	1	1	22.44		2.5
			256QAM	1	1	20.34		4.5
		CP	QPSK	1	1	23.41		1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.89	0
				1	108	24.99	0
				1	214	24.93	0
				108	0	24.42	0.5
				108	54	24.93	0
				108	108	24.47	0.5
				216	0	24.46	0.5
			QPSK	1	1	25.00	0
				1	108	25.04	0
				1	214	25.00	0
				108	0	23.94	1
				108	54	24.98	0
				108	108	23.98	1
				216	0	23.96	1
			16QAM	1	1	23.91	1
			64QAM	1	1	22.37	2.5
			256QAM	1	1	20.43	4.5
		CP	QPSK	1	1	23.43	1.5

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.30	19.35	19.36	0
				1	13	19.26	19.35	19.32	0
				1	23	19.27	19.40	19.36	0
				12	0	19.33	19.38	19.37	0
				12	7	19.32	19.40	19.37	0
				12	13	19.30	19.41	19.39	0
				25	0	19.33	19.40	19.36	0
			QPSK	1	1	19.39	19.37	19.42	0
				1	13	19.32	19.37	19.34	0
				1	23	19.31	19.44	19.38	0
				12	0	19.35	19.38	19.37	0
				12	7	19.33	19.40	19.40	0
				12	13	19.32	19.42	19.39	0
				25	0	19.32	19.41	19.38	0
			16QAM	1	1	19.42	19.44	19.48	0
			64QAM	1	1	19.42	19.42	19.35	0
			256QAM	1	1	19.40	19.39	19.30	0
		CP	QPSK	1	1	19.36	19.41	19.37	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	19.37	19.43	0
				1	26	19.40	19.46	19.51	0
				1	50	19.41	19.36	19.35	0
				25	0	19.44	19.36	19.46	0
				25	14	19.41	19.40	19.40	0
				25	27	19.42	19.42	19.40	0
			QPSK	50	0	19.41	19.38	19.43	0
				1	1	19.50	19.43	19.47	0
				1	26	19.47	19.47	19.44	0
				1	50	19.45	19.42	19.42	0
				25	0	19.44	19.37	19.45	0
				25	14	19.42	19.41	19.42	0
				25	27	19.43	19.43	19.39	0
				50	0	19.43	19.41	19.42	0
			16QAM	1	1	19.50	19.33	19.40	0
			64QAM	1	1	19.55	19.45	19.43	0
			256QAM	1	1	19.46	19.39	19.56	0
		CP	QPSK	1	1	19.51	19.42	19.43	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.41	19.42	19.35	0
				1	40	19.33	19.33	19.29	0
				1	77	19.41	19.42	19.24	0
				36	0	19.40	19.41	19.37	0
				36	22	19.42	19.42	19.36	0
				36	43	19.44	19.39	19.31	0
			QPSK	75	0	19.41	19.42	19.36	0
				1	1	19.48	19.45	19.41	0
				1	40	19.41	19.39	19.33	0
				1	77	19.44	19.45	19.34	0
				36	0	19.42	19.43	19.35	0
				36	22	19.41	19.44	19.34	0
				36	43	19.45	19.41	19.31	0
				75	0	19.42	19.42	19.37	0
			16QAM	1	1	19.43	19.45	19.42	0
			64QAM	1	1	19.57	19.53	19.38	0
			256QAM	1	1	19.43	19.45	19.43	0
		CP	QPSK	1	1	19.46	19.47	19.42	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.45	19.41	0
				1	53	19.42	19.45	19.39	0
				1	104	19.42	19.41	19.31	0
				50	0	19.34	19.41	19.43	0
				50	28	19.40	19.40	19.36	0
				50	56	19.39	19.42	19.35	0
				100	0	19.41	19.40	19.39	0
			QPSK	1	1	19.46	19.50	19.48	0
				1	53	19.47	19.44	19.43	0
				1	104	19.49	19.47	19.34	0
				50	0	19.39	19.42	19.45	0
				50	28	19.40	19.43	19.40	0
				50	56	19.40	19.41	19.37	0
				100	0	19.39	19.40	19.39	0
			16QAM	1	1	19.34	19.41	19.44	0
			64QAM	1	1	19.53	19.58	19.50	0
			256QAM	1	1	19.52	19.47	19.41	0
		CP	QPSK	1	1	19.45	19.50	19.48	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27		19.39	0
				1	66	19.39		19.50	0
				1	131	19.30		19.28	0
				64	0	19.29		19.43	0
				64	35	19.34		19.38	0
				64	69	19.38		19.36	0
				128	0	19.34		19.38	0
			QPSK	1	1	19.37		19.45	0
				1	66	19.38		19.49	0
				1	131	19.37		19.37	0
				64	0	19.31		19.50	0
				64	35	19.35		19.43	0
				64	69	19.38		19.41	0
				128	0	19.36		19.43	0
			16QAM	1	1	19.54		19.61	0
			64QAM	1	1	19.24		19.50	0
			256QAM	1	1	19.31		19.43	0
		CP	QPSK	1	1	19.36		19.44	0

NR FDD Band n2 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.41		19.45	0
				1	80	19.51		19.50	0
				1	158	19.39		19.31	0
				80	0	19.37		19.47	0
				80	40	19.42		19.45	0
				80	80	19.48		19.42	0
				160	0	19.41		19.44	0
			QPSK	1	1	19.47		19.48	0
				1	80	19.42		19.50	0
				1	158	19.40		19.39	0
				80	0	19.41		19.49	0
				80	40	19.41		19.46	0
				80	80	19.47		19.42	0
				160	0	19.43		19.47	0
			16QAM	1	1	19.50		19.63	0
			64QAM	1	1	19.55		19.46	0
			256QAM	1	1	19.49		19.51	0
		CP	QPSK	1	1	19.51		19.47	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.35	0
				1	98	19.37	0
				1	186	19.38	0
				90	0	19.41	0
				90	45	19.37	0
				90	90	19.41	0
				180	0	19.39	0
			QPSK	1	1	19.37	0
				1	98	19.38	0
				1	186	19.37	0
				90	0	19.43	0
				90	45	19.38	0
				90	90	19.45	0
				180	0	19.40	0
			16QAM	1	1	19.39	0
			64QAM	1	1	19.36	0
			256QAM	1	1	19.42	0
		CP	QPSK	1	1	19.40	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	0
				1	108	19.61	0
				1	214	19.43	0
				108	0	19.45	0
				108	54	19.41	0
				108	108	19.47	0
				216	0	19.46	0
			QPSK	1	1	19.44	0
				1	108	19.44	0
				1	214	19.42	0
				108	0	19.46	0
				108	54	19.43	0
				108	108	19.48	0
				216	0	19.45	0
			16QAM	1	1	19.39	0
			64QAM	1	1	19.55	0
			256QAM	1	1	19.44	0
		CP	QPSK	1	1	19.45	0

NR FDD Band n5 Conducted Power_ Measured Pmax, Folder Open RCV(RSI)

1)_ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.49	24.58	0
				1	13	24.57	24.47	24.54	0
				1	23	24.64	24.51	24.58	0
				12	0	24.14	24.02	24.14	0.5
				12	7	24.62	24.54	24.64	0
				12	13	24.09	24.06	24.12	0.5
				25	0	24.11	24.06	24.12	0.5
			QPSK	1	1	24.66	24.57	24.67	0
				1	13	24.60	24.53	24.61	0
				1	23	24.63	24.60	24.66	0
				12	0	23.63	23.56	23.66	1
				12	7	24.62	24.58	24.65	0
				12	13	23.62	23.56	23.63	1
				25	0	23.61	23.57	23.66	1
			16QAM	1	1	23.65	23.64	23.52	1
			64QAM	1	1	22.16	22.19	22.24	2.5
			256QAM	1	1	20.07	20.02	20.12	4.5
		CP	QPSK	1	1	23.18	23.10	23.16	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	0
				1	26	24.59	0
				1	50	24.59	0
				25	0	24.02	0.5
				25	14	24.52	0
				25	27	24.08	0.5
				50	0	24.03	0.5
			QPSK	1	1	24.63	0
				1	26	24.63	0
				1	50	24.64	0
				25	0	23.54	1
				25	14	24.57	0
				25	27	23.60	1
				50	0	23.54	1
			16QAM	1	1	23.59	1
			64QAM	1	1	22.14	2.5
			256QAM	1	1	20.09	4.5
		CP	QPSK	1	1	23.12	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.55	0
				1	40	24.48	0
				1	77	24.59	0
				36	0	24.04	0.5
				36	22	24.54	0
				36	43	24.09	0.5
				75	0	24.05	0.5
			QPSK	1	1	24.57	0
				1	40	24.52	0
				1	77	24.62	0
				36	0	23.55	1
				36	22	24.60	0
				36	43	23.60	1
				75	0	23.58	1
			16QAM	1	1	23.66	1
			64QAM	1	1	22.07	2.5
			256QAM	1	1	19.96	4.5
		CP	QPSK	1	1	23.10	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.56	0
				1	53	24.59	0
				1	104	24.65	0
				50	0	24.05	0.5
				50	28	24.54	0
				50	56	24.13	0.5
				100	0	24.07	0.5
			QPSK	1	1	24.63	0
				1	53	24.64	0
				1	104	24.68	0
				50	0	23.58	1
				50	28	24.58	0
				50	56	23.66	1
				100	0	23.57	1
			16QAM	1	1	23.66	1
			64QAM	1	1	22.14	2.5
			256QAM	1	1	20.15	4.5
		CP	QPSK	1	1	23.13	1.5

**NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.13	22.10	22.20	0
				1	13	22.09	22.06	22.19	0
				1	23	22.14	22.13	22.23	0
				12	0	22.16	22.12	22.23	0
				12	7	22.13	22.14	22.21	0
				12	13	22.12	22.17	22.22	0
			QPSK	25	0	22.15	22.13	22.26	0
				1	1	22.22	22.15	22.25	0
				1	13	22.08	22.12	22.20	0
				1	23	22.13	22.19	22.23	0
				12	0	22.18	22.14	22.25	0
				12	7	22.17	22.16	22.25	0
				12	13	22.15	22.17	22.25	0
				25	0	22.17	22.15	22.24	0
			16QAM	1	1	22.37	22.11	22.36	0
			64QAM	1	1	22.16	22.20	22.12	0
			256QAM	1	1	20.05	20.06	20.13	2
		CP	QPSK	1	1	22.21	22.17	22.23	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.15	0
				1	26	22.19	0
				1	50	22.18	0
				25	0	22.13	0
				25	14	22.14	0
				25	27	22.17	0
			QPSK	50	0	22.14	0
				1	1	22.17	0
				1	26	22.30	0
				1	50	22.20	0
				25	0	22.13	0
				25	14	22.15	0
				25	27	22.20	0
				50	0	22.17	0
			16QAM	1	1	22.21	0
			64QAM	1	1	22.08	0
			256QAM	1	1	20.14	2
		CP	QPSK	1	1	22.21	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.12	0	
				1	40	22.06	0	
				1	77	22.19	0	
				36	0	22.15	0	
				36	22	22.14	0	
				36	43	22.2	0	
				75	0	22.14	0	
			QPSK	1	1	22.14	0	
				1	40	22.11	0	
				1	77	22.21	0	
				36	0	22.15	0	
				36	22	22.16	0	
				36	43	22.19	0	
				75	0	22.17	0	
			16QAM	1	1	22.22	0	
			64QAM	1	1	22.07	0	
			256QAM	1	1	20.10	2	
		CP	QPSK	1	1	22.18	0	

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.11	0
				1	53	22.22	0
				1	104	22.21	0
				50	0	22.15	0
				50	28	22.14	0
				50	56	22.25	0
			100	0	22.16	0	
			QPSK	1	1	22.21	0
				1	53	22.21	0
				1	104	22.46	0
				50	0	22.17	0
				50	28	22.14	0
				50	56	22.43	0
			100	0	22.14	0	
			16QAM	1	1	22.15	0
			64QAM	1	1	22.04	0
			256QAM	1	1	20.12	2
		CP	QPSK	1	1	22.21	0

NR FDD Band n7 Conducted Power_ Measured Pmax, Folder Open RCV(RSI)

1)_ MAIN2 [Ant B]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.71	24.67	24.59	0
				1	13	24.72	24.61	24.54	0
				1	23	24.77	24.65	24.60	0
				12	0	24.25	24.24	24.10	0.5
				12	7	24.75	24.70	24.62	0
				12	13	24.27	24.18	24.11	0.5
				25	0	24.25	24.19	24.10	0.5
			QPSK	1	1	24.79	24.79	24.68	0
				1	13	24.78	24.71	24.63	0
				1	23	24.86	24.74	24.65	0
				12	0	23.77	23.75	23.63	1
				12	7	24.81	24.78	24.66	0
				12	13	23.81	23.70	23.63	1
				25	0	23.77	23.73	23.63	1
			16QAM	1	1	23.77	23.80	23.66	1
			64QAM	1	1	22.23	22.34	22.15	2.5
			256QAM	1	1	20.13	20.26	19.98	4.5
		CP	QPSK	1	1	23.28	23.20	23.14	1.5

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.52	24.73	24.55	0
				1	26	24.66	24.79	24.72	0
				1	50	24.67	24.67	24.51	0
				25	0	24.06	24.24	24.07	0.5
				25	14	24.64	24.71	24.58	0
				25	27	24.16	24.21	24.05	0.5
				50	0	24.11	24.22	24.07	0.5
			QPSK	1	1	24.59	24.84	24.64	0
				1	26	24.72	24.82	24.63	0
				1	50	24.76	24.77	24.61	0
				25	0	23.58	23.78	23.60	1
				25	14	24.69	24.75	24.61	0
				25	27	23.68	23.70	23.58	1
				50	0	23.64	23.73	23.59	1
			16QAM	1	1	23.59	23.81	23.52	1
			64QAM	1	1	22.17	22.27	22.05	2.5
			256QAM	1	1	20.08	20.12	20.01	4.5
		CP	QPSK	1	1	23.08	23.22	23.08	1.5

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.57	24.78	24.73	0
				1	40	24.65	24.66	24.69	0
				1	77	24.78	24.69	24.69	0
				36	0	24.14	24.28	24.24	0.5
				36	22	24.74	24.72	24.77	0
				36	43	24.26	24.20	24.21	0.5
				75	0	24.23	24.21	24.25	0.5
			QPSK	1	1	24.69	24.86	24.85	0
				1	40	24.75	24.72	24.76	0
				1	77	24.87	24.73	24.79	0
				36	0	23.67	23.82	23.77	1
				36	22	24.77	24.74	24.80	0
				36	43	23.78	23.71	23.73	1
				75	0	23.74	23.73	23.76	1
			16QAM	1	1	23.71	23.91	23.75	1
			64QAM	1	1	22.19	22.31	22.32	2.5
			256QAM	1	1	20.01	20.33	20.16	4.5
		CP	QPSK	1	1	23.13	23.27	23.20	1.5

NR FDD Band n7 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.62	24.79	24.67	0
				1	53	24.81	24.79	24.82	0
				1	104	24.86	24.65	24.67	0
				50	0	24.23	24.28	24.21	0.5
				50	28	24.81	24.71	24.70	0
				50	56	24.36	24.22	24.21	0.5
				100	0	24.31	24.23	24.20	0.5
			QPSK	1	1	24.72	24.86	24.76	0
				1	53	24.88	24.84	24.75	0
				1	104	24.93	24.71	24.73	0
				50	0	23.77	23.80	23.73	1
				50	28	24.84	24.78	24.73	0
				50	56	23.88	23.73	23.72	1
				100	0	23.82	23.75	23.71	1
			16QAM	1	1	23.73	23.77	23.82	1
			64QAM	1	1	22.27	22.29	22.13	2.5
			256QAM	1	1	20.10	20.17	20.25	4.5
		CP	QPSK	1	1	23.18	23.31	23.24	1.5

NR FDD Band n7 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72		24.70	0
				1	67	24.82		24.57	0
				1	131	24.95		24.63	0
				64	0	24.32		24.20	0.5
				64	35	24.90		24.66	0
				64	39	24.41		24.15	0.5
				128	0	24.38		24.16	0.5
			QPSK	1	1	24.83		24.78	0
				1	67	24.92		24.66	0
				1	131	25.02		24.71	0
				64	0	23.86		23.70	1
				64	35	24.93		24.69	0
				64	69	23.95		23.71	1
				128	0	23.93		23.68	1
			16QAM	1	1	23.74		23.78	1
			64QAM	1	1	22.21		22.17	2.5
			256QAM	1	1	20.22		20.16	4.5
		CP	QPSK	1	1	23.29		23.25	1.5

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54		24.71	0
				1	80	24.80		24.64	0
				1	158	24.83		24.63	0
				80	0	24.19		24.17	0.5
				80	40	24.78		24.66	0
				80	80	24.31		24.14	0.5
				160	0	24.31		24.14	0.5
			QPSK	1	1	24.66		24.80	0
				1	80	24.84		24.72	0
				1	158	24.93		24.69	0
				80	0	23.73		23.69	1
				80	40	24.82		24.69	0
				80	80	23.85		23.66	1
				160	0	23.80		23.64	1
			16QAM	1	1	23.76		23.81	1
			64QAM	1	1	22.16		22.39	2.5
			256QAM	1	1	20.10		20.17	4.5
		CP	QPSK	1	1	23.06		23.24	1.5

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.78		0
				1	98	24.66		0
				1	186	24.68		0
				90	0	24.34		0.5
				90	45	24.75		0
				90	90	24.20		0.5
				180	0	24.29		0.5
			QPSK	1	1	24.87		0
				1	98	24.75		0
				1	186	24.77		0
				90	0	23.86		1
				90	45	24.80		0
				90	90	23.72		1
				180	0	23.79		1
			16QAM	1	1	23.85		1
			64QAM	1	1	22.30		2.5
			256QAM	1	1	20.25		4.5
		CP	QPSK	1	1	23.28		1.5

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.82	0
				1	108	24.78	0
				1	214	24.69	0
				108	0	24.34	0.5
				108	54	24.73	0
				108	108	24.20	0.5
				216	0	24.27	0.5
			QPSK	1	1	24.91	0
				1	108	24.82	0
				1	214	24.78	0
				108	0	23.90	1
				108	54	24.78	0
				108	108	23.72	1
				216	0	23.79	1
			16QAM	1	1	23.93	1
			64QAM	1	1	22.35	2.5
			256QAM	1	1	20.33	4.5
		CP	QPSK	1	1	23.35	1.5

NR FDD Band n7 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.34	19.39	19.18	0
				1	13	19.33	19.38	19.13	0
				1	23	19.39	19.33	19.17	0
				12	0	19.38	19.41	19.17	0
				12	7	19.39	19.38	19.21	0
				12	13	19.41	19.34	19.20	0
			QPSK	25	0	19.39	19.37	19.20	0
				1	1	19.41	19.41	19.23	0
				1	13	19.39	19.37	19.19	0
				1	23	19.46	19.35	19.23	0
				12	0	19.38	19.39	19.20	0
				12	7	19.42	19.37	19.20	0
				12	13	19.42	19.32	19.19	0
				25	0	19.41	19.36	19.20	0
			16QAM	1	1	19.42	19.44	19.30	0
			64QAM	1	1	19.43	19.46	19.24	0
			256QAM	1	1	19.29	19.47	19.20	0
		CP	QPSK	1	1	19.36	19.38	19.30	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.16	19.36	19.15	0
				1	26	19.34	19.40	19.30	0
				1	50	19.33	19.29	19.11	0
				25	0	19.22	19.42	19.16	0
				25	14	19.29	19.32	19.15	0
				25	27	19.32	19.32	19.16	0
				50	0	19.29	19.37	19.19	0
			QPSK	1	1	19.22	19.45	19.20	0
				1	26	19.33	19.37	19.27	0
				1	50	19.35	19.36	19.17	0
				25	0	19.25	19.39	19.18	0
				25	14	19.29	19.33	19.16	0
				25	27	19.34	19.32	19.14	0
				50	0	19.31	19.37	19.18	0
			16QAM	1	1	19.34	19.45	19.22	0
			64QAM	1	1	19.40	19.40	19.23	0
			256QAM	1	1	19.18	19.42	19.14	0
		CP	QPSK	1	1	19.27	19.43	19.16	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.24	19.43	19.33	0
				1	40	19.29	19.28	19.27	0
				1	77	19.41	19.26	19.24	0
				36	0	19.31	19.42	19.32	0
				36	22	19.38	19.33	19.34	0
				36	43	19.42	19.34	19.29	0
				75	0	19.37	19.35	19.35	0
			QPSK	1	1	19.31	19.47	19.38	0
				1	40	19.37	19.30	19.31	0
				1	77	19.49	19.33	19.31	0
				36	0	19.34	19.40	19.33	0
				36	22	19.40	19.35	19.33	0
				36	43	19.42	19.32	19.30	0
				75	0	19.38	19.36	19.33	0
			16QAM	1	1	19.24	19.46	19.38	0
			64QAM	1	1	19.22	19.52	19.39	0
			256QAM	1	1	19.25	19.47	19.33	0
		CP	QPSK	1	1	19.29	19.45	19.38	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.00	19.12	19.01	0
				1	53	19.14	19.09	19.09	0
				1	104	19.19	18.95	18.92	0
				50	0	19.07	19.11	19.02	0
				50	28	19.16	19.05	18.99	0
				50	56	19.21	19.03	18.96	0
				100	0	19.13	19.06	18.97	0
			QPSK	1	1	19.05	19.19	19.07	0
				1	53	19.18	19.07	19.03	0
				1	104	19.24	19.01	18.96	0
				50	0	19.11	19.14	19.03	0
				50	28	19.16	19.04	19.01	0
				50	56	19.21	19.04	18.98	0
				100	0	19.14	19.07	19.00	0
			16QAM	1	1	19.13	19.30	19.14	0
			64QAM	1	1	19.06	19.22	19.10	0
			256QAM	1	1	19.05	19.09	18.97	0
		CP	QPSK	1	1	19.03	19.16	19.06	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.35		19.31	0
				1	67	19.47		19.17	0
				1	131	19.56		19.19	0
				64	0	19.49		19.27	0
				64	35	19.54		19.23	0
				64	39	19.54		19.23	0
				128	0	19.52		19.25	0
			QPSK	1	1	19.42		19.36	0
				1	67	19.50		19.22	0
				1	131	19.62		19.27	0
				64	0	19.50		19.29	0
				64	35	19.53		19.26	0
				64	69	19.56		19.27	0
				128	0	19.54		19.25	0
			16QAM	1	1	19.43		19.27	0
			64QAM	1	1	19.46		19.29	0
			256QAM	1	1	19.43		19.38	0
		CP	QPSK	1	1	19.42		19.35	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.24		19.33	0
				1	80	19.42		19.24	0
				1	158	19.44		19.16	0
				80	0	19.38		19.27	0
				80	40	19.38		19.22	0
				80	80	19.45		19.20	0
				160	0	19.43		19.24	0
			QPSK	1	1	19.29		19.38	0
				1	80	19.48		19.24	0
				1	158	19.51		19.23	0
				80	0	19.36		19.31	0
				80	40	19.43		19.23	0
				80	80	19.47		19.24	0
				160	0	19.42		19.25	0
			16QAM	1	1	19.31		19.43	0
			64QAM	1	1	19.34		19.55	0
			256QAM	1	1	19.26		19.33	0
		CP	QPSK	1	1	19.29		19.34	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.41	0
				1	98	19.28	0
				1	186	19.25	0
				90	0	19.47	0
				90	45	19.34	0
				90	90	19.32	0
				180	0	19.39	0
			QPSK	1	1	19.50	0
				1	98	19.35	0
				1	186	19.32	0
				90	0	19.49	0
				90	45	19.36	0
				90	90	19.34	0
				180	0	19.41	0
			16QAM	1	1	19.47	0
			64QAM	1	1	19.52	0
			256QAM	1	1	19.55	0
		CP	OPSK	1	1	19.45	0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	0
				1	108	19.41	0
				1	214	19.28	0
				108	0	19.49	0
				108	54	19.35	0
				108	108	19.30	0
				216	0	19.37	0
			QPSK	1	1	19.51	0
				1	108	19.39	0
				1	214	19.31	0
				108	0	19.50	0
				108	54	19.37	0
				108	108	19.33	0
				216	0	19.40	0
			16QAM	1	1	19.59	0
			64QAM	1	1	19.57	0
			256QAM	1	1	19.52	0
		CP	QPSK	1	1	19.51	0

NR FDD Band n12 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	23.98	23.83	0
				1	13	23.94	23.86	23.77	0
				1	23	23.95	23.92	23.80	0
				12	0	23.51	23.50	23.32	0.5
				12	7	23.96	23.97	23.83	0
				12	13	23.52	23.44	23.30	0.5
				25	0	23.48	23.46	23.34	0.5
			QPSK	1	1	24.00	24.01	23.88	0
				1	13	23.97	23.90	23.79	0
				1	23	23.96	23.97	23.76	0
				12	0	23.02	23.00	22.87	1
				12	7	24.03	24.01	23.84	0
				12	13	22.99	22.98	22.82	1
				25	0	22.99	22.99	22.83	1
			16QAM	1	1	23.04	22.99	22.96	1
			64QAM	1	1	21.58	21.58	21.55	2.5
			256QAM	1	1	19.42	19.45	19.28	4.5
		CP	QPSK	1	1	22.58	22.54	22.31	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						141500		
						707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01		0
				1	26	24.05		0
				1	50	24.10		0
				25	0	23.48		0.5
				25	14	23.95		0
				25	27	23.46		0.5
				50	0	23.47		0.5
			QPSK	1	1	23.98		0
				1	26	23.99		0
				1	50	23.90		0
				25	0	23.02		1
				25	14	24.01		0
				25	27	22.99		1
				50	0	22.98		1
			16QAM	1	1	22.93		1
			64QAM	1	1	21.49		2.5
			256QAM	1	1	19.44		4.5
		CP	QPSK	1	1	22.51		1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04	0
				1	40	23.95	0
				1	77	24.04	0
				36	0	23.55	0.5
				36	22	23.96	0
				36	43	23.44	0.5
				75	0	23.49	0.5
			QPSK	1	1	24.04	0
				1	40	23.93	0
				1	77	24.14	0
				36	0	23.02	1
				36	22	24.10	0
				36	43	22.97	1
				75	0	23.01	1
			16QAM	1	1	22.98	1
			64QAM	1	1	21.56	2.5
			256QAM	1	1	19.52	4.5
		CP	QPSK	1	1	22.56	1.5

NR FDD Band n12 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.08	23.04	22.97	0
				1	13	22.95	23.01	22.97	0
				1	23	23.01	23.03	22.97	0
				12	0	23.07	23.05	23.01	0
				12	7	23.04	23.07	23.02	0
				12	13	23.03	23.08	23.03	0
				25	0	23.03	23.06	23.03	0
			QPSK	1	1	23.10	23.07	23.02	0
				1	13	22.99	23.03	23.02	0
				1	23	23.09	23.10	23.07	0
				12	0	23.08	23.05	23.02	0
				12	7	23.04	23.08	23.05	0
				12	13	23.04	23.08	23.06	0
				25	0	23.05	23.09	23.06	0
			16QAM	1	1	23.10	23.10	23.05	0
			64QAM	1	1	22.28	22.29	22.27	0.5
			256QAM	1	1	20.31	20.32	20.21	2.5
		CP	QPSK	1	1	23.11	23.10	23.04	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.03	0
				1	26	23.09	0
				1	50	23.09	0
				25	0	23.07	0
				25	14	23.06	0
				25	27	23.08	0
				50	0	23.08	0
			QPSK	1	1	23.10	0
				1	26	23.10	0
				1	50	23.11	0
				25	0	23.07	0
				25	14	23.06	0
				25	27	23.08	0
				50	0	23.10	0
			16QAM	1	1	23.07	0
			64QAM	1	1	22.23	0.5
			256QAM	1	1	20.23	2.5
		CP	QPSK	1	1	23.08	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.08	0
				1	40	23.02	0
				1	77	23.12	0
				36	0	23.09	0
				36	22	23.09	0
				36	43	23.09	0
				75	0	23.09	0
			QPSK	1	1	23.14	0
				1	40	23.04	0
				1	77	23.15	0
				36	0	23.10	0
				36	22	23.08	0
				36	43	23.12	0
				75	0	23.09	0
			16QAM	1	1	23.20	0
			64QAM	1	1	22.30	0.5
			256QAM	1	1	20.33	2.5
		CP	QPSK	1	1	23.14	0

NR FDD Band n14 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1_ MAIN1 [Ant A]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.28	0
				1	13	24.21	0
				1	23	24.25	0
				12	0	23.75	0.5
				12	7	24.28	0
				12	13	23.77	0.5
				25	0	23.74	0.5
			QPSK	1	1	24.31	0
				1	13	24.24	0
				1	23	24.27	0
				12	0	23.28	1
				12	7	24.30	0
				12	13	23.28	1
				25	0	23.29	1
			16QAM	1	1	23.32	1
			64QAM	1	1	21.84	2.5
			256QAM	1	1	19.83	4.5
		CP	QPSK	1	1	22.90	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.36	0
				1	26	24.58	0
				1	50	24.28	0
				25	0	23.85	0.5
				25	14	24.32	0
				25	27	23.80	0.5
				50	0	23.82	0.5
			QPSK	1	1	24.37	0
				1	26	24.33	0
				1	50	24.25	0
				25	0	23.30	1
				25	14	24.30	0
				25	27	23.28	1
				50	0	23.33	1
			16QAM	1	1	23.46	1
			64QAM	1	1	21.84	2.5
			256QAM	1	1	19.83	4.5
		CP	QPSK	1	1	22.94	1.5

**NR FDD Band n14 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]**

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.11	0
				1	13	23.03	0
				1	23	23.08	0
				12	0	23.10	0
				12	7	23.10	0
				12	13	23.09	0
				25	0	23.12	0
			QPSK	1	1	23.11	0
				1	13	23.05	0
				1	23	23.08	0
				12	0	23.13	0
				12	7	23.12	0
				12	13	23.09	0
				25	0	23.13	0
			16QAM	1	1	23.15	0
			64QAM	1	1	21.84	1
			256QAM	1	1	19.74	3
		CP	QPSK	1	1	22.87	0

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.22	0
				1	26	23.19	0
				1	50	23.08	0
				25	0	23.16	0
				25	14	23.13	0
				25	27	23.10	0
				50	0	23.14	0
			QPSK	1	1	23.18	0
				1	26	23.11	0
				1	50	23.09	0
				25	0	23.16	0
				25	14	23.14	0
				25	27	23.13	0
				50	0	23.15	0
			16QAM	1	1	23.25	0
			64QAM	1	1	21.89	1
			256QAM	1	1	19.92	3
		CP	QPSK	1	1	22.92	0

NR FDD Band n25 Conducted Power_ Measured Pmax, Folder Open RCV(RSI)

1)_ MAIN2 [Ant B]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.95	25.03	24.96	0
				1	13	24.90	24.99	24.96	0
				1	23	24.97	25.01	24.99	0
				12	0	24.47	24.54	24.48	0.5
				12	7	24.99	25.09	25.03	0
				12	13	24.45	24.55	24.51	0.5
				25	0	24.48	24.55	24.49	0.5
			QPSK	1	1	25.05	25.10	25.06	0
				1	13	25.00	25.08	25.02	0
				1	23	25.03	25.12	25.09	0
				12	0	24.03	24.08	24.03	1
				12	7	25.05	25.10	25.06	0
				12	13	23.98	24.05	24.03	1
				25	0	23.99	24.07	24.02	1
			16QAM	1	1	24.06	23.97	24.14	1
			64QAM	1	1	22.40	22.55	22.44	2.5
			256QAM	1	1	20.41	20.37	20.42	4.5
		CP	QPSK	1	1	23.43	23.50	23.49	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.02	24.97	25.02	0
				1	26	25.07	25.13	25.23	0
				1	50	25.06	25.11	25.04	0
				25	0	24.55	24.55	24.53	0.5
				25	14	25.07	25.08	25.07	0
				25	27	24.55	24.55	24.54	0.5
				50	0	24.55	24.58	24.56	0.5
			QPSK	1	1	25.14	25.07	25.14	0
				1	26	25.15	25.20	25.19	0
				1	50	25.17	25.17	25.13	0
				25	0	24.09	24.07	24.09	1
				25	14	25.12	25.12	25.11	0
				25	27	24.10	24.07	24.05	1
				50	0	24.07	24.08	24.09	1
			16QAM	1	1	24.19	24.02	24.15	1
			64QAM	1	1	22.60	22.43	22.58	2.5
			256QAM	1	1	20.57	20.53	20.44	4.5
		CP	QPSK	1	1	23.62	23.50	23.59	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.02	25.03	25.09	0
				1	40	24.97	25.00	25.02	0
				1	77	25.05	25.10	25.08	0
				36	0	24.50	24.51	24.58	0.5
				36	22	25.06	25.08	25.08	0
				36	43	24.58	24.59	24.54	0.5
				75	0	24.55	24.57	24.58	0.5
			QPSK	1	1	25.16	25.09	25.18	0
				1	40	25.08	25.08	25.09	0
				1	77	25.15	25.18	25.15	0
				36	0	24.05	24.01	24.10	1
				36	22	25.12	25.11	25.14	0
				36	43	24.11	24.11	24.07	1
				75	0	24.05	24.10	24.11	1
			16QAM	1	1	24.12	24.08	24.16	1
			64QAM	1	1	22.59	22.59	22.57	2.5
			256QAM	1	1	20.50	20.41	20.47	4.5
		CP	QPSK	1	1	23.59	23.50	23.56	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	25.04	25.16	0
				1	53	25.12	25.13	25.24	0
				1	104	25.07	25.12	25.08	0
				50	0	24.51	24.49	24.63	0.5
				50	28	25.05	25.07	25.15	0
				50	56	24.55	24.62	24.62	0.5
				100	0	24.54	24.60	24.64	0.5
			QPSK	1	1	25.11	25.13	25.24	0
				1	53	25.18	25.21	25.23	0
				1	104	25.15	25.18	25.17	0
				50	0	24.05	24.02	24.16	1
				50	28	25.11	25.13	25.18	0
				50	56	24.08	24.11	24.12	1
				100	0	24.06	24.11	24.14	1
			16QAM	1	1	24.02	24.13	24.15	1
			64QAM	1	1	22.55	22.61	22.67	2.5
			256QAM	1	1	20.47	20.39	20.58	4.5
		CP	QPSK	1	1	23.50	23.59	23.69	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96		25.08	0
				1	66	25.11		25.11	0
				1	131	25.04		25.03	0
				64	0	24.46		24.55	0.5
				64	35	25.05		25.07	0
				64	69	24.55		24.52	0.5
				128	0	24.53		24.56	0.5
			QPSK	1	1	25.08		25.18	0
				1	66	25.14		25.11	0
				1	131	25.13		25.07	0
				64	0	24.02		24.08	1
				64	35	25.10		25.11	0
				64	69	24.08		24.05	1
				128	0	24.07		24.08	1
			16QAM	1	1	24.04		24.23	1
			64QAM	1	1	22.59		22.69	2.5
			256QAM	1	1	20.40		20.49	4.5
		CP	QPSK	1	1	23.45		23.58	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05		25.12	0
				1	80	25.19		25.08	0
				1	158	25.09		25.02	0
				80	0	24.57		24.62	0.5
				80	40	25.11		25.09	0
				80	80	24.64		24.55	0.5
				160	0	24.59		24.56	0.5
			QPSK	1	1	25.17		25.22	0
				1	80	25.15		25.16	0
				1	158	25.20		25.13	0
				80	0	24.10		24.15	1
				80	40	25.15		25.13	0
				80	80	24.15		24.09	1
				160	0	24.11		24.09	1
			16QAM	1	1	24.18		24.25	1
			64QAM	1	1	22.69		22.69	2.5
			256QAM	1	1	20.58		20.62	4.5
		CP	QPSK	1	1	23.57		23.65	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96	0
				1	98	25.03	0
				1	186	25.04	0
				90	0	24.54	0.5
				90	45	25.10	0
				90	90	24.61	0.5
				180	0	24.62	0.5
			QPSK	1	1	25.13	0
				1	98	25.09	0
				1	186	25.12	0
				90	0	24.09	1
				90	45	25.13	0
				90	90	24.13	1
				180	0	24.10	1
			16QAM	1	1	24.00	1
			64QAM	1	1	22.58	2.5
			256QAM	1	1	20.47	4.5
		CP	QPSK	1	1	23.55	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.03	0
				1	108	25.14	0
				1	214	25.11	0
				108	0	24.57	0.5
				108	54	25.12	0
				108	108	24.60	0.5
				216	0	24.61	0.5
			QPSK	1	1	25.15	0
				1	108	25.21	0
				1	214	25.18	0
				108	0	24.11	1
				108	54	25.16	0
				108	108	24.13	1
				216	0	24.12	1
			16QAM	1	1	24.09	1
			64QAM	1	1	22.59	2.5
			256QAM	1	1	20.47	4.5
		CP	QPSK	1	1	23.60	1.5

NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.31	19.36	19.26	0
				1	13	19.27	19.29	19.23	0
				1	23	19.28	19.32	19.25	0
				12	0	19.35	19.38	19.26	0
				12	7	19.33	19.39	19.28	0
				12	13	19.33	19.38	19.29	0
				25	0	19.33	19.37	19.26	0
			QPSK	1	1	19.40	19.40	19.30	0
				1	13	19.31	19.36	19.24	0
				1	23	19.32	19.39	19.33	0
				12	0	19.36	19.39	19.29	0
				12	7	19.33	19.38	19.30	0
				12	13	19.31	19.36	19.29	0
				25	0	19.33	19.38	19.29	0
			16QAM	1	1	19.47	19.40	19.34	0
			64QAM	1	1	19.45	19.40	19.33	0
			256QAM	1	1	19.31	19.34	19.28	0
		CP	QPSK	1	1	19.35	19.35	19.25	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	19.32	19.33	0
				1	26	19.41	19.41	19.50	0
				1	50	19.41	19.38	19.32	0
				25	0	19.43	19.39	19.35	0
				25	14	19.41	19.37	19.31	0
				25	27	19.41	19.39	19.31	0
			QPSK	50	0	19.41	19.39	19.31	0
				1	1	19.49	19.36	19.36	0
				1	26	19.46	19.47	19.39	0
				1	50	19.46	19.42	19.35	0
				25	0	19.46	19.40	19.34	0
				25	14	19.42	19.40	19.34	0
				25	27	19.44	19.41	19.34	0
				50	0	19.41	19.39	19.35	0
			16QAM	1	1	19.56	19.30	19.40	0
			64QAM	1	1	19.51	19.34	19.38	0
			256QAM	1	1	19.37	19.33	19.33	0
		CP	QPSK	1	1	19.50	19.35	19.38	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.33	19.40	0
				1	40	19.33	19.30	19.31	0
				1	77	19.38	19.38	19.34	0
				36	0	19.39	19.35	19.42	0
				36	22	19.40	19.40	19.37	0
				36	43	19.45	19.43	19.35	0
			QPSK	75	0	19.42	19.42	19.38	0
				1	1	19.48	19.42	19.44	0
				1	40	19.38	19.37	19.35	0
				1	77	19.46	19.43	19.41	0
				36	0	19.40	19.35	19.41	0
				36	22	19.44	19.40	19.39	0
				36	43	19.46	19.42	19.38	0
				75	0	19.42	19.43	19.40	0
			16QAM	1	1	19.46	19.43	19.53	0
			64QAM	1	1	19.52	19.50	19.47	0
			256QAM	1	1	19.46	19.37	19.48	0
		CP	QPSK	1	1	19.49	19.40	19.42	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37	19.39	19.47	0
				1	53	19.43	19.42	19.48	0
				1	104	19.41	19.40	19.36	0
				50	0	19.38	19.37	19.44	0
				50	28	19.38	19.40	19.43	0
				50	56	19.41	19.42	19.40	0
				100	0	19.40	19.41	19.45	0
			QPSK	1	1	19.52	19.44	19.53	0
				1	53	19.44	19.48	19.47	0
				1	104	19.45	19.43	19.42	0
				50	0	19.39	19.37	19.47	0
				50	28	19.40	19.41	19.44	0
				50	56	19.41	19.42	19.39	0
				100	0	19.41	19.42	19.44	0
			16QAM	1	1	19.38	19.48	19.53	0
			64QAM	1	1	19.36	19.45	19.52	0
			256QAM	1	1	19.42	19.41	19.56	0
		CP	QPSK	1	1	19.45	19.42	19.51	0

NR FDD Band n25 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.34		19.38	0
				1	66	19.45		19.38	0
				1	131	19.36		19.28	0
				64	0	19.34		19.38	0
				64	35	19.36		19.35	0
				64	69	19.41		19.29	0
				128	0	19.40		19.35	0
			QPSK	1	1	19.42		19.44	0
				1	66	19.46		19.38	0
				1	131	19.42		19.33	0
				64	0	19.36		19.37	0
				64	35	19.38		19.35	0
				64	69	19.40		19.32	0
				128	0	19.39		19.37	0
			16QAM	1	1	19.47		19.45	0
			64QAM	1	1	19.37		19.48	0
			256QAM	1	1	19.45		19.37	0
		CP	QPSK	1	1	19.40		19.39	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.45		19.43	0
				1	80	19.54		19.38	0
				1	158	19.44		19.32	0
				80	0	19.45		19.44	0
				80	40	19.47		19.36	0
				80	80	19.51		19.35	0
				160	0	19.45		19.37	0
			QPSK	1	1	19.53		19.48	0
				1	80	19.50		19.42	0
				1	158	19.49		19.37	0
				80	0	19.47		19.46	0
				80	40	19.48		19.38	0
				80	80	19.52		19.36	0
				160	0	19.47		19.40	0
			16QAM	1	1	19.57		19.60	0
			64QAM	1	1	19.60		19.55	0
			256QAM	1	1	19.53		19.40	0
		CP	QPSK	1	1	19.47		19.56	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.35	0
				1	98	19.36	0
				1	186	19.36	0
				90	0	19.40	0
				90	45	19.39	0
				90	90	19.43	0
				180	0	19.43	0
			QPSK	1	1	19.44	0
				1	98	19.40	0
				1	186	19.41	0
				90	0	19.43	0
				90	45	19.42	0
				90	90	19.44	0
				180	0	19.45	0
			16QAM	1	1	19.42	0
			64QAM	1	1	19.45	0
			256QAM	1	1	19.38	0
		CP	QPSK	1	1	19.41	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.37	0
				1	108	19.45	0
				1	214	19.38	0
				108	0	19.43	0
				108	54	19.42	0
				108	108	19.43	0
				216	0	19.46	0
			QPSK	1	1	19.43	0
				1	108	19.50	0
				1	214	19.44	0
				108	0	19.45	0
				108	54	19.42	0
				108	108	19.43	0
				216	0	19.44	0
			16QAM	1	1	19.43	0
			64QAM	1	1	19.62	0
			256QAM	1	1	19.47	0
		CP	QPSK	1	1	19.47	0

NR FDD Band n26 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN1 [Ant A]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.63	24.44	24.56	0
				1	13	24.58	24.42	24.52	0
				1	23	24.61	24.45	24.57	0
				12	0	24.15	23.97	24.10	0.5
				12	7	24.67	24.49	24.62	0
				12	13	24.12	23.99	24.11	0.5
				25	0	24.15	23.99	24.13	0.5
			QPSK	1	1	24.70	24.52	24.66	0
				1	13	24.65	24.49	24.61	0
				1	23	24.63	24.51	24.64	0
				12	0	23.69	23.51	23.65	1
				12	7	24.68	24.54	24.66	0
				12	13	23.65	23.50	23.62	1
				25	0	23.66	23.52	23.65	1
			16QAM	1	1	23.69	23.56	23.54	1
			64QAM	1	1	22.18	22.11	22.19	2.5
			256QAM	1	1	20.20	20.07	20.09	4.5
		CP	QPSK	1	1	23.17	23.03	23.16	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.58	24.47	24.46	0
				1	26	24.59	24.51	24.52	0
				1	50	24.54	24.44	24.50	0
				25	0	24.11	23.98	24.03	0.5
				25	14	24.59	24.49	24.52	0
				25	27	24.10	23.97	24.04	0.5
				50	0	24.10	24.00	24.03	0.5
			QPSK	1	1	24.67	24.55	24.53	0
				1	26	24.60	24.53	24.57	0
				1	50	24.61	24.52	24.56	0
				25	0	23.64	23.51	23.55	1
				25	14	24.62	24.51	24.58	0
				25	27	23.63	23.48	23.56	1
				50	0	23.61	23.52	23.56	1
			16QAM	1	1	23.85	23.58	23.58	1
			64QAM	1	1	22.19	21.99	22.11	2.5
			256QAM	1	1	20.15	20.05	19.99	4.5
		CP	QPSK	1	1	23.23	23.00	23.01	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.56		24.44	0
				1	40	24.53		24.48	0
				1	77	24.47		24.54	0
				36	0	24.06		24.00	0.5
				36	22	24.58		24.56	0
				36	43	24.03		24.05	0.5
				75	0	24.08		24.06	0.5
			QPSK	1	1	24.65		24.51	0
				1	40	24.57		24.54	0
				1	77	24.52		24.57	0
				36	0	23.58		23.52	1
				36	22	24.60		24.59	0
				36	43	23.56		23.56	1
				75	0	23.59		23.58	1
			16QAM	1	1	23.68		23.49	1
			64QAM	1	1	22.11		22.03	2.5
			256QAM	1	1	20.10		20.03	4.5
		CP	QPSK	1	1	23.08		23.01	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.57	0
				1	53	24.51	0
				1	104	24.52	0
				50	0	24.02	0.5
				50	28	24.49	0
				50	56	24.00	0.5
				100	0	24.00	0.5
			QPSK	1	1	24.61	0
				1	53	24.54	0
				1	104	24.57	0
				50	0	23.51	1
				50	28	24.52	0
				50	56	23.50	1
				100	0	23.52	1
			16QAM	1	1	23.67	1
			64QAM	1	1	22.09	2.5
			256QAM	1	1	20.15	4.5
		CP	OPSK	1	1	23.12	1.5

NR FDD Band n26 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN1 [Ant A]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.22	22.09	22.21	0
				1	13	22.17	22.05	22.17	0
				1	23	22.20	22.03	22.20	0
				12	0	22.23	22.12	22.25	0
				12	7	22.24	22.11	22.24	0
				12	13	22.24	22.10	22.21	0
				25	0	22.26	22.12	22.23	0
			QPSK	1	1	22.28	22.11	22.26	0
				1	13	22.23	22.05	22.23	0
				1	23	22.23	22.10	22.27	0
				12	0	22.25	22.11	22.23	0
				12	7	22.24	22.11	22.26	0
				12	13	22.22	22.10	22.26	0
				25	0	22.25	22.10	22.27	0
			16QAM	1	1	22.31	22.25	22.14	0
			64QAM	1	1	22.27	22.06	22.18	0
			256QAM	1	1	20.17	19.99	20.13	2
		CP	QPSK	1	1	22.27	22.12	22.27	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.16	22.08	22.10	0
				1	26	22.20	22.11	22.17	0
				1	50	22.18	22.08	22.12	0
				25	0	22.21	22.11	22.18	0
				25	14	22.16	22.10	22.14	0
				25	27	22.20	22.07	22.14	0
			QPSK	50	0	22.19	22.11	22.18	0
				1	1	22.25	22.15	22.12	0
				1	26	22.20	22.14	22.17	0
				1	50	22.20	22.15	22.20	0
				25	0	22.22	22.10	22.19	0
				25	14	22.19	22.11	22.18	0
				25	27	22.21	22.09	22.15	0
				50	0	22.20	22.11	22.16	0
			16QAM	1	1	22.27	22.18	22.17	0
			64QAM	1	1	22.16	22.06	22.03	0
			256QAM	1	1	20.12	20.09	19.92	2
		CP	QPSK	1	1	22.24	22.12	22.19	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.14		22.08	0
				1	40	22.11		22.13	0
				1	77	22.09		22.16	0
				36	0	22.19		22.12	0
				36	22	22.19		22.19	0
				36	43	22.12		22.19	0
			QPSK	75	0	22.18		22.19	0
				1	1	22.24		22.13	0
				1	40	22.17		22.19	0
				1	77	22.13		22.19	0
				36	0	22.19		22.13	0
				36	22	22.19		22.19	0
				36	43	22.15		22.17	0
				75	0	22.19		22.17	0
			16QAM	1	1	22.28		22.18	0
			64QAM	1	1	22.10		22.09	0
			256QAM	1	1	20.10		19.90	2
		CP	QPSK	1	1	22.24		22.14	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.18	0
				1	53	22.13	0
				1	104	22.16	0
				50	0	22.10	0
				50	28	22.12	0
				50	56	22.10	0
				100	0	22.11	0
			QPSK	1	1	22.22	0
				1	53	22.12	0
				1	104	22.19	0
				50	0	22.14	0
				50	28	22.12	0
				50	56	22.12	0
				100	0	22.11	0
			16QAM	1	1	22.24	0
			64QAM	1	1	22.10	0
			256QAM	1	1	20.01	2
		CP	QPSK	1	1	22.26	0

NR FDD Band n30 Conducted Power_ Measured P_{max} , RCV (RSI 2) _ MAIN2

[Ant B]

NR FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.05	0
				1	13	23.94	0
				1	23	23.97	0
				12	0	23.54	0.5
				12	7	24.00	0
				12	13	23.50	0.5
				25	0	23.50	0.5
			QPSK	1	1	24.07	0
				1	13	24.00	0
				1	23	24.02	0
				12	0	23.07	1
				12	7	24.05	0
				12	13	23.04	1
				25	0	23.05	1
			16QAM	1	1	23.05	1
			64QAM	1	1	21.62	2.5
			256QAM	1	1	19.48	4.5
		CP	QPSK	1	1	22.55	1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.85	0
				1	26	23.83	0
				1	50	23.74	0
				25	0	23.36	0.5
				25	14	23.79	0
				25	27	23.26	0.5
				50	0	23.30	0.5
			QPSK	1	1	23.93	0
				1	26	23.83	0
				1	50	23.79	0
				25	0	22.90	1
				25	14	23.83	0
				25	27	22.81	1
				50	0	22.83	1
			16QAM	1	1	23.00	1
			64QAM	1	1	21.55	2.5
			256QAM	1	1	19.41	4.5
		CP	QPSK	1	1	22.40	1.5

**NR FDD Band n30 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.21	0
				1	13	19.10	0
				1	23	19.15	0
				12	0	19.20	0
				12	7	19.19	0
				12	13	19.18	0
				25	0	19.18	0
			QPSK	1	1	19.20	0
				1	13	19.12	0
				1	23	19.16	0
				12	0	19.22	0
				12	7	19.19	0
				12	13	19.18	0
				25	0	19.20	0
			16QAM	1	1	19.36	0
			64QAM	1	1	19.30	0
			256QAM	1	1	19.27	0
		CP	QPSK	1	1	19.28	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.26	0
				1	26	19.22	0
				1	50	19.10	0
				25	0	19.26	0
				25	14	19.19	0
				25	27	19.17	0
				50	0	19.19	0
			QPSK	1	1	19.47	0
				1	26	19.17	0
				1	50	19.12	0
				25	0	19.46	0
				25	14	19.20	0
				25	27	19.16	0
				50	0	19.21	0
			16QAM	1	1	19.43	0
			64QAM	1	1	19.37	0
			256QAM	1	1	19.25	0
		CP	QPSK	1	1	19.30	0

NR TDD Band n38 Conducted Power_ Measured P_{max} , RCV (RSI 2) _ MAIN2

[Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.15	22.89	23.00	0
				1	12	23.14	22.90	23.11	0
				1	22	23.04	22.90	23.14	0
				12	0	22.61	22.32	22.53	0.5
				12	6	23.08	22.85	23.10	0
				12	12	22.55	22.34	22.62	0.5
				24	0	22.59	22.33	22.56	0.5
			QPSK	1	1	23.16	22.90	23.02	0
				1	12	23.19	22.87	23.15	0
				1	22	23.08	22.90	23.18	0
				12	0	22.07	21.85	22.05	1
				12	6	23.11	22.87	23.11	0
				12	12	22.06	21.85	22.12	1
				24	0	22.07	21.84	22.05	1
			16QAM	1	1	22.13	21.86	22.18	1
			64QAM	1	1	20.49	20.35	20.34	2.5
			256QAM	1	1	18.49	18.40	18.50	4.5
		CP	QPSK	1	1	21.58	21.38	21.51	1.5

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.04	22.90	22.89	0
				1	18	23.01	22.80	22.93	0
				1	36	22.96	22.92	23.07	0
				18	0	22.55	22.34	22.43	0.5
				18	9	23.00	22.84	22.97	0
				18	18	22.51	22.34	22.52	0.5
				36	0	22.51	22.30	22.47	0.5
			QPSK	1	1	23.11	22.90	22.91	0
				1	18	23.01	22.83	22.97	0
				1	36	22.93	22.92	23.13	0
				18	0	22.06	21.87	21.91	1
				18	9	23.04	22.86	23.00	0
				18	18	22.01	21.88	22.03	1
				36	0	22.06	21.81	21.97	1
			16QAM	1	1	22.10	21.92	21.89	1
			64QAM	1	1	20.50	20.43	20.43	2.5
			256QAM	1	1	18.67	18.39	18.41	4.5
		CP	QPSK	1	1	21.58	21.40	21.39	1.5

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.01	22.96	22.93	0
				1	26	23.03	22.89	23.09	0
				1	49	22.99	23.03	23.22	0
				25	0	22.62	22.38	22.46	0.5
				25	13	23.03	22.88	23.05	0
				25	26	22.45	22.39	22.61	0.5
				50	0	22.53	22.40	22.51	0.5
			QPSK	1	1	23.18	22.94	22.97	0
				1	26	22.98	22.90	23.06	0
				1	49	22.99	23.04	23.22	0
				25	0	22.09	21.93	21.96	1
				25	13	23.04	22.93	23.06	0
				25	26	21.97	21.93	22.11	1
				50	0	22.02	21.89	22.04	1
			16QAM	1	1	22.17	21.97	21.83	1
			64QAM	1	1	20.62	20.52	20.31	2.5
			256QAM	1	1	18.70	18.41	18.41	4.5
		CP	QPSK	1	1	21.68	21.51	21.63	1.5

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.19		22.88	0
				1	32	23.02		23.04	0
				1	63	22.94		23.21	0
				32	0	22.61		22.40	0.5
				32	17	22.98		23.00	0
				32	33	22.45		22.59	0.5
				64	0	22.52		22.46	0.5
			QPSK	1	1	23.20		22.85	0
				1	32	22.99		23.13	0
				1	63	22.95		23.22	0
				32	0	22.09		21.92	1
				32	17	23.03		22.99	0
				32	33	21.95		22.08	1
				64	0	22.04		21.98	1
			16QAM	1	1	22.17		21.94	1
			64QAM	1	1	20.62		20.34	2.5
			256QAM	1	1	18.70		18.34	4.5
		CP	QPSK	1	1	21.68		21.34	1.5

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.09		23.03	0
				1	39	23.38		23.17	0
				1	76	23.29		23.34	0
				36	0	22.85		22.47	0.5
				36	21	23.25		23.08	0
				36	42	22.66		22.74	0.5
				75	0	22.70		22.59	0.5
			QPSK	1	1	23.43		23.06	0
				1	39	23.22		23.21	0
				1	76	23.20		23.38	0
				36	0	22.23		21.96	1
				36	21	23.14		23.10	0
				36	42	22.07		22.21	1
				75	0	22.12		22.08	1
			16QAM	1	1	22.31		22.00	1
			64QAM	1	1	20.79		20.49	2.5
			256QAM	1	1	18.81		18.44	4.5
		CP	QPSK	1	1	21.77		21.53	1.5

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		23.43		0
				1	80		23.23		0
				1	158		23.51		0
				80	0		22.79		0.5
				80	40		23.22		0
				80	80		22.87		0.5
				160	0		22.74		0.5
			QPSK	1	1		23.48		0
				1	80		23.26		0
				1	158		23.54		0
				80	0		22.32		1
				80	40		23.26		0
				80	80		22.40		1
				160	0		22.26		1
			16QAM	1	1		22.22		1
			64QAM	1	1		20.55		2.5
			256QAM	1	1		18.53		4.5
		CP	QPSK	1	80		21.70		1.5

NR TDD Band n38 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.75	19.54	19.67	0
				1	12	19.82	19.54	19.77	0
				1	22	19.65	19.55	19.76	0
				12	0	19.71	19.48	19.64	0
				12	6	19.70	19.49	19.65	0
				12	12	19.67	19.55	19.72	0
				24	0	19.70	19.51	19.68	0
			QPSK	1	1	19.73	19.53	19.66	0
				1	12	19.75	19.49	19.78	0
				1	22	19.66	19.55	19.77	0
				12	0	19.70	19.52	19.63	0
				12	6	19.69	19.49	19.68	0
				12	12	19.67	19.47	19.71	0
				24	0	19.72	19.50	19.67	0
			16QAM	1	1	19.67	19.37	19.50	0
			64QAM	1	1	19.64	19.60	19.69	0
			256QAM	1	1	18.54	18.42	18.55	0.5
		CP	QPSK	1	1	19.78	19.50	19.61	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.69	19.53	19.16	0
				1	18	19.61	19.43	19.23	0
				1	36	19.56	19.56	19.36	0
				18	0	19.70	19.51	19.17	0
				18	9	19.67	19.48	19.26	0
				18	18	19.62	19.52	19.30	0
				36	0	19.71	19.50	19.22	0
			QPSK	1	1	19.73	19.56	19.16	0
				1	18	19.62	19.41	19.21	0
				1	36	19.56	19.61	19.36	0
				18	0	19.68	19.52	19.20	0
				18	9	19.69	19.52	19.21	0
				18	18	19.64	19.51	19.29	0
				36	0	19.68	19.50	19.26	0
			16QAM	1	1	19.79	19.50	19.06	0
			64QAM	1	1	19.82	19.56	19.00	0
			256QAM	1	1	18.60	18.45	18.41	0.5
		CP	QPSK	1	1	19.79	19.15	19.52	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.77	19.21	19.45	0
				1	26	19.61	19.11	19.57	0
				1	49	19.54	19.28	19.73	0
				25	0	19.71	19.17	19.51	0
				25	13	19.62	19.13	19.59	0
				25	26	19.56	19.17	19.67	0
				50	0	19.65	19.09	19.58	0
			QPSK	1	1	19.75	19.18	19.44	0
				1	26	19.60	19.09	19.58	0
				1	49	19.52	19.23	19.74	0
				25	0	19.71	19.15	19.51	0
				25	13	19.63	19.12	19.58	0
				25	26	19.57	19.16	19.66	0
				50	0	19.66	19.13	19.62	0
			16QAM	1	1	19.81	19.14	19.49	0
			64QAM	1	1	19.74	19.24	19.48	0
			256QAM	1	1	18.71	18.37	18.38	0.5
		CP	QPSK	1	1	19.79	19.55	19.47	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.76		19.43	0
				1	32	19.64		19.65	0
				1	63	19.56		19.77	0
				32	0	19.69		19.46	0
				32	17	19.55		19.59	0
				32	33	19.52		19.69	0
				64	0	19.60		19.63	0
			QPSK	1	1	19.82		19.43	0
				1	32	19.60		19.67	0
				1	63	19.52		19.82	0
				32	0	19.68		19.05	0
				32	17	19.58		19.13	0
				32	33	19.50		19.68	0
				64	0	19.60		19.60	0
			16QAM	1	1	19.60		19.34	0
			64QAM	1	1	19.75		19.40	0
			256QAM	1	1	18.61		18.33	0.5
		CP	QPSK	1	1	19.80		19.45	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.83		19.50	0
				1	39	19.65		19.61	0
				1	76	19.61		19.85	0
				36	0	19.73		19.46	0
				36	21	19.66		19.58	0
				36	42	19.57		19.72	0
				75	0	19.66		19.62	0
			QPSK	1	1	19.85		19.49	0
				1	39	19.64		19.56	0
				1	76	19.63		19.81	0
				36	0	19.75		19.48	0
				36	21	19.63		19.63	0
				36	42	19.57		19.71	0
				75	0	19.65		19.57	0
			16QAM	1	1	19.97		19.53	0
			64QAM	1	1	19.82		19.46	0
			256QAM	1	1	18.75		18.36	0.5
		CP	QPSK	1	1	19.84		19.48	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
							519000	
							2595 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		19.87	0
				1	80		19.78	0
				1	158		19.93	0
				80	0		19.71	0
				80	40		19.63	0
				80	80		19.78	0
				160	0		19.59	0
			QPSK	1	1		19.90	0
				1	80		19.64	0
				1	158		19.93	0
				80	0		19.68	0
				80	40		19.58	0
				80	80		19.75	0
				160	0		19.58	0
			16QAM	1	1		19.85	0
			64QAM	1	1		19.83	0
			256QAM	1	1		18.57	0.5
		CP	QPSK	1	80		19.81	0

NR TDD Band n41 (PC2) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.66	19.53	19.23	19.24	19.09	0
				1	12	19.74	19.52	19.07	19.24	19.20	0
				1	22	19.80	19.60	19.12	19.33	19.19	0
				12	0	19.66	19.63	19.14	19.20	19.13	0
				12	6	19.75	19.58	19.09	19.14	19.21	0
				12	12	19.79	19.64	19.02	19.21	19.23	0
				24	0	19.68	19.68	19.08	19.16	19.17	0
			QPSK	1	1	19.74	19.82	19.24	19.14	19.08	0
				1	12	19.74	19.58	19.06	19.17	19.21	0
				1	22	19.79	19.54	19.11	19.22	19.17	0
				12	0	19.67	19.71	19.23	19.20	19.20	0
				12	6	19.76	19.65	19.09	19.14	19.20	0
				12	12	19.79	19.56	19.12	19.21	19.21	0
				24	0	19.71	19.57	19.13	19.17	19.16	0
			16QAM	1	1	19.63	19.72	19.23	19.19	19.11	0
			64QAM	1	1	19.69	19.69	19.27	19.27	19.29	0
			256QAM	1	1	19.54	19.73	19.16	19.09	19.14	0
		CP	QPSK	1	1	19.15	19.26	19.13	19.19	19.45	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.74	19.53	19.20	19.23	19.09	0
				1	18	19.72	19.55	19.06	19.16	19.18	0
				1	36	19.83	19.55	19.18	19.32	19.26	0
				18	0	19.65	19.63	19.08	19.19	19.13	0
				18	9	19.73	19.58	19.05	19.18	19.23	0
				18	18	19.79	19.60	19.06	19.17	19.21	0
				36	0	19.75	19.66	19.11	19.19	19.17	0
			QPSK	1	1	19.66	19.78	19.26	19.17	19.09	0
				1	18	19.75	19.60	19.14	19.17	19.22	0
				1	36	19.83	19.53	19.10	19.22	19.26	0
				18	0	19.67	19.64	19.21	19.21	19.15	0
				18	9	19.76	19.66	19.17	19.17	19.21	0
				18	18	19.81	19.60	19.04	19.23	19.22	0
				36	0	19.74	19.59	19.13	19.21	19.18	0
			16QAM	1	1	19.58	19.78	19.19	19.23	19.07	0
			64QAM	1	1	19.67	19.75	19.33	19.27	19.27	0
			256QAM	1	1	19.54	19.68	19.21	19.03	19.12	0
		CP	QPSK	1	1	19.19	19.24	19.12	19.17	19.50	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.65	19.51	19.17	19.16	19.09	0
				1	26	19.68	19.52	19.00	19.15	19.15	0
				1	49	19.75	19.51	19.11	19.26	19.17	0
				25	0	19.64	19.62	19.08	19.14	19.12	0
				25	13	19.71	19.56	19.05	19.13	19.13	0
				25	26	19.73	19.56	19.01	19.13	19.16	0
				50	0	19.67	19.59	19.06	19.10	19.11	0
			QPSK	1	1	19.66	19.73	19.17	19.12	19.07	0
				1	26	19.67	19.54	19.05	19.11	19.13	0
				1	49	19.77	19.52	19.10	19.20	19.16	0
				25	0	19.66	19.62	19.14	19.12	19.14	0
				25	13	19.70	19.58	19.07	19.14	19.15	0
				25	26	19.74	19.54	19.02	19.17	19.18	0
				50	0	19.70	19.57	19.06	19.13	19.13	0
			16QAM	1	1	19.58	19.72	19.14	19.17	19.06	0
			64QAM	1	1	19.66	19.66	19.24	19.20	19.19	0
			256QAM	1	1	19.47	19.65	19.13	19.00	19.08	0
		CP	QPSK	1	1	19.12	19.23	19.10	19.10	19.42	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.69	19.65	19.20	19.25	19.12	0
				1	32	19.69	19.60	19.06	19.24	19.22	0
				1	63	19.84	19.61	19.14	19.27	19.27	0
				32	0	19.73	19.60	19.10	19.22	19.21	0
				32	17	19.77	19.52	19.05	19.21	19.20	0
				32	33	19.75	19.52	19.07	19.23	19.25	0
				64	0	19.68	19.54	19.06	19.20	19.22	0
			QPSK	1	1	19.68	19.72	19.23	19.24	19.18	0
				1	32	19.68	19.53	19.08	19.23	19.28	0
				1	63	19.82	19.56	19.16	19.28	19.28	0
				32	0	19.67	19.62	19.13	19.20	19.21	0
				32	17	19.79	19.56	19.02	19.19	19.24	0
				32	33	19.83	19.52	19.06	19.22	19.25	0
				64	0	19.79	19.56	19.04	19.20	19.22	0
			16QAM	1	1	19.66	19.76	19.33	19.28	19.23	0
			64QAM	1	1	19.69	19.78	19.25	19.30	19.15	0
			256QAM	1	1	19.49	19.73	19.07	19.26	19.11	0
		CP	QPSK	1	1	19.23	19.69	19.20	19.46	19.15	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	19.53	19.68	19.33	19.11	19.04	0
				1	39	19.77	19.56	19.09	19.04	19.15	0
				1	76	19.89	19.61	19.19	19.10	19.17	0
				36	0	19.67	19.61	19.13	19.07	19.06	0
				36	21	19.72	19.51	19.06	19.05	19.11	0
				36	42	19.80	19.53	19.08	19.07	19.14	0
				75	0	19.72	19.51	19.10	19.05	19.10	0
			QPSK	1	1	19.66	19.74	19.28	19.09	19.08	0
				1	39	19.77	19.53	19.05	19.13	19.13	0
				1	76	19.89	19.55	19.21	19.10	19.21	0
				36	0	19.68	19.58	19.15	19.06	19.08	0
				36	21	19.72	19.53	19.03	19.03	19.12	0
				36	42	19.82	19.52	19.09	19.08	19.18	0
				75	0	19.72	19.53	19.07	19.05	19.10	0
			16QAM	1	1	19.55	19.77	19.25	19.02	19.06	0
			64QAM	1	1	19.69	19.71	19.22	19.08	19.09	0
			256QAM	1	1	19.59	19.70	19.09	19.06	19.36	0
		CP	QPSK	1	1	19.71	19.73	19.53	19.42	19.12	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.73	19.55		19.11	19.13	0
				1	53	20.00	19.69		19.43	19.31	0
				1	104	19.97	19.46		19.44	19.36	0
				50	0	19.85	19.59		19.26	19.24	0
				50	28	19.94	19.64		19.40	19.30	0
				50	56	20.04	19.52		19.43	19.37	0
				100	0	19.97	19.69		19.46	19.30	0
			QPSK	1	1	19.82	19.68		19.18	19.18	0
				1	53	20.03	19.69		19.44	19.38	0
				1	104	20.03	19.69		19.49	19.40	0
				50	0	19.92	19.67		19.33	19.27	0
				50	28	20.00	19.69		19.46	19.37	0
				50	56	20.10	19.59		19.47	19.43	0
				100	0	20.02	19.72		19.50	19.34	0
			16QAM	1	1	19.86	19.85		19.24	19.26	0
			64QAM	1	1	19.82	19.79		19.24	19.25	0
			256QAM	1	1	19.70	19.56		19.11	19.00	0
		CP	QPSK	1	1	19.81	19.87		19.16	19.18	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.80		19.67		19.17	0
				1	67	19.99		19.22		19.30	0
				1	131	19.80		19.62		19.48	0
				64	0	19.86		19.47		19.29	0
				64	35	20.00		19.28		19.35	0
				64	69	19.99		19.44		19.41	0
				128	0	20.03		19.32		19.38	0
			QPSK	1	1	19.86		19.68		19.22	0
				1	67	20.02		19.26		19.31	0
				1	131	19.84		19.63		19.47	0
				64	0	19.89		19.51		19.32	0
				64	35	20.05		19.32		19.40	0
				64	69	20.00		19.45		19.43	0
				128	0	20.05		19.35		19.42	0
			16QAM	1	1	19.83		19.84		19.34	0
			64QAM	1	1	19.88		19.75		19.31	0
			256QAM	1	1	19.69		19.63		19.10	0
		CP	QPSK	1	1	19.74		19.63		19.21	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	19.86		19.68		19.29	0
				1	81	19.98		19.30		19.45	0
				1	160	19.69		19.63		19.58	0
				81	0	19.90		19.47		19.34	0
				81	41	19.99		19.26		19.45	0
				81	81	19.87		19.40		19.52	0
				162	0	20.00		19.34		19.51	0
			QPSK	1	1	19.82		19.73		19.31	0
				1	81	19.97		19.30		19.40	0
				1	160	19.72		19.66		19.60	0
				81	0	19.93		19.52		19.40	0
				81	41	20.03		19.30		19.53	0
				81	81	19.93		19.48		19.58	0
				162	0	20.04		19.33		19.52	0
			16QAM	1	1	20.02		19.77		19.45	0
			64QAM	1	1	20.03		19.88		19.35	0
			256QAM	1	1	19.78		19.88		19.42	0
		CP	QPSK	1	1	19.82		19.83		19.97	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	19.43				19.35	0
				1	81	19.51				19.37	0
				1	160	19.43				19.71	0
				81	0	19.55				19.37	0
				81	41	19.58				19.49	0
				81	81	19.40				19.61	0
				162	0	19.61				19.51	0
			QPSK	1	1	19.46				19.43	0
				1	81	19.55				19.39	0
				1	160	19.40				19.72	0
				81	0	19.59				19.42	0
				81	41	19.63				19.50	0
				81	81	19.44				19.66	0
				162	0	19.67				19.55	0
			16QAM	1	1	19.63				19.58	0
			64QAM	1	1	19.74				19.50	0
			256QAM	1	1	19.92				19.41	0
		CP	QPSK	1	1	19.48				19.65	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	19.28				19.25	0
				1	109	19.87				19.30	0
				1	215	19.91				19.71	0
				108	0	20.03				19.36	0
				108	55	19.98				19.41	0
				108	109	19.80				19.55	0
				216	0	20.05				19.45	0
			QPSK	1	1	20.10				19.35	0
				1	109	19.99				19.32	0
				1	215	19.92				19.71	0
				108	0	20.08				19.41	0
				108	55	19.97				19.44	0
				108	109	19.86				19.60	0
				216	0	20.06				19.52	0
			16QAM	1	1	20.10				19.48	0
			64QAM	1	1	20.12				19.37	0
			256QAM	1	1	19.95				19.22	0
		CP	QPSK	1	1	19.68				19.36	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
				MHz					MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1	20.13				19.29	0
				1	123	19.85				19.34	0
				1	243	19.73				19.82	0
				120	0	20.14				19.41	0
				120	63	19.96				19.34	0
				120	125	19.92				19.54	0
				243	0	20.05				19.45	0
			QPSK	1	1	20.15				19.34	0
				1	123	19.85				19.32	0
				1	243	19.78				19.83	0
				120	0	20.19				19.41	0
				120	63	19.99				19.38	0
				120	125	19.99				19.58	0
				243	0	20.07				19.43	0
			16QAM	1	1	20.37				19.39	0
			64QAM	1	1	20.29				19.42	0
			256QAM	1	1	20.11				19.20	0
		CP	QPSK	1	1	19.78				19.32	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			20.24		0
				1	137			19.41		0
				1	271			20.17		0
				135	0			19.96		0
				135	69			19.50		0
				135	138			19.84		0
				270	0			19.59		0
			QPSK	1	1			20.25		0
				1	137			19.45		0
				1	271			20.13		0
				135	0			20.03		0
				135	69			19.49		0
				135	138			19.86		0
				270	0			19.57		0
			16QAM	1	1			20.39		0
			64QAM	1	1			20.18		0
			256QAM	1	1			19.95		0
		CP	QPSK	1	1			20.23		0

NR TDD Band n41 (PC2) Conducted Power_ Measured P_{max} , Folder Open

RCV (RSI 1) _ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.61	23.67	23.44	23.48	24.06	0
				1	12	23.69	23.76	23.70	23.55	24.02	0
				1	22	23.66	23.69	23.59	23.56	23.91	0
				12	0	23.55	23.66	23.60	23.46	23.42	0
				12	6	23.51	23.67	23.62	23.51	23.65	0
				12	12	23.50	23.66	23.59	23.50	23.61	0
				24	0	23.33	23.65	23.58	23.49	23.51	0
			QPSK	1	1	23.36	23.71	23.67	23.46	23.69	0
				1	12	23.44	23.73	23.54	23.58	23.72	0
				1	22	23.38	23.64	23.60	23.55	23.56	0
				12	0	23.34	23.65	23.68	23.48	23.34	0
				12	6	23.36	23.69	23.58	23.51	23.32	0
				12	12	23.35	23.70	23.59	23.52	23.33	0
				24	0	23.33	23.69	23.17	23.48	23.33	0
			16QAM	1	1	23.62	23.70	23.69	23.55	23.31	0
			64QAM	1	1	23.35	23.92	23.66	23.51	23.44	0
			256QAM	1	1	22.13	22.21	22.09	21.97	22.12	1
		CP	QPSK	1	1	23.69	23.45	23.73	23.45	23.70	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.41	23.72	23.64	23.38	23.67	0
				1	18	23.61	23.65	23.55	23.33	23.56	0
				1	36	23.70	23.73	23.54	23.40	23.60	0
				18	0	23.55	23.36	23.60	23.38	23.61	0
				18	9	23.66	23.71	23.59	23.38	23.61	0
				18	18	23.69	23.71	23.54	23.40	23.60	0
				36	0	23.67	23.71	23.60	23.42	23.66	0
			QPSK	1	1	23.69	23.75	23.65	23.38	23.65	0
				1	18	23.65	23.73	23.52	23.39	23.61	0
				1	36	23.77	23.77	23.50	23.42	23.61	0
				18	0	23.67	23.75	23.64	23.39	23.67	0
				18	9	23.69	23.73	23.63	23.42	23.66	0
				18	18	23.69	23.70	23.57	23.43	23.65	0
				36	0	23.68	23.73	23.62	23.41	23.63	0
			16QAM	1	1	23.79	23.78	23.56	23.46	23.71	0
			64QAM	1	1	23.66	23.94	23.70	23.38	23.67	0
			256QAM	1	1	22.08	22.16	22.02	22.01	22.15	1
		CP	QPSK	1	1	23.75	23.82	23.49	23.41	23.72	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.55	23.72	23.71	23.35	23.64	0
				1	26	23.56	23.81	23.63	23.38	23.62	0
				1	49	23.59	23.75	23.55	23.42	23.58	0
				25	0	23.54	23.80	23.68	23.50	22.63	0
				25	13	23.55	23.54	23.63	22.93	23.61	0
				25	26	23.56	23.50	23.56	23.41	23.56	0
				50	0	23.55	23.77	23.63	23.34	23.59	0
			QPSK	1	1	23.60	23.85	23.73	23.39	23.64	0
				1	26	23.56	23.80	23.65	23.39	23.62	0
				1	49	23.69	23.85	23.57	23.41	23.52	0
				25	0	23.55	23.80	23.69	23.36	23.61	0
				25	13	23.57	23.77	23.64	23.38	23.60	0
				25	26	23.59	23.79	23.56	23.45	23.60	0
				50	0	23.58	23.79	23.63	23.38	23.65	0
			16QAM	1	1	23.40	23.84	23.69	23.43	23.74	0
			64QAM	1	1	23.63	23.88	23.78	23.59	23.78	0
			256QAM	1	1	22.13	22.35	22.05	21.92	22.16	1
		CP	QPSK	1	1	23.64	23.93	23.83	23.56	23.74	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.45	23.87	24.01	23.40	23.81	0
				1	32	23.62	23.82	23.89	23.45	23.76	0
				1	63	23.72	23.79	23.80	23.55	23.67	0
				32	0	23.54	23.85	23.85	23.38	23.68	0
				32	17	23.49	23.83	23.86	23.38	23.39	0
				32	33	23.65	23.80	23.69	23.48	23.39	0
				64	0	23.60	23.81	23.76	23.41	23.62	0
			QPSK	1	1	23.64	23.92	23.88	23.35	23.74	0
				1	32	23.62	23.86	23.79	23.42	23.71	0
				1	63	23.70	23.86	23.66	23.52	23.61	0
				32	0	23.59	23.86	23.53	23.41	23.68	0
				32	17	23.60	23.85	23.47	23.43	23.66	0
				32	33	23.67	23.81	23.40	23.46	23.65	0
				64	0	23.61	23.74	23.75	23.41	23.65	0
			16QAM	1	1	23.60	23.83	23.93	23.41	23.71	0
			64QAM	1	1	23.67	23.90	23.86	23.42	23.72	0
			256QAM	1	1	22.21	22.37	22.33	21.96	22.29	1
		CP	QPSK	1	1	23.69	24.31	23.92	23.73	23.46	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.62	23.87	23.77	23.55	23.82	0
				1	39	23.72	23.87	23.71	23.52	23.79	0
				1	76	23.84	23.78	23.55	23.60	23.71	0
				36	0	23.60	23.85	23.68	23.54	23.77	0
				36	21	23.64	23.84	23.61	23.54	23.73	0
				36	42	23.72	23.69	23.54	23.61	23.61	0
				75	0	23.66	23.74	23.60	23.57	23.74	0
			QPSK	1	1	23.68	23.91	23.81	23.64	23.84	0
				1	39	23.71	23.92	23.68	23.65	23.76	0
				1	76	23.80	23.83	23.55	23.68	23.70	0
				36	0	23.61	23.87	23.69	23.59	23.77	0
				36	21	23.65	23.87	23.64	23.59	23.66	0
				36	42	23.74	23.88	23.58	23.66	23.73	0
				75	0	23.66	23.86	23.64	23.58	23.77	0
			16QAM	1	1	23.62	23.91	23.85	23.62	23.90	0
			64QAM	1	1	23.59	23.87	23.65	23.52	23.83	0
			256QAM	1	1	22.20	22.37	22.38	22.07	22.22	1
		CP	QPSK	1	1	23.77	23.99	23.85	23.68	23.93	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.65	23.80		23.48	23.72	0
				1	53	23.74	23.83		23.42	23.71	0
				1	104	23.88	23.71		23.58	23.67	0
				50	0	23.62	23.76		23.49	23.71	0
				50	28	23.73	23.78		23.53	23.74	0
				50	56	23.80	23.67		23.58	23.68	0
				100	0	23.74	23.65		23.53	23.74	0
			QPSK	1	1	23.67	23.91		23.62	23.76	0
				1	53	23.68	23.84		23.62	23.78	0
				1	104	23.84	23.77		23.68	23.72	0
				50	0	23.65	23.83		23.51	23.74	0
				50	28	23.77	23.80		23.55	23.76	0
				50	56	23.81	23.79		23.59	23.71	0
				100	0	23.78	23.77		23.53	23.76	0
			16QAM	1	1	23.73	23.82		23.54	23.79	0
			64QAM	1	1	23.54	23.79		23.48	23.68	0
			256QAM	1	1	22.14	22.33		21.98	22.21	1
		CP	QPSK	1	1	23.70	23.94		23.66	23.73	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.72		23.85		23.51	0
				1	67	23.79		23.80		23.48	0
				1	131	23.90		23.61		23.58	0
				64	0	23.67		23.74		23.41	0
				64	35	23.74		23.70		23.43	0
				64	69	23.81		23.57		23.50	0
				128	0	23.76		23.64		23.47	0
			QPSK	1	1	23.75		23.84		23.52	0
				1	67	23.80		23.74		23.46	0
				1	131	23.87		23.55		23.59	0
				64	0	23.68		23.73		23.42	0
				64	35	23.75		23.72		23.46	0
				64	69	23.84		23.64		23.53	0
				128	0	23.83		23.65		23.48	0
			16QAM	1	1	23.72		23.91		23.52	0
			64QAM	1	1	23.82		23.74		23.62	0
			256QAM	1	1	22.24		22.38		21.95	1
		CP	QPSK	1	1	23.81		23.88		23.61	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.75		23.81		23.71	0
				1	81	23.71		23.79		23.67	0
				1	160	23.83		23.55		23.63	0
				81	0	23.58		23.77		23.65	0
				81	41	23.67		23.69		23.71	0
				81	81	23.73		23.59		23.66	0
				162	0	23.75		23.66		23.71	0
			QPSK	1	1	23.76		23.83		23.69	0
				1	81	23.70		23.77		23.74	0
				1	160	23.86		23.56		23.70	0
				81	0	23.59		23.76		23.70	0
				81	41	23.70		23.71		23.75	0
				81	81	23.76		23.62		23.63	0
				162	0	23.76		23.66		23.72	0
			16QAM	1	1	23.71		23.86		23.70	0
			64QAM	1	1	23.84		23.67		23.62	0
			256QAM	1	1	22.24		22.45		22.11	1
		CP	QPSK	1	1	23.88		23.88		23.68	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.79				23.59	0
				1	81	23.76				23.38	0
				1	160	23.80				23.50	0
				81	0	23.73				23.31	0
				81	41	23.79				23.37	0
				81	81	23.76				23.47	0
				162	0	23.84				23.43	0
			QPSK	1	1	23.88				23.57	0
				1	81	23.84				23.33	0
				1	160	23.88				23.09	0
				81	0	23.71				23.60	0
				81	41	23.58				23.65	0
				81	81	23.81				23.76	0
				162	0	23.88				23.71	0
			16QAM	1	1	23.95				23.85	0
			64QAM	1	1	23.96				23.81	0
			256QAM	1	1	22.28				22.36	1
		CP	QPSK	1	1	23.64				23.93	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	23.52				23.63	0
				1	109	23.69				23.68	0
				1	215	23.79				23.61	0
				108	0	23.53				23.62	0
				108	55	23.58				23.69	0
				108	109	23.67				23.63	0
				216	0	23.63				23.67	0
			QPSK	1	1	23.62				23.70	0
				1	109	23.66				23.76	0
				1	215	23.74				23.72	0
				108	0	23.53				23.68	0
				108	55	23.61				23.67	0
				108	109	23.73				23.65	0
				216	0	23.58				23.68	0
		16QAM	1	1	23.58				23.73	0	
		64QAM	1	1	23.55				23.59	0	
		256QAM	1	1	22.16				22.21	1	
		CP	QPSK	1	1	23.74				23.65	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	23.52				23.71	0
				1	123	23.69				23.64	0
				1	243	23.79				23.57	0
				120	0	23.53				23.65	0
				120	63	23.58				23.67	0
				120	125	23.67				23.63	0
				243	0	23.63				23.67	0
			QPSK	1	1	23.62				23.76	0
				1	123	23.66				23.77	0
				1	243	23.74				23.65	0
				120	0	23.53				23.64	0
				120	63	23.61				23.68	0
				120	125	23.73				23.66	0
				243	0	23.58				23.74	0
			16QAM	1	1	23.58				23.79	0
			64QAM	1	1	23.55				23.61	0
			256QAM	1	1	22.16				22.16	1
		CP	QPSK	1	1	23.74				23.68	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.87		0
				1	137			23.72		0
				1	271			23.57		0
				135	0			23.78		0
				135	69			23.67		0
				135	138			23.55		0
				270	0			23.68		0
			QPSK	1	1			23.86		0
				1	137			23.75		0
				1	271			23.60		0
				135	0			23.72		0
				135	69			23.74		0
				135	138			23.68		0
				270	0			23.72		0
			16QAM	1	1			23.87		0
			64QAM	1	1			23.68		0
			256QAM	1	1			22.44		1
		CP	QPSK	1	1			23.87		0

NR FDD Band n66 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [Ant B]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.07	25.04	24.96	0
				1	13	25.01	25.01	24.93	0
				1	23	25.03	25.06	24.95	0
				12	0	24.60	24.54	24.45	0.5
				12	7	25.10	25.10	24.98	0
				12	13	24.56	24.58	24.48	0.5
				25	0	24.58	24.55	24.48	0.5
			QPSK	1	1	25.13	25.13	25.03	0
				1	13	25.09	25.05	25.02	0
				1	23	25.12	25.14	25.04	0
				12	0	24.11	24.09	24.01	1
				12	7	25.11	25.16	25.02	0
				12	13	24.08	24.08	23.99	1
				25	0	24.10	24.07	23.98	1
			16QAM	1	1	24.13	24.13	23.99	1
			64QAM	1	1	22.64	22.55	22.39	2.5
			256QAM	1	1	20.56	20.45	20.51	4.5
		CP	QPSK	1	1	23.53	23.53	23.40	1.5

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	25.02	24.95	0
				1	26	25.16	25.04	25.09	0
				1	50	25.03	25.02	24.94	0
				25	0	24.59	24.52	24.45	0.5
				25	14	25.06	25.04	24.96	0
				25	27	24.55	24.54	24.48	0.5
				50	0	24.58	24.54	24.47	0.5
			QPSK	1	1	25.18	25.10	25.02	0
				1	26	25.13	25.10	25.02	0
				1	50	25.13	25.04	25.04	0
				25	0	24.11	24.05	23.96	1
				25	14	25.13	25.05	25.00	0
				25	27	24.09	24.06	23.99	1
				50	0	24.09	24.06	23.99	1
			16QAM	1	1	24.13	24.16	24.04	1
			64QAM	1	1	22.68	22.67	22.50	2.5
			256QAM	1	1	20.50	20.45	20.44	4.5
		CP	QPSK	1	1	23.59	23.51	23.51	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	24.98	24.81	0
				1	40	24.92	24.92	24.78	0
				1	77	24.92	24.91	24.85	0
				36	0	24.50	24.50	24.33	0.5
				36	22	24.97	25.00	24.85	0
				36	43	24.44	24.47	24.36	0.5
				75	0	24.49	24.50	24.35	0.5
			QPSK	1	1	25.05	25.02	24.90	0
				1	40	25.00	25.00	24.85	0
				1	77	24.96	24.96	24.94	0
				36	0	24.03	24.01	23.87	1
				36	22	25.03	25.04	24.88	0
				36	43	23.98	24.00	23.88	1
				75	0	24.01	23.98	23.87	1
			16QAM	1	1	24.03	24.07	23.87	1
			64QAM	1	1	22.52	22.49	22.27	2.5
			256QAM	1	1	20.48	20.39	20.27	4.5
		CP	QPSK	1	1	23.54	23.50	23.26	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.86	24.90	24.77	0
				1	53	24.95	24.96	24.89	0
				1	104	24.80	24.85	25.11	0
				50	0	24.37	24.45	24.26	0.5
				50	28	24.86	24.92	24.82	0
				50	56	24.32	24.43	24.32	0.5
				100	0	24.37	24.41	24.31	0.5
			QPSK	1	1	24.93	24.96	24.79	0
				1	53	24.96	25.03	24.91	0
				1	104	24.90	24.92	24.87	0
				50	0	23.88	23.97	23.78	1
				50	28	24.89	24.95	24.86	0
				50	56	23.82	23.94	23.83	1
				100	0	23.87	23.93	23.84	1
			16QAM	1	1	23.97	23.99	23.86	1
			64QAM	1	1	22.54	22.47	22.36	2.5
			256QAM	1	1	20.38	20.43	20.17	4.5
		CP	QPSK	1	1	23.36	23.41	23.20	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	24.67	24.71	0
				1	66	24.69	24.88	24.89	0
				1	131	24.55	24.48	24.79	0
				64	0	24.04	24.27	24.26	0.5
				64	35	24.54	24.77	24.80	0
				64	69	24.05	24.26	24.32	0.5
				128	0	24.07	24.27	24.32	0.5
			QPSK	1	1	24.63	24.75	24.79	0
				1	66	24.68	24.96	24.93	0
				1	131	24.65	24.79	24.89	0
				64	0	23.59	23.80	23.77	1
				64	35	24.61	24.83	24.86	0
				64	69	23.60	23.80	23.83	1
				128	0	23.59	23.83	23.83	1
			16QAM	1	1	23.67	23.73	23.76	1
			64QAM	1	1	22.06	22.35	22.25	2.5
			256QAM	1	1	20.00	20.16	20.15	4.5
		CP	QPSK	1	1	23.08	23.24	23.17	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	0
				1	80	24.83	0
				1	158	24.78	0
				80	0	24.30	0.5
				80	40	24.83	0
				80	80	24.29	0.5
				160	0	24.33	0.5
			QPSK	1	1	24.81	0
				1	80	24.90	0
				1	158	24.88	0
				80	0	23.84	1
				80	40	24.89	0
				80	80	23.79	1
				160	0	23.83	1
			16QAM	1	1	23.91	1
			64QAM	1	1	22.25	2.5
			256QAM	1	1	20.20	4.5
		CP	OPSK	1	1	23.35	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73	0
				1	98	24.83	0
				1	186	24.77	0
				90	0	24.30	0.5
				90	45	24.85	0
				90	90	24.32	0.5
				180	0	24.36	0.5
			QPSK	1	1	24.82	0
				1	98	24.90	0
				1	186	24.84	0
				90	0	23.85	1
				90	45	24.87	0
				90	90	23.82	1
				180	0	23.83	1
			16QAM	1	1	23.82	1
			64QAM	1	1	22.30	2.5
			256QAM	1	1	20.24	4.5
		CP	QPSK	1	1	23.30	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.71	0
				1	108	24.86	0
				1	214	24.76	0
				108	0	24.28	0.5
				108	54	24.84	0
				108	108	24.31	0.5
				216	0	24.36	0.5
			QPSK	1	1	24.81	0
				1	108	24.95	0
				1	214	24.89	0
				108	0	23.80	1
				108	54	24.88	0
				108	108	23.81	1
				216	0	23.87	1
			16QAM	1	1	23.83	1
			64QAM	1	1	22.30	2.5
			256QAM	1	1	20.15	4.5
		CP	QPSK	1	1	23.13	1.5

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.46	19.50	19.39	0
				1	13	19.40	19.43	19.34	0
				1	23	19.40	19.47	19.38	0
				12	0	19.48	19.49	19.42	0
				12	7	19.48	19.51	19.42	0
				12	13	19.46	19.50	19.41	0
				25	0	19.47	19.52	19.43	0
			QPSK	1	1	19.50	19.53	19.42	0
				1	13	19.44	19.48	19.39	0
				1	23	19.48	19.51	19.43	0
				12	0	19.48	19.54	19.41	0
				12	7	19.49	19.51	19.45	0
				12	13	19.47	19.51	19.43	0
				25	0	19.47	19.52	19.43	0
			16QAM	1	1	19.48	19.45	19.48	0
			64QAM	1	1	19.46	19.39	19.44	0
			256QAM	1	1	19.53	19.61	19.39	0
		CP	QPSK	1	1	19.51	19.50	19.42	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.55	19.50	19.45	0
				1	26	19.68	19.54	19.50	0
				1	50	19.50	19.48	19.42	0
				25	0	19.57	19.52	19.44	0
				25	14	19.55	19.49	19.46	0
				25	27	19.54	19.51	19.46	0
				50	0	19.58	19.52	19.45	0
			QPSK	1	1	19.60	19.55	19.46	0
				1	26	19.67	19.53	19.48	0
				1	50	19.57	19.52	19.47	0
				25	0	19.59	19.53	19.46	0
				25	14	19.56	19.52	19.43	0
				25	27	19.56	19.53	19.45	0
				50	0	19.56	19.53	19.44	0
			16QAM	1	1	19.57	19.56	19.46	0
			64QAM	1	1	19.60	19.59	19.41	0
			256QAM	1	1	19.61	19.69	19.48	0
		CP	QPSK	1	1	19.61	19.55	19.49	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.53	19.51	19.31	0
				1	40	19.45	19.45	19.28	0
				1	77	19.44	19.43	19.32	0
				36	0	19.51	19.54	19.35	0
				36	22	19.50	19.50	19.34	0
				36	43	19.49	19.50	19.37	0
				75	0	19.54	19.50	19.32	0
			QPSK	1	1	19.58	19.54	19.39	0
				1	40	19.48	19.48	19.32	0
				1	77	19.47	19.46	19.38	0
				36	0	19.55	19.54	19.37	0
				36	22	19.51	19.52	19.34	0
				36	43	19.49	19.51	19.36	0
				75	0	19.54	19.52	19.34	0
			16QAM	1	1	19.55	19.59	19.37	0
			64QAM	1	1	19.66	19.53	19.42	0
			256QAM	1	1	19.56	19.64	19.39	0
		CP	QPSK	1	1	19.57	19.54	19.38	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.48	19.50	19.33	0
				1	53	19.55	19.53	19.43	0
				1	104	19.42	19.40	19.36	0
				50	0	19.49	19.57	19.37	0
				50	28	19.47	19.52	19.42	0
				50	56	19.43	19.50	19.37	0
				100	0	19.50	19.54	19.40	0
			QPSK	1	1	19.53	19.55	19.42	0
				1	53	19.56	19.55	19.40	0
				1	104	19.47	19.45	19.44	0
				50	0	19.50	19.54	19.40	0
				50	28	19.50	19.51	19.42	0
				50	56	19.45	19.51	19.38	0
				100	0	19.48	19.52	19.39	0
			16QAM	1	1	19.60	19.52	19.31	0
			64QAM	1	1	19.60	19.59	19.36	0
			256QAM	1	1	19.52	19.55	19.37	0
		CP	QPSK	1	1	19.54	19.49	19.31	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.46	19.46	19.40	0
				1	66	19.53	19.57	19.51	0
				1	131	19.36	19.42	19.41	0
				64	0	19.45	19.55	19.39	0
				64	35	19.40	19.53	19.44	0
				64	69	19.39	19.49	19.43	0
			QPSK	128	0	19.41	19.52	19.44	0
				1	1	19.52	19.52	19.42	0
				1	66	19.49	19.69	19.48	0
				1	131	19.43	19.46	19.46	0
				64	0	19.45	19.56	19.42	0
				64	35	19.44	19.53	19.46	0
				64	69	19.42	19.49	19.43	0
				128	0	19.42	19.53	19.45	0
			16QAM	1	1	19.40	19.59	19.34	0
			64QAM	1	1	19.46	19.64	19.37	0
			256QAM	1	1	19.51	19.47	19.46	0
		CP	QPSK	1	1	19.51	19.49	19.44	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	0	
				1	80	19.54	0	
				1	158	19.41	0	
				80	0	19.54	0	
				80	40	19.51	0	
				80	80	19.47	0	
			QPSK	160	0	19.52	0	
				1	1	19.55	0	
				1	80	19.54	0	
				1	158	19.47	0	
				80	0	19.55	0	
				80	40	19.53	0	
				80	80	19.47	0	
				160	0	19.53	0	
			16QAM	1	1	19.53	0	
			64QAM	1	1	19.61	0	
			256QAM	1	1	19.54	0	
		CP	QPSK	1	1	19.51	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	0
				1	98	19.48	0
				1	186	19.42	0
				90	0	19.53	0
				90	45	19.54	0
				90	90	19.46	0
				180	0	19.52	0
			QPSK	1	1	19.56	0
				1	98	19.54	0
				1	186	19.44	0
				90	0	19.57	0
				90	45	19.54	0
				90	90	19.46	0
				180	0	19.54	0
			16QAM	1	1	19.39	0
			64QAM	1	1	19.52	0
			256QAM	1	1	19.51	0
		CP	QPSK	1	1	19.48	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	0
				1	108	19.53	0
				1	214	19.41	0
				108	0	19.51	0
				108	54	19.51	0
				108	108	19.45	0
				216	0	19.51	0
			QPSK	1	1	19.55	0
				1	108	19.56	0
				1	214	19.47	0
				108	0	19.51	0
				108	54	19.54	0
				108	108	19.47	0
				216	0	19.52	0
			16QAM	1	1	19.54	0
			64QAM	1	1	19.51	0
			256QAM	1	1	19.55	0
		CP	QPSK	1	1	19.53	0

NR FDD Band n70 Conducted Power_ Measured Pmax, Folder Open RCV(RSI

1)_ MAIN2 [Ant B]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.83	24.88	25.03	0
				1	13	24.87	24.86	24.94	0
				1	23	24.97	24.94	25.01	0
				12	0	24.38	24.41	24.52	0.5
				12	7	24.94	24.97	25.05	0
				12	13	24.46	24.44	24.53	0.5
				25	0	24.46	24.44	24.53	0.5
			QPSK	1	1	24.92	24.95	25.06	0
				1	13	24.96	24.92	25.04	0
				1	23	25.03	24.98	25.07	0
				12	0	23.92	23.93	24.09	1
				12	7	25.00	24.96	25.09	0
				12	13	23.99	23.94	24.07	1
				25	0	23.97	23.92	24.07	1
			16QAM	1	1	23.90	23.92	24.06	1
			64QAM	1	1	22.44	22.46	22.52	2.5
			256QAM	1	1	20.24	20.29	20.45	4.5
		CP	QPSK	1	1	23.42	23.34	23.44	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.70	24.73	25.01	0
				1	26	24.88	24.96	25.11	0
				1	50	24.87	24.84	25.03	0
				25	0	24.24	24.33	24.54	0.5
				25	14	24.81	24.93	25.07	0
				25	27	24.32	24.47	24.57	0.5
				50	0	24.29	24.42	24.57	0.5
			QPSK	1	1	24.71	24.95	25.07	0
				1	26	24.91	25.05	25.16	0
				1	50	24.89	25.02	25.12	0
				25	0	23.77	23.96	24.12	1
				25	14	24.83	24.98	25.13	0
				25	27	23.82	23.99	24.11	1
				50	0	23.81	23.94	24.11	1
			16QAM	1	1	23.73	23.95	24.06	1
			64QAM	1	1	22.15	22.42	22.59	2.5
			256QAM	1	1	20.16	20.17	20.49	4.5
		CP	QPSK	1	1	23.11	23.40	23.60	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.80	0
				1	40	24.85	0
				1	77	24.93	0
				36	0	24.38	0.5
				36	22	24.92	0
				36	43	24.48	0.5
				75	0	24.44	0.5
			QPSK	1	1	24.83	0
				1	40	24.91	0
				1	77	24.97	0
				36	0	23.90	1
				36	22	24.94	0
				36	43	23.97	1
				75	0	23.93	1
			16QAM	1	1	23.82	1
			64QAM	1	1	22.32	2.5
			256QAM	1	1	20.24	4.5
		CP	QPSK	1	1	23.28	1.5

NR FDD Band n70 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ MAIN2 [Ant B]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.39	19.45	19.59	0
				1	13	19.43	19.40	19.52	0
				1	23	19.52	19.51	19.56	0
				12	0	19.46	19.48	19.60	0
				12	7	19.51	19.49	19.60	0
				12	13	19.53	19.49	19.59	0
				25	0	19.51	19.50	19.63	0
			QPSK	1	1	19.45	19.50	19.63	0
				1	13	19.48	19.49	19.58	0
				1	23	19.58	19.55	19.60	0
				12	0	19.48	19.49	19.62	0
				12	7	19.52	19.50	19.64	0
				12	13	19.56	19.51	19.60	0
				25	0	19.52	19.50	19.61	0
			16QAM	1	1	19.42	19.49	19.74	0
			64QAM	1	1	19.47	19.47	19.70	0
			256QAM	1	1	19.41	19.55	19.62	0
		CP	QPSK	1	1	19.45	19.50	19.62	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.33	19.43	19.56	0
				1	26	19.53	19.66	19.69	0
				1	50	19.53	19.51	19.61	0
				25	0	19.46	19.47	19.62	0
				25	14	19.49	19.48	19.64	0
				25	27	19.51	19.53	19.63	0
			QPSK	50	0	19.50	19.49	19.64	0
				1	1	19.42	19.49	19.64	0
				1	26	19.55	19.56	19.67	0
				1	50	19.56	19.55	19.64	0
				25	0	19.47	19.51	19.65	0
				25	14	19.52	19.50	19.66	0
				25	27	19.53	19.55	19.64	0
				50	0	19.51	19.49	19.64	0
			16QAM	1	1	19.46	19.48	19.60	0
			64QAM	1	1	19.46	19.52	19.68	0
			256QAM	1	1	19.39	19.47	19.63	0
		CP	QPSK	1	1	19.41	19.49	19.60	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						340500		
						1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.31	0	
				1	40	19.40	0	
				1	77	19.47	0	
				36	0	19.45	0	
				36	22	19.50	0	
				36	43	19.52	0	
			QPSK	75	0	19.47	0	
				1	1	19.40	0	
				1	40	19.45	0	
				1	77	19.52	0	
				36	0	19.45	0	
				36	22	19.49	0	
				36	43	19.53	0	
				75	0	19.47	0	
			16QAM	1	1	19.48	0	
			64QAM	1	1	19.37	0	
			256QAM	1	1	19.33	0	
		CP	QPSK	1	1	19.32	0	

NR FDD Band n71 Conducted Power_ Measured Pmax, Folder Open Free (RSI 0), Folder Open RCV(RSI 1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ MAIN1 [Ant A]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.28	25.18	24.93	0
				1	13	25.21	25.11	24.88	0
				1	23	25.25	25.13	24.90	0
				12	0	24.79	24.71	24.46	0.5
				12	7	25.28	25.19	24.93	0
				12	13	24.81	24.67	24.41	0.5
				25	0	24.82	24.69	24.46	0.5
			QPSK	1	1	25.32	25.24	25.01	0
				1	13	25.27	25.16	24.92	0
				1	23	25.37	25.16	24.97	0
				12	0	24.33	24.22	23.97	1
				12	7	25.32	25.21	24.96	0
				12	13	24.32	24.17	23.95	1
				25	0	24.33	24.22	23.98	1
			16QAM	1	1	24.34	24.37	24.10	1
			64QAM	1	1	22.83	22.71	22.52	2.5
			256QAM	1	1	20.83	20.75	20.48	4.5
		CP	QPSK	1	1	23.81	23.74	23.49	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.22	25.21	24.96	0
				1	26	25.30	25.31	25.02	0
				1	50	25.22	25.08	24.81	0
				25	0	24.76	24.70	24.43	0.5
				25	14	25.28	25.21	24.90	0
				25	27	24.75	24.63	24.37	0.5
			QPSK	50	0	24.74	24.69	24.39	0.5
				1	1	25.28	25.23	25.00	0
				1	26	25.38	25.25	24.97	0
				1	50	25.31	25.16	24.86	0
				25	0	24.29	24.22	23.97	1
				25	14	25.28	25.21	24.90	0
				25	27	24.28	24.16	23.90	1
				50	0	24.30	24.22	23.93	1
			16QAM	1	1	24.33	24.11	24.11	1
			64QAM	1	1	22.82	22.73	22.57	2.5
			256QAM	1	1	20.80	20.76	20.57	4.5
		CP	QPSK	1	1	23.76	23.77	23.49	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.20	0	
				1	40	25.12	0	
				1	77	25.02	0	
				36	0	24.72	0.5	
				36	22	25.21	0	
				36	43	24.66	0.5	
			QPSK	75	0	24.69	0.5	
				1	1	25.27	0	
				1	40	25.19	0	
				1	77	25.09	0	
				36	0	24.26	1	
				36	22	25.21	0	
				36	43	24.16	1	
				75	0	24.22	1	
			16QAM	1	1	24.23	1	
			64QAM	1	1	22.75	2.5	
			256QAM	1	1	20.79	4.5	
		CP	QPSK	1	1	23.74	1.5	

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.17	0
				1	53	25.26	0
				1	104	24.97	0
				50	0	24.71	0.5
				50	28	25.19	0
				50	56	24.62	0.5
				100	0	24.68	0.5
			QPSK	1	1	25.25	0
				1	53	25.27	0
				1	104	25.03	0
				50	0	24.24	1
				50	28	25.21	0
				50	56	24.14	1
				100	0	24.22	1
			16QAM	1	1	24.32	1
			64QAM	1	1	22.76	2.5
			256QAM	1	1	20.74	4.5
		CP	QPSK	1	1	23.78	1.5

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Folder Open Free (RSI 0),

Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)

_ SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.86	18.98	19.33	0
				1	13	18.85	18.95	19.37	0
				1	23	18.89	19.01	19.35	0
				12	0	18.91	19.00	19.40	0
				12	7	18.92	19.06	19.41	0
				12	13	18.92	19.04	19.40	0
			QPSK	25	0	18.93	19.04	19.40	0
				1	1	18.86	19.03	19.41	0
				1	13	18.90	19.00	19.38	0
				1	23	18.97	19.04	19.43	0
				12	0	18.90	19.02	19.40	0
				12	7	18.96	19.02	19.41	0
				12	13	18.93	19.04	19.39	0
				25	0	18.95	19.04	19.20	0
			16QAM	1	1	18.95	19.05	19.29	0
			64QAM	1	1	18.89	19.16	19.00	0
			256QAM	1	1	18.88	19.05	19.11	0
		CP	QPSK	1	1	18.86	18.95	19.14	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.82	18.96	19.20	0
				1	26	18.73	18.88	19.37	0
				1	50	18.75	18.93	19.30	0
				25	0	18.86	18.95	19.27	0
				25	14	18.82	18.98	19.28	0
				25	27	18.78	19.01	19.36	0
			QPSK	50	0	18.85	18.99	19.35	0
				1	1	18.77	18.92	19.33	0
				1	26	18.77	18.88	19.33	0
				1	50	18.84	19.02	19.37	0
				25	0	18.81	18.92	19.29	0
				25	14	18.92	18.91	19.40	0
				25	27	18.87	19.02	19.36	0
				50	0	18.83	19.02	19.13	0
			16QAM	1	1	18.85	18.99	19.26	0
			64QAM	1	1	18.80	19.15	18.87	0
			256QAM	1	1	18.83	18.91	19.06	0
		CP	QPSK	1	1	18.85	18.90	19.06	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74	18.93	19.22	0
				1	40	18.77	18.84	19.36	0
				1	77	18.85	18.92	19.29	0
				36	0	18.82	18.97	19.39	0
				36	22	18.87	18.97	19.31	0
				36	43	18.80	18.93	19.38	0
			QPSK	75	0	18.86	19.04	19.33	0
				1	1	18.80	18.99	19.36	0
				1	40	18.86	18.99	19.28	0
				1	77	18.89	18.92	19.34	0
				36	0	18.76	18.96	19.30	0
				36	22	18.82	18.93	19.32	0
				36	43	18.84	18.96	19.25	0
				75	0	18.89	18.95	19.13	0
			16QAM	1	1	18.81	18.92	19.18	0
			64QAM	1	1	18.86	19.14	18.86	0
			256QAM	1	1	18.81	18.96	19.00	0
		CP	QPSK	1	1	18.78	18.81	19.11	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.77	18.93	19.28	0
				1	53	18.72	18.93	19.26	0
				1	104	18.79	18.94	19.24	0
				50	0	18.78	18.95	19.32	0
				50	28	18.89	19.00	19.31	0
				50	56	18.91	18.99	19.38	0
				100	0	18.92	18.93	19.28	0
			QPSK	1	1	18.75	18.95	19.32	0
				1	53	18.82	18.93	19.30	0
				1	104	18.96	19.02	19.38	0
				50	0	18.89	18.92	19.30	0
				50	28	18.86	18.95	19.35	0
				50	56	18.83	18.94	19.31	0
				100	0	18.83	19.01	19.14	0
			16QAM	1	1	18.90	18.91	19.23	0
			64QAM	1	1	18.87	19.02	18.91	0
			256QAM	1	1	18.80	18.97	18.97	0
		CP	QPSK	1	1	18.83	18.88	19.08	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.76		19.32	0
				1	66	18.84		19.25	0
				1	131	18.86		19.32	0
				64	0	18.87		19.39	0
				64	35	18.80		19.31	0
				64	69	18.85		19.36	0
				128	0	18.82		19.29	0
			QPSK	1	1	18.83		19.28	0
				1	66	18.90		19.30	0
				1	131	18.89		19.30	0
				64	0	18.84		19.27	0
				64	35	18.85		19.36	0
				64	69	18.91		19.34	0
				128	0	18.90		19.10	0
			16QAM	1	1	18.88		19.15	0
			64QAM	1	1	18.89		18.95	0
			256QAM	1	1	18.88		19.00	0
		CP	QPSK	1	1	18.72		19.06	0

NR FDD Band n2 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.82		19.19	0
				1	80	18.78		19.24	0
				1	158	18.76		19.21	0
				80	0	18.89		19.36	0
				80	40	18.90		19.29	0
				80	80	18.92		19.36	0
				160	0	18.80		19.28	0
			QPSK	1	1	18.81		19.38	0
				1	80	18.86		19.25	0
				1	158	18.88		19.43	0
				80	0	18.82		19.38	0
				80	40	18.95		19.39	0
				80	80	18.80		19.25	0
				160	0	18.92		19.10	0
			16QAM	1	1	18.88		19.17	0
			64QAM	1	1	18.81		18.95	0
			256QAM	1	1	18.82		19.10	0
		CP	QPSK	1	1	18.79		19.00	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.84	0
				1	98	18.89	0
				1	186	18.99	0
				90	0	18.93	0
				90	45	18.98	0
				90	90	18.90	0
				180	0	19.03	0
			QPSK	1	1	19.00	0
				1	98	18.88	0
				1	186	18.98	0
				90	0	18.90	0
				90	45	19.02	0
				90	90	18.99	0
				180	0	18.90	0
			16QAM	1	1	18.93	0
			64QAM	1	1	19.16	0
			256QAM	1	1	19.02	0
		CP	OPSK	1	1	18.92	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.96	0
				1	108	19.10	0
				1	214	19.38	0
				108	0	19.01	0
				108	54	19.06	0
				108	108	19.26	0
				216	0	19.07	0
			QPSK	1	1	19.02	0
				1	108	19.10	0
				1	214	19.39	0
				108	0	19.03	0
				108	54	19.04	0
				108	108	19.27	0
				216	0	19.10	0
			16QAM	1	1	18.95	0
			64QAM	1	1	19.12	0
			256QAM	1	1	19.27	0
		CP	QPSK	1	1	19.02	0

NR FDD Band n2 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.06	17.16	17.64	0
				1	13	17.07	17.14	17.63	0
				1	23	17.09	17.26	17.64	0
				12	0	17.06	17.21	17.64	0
				12	7	17.12	17.26	17.64	0
				12	13	17.12	17.25	17.66	0
				25	0	17.12	17.21	17.68	0
			QPSK	1	1	17.08	17.23	17.66	0
				1	13	17.06	17.17	17.60	0
				1	23	17.12	17.20	17.63	0
				12	0	17.09	17.20	17.66	0
				12	7	17.18	17.19	17.68	0
				12	13	17.08	17.23	17.68	0
				25	0	17.14	17.24	17.69	0
			16QAM	1	1	17.06	17.00	17.73	0
			64QAM	1	1	17.20	17.15	17.56	0
			256QAM	1	1	16.96	17.15	17.56	0
		CP	QPSK	1	1	17.05	17.10	17.60	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.17	17.30	17.69	0
				1	26	17.15	17.21	17.67	0
				1	50	17.22	17.38	17.68	0
				25	0	17.20	17.23	17.68	0
				25	14	17.21	17.40	17.65	0
				25	27	17.25	17.38	17.66	0
				50	0	17.24	17.35	17.74	0
			QPSK	1	1	17.11	17.23	17.68	0
				1	26	17.07	17.27	17.73	0
				1	50	17.15	17.34	17.64	0
				25	0	17.21	17.23	17.70	0
				25	14	17.20	17.29	17.81	0
				25	27	17.16	17.23	17.79	0
				50	0	17.15	17.33	17.76	0
			16QAM	1	1	17.10	17.13	17.85	0
			64QAM	1	1	17.31	17.19	17.70	0
			256QAM	1	1	16.98	17.23	17.63	0
		CP	QPSK	1	1	17.18	17.24	17.67	0

NR FDD Band n2 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.19	17.20	17.76	0
				1	40	17.14	17.19	17.72	0
				1	77	17.22	17.30	17.64	0
				36	0	17.07	17.28	17.67	0
				36	22	17.21	17.29	17.64	0
				36	43	17.26	17.28	17.69	0
				75	0	17.24	17.35	17.74	0
			QPSK	1	1	17.13	17.24	17.75	0
				1	40	17.19	17.29	17.69	0
				1	77	17.18	17.34	17.64	0
				36	0	17.13	17.32	17.70	0
				36	22	17.32	17.29	17.71	0
				36	43	17.18	17.34	17.81	0
				75	0	17.25	17.24	17.73	0
			16QAM	1	1	17.20	17.13	17.73	0
			64QAM	1	1	17.28	17.20	17.59	0
			256QAM	1	1	17.02	17.24	17.64	0
		CP	QPSK	1	1	17.19	17.15	17.69	0

NR FDD Band n2 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.12	17.25	17.77	0
				1	53	17.10	17.23	17.75	0
				1	104	17.10	17.39	17.67	0
				50	0	17.16	17.25	17.69	0
				50	28	17.24	17.36	17.75	0
				50	56	17.22	17.33	17.80	0
				100	0	17.25	17.28	17.70	0
			QPSK	1	1	17.14	17.33	17.77	0
				1	53	17.18	17.28	17.74	0
				1	104	17.13	17.24	17.71	0
				50	0	17.18	17.23	17.68	0
				50	28	17.31	17.22	17.78	0
				50	56	17.21	17.32	17.72	0
				100	0	17.23	17.37	17.83	0
			16QAM	1	1	17.11	17.05	17.81	0
			64QAM	1	1	17.30	17.24	17.57	0
			256QAM	1	1	17.00	17.16	17.58	0
		CP	QPSK	1	1	17.10	17.11	17.69	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.06		17.75	0
				1	66	17.19		17.70	0
				1	131	17.12		17.71	0
				64	0	17.13		17.75	0
				64	35	17.20		17.71	0
				64	69	17.22		17.77	0
				128	0	17.22		17.76	0
			QPSK	1	1	17.16		17.70	0
				1	66	17.15		17.73	0
				1	131	17.16		17.73	0
				64	0	17.19		17.67	0
				64	35	17.26		17.78	0
				64	69	17.11		17.69	0
				128	0	17.23		17.77	0
			16QAM	1	1	17.19		17.76	0
			64QAM	1	1	17.34		17.67	0
			256QAM	1	1	17.09		17.66	0
		CP	QPSK	1	1	17.07		17.62	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.10		17.68	0
				1	80	17.13		17.74	0
				1	158	17.20		17.66	0
				80	0	17.08		17.67	0
				80	40	17.17		17.71	0
				80	80	17.22		17.76	0
				160	0	17.19		17.81	0
			QPSK	1	1	17.18		17.78	0
				1	80	17.11		17.61	0
				1	158	17.21		17.72	0
				80	0	17.19		17.80	0
				80	40	17.26		17.78	0
				80	80	17.10		17.80	0
				160	0	17.15		17.72	0
			16QAM	1	1	17.15		17.82	0
			64QAM	1	1	17.34		17.58	0
			256QAM	1	1	16.99		17.63	0
		CP	QPSK	1	1	17.14		17.60	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.30	0
				1	98	17.16	0
				1	186	17.27	0
				90	0	17.26	0
				90	45	17.36	0
				90	90	17.31	0
				180	0	17.28	0
			QPSK	1	1	17.28	0
				1	98	17.24	0
				1	186	17.25	0
				90	0	17.21	0
				90	45	17.27	0
				90	90	17.31	0
				180	0	17.36	0
			16QAM	1	1	17.09	0
			64QAM	1	1	17.18	0
			256QAM	1	1	17.26	0
		CP	QPSK	1	1	17.23	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	0
				1	108	17.25	0
				1	214	17.49	0
				108	0	17.18	0
				108	54	17.22	0
				108	108	17.37	0
				216	0	17.19	0
			QPSK	1	1	17.23	0
				1	108	17.25	0
				1	214	17.52	0
				108	0	17.16	0
				108	54	17.22	0
				108	108	17.37	0
				216	0	17.26	0
			16QAM	1	1	17.37	0
			64QAM	1	1	17.25	0
			256QAM	1	1	17.28	0
		CP	QPSK	1	1	17.13	0

NR FDD Band n5 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.36	19.27	19.14	0
				1	13	19.28	19.14	19.01	0
				1	23	19.30	19.20	19.06	0
				12	0	19.37	19.23	19.15	0
				12	7	19.37	19.24	19.10	0
				12	13	19.34	19.21	19.12	0
				25	0	19.40	19.25	19.15	0
			QPSK	1	1	19.42	19.30	19.14	0
				1	13	19.38	19.20	19.07	0
				1	23	19.36	19.20	19.11	0
				12	0	19.42	19.25	19.15	0
				12	7	19.33	19.29	19.13	0
				12	13	19.40	19.27	19.08	0
				25	0	19.37	19.28	19.13	0
			16QAM	1	1	19.51	19.29	19.22	0
			64QAM	1	1	19.52	19.37	19.27	0
			256QAM	1	1	18.75	18.69	18.51	0
		CP	QPSK	1	1	19.14	19.27	19.14	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	0
				1	26	19.15	0
				1	50	19.21	0
				25	0	19.35	0
				25	14	19.30	0
				25	27	19.22	0
				50	0	19.30	0
			QPSK	1	1	19.40	0
				1	26	19.23	0
				1	50	19.25	0
				25	0	19.29	0
				25	14	19.31	0
				25	27	19.30	0
				50	0	19.29	0
			16QAM	1	1	19.30	0
			64QAM	1	1	19.42	0
			256QAM	1	1	18.71	0
		CP	QPSK	1	1	19.28	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.32	0
				1	40	19.27	0
				1	77	19.33	0
				36	0	19.31	0
				36	22	19.24	0
				36	43	19.32	0
				75	0	19.36	0
			QPSK	1	1	19.42	0
				1	40	19.31	0
				1	77	19.27	0
				36	0	19.37	0
				36	22	19.39	0
				36	43	19.28	0
				75	0	19.40	0
			16QAM	1	1	19.42	0
			64QAM	1	1	19.51	0
			256QAM	1	1	18.83	0
		CP	QPSK	1	1	19.41	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.35	0
				1	53	19.30	0
				1	104	19.07	0
				50	0	19.28	0
				50	28	19.24	0
				50	56	19.18	0
				100	0	19.26	0
			QPSK	1	1	19.62	0
				1	53	19.33	0
				1	104	19.15	0
				50	0	19.35	0
				50	28	19.23	0
				50	56	19.20	0
				100	0	19.29	0
			16QAM	1	1	19.28	0
			64QAM	1	1	19.29	0
			256QAM	1	1	18.63	0
		CP	QPSK	1	1	19.32	0

NR FDD Band n5 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.88	18.73	18.58	0
				1	13	18.78	18.71	18.55	0
				1	23	18.82	18.70	18.55	0
				12	0	18.90	18.76	18.61	0
				12	7	18.85	18.76	18.59	0
				12	13	18.87	18.75	18.62	0
				25	0	18.83	18.77	18.59	0
			QPSK	1	1	18.93	18.81	18.69	0
				1	13	18.90	18.70	18.58	0
				1	23	18.86	18.71	18.63	0
				12	0	18.91	18.72	18.64	0
				12	7	18.91	18.75	18.62	0
				12	13	18.84	18.76	18.62	0
				25	0	18.86	18.75	18.59	0
			16QAM	1	1	18.84	18.85	18.65	0
			64QAM	1	1	19.12	18.77	18.60	0
			256QAM	1	1	18.80	18.72	18.47	0
		CP	QPSK	1	1	18.91	18.75	18.70	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.75	0
				1	26	18.80	0
				1	50	18.79	0
				25	0	18.86	0
				25	14	18.87	0
				25	27	18.85	0
				50	0	18.77	0
			QPSK	1	1	18.93	0
				1	26	18.77	0
				1	50	18.79	0
				25	0	18.78	0
				25	14	18.79	0
				25	27	18.88	0
				50	0	18.88	0
			16QAM	1	1	18.97	0
			64QAM	1	1	18.89	0
			256QAM	1	1	18.79	0
		CP	QPSK	1	1	18.85	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.81	0
				1	40	18.73	0
				1	77	18.72	0
				36	0	18.89	0
				36	22	18.79	0
				36	43	18.81	0
				75	0	18.91	0
			QPSK	1	1	18.93	0
				1	40	18.79	0
				1	77	18.82	0
				36	0	18.79	0
				36	22	18.76	0
				36	43	18.85	0
				75	0	18.85	0
			16QAM	1	1	18.95	0
			64QAM	1	1	18.91	0
			256QAM	1	1	18.80	0
		CP	QPSK	1	1	18.84	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.86	0
				1	53	18.79	0
				1	104	18.60	0
				50	0	18.81	0
				50	28	18.76	0
				50	56	18.64	0
				100	0	18.78	0
			QPSK	1	1	19.03	0
				1	53	18.83	0
				1	104	18.67	0
				50	0	18.92	0
				50	28	18.73	0
				50	56	18.69	0
				100	0	18.78	0
			16QAM	1	1	18.89	0
			64QAM	1	1	18.83	0
			256QAM	1	1	18.69	0
		CP	QPSK	1	1	18.85	0

NR FDD Band n7 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.01	17.69	17.66	0
				1	13	17.99	17.62	17.66	0
				1	23	18.00	17.66	17.67	0
				12	0	18.10	17.70	17.75	0
				12	7	18.08	17.74	17.75	0
				12	13	18.01	17.66	17.74	0
				25	0	18.06	17.74	17.76	0
			QPSK	1	1	18.10	17.77	17.75	0
				1	13	18.00	17.65	17.72	0
				1	23	18.06	17.76	17.72	0
				12	0	18.12	17.73	17.74	0
				12	7	18.08	17.75	17.76	0
				12	13	18.08	17.70	17.74	0
				25	0	18.06	17.70	17.79	0
			16QAM	1	1	18.07	17.63	17.66	0
			64QAM	1	1	18.12	17.59	17.86	0
			256QAM	1	1	18.10	17.57	17.64	0
		CP	QPSK	1	1	18.12	17.72	17.71	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.93	17.69	17.64	0
				1	26	17.96	17.55	17.65	0
				1	50	17.88	17.66	17.55	0
				25	0	17.97	17.63	17.72	0
				25	14	18.02	17.64	17.62	0
				25	27	17.95	17.54	17.68	0
				50	0	18.00	17.60	17.66	0
			QPSK	1	1	18.07	17.67	17.74	0
				1	26	17.91	17.61	17.69	0
				1	50	18.02	17.76	17.60	0
				25	0	18.11	17.64	17.66	0
				25	14	17.98	17.62	17.72	0
				25	27	18.01	17.62	17.61	0
				50	0	17.95	17.67	17.72	0
			16QAM	1	1	18.04	17.62	17.63	0
			64QAM	1	1	18.00	17.47	17.76	0
			256QAM	1	1	18.00	17.54	17.63	0
		CP	QPSK	1	1	18.06	17.65	17.63	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.91	17.55	17.63	0
				1	40	17.99	17.48	17.57	0
				1	77	17.96	17.56	17.61	0
				36	0	17.96	17.62	17.75	0
				36	22	17.94	17.66	17.65	0
				36	43	17.89	17.53	17.67	0
				75	0	18.02	17.62	17.65	0
			QPSK	1	1	18.04	17.71	17.67	0
				1	40	17.95	17.56	17.61	0
				1	77	17.96	17.75	17.62	0
				36	0	18.00	17.63	17.72	0
				36	22	18.06	17.75	17.71	0
				36	43	18.04	17.56	17.67	0
				75	0	18.01	17.60	17.67	0
			16QAM	1	1	17.94	17.55	17.52	0
			64QAM	1	1	18.07	17.45	17.80	0
			256QAM	1	1	17.99	17.50	17.59	0
		CP	QPSK	1	1	18.07	17.66	17.64	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.92	17.67	17.66	0
				1	53	17.93	17.60	17.54	0
				1	104	17.91	17.56	17.58	0
				50	0	18.01	17.65	17.73	0
				50	28	17.99	17.66	17.73	0
				50	56	17.99	17.57	17.71	0
				100	0	17.97	17.61	17.68	0
			QPSK	1	1	18.09	17.71	17.72	0
				1	53	17.96	17.52	17.59	0
				1	104	18.04	17.68	17.58	0
				50	0	18.03	17.66	17.65	0
				50	28	18.00	17.65	17.62	0
				50	56	18.00	17.59	17.65	0
				100	0	17.98	17.65	17.67	0
			16QAM	1	1	17.99	17.55	17.63	0
			64QAM	1	1	18.09	17.59	17.76	0
			256QAM	1	1	17.99	17.52	17.55	0
		CP	QPSK	1	1	18.02	17.68	17.70	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.90		17.61	0
				1	67	17.96		17.60	0
				1	131	17.88		17.63	0
				64	0	18.06		17.68	0
				64	35	18.07		17.75	0
				64	39	17.95		17.63	0
				128	0	17.93		17.72	0
			QPSK	1	1	17.96		17.65	0
				1	67	17.98		17.62	0
				1	131	18.01		17.71	0
				64	0	18.01		17.65	0
				64	35	18.03		17.74	0
				64	69	18.05		17.72	0
				128	0	18.00		17.66	0
			16QAM	1	1	17.95		17.53	0
			64QAM	1	1	18.08		17.85	0
			256QAM	1	1	17.96		17.62	0
		CP	QPSK	1	1	18.04		17.69	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.87		17.58	0
				1	80	17.89		17.61	0
				1	158	17.99		17.61	0
				80	0	18.09		17.66	0
				80	40	18.02		17.63	0
				80	80	17.96		17.63	0
				160	0	17.96		17.72	0
			QPSK	1	1	18.01		17.62	0
				1	80	17.92		17.68	0
				1	158	17.94		17.59	0
				80	0	18.12		17.68	0
				80	40	18.02		17.70	0
				80	80	17.98		17.71	0
				160	0	18.05		17.66	0
			16QAM	1	1	18.05		17.52	0
			64QAM	1	1	18.02		17.78	0
			256QAM	1	1	18.00		17.61	0
		CP	QPSK	1	1	18.05		17.63	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.59		0
				1	98	17.55		0
				1	186	17.65		0
				90	0	17.58		0
				90	45	17.74		0
				90	90	17.65		0
				180	0	17.61		0
			QPSK	1	1	17.72		0
				1	98	17.59		0
				1	186	17.74		0
				90	0	17.59		0
				90	45	17.74		0
				90	90	17.64		0
				180	0	17.69		0
			16QAM	1	1	17.62		0
			64QAM	1	1	17.51		0
			256QAM	1	1	17.53		0
		CP	QPSK	1	1	17.69		0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.82	0
				1	108	17.81	0
				1	214	17.71	0
				108	0	17.74	0
				108	54	17.75	0
				108	108	17.75	0
				216	0	17.76	0
			QPSK	1	1	18.01	0
				1	108	17.83	0
				1	214	17.80	0
				108	0	17.74	0
				108	54	18.11	0
				108	108	17.73	0
				216	0	17.96	0
			16QAM	1	1	17.81	0
			64QAM	1	1	17.88	0
			256QAM	1	1	17.86	0
		CP	QPSK	1	1	17.89	0

NR FDD Band n7 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.93	15.55	15.62	0
				1	13	15.88	15.47	15.60	0
				1	23	15.87	15.54	15.61	0
				12	0	15.93	15.59	15.64	0
				12	7	15.91	15.55	15.70	0
				12	13	15.90	15.58	15.68	0
				25	0	15.94	15.60	15.68	0
			QPSK	1	1	15.99	15.62	15.72	0
				1	13	15.91	15.55	15.67	0
				1	23	15.90	15.62	15.70	0
				12	0	15.97	15.61	15.67	0
				12	7	15.99	15.59	15.68	0
				12	13	15.90	15.57	15.72	0
				25	0	15.92	15.59	15.71	0
			16QAM	1	1	16.01	15.56	15.59	0
			64QAM	1	1	15.88	15.62	15.52	0
			256QAM	1	1	15.97	15.64	15.58	0
		CP	QPSK	1	1	16.04	15.61	15.67	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.98	15.57	15.67	0
				1	26	15.96	15.49	15.70	0
				1	50	15.96	15.63	15.64	0
				25	0	15.95	15.61	15.72	0
				25	14	15.98	15.56	15.70	0
				25	27	15.97	15.59	15.69	0
				50	0	15.96	15.69	15.73	0
			QPSK	1	1	16.06	15.72	15.80	0
				1	26	15.94	15.63	15.69	0
				1	50	15.92	15.65	15.77	0
				25	0	16.06	15.61	15.75	0
				25	14	16.09	15.64	15.70	0
				25	27	15.96	15.57	15.77	0
				50	0	15.95	15.63	15.80	0
			16QAM	1	1	16.03	15.57	15.65	0
			64QAM	1	1	15.97	15.68	15.54	0
			256QAM	1	1	16.02	15.65	15.58	0
		CP	QPSK	1	1	16.06	15.64	15.74	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.93	15.63	15.64	0
				1	40	15.89	15.50	15.63	0
				1	77	15.94	15.59	15.62	0
				36	0	15.94	15.64	15.64	0
				36	22	15.95	15.62	15.73	0
				36	43	15.98	15.64	15.74	0
				75	0	15.98	15.61	15.73	0
			QPSK	1	1	16.07	15.67	15.79	0
				1	40	15.93	15.58	15.71	0
				1	77	15.92	15.66	15.71	0
				36	0	15.98	15.71	15.75	0
				36	22	16.03	15.65	15.68	0
				36	43	15.96	15.65	15.73	0
				75	0	15.98	15.60	15.78	0
			16QAM	1	1	16.03	15.56	15.60	0
			64QAM	1	1	15.93	15.66	15.56	0
			256QAM	1	1	16.02	15.70	15.58	0
		CP	QPSK	1	1	16.09	15.62	15.73	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.01	15.59	15.69	0
				1	53	15.90	15.49	15.65	0
				1	104	15.93	15.55	15.66	0
				50	0	15.96	15.65	15.73	0
				50	28	15.93	15.56	15.76	0
				50	56	15.92	15.60	15.74	0
				100	0	16.03	15.61	15.70	0
			QPSK	1	1	16.04	15.64	15.74	0
				1	53	15.91	15.64	15.68	0
				1	104	15.96	15.64	15.74	0
				50	0	16.06	15.63	15.71	0
				50	28	16.06	15.67	15.73	0
				50	56	15.92	15.63	15.75	0
				100	0	15.97	15.65	15.72	0
			16QAM	1	1	16.08	15.60	15.60	0
			64QAM	1	1	15.97	15.70	15.54	0
			256QAM	1	1	16.02	15.68	15.63	0
		CP	QPSK	1	1	16.07	15.66	15.73	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.03		15.66	0
				1	67	15.92		15.60	0
				1	131	15.95		15.62	0
				64	0	15.95		15.69	0
				64	35	15.96		15.74	0
				64	39	15.96		15.71	0
				128	0	16.02		15.74	0
			QPSK	1	1	16.08		15.80	0
				1	67	15.98		15.70	0
				1	131	15.92		15.71	0
				64	0	16.07		15.71	0
				64	35	16.07		15.74	0
				64	69	15.92		15.77	0
				128	0	15.94		15.78	0
			16QAM	1	1	16.08		15.62	0
			64QAM	1	1	15.94		15.54	0
			256QAM	1	1	16.05		15.63	0
		CP	QPSK	1	1	16.08		15.75	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.97		15.62	0
				1	80	15.89		15.61	0
				1	158	15.92		15.67	0
				80	0	15.97		15.70	0
				80	40	15.92		15.73	0
				80	80	15.95		15.73	0
				160	0	15.96		15.69	0
			QPSK	1	1	16.01		15.79	0
				1	80	15.98		15.70	0
				1	158	15.94		15.72	0
				80	0	16.03		15.76	0
				80	40	16.07		15.69	0
				80	80	15.99		15.76	0
				160	0	15.94		15.79	0
			16QAM	1	1	16.02		15.64	0
			64QAM	1	1	15.97		15.53	0
			256QAM	1	1	16.02		15.67	0
		CP	QPSK	1	1	16.06		15.75	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.64		0
				1	98	15.52		0
				1	186	15.56		0
				90	0	15.60		0
				90	45	15.64		0
				90	90	15.59		0
				180	0	15.70		0
			QPSK	1	1	15.62		0
				1	98	15.59		0
				1	186	15.66		0
				90	0	15.62		0
				90	45	15.61		0
				90	90	15.58		0
				180	0	15.59		0
			16QAM	1	1	15.58		0
			64QAM	1	1	15.69		0
			256QAM	1	1	15.71		0
		CP	QPSK	1	1	15.71		0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.73	0
				1	108	15.61	0
				1	214	15.61	0
				108	0	15.63	0
				108	54	15.56	0
				108	108	15.60	0
				216	0	15.60	0
			QPSK	1	1	15.77	0
				1	108	15.98	0
				1	214	15.62	0
				108	0	15.73	0
				108	54	15.82	0
				108	108	15.84	0
				216	0	15.62	0
			16QAM	1	1	15.68	0
			64QAM	1	1	15.71	0
			256QAM	1	1	15.73	0
		CP	QPSK	1	1	15.77	0

**NR FDD Band n12 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open RCV(RSI 1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3),
Folder Close Hotspot(RSI 4) _ SUB1 [Ant E]**

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.48	18.48	18.41	0
				1	13	18.41	18.40	18.33	0
				1	23	18.43	18.42	18.38	0
				12	0	18.49	18.48	18.43	0
				12	7	18.52	18.47	18.44	0
				12	13	18.47	18.51	18.42	0
				25	0	18.49	18.49	18.42	0
			QPSK	1	1	18.50	18.50	18.42	0
				1	13	18.42	18.43	18.35	0
				1	23	18.45	18.43	18.39	0
				12	0	18.48	18.47	18.42	0
				12	7	18.49	18.45	18.39	0
				12	13	18.50	18.50	18.41	0
				25	0	18.51	18.46	18.40	0
			16QAM	1	1	18.59	18.44	18.58	0
			64QAM	1	1	18.52	18.42	18.52	0
			256QAM	1	1	18.33	18.29	18.18	0
		CP	QPSK	1	1	18.43	18.50	18.41	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.44	0
				1	26	18.39	0
				1	50	18.34	0
				25	0	18.44	0
				25	14	18.43	0
				25	27	18.47	0
				50	0	18.43	0
			QPSK	1	1	18.50	0
				1	26	18.36	0
				1	50	18.35	0
				25	0	18.46	0
				25	14	18.44	0
				25	27	18.48	0
				50	0	18.41	0
			16QAM	1	1	18.37	0
			64QAM	1	1	18.39	0
			256QAM	1	1	18.24	0
		CP	QPSK	1	1	18.45	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.47	0
				1	40	18.41	0
				1	77	18.39	0
				36	0	18.51	0
				36	22	18.46	0
				36	43	18.47	0
				75	0	18.47	0
			QPSK	1	1	18.54	0
				1	40	18.46	0
				1	77	18.46	0
				36	0	18.51	0
				36	22	18.46	0
				36	43	18.47	0
				75	0	18.52	0
			16QAM	1	1	18.43	0
			64QAM	1	1	18.68	0
			256QAM	1	1	18.28	0
		CP	QPSK	1	1	18.50	0

**NR FDD Band n14 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open RCV(RSI 1), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3),
Folder Close Hotspot(RSI 4) _ SUB1 [Ant E]**

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.92	0
				1	13	17.87	0
				1	23	17.89	0
				12	0	17.94	0
				12	7	17.91	0
				12	13	17.94	0
				25	0	17.94	0
			QPSK	1	1	17.94	0
				1	13	17.81	0
				1	23	17.87	0
				12	0	17.92	0
				12	7	17.90	0
				12	13	17.89	0
				25	0	17.92	0
			16QAM	1	1	17.84	0
			64QAM	1	1	17.92	0
			256QAM	1	1	17.97	0
		CP	QPSK	1	1	17.98	0

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.94	0
				1	26	18.00	0
				1	50	17.86	0
				25	0	18.00	0
				25	14	17.94	0
				25	27	17.90	0
				50	0	17.93	0
			QPSK	1	1	17.98	0
				1	26	17.96	0
				1	50	17.88	0
				25	0	17.98	0
				25	14	17.94	0
				25	27	17.90	0
				50	0	17.91	0
			16QAM	1	1	18.04	0
			64QAM	1	1	18.05	0
			256QAM	1	1	17.94	0
		CP	QPSK	1	1	17.96	0

NR FDD Band n25 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.83	19.03	19.46	0
				1	13	18.91	18.97	19.46	0
				1	23	18.93	19.04	19.45	0
				12	0	18.91	19.06	19.47	0
				12	7	18.93	19.07	19.48	0
				12	13	18.94	19.08	19.45	0
				25	0	18.97	19.07	19.48	0
			QPSK	1	1	18.93	19.01	19.49	0
				1	13	18.89	19.04	19.46	0
				1	23	18.98	19.13	19.45	0
				12	0	18.93	19.06	19.48	0
				12	7	18.95	19.04	19.49	0
				12	13	18.97	19.07	19.48	0
				25	0	18.96	19.08	19.45	0
			16QAM	1	1	18.88	19.02	19.48	0
			64QAM	1	1	18.91	18.99	19.41	0
			256QAM	1	1	18.90	19.00	19.49	0
		CP	QPSK	1	1	18.88	19.00	19.45	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.71	18.89	19.44	0
				1	26	18.77	18.84	19.37	0
				1	50	18.90	19.04	19.34	0
				25	0	18.84	18.93	19.46	0
				25	14	18.81	18.95	19.43	0
				25	27	18.94	19.04	19.44	0
			QPSK	50	0	18.85	19.02	19.41	0
				1	1	18.91	18.99	19.35	0
				1	26	18.80	18.98	19.38	0
				1	50	18.93	19.06	19.34	0
				25	0	18.79	19.01	19.41	0
				25	14	18.90	18.95	19.42	0
				25	27	18.90	19.01	19.35	0
				50	0	18.90	19.06	19.43	0
			16QAM	1	1	18.74	18.96	19.41	0
			64QAM	1	1	18.85	18.86	19.50	0
			256QAM	1	1	18.85	18.92	19.45	0
		CP	QPSK	1	1	18.74	18.89	19.37	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.74	19.02	19.35	0
				1	40	18.87	18.94	19.35	0
				1	77	18.91	19.01	19.36	0
				36	0	18.89	18.99	19.42	0
				36	22	18.86	18.97	19.37	0
				36	43	18.86	19.07	19.42	0
			QPSK	75	0	18.94	18.98	19.40	0
				1	1	18.86	18.88	19.36	0
				1	40	18.78	18.91	19.43	0
				1	77	18.88	19.10	19.33	0
				36	0	18.88	18.95	19.44	0
				36	22	18.88	18.94	19.47	0
				36	43	18.85	19.01	19.36	0
				75	0	18.83	19.04	19.49	0
			16QAM	1	1	18.81	18.98	19.39	0
			64QAM	1	1	18.88	18.88	19.50	0
			256QAM	1	1	18.82	18.94	19.46	0
		CP	QPSK	1	1	18.87	18.99	19.33	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.78	19.01	19.39	0
				1	53	18.86	18.87	19.39	0
				1	104	18.88	18.94	19.43	0
				50	0	18.78	18.96	19.38	0
				50	28	18.85	18.96	19.41	0
				50	56	18.90	19.05	19.40	0
				100	0	18.96	18.98	19.34	0
			QPSK	1	1	18.90	18.98	19.45	0
				1	53	18.83	18.99	19.35	0
				1	104	18.84	19.12	19.40	0
				50	0	18.85	19.06	19.48	0
				50	28	18.84	18.91	19.39	0
				50	56	18.89	18.95	19.43	0
				100	0	18.95	18.97	19.46	0
			16QAM	1	1	18.81	18.97	19.45	0
			64QAM	1	1	18.87	18.95	19.47	0
			256QAM	1	1	18.79	18.92	19.41	0
		CP	QPSK	1	1	18.74	18.93	19.35	0

NR FDD Band n25 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.82		19.40	0
				1	66	18.82		19.38	0
				1	131	18.80		19.40	0
				64	0	18.89		19.35	0
				64	35	18.88		19.41	0
				64	69	18.80		19.43	0
				128	0	18.88		19.34	0
			QPSK	1	1	18.91		19.36	0
				1	66	18.79		19.46	0
				1	131	18.97		19.43	0
				64	0	18.91		19.39	0
				64	35	18.93		19.41	0
				64	69	18.94		19.39	0
				128	0	18.86		19.41	0
			16QAM	1	1	18.81		19.45	0
			64QAM	1	1	18.87		19.45	0
			256QAM	1	1	18.86		19.43	0
		CP	QPSK	1	1	18.74		19.42	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.76		19.35	0
				1	80	18.90		19.36	0
				1	158	18.79		19.35	0
				80	0	18.88		19.34	0
				80	40	18.81		19.44	0
				80	80	18.90		19.34	0
				160	0	18.84		19.40	0
			QPSK	1	1	18.80		19.36	0
				1	80	18.85		19.36	0
				1	158	18.89		19.43	0
				80	0	18.86		19.45	0
				80	40	18.88		19.44	0
				80	80	18.92		19.37	0
				160	0	18.88		19.40	0
			16QAM	1	1	18.75		19.39	0
			64QAM	1	1	18.87		19.40	0
			256QAM	1	1	18.77		19.35	0
		CP	QPSK	1	1	18.85		19.40	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.99	0
				1	98	18.88	0
				1	186	19.04	0
				90	0	19.06	0
				90	45	18.94	0
				90	90	18.96	0
				180	0	18.98	0
			QPSK	1	1	18.89	0
				1	98	19.00	0
				1	186	19.03	0
				90	0	19.01	0
				90	45	18.96	0
				90	90	18.96	0
				180	0	19.07	0
			16QAM	1	1	18.91	0
			64QAM	1	1	18.96	0
			256QAM	1	1	18.92	0
		CP	OPSK	1	1	18.95	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.95	0
				1	108	19.12	0
				1	214	19.35	0
				108	0	19.00	0
				108	54	19.07	0
				108	108	19.35	0
				216	0	19.11	0
			QPSK	1	1	19.05	0
				1	108	19.38	0
				1	214	19.24	0
				108	0	19.25	0
				108	54	19.13	0
				108	108	19.21	0
				216	0	19.13	0
			16QAM	1	1	19.10	0
			64QAM	1	1	18.95	0
			256QAM	1	1	19.13	0
		CP	QPSK	1	1	18.92	0

NR FDD Band n25 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.10	17.18	17.59	0
				1	13	17.15	17.14	17.52	0
				1	23	17.19	17.20	17.56	0
				12	0	17.17	17.21	17.61	0
				12	7	17.21	17.20	17.63	0
				12	13	17.18	17.25	17.61	0
				25	0	17.22	17.21	17.63	0
			QPSK	1	1	17.16	17.18	17.63	0
				1	13	17.17	17.22	17.56	0
				1	23	17.18	17.26	17.62	0
				12	0	17.20	17.18	17.61	0
				12	7	17.19	17.25	17.62	0
				12	13	17.16	17.22	17.62	0
				25	0	17.16	17.23	17.56	0
			16QAM	1	1	17.15	17.32	17.62	0
			64QAM	1	1	17.13	17.33	17.68	0
			256QAM	1	1	17.16	17.28	17.54	0
		CP	QPSK	1	1	17.07	17.14	17.59	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.13	17.21	17.60	0
				1	26	17.15	17.25	17.55	0
				1	50	17.19	17.31	17.62	0
				25	0	17.18	17.34	17.64	0
				25	14	17.29	17.22	17.73	0
				25	27	17.20	17.32	17.68	0
				50	0	17.27	17.34	17.73	0
			QPSK	1	1	17.17	17.21	17.63	0
				1	26	17.30	17.25	17.57	0
				1	50	17.28	17.35	17.70	0
				25	0	17.24	17.26	17.74	0
				25	14	17.28	17.29	17.66	0
				25	27	17.20	17.33	17.70	0
				50	0	17.22	17.28	17.63	0
			16QAM	1	1	17.15	17.38	17.73	0
			64QAM	1	1	17.18	17.41	17.70	0
			256QAM	1	1	17.24	17.33	17.65	0
		CP	QPSK	1	1	17.10	17.24	17.63	0

NR FDD Band n25 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.21	17.28	17.65	0
				1	40	17.17	17.23	17.53	0
				1	77	17.21	17.20	17.67	0
				36	0	17.19	17.34	17.62	0
				36	22	17.32	17.26	17.77	0
				36	43	17.18	17.26	17.66	0
				75	0	17.27	17.29	17.75	0
			QPSK	1	1	17.18	17.30	17.71	0
				1	40	17.25	17.30	17.61	0
				1	77	17.23	17.30	17.64	0
				36	0	17.22	17.29	17.64	0
				36	22	17.19	17.34	17.69	0
				36	43	17.20	17.36	17.67	0
				75	0	17.16	17.26	17.59	0
			16QAM	1	1	17.19	17.42	17.74	0
			64QAM	1	1	17.13	17.45	17.74	0
			256QAM	1	1	17.28	17.39	17.56	0
		CP	QPSK	1	1	17.13	17.23	17.60	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	17.26	17.67	0
				1	53	17.16	17.21	17.66	0
				1	104	17.26	17.33	17.65	0
				50	0	17.29	17.26	17.71	0
				50	28	17.26	17.23	17.74	0
				50	56	17.22	17.28	17.63	0
				100	0	17.34	17.35	17.76	0
			QPSK	1	1	17.24	17.28	17.67	0
				1	53	17.30	17.32	17.70	0
				1	104	17.30	17.28	17.75	0
				50	0	17.23	17.21	17.69	0
				50	28	17.26	17.35	17.68	0
				50	56	17.19	17.23	17.67	0
				100	0	17.21	17.25	17.66	0
			16QAM	1	1	17.16	17.37	17.62	0
			64QAM	1	1	17.27	17.45	17.76	0
			256QAM	1	1	17.20	17.39	17.66	0
		CP	QPSK	1	1	17.17	17.20	17.72	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.20		17.63	0
				1	66	17.22		17.64	0
				1	131	17.30		17.59	0
				64	0	17.20		17.64	0
				64	35	17.30		17.69	0
				64	69	17.21		17.65	0
				128	0	17.35		17.63	0
			QPSK	1	1	17.21		17.75	0
				1	66	17.25		17.59	0
				1	131	17.27		17.68	0
				64	0	17.23		17.71	0
				64	35	17.27		17.63	0
				64	69	17.17		17.71	0
				128	0	17.24		17.56	0
			16QAM	1	1	17.29		17.67	0
			64QAM	1	1	17.20		17.79	0
			256QAM	1	1	17.24		17.56	0
		CP	QPSK	1	1	17.12		17.73	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.24		17.63	0
				1	80	17.16		17.61	0
				1	158	17.24		17.63	0
				80	0	17.28		17.75	0
				80	40	17.23		17.67	0
				80	80	17.29		17.74	0
				160	0	17.26		17.71	0
			QPSK	1	1	17.25		17.74	0
				1	80	17.29		17.67	0
				1	158	17.31		17.68	0
				80	0	17.30		17.67	0
				80	40	17.26		17.70	0
				80	80	17.19		17.73	0
				160	0	17.24		17.62	0
			16QAM	1	1	17.19		17.65	0
			64QAM	1	1	17.22		17.70	0
			256QAM	1	1	17.17		17.59	0
		CP	QPSK	1	1	17.14		17.70	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.21	0
				1	98	17.23	0
				1	186	17.24	0
				90	0	17.30	0
				90	45	17.33	0
				90	90	17.39	0
				180	0	17.29	0
			QPSK	1	1	17.28	0
				1	98	17.31	0
				1	186	17.30	0
				90	0	17.31	0
				90	45	17.33	0
				90	90	17.34	0
				180	0	17.28	0
			16QAM	1	1	17.41	0
			64QAM	1	1	17.40	0
			256QAM	1	1	17.33	0
		CP	QPSK	1	1	17.25	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.14	0
				1	108	17.24	0
				1	214	17.47	0
				108	0	17.17	0
				108	54	17.26	0
				108	108	17.45	0
				216	0	17.22	0
			QPSK	1	1	17.22	0
				1	108	17.49	0
				1	214	17.46	0
				108	0	17.36	0
				108	54	17.28	0
				108	108	17.35	0
				216	0	17.33	0
			16QAM	1	1	17.28	0
			64QAM	1	1	17.26	0
			256QAM	1	1	17.18	0
		CP	QPSK	1	1	17.16	0

**NR FDD Band n26 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB1 [Ant E]**

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.49	19.32	19.12	0
				1	13	19.48	19.27	19.07	0
				1	23	19.49	19.28	19.09	0
				12	0	19.56	19.30	19.13	0
				12	7	19.52	19.30	19.09	0
				12	13	19.56	19.32	19.11	0
				25	0	19.53	19.30	19.13	0
			QPSK	1	1	19.59	19.36	19.18	0
				1	13	19.54	19.27	19.08	0
				1	23	19.53	19.35	19.08	0
				12	0	19.59	19.34	19.17	0
				12	7	19.55	19.34	19.15	0
				12	13	19.56	19.32	19.11	0
				25	0	19.56	19.31	19.16	0
			16QAM	1	1	19.66	19.29	19.14	0
			64QAM	1	1	19.68	19.41	19.47	0
			256QAM	1	1	19.04	18.75	18.63	0
		CP	QPSK	1	1	19.51	19.30	19.10	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.62	19.35	19.23	0
				1	26	19.51	19.28	19.19	0
				1	50	19.51	19.31	19.11	0
				25	0	19.62	19.30	19.21	0
				25	14	19.64	19.42	19.16	0
				25	27	19.69	19.41	19.16	0
			QPSK	50	0	19.53	19.30	19.20	0
				1	1	19.70	19.45	19.18	0
				1	26	19.62	19.29	19.10	0
				1	50	19.63	19.37	19.12	0
				25	0	19.67	19.42	19.21	0
				25	14	19.56	19.39	19.29	0
				25	27	19.66	19.46	19.23	0
				50	0	19.60	19.43	19.30	0
			16QAM	1	1	19.75	19.42	19.17	0
			64QAM	1	1	19.78	19.46	19.59	0
			256QAM	1	1	19.18	18.84	18.55	0
		CP	QPSK	1	1	19.59	19.37	19.12	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.61		19.15	0
				1	40	19.49		19.09	0
				1	77	19.51		19.16	0
				36	0	19.65		19.21	0
				36	22	19.61		19.13	0
				36	43	19.66		19.19	0
			QPSK	75	0	19.56		19.21	0
				1	1	19.67		19.19	0
				1	40	19.67		19.18	0
				1	77	19.53		19.11	0
				36	0	19.72		19.30	0
				36	22	19.56		19.25	0
				36	43	19.58		19.14	0
				75	0	19.59		19.26	0
			16QAM	1	1	19.75		19.18	0
			64QAM	1	1	19.77		19.59	0
			256QAM	1	1	19.11		18.52	0
		CP	QPSK	1	1	19.55		19.12	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.44	0
				1	53	19.34	0
				1	104	19.20	0
				50	0	19.38	0
				50	28	19.32	0
				50	56	19.28	0
				100	0	19.37	0
			QPSK	1	1	19.67	0
				1	53	19.43	0
				1	104	19.36	0
				50	0	19.60	0
				50	28	19.54	0
				50	56	19.45	0
				100	0	19.47	0
			16QAM	1	1	19.51	0
			64QAM	1	1	19.44	0
			256QAM	1	1	18.89	0
		CP	QPSK	1	1	19.51	0

NR FDD Band n26 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.94	18.78	18.65	0
				1	13	18.94	18.71	18.51	0
				1	23	18.91	18.75	18.58	0
				12	0	19.02	18.78	18.57	0
				12	7	18.99	18.75	18.58	0
				12	13	19.01	18.76	18.57	0
				25	0	19.01	18.78	18.59	0
			QPSK	1	1	19.02	18.85	18.62	0
				1	13	18.97	18.70	18.56	0
				1	23	18.94	18.69	18.55	0
				12	0	19.00	18.79	18.62	0
				12	7	19.00	18.81	18.60	0
				12	13	19.04	18.79	18.63	0
				25	0	18.99	18.79	18.62	0
			16QAM	1	1	19.09	18.80	18.71	0
			64QAM	1	1	18.83	18.69	18.50	0
			256QAM	1	1	18.76	18.47	18.35	0
		CP	QPSK	1	1	19.02	18.76	18.59	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.08	18.91	18.67	0
				1	26	18.95	18.78	18.52	0
				1	50	18.92	18.85	18.64	0
				25	0	19.03	18.84	18.58	0
				25	14	19.01	18.81	18.72	0
				25	27	19.05	18.77	18.57	0
			QPSK	50	0	19.07	18.87	18.60	0
				1	1	19.16	18.98	18.63	0
				1	26	18.99	18.73	18.60	0
				1	50	18.95	18.76	18.57	0
				25	0	19.13	18.80	18.71	0
				25	14	19.00	18.86	18.73	0
				25	27	19.11	18.81	18.77	0
				50	0	19.03	18.82	18.71	0
			16QAM	1	1	19.17	18.86	18.77	0
			64QAM	1	1	18.87	18.80	18.61	0
			256QAM	1	1	18.78	18.61	18.48	0
		CP	QPSK	1	1	19.12	18.77	18.70	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.95		18.78	0
				1	40	18.96		18.64	0
				1	77	18.96		18.58	0
				36	0	19.03		18.70	0
				36	22	19.12		18.68	0
				36	43	19.11		18.69	0
			QPSK	75	0	19.09		18.70	0
				1	1	19.15		18.63	0
				1	40	18.97		18.59	0
				1	77	19.06		18.65	0
				36	0	19.01		18.74	0
				36	22	19.08		18.71	0
				36	43	19.14		18.66	0
				75	0	19.04		18.69	0
			16QAM	1	1	19.20		18.75	0
			64QAM	1	1	18.87		18.58	0
			256QAM	1	1	18.87		18.41	0
		CP	QPSK	1	1	19.08		18.61	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.88	0
				1	53	18.79	0
				1	104	18.70	0
				50	0	18.85	0
				50	28	18.84	0
				50	56	18.74	0
				100	0	18.80	0
			QPSK	1	1	18.99	0
				1	53	18.83	0
				1	104	18.70	0
				50	0	18.85	0
				50	28	18.82	0
				50	56	18.74	0
				100	0	18.83	0
			16QAM	1	1	18.84	0
			64QAM	1	1	18.70	0
			256QAM	1	1	18.69	0
		CP	QPSK	1	1	18.88	0

**NR FDD Band n30 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.12	0
				1	13	17.06	0
				1	23	17.01	0
				12	0	17.09	0
				12	7	17.11	0
				12	13	17.07	0
				25	0	17.12	0
			QPSK	1	1	17.15	0
				1	13	17.04	0
				1	23	17.13	0
				12	0	17.15	0
				12	7	17.11	0
				12	13	17.09	0
				25	0	17.08	0
			16QAM	1	1	17.27	0
			64QAM	1	1	17.16	0
			256QAM	1	1	17.20	0
		CP	QPSK	1	1	17.11	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.23	0
				1	26	17.16	0
				1	50	17.09	0
				25	0	17.17	0
				25	14	17.09	0
				25	27	17.13	0
			QPSK	50	0	17.16	0
				1	1	17.34	0
				1	26	17.20	0
				1	50	17.11	0
				25	0	17.31	0
				25	14	17.14	0
				25	27	17.11	0
				50	0	17.26	0
			16QAM	1	1	17.32	0
			64QAM	1	1	17.27	0
			256QAM	1	1	17.18	0
		CP	QPSK	1	1	17.26	0

NR FDD Band n30 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.65	0
				1	13	15.55	0
				1	23	15.58	0
				12	0	15.66	0
				12	7	15.64	0
				12	13	15.67	0
				25	0	15.65	0
			QPSK	1	1	15.69	0
				1	13	15.63	0
				1	23	15.62	0
				12	0	15.67	0
				12	7	15.70	0
				12	13	15.67	0
				25	0	15.66	0
			16QAM	1	1	15.79	0
			64QAM	1	1	15.66	0
			256QAM	1	1	15.75	0
		CP	QPSK	1	1	15.65	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.76	0
				1	26	15.70	0
				1	50	15.60	0
				25	0	15.69	0
				25	14	15.67	0
				25	27	15.64	0
				50	0	15.66	0
			QPSK	1	1	16.16	0
				1	26	15.96	0
				1	50	15.84	0
				25	0	16.20	0
				25	14	15.89	0
				25	27	15.98	0
				50	0	16.11	0
			16QAM	1	1	15.92	0
			64QAM	1	1	15.73	0
			256QAM	1	1	15.66	0
		CP	QPSK	1	1	16.08	0

NR TDD Band n38 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.52	17.75	17.83	0
				1	12	17.56	17.80	17.87	0
				1	22	17.60	17.76	17.78	0
				12	0	17.51	17.74	17.79	0
				12	6	17.45	17.74	17.75	0
				12	12	17.58	17.72	17.74	0
				24	0	17.54	17.72	17.78	0
			QPSK	1	1	17.54	17.69	17.80	0
				1	12	17.53	17.74	17.74	0
				1	22	17.58	17.71	17.74	0
				12	0	17.49	17.71	17.78	0
				12	6	17.51	17.68	17.77	0
				12	12	17.57	17.76	17.77	0
				24	0	17.53	17.74	17.80	0
			16QAM	1	1	17.51	17.77	17.77	0
			64QAM	1	1	17.52	17.71	17.66	0
			256QAM	1	1	17.59	17.69	17.83	0
		CP	QPSK	1	1	17.59	17.71	17.83	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.57	17.78	17.92	0
				1	18	17.65	17.87	17.88	0
				1	36	17.61	17.76	17.79	0
				18	0	17.52	17.85	17.93	0
				18	9	17.46	17.84	17.83	0
				18	18	17.71	17.81	17.81	0
				36	0	17.65	17.82	17.82	0
			QPSK	1	1	17.59	17.82	17.88	0
				1	18	17.61	17.81	17.85	0
				1	36	17.64	17.72	17.81	0
				18	0	17.55	17.82	17.87	0
				18	9	17.53	17.81	17.83	0
				18	18	17.65	17.84	17.79	0
				36	0	17.64	17.86	17.87	0
			16QAM	1	1	17.62	17.86	17.89	0
			64QAM	1	1	17.62	17.74	17.67	0
			256QAM	1	1	17.62	17.72	17.88	0
		CP	QPSK	1	1	17.70	17.74	17.97	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.54	17.84	17.93	0
				1	26	17.61	17.81	17.94	0
				1	49	17.64	17.82	17.86	0
				25	0	17.57	17.87	17.87	0
				25	13	17.52	17.86	17.79	0
				25	26	17.68	17.81	17.79	0
				50	0	17.54	17.76	17.82	0
			QPSK	1	1	17.56	17.72	17.91	0
				1	26	17.57	17.74	17.83	0
				1	49	17.64	17.83	17.83	0
				25	0	17.61	17.73	17.83	0
				25	13	17.56	17.82	17.84	0
				25	26	17.67	17.85	17.79	0
				50	0	17.64	17.80	17.83	0
			16QAM	1	1	17.55	17.80	17.86	0
			64QAM	1	1	17.61	17.77	17.72	0
			256QAM	1	1	17.63	17.81	17.89	0
		CP	QPSK	1	1	17.71	17.82	17.89	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.59		17.94	0
				1	32	17.68		17.92	0
				1	63	17.73		17.80	0
				32	0	17.57		17.86	0
				32	17	17.47		17.88	0
				32	33	17.67		17.75	0
			QPSK	64	0	17.65		17.85	0
				1	1	17.60		17.81	0
				1	32	17.63		17.77	0
				1	63	17.60		17.78	0
				32	0	17.54		17.84	0
				32	17	17.63		17.87	0
				32	33	17.62		17.83	0
				64	0	17.60		17.92	0
			16QAM	1	1	17.56		17.79	0
			64QAM	1	1	17.58		17.67	0
			256QAM	1	1	17.59		17.94	0
		CP	QPSK	1	1	17.72		17.85	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.59		17.90	0
				1	39	17.68		17.90	0
				1	76	17.67		17.82	0
				36	0	17.61		17.90	0
				36	21	17.45		17.77	0
				36	42	17.67		17.83	0
			QPSK	75	0	17.62		17.85	0
				1	1	17.67		17.85	0
				1	39	17.60		17.86	0
				1	76	17.59		17.78	0
				36	0	17.57		17.82	0
				36	21	17.63		17.79	0
				36	42	17.70		17.82	0
				75	0	17.56		17.89	0
			16QAM	1	1	17.56		17.81	0
			64QAM	1	1	17.54		17.76	0
			256QAM	1	1	17.64		17.84	0
		CP	QPSK	1	1	17.62		17.97	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		17.89		0
				1	80		17.81		0
				1	158		17.91		0
				80	0		16.72		0
				80	40		17.79		0
				80	80		17.82		0
				160	0		17.77		0
			QPSK	1	1		17.62		0
				1	80		17.70		0
				1	158		17.84		0
				80	0		17.70		0
				80	40		17.75		0
				80	80		17.84		0
				160	0		17.76		0
			16QAM	1	1		17.84		0
			64QAM	1	1		17.52		0
			256QAM	1	1		17.96		0
		CP	QPSK	1	80		17.58		0

NR TDD Band n38 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.82	15.08	15.22	0
				1	12	14.91	15.10	15.22	0
				1	22	14.92	15.14	15.19	0
				12	0	14.88	15.13	15.17	0
				12	6	14.94	15.11	15.18	0
				12	12	14.98	15.12	15.13	0
				24	0	14.95	15.08	15.16	0
			QPSK	1	1	14.89	15.14	15.17	0
				1	12	14.94	15.18	15.21	0
				1	22	14.98	15.19	15.18	0
				12	0	14.88	15.20	15.18	0
				12	6	14.94	15.06	15.18	0
				12	12	14.94	15.17	15.12	0
				24	0	14.94	15.08	15.16	0
			16QAM	1	1	14.90	15.04	15.18	0
			64QAM	1	1	14.90	15.11	15.09	0
			256QAM	1	1	14.97	14.82	15.10	0
		CP	QPSK	1	1	14.92	15.06	15.19	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.89	15.18	15.34	0
				1	18	15.04	15.18	15.26	0
				1	36	14.99	15.28	15.32	0
				18	0	15.02	15.24	15.18	0
				18	9	15.00	15.17	15.27	0
				18	18	14.99	15.24	15.18	0
				36	0	15.04	15.16	15.18	0
			QPSK	1	1	14.92	15.27	15.27	0
				1	18	15.05	15.28	15.35	0
				1	36	15.11	15.29	15.23	0
				18	0	14.99	15.08	15.31	0
				18	9	15.06	15.07	15.26	0
				18	18	14.99	15.18	15.16	0
				36	0	14.98	15.22	15.18	0
			16QAM	1	1	15.01	15.18	15.23	0
			64QAM	1	1	14.97	15.24	15.10	0
			256QAM	1	1	15.02	14.96	15.22	0
		CP	QPSK	1	1	14.99	15.19	15.22	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.92	15.12	15.27	0
				1	26	14.97	15.16	15.35	0
				1	49	14.99	15.19	15.32	0
				25	0	15.01	15.22	15.29	0
				25	13	14.95	15.19	15.23	0
				25	26	15.06	15.23	15.17	0
				50	0	14.97	15.12	15.17	0
			QPSK	1	1	15.03	15.14	15.21	0
				1	26	15.07	15.25	15.34	0
				1	49	15.01	15.20	15.29	0
				25	0	14.99	15.21	15.30	0
				25	13	15.04	15.19	15.27	0
				25	26	15.03	15.28	15.18	0
				50	0	15.00	15.12	15.23	0
			16QAM	1	1	14.92	15.13	15.30	0
			64QAM	1	1	14.97	15.22	15.19	0
			256QAM	1	1	14.99	14.95	15.21	0
		CP	QPSK	1	1	15.02	15.13	15.32	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.84		15.31	0
				1	32	14.97		15.25	0
				1	63	14.97		15.24	0
				32	0	15.00		15.30	0
				32	17	15.03		15.26	0
				32	33	15.03		15.17	0
				64	0	14.95		15.22	0
			QPSK	1	1	14.99		15.27	0
				1	32	15.07		15.32	0
				1	63	15.11		15.26	0
				32	0	14.98		15.28	0
				32	17	15.03		15.23	0
				32	33	15.00		15.26	0
				64	0	15.02		15.22	0
			16QAM	1	1	15.01		15.18	0
			64QAM	1	1	14.96		15.23	0
			256QAM	1	1	15.11		15.20	0
		CP	QPSK	1	1	15.05		15.30	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.83		15.36	0
				1	39	15.01		15.24	0
				1	76	15.01		15.21	0
				36	0	14.98		15.28	0
				36	21	14.95		15.20	0
				36	42	15.01		15.21	0
				75	0	15.01		15.28	0
			QPSK	1	1	14.95		15.18	0
				1	39	15.05		15.31	0
				1	76	15.10		15.30	0
				36	0	15.02		15.19	0
				36	21	15.08		15.26	0
				36	42	14.94		15.23	0
				75	0	14.95		15.24	0
			16QAM	1	1	14.95		15.31	0
			64QAM	1	1	14.94		15.19	0
			256QAM	1	1	14.98		15.18	0
		CP	QPSK	1	1	14.99		15.32	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		14.93		0
				1	53		15.04		0
				1	104		15.14		0
				50	0		14.92		0
				50	28		15.02		0
				50	56		15.10		0
				100	0		15.05		0
			QPSK	1	1		15.00		0
				1	53		15.08		0
				1	104		15.08		0
				50	0		14.95		0
				50	28		15.05		0
				50	56		15.10		0
				100	0		15.04		0
			16QAM	1	1		14.57		0
			64QAM	1	1		15.32		0
			256QAM	1	1		14.87		0
		CP	QPSK	1	1		14.95		0

NR TDD Band n41 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.68	17.33	17.53	17.51	17.31	0
				1	12	17.76	17.44	17.54	17.53	17.34	0
				1	22	17.73	17.27	17.56	17.41	17.27	0
				12	0	17.72	17.37	17.56	17.48	17.34	0
				12	6	17.70	17.35	17.59	17.49	17.31	0
				12	12	17.68	17.35	17.56	17.47	17.30	0
				24	0	17.72	17.38	17.58	17.47	17.29	0
			QPSK	1	1	17.72	17.36	17.57	17.43	17.33	0
				1	12	17.76	17.33	17.59	17.52	17.36	0
				1	22	17.71	17.39	17.62	17.42	17.32	0
				12	0	17.70	17.35	17.57	17.49	16.35	0
				12	6	17.70	17.36	17.57	17.49	17.32	0
				12	12	17.72	17.37	17.59	17.44	17.31	0
				24	0	17.72	17.35	17.58	17.47	17.28	0
			16QAM	1	1	17.71	17.22	17.56	17.52	17.32	0
			64QAM	1	1	17.73	17.14	17.61	17.52	17.37	0
			256QAM	1	1	17.68	17.57	17.47	17.51	17.28	0
		CP	QPSK	1	1	17.70	17.39	17.38	17.48	17.56	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.69	17.43	17.67	17.58	17.32	0
				1	18	17.88	17.46	17.61	17.54	17.45	0
				1	36	17.77	17.28	17.64	17.48	17.29	0
				18	0	17.76	17.50	17.64	17.50	17.38	0
				18	9	17.74	17.37	17.61	17.50	17.43	0
				18	18	17.75	17.43	17.60	17.55	17.37	0
				36	0	17.85	17.45	17.68	17.55	17.30	0
			QPSK	1	1	17.85	17.49	17.58	17.53	17.34	0
				1	18	17.86	17.42	17.64	17.55	17.50	0
				1	36	17.73	17.46	17.75	17.47	17.43	0
				18	0	17.71	17.36	17.70	17.55	16.36	0
				18	9	17.80	17.42	17.65	17.52	17.37	0
				18	18	17.79	17.42	17.70	17.51	17.37	0
				36	0	17.84	17.38	17.65	17.55	17.34	0
			16QAM	1	1	17.78	17.32	17.62	17.52	17.38	0
			64QAM	1	1	17.81	17.25	17.64	17.59	17.41	0
			256QAM	1	1	17.75	17.58	17.51	17.54	17.39	0
		CP	QPSK	1	1	17.84	17.43	17.42	17.58	17.67	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.71	17.46	17.63	17.59	17.39	0
				1	26	17.85	17.53	17.57	17.58	17.47	0
				1	49	17.83	17.35	17.69	17.42	17.28	0
				25	0	17.83	17.37	17.62	17.58	17.45	0
				25	13	17.79	17.41	17.69	17.57	17.42	0
				25	26	17.82	17.39	17.59	17.51	17.35	0
				50	0	17.73	17.49	17.70	17.56	17.34	0
			QPSK	1	1	17.74	17.39	17.61	17.43	17.36	0
				1	26	17.80	17.43	17.65	17.55	17.39	0
				1	49	17.72	17.43	17.69	17.52	17.35	0
				25	0	17.73	17.43	17.58	17.53	16.42	0
				25	13	17.83	17.37	17.65	17.54	17.46	0
				25	26	17.84	17.39	17.65	17.52	17.35	0
				50	0	17.86	17.48	17.66	17.57	17.37	0
			16QAM	1	1	17.77	17.28	17.60	17.65	17.37	0
			64QAM	1	1	17.84	17.20	17.64	17.66	17.48	0
			256QAM	1	1	17.70	17.66	17.59	17.59	17.30	0
		CP	QPSK	1	1	17.78	17.45	17.43	17.62	17.62	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.82	17.41	17.59	17.64	17.45	0
				1	32	17.80	17.50	17.58	17.57	17.47	0
				1	63	17.83	17.38	17.60	17.53	17.30	0
				32	0	17.86	17.43	17.69	17.59	17.39	0
				32	17	17.79	17.36	17.69	17.57	17.32	0
				32	33	17.78	17.43	17.64	17.56	17.43	0
				64	0	17.73	17.50	17.67	17.54	17.42	0
			QPSK	1	1	17.81	17.38	17.61	17.50	17.39	0
				1	32	17.78	17.37	17.69	17.65	17.40	0
				1	63	17.74	17.41	17.73	17.46	17.32	0
				32	0	17.73	17.37	17.62	17.60	16.36	0
				32	17	17.79	17.43	17.67	17.59	17.36	0
				32	33	17.78	17.43	17.73	17.53	17.38	0
				64	0	17.73	17.41	17.67	17.55	17.36	0
			16QAM	1	1	17.76	17.34	17.64	17.57	17.36	0
			64QAM	1	1	17.74	17.23	17.74	17.54	17.42	0
			256QAM	1	1	17.71	17.68	17.58	17.64	17.39	0
		CP	QPSK	1	1	17.81	17.50	17.50	17.48	17.62	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.77	17.37	17.59	17.62	17.45	0
				1	39	17.80	17.52	17.61	17.62	17.40	0
				1	76	17.85	17.33	17.62	17.54	17.33	0
				36	0	17.82	17.46	17.68	17.52	17.48	0
				36	21	17.84	17.37	17.72	17.58	17.36	0
				36	42	17.82	17.45	17.56	17.58	17.43	0
				75	0	17.72	17.43	17.61	17.59	17.36	0
			QPSK	1	1	17.76	17.38	17.61	17.46	17.38	0
				1	39	17.77	17.47	17.61	17.60	17.36	0
				1	76	17.77	17.41	17.75	17.46	17.44	0
				36	0	17.76	17.43	17.70	17.62	16.36	0
				36	21	17.82	17.48	17.68	17.63	17.35	0
				36	42	17.86	17.39	17.71	17.49	17.39	0
				75	0	17.83	17.38	17.62	17.53	17.39	0
			16QAM	1	1	17.83	17.32	17.68	17.58	17.36	0
			64QAM	1	1	17.83	17.24	17.64	17.58	17.39	0
			256QAM	1	1	17.76	17.65	17.57	17.62	17.29	0
		CP	QPSK	1	1	17.73	17.42	17.49	17.57	17.65	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.70	17.42		17.52	17.37	0
				1	53	17.77	17.57		17.66	17.42	0
				1	104	17.79	17.37		17.43	17.40	0
				50	0	17.84	17.51		17.49	17.37	0
				50	28	17.80	17.40		17.57	17.43	0
				50	56	17.71	17.47		17.61	17.39	0
				100	0	17.74	17.45		17.61	17.42	0
			QPSK	1	1	17.84	17.38		17.46	17.39	0
				1	53	17.88	17.39		17.56	17.47	0
				1	104	17.79	17.46		17.50	17.37	0
				50	0	17.73	17.46		17.52	16.39	0
				50	28	17.77	17.48		17.63	17.45	0
				50	56	17.76	17.51		17.47	17.43	0
				100	0	17.82	17.48		17.59	17.40	0
			16QAM	1	1	17.80	17.22		17.62	17.41	0
			64QAM	1	1	17.86	17.18		17.60	17.44	0
			256QAM	1	1	17.71	17.69		17.54	17.39	0
		CP	QPSK	1	1	17.79	17.49		17.61	17.62	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.76		17.56		17.43	0
				1	67	17.86		17.66		17.46	0
				1	131	17.87		17.67		17.34	0
				64	0	17.84		17.61		17.43	0
				64	35	17.75		17.67		17.40	0
				64	69	17.80		17.58		17.44	0
				128	0	17.77		17.62		17.38	0
			QPSK	1	1	17.78		17.58		17.33	0
				1	67	17.90		17.59		17.37	0
				1	131	17.80		17.76		17.37	0
				64	0	17.76		17.67		16.46	0
				64	35	17.73		17.68		17.39	0
				64	69	17.76		17.65		17.36	0
				128	0	17.81		17.61		17.32	0
			16QAM	1	1	17.77		17.65		17.35	0
			64QAM	1	1	17.77		17.72		17.47	0
			256QAM	1	1	17.81		17.51		17.31	0
		CP	QPSK	1	1	17.83		17.49		17.56	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.76		17.62		17.33	0
				1	81	17.78		17.61		17.41	0
				1	160	17.76		17.68		17.39	0
				81	0	17.73		17.61		17.39	0
				81	41	17.77		17.61		17.40	0
				81	81	17.80		17.58		17.36	0
				162	0	17.86		17.69		17.29	0
			QPSK	1	1	17.84		17.61		17.34	0
				1	81	17.90		17.66		17.39	0
				1	160	17.77		17.70		17.36	0
				81	0	17.81		17.68		16.36	0
				81	41	17.75		17.71		17.37	0
				81	81	17.84		17.65		17.35	0
				162	0	17.77		17.69		17.41	0
			16QAM	1	1	17.80		17.56		17.43	0
			64QAM	1	1	17.86		17.71		17.44	0
			256QAM	1	1	17.68		17.59		17.33	0
		CP	QPSK	1	1	17.72		17.48		17.62	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.69				17.41	0
				1	81	17.86				17.36	0
				1	160	17.76				17.31	0
				81	0	17.79				17.36	0
				81	41	17.75				17.44	0
				81	81	17.81				17.39	0
				162	0	17.82				17.41	0
			QPSK	1	1	17.81				17.42	0
				1	81	17.79				17.50	0
				1	160	17.72				17.38	0
				81	0	17.73				16.36	0
				81	41	17.78				17.36	0
				81	81	17.80				17.38	0
				162	0	17.79				17.40	0
			16QAM	1	1	17.76				17.43	0
			64QAM	1	1	17.82				17.46	0
			256QAM	1	1	17.74				17.34	0
		CP	QPSK	1	1	17.83				17.68	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz				MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.80				17.42	0
				1	109	17.89				17.36	0
				1	215	17.85				17.38	0
				108	0	17.73				17.46	0
				108	55	17.79				17.33	0
				108	109	17.80				17.41	0
				216	0	17.86				17.36	0
			QPSK	1	1	17.85				17.45	0
				1	109	17.82				17.45	0
				1	215	17.71				17.38	0
				108	0	17.75				16.43	0
				108	55	17.80				17.35	0
				108	109	17.81				17.33	0
				216	0	17.82				17.40	0
			16QAM	1	1	17.74				17.36	0
			64QAM	1	1	17.76				17.49	0
			256QAM	1	1	17.73				17.35	0
		CP	QPSK	1	1	17.83				17.60	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.79				17.35	0
				1	123	17.82				17.41	0
				1	243	17.74				17.32	0
				120	0	17.86				17.44	0
				120	63	17.82				17.45	0
				120	125	17.73				17.42	0
				243	0	17.76				17.34	0
			QPSK	1	1	17.81				17.38	0
				1	123	17.89				17.50	0
				1	243	17.77				17.42	0
				120	0	17.78				16.45	0
				120	63	17.74				17.44	0
				120	125	17.76				17.38	0
				243	0	17.83				17.35	0
			16QAM	1	1	17.74				17.44	0
			64QAM	1	1	17.86				17.40	0
			256QAM	1	1	17.73				17.33	0
		CP	QPSK	1	1	17.82				17.66	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.85		0
				1	137			17.53		0
				1	271			17.73		0
				135	0			17.51		0
				135	69			17.57		0
				135	138			17.61		0
				270	0			17.68		0
			QPSK	1	1			17.88		0
				1	137			17.55		0
				1	271			17.74		0
				135	0			17.50		0
				135	69			17.64		0
				135	138			17.63		0
				270	0			17.77		0
			16QAM	1	1			17.91		0
			64QAM	1	1			17.98		0
			256QAM	1	1			17.85		0
		CP	QPSK	1	1			17.90		0

NR TDD Band n41 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.22	14.51	15.15	15.13	14.90	0
				1	12	15.26	14.53	15.24	15.08	14.93	0
				1	22	15.20	14.45	15.20	14.98	14.87	0
				12	0	15.21	14.88	15.20	15.08	14.88	0
				12	6	15.20	14.91	15.19	15.09	14.88	0
				12	12	15.22	14.52	15.19	15.08	14.88	0
				24	0	15.20	14.50	15.20	15.07	14.90	0
			QPSK	1	1	15.27	14.53	15.17	15.09	14.93	0
				1	12	15.26	14.44	15.26	15.14	14.91	0
				1	22	15.24	14.50	15.22	15.08	14.95	0
				12	0	15.21	14.92	15.21	15.13	14.90	0
				12	6	15.24	14.88	15.21	15.10	14.85	0
				12	12	15.21	14.92	15.17	15.10	14.85	0
				24	0	15.20	14.87	15.21	15.11	14.88	0
			16QAM	1	1	15.24	14.93	15.15	15.27	14.96	0
			64QAM	1	1	15.27	14.90	15.14	15.07	14.91	0
			256QAM	1	1	15.24	15.00	15.15	15.04	14.91	0
		CP	QPSK	1	1	14.83	14.93	15.15	14.85	14.91	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.27	14.65	15.27	15.18	15.02	0
				1	18	15.40	14.59	15.35	15.17	15.04	0
				1	36	15.26	14.56	15.23	15.09	14.92	0
				18	0	15.25	14.94	15.25	15.08	14.92	0
				18	9	15.22	15.01	15.27	15.13	14.94	0
				18	18	15.26	14.55	15.26	15.20	15.02	0
				36	0	15.23	14.55	15.27	15.21	14.95	0
			QPSK	1	1	15.41	14.62	15.31	15.22	14.93	0
				1	18	15.39	14.56	15.40	15.22	15.02	0
				1	36	15.38	14.60	15.32	15.19	15.06	0
				18	0	15.32	14.94	15.35	15.22	14.99	0
				18	9	15.38	14.93	15.35	15.21	14.96	0
				18	18	15.24	14.96	15.18	15.20	14.98	0
				36	0	15.21	15.01	15.28	15.23	14.95	0
			16QAM	1	1	15.27	15.03	15.18	15.37	15.03	0
			64QAM	1	1	15.36	14.98	15.16	15.16	15.05	0
			256QAM	1	1	15.30	15.07	15.23	15.05	15.05	0
		CP	QPSK	1	1	14.95	15.03	15.23	14.89	14.99	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.35	14.54	15.25	15.26	14.99	0
				1	26	15.30	14.60	15.37	15.18	15.05	0
				1	49	15.32	14.57	15.28	15.00	14.91	0
				25	0	15.23	14.91	15.32	15.20	15.02	0
				25	13	15.26	14.95	15.32	15.20	15.01	0
				25	26	15.33	14.59	15.28	15.16	14.96	0
				50	0	15.23	14.55	15.20	15.19	14.92	0
			QPSK	1	1	15.34	14.61	15.18	15.12	14.98	0
				1	26	15.27	14.54	15.39	15.24	14.97	0
				1	49	15.36	14.55	15.29	15.10	15.08	0
				25	0	15.34	14.93	15.23	15.16	15.00	0
				25	13	15.29	14.97	15.31	15.22	14.88	0
				25	26	15.23	15.01	15.30	15.14	14.89	0
				50	0	15.29	14.99	15.35	15.21	15.01	0
			16QAM	1	1	15.28	14.95	15.29	15.37	15.00	0
			64QAM	1	1	15.28	14.98	15.15	15.15	15.04	0
			256QAM	1	1	15.35	15.08	15.29	15.15	15.04	0
		CP	QPSK	1	1	14.88	15.02	15.16	14.96	14.95	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.32	14.54	15.23	15.16	14.92	0
				1	32	15.31	14.60	15.36	15.08	14.96	0
				1	63	15.24	14.46	15.26	15.03	15.01	0
				32	0	15.34	15.02	15.22	15.20	14.98	0
				32	17	15.24	15.01	15.33	15.13	14.96	0
				32	33	15.27	14.58	15.29	15.14	14.92	0
				64	0	15.31	14.52	15.20	15.16	14.99	0
			QPSK	1	1	15.30	14.66	15.24	15.19	14.98	0
				1	32	15.31	14.57	15.29	15.19	15.04	0
				1	63	15.33	14.57	15.27	15.15	15.05	0
				32	0	15.23	14.97	15.27	15.16	14.95	0
				32	17	15.35	14.94	15.26	15.20	14.97	0
				32	33	15.35	14.99	15.30	15.13	14.93	0
				64	0	15.33	14.87	15.23	15.25	14.94	0
			16QAM	1	1	15.30	15.03	15.26	15.38	14.98	0
			64QAM	1	1	15.28	15.04	15.15	15.19	15.01	0
			256QAM	1	1	15.24	15.06	15.17	15.13	14.92	0
		CP	QPSK	1	1	14.91	14.96	15.19	14.87	15.01	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.27	14.64	15.21	15.16	14.97	0
				1	39	15.29	14.57	15.35	15.14	14.97	0
				1	76	15.24	14.57	15.21	15.09	14.89	0
				36	0	15.21	14.94	15.28	15.20	14.89	0
				36	21	15.33	15.01	15.23	15.22	14.90	0
				36	42	15.35	14.54	15.22	15.11	14.94	0
				75	0	15.23	14.54	15.31	15.18	15.00	0
			QPSK	1	1	15.37	14.67	15.21	15.15	15.00	0
				1	39	15.37	14.53	15.32	15.17	15.05	0
				1	76	15.37	14.61	15.25	15.22	15.09	0
				36	0	15.25	14.96	15.30	15.18	14.93	0
				36	21	15.34	14.89	15.31	15.13	14.89	0
				36	42	15.33	14.92	15.18	15.17	14.86	0
				75	0	15.23	14.95	15.25	15.17	14.99	0
			16QAM	1	1	15.30	15.00	15.15	15.31	15.06	0
			64QAM	1	1	15.36	14.99	15.18	15.08	14.91	0
			256QAM	1	1	15.37	15.07	15.26	15.07	14.94	0
		CP	QPSK	1	1	14.87	14.97	15.21	14.93	14.98	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.36	14.52		15.23	15.00	0
				1	53	15.35	14.60		15.14	14.99	0
				1	104	15.29	14.49		15.07	14.95	0
				50	0	15.35	14.94		15.20	14.96	0
				50	28	15.28	14.95		15.17	15.01	0
				50	56	15.33	14.62		15.14	14.99	0
				100	0	15.30	14.50		15.10	14.97	0
			QPSK	1	1	15.38	14.56		15.12	15.01	0
				1	53	15.33	14.52		15.22	15.01	0
				1	104	15.35	14.58		15.08	14.95	0
				50	0	15.31	14.92		15.14	15.00	0
				50	28	15.36	14.99		15.17	14.96	0
				50	56	15.26	14.95		15.10	14.99	0
				100	0	15.23	15.01		15.15	14.93	0
			16QAM	1	1	15.25	15.07		15.40	15.03	0
			64QAM	1	1	15.36	14.97		15.15	14.95	0
			256QAM	1	1	15.28	15.07		15.10	15.04	0
		CP	QPSK	1	1	14.88	15.04		14.97	15.05	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	
				MHz		MHz		MHz			
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.22		15.22		14.92	0
				1	67	15.36		15.30		14.97	0
				1	131	15.31		15.30		14.99	0
				64	0	15.29		15.23		14.89	0
				64	35	15.30		15.20		14.94	0
				64	69	15.26		15.25		14.94	0
				128	0	15.24		15.33		14.96	0
			QPSK	1	1	15.36		15.19		14.98	0
				1	67	15.37		15.32		14.91	0
				1	131	15.28		15.23		14.96	0
				64	0	15.25		15.27		14.92	0
				64	35	15.29		15.32		14.91	0
				64	69	15.31		15.18		14.86	0
				128	0	15.23		15.34		14.93	0
			16QAM	1	1	15.25		15.16		15.09	0
			64QAM	1	1	15.37		15.17		15.00	0
			256QAM	1	1	15.38		15.23		14.95	0
		CP	QPSK	1	1	14.88		15.16		14.97	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	15.27		15.22		14.95	0
				1	81	15.34		15.27		15.06	0
				1	160	15.22		15.23		14.96	0
				81	0	15.28		15.22		14.97	0
				81	41	15.32		15.27		14.94	0
				81	81	15.28		15.27		15.01	0
				162	0	15.34		15.30		14.96	0
			QPSK	1	1	15.38		15.27		15.00	0
				1	81	15.31		15.29		15.02	0
				1	160	15.32		15.32		15.08	0
				81	0	15.34		15.31		15.03	0
				81	41	15.24		15.22		14.91	0
				81	81	15.30		15.27		14.86	0
				162	0	15.23		15.27		14.99	0
			16QAM	1	1	15.34		15.21		15.09	0
			64QAM	1	1	15.36		15.18		14.96	0
			256QAM	1	1	15.30		15.25		14.92	0
		CP	QPSK	1	1	14.85		15.20		15.01	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	15.34				15.02	0
				1	95	15.34				14.94	0
				1	187	15.31				14.93	0
				90	0	15.33				14.99	0
				90	50	15.28				14.95	0
				90	99	15.35				14.97	0
				180	0	15.30				14.99	0
			QPSK	1	1	15.32				15.00	0
				1	95	15.33				15.04	0
				1	187	15.25				15.02	0
				90	0	15.23				14.97	0
				90	50	15.29				14.88	0
				90	99	15.24				14.86	0
				180	0	15.24				15.01	0
			16QAM	1	1	15.34				15.09	0
			64QAM	1	1	15.37				14.96	0
			256QAM	1	1	15.31				15.02	0
		CP	QPSK	1	1	14.87				14.93	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	15.36				14.97	0
				1	109	15.31				15.05	0
				1	215	15.21				14.91	0
				108	0	15.30				14.94	0
				108	55	15.34				14.94	0
				108	109	15.30				14.99	0
				216	0	15.23				14.98	0
			QPSK	1	1	15.28				15.05	0
				1	109	15.40				14.94	0
				1	215	15.31				15.06	0
				108	0	15.25				15.02	0
				108	55	15.30				14.94	0
				108	109	15.32				14.95	0
				216	0	15.28				14.95	0
			16QAM	1	1	15.26				15.02	0
			64QAM	1	1	15.38				14.97	0
			256QAM	1	1	15.33				15.00	0
		CP	QPSK	1	1	14.96				15.03	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.27			15.01	0
				1	123	15.35			14.94	0
				1	243	15.28			14.96	0
				120	0	15.22			14.95	0
				120	63	15.20			14.90	0
				120	125	15.26			14.96	0
				243	0	15.24			14.95	0
			QPSK	1	1	15.29			14.96	0
				1	123	15.35			14.94	0
				1	243	15.36			15.07	0
				120	0	15.23			14.96	0
				120	63	15.28			14.96	0
				120	125	15.23			14.99	0
				243	0	15.29			14.90	0
			16QAM	1	1	15.35			15.02	0
			64QAM	1	1	15.35			15.03	0
			256QAM	1	1	15.38			14.93	0
		CP	QPSK	1	1	14.83			14.93	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			15.04		0
				1	137			14.88		0
				1	271			15.25		0
				135	0			14.76		0
				135	69			14.92		0
				135	138			15.18		0
				270	0			14.95		0
			QPSK	1	1			15.51		0
				1	137			15.46		0
				1	271			15.27		0
				135	0			15.15		0
				135	69			15.29		0
				135	138			15.32		0
				270	0			15.15		0
			16QAM	1	1			15.42		0
			64QAM	1	1			15.50		0
			256QAM	1	1			15.42		0
		CP	QPSK	1	1			15.45		0

NR TDD Band n48 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB2 [Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.72	16.99	16.72	16.92	0
				1	12	16.74	16.89	16.73	16.95	0
				1	22	16.79	16.89	16.65	16.89	0
				12	0	16.58	16.94	16.29	16.87	0
				12	6	16.65	16.94	16.27	16.98	0
				12	12	16.73	16.98	16.61	16.97	0
				24	0	16.65	16.96	16.65	16.97	0
			QPSK	1	1	16.60	16.98	16.75	16.72	0
				1	12	16.70	16.91	16.70	16.95	0
				1	22	16.81	16.97	16.62	16.90	0
				12	0	16.60	16.95	16.70	16.82	0
				12	6	16.66	16.98	16.66	16.96	0
				12	12	16.73	16.98	16.63	16.97	0
				24	0	16.66	16.96	16.65	16.98	0
			16QAM	1	1	16.56	16.91	16.75	16.60	0
			64QAM	1	1	16.53	16.95	16.87	16.69	0
			256QAM	1	1	16.55	16.50	16.88	16.61	0
		CP	QPSK	1	1	16.06	16.98	16.73	16.78	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.68	16.89	16.70	16.98	0
				1	18	16.60	16.89	16.70	16.83	0
				1	36	16.66	16.95	16.58	16.82	0
				18	0	16.56	16.87	16.22	16.77	0
				18	9	16.64	16.84	16.17	16.94	0
				18	18	16.62	16.86	16.48	16.93	0
				36	0	16.64	16.89	16.52	16.94	0
			QPSK	1	1	16.51	16.98	16.63	16.69	0
				1	18	16.65	16.95	16.68	16.93	0
				1	36	16.76	16.93	16.51	16.89	0
				18	0	16.56	16.86	16.69	16.78	0
				18	9	16.65	16.97	16.58	16.99	0
				18	18	16.63	16.89	16.56	16.94	0
				36	0	16.64	16.82	16.59	16.97	0
			16QAM	1	1	16.55	16.80	16.69	16.54	0
			64QAM	1	1	16.39	16.86	16.84	16.57	0
			256QAM	1	1	16.43	16.37	16.74	16.59	0
		CP	QPSK	1	1	15.93	16.93	16.69	16.64	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.61	16.96	16.67	16.91	0
				1	26	16.71	16.95	16.68	16.81	0
				1	49	16.65	16.96	16.61	16.81	0
				25	0	16.47	16.92	16.15	16.77	0
				25	13	16.55	16.81	16.22	16.91	0
				25	26	16.65	16.89	16.51	16.97	0
				50	0	16.58	16.87	16.58	16.94	0
			QPSK	1	1	16.57	16.91	16.61	16.59	0
				1	26	16.68	16.87	16.58	16.92	0
				1	49	16.79	16.90	16.50	16.81	0
				25	0	16.55	16.90	16.67	16.68	0
				25	13	16.66	16.93	16.57	16.96	0
				25	26	16.64	16.93	16.52	16.95	0
				50	0	16.58	16.96	16.60	16.94	0
			16QAM	1	1	16.52	16.90	16.74	16.50	0
			64QAM	1	1	16.40	16.83	16.79	16.66	0
			256QAM	1	1	16.53	16.39	16.83	16.59	0
		CP	QPSK	1	1	16.02	16.87	16.73	16.66	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.62	16.92	16.59	16.99	0
				1	32	16.63	16.93	16.66	16.87	0
				1	63	16.74	16.98	16.56	16.77	0
				32	0	16.53	16.85	16.23	16.81	0
				32	17	16.54	16.82	16.22	16.94	0
				32	33	16.59	16.92	16.57	16.90	0
				64	0	16.59	16.83	16.52	16.92	0
			QPSK	1	1	16.57	16.90	16.65	16.61	0
				1	32	16.65	16.93	16.64	16.98	0
				1	63	16.73	16.90	16.58	16.82	0
				32	0	16.48	16.86	16.68	16.72	0
				32	17	16.64	16.87	16.61	16.98	0
				32	33	16.71	16.94	16.49	16.93	0
				64	0	16.53	16.82	16.53	16.92	0
			16QAM	1	1	16.56	16.85	16.73	16.46	0
			64QAM	1	1	16.43	16.87	16.74	16.60	0
			256QAM	1	1	16.41	16.36	16.77	16.48	0
		CP	QPSK	1	1	16.04	16.98	16.63	16.73	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.52	16.42		16.99	0
				1	53	16.92	16.99		16.95	0
				1	104	16.73	16.61		16.82	0
				50	0	16.78	16.94		16.79	0
				50	28	16.92	16.96		16.96	0
				50	56	16.89	16.85		16.95	0
				100	0	16.91	16.98		16.94	0
			QPSK	1	1	16.54	16.88		16.66	0
				1	53	16.82	16.95		16.98	0
				1	104	16.89	16.65		16.86	0
				50	0	16.78	16.92		16.78	0
				50	28	16.93	16.97		16.98	0
				50	56	16.91	16.81		16.95	0
				100	0	16.93	16.95		16.96	0
			16QAM	1	1	16.45	16.79		16.64	0
			64QAM	1	1	16.72	16.72		16.53	0
			256QAM	1	1	16.57	16.44		16.68	0
		CP	QPSK	1	1	16.59	16.87		16.89	0

NR TDD Band n48 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.06	13.63	13.20	13.29	0
				1	12	13.11	13.51	13.23	13.26	0
				1	22	13.11	13.26	13.26	13.22	0
				12	0	13.05	13.26	13.17	13.23	0
				12	6	13.08	13.23	13.18	13.21	0
				12	12	12.80	13.20	13.17	13.18	0
				24	0	12.79	13.20	13.17	13.20	0
			QPSK	1	1	12.76	13.20	13.18	13.25	0
				1	12	12.75	13.21	13.22	13.20	0
				1	22	12.79	13.15	13.19	13.18	0
				12	0	12.77	13.17	13.17	13.23	0
				12	6	12.77	13.14	13.16	13.20	0
				12	12	12.80	13.14	13.18	13.17	0
				24	0	12.78	13.14	13.15	13.20	0
			16QAM	1	1	12.88	13.21	13.16	13.24	0
			64QAM	1	1	12.91	13.24	13.11	13.28	0
			256QAM	1	1	13.03	13.19	13.10	13.21	0
		CP	QPSK	1	1	13.25	13.10	13.26	13.25	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.08	13.72	13.25	13.32	0
				1	18	13.13	13.59	13.29	13.36	0
				1	36	13.19	13.28	13.27	13.23	0
				18	0	13.13	13.27	13.21	13.32	0
				18	9	13.14	13.24	13.25	13.26	0
				18	18	13.07	13.23	13.17	13.24	0
				36	0	13.04	13.30	13.26	13.24	0
			QPSK	1	1	13.05	13.23	13.18	13.33	0
				1	18	12.99	13.29	13.27	13.23	0
				1	36	13.00	13.16	13.25	13.28	0
				18	0	13.03	13.22	13.24	13.32	0
				18	9	13.02	13.21	13.24	13.25	0
				18	18	13.01	13.21	13.19	13.23	0
				36	0	13.03	13.18	13.19	13.23	0
			16QAM	1	1	13.13	13.28	13.25	13.25	0
			64QAM	1	1	13.15	13.24	13.20	13.32	0
			256QAM	1	1	13.31	13.21	13.12	13.27	0
		CP	QPSK	1	1	13.47	13.16	13.28	13.26	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.32	13.69	13.27	13.30	0
				1	26	13.33	13.57	13.29	13.30	0
				1	49	13.34	13.33	13.34	13.25	0
				25	0	13.28	13.26	13.25	13.26	0
				25	13	13.31	13.27	13.20	13.28	0
				25	26	13.01	13.27	13.25	13.23	0
				50	0	13.04	13.25	13.25	13.24	0
			QPSK	1	1	13.05	13.25	13.23	13.27	0
				1	26	12.99	13.30	13.23	13.26	0
				1	49	13.01	13.22	13.22	13.27	0
				25	0	12.98	13.24	13.22	13.27	0
				25	13	13.00	13.17	13.25	13.30	0
				25	26	13.03	13.17	13.26	13.23	0
				50	0	12.98	13.16	13.23	13.26	0
			16QAM	1	1	13.15	13.23	13.20	13.32	0
			64QAM	1	1	13.17	13.29	13.18	13.33	0
			256QAM	1	1	13.29	13.22	13.17	13.22	0
		CP	QPSK	1	1	13.55	13.18	13.34	13.33	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.30	13.66	13.26	13.34	0
				1	32	13.32	13.55	13.30	13.27	0
				1	63	13.36	13.26	13.31	13.28	0
				32	0	13.33	13.28	13.19	13.30	0
				32	17	13.34	13.28	13.20	13.26	0
				32	33	13.04	13.23	13.18	13.23	0
				64	0	13.02	13.27	13.20	13.26	0
			QPSK	1	1	12.99	13.28	13.22	13.34	0
				1	32	12.97	13.24	13.24	13.29	0
				1	63	13.01	13.25	13.19	13.23	0
				32	0	13.02	13.23	13.17	13.31	0
				32	17	13.06	13.23	13.21	13.24	0
				32	33	13.06	13.20	13.21	13.23	0
				64	0	13.02	13.23	13.21	13.28	0
			16QAM	1	1	13.13	13.24	13.18	13.32	0
			64QAM	1	1	13.16	13.25	13.13	13.29	0
			256QAM	1	1	13.24	13.28	13.13	13.30	0
		CP	QPSK	1	1	13.45	13.17	13.34	13.29	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.69	13.71		13.31	0
				1	53	13.28	13.65		13.48	0
				1	104	13.24	13.49		13.34	0
				50	0	13.20	13.65		13.34	0
				50	28	13.25	13.49		13.34	0
				50	56	13.29	13.34		13.39	0
				100	0	13.21	13.33		13.43	0
			QPSK	1	1	13.22	13.29		13.34	0
				1	53	13.23	13.26		13.47	0
				1	104	13.26	13.26		13.30	0
				50	0	13.23	13.26		13.33	0
				50	28	13.26	13.30		13.43	0
				50	56	13.28	13.28		13.37	0
				100	0	13.26	13.29		13.43	0
			16QAM	1	1	13.40	13.44		13.48	0
			64QAM	1	1	13.28	13.10		13.27	0
			256QAM	1	1	13.22	13.25		13.04	0
		CP	QPSK	1	1	13.51	13.25		13.26	0

**NR FDD Band n66 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.29	20.43	20.41	0
				1	13	20.23	20.38	20.44	0
				1	23	20.25	20.46	20.44	0
				12	0	20.31	20.45	20.49	0
				12	7	20.31	20.46	20.44	0
				12	13	20.30	20.46	20.45	0
				25	0	20.35	20.43	20.47	0
			QPSK	1	1	20.36	20.41	20.48	0
				1	13	20.27	20.45	20.44	0
				1	23	20.30	20.45	20.48	0
				12	0	20.36	20.48	20.47	0
				12	7	20.36	20.46	20.47	0
				12	13	20.33	20.49	20.41	0
				25	0	20.33	20.44	20.45	0
			16QAM	1	1	20.42	20.48	20.48	0
			64QAM	1	1	20.32	20.46	20.41	0
			256QAM	1	1	20.25	20.40	20.46	0
		CP	QPSK	1	1	20.38	20.42	20.49	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.29	20.43	20.47	0
				1	26	20.20	20.30	20.42	0
				1	50	20.16	20.38	20.39	0
				25	0	20.22	20.38	20.45	0
				25	14	20.24	20.41	20.37	0
				25	27	20.29	20.40	20.45	0
				50	0	20.33	20.40	20.42	0
			QPSK	1	1	20.30	20.32	20.41	0
				1	26	20.22	20.37	20.36	0
				1	50	20.30	20.49	20.48	0
				25	0	20.27	20.41	20.41	0
				25	14	20.28	20.36	20.48	0
				25	27	20.25	20.43	20.44	0
				50	0	20.31	20.41	20.41	0
			16QAM	1	1	20.32	20.44	20.47	0
			64QAM	1	1	20.27	20.44	20.40	0
			256QAM	1	1	20.21	20.34	20.37	0
		CP	QPSK	1	1	20.28	20.40	20.47	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.21	20.38	20.48	0
				1	40	20.14	20.34	20.41	0
				1	77	20.22	20.40	20.40	0
				36	0	20.30	20.44	20.49	0
				36	22	20.30	20.41	20.36	0
				36	43	20.28	20.42	20.35	0
				75	0	20.28	20.39	20.39	0
			QPSK	1	1	20.32	20.37	20.40	0
				1	40	20.20	20.44	20.42	0
				1	77	20.26	20.49	20.39	0
				36	0	20.30	20.48	20.44	0
				36	22	20.32	20.37	20.45	0
				36	43	20.30	20.44	20.46	0
				75	0	20.32	20.42	20.49	0
			16QAM	1	1	20.33	20.43	20.43	0
			64QAM	1	1	20.26	20.47	20.41	0
			256QAM	1	1	20.19	20.36	20.40	0
		CP	QPSK	1	1	20.29	20.38	20.45	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.27	20.37	20.46	0
				1	53	20.20	20.34	20.34	0
				1	104	20.18	20.45	20.44	0
				50	0	20.27	20.37	20.46	0
				50	28	20.24	20.45	20.35	0
				50	56	20.29	20.37	20.43	0
				100	0	20.27	20.40	20.42	0
			QPSK	1	1	20.34	20.32	20.47	0
				1	53	20.23	20.45	20.41	0
				1	104	20.24	20.44	20.42	0
				50	0	20.33	20.45	20.46	0
				50	28	20.27	20.43	20.44	0
				50	56	20.27	20.44	20.49	0
				100	0	20.30	20.41	20.41	0
			16QAM	1	1	20.38	20.40	20.47	0
			64QAM	1	1	20.24	20.47	20.43	0
			256QAM	1	1	20.20	20.31	20.37	0
		CP	QPSK	1	1	20.35	20.36	20.44	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.25	20.36	20.46	0
				1	66	20.22	20.35	20.38	0
				1	131	20.21	20.36	20.42	0
				64	0	20.25	20.39	20.41	0
				64	35	20.23	20.42	20.41	0
				64	69	20.25	20.43	20.36	0
			QPSK	128	0	20.35	20.34	20.39	0
				1	1	20.36	20.33	20.43	0
				1	66	20.18	20.40	20.36	0
				1	131	20.24	20.43	20.40	0
				64	0	20.26	20.47	20.38	0
				64	35	20.36	20.42	20.45	0
				64	69	20.32	20.47	20.42	0
				128	0	20.31	20.41	20.46	0
			16QAM	1	1	20.39	20.40	20.43	0
			64QAM	1	1	20.27	20.48	20.43	0
			256QAM	1	1	20.17	20.39	20.41	0
		CP	QPSK	1	1	20.30	20.40	20.41	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.35	0	
				1	80	20.33	0	
				1	158	20.40	0	
				80	0	20.40	0	
				80	40	20.37	0	
				80	80	20.42	0	
			QPSK	160	0	20.37	0	
				1	1	20.35	0	
				1	80	20.36	0	
				1	158	20.42	0	
				80	0	20.44	0	
				80	40	20.40	0	
				80	80	20.49	0	
				160	0	20.36	0	
			16QAM	1	1	20.47	0	
			64QAM	1	1	20.44	0	
			256QAM	1	1	20.38	0	
		CP	QPSK	1	1	20.40	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.38	0
				1	98	20.33	0
				1	186	20.41	0
				90	0	20.37	0
				90	45	20.44	0
				90	90	20.41	0
			QPSK	180	0	20.37	0
				1	1	20.37	0
				1	98	20.45	0
				1	186	20.50	0
				90	0	20.43	0
				90	45	20.37	0
				90	90	20.40	0
				180	0	20.38	0
			16QAM	1	1	20.38	0
			64QAM	1	1	20.47	0
			256QAM	1	1	20.39	0
		CP	QPSK	1	1	20.38	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.11	0
				1	108	20.28	0
				1	214	20.40	0
				108	0	20.16	0
				108	54	20.26	0
				108	108	20.41	0
			QPSK	216	0	20.32	0
				1	1	20.16	0
				1	108	20.37	0
				1	214	20.44	0
				108	0	20.23	0
				108	54	20.28	0
				108	108	20.40	0
				216	0	20.31	0
			16QAM	1	1	20.22	0
			64QAM	1	1	20.00	0
			256QAM	1	1	20.25	0
		CP	QPSK	1	1	20.22	0

NR FDD Band n66 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.01	18.08	18.28	0
				1	13	17.97	18.08	18.22	0
				1	23	17.95	18.14	18.26	0
				12	0	18.08	18.12	18.27	0
				12	7	17.99	18.15	18.21	0
				12	13	18.03	18.19	18.25	0
				25	0	18.03	18.16	18.25	0
			QPSK	1	1	18.00	18.13	18.31	0
				1	13	17.96	18.08	18.19	0
				1	23	18.01	18.19	18.25	0
				12	0	18.02	18.12	18.28	0
				12	7	18.06	18.16	18.23	0
				12	13	17.94	18.16	18.28	0
				25	0	18.02	18.13	18.28	0
			16QAM	1	1	17.99	18.28	18.30	0
			64QAM	1	1	18.09	18.28	18.25	0
			256QAM	1	1	18.15	18.00	18.36	0
		CP	QPSK	1	1	18.14	18.14	18.37	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.93	18.07	18.16	0
				1	26	17.96	17.94	18.12	0
				1	50	17.85	18.10	18.25	0
				25	0	18.01	18.06	18.16	0
				25	14	17.93	18.07	18.07	0
				25	27	18.02	18.16	18.23	0
				50	0	17.89	18.07	18.23	0
			QPSK	1	1	17.92	18.05	18.31	0
				1	26	17.84	18.01	18.06	0
				1	50	17.94	18.05	18.13	0
				25	0	17.92	18.05	18.25	0
				25	14	18.02	18.11	18.21	0
				25	27	17.90	18.11	18.26	0
				50	0	17.94	18.08	18.27	0
			16QAM	1	1	17.97	18.21	18.28	0
			64QAM	1	1	18.08	18.23	18.15	0
			256QAM	1	1	18.04	17.90	18.33	0
		CP	QPSK	1	1	18.07	18.05	18.26	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.99	18.07	18.14	0
				1	40	17.89	18.00	18.19	0
				1	77	17.93	18.08	18.16	0
				36	0	17.98	17.99	18.18	0
				36	22	17.86	18.11	18.13	0
				36	43	17.93	18.11	18.23	0
				75	0	17.96	18.07	18.17	0
			QPSK	1	1	17.99	18.01	18.30	0
				1	40	17.89	18.06	18.05	0
				1	77	17.88	18.17	18.22	0
				36	0	17.90	17.99	18.26	0
				36	22	17.96	18.06	18.22	0
				36	43	17.84	18.02	18.16	0
				75	0	17.89	18.06	18.20	0
			16QAM	1	1	17.90	18.28	18.18	0
			64QAM	1	1	18.06	18.17	18.13	0
			256QAM	1	1	18.13	17.91	18.29	0
		CP	QPSK	1	1	18.11	18.08	18.28	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.89	18.01	18.26	0
				1	53	17.89	17.99	18.21	0
				1	104	17.86	18.13	18.22	0
				50	0	17.95	18.07	18.24	0
				50	28	17.89	18.08	18.13	0
				50	56	17.96	18.14	18.20	0
				100	0	17.97	18.16	18.16	0
			QPSK	1	1	17.96	18.09	18.25	0
				1	53	17.87	18.00	18.12	0
				1	104	17.92	18.14	18.24	0
				50	0	17.88	18.04	18.27	0
				50	28	18.03	18.06	18.20	0
				50	56	17.82	18.14	18.19	0
				100	0	18.01	18.04	18.17	0
			16QAM	1	1	17.86	18.15	18.25	0
			64QAM	1	1	18.00	18.19	18.17	0
			256QAM	1	1	18.14	17.91	18.26	0
		CP	QPSK	1	1	18.09	18.06	18.25	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.96	18.00	18.15	0
				1	66	17.86	18.06	18.13	0
				1	131	17.83	18.08	18.20	0
				64	0	18.01	18.12	18.20	0
				64	35	17.94	18.01	18.12	0
				64	69	18.00	18.13	18.22	0
			QPSK	128	0	17.93	18.14	18.16	0
				1	1	17.91	18.11	18.19	0
				1	66	17.83	17.97	18.17	0
				1	131	17.90	18.14	18.12	0
				64	0	17.94	18.03	18.25	0
				64	35	18.01	18.10	18.12	0
				64	69	17.87	18.12	18.20	0
				128	0	18.02	17.99	18.17	0
			16QAM	1	1	17.98	18.24	18.17	0
			64QAM	1	1	18.03	18.17	18.12	0
			256QAM	1	1	18.07	17.93	18.32	0
		CP	QPSK	1	1	18.01	18.11	18.32	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.94	0
				1	80	17.96	0
				1	158	18.09	0
				80	0	18.06	0
				80	40	18.08	0
				80	80	18.15	0
			QPSK	160	0	18.04	0
				1	1	18.09	0
				1	80	17.94	0
				1	158	18.17	0
				80	0	18.02	0
				80	40	18.04	0
				80	80	18.09	0
				160	0	18.13	0
			16QAM	1	1	18.19	0
			64QAM	1	1	18.26	0
			256QAM	1	1	17.87	0
		CP	QPSK	1	1	18.13	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.02	0
				1	98	17.94	0
				1	186	18.02	0
				90	0	18.11	0
				90	45	18.14	0
				90	90	18.18	0
			QPSK	180	0	18.13	0
				1	1	18.05	0
				1	98	18.05	0
				1	186	18.13	0
				90	0	18.03	0
				90	45	18.14	0
				90	90	18.10	0
				180	0	18.13	0
			16QAM	1	1	18.26	0
			64QAM	1	1	18.18	0
			256QAM	1	1	17.93	0
		CP	QPSK	1	1	18.00	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.01	0
				1	108	18.20	0
				1	214	18.29	0
				108	0	18.02	0
				108	54	18.21	0
				108	108	18.30	0
			QPSK	216	0	18.20	0
				1	1	18.08	0
				1	108	18.20	0
				1	214	18.33	0
				108	0	18.06	0
				108	54	18.17	0
				108	108	18.32	0
				216	0	18.20	0
			16QAM	1	1	18.09	0
			64QAM	1	1	18.24	0
			256QAM	1	1	17.99	0
		CP	QPSK	1	1	18.08	0

**NR FDD Band n70 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB5 [Ant I]**

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.36	20.27	20.33	0
				1	13	20.29	20.29	20.33	0
				1	23	20.37	20.33	20.38	0
				12	0	20.40	20.32	20.41	0
				12	7	20.41	20.34	20.40	0
				12	13	20.45	20.32	20.40	0
				25	0	20.36	20.35	20.38	0
			QPSK	1	1	20.45	20.34	20.39	0
				1	13	20.38	20.32	20.35	0
				1	23	20.43	20.35	20.41	0
				12	0	20.46	20.34	20.41	0
				12	7	20.45	20.32	20.41	0
				12	13	20.46	20.33	20.41	0
				25	0	20.47	20.39	20.39	0
			16QAM	1	1	20.43	20.34	20.38	0
			64QAM	1	1	20.48	20.45	20.45	0
			256QAM	1	1	20.42	20.29	20.33	0
		CP	QPSK	1	1	20.36	20.30	20.12	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.24	20.19	20.20	0
				1	26	20.23	20.23	20.33	0
				1	50	20.32	20.29	20.29	0
				25	0	20.35	20.20	20.39	0
				25	14	20.35	20.22	20.32	0
				25	27	20.39	20.31	20.36	0
			QPSK	50	0	20.30	20.23	20.33	0
				1	1	20.41	20.26	20.34	0
				1	26	20.36	20.32	20.27	0
				1	50	20.36	20.31	20.38	0
				25	0	20.36	20.22	20.35	0
				25	14	20.35	20.21	20.29	0
				25	27	20.43	20.27	20.30	0
				50	0	20.41	20.30	20.30	0
			16QAM	1	1	20.35	20.28	20.33	0
			64QAM	1	1	20.35	20.37	20.32	0
			256QAM	1	1	20.29	20.20	20.31	0
		CP	QPSK	1	1	20.28	20.22	20.05	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						340500		
						1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.34		0
				1	40	20.32		0
				1	77	20.35		0
				36	0	20.39		0
				36	22	20.40		0
				36	43	20.41		0
			QPSK	75	0	20.35		0
				1	1	20.35		0
				1	40	20.33		0
				1	77	20.38		0
				36	0	20.40		0
				36	22	20.38		0
				36	43	20.36		0
				75	0	20.37		0
			16QAM	1	1	20.45		0
			64QAM	1	1	20.35		0
			256QAM	1	1	20.39		0
		CP	QPSK	1	1	20.34		0

NR FDD Band n70 Conducted Power_ Measured Folder Open RCV(RSI 1)_

SUB5 [Ant I]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.03	18.05	18.04	0
				1	13	17.91	18.01	18.00	0
				1	23	17.94	18.05	18.12	0
				12	0	17.94	18.12	18.11	0
				12	7	17.98	18.07	18.14	0
				12	13	17.69	18.07	18.15	0
				25	0	17.99	18.07	18.12	0
			QPSK	1	1	18.07	18.06	18.08	0
				1	13	18.00	18.01	18.08	0
				1	23	18.07	18.05	18.13	0
				12	0	18.09	18.06	18.10	0
				12	7	18.11	18.10	18.13	0
				12	13	18.08	18.07	18.08	0
				25	0	18.13	18.05	18.15	0
			16QAM	1	1	18.08	18.12	18.08	0
			64QAM	1	1	18.17	18.14	18.06	0
			256QAM	1	1	18.25	18.04	17.99	0
		CP	QPSK	1	1	18.16	18.08	18.03	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.07	18.18	18.11	0
				1	26	17.99	18.10	18.00	0
				1	50	18.05	18.14	18.26	0
				25	0	18.00	18.26	18.11	0
				25	14	18.05	18.18	18.25	0
				25	27	17.77	18.14	18.25	0
				50	0	18.13	18.14	18.25	0
			QPSK	1	1	18.17	18.11	18.14	0
				1	26	18.12	18.15	18.18	0
				1	50	18.12	18.16	18.19	0
				25	0	18.16	18.13	18.10	0
				25	14	18.15	18.13	18.23	0
				25	27	18.10	18.08	18.15	0
				50	0	18.15	18.10	18.16	0
			16QAM	1	1	18.10	18.18	18.15	0
			64QAM	1	1	18.23	18.21	18.06	0
			256QAM	1	1	18.26	18.09	18.13	0
		CP	QPSK	1	1	18.27	18.17	18.06	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.20	0
				1	40	18.11	0
				1	77	18.17	0
				36	0	18.14	0
				36	22	18.15	0
				36	43	18.15	0
				75	0	18.21	0
			QPSK	1	1	18.09	0
				1	40	18.07	0
				1	77	17.99	0
				36	0	17.95	0
				36	22	17.97	0
				36	43	17.96	0
				75	0	17.91	0
			16QAM	1	1	17.93	0
			64QAM	1	1	18.10	0
			256QAM	1	1	17.99	0
		CP	QPSK	1	1	18.06	0

NR FDD Band n71 Conducted Power_ Measured Folder Open Free (RSI 0),
Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4)
_ SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.05	18.95	18.88	0
				1	13	19.01	18.88	18.87	0
				1	23	19.05	18.99	18.89	0
				12	0	19.05	18.96	18.87	0
				12	7	19.08	18.94	18.84	0
				12	13	19.04	18.92	18.87	0
				25	0	19.04	18.94	18.88	0
			QPSK	1	1	19.12	18.94	18.91	0
				1	13	19.00	18.90	18.79	0
				1	23	19.08	18.91	18.88	0
				12	0	19.06	18.96	18.86	0
				12	7	19.05	18.98	18.87	0
				12	13	19.09	18.97	18.83	0
				25	0	19.07	18.95	18.89	0
			16QAM	1	1	19.06	18.97	18.96	0
			64QAM	1	1	19.05	19.07	19.00	0
			256QAM	1	1	18.95	18.65	18.65	0
		CP	QPSK	1	1	19.08	18.89	18.88	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.07	19.06	18.93	0
				1	26	19.08	18.91	18.97	0
				1	50	19.17	19.05	18.93	0
				25	0	19.18	19.01	18.99	0
				25	14	19.17	19.06	18.88	0
				25	27	19.13	18.99	19.00	0
			QPSK	50	0	19.06	19.07	18.99	0
				1	1	19.17	19.06	19.02	0
				1	26	19.05	18.94	18.91	0
				1	50	19.14	18.96	18.94	0
				25	0	19.19	18.99	18.99	0
				25	14	19.05	19.06	19.01	0
				25	27	19.18	19.03	18.92	0
				50	0	19.13	19.00	18.98	0
			16QAM	1	1	19.10	18.98	19.02	0
			64QAM	1	1	19.14	19.08	19.04	0
			256QAM	1	1	18.99	18.77	18.75	0
		CP	QPSK	1	1	19.19	19.00	18.98	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.98		0
				1	40	18.89		0
				1	77	19.10		0
				36	0	19.01		0
				36	22	19.05		0
				36	43	19.06		0
				75	0	19.02		0
			QPSK	1	1	19.08		0
				1	40	19.02		0
				1	77	19.04		0
				36	0	19.05		0
				36	22	19.01		0
				36	43	19.06		0
				75	0	18.96		0
			16QAM	1	1	19.04		0
			64QAM	1	1	19.09		0
			256QAM	1	1	18.75		0
		CP	QPSK	1	1	18.99		0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.08	0
				1	53	19.08	0
				1	104	18.99	0
				50	0	19.07	0
				50	28	19.05	0
				50	56	18.99	0
				100	0	18.98	0
			QPSK	1	1	19.04	0
				1	53	19.04	0
				1	104	18.92	0
				50	0	19.06	0
				50	28	18.98	0
				50	56	18.97	0
				100	0	19.01	0
			16QAM	1	1	19.11	0
			64QAM	1	1	19.05	0
			256QAM	1	1	18.68	0
		CP	OPSK	1	1	18.72	0

NR FDD Band n71 Conducted Power_ Measured Folder Open RCV(RSI 1) _

SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.47	18.38	18.31	0
				1	13	18.36	18.33	18.25	0
				1	23	18.46	18.39	18.29	0
				12	0	18.50	18.39	18.30	0
				12	7	18.49	18.36	18.34	0
				12	13	18.45	18.37	18.33	0
				25	0	18.45	18.34	18.33	0
			QPSK	1	1	18.50	18.43	18.30	0
				1	13	18.47	18.36	18.27	0
				1	23	18.47	18.39	18.30	0
				12	0	18.49	18.36	18.31	0
				12	7	18.50	18.42	18.29	0
				12	13	18.46	18.35	18.26	0
				25	0	18.54	18.37	18.32	0
			16QAM	1	1	18.71	18.55	18.41	0
			64QAM	1	1	18.49	18.25	18.34	0
			256QAM	1	1	18.51	18.40	18.36	0
		CP	QPSK	1	1	18.41	18.45	18.33	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.53	18.40	18.36	0
				1	26	18.41	18.37	18.32	0
				1	50	18.49	18.50	18.33	0
				25	0	18.61	18.41	18.34	0
				25	14	18.54	18.42	18.35	0
				25	27	18.55	18.51	18.46	0
			QPSK	50	0	18.50	18.40	18.46	0
				1	1	18.54	18.51	18.42	0
				1	26	18.49	18.45	18.38	0
				1	50	18.55	18.49	18.36	0
				25	0	18.54	18.42	18.40	0
				25	14	18.64	18.53	18.29	0
				25	27	18.59	18.47	18.39	0
				50	0	18.65	18.38	18.38	0
			16QAM	1	1	18.84	18.66	18.42	0
			64QAM	1	1	18.54	18.31	18.42	0
			256QAM	1	1	18.58	18.45	18.42	0
		CP	QPSK	1	1	18.54	18.57	18.35	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.51		0
				1	40	18.35		0
				1	77	18.45		0
				36	0	18.49		0
				36	22	18.41		0
				36	43	18.51		0
				75	0	18.43		0
			QPSK	1	1	18.55		0
				1	40	18.42		0
				1	77	18.50		0
				36	0	18.37		0
				36	22	18.46		0
				36	43	18.37		0
				75	0	18.42		0
			16QAM	1	1	18.59		0
			64QAM	1	1	18.34		0
			256QAM	1	1	18.45		0
		CP	QPSK	1	1	18.55		0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.39		0
				1	53	18.40		0
				1	104	18.34		0
				50	0	18.42		0
				50	28	18.38		0
				50	56	18.34		0
				100	0	18.42		0
			QPSK	1	1	18.44		0
				1	53	18.37		0
				1	104	18.32		0
				50	0	18.41		0
				50	28	18.36		0
				50	56	18.39		0
				100	0	18.41		0
			16QAM	1	1	18.48		0
			64QAM	1	1	18.48		0
			256QAM	1	1	18.43		0
		CP	QPSK	1	1	18.42		0

NR TDD Band n77(PC2) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.73	17.22	17.41	15.82	15.40	15.21	0
				1	12	17.01	17.37	17.46	15.84	15.38	15.39	0
				1	22	16.98	17.35	17.40	15.61	15.24	15.55	0
				12	0	16.95	17.22	17.13	15.93	15.31	15.22	0
				12	6	16.87	17.26	16.98	15.79	15.31	15.36	0
				12	12	17.01	17.29	16.96	15.70	15.25	15.44	0
			QPSK	24	0	16.98	17.27	16.95	15.80	15.23	15.33	0
				1	1	16.94	17.22	16.94	15.97	15.21	15.22	0
				1	12	16.96	17.28	16.98	15.77	15.25	15.42	0
				1	22	17.01	17.34	16.95	15.56	15.08	15.51	0
				12	0	16.95	17.22	17.29	15.90	15.20	15.24	0
				12	6	16.98	17.26	17.31	15.79	15.17	15.33	0
				12	12	17.02	17.30	17.33	15.68	15.10	15.44	0
				24	0	16.97	17.26	17.30	15.81	15.14	15.34	0
			16QAM	1	1	17.00	17.30	17.36	15.97	15.11	15.20	0
			64QAM	1	1	17.09	17.28	17.30	16.05	15.20	15.16	0
			256QAM	1	1	17.11	17.23	17.31	16.04	15.16	15.13	0
		CP	QPSK	1	1	16.93	16.98	17.12	16.12	15.16	15.23	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.97	17.19	17.43	16.19	15.07	15.16	0
				1	18	17.03	17.28	17.39	15.78	15.07	15.41	0
				1	36	17.08	17.39	17.39	15.54	15.04	15.74	0
				18	0	17.01	17.23	17.44	16.02	15.26	15.30	0
				18	9	17.05	17.31	17.44	15.88	15.40	15.45	0
				18	18	17.08	17.21	17.40	15.68	15.38	15.57	0
			QPSK	36	0	17.06	17.33	17.43	15.86	15.41	15.45	0
				1	1	17.05	17.23	17.45	16.19	15.41	15.10	0
				1	18	17.06	17.28	17.41	15.82	15.33	15.39	0
				1	36	17.10	17.34	17.40	15.56	15.21	15.72	0
				18	0	17.03	17.26	17.46	16.01	15.49	15.30	0
				18	9	17.04	17.32	17.42	15.84	15.40	15.45	0
				18	18	17.08	17.34	17.04	15.67	15.63	15.60	0
				36	0	17.05	17.31	17.05	15.85	15.62	15.44	0
			16QAM	1	1	16.99	17.25	16.96	16.19	15.51	15.29	0
			64QAM	1	1	16.98	17.20	17.46	16.13	15.62	15.26	0
			256QAM	1	1	16.97	17.02	17.46	16.15	15.53	15.19	0
		CP	QPSK	1	1	16.99	17.12	17.46	16.18	15.05	15.19	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.09	17.22	17.42	15.96	15.08	15.07	0
				1	26	17.13	17.35	17.42	15.45	15.16	15.42	0
				1	49	17.12	17.45	17.34	15.07	15.05	15.80	0
				25	0	17.07	17.26	17.45	15.71	15.16	15.20	0
				25	13	17.13	17.35	17.44	15.46	15.17	15.42	0
				25	26	17.12	17.39	17.42	15.24	15.10	15.62	0
			QPSK	50	0	17.12	17.33	17.44	15.48	15.18	15.40	0
				1	1	17.06	17.19	17.39	15.91	15.11	15.02	0
				1	26	17.11	17.33	17.38	15.42	15.17	15.42	0
				1	49	17.11	17.44	17.34	15.02	15.06	15.74	0
				25	0	17.09	17.27	17.44	15.70	15.17	15.18	0
				25	13	17.12	17.34	17.43	15.48	15.17	15.58	0
				25	26	17.13	17.40	17.42	15.23	15.13	15.64	0
				50	0	17.11	17.34	17.44	15.47	15.17	15.39	0
			16QAM	1	1	17.29	17.22	17.37	15.85	15.10	15.11	0
			64QAM	1	1	17.03	17.17	17.39	15.92	15.08	15.13	0
			256QAM	1	1	17.09	17.20	17.41	16.30	15.15	15.01	0
		CP	QPSK	1	1	17.11	17.02	17.32	16.34	15.11	15.15	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.15	17.41	17.45	16.48	15.00	15.14	0
				1	32	17.19	17.46	17.41	15.97	15.15	15.70	0
				1	63	17.14	17.44	17.30	15.69	15.03	16.15	0
				32	0	17.16	17.31	17.45	16.18	15.10	15.33	0
				32	17	17.18	17.38	17.45	15.87	15.16	15.67	0
				32	33	17.15	17.45	17.39	15.58	15.14	15.95	0
			QPSK	64	0	17.17	17.40	17.44	15.91	15.15	15.63	0
				1	1	17.12	17.22	17.42	16.16	15.01	15.06	0
				1	32	17.18	17.38	17.46	15.53	15.17	15.64	0
				1	63	17.12	17.43	17.32	15.32	15.06	16.22	0
				32	0	17.16	17.32	17.45	15.80	15.11	15.34	0
				32	17	17.17	17.40	17.44	15.49	15.15	15.65	0
				32	33	17.17	17.44	17.40	15.95	15.14	15.94	0
				64	0	17.16	17.38	17.45	15.50	15.17	15.63	0
			16QAM	1	1	17.13	17.20	17.40	16.04	15.10	15.12	0
			64QAM	1	1	17.21	17.25	17.36	16.08	15.05	15.10	0
			256QAM	1	1	17.25	17.28	17.49	16.41	15.34	15.10	0
		CP	QPSK	1	1	17.12	17.20	17.43	16.46	15.44	15.31	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.96	16.98	17.23	16.91	15.04	15.03	0
				1	39	16.99	17.36	17.40	16.11	15.36	15.49	0
				1	76	17.01	17.28	17.21	15.86	15.17	16.03	0
				36	0	17.10	17.14	17.26	16.51	15.19	15.08	0
				36	21	17.03	17.26	17.28	16.08	15.31	15.43	0
				36	42	17.06	17.35	17.25	15.65	15.28	15.80	0
			QPSK	75	0	17.06	17.26	17.30	16.11	15.30	15.42	0
				1	1	17.01	17.02	17.21	16.83	15.10	15.15	0
				1	39	17.09	17.34	17.30	16.09	15.35	15.42	0
				1	76	17.11	17.45	17.19	15.87	15.21	15.88	0
				36	0	17.04	17.14	17.26	16.52	15.22	15.09	0
				36	21	17.05	17.27	17.28	16.06	15.30	15.44	0
				36	42	17.06	17.35	17.24	15.64	15.29	15.79	0
				75	0	17.07	17.27	17.30	16.08	15.29	15.43	0
			16QAM	1	1	17.07	17.04	17.26	16.80	15.10	15.05	0
			64QAM	1	1	17.03	17.03	17.19	16.83	15.05	15.09	0
			256QAM	1	1	16.99	16.99	17.20	16.84	15.19	15.08	0
		CP	QPSK	1	1	17.12	16.98	17.25	16.87	15.03	15.11	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.11	17.11	17.23	16.11	15.29	15.11	0
				1	53	17.18	17.38	17.36	16.15	15.37	15.10	0
				1	104	17.04	17.35	17.04	16.18	15.09	15.98	0
				50	0	17.17	17.22	17.27	16.72	15.11	15.08	0
				50	28	17.16	17.34	17.32	16.15	15.30	15.13	0
				50	56	17.07	17.40	17.21	15.59	15.30	15.60	0
			QPSK	100	0	17.18	17.36	17.32	16.21	15.29	15.01	0
				1	1	17.10	17.09	17.25	17.01	15.27	15.11	0
				1	53	17.22	17.36	17.37	16.17	15.39	15.02	0
				1	104	17.09	17.36	17.06	15.89	15.08	15.93	0
				50	0	17.17	17.22	17.28	16.70	15.13	15.15	0
				50	28	17.18	17.37	17.31	16.13	15.30	15.05	0
				50	56	17.07	17.37	17.21	15.60	15.26	15.58	0
				100	0	17.17	17.36	17.35	16.19	15.31	15.00	0
			16QAM	1	1	17.17	17.12	17.10	17.20	15.25	15.03	0
			64QAM	1	1	16.83	17.06	17.25	16.86	15.37	15.14	0
			256QAM	1	1	16.88	17.04	17.24	16.87	15.30	15.11	0
		CP	QPSK	1	1	16.92	16.85	17.21	16.87	15.28	15.19	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01	3782.49	3840		3897.51		3954.99
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.03	15.56	17.30		16.00	15.29	0
				1	67	17.02	17.37	16.80		15.04	15.06	0
				1	131	17.07	17.38	16.07		15.40	15.93	0
				64	0	17.05	17.03	17.20		15.46	15.82	0
				64	35	17.03	17.41	16.83		15.07	15.09	0
				64	69	17.02	17.32	16.61		15.27	15.47	0
			QPSK	128	0	17.03	17.43	16.88		15.09	15.14	0
				1	1	17.00	17.39	17.41		16.06	15.34	0
				1	67	17.02	17.31	16.82		15.03	15.15	0
				1	131	17.13	17.36	16.07		15.40	15.92	0
				64	0	17.07	17.49	17.18		15.46	15.07	0
				64	35	17.04	17.39	16.59		15.06	15.17	0
				64	69	16.99	17.32	16.60		15.28	15.46	0
				128	0	17.04	17.42	16.89		15.10	15.19	0
			16QAM	1	1	17.14	17.49	17.19		16.03	15.46	0
			64QAM	1	1	17.14	17.37	17.34		16.07	15.28	0
			256QAM	1	1	17.14	17.45	17.44		15.97	15.33	0
		CP	QPSK	1	1	17.01	16.42	17.35		16.00	15.33	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.10	17.23			16.08	15.44	0
				1	81	17.09	17.38			15.58	15.05	0
				1	160	17.33	17.14			15.05	16.04	0
				81	0	17.16	17.43			16.36	16.01	0
				81	41	17.05	17.38			15.59	15.01	0
				81	81	17.06	17.41			15.06	15.61	0
			162	0	17.06	17.40			15.64	15.16	0	
			QPSK	1	1	17.05	17.46			17.12	15.52	0
				1	81	17.10	17.35			15.65	15.05	0
				1	160	17.16	17.06			15.08	16.07	0
				81	0	17.15	17.43			16.35	15.05	0
				81	41	17.07	17.39			15.59	15.01	0
				81	81	17.06	17.40			15.06	15.59	0
			162	0	17.06	17.41			15.63	15.02	0	
			16QAM	1	1	17.20	17.42			17.03	15.63	0
			64QAM	1	1	17.01	17.45			17.34	15.46	0
			256QAM	1	1	17.14	17.36			17.08	15.47	0
		CP	QPSK	1	1	15.57	16.55			17.11	15.49	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.11	17.12			17.18	15.49	0
				1	95	16.96	17.18			15.61	15.09	0
				1	187	17.41	16.70			15.23	16.20	0
				90	0	17.35	17.32			16.59	15.18	0
				90	50	16.94	17.21			15.64	15.11	0
				90	99	17.16	17.14			15.04	15.21	0
			QPSK	180	0	16.99	17.12			15.80	15.16	0
				1	1	17.07	17.42			17.17	15.42	0
				1	95	16.94	17.21			15.63	15.20	0
				1	187	17.39	16.75			15.24	16.02	0
				90	0	16.58	17.31			16.60	15.16	0
				90	50	16.94	17.21			15.65	15.18	0
				90	99	17.16	17.13			15.03	15.19	0
				180	0	16.97	17.11			15.77	15.08	0
			16QAM	1	1	17.02	17.40			17.24	15.32	0
			64QAM	1	1	17.02	17.48			17.18	15.37	0
			256QAM	1	1	17.11	17.42			16.83	15.46	0
		CP	QPSK	1	1	16.10	17.43			16.42	15.14	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.99		16.97		15.06		0
				1	109	16.99		16.82		15.14		0
				1	215	17.18		16.99		15.83		0
				108	0	17.19		17.39		15.11		0
				108	55	17.01		16.83		15.11		0
				108	109	16.88		16.26		15.23		0
			QPSK	216	0	17.04		16.91		15.18		0
				1	1	17.28		17.12		15.05		0
				1	109	17.00		16.82		15.05		0
				1	215	17.40		16.87		15.81		0
				108	0	17.19		17.40		15.11		0
				108	55	17.03		17.35		15.36		0
				108	109	17.33		17.39		15.24		0
				216	0	17.05		16.90		15.13		0
			16QAM	1	1	17.25		17.35		15.03		0
			64QAM	1	1	17.28		17.47		15.06		0
			256QAM	1	1	17.34		17.48		15.41		0
		CP	QPSK	1	1	16.11		16.98		15.52		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.65		17.00		15.78	0
				1	123	16.94		16.80		15.03	0
				1	243	17.47		16.98		16.12	0
				120	0	17.08		17.43		15.62	0
				120	63	17.11		16.83		15.09	0
				120	125	17.04		16.14		15.7	0
			QPSK	243	0	16.42		17.12		15.28	0
				1	1	17.29		17.47		15.37	0
				1	123	16.96		16.78		15.04	0
				1	243	17.45		16.98		15.68	0
				120	0	17.07		17.44		15.19	0
				120	63	16.97		17.11		15.35	0
				120	125	17.42		16.14		15.41	0
				243	0	17.03		16.95		15.39	0
			16QAM	1	1	17.26		17.00		15.48	0
			64QAM	1	1	17.28		17.11		15.39	0
			256QAM	1	1	17.30		17.39		15.83	0
		CP	QPSK	1	1	17.35		16.97		15.55	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.45				16.06	0
				1	137	16.99				15.00	0
				1	271	17.29				16.16	0
				135	0	17.18				15.24	0
				135	69	17.07				15.05	0
				135	138	17.46				15.36	0
				270	0	17.16				15.17	0
			QPSK	1	1	17.42				16.12	0
				1	137	17.04				16.10	0
				1	271	17.48				16.08	0
				135	0	17.16				15.98	0
				135	69	17.08				15.06	0
				135	138	17.14				15.69	0
				270	0	17.35				15.17	0
			16QAM	1	1	17.35				16.12	0
			64QAM	1	1	17.46				15.96	0
			256QAM	1	1	17.44				16.05	0
		CP	QPSK	1	1	17.10				16.06	0

NR TDD Band n77 DoD(PC2) Conducted Power_ Measured Folder Open Free
(RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.92	17.07	17.39	0
				1	12	16.90	17.18	17.48	0
				1	22	16.87	17.07	17.48	0
				12	0	16.83	17.05	17.35	0
				12	6	16.81	17.05	17.38	0
				12	12	16.82	17.06	17.43	0
				24	0	16.82	17.03	17.38	0
			QPSK	1	1	16.83	17.07	17.33	0
				1	12	16.83	17.08	17.43	0
				1	22	16.85	17.08	17.48	0
				12	0	16.84	17.05	17.35	0
				12	6	16.83	17.08	17.38	0
				12	12	16.82	17.06	17.44	0
				24	0	16.84	17.04	17.38	0
			16QAM	1	1	16.93	17.09	17.36	0
			64QAM	1	1	16.91	17.11	17.27	0
			256QAM	1	1	16.50	17.08	17.32	0
		CP	QPSK	1	1	16.87	17.06	17.30	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.95	17.06	17.15	0
				1	18	16.89	17.04	17.20	0
				1	36	16.86	17.03	17.42	0
				18	0	16.91	17.05	17.20	0
				18	9	16.88	17.05	17.27	0
				18	18	16.90	17.03	17.32	0
				36	0	16.87	17.04	17.26	0
			QPSK	1	1	16.98	17.06	17.11	0
				1	18	16.87	16.96	17.28	0
				1	36	16.87	17.07	17.39	0
				18	0	16.91	17.04	17.18	0
				18	9	16.89	17.05	17.25	0
				18	18	16.87	17.04	17.29	0
				36	0	16.91	17.05	17.25	0
			16QAM	1	1	16.96	17.04	17.16	0
			64QAM	1	1	16.95	17.05	17.14	0
			256QAM	1	1	16.87	17.05	17.13	0
		CP	QPSK	1	1	16.91	16.87	17.10	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.92	17.04	16.92	0
				1	26	16.96	17.05	17.13	0
				1	49	16.90	17.06	17.37	0
				25	0	16.98	17.05	17.04	0
				25	13	16.94	17.04	17.14	0
				25	26	16.93	17.06	17.23	0
				50	0	16.94	17.04	17.15	0
			QPSK	1	1	16.98	17.04	16.90	0
				1	26	16.92	17.05	17.10	0
				1	49	16.91	17.04	17.29	0
				25	0	17.00	17.06	17.04	0
				25	13	16.95	17.05	17.14	0
				25	26	16.94	17.03	17.12	0
				50	0	16.95	17.04	17.13	0
			16QAM	1	1	17.00	17.04	16.94	0
			64QAM	1	1	17.03	17.09	16.97	0
			256QAM	1	1	17.00	17.01	16.92	0
		CP	QPSK	1	1	17.04	17.06	16.91	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.69	17.06	16.83	0
				1	26	16.64	17.08	17.05	0
				1	49	16.61	17.07	17.29	0
				25	0	16.65	17.04	16.84	0
				25	13	16.63	17.05	17.00	0
				25	26	16.60	17.05	17.12	0
				50	0	16.62	17.05	16.99	0
			QPSK	1	1	16.72	17.04	16.81	0
				1	26	16.69	17.06	17.02	0
				1	49	16.79	17.04	17.33	0
				25	0	16.66	17.05	16.86	0
				25	13	16.64	17.05	16.99	0
				25	26	16.62	17.04	17.14	0
				50	0	16.62	17.05	16.98	0
			16QAM	1	1	16.83	17.07	16.87	0
			64QAM	1	1	16.64	17.03	16.80	0
			256QAM	1	1	17.06	17.04	16.68	0
		CP	QPSK	1	1	17.10	17.03	16.82	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.89	17.05	16.96	0
				1	39	16.83	17.13	17.18	0
				1	76	16.78	17.06	17.44	0
				36	0	16.84	17.04	17.03	0
				36	21	16.80	17.06	17.16	0
				36	42	16.80	17.05	17.33	0
				75	0	16.80	17.07	17.10	0
			QPSK	1	1	16.95	17.04	17.02	0
				1	39	16.88	17.08	17.16	0
				1	76	16.89	17.02	17.49	0
				36	0	16.86	17.02	17.01	0
				36	21	16.80	17.07	17.13	0
				36	42	16.79	17.05	17.32	0
				75	0	16.80	17.07	17.13	0
			16QAM	1	1	16.83	17.09	16.98	0
			64QAM	1	1	16.89	17.00	17.02	0
			256QAM	1	1	16.90	16.95	16.96	0
		CP	QPSK	1	1	16.88	17.03	16.96	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.06		16.90	0
				1	53	16.93		16.91	0
				1	104	17.07		17.41	0
				50	0	16.96		16.82	0
				50	28	16.91		16.87	0
				50	56	16.95		17.15	0
				100	0	16.94		16.89	0
			QPSK	1	1	17.06		16.91	0
				1	53	16.91		16.87	0
				1	104	17.02		17.35	0
				50	0	16.97		16.82	0
				50	28	16.91		16.89	0
				50	56	16.94		17.15	0
				100	0	16.94		16.89	0
			16QAM	1	1	17.17		16.86	0
			64QAM	1	1	16.86		16.84	0
			256QAM	1	1	17.02		16.90	0
		CP	QPSK	1	1	17.03		17.00	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.99		16.88	0
				1	67	16.77		16.70	0
				1	131	17.04		17.32	0
				64	0	16.85		16.75	0
				64	35	16.80		16.73	0
				64	69	16.91		16.99	0
				128	0	16.83		16.76	0
			QPSK	1	1	17.00		16.87	0
				1	67	16.82		16.69	0
				1	131	17.10		17.33	0
				64	0	16.84		16.74	0
				64	35	16.81		16.74	0
				64	69	16.93		16.99	0
				128	0	16.83		16.75	0
			16QAM	1	1	17.15		16.82	0
			64QAM	1	1	16.91		16.86	0
			256QAM	1	1	16.97		16.69	0
		CP	QPSK	1	1	17.00		16.85	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.04		0
				1	81		17.07		0
				1	160		17.18		0
				81	0		17.04		0
				81	41		17.07		0
				81	81		17.02		0
				162	0		17.06		0
			QPSK	1	1		17.12		0
				1	81		17.12		0
				1	160		17.26		0
				81	0		17.02		0
				81	41		17.04		0
				81	81		17.05		0
				162	0		17.09		0
			16QAM	1	1		17.02		0
			64QAM	1	1		16.76		0
			256QAM	1	1		17.04		0
		CP	QPSK	1	1		17.01		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.16	0
				1	95		17.08	0
				1	187		17.39	0
				90	0		17.02	0
				90	50		17.05	0
				90	99		17.06	0
				180	0		17.08	0
			QPSK	1	1		17.14	0
				1	95		17.07	0
				1	187		17.36	0
				90	0		17.01	0
				90	50		17.06	0
				90	99		17.05	0
				180	0		17.09	0
			16QAM	1	1		17.10	0
			64QAM	1	1		17.14	0
			256QAM	1	1		17.13	0
		CP	QPSK	1	1		17.15	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.24	0
				1	109		17.07	0
				1	215		17.48	0
				108	0		17.00	0
				108	55		17.08	0
				108	109		17.07	0
				216	0		17.09	0
			QPSK	1	1		17.23	0
				1	109		17.10	0
				1	215		17.42	0
				108	0		17.02	0
				108	55		17.07	0
				108	109		17.05	0
				216	0		17.13	0
			16QAM	1	1		17.21	0
			64QAM	1	1		17.22	0
			256QAM	1	1		17.18	0
		CP	QPSK	1	1		17.12	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		16.90		0
				1	123		16.66		0
				1	243		17.35		0
				120	0		16.64		0
				120	63		16.67		0
				120	125		16.71		0
				243	0		16.75		0
			QPSK	1	1		16.89		0
				1	123		16.67		0
				1	243		17.33		0
				120	0		16.63		0
				120	63		16.68		0
				120	125		16.72		0
				243	0		16.75		0
			16QAM	1	1		16.94		0
			64QAM	1	1		16.89		0
			256QAM	1	1		17.34		0
		CP	QPSK	1	1		17.33		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		17.21		0
				1	137		17.04		0
				1	271		17.42		0
				135	0		17.05		0
				135	69		17.09		0
				135	138		17.14		0
				270	0		17.15		0
			QPSK	1	1		17.42		0
				1	137		16.99		0
				1	271		17.48		0
				135	0		17.03		0
				135	69		17.06		0
				135	138		17.15		0
				270	0		17.14		0
			16QAM	1	1		17.49		0
			64QAM	1	1		17.42		0
			256QAM	1	1		17.46		0
		CP	QPSK	1	1		17.48		0

NR TDD Band n77(PC2) Conducted Power_ Measured Folder Open RCV(RSI)

1)_ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89	14.17	14.47	12.97	12.30	12.43	0
				1	12	13.94	14.28	14.45	12.77	12.28	12.65	0
				1	22	13.99	14.30	14.42	12.55	12.18	12.76	0
				12	0	13.91	14.22	14.39	12.84	12.27	12.46	0
				12	6	13.91	14.24	14.39	12.72	12.26	12.58	0
				12	12	13.95	14.29	14.38	12.65	12.21	12.68	0
				24	0	13.92	14.23	14.38	12.73	12.25	12.58	0
			QPSK	1	1	13.92	14.19	14.44	12.90	12.27	12.41	0
				1	12	13.94	14.25	14.44	12.71	12.30	12.65	0
				1	22	13.98	14.31	14.40	12.53	12.21	12.76	0
				12	0	13.86	14.20	14.38	12.84	12.26	12.48	0
				12	6	13.91	14.23	14.40	12.71	12.25	12.56	0
				12	12	13.94	14.27	14.36	12.62	12.22	12.68	0
				24	0	13.92	14.24	14.38	12.74	12.26	12.58	0
			16QAM	1	1	13.95	14.17	14.28	12.91	12.26	12.41	0
			64QAM	1	1	13.85	14.22	14.42	12.94	12.29	12.44	0
			256QAM	1	1	13.90	14.13	14.42	12.90	12.19	12.47	0
		CP	QPSK	1	1	13.87	14.18	14.37	13.00	12.27	12.48	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.00	14.21	14.38	13.07	12.25	12.30	0
				1	18	13.96	14.21	14.35	12.71	12.19	12.58	0
				1	36	14.00	14.39	14.35	12.43	12.07	12.89	0
				18	0	13.95	14.25	14.35	12.95	12.25	12.42	0
				18	9	13.98	14.29	14.36	12.79	12.25	12.55	0
				18	18	14.02	14.32	14.38	12.61	12.22	12.68	0
				36	0	13.99	14.29	14.39	12.79	12.26	12.57	0
			QPSK	1	1	13.94	14.19	14.39	12.78	12.24	12.22	0
				1	18	13.97	14.25	14.36	12.45	12.16	12.51	0
				1	36	14.00	14.37	14.37	12.16	12.05	12.85	0
				18	0	13.95	14.22	14.40	12.10	12.26	12.44	0
				18	9	13.01	14.29	14.39	12.76	12.26	12.59	0
				18	18	14.01	14.36	14.37	12.63	12.24	12.73	0
				36	0	14.00	14.29	14.40	12.77	12.28	12.58	0
			16QAM	1	1	13.79	14.24	14.44	13.06	12.12	12.33	0
			64QAM	1	1	14.01	14.14	14.40	13.13	12.20	12.27	0
			256QAM	1	1	13.84	14.19	14.36	13.06	12.22	12.28	0
		CP	QPSK	1	1	13.96	14.08	14.44	12.14	12.22	12.29	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.00	14.23	14.41	13.23	12.27	12.10	0
				1	26	14.04	14.33	14.37	12.76	12.32	12.53	0
				1	49	14.07	14.44	14.31	12.39	12.23	12.91	0
				25	0	14.03	14.42	14.42	13.01	12.29	12.29	0
				25	13	14.05	14.36	14.39	12.77	12.33	12.57	0
				25	26	14.04	14.42	14.37	12.54	12.28	12.76	0
			QPSK	50	0	14.06	14.34	14.40	12.81	12.35	12.54	0
				1	1	14.01	14.19	14.34	13.21	12.24	12.09	0
				1	26	14.05	14.33	14.37	12.71	12.30	12.56	0
				1	49	14.05	14.43	14.28	12.36	12.17	12.95	0
				25	0	14.03	14.15	14.43	13.02	12.29	12.28	0
				25	13	14.07	14.36	14.40	12.77	12.33	12.55	0
				25	26	14.05	14.38	14.38	12.55	12.28	12.76	0
				50	0	14.06	14.34	14.38	12.80	12.31	12.54	0
			16QAM	1	1	14.08	14.22	14.45	13.22	12.32	12.17	0
			64QAM	1	1	14.00	14.20	14.36	13.25	12.40	12.10	0
			256QAM	1	1	13.96	14.27	14.46	13.19	12.13	12.11	0
		CP	QPSK	1	1	13.99	14.21	14.24	13.29	12.01	12.11	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.07	14.28	14.40	13.41	12.34	12.04	0
				1	32	14.12	14.48	14.45	12.88	12.55	12.71	0
				1	63	14.15	14.48	14.24	12.30	12.40	13.18	0
				32	0	14.13	14.34	14.40	13.09	12.46	12.28	0
				32	17	14.08	14.40	14.40	12.80	12.48	12.59	0
				32	33	14.09	14.49	14.38	12.52	12.48	12.88	0
			QPSK	64	0	14.15	14.41	14.41	12.82	12.49	12.58	0
				1	1	14.05	14.27	14.40	13.42	12.32	12.12	0
				1	32	14.08	14.45	14.44	12.89	12.51	12.58	0
				1	63	14.06	14.49	14.22	12.34	12.43	13.11	0
				32	0	14.04	14.33	14.42	13.09	12.45	12.26	0
				32	17	14.16	14.40	14.40	12.79	12.47	12.53	0
				32	33	14.05	14.47	14.37	12.51	12.49	12.88	0
				64	0	14.12	14.40	14.40	12.84	12.51	12.58	0
			16QAM	1	1	14.09	14.26	14.43	13.35	12.49	12.10	0
			64QAM	1	1	14.09	14.28	14.28	13.38	12.24	12.07	0
			256QAM	1	1	14.02	14.37	14.39	13.35	12.10	12.06	0
		CP	QPSK	1	1	14.07	14.26	14.44	13.37	12.38	12.05	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.90	14.11	14.21	13.76	12.39	12.13	0
				1	39	14.03	14.44	14.27	13.00	12.49	12.62	0
				1	76	13.95	14.43	14.16	12.25	12.35	13.20	0
				36	0	13.95	14.21	14.24	13.42	12.35	12.22	0
				36	21	14.00	14.32	14.25	12.98	12.46	12.59	0
				36	42	14.01	14.40	14.19	12.55	12.45	12.93	0
			QPSK	75	0	13.98	14.29	14.24	13.02	12.45	12.54	0
				1	1	13.88	14.07	14.17	13.78	12.20	12.14	0
				1	39	13.97	14.41	14.33	13.01	12.52	12.61	0
				1	76	13.92	14.47	14.12	12.24	12.38	13.19	0
				36	0	13.92	14.18	14.22	13.42	12.35	12.19	0
				36	21	13.98	14.31	14.25	13.00	12.46	12.56	0
				36	42	14.01	14.42	14.20	12.56	12.44	12.94	0
				75	0	14.00	14.31	14.26	13.02	12.45	12.56	0
			16QAM	1	1	14.01	13.95	14.19	13.64	12.23	12.06	0
			64QAM	1	1	13.88	14.11	14.11	13.77	12.29	12.08	0
			256QAM	1	1	13.91	14.03	14.12	13.73	12.18	12.03	0
		CP	QPSK	1	1	13.92	14.10	14.23	13.76	12.27	12.15	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.09	14.31	14.20	13.55	12.51	12.04	0
				1	53	14.15	14.43	14.31	12.75	12.62	12.33	0
				1	104	14.06	14.45	14.04	12.98	12.37	13.03	0
				50	0	14.13	14.41	14.25	13.59	12.36	12.96	0
				50	28	14.11	14.49	14.28	13.02	12.56	12.29	0
				50	56	14.03	14.10	14.17	13.15	12.53	12.82	0
			QPSK	100	0	14.11	14.39	14.30	13.09	12.57	12.24	0
				1	1	14.08	14.24	14.25	13.94	12.54	12.03	0
				1	53	14.23	14.38	14.28	13.06	12.55	12.30	0
				1	104	14.03	14.44	13.96	12.05	12.30	13.22	0
				50	0	14.11	14.32	14.24	13.60	12.38	12.03	0
				50	28	14.10	14.45	14.26	13.02	12.56	12.27	0
				50	56	14.02	14.48	14.17	12.48	12.54	12.83	0
				100	0	14.13	14.45	14.30	13.10	12.57	12.24	0
			16QAM	1	1	14.13	14.35	14.14	13.75	12.53	12.03	0
			64QAM	1	1	14.11	14.33	14.01	14.00	12.64	12.05	0
			256QAM	1	1	14.27	14.16	14.29	13.91	12.83	12.09	0
		CP	QPSK	1	1	14.14	14.12	14.26	13.98	12.41	12.07	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.99	14.37	14.40		13.25	12.49	0
				1	67	13.96	14.35	13.78		12.28	12.11	0
				1	131	14.11	14.33	13.04		12.64	13.14	0
				64	0	14.00	14.46	14.15		12.72	12.10	0
				64	35	13.96	14.36	13.80		12.30	12.10	0
				64	69	13.94	14.27	13.58		12.52	12.69	0
			QPSK	128	0	14.00	14.38	13.84		12.35	12.06	0
				1	1	13.96	14.38	14.37		13.20	12.57	0
				1	67	13.96	14.32	13.76		12.23	12.16	0
				1	131	14.11	14.34	13.02		12.61	13.23	0
				64	0	13.99	14.44	14.15		12.71	12.10	0
				64	35	13.96	14.36	13.79		12.32	12.09	0
				64	69	13.95	14.26	13.81		12.51	12.69	0
				128	0	13.99	14.36	13.86		12.37	12.06	0
			16QAM	1	1	13.87	14.47	14.48		13.20	12.37	0
			64QAM	1	1	13.92	14.45	14.46		13.27	12.50	0
			256QAM	1	1	13.83	14.38	14.36		13.28	12.57	0
		CP	QPSK	1	1	14.04	14.42	14.27		13.28	12.55	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.09	14.46			13.54	12.67	0
				1	81	14.04	14.01			12.83	12.12	0
				1	160	14.31	13.81			12.33	13.01	0
				81	0	14.10	14.09			13.61	12.45	0
				81	41	14.02	14.32			12.84	12.01	0
				81	81	14.04	14.37			12.32	12.73	0
			QPSK	162	0	14.02	14.35			12.89	12.02	0
				1	1	14.02	14.48			14.34	12.88	0
				1	81	13.94	14.34			12.85	12.01	0
				1	160	14.26	14.12			13.37	13.41	0
				81	0	14.11	14.37			13.61	12.43	0
				81	41	14.03	14.33			12.84	12.01	0
				81	81	14.00	14.36			12.32	12.75	0
				162	0	14.02	14.36			12.90	12.01	0
			16QAM	1	1	14.14	14.36			14.42	12.79	0
			64QAM	1	1	14.05	14.47			14.71	12.63	0
			256QAM	1	1	13.92	14.44			14.29	12.93	0
		CP	QPSK	1	1	13.80	14.45			14.33	12.59	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.04	14.26			13.83	12.47	0
				1	95	13.91	14.40			12.64	12.19	0
				1	187	14.41	13.95			12.27	12.97	0
				90	0	13.98	14.43			13.63	12.38	0
				90	50	13.89	14.37			12.69	12.15	0
				90	99	14.12	14.28			12.08	12.15	0
			QPSK	180	0	13.92	14.38			12.83	12.18	0
				1	1	14.07	14.34			14.25	12.06	0
				1	95	13.90	14.34			12.66	12.26	0
				1	187	14.40	13.93			12.32	12.52	0
				90	0	13.99	14.45			13.63	12.50	0
				90	50	13.89	14.37			12.68	12.15	0
				90	99	14.12	14.30			12.08	12.12	0
				180	0	13.93	14.37			12.84	12.17	0
			16QAM	1	1	14.05	14.42			14.19	12.41	0
			64QAM	1	1	14.08	14.40			14.20	12.27	0
			256QAM	1	1	14.05	14.42			14.37	12.27	0
		CP	QPSK	1	1	14.03	14.47			14.21	12.31	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.22		14.44		12.42		0
				1	109	13.93		13.81		12.28		0
				1	215	14.48		13.99		13.23		0
				108	0	14.15		14.38		12.46		0
				108	55	13.96		13.81		12.25		0
				108	109	14.29		13.23		12.08		0
			QPSK	216	0	14.01		13.88		12.10		0
				1	1	14.25		14.40		12.41		0
				1	109	13.96		13.79		12.21		0
				1	215	14.40		13.87		13.19		0
				108	0	14.15		14.37		12.47		0
				108	55	13.98		13.80		12.11		0
				108	109	14.30		13.22		12.09		0
				216	0	14.01		13.88		12.16		0
			16QAM	1	1	14.26		14.39		12.34		0
			64QAM	1	1	14.19		14.42		12.44		0
			256QAM	1	1	14.28		14.43		12.38		0
		CP	QPSK	1	1	14.27		14.43		12.45		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.24		14.45		12.69	0
				1	123	13.91		13.77		12.05	0
				1	243	14.44		14.01		12.56	0
				120	0	14.04		14.41		12.74	0
				120	63	13.93		13.81		12.26	0
				120	125	14.40		13.12		12.17	0
			QPSK	243	0	14.02		13.89		12.31	0
				1	1	14.22		14.40		12.91	0
				1	123	13.87		13.77		12.18	0
				1	243	14.11		14.15		13.10	0
				120	0	14.06		14.41		12.74	0
				120	63	13.93		13.80		12.26	0
				120	125	14.42		13.11		12.16	0
				243	0	14.01		13.91		12.32	0
			16QAM	1	1	14.40		14.38		12.97	0
			64QAM	1	1	14.23		14.43		12.83	0
			256QAM	1	1	14.25		14.45		12.80	0
		CP	QPSK	1	1	14.27		14.41		12.65	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.45				13.26	0
				1	137	14.03				12.26	0
				1	271	14.46				13.27	0
				135	0	14.17				12.50	0
				135	69	14.05				12.34	0
				135	138	14.47				12.04	0
			QPSK	270	0	14.14				12.42	0
				1	1	14.46				13.34	0
				1	137	14.05				12.50	0
				1	271	14.41				13.46	0
				135	0	14.47				12.74	0
				135	69	14.06				12.34	0
				135	138	14.45				12.04	0
				270	0	14.15				12.65	0
			16QAM	1	1	14.46				13.29	0
			64QAM	1	1	14.48				13.20	0
			256QAM	1	1	14.42				13.33	0
		CP	QPSK	1	1	14.39				13.37	0

NR TDD Band n77 DoD(PC2) Conducted Power_ Measured Folder Open

RCV(RSI 1)_ SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.99	13.99	14.39	0
				1	12	13.82	14.02	14.49	0
				1	22	13.79	13.99	14.45	0
				12	0	13.77	13.98	14.38	0
				12	6	13.76	14.01	14.43	0
				12	12	13.74	14.00	14.48	0
				24	0	13.76	14.00	14.44	0
			QPSK	1	1	13.79	14.03	14.37	0
				1	12	13.79	14.02	14.44	0
				1	22	13.77	14.03	14.41	0
				12	0	13.77	13.97	14.36	0
				12	6	13.76	13.98	14.42	0
				12	12	13.76	13.99	14.47	0
				24	0	13.76	13.99	14.42	0
			16QAM	1	1	13.81	14.01	14.45	0
			64QAM	1	1	13.90	14.05	14.32	0
			256QAM	1	1	13.83	13.94	14.35	0
		CP	QPSK	1	1	13.10	13.53	14.29	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.98	14.10	14.29	0
				1	18	13.84	14.00	14.38	0
				1	36	13.82	14.21	14.35	0
				18	0	13.74	13.98	14.33	0
				18	9	13.82	13.99	13.16	0
				18	18	13.81	13.98	14.48	0
				36	0	13.82	13.97	14.39	0
			QPSK	1	1	13.86	13.96	14.27	0
				1	18	13.82	13.94	14.37	0
				1	36	13.81	13.98	14.45	0
				18	0	13.85	13.98	14.31	0
				18	9	13.83	13.99	14.40	0
				18	18	13.53	13.98	14.46	0
				36	0	13.54	13.98	14.37	0
			16QAM	1	1	13.60	14.00	14.18	0
			64QAM	1	1	13.70	14.00	14.22	0
			256QAM	1	1	13.83	13.98	14.28	0
		CP	QPSK	1	1	13.98	13.92	14.39	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.77	13.69	14.27	0
				1	26	13.88	13.99	14.44	0
				1	49	13.83	14.02	14.44	0
				25	0	13.89	14.00	14.02	0
				25	13	13.88	13.30	14.14	0
				25	26	13.85	13.98	14.42	0
				50	0	13.87	13.99	14.41	0
			QPSK	1	1	13.93	13.96	14.19	0
				1	26	13.87	13.91	14.41	0
				1	49	13.86	13.99	14.49	0
				25	0	13.91	13.97	13.58	0
				25	13	13.89	14.01	14.38	0
				25	26	13.84	13.98	14.48	0
				50	0	13.88	14.00	14.37	0
			16QAM	1	1	13.85	13.93	14.19	0
			64QAM	1	1	13.94	14.05	14.15	0
			256QAM	1	1	13.94	13.91	14.13	0
		CP	QPSK	1	1	13.57	14.10	14.21	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.03	13.99	14.06	0
				1	26	13.97	14.00	14.24	0
				1	49	13.94	13.96	14.40	0
				25	0	13.97	13.99	14.06	0
				25	13	13.94	13.98	14.22	0
				25	26	13.91	13.97	14.35	0
				50	0	13.96	14.00	14.21	0
			QPSK	1	1	14.00	13.73	14.05	0
				1	26	13.99	13.72	14.24	0
				1	49	13.95	13.80	14.40	0
				25	0	13.99	13.69	14.07	0
				25	13	13.95	13.70	14.22	0
				25	26	13.91	13.69	14.37	0
				50	0	13.75	13.72	14.22	0
			16QAM	1	1	13.64	13.76	14.05	0
			64QAM	1	1	13.69	13.70	13.91	0
			256QAM	1	1	13.98	13.96	14.06	0
		CP	QPSK	1	1	13.79	14.00	13.99	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.48	13.66	14.15	0
				1	39	13.47	13.71	14.33	0
				1	76	13.45	13.60	14.42	0
				36	0	13.49	13.98	14.16	0
				36	21	13.44	14.01	14.26	0
				36	42	13.44	14.00	14.42	0
				75	0	13.44	13.98	14.27	0
			QPSK	1	1	13.53	13.94	14.07	0
				1	39	13.41	14.02	14.28	0
				1	76	13.49	13.96	14.42	0
				36	0	13.49	13.97	14.11	0
				36	21	13.45	14.00	14.28	0
				36	42	13.44	13.97	14.44	0
				75	0	13.46	13.98	14.29	0
			16QAM	1	1	13.56	13.85	14.08	0
			64QAM	1	1	13.53	13.97	13.95	0
			256QAM	1	1	13.47	13.95	14.06	0
		CP	QPSK	1	1	13.64	13.89	14.09	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.59		14.01	0
				1	53	13.63		13.98	0
				1	104	13.80		14.49	0
				50	0	13.60		13.98	0
				50	28	13.57		14.03	0
				50	56	13.59		14.39	0
				100	0	13.59		14.27	0
			QPSK	1	1	13.68		14.09	0
				1	53	13.54		14.29	0
				1	104	13.71		14.45	0
				50	0	13.61		14.21	0
				50	28	13.55		14.05	0
				50	56	13.58		14.30	0
				100	0	13.58		14.02	0
			16QAM	1	1	13.68		13.97	0
			64QAM	1	1	13.65		14.06	0
			256QAM	1	1	13.93		14.08	0
		CP	QPSK	1	1	13.03		14.12	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.03		14.01	0
				1	67	13.69		13.86	0
				1	131	13.98		14.43	0
				64	0	13.78		13.67	0
				64	35	13.73		13.89	0
				64	69	13.84		14.10	0
				128	0	13.75		14.01	0
			QPSK	1	1	13.98		14.06	0
				1	67	13.71		13.86	0
				1	131	13.99		14.48	0
				64	0	13.76		13.91	0
				64	35	13.72		13.58	0
				64	69	13.83		13.84	0
				128	0	13.74		13.59	0
			16QAM	1	1	13.85		13.53	0
			64QAM	1	1	13.70		13.47	0
			256QAM	1	1	13.78		13.97	0
		CP	QPSK	1	1	13.60		13.98	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.03		0
				1	81		14.00		0
				1	160		14.16		0
				81	0		13.97		0
				81	41		14.01		0
				81	81		14.00		0
				162	0		14.04		0
			QPSK	1	1		14.03		0
				1	81		14.07		0
				1	160		14.07		0
				81	0		13.95		0
				81	41		14.00		0
				81	81		13.98		0
				162	0		14.02		0
			16QAM	1	1		14.02		0
			64QAM	1	1		13.90		0
			256QAM	1	1		14.01		0
		CP	QPSK	1	1		13.98		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.02	0
				1	95		14.09	0
				1	187		14.42	0
				90	0		14.03	0
				90	50		13.89	0
				90	99		13.75	0
				180	0		13.87	0
			QPSK	1	1		13.89	0
				1	95		13.78	0
				1	187		14.15	0
				90	0		14.02	0
				90	50		14.07	0
				90	99		14.07	0
				180	0		14.09	0
			16QAM	1	1		14.21	0
			64QAM	1	1		14.11	0
			256QAM	1	1		14.17	0
		CP	QPSK	1	1		14.18	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.91	0
				1	109		13.75	0
				1	215		14.09	0
				108	0		14.01	0
				108	55		14.05	0
				108	109		13.98	0
				216	0		14.09	0
			QPSK	1	1		14.21	0
				1	109		14.05	0
				1	215		14.42	0
				108	0		13.97	0
				108	55		14.06	0
				108	109		14.04	0
				216	0		14.08	0
			16QAM	1	1		14.25	0
			64QAM	1	1		14.20	0
			256QAM	1	1		14.14	0
		CP	QPSK	1	1		14.17	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.10		0
				1	123		14.03		0
				1	243		14.48		0
				120	0		13.99		0
				120	63		14.04		0
				120	125		14.06		0
				243	0		14.08		0
			QPSK	1	1		14.28		0
				1	123		13.99		0
				1	243		14.48		0
				120	0		13.99		0
				120	63		14.04		0
				120	125		14.05		0
				243	0		14.09		0
			16QAM	1	1		14.44		0
			64QAM	1	1		14.29		0
			256QAM	1	1		14.26		0
		CP	QPSK	1	1		14.25		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		14.39		0
				1	137		13.99		0
				1	271		14.47		0
				135	0		14.00		0
				135	69		14.01		0
				135	138		14.09		0
				270	0		14.10		0
			QPSK	1	1		14.38		0
				1	137		14.01		0
				1	271		14.45		0
				135	0		14.00		0
				135	69		14.00		0
				135	138		14.09		0
				270	0		14.11		0
			16QAM	1	1		14.40		0
			64QAM	1	1		14.45		0
			256QAM	1	1		14.05		0
		CP	QPSK	1	1		14.10		0

NR TDD Band n78 (PC2) Conducted Power_ Measured Folder Open Free (RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close Hotspot(RSI 4) _ SUB2 [Ant F]

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.04	17.15	17.23	0
				1	12	17.03	17.19	17.27	0
				1	22	17.04	17.24	17.27	0
				12	0	16.98	17.10	17.22	0
				12	6	16.87	17.13	17.23	0
				12	12	17.02	17.17	17.25	0
				24	0	16.98	17.13	17.22	0
			QPSK	1	1	16.98	17.11	17.23	0
				1	12	17.02	17.16	17.23	0
				1	22	16.98	17.23	17.31	0
				12	0	16.97	17.12	17.20	0
				12	6	17.00	17.13	17.22	0
				12	12	17.02	17.18	17.23	0
				24	0	17.11	17.14	17.22	0
			16QAM	1	1	17.02	17.12	17.26	0
			64QAM	1	1	16.79	17.10	17.27	0
			256QAM	1	1	16.59	16.75	17.23	0
		CP	QPSK	1	1	16.96	16.74	15.67	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.01	17.09	17.07	0
				1	18	17.05	17.12	16.99	0
				1	36	17.11	17.29	17.02	0
				18	0	17.03	17.10	17.00	0
				18	10	17.06	17.12	16.98	0
				18	20	17.10	17.21	16.96	0
				36	0	17.05	17.15	16.96	0
			QPSK	1	1	16.95	17.10	17.06	0
				1	18	17.07	17.16	16.95	0
				1	36	17.10	17.31	16.97	0
				18	0	17.02	17.11	17.00	0
				18	10	17.06	17.16	16.98	0
				18	20	17.10	17.22	16.97	0
				36	0	17.06	17.12	16.97	0
			16QAM	1	1	17.09	17.18	17.05	0
			64QAM	1	1	16.94	17.08	17.19	0
			256QAM	1	1	17.00	17.03	17.41	0
		CP	QPSK	1	1	15.69	17.12	17.40	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.09	17.07	17.43	0
				1	26	17.13	17.12	17.32	0
				1	49	17.13	17.32	17.31	0
				25	0	17.10	17.10	17.36	0
				25	13	17.15	17.12	17.34	0
				25	26	17.13	17.20	17.31	0
				50	0	17.13	17.13	17.33	0
			QPSK	1	1	17.04	17.01	17.39	0
				1	26	17.09	17.10	17.29	0
				1	49	17.11	17.30	17.31	0
				25	0	17.09	17.09	17.39	0
				25	13	17.15	17.15	17.33	0
				25	26	17.15	17.24	17.32	0
				50	0	17.13	17.12	17.33	0
			16QAM	1	1	17.09	17.08	17.45	0
			64QAM	1	1	17.05	17.16	17.48	0
			256QAM	1	1	17.05	17.04	17.47	0
		CP	QPSK	1	1	17.02	17.12	17.02	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.16	17.08	17.40	0
				1	32	17.20	17.17	17.31	0
				1	63	17.17	17.37	17.32	0
				32	0	17.18	17.10	17.36	0
				32	17	17.17	17.12	17.32	0
				32	33	17.17	17.26	17.28	0
				64	0	17.18	17.15	17.30	0
			QPSK	1	1	17.11	17.09	17.42	0
				1	32	17.26	17.23	17.31	0
				1	63	17.18	17.36	17.31	0
				32	0	17.18	17.09	17.36	0
				32	17	17.18	17.14	17.31	0
				32	33	17.17	17.27	17.28	0
				64	0	17.21	17.14	17.30	0
			16QAM	1	1	17.21	17.13	17.37	0
			64QAM	1	1	17.29	17.14	17.40	0
			256QAM	1	1	17.09	17.02	17.37	0
		CP	QPSK	1	1	16.98	17.10	17.02	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.21	17.13	17.49	0
				1	39	17.25	17.12	17.44	0
				1	76	17.10	17.33	17.25	0
				36	0	17.38	17.09	17.40	0
				36	21	17.24	17.13	17.37	0
				36	42	17.19	17.28	17.30	0
				75	0	17.23	17.14	17.48	0
			QPSK	1	1	17.24	17.11	17.40	0
				1	39	17.27	17.12	17.47	0
				1	76	17.17	17.38	17.27	0
				36	0	17.24	17.07	17.32	0
				36	21	17.23	17.14	17.36	0
				36	42	17.19	17.27	17.29	0
				75	0	17.27	17.14	17.36	0
			16QAM	1	1	17.11	17.18	17.49	0
			64QAM	1	1	17.34	17.16	17.32	0
			256QAM	1	1	17.20	17.16	17.46	0
		CP	QPSK	1	1	17.12	17.16	16.98	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.14		17.40	0
				1	53	17.16		17.47	0
				1	104	17.06		17.34	0
				50	0	17.08		17.45	0
				50	28	17.12		17.42	0
				50	56	17.09		17.31	0
				100	0	17.12		17.44	0
			QPSK	1	1	17.13		17.37	0
				1	53	17.16		17.39	0
				1	104	17.07		17.33	0
				50	0	17.09		17.46	0
				50	28	17.02		17.42	0
				50	56	17.08		17.32	0
				100	0	17.12		17.42	0
			16QAM	1	1	16.93		17.47	0
			64QAM	1	1	16.82		17.24	0
			256QAM	1	1	17.08		17.33	0
		CP	QPSK	1	1	17.21		17.35	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.07		17.31	0
				1	67	17.02		17.44	0
				1	131	17.16		17.23	0
				64	0	17.08		17.39	0
				64	35	17.05		17.47	0
				64	69	17.01		17.30	0
				128	0	17.07		17.45	0
			QPSK	1	1	17.06		17.26	0
				1	67	17.02		17.43	0
				1	131	17.16		17.32	0
				64	0	17.09		17.38	0
				64	35	17.05		17.48	0
				64	69	17.03		17.32	0
				128	0	17.07		17.22	0
			16QAM	1	1	17.19		17.33	0
			64QAM	1	1	17.31		17.29	0
			256QAM	1	1	17.03		17.28	0
		CP	QPSK	1	1	17.07		17.11	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.26		0
				1	81		17.14		0
				1	160		17.41		0
				81	0		17.12		0
				81	41		17.15		0
				81	81		17.42		0
				162	0		17.17		0
			QPSK	1	1		17.29		0
				1	81		17.27		0
				1	160		17.42		0
				81	0		17.10		0
				81	41		17.16		0
				81	81		17.44		0
				162	0		17.15		0
			16QAM	1	1		17.34		0
			64QAM	1	1		17.37		0
			256QAM	1	1		16.83		0
		CP	QPSK	1	1		17.35		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		17.00		0
				1	95		16.98		0
				1	187		17.42		0
				90	0		17.14		0
				90	50		17.15		0
				90	99		17.48		0
				180	0		17.25		0
			QPSK	1	1		17.37		0
				1	95		17.16		0
				1	187		17.48		0
				90	0		17.12		0
				90	50		17.14		0
				90	99		17.49		0
				180	0		17.14		0
			16QAM	1	1		17.31		0
			64QAM	1	1		17.42		0
			256QAM	1	1		17.38		0
		CP	QPSK	1	1		17.39		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		17.31		0
				1	109		16.99		0
				1	215		17.45		0
				108	0		17.06		0
				108	55		17.04		0
				108	109		17.41		0
				216	0		17.10		0
			QPSK	1	1		17.34		0
				1	109		17.02		0
				1	215		17.44		0
				108	0		17.05		0
				108	55		17.04		0
				108	109		17.42		0
				216	0		17.08		0
			16QAM	1	1		17.35		0
			64QAM	1	1		17.32		0
			256QAM	1	1		17.29		0
		CP	QPSK	1	1		17.38		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		17.37		0
				1	123		17.02		0
				1	243		17.43		0
				120	0		17.10		0
				120	63		17.04		0
				120	125		17.41		0
				243	0		17.10		0
			QPSK	1	1		17.35		0
				1	123		17.05		0
				1	243		17.48		0
				120	0		17.11		0
				120	63		17.05		0
				120	125		17.43		0
				243	0		17.09		0
			16QAM	1	1		17.28		0
			64QAM	1	1		17.36		0
			256QAM	1	1		17.34		0
		CP	QPSK	1	1		17.38		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		17.42		0
				1	137		17.07		0
				1	271		17.45		0
				135	0		17.18		0
				135	69		17.10		0
				135	138		17.43		0
				270	0		17.10		0
			QPSK	1	1		17.41		0
				1	137		17.11		0
				1	271		17.42		0
				135	0		17.12		0
				135	69		17.15		0
				135	138		17.41		0
				270	0		17.13		0
			16QAM	1	1		17.33		0
			64QAM	1	1		17.37		0
			256QAM	1	1		17.35		0
		CP	QPSK	1	1		17.47		0

NR TDD Band n78 DoD (PC2) Conducted Power_ Measured Folder Open Free
(RSI 0), Folder Open Hotspot(RSI 2), Folder Close Free (RSI 3), Folder Close
Hotspot(RSI 4)_ SUB2 [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.51	17.15	17.34	0
				1	12	16.47	17.08	17.46	0
				1	22	16.41	17.05	17.49	0
				12	0	16.87	17.00	17.35	0
				12	6	16.84	17.16	17.38	0
				12	12	16.83	17.13	17.44	0
				24	0	16.98	17.08	17.42	0
			QPSK	1	1	16.87	17.15	17.32	0
				1	12	16.92	17.15	17.44	0
				1	22	16.84	17.09	17.48	0
				12	0	16.84	17.09	17.35	0
				12	6	16.84	17.07	17.41	0
				12	12	16.84	17.06	17.45	0
				24	0	16.84	17.16	17.41	0
			16QAM	1	1	16.85	17.20	17.23	0
			64QAM	1	1	16.88	17.16	17.34	0
			256QAM	1	1	16.90	17.14	17.29	0
		CP	QPSK	1	1	16.86	17.08	17.34	0

NR TDD Band n78 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.94	17.05	17.24	0
				1	18	16.91	17.04	17.35	0
				1	36	16.90	17.03	17.48	0
				18	0	16.93	16.99	17.28	0
				18	10	16.89	17.08	17.37	0
				18	20	16.89	17.05	17.44	0
				36	0	16.90	17.07	17.35	0
			QPSK	1	1	16.95	17.06	17.22	0
				1	18	16.93	17.11	17.35	0
				1	36	16.91	17.08	17.42	0
				18	0	16.94	17.06	17.27	0
				18	10	16.90	17.07	17.34	0
				18	20	16.90	17.06	17.44	0
				36	0	16.90	17.07	17.35	0
			16QAM	1	1	17.00	17.10	17.27	0
			64QAM	1	1	16.96	17.09	17.12	0
			256QAM	1	1	16.90	17.10	17.11	0
		CP	QPSK	1	1	16.90	17.06	17.23	0

NR TDD Band n78 DoD _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.02	17.07	17.17	0
				1	26	16.95	17.06	17.35	0
				1	49	16.90	17.04	17.47	0
				25	0	16.97	17.00	17.26	0
				25	13	16.96	17.06	17.34	0
				25	26	16.94	17.07	17.45	0
				50	0	16.97	17.06	17.34	0
			QPSK	1	1	17.03	17.04	17.14	0
				1	26	16.99	17.00	17.29	0
				1	49	16.94	17.04	17.43	0
				25	0	16.99	17.06	17.23	0
				25	13	16.97	17.04	17.34	0
				25	26	16.94	17.05	17.46	0
				50	0	17.00	17.07	17.35	0
			16QAM	1	1	17.11	17.07	17.07	0
			64QAM	1	1	17.06	16.90	17.07	0
			256QAM	1	1	17.01	17.08	17.14	0
		CP	QPSK	1	1	16.67	17.11	17.17	0

NR TDD Band n78 DoD _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.10	17.08	16.97	0
				1	32	17.04	17.08	17.14	0
				1	63	17.03	17.09	17.40	0
				32	0	17.07	17.05	16.96	0
				32	17	17.05	17.06	17.10	0
				32	33	17.01	17.06	17.26	0
				64	0	17.05	17.08	17.11	0
			QPSK	1	1	17.13	17.13	17.00	0
				1	32	17.03	17.17	17.20	0
				1	63	17.03	17.12	17.45	0
				32	0	17.07	17.07	16.97	0
				32	17	17.05	17.07	17.13	0
				32	33	17.02	17.06	17.26	0
				64	0	17.01	17.08	17.11	0
			16QAM	1	1	17.10	17.02	16.88	0
			64QAM	1	1	17.08	17.03	16.98	0
			256QAM	1	1	16.88	16.66	16.94	0
		CP	QPSK	1	1	16.73	17.12	16.99	0

NR TDD Band n78 DoD _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.07	17.02	17.07	0
				1	39	16.83	17.15	17.31	0
				1	76	16.82	17.09	17.48	0
				36	0	16.87	17.07	17.13	0
				36	21	16.80	17.06	17.29	0
				36	42	16.73	17.05	17.43	0
				75	0	16.84	17.07	17.25	0
			QPSK	1	1	16.89	17.07	17.13	0
				1	39	16.80	17.09	17.28	0
				1	76	16.82	17.02	17.47	0
				36	0	16.86	17.05	17.14	0
				36	21	16.83	17.06	17.28	0
				36	42	16.79	17.05	17.45	0
				75	0	16.83	17.09	17.25	0
			16QAM	1	1	16.93	17.06	17.08	0
			64QAM	1	1	17.04	16.94	17.14	0
			256QAM	1	1	16.87	17.04	17.13	0
		CP	QPSK	1	1	16.91	17.06	17.15	0

NR TDD Band n78 DoD _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.90		17.12	0
				1	53	16.94		17.15	0
				1	104	17.08		17.42	0
				50	0	17.00		17.05	0
				50	28	16.92		17.11	0
				50	56	16.97		17.38	0
				100	0	16.97		17.11	0
			QPSK	1	1	17.05		17.12	0
				1	53	16.97		17.08	0
				1	104	17.05		17.49	0
				50	0	17.11		17.05	0
				50	28	16.93		17.11	0
				50	56	16.95		17.37	0
				100	0	16.95		17.11	0
			16QAM	1	1	17.01		17.05	0
			64QAM	1	1	17.20		17.03	0
			256QAM	1	1	17.10		17.10	0
		CP	QPSK	1	1	17.07		17.19	0

NR TDD Band n78 DoD _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.66		17.08	0
				1	67	16.43		16.93	0
				1	131	16.73		17.43	0
				64	0	16.87		16.97	0
				64	35	16.83		16.96	0
				64	69	16.93		17.21	0
				128	0	16.84		16.97	0
			QPSK	1	1	16.93		17.08	0
				1	67	16.76		16.94	0
				1	131	17.05		17.48	0
				64	0	16.88		16.98	0
				64	35	16.81		16.96	0
				64	69	16.93		17.20	0
				128	0	16.85		16.96	0
			16QAM	1	1	16.95		17.18	0
			64QAM	1	1	16.87		17.17	0
			256QAM	1	1	16.75		17.13	0
		CP	QPSK	1	1	16.57		17.08	0

NR TDD Band n78 DoD _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		17.06		0
				1	81		17.08		0
				1	160		17.20		0
				81	0		17.03		0
				81	41		17.08		0
				81	81		17.06		0
				162	0		17.11		0
			QPSK	1	1		17.07		0
				1	81		17.09		0
				1	160		17.21		0
				81	0		17.02		0
				81	41		17.07		0
				81	81		17.05		0
				162	0		17.08		0
			16QAM	1	1		17.16		0
			64QAM	1	1		17.03		0
			256QAM	1	1		17.16		0
		CP	QPSK	1	1		17.02		0

NR TDD Band n78 DoD _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.72		0
				1	95		16.65		0
				1	187		16.96		0
				90	0		16.63		0
				90	50		16.68		0
				90	99		16.68		0
				180	0		16.72		0
			QPSK	1	1		16.80		0
				1	95		16.67		0
				1	187		17.02		0
				90	0		16.64		0
				90	50		16.70		0
				90	99		16.68		0
				180	0		16.71		0
			16QAM	1	1		16.76		0
			64QAM	1	1		16.71		0
			256QAM	1	1		17.10		0
		CP	QPSK	1	1		17.20		0

NR TDD Band n78 DoD _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.72		0
				1	109		16.68		0
				1	215		17.00		0
				108	0		16.71		0
				108	55		16.76		0
				108	109		16.71		0
				216	0		16.75		0
			QPSK	1	1		16.85		0
				1	109		16.72		0
				1	215		17.05		0
				108	0		16.72		0
				108	55		16.78		0
				108	109		16.77		0
				216	0		16.77		0
			16QAM	1	1		16.83		0
			64QAM	1	1		16.72		0
			256QAM	1	1		17.10		0
		CP	QPSK	1	1		17.29		0

NR TDD Band n78 DoD _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		17.30		0
				1	123		17.05		0
				1	243		17.44		0
				120	0		17.03		0
				120	63		17.08		0
				120	125		17.11		0
				243	0		17.13		0
			QPSK	1	1		17.30		0
				1	123		17.04		0
				1	243		17.42		0
				120	0		17.03		0
				120	63		17.09		0
				120	125		17.10		0
				243	0		17.11		0
			16QAM	1	1		17.33		0
			64QAM	1	1		17.25		0
			256QAM	1	1		17.32		0
		CP	QPSK	1	1		17.33		0

NR TDD Band n78 DoD _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		17.10		0
				1	137		17.17		0
				1	271		17.15		0
				135	0		17.06		0
				135	69		17.10		0
				135	138		17.15		0
				270	0		17.17		0
			QPSK	1	1		17.44		0
				1	137		17.04		0
				1	271		17.45		0
				135	0		17.06		0
				135	69		17.09		0
				135	138		17.18		0
				270	0		17.15		0
			16QAM	1	1		17.45		0
			64QAM	1	1		17.26		0
			256QAM	1	1		17.20		0
		CP	QPSK	1	1		17.47		0

NR TDD Band n78 (PC2) Conducted Power_ Measured Folder Open RCV(RSI

1)_ SUB2 [Ant F]

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	14.02	14.11	0
				1	12	13.94	14.07	14.20	0
				1	22	13.95	14.12	14.15	0
				12	0	13.86	14.00	14.10	0
				12	6	13.90	14.00	14.09	0
				12	12	13.75	14.08	14.11	0
				24	0	13.93	14.02	13.63	0
			QPSK	1	1	13.91	14.01	14.13	0
				1	12	13.91	14.04	14.08	0
				1	22	13.92	14.12	14.16	0
				12	0	13.86	14.00	14.16	0
				12	6	13.86	14.03	13.82	0
				12	12	13.92	14.06	13.83	0
				24	0	13.89	14.01	13.81	0
			16QAM	1	1	13.90	14.03	13.84	0
			64QAM	1	1	13.89	13.96	13.78	0
			256QAM	1	1	13.87	14.11	13.84	0
		CP	QPSK	1	1	13.89	13.96	13.83	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.90	13.97	14.04	0
				1	18	13.94	14.00	13.93	0
				1	36	14.02	14.14	13.88	0
				18	0	13.93	13.99	14.25	0
				18	10	13.96	14.02	14.24	0
				18	20	13.99	14.08	14.24	0
				36	0	13.93	14.01	14.30	0
			QPSK	1	1	13.92	13.95	14.31	0
				1	18	13.92	14.04	14.21	0
				1	36	14.00	14.15	14.25	0
				18	0	13.91	13.99	14.27	0
				18	10	13.97	14.02	14.24	0
				18	20	13.99	14.08	14.23	0
				36	0	13.96	14.10	14.24	0
			16QAM	1	1	13.86	13.96	14.30	0
			64QAM	1	1	13.88	13.98	14.23	0
			256QAM	1	1	13.91	13.92	14.32	0
		CP	QPSK	1	1	13.90	14.04	14.35	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.98	14.30	14.30	0
				1	26	13.99	14.04	14.18	0
				1	49	13.96	14.20	14.24	0
				25	0	14.04	13.98	14.25	0
				25	13	14.04	14.01	14.20	0
				25	26	14.03	14.11	14.21	0
				50	0	14.04	14.02	14.20	0
			QPSK	1	1	13.96	13.97	14.30	0
				1	26	14.02	14.03	14.19	0
				1	49	14.03	14.18	14.19	0
				25	0	14.01	13.96	14.25	0
				25	13	14.02	14.02	14.22	0
				25	26	14.03	14.12	14.19	0
				50	0	14.03	14.03	14.19	0
			16QAM	1	1	14.05	13.89	14.27	0
			64QAM	1	1	13.97	13.94	14.31	0
			256QAM	1	1	14.13	13.96	14.31	0
		CP	QPSK	1	1	13.96	14.05	14.28	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	14.01	14.29	0
				1	32	14.10	14.07	14.23	0
				1	63	14.07	14.27	14.21	0
				32	0	14.08	13.94	14.23	0
				32	17	14.09	14.01	14.16	0
				32	33	14.10	14.14	14.16	0
				64	0	14.09	14.01	14.20	0
			QPSK	1	1	13.83	13.95	14.29	0
				1	32	14.19	14.01	14.23	0
				1	63	14.05	14.24	14.15	0
				32	0	14.07	13.96	14.26	0
				32	17	14.08	14.02	14.19	0
				32	33	14.08	14.14	14.16	0
				64	0	14.10	14.01	14.18	0
			16QAM	1	1	13.98	13.99	14.29	0
			64QAM	1	1	13.97	13.97	14.19	0
			256QAM	1	1	13.78	13.95	14.23	0
		CP	QPSK	1	1	13.78	13.68	14.32	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.13	14.16	14.49	0
				1	39	14.17	14.02	14.38	0
				1	76	14.10	14.28	14.32	0
				36	0	14.13	13.96	14.42	0
				36	21	14.12	14.00	14.32	0
				36	42	14.09	14.16	14.24	0
				75	0	14.13	14.01	14.36	0
			QPSK	1	1	14.13	14.00	14.39	0
				1	39	14.16	14.09	14.27	0
				1	76	14.07	14.29	14.22	0
				36	0	14.17	13.96	14.41	0
				36	21	14.12	14.01	14.35	0
				36	42	14.10	14.18	14.24	0
				75	0	14.14	14.00	14.34	0
			16QAM	1	1	14.05	13.89	14.47	0
			64QAM	1	1	14.14	14.03	14.44	0
			256QAM	1	1	14.10	14.00	14.43	0
		CP	QPSK	1	1	14.00	13.98	14.41	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07		14.17	0
				1	53	14.05		14.09	0
				1	104	14.02		14.07	0
				50	0	13.99		14.33	0
				50	28	14.03		14.29	0
				50	56	13.99		14.17	0
				100	0	14.02		14.31	0
			QPSK	1	1	14.07		14.21	0
				1	53	14.09		14.22	0
				1	104	14.00		14.16	0
				50	0	14.00		14.33	0
				50	28	14.03		14.31	0
				50	56	14.00		14.22	0
				100	0	14.03		14.33	0
			16QAM	1	1	13.78		14.30	0
			64QAM	1	1	13.95		14.27	0
			256QAM	1	1	13.89		14.32	0
		CP	QPSK	1	1	14.10		14.26	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.99		14.21	0
				1	67	13.97		14.11	0
				1	131	14.12		14.21	0
				64	0	14.02		13.38	0
				64	35	13.97		14.38	0
				64	69	13.67		14.27	0
				128	0	13.70		14.40	0
			QPSK	1	1	13.69		14.19	0
				1	67	13.74		14.38	0
				1	131	13.83		14.23	0
				64	0	13.71		14.36	0
				64	35	13.70		14.41	0
				64	69	13.64		14.29	0
				128	0	13.71		14.40	0
			16QAM	1	1	13.63		13.51	0
			64QAM	1	1	13.86		14.25	0
			256QAM	1	1	13.92		13.95	0
		CP	QPSK	1	1	14.00		13.98	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.14		0
				1	81		14.04		0
				1	160		14.43		0
				81	0		14.01		0
				81	41		14.03		0
				81	81		14.31		0
				162	0		14.05		0
			QPSK	1	1		14.16		0
				1	81		14.04		0
				1	160		14.43		0
				81	0		13.98		0
				81	41		14.03		0
				81	81		14.31		0
				162	0		14.03		0
			16QAM	1	1		14.33		0
			64QAM	1	1		14.15		0
			256QAM	1	1		14.22		0
		CP	QPSK	1	1		14.19		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.03		0
				1	95		13.72		0
				1	187		14.15		0
				90	0		13.72		0
				90	50		13.72		0
				90	99		14.05		0
				180	0		13.74		0
			QPSK	1	1		13.97		0
				1	95		13.77		0
				1	187		14.20		0
				90	0		13.72		0
				90	50		13.72		0
				90	99		14.05		0
				180	0		13.73		0
			16QAM	1	1		13.88		0
			64QAM	1	1		13.81		0
			256QAM	1	1		14.22		0
		CP	QPSK	1	1		14.24		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.36		0
				1	109		14.06		0
				1	215		14.42		0
				108	0		14.05		0
				108	55		14.03		0
				108	109		14.40		0
				216	0		14.07		0
			QPSK	1	1		14.32		0
				1	109		14.05		0
				1	215		14.47		0
				108	0		14.07		0
				108	55		14.03		0
				108	109		14.39		0
				216	0		14.07		0
			16QAM	1	1		14.36		0
			64QAM	1	1		14.35		0
			256QAM	1	1		14.44		0
		CP	QPSK	1	1		14.02		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.34		0
				1	123		14.00		0
				1	243		14.43		0
				120	0		14.10		0
				120	63		14.04		0
				120	125		14.42		0
				243	0		14.08		0
			QPSK	1	1		14.33		0
				1	123		14.01		0
				1	243		14.41		0
				120	0		14.09		0
				120	63		14.03		0
				120	125		14.43		0
				243	0		14.08		0
			16QAM	1	1		14.42		0
			64QAM	1	1		14.35		0
			256QAM	1	1		14.33		0
		CP	QPSK	1	1		14.37		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.98		0
				1	137		13.84		0
				1	271		13.57		0
				135	0		14.13		0
				135	69		14.02		0
				135	138		14.44		0
				270	0		14.11		0
			QPSK	1	1		14.40		0
				1	137		13.94		0
				1	271		14.45		0
				135	0		14.14		0
				135	69		14.04		0
				135	138		14.44		0
				270	0		14.11		0
			16QAM	1	1		14.48		0
			64QAM	1	1		14.38		0
			256QAM	1	1		14.11		0
		CP	QPSK	1	1		14.00		0

NR TDD Band n78 DoD(PC2) Conducted Power_ Measured Folder Open

RCV(RSI 1)_ SUB2 [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.98	13.87	14.42	0
				1	12	13.75	13.88	14.49	0
				1	22	13.72	13.95	14.43	0
				12	0	13.74	13.95	14.38	0
				12	6	13.71	13.92	14.46	0
				12	12	13.70	13.96	14.40	0
				24	0	13.69	13.93	14.43	0
			QPSK	1	1	13.74	13.93	14.39	0
				1	12	13.75	13.95	14.49	0
				1	22	13.77	13.98	14.44	0
				12	0	13.75	13.94	14.41	0
				12	6	13.43	13.93	14.45	0
				12	12	13.42	13.94	14.40	0
				24	0	13.43	13.93	14.36	0
			16QAM	1	1	13.37	13.89	14.37	0
			64QAM	1	1	13.46	13.97	14.45	0
			256QAM	1	1	13.84	13.93	14.29	0
		CP	QPSK	1	1	13.78	13.96	14.37	0

NR TDD Band n78 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.48	13.93	14.40	0
				1	18	13.53	13.94	14.48	0
				1	36	13.52	13.93	14.39	0
				18	0	13.51	13.92	14.34	0
				18	10	13.48	13.94	14.28	0
				18	20	13.48	13.94	14.42	0
				36	0	13.50	13.94	14.41	0
			QPSK	1	1	13.58	13.93	14.26	0
				1	18	13.47	13.97	14.37	0
				1	36	13.47	13.94	14.43	0
				18	0	13.51	13.94	14.30	0
				18	10	13.49	13.95	14.39	0
				18	20	13.48	13.94	14.40	0
				36	0	13.52	13.94	14.40	0
			16QAM	1	1	13.44	13.94	14.36	0
			64QAM	1	1	13.65	13.94	14.29	0
			256QAM	1	1	13.87	13.98	14.21	0
		CP	QPSK	1	1	13.86	13.97	14.23	0

NR TDD Band n78 DoD _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	13.92	14.22	0
				1	26	13.83	13.92	14.36	0
				1	49	13.82	13.94	14.48	0
				25	0	13.86	13.98	14.27	0
				25	13	13.85	13.65	14.40	0
				25	26	13.61	13.95	14.48	0
				50	0	13.84	13.95	14.37	0
			QPSK	1	1	13.90	13.85	14.16	0
				1	26	13.83	13.93	14.40	0
				1	49	13.86	13.95	14.44	0
				25	0	13.83	13.94	14.27	0
				25	13	13.84	13.96	14.38	0
				25	26	13.84	13.94	14.46	0
				50	0	13.98	13.94	14.37	0
			16QAM	1	1	13.91	14.00	14.02	0
			64QAM	1	1	13.85	13.98	13.95	0
			256QAM	1	1	13.85	13.95	14.14	0
		CP	QPSK	1	1	13.91	13.93	14.14	0

NR TDD Band n78 DoD _25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 Mhz	30	DFT-s	pi/2 BPSK	1	1	12.65	13.88	13.99	0
				1	32	13.92	13.95	14.18	0
				1	63	13.86	13.92	14.41	0
				32	0	13.96	13.93	13.96	0
				32	17	13.89	13.94	14.12	0
				32	33	13.87	13.94	14.26	0
				64	0	13.88	13.94	14.11	0
			QPSK	1	1	13.94	14.00	13.93	0
				1	32	13.90	14.00	14.12	0
				1	63	13.89	13.99	14.43	0
				32	0	13.93	13.92	13.95	0
				32	17	13.91	13.92	14.11	0
				32	33	13.88	13.95	14.26	0
				64	0	13.87	13.95	14.12	0
			16QAM	1	1	13.94	12.97	13.89	0
			64QAM	1	1	13.99	13.90	13.87	0
			256QAM	1	1	13.99	13.93	13.96	0
		CP	QPSK	1	1	13.90	14.03	13.99	0

NR TDD Band n78 DoD _30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 Mhz	30	DFT-s	pi/2 BPSK	1	1	13.97	13.92	14.15	0
				1	39	13.66	14.03	14.32	0
				1	76	13.70	13.99	14.46	0
				36	0	13.74	13.95	14.14	0
				36	21	13.68	13.96	14.24	0
				36	42	13.67	13.94	14.44	0
				75	0	13.69	13.95	14.24	0
			QPSK	1	1	13.79	13.94	14.11	0
				1	39	13.71	13.96	14.27	0
				1	76	13.75	13.96	14.44	0
				36	0	13.75	13.96	14.11	0
				36	21	13.70	13.94	14.23	0
				36	42	13.67	13.94	14.44	0
				75	0	13.69	13.96	14.23	0
			16QAM	1	1	13.79	13.88	14.12	0
			64QAM	1	1	13.80	13.91	14.22	0
			256QAM	1	1	13.71	13.92	14.05	0
		CP	QPSK	1	1	13.83	13.95	13.84	0

NR TDD Band n78 DoD _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.79		12.57	0
				1	53	13.82		14.35	0
				1	104	13.95		14.35	0
				50	0	13.87		14.16	0
				50	28	13.80		14.10	0
				50	56	13.84		14.35	0
				100	0	13.82		14.13	0
			QPSK	1	1	13.92		14.08	0
				1	53	13.81		14.07	0
				1	104	13.94		14.46	0
				50	0	13.87		14.02	0
				50	28	13.80		14.05	0
				50	56	13.83		14.34	0
				100	0	13.81		14.08	0
			16QAM	1	1	14.14		13.95	0
			64QAM	1	1	13.92		14.15	0
			256QAM	1	1	13.94		14.07	0
		CP	QPSK	1	1	14.00		14.09	0

NR TDD Band n78 DoD _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.92		14.10	0
				1	67	13.67		13.85	0
				1	131	13.94		14.49	0
				64	0	13.73		13.92	0
				64	35	12.97		13.88	0
				64	69	13.79		14.14	0
				128	0	13.71		13.91	0
			QPSK	1	1	13.82		14.00	0
				1	67	13.65		13.75	0
				1	131	13.86		14.46	0
				64	0	13.99		13.61	0
				64	35	13.67		13.60	0
				64	69	13.80		13.86	0
				128	0	13.69		13.61	0
			16QAM	1	1	13.90		13.89	0
			64QAM	1	1	13.91		13.50	0
			256QAM	1	1	13.86		13.64	0
		CP	QPSK	1	1	13.71		14.02	0

NR TDD Band n78 DoD _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.91		0
				1	81		14.00		0
				1	160		14.08		0
				81	0		13.90		0
				81	41		13.95		0
				81	81		13.94		0
				162	0		13.99		0
			QPSK	1	1		13.87		0
				1	81		13.89		0
				1	160		14.04		0
				81	0		13.91		0
				81	41		13.96		0
				81	81		13.94		0
				162	0		13.98		0
			16QAM	1	1		13.85		0
			64QAM	1	1		14.19		0
			256QAM	1	1		13.98		0
		CP	QPSK	1	1		13.90		0

NR TDD Band n78 DoD _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.06		0
				1	95		13.98		0
				1	187		14.29		0
				90	0		13.89		0
				90	50		13.94		0
				90	99		13.94		0
				180	0		13.97		0
			QPSK	1	1		14.02		0
				1	95		13.95		0
				1	187		14.28		0
				90	0		13.88		0
				90	50		13.94		0
				90	99		13.95		0
				180	0		13.97		0
			16QAM	1	1		13.95		0
			64QAM	1	1		14.17		0
			256QAM	1	1		13.66		0
		CP	QPSK	1	1		14.03		0

NR TDD Band n78 DoD _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.81		0
				1	109		13.66		0
				1	215		14.17		0
				108	0		13.61		0
				108	55		13.66		0
				108	109		13.66		0
				216	0		13.71		0
			QPSK	1	1		13.81		0
				1	109		13.66		0
				1	215		14.16		0
				108	0		13.60		0
				108	55		13.66		0
				108	109		13.67		0
				216	0		13.72		0
			16QAM	1	1		13.85		0
			64QAM	1	1		13.82		0
			256QAM	1	1		14.00		0
		CP	QPSK	1	1		13.78		0

NR TDD Band n78 DoD _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.17		0
				1	123		13.95		0
				1	243		14.45		0
				120	0		13.89		0
				120	63		13.96		0
				120	125		13.98		0
				243	0		13.99		0
			QPSK	1	1		14.15		0
				1	123		13.88		0
				1	243		14.49		0
				120	0		13.91		0
				120	63		13.95		0
				120	125		13.99		0
				243	0		14.02		0
			16QAM	1	1		14.16		0
			64QAM	1	1		14.23		0
			256QAM	1	1		14.24		0
		CP	QPSK	1	1		14.24		0

NR TDD Band n78 DoD _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.30		0
				1	137		13.89		0
				1	271		14.42		0
				135	0		13.93		0
				135	69		13.95		0
				135	138		14.03		0
				270	0		14.02		0
			QPSK	1	1		14.31		0
				1	137		13.90		0
				1	271		14.43		0
				135	0		13.90		0
				135	69		13.93		0
				135	138		14.02		0
				270	0		14.03		0
			16QAM	1	1		14.23		0
			64QAM	1	1		14.28		0
			256QAM	1	1		14.32		0
		CP	QPSK	1	1		14.39		0

L.3 NR Band SRS Conducted Power

[NR TDD Band n41 (Power Class 2) SRS Conducted Power_ Antenna B / MAIN2]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.61	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.97	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	20.47	0
RSI = 1	100 MHz	30	DFT-s QPSK	24.43	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna G/SUB3, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.71	0
RSI = 1	100 MHz	30	DFT-s QPSK	18.49	0

[NR TDD Band n41 (Power Class 2) SRS Conducted Power_ Antenna I / SUB5]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna B/MAIN2, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.83	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna G/SUB3, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.58	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.94	0

[NR TDD Band n48 SRS Conducted Power]

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,2,3,4	40 MHz	30	DFT-s QPSK	16.91	16.79	16.90	0
RSI = 1	40 MHz	30	DFT-s QPSK	13.90	13.65	13.87	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,2,3,4	40 MHz	30	DFT-s QPSK	16.87	16.68	16.85	0
RSI = 1	40 MHz	30	DFT-s QPSK	13.99	13.51	13.64	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,2,3,4	40 MHz	30	DFT-s QPSK	16.96	16.68	16.78	0
RSI = 1	40 MHz	30	DFT-s QPSK	13.78	13.04	13.75	0

[NR TDD Band n77(Power Class 2) SRS Conducted Power]

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.41	17.38	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.45	14.42	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.98	17.41	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.94	14.44	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.47	17.45	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.48	14.40	0

[NR TDD Band n77_DoD(Power Class 2) SRS Conducted Power]

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.48	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.68	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.98	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.01	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.46	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.49	0

[NR TDD Band n78(Power Class 2) SRS Conducted Power]

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.15	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.12	0

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.01	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.01	0

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.36	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.41	0

[NR TDD Band n78_DoD(Power Class 2) SRS Conducted Power]

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.25	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.35	0

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	16.90	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.86	0

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	17.44	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.42	0