

n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_FullRB(3)



n77(3700~3980 MHz)_90 M_Band Edge_High_BPSK_1RB(3)



n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(1)



The screenshot displays the Keysight Spectrum Analyzer interface. The main display shows a spectrum plot with a yellow signal trace. The plot is set to a scale of 10 dB and a log frequency axis. The center frequency is 3.700000 GHz, and the span is 4.000000 MHz. The signal is identified as 'Mkr1' with a frequency of 3.699 964 GHz and a power level of -37.675 dBm. The plot also shows a reference level of 34.57 dBm and a video bandwidth of 100 kHz. The signal trace is labeled 'DL1 -13.00 dBm' and 'RMS'. The interface includes various control panels for input, settings, and measurement parameters.

n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(2)



n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(2)



n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_FullRB(3)




n77(3700~3980 MHz)_100 M_Band Edge_Low_BPSK_1RB(3)



n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(1)



n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(1)



n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(2)




n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(2)



n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_FullRB(3)



n77(3700~3980 MHz)_100 M_Band Edge_High_BPSK_1RB(3)



12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2504-FC029-P