

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	41.58	0.00	13.30	V	54.88	88.20	33.32	PK
13570	29.16	0.13	13.30	V	42.59	68.20	25.61	AV
20355	45.79	0.00	7.18	V	52.97	73.98	21.01	PK
20355	34.99	0.13	7.18	V	42.30	53.98	11.68	AV
13570	40.80	0.00	13.30	H	54.10	88.20	34.10	PK
13570	29.13	0.13	13.30	H	42.56	68.20	25.64	AV
20355	45.62	0.00	7.18	H	52.80	73.98	21.18	PK
20355	34.89	0.13	7.18	H	42.20	53.98	11.78	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	43.91	0.00	8.46	V	52.37	73.98	21.61	PK
11970	31.59	0.02	8.46	V	40.07	53.98	13.91	AV
17955	40.73	0.00	17.29	V	58.02	73.98	15.96	PK
17955	28.53	0.02	17.29	V	45.84	53.98	8.14	AV
11970	43.65	0.00	8.46	H	52.11	73.98	21.87	PK
11970	31.45	0.02	8.46	H	39.93	53.98	14.05	AV
17955	39.83	0.00	17.29	H	57.12	73.98	16.86	PK
17955	28.52	0.02	17.29	H	45.83	53.98	8.15	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	43.32	0.00	9.03	V	52.35	73.98	21.63	PK
12290	31.80	0.02	9.03	V	40.85	53.98	13.13	AV
18435	53.11	0.00	-0.19	V	52.92	73.98	21.06	PK
18435	42.35	0.02	-0.19	V	42.18	53.98	11.80	AV
12290	43.32	0.00	9.03	H	52.35	73.98	21.63	PK
12290	31.84	0.02	9.03	H	40.89	53.98	13.09	AV
18435	52.99	0.00	-0.19	H	52.80	73.98	21.18	PK
18435	42.30	0.02	-0.19	H	42.13	53.98	11.85	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	42.73	0.00	10.47	V	53.20	88.20	35.00	PK
12770	31.10	0.02	10.47	V	41.59	68.20	26.61	AV
19155	53.32	0.00	0.67	V	53.99	73.98	19.99	PK
19155	41.44	0.02	0.67	V	42.13	53.98	11.85	AV
12770	42.44	0.00	10.47	H	52.91	88.20	35.29	PK
12770	31.01	0.02	10.47	H	41.50	68.20	26.70	AV
19155	53.22	0.00	0.67	H	53.89	73.98	20.09	PK
19155	41.39	0.02	0.67	H	42.08	53.98	11.90	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	42.65	0.00	11.88	V	54.53	73.98	19.45	PK
13250	30.28	0.02	11.88	V	42.18	53.98	11.80	AV
19875	48.79	0.00	5.59	V	54.38	73.98	19.60	PK
19875	36.12	0.02	5.59	V	41.73	53.98	12.25	AV
13250	41.98	0.00	11.88	H	53.86	73.98	20.12	PK
13250	30.20	0.02	11.88	H	42.10	53.98	11.88	AV
19875	48.75	0.00	5.59	H	54.34	73.98	19.64	PK
19875	36.08	0.02	5.59	H	41.69	53.98	12.29	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	41.96	0.00	12.88	V	54.84	88.20	33.36	PK
13410	29.74	0.02	12.88	V	42.64	68.20	25.56	AV
20115	46.65	0.00	6.38	V	53.03	73.98	20.95	PK
20115	35.05	0.02	6.38	V	41.45	53.98	12.53	AV
13410	41.66	0.00	12.88	H	54.54	88.20	33.66	PK
13410	29.63	0.02	12.88	H	42.53	68.20	25.67	AV
20115	46.58	0.00	6.38	H	52.96	73.98	21.02	PK
20115	35.02	0.02	6.38	H	41.42	53.98	12.56	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	41.22	0.00	13.30	V	54.52	88.20	33.68	PK
13570	29.39	0.02	13.30	V	42.71	68.20	25.49	AV
20355	45.82	0.00	7.18	V	53.00	73.98	20.98	PK
20355	34.85	0.02	7.18	V	42.05	53.98	11.93	AV
13570	40.92	0.00	13.30	H	54.22	88.20	33.98	PK
13570	29.44	0.02	13.30	H	42.76	68.20	25.44	AV
20355	45.72	0.00	7.18	H	52.90	73.98	21.08	PK
20355	34.79	0.02	7.18	H	41.99	53.98	11.99	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	43.64	0.00	8.67	V	52.31	73.98	21.67	PK
12050	31.64	0.11	8.67	V	40.42	53.98	13.56	AV
18075	51.45	0.00	2.12	V	53.57	73.98	20.41	PK
18075	40.37	0.11	2.12	V	42.60	53.98	11.38	AV
12050	43.13	0.00	8.67	H	51.80	73.98	22.18	PK
12050	31.66	0.11	8.67	H	40.44	53.98	13.54	AV
18075	51.35	0.00	2.12	H	53.47	73.98	20.51	PK
18075	40.25	0.11	2.12	H	42.48	53.98	11.50	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	44.60	0.00	9.12	V	53.72	73.98	20.26	PK
12370	31.81	0.11	9.12	V	41.04	53.98	12.94	AV
18555	55.20	0.00	-1.05	V	54.15	73.98	19.83	PK
18555	42.68	0.11	-1.05	V	41.74	53.98	12.24	AV
12370	43.69	0.00	9.12	H	52.81	73.98	21.17	PK
12370	31.76	0.11	9.12	H	40.99	53.98	12.99	AV
18555	55.15	0.00	-1.05	H	54.10	73.98	19.88	PK
18555	42.65	0.11	-1.05	H	41.71	53.98	12.27	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	43.36	0.00	9.70	V	53.06	73.98	20.92	PK
12690	31.40	0.11	9.70	V	41.21	53.98	12.77	AV
19035	54.72	0.00	-0.31	V	54.41	73.98	19.57	PK
19035	42.55	0.11	-0.31	V	42.35	53.98	11.63	AV
12690	43.30	0.00	9.70	H	53.00	73.98	20.98	PK
12690	31.62	0.11	9.70	H	41.43	53.98	12.55	AV
19035	54.69	0.00	-0.31	H	54.38	73.98	19.60	PK
19035	42.45	0.11	-0.31	H	42.25	53.98	11.73	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	42.10	0.00	12.19	V	54.29	73.98	19.69	PK
13330	29.43	0.11	12.19	V	41.73	53.98	12.25	AV
19995	47.46	0.00	6.02	V	53.48	73.98	20.50	PK
19995	36.12	0.11	6.02	V	42.25	53.98	11.73	AV
13330	41.65	0.00	12.19	H	53.84	73.98	20.14	PK
13330	29.46	0.11	12.19	H	41.76	53.98	12.22	AV
19995	47.32	0.00	6.02	H	53.34	73.98	20.64	PK
19995	36.05	0.11	6.02	H	42.18	53.98	11.80	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	43.53	0.00	8.67	V	52.20	73.98	21.78	PK
12050	31.81	0.02	8.67	V	40.50	53.98	13.48	AV
18075	51.39	0.00	2.12	V	53.51	73.98	20.47	PK
18075	40.30	0.02	2.12	V	42.44	53.98	11.54	AV
12050	42.96	0.00	8.67	H	51.63	73.98	22.35	PK
12050	31.90	0.02	8.67	H	40.59	53.98	13.39	AV
18075	51.29	0.00	2.12	H	53.41	73.98	20.57	PK
18075	40.25	0.02	2.12	H	42.39	53.98	11.59	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	43.90	0.00	9.12	V	53.02	73.98	20.96	PK
12370	31.78	0.02	9.12	V	40.92	53.98	13.06	AV
18555	55.12	0.00	-1.05	V	54.07	73.98	19.91	PK
18555	42.58	0.02	-1.05	V	41.55	53.98	12.43	AV
12370	43.18	0.00	9.12	H	52.30	73.98	21.68	PK
12370	31.65	0.02	9.12	H	40.79	53.98	13.19	AV
18555	55.05	0.00	-1.05	H	54.00	73.98	19.98	PK
18555	42.50	0.02	-1.05	H	41.47	53.98	12.51	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	43.31	0.00	9.70	V	53.01	73.98	20.97	PK
12690	31.79	0.02	9.70	V	41.51	53.98	12.47	AV
19035	54.68	0.00	-0.31	V	54.37	73.98	19.61	PK
19035	42.48	0.02	-0.31	V	42.19	53.98	11.79	AV
12690	43.85	0.00	9.70	H	53.55	73.98	20.43	PK
12690	31.76	0.02	9.70	H	41.48	53.98	12.50	AV
19035	54.62	0.00	-0.31	H	54.31	73.98	19.67	PK
19035	42.44	0.02	-0.31	H	42.15	53.98	11.83	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	41.51	0.00	12.19	V	53.70	73.98	20.28	PK
13330	30.17	0.02	12.19	V	42.38	53.98	11.60	AV
19995	47.35	0.00	6.02	V	53.37	73.98	20.61	PK
19995	36.08	0.02	6.02	V	42.12	53.98	11.86	AV
13330	41.90	0.00	12.19	H	54.09	73.98	19.89	PK
13330	30.14	0.02	12.19	H	42.35	53.98	11.63	AV
19995	47.29	0.00	6.02	H	53.31	73.98	20.67	PK
19995	36.02	0.02	6.02	H	42.06	53.98	11.92	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x4T RU69				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	43.86	0.00	8.77	V	52.63	73.98	21.35	PK
12210	31.46	0.39	8.77	V	40.62	53.98	13.36	AV
18315	53.41	0.00	0.66	V	54.07	73.98	19.91	PK
18315	42.11	0.39	0.66	V	43.16	53.98	10.82	AV
12210	43.30	0.00	8.77	H	52.07	73.98	21.91	PK
12210	31.51	0.39	8.77	H	40.67	53.98	13.31	AV
18315	53.35	0.00	0.66	H	54.01	73.98	19.97	PK
18315	42.07	0.39	0.66	H	43.12	53.98	10.86	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x4T RU69				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	43.17	0.00	8.70	V	51.87	73.98	22.11	PK
12530	31.49	0.39	8.70	V	40.58	53.98	13.40	AV
18795	54.29	0.00	-1.61	V	52.68	73.98	21.30	PK
18795	42.41	0.39	-1.61	V	41.19	53.98	12.79	AV
12530	43.53	0.00	8.70	H	52.23	73.98	21.75	PK
12530	31.50	0.39	8.70	H	40.59	53.98	13.39	AV
18795	54.21	0.00	-1.61	H	52.60	73.98	21.38	PK
18795	42.35	0.39	-1.61	H	41.13	53.98	12.85	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	43.31	0.00	8.77	V	52.08	73.98	21.90	PK
12210	31.68	0.02	8.77	V	40.47	53.98	13.51	AV
18315	53.56	0.00	0.66	V	54.22	73.98	19.76	PK
18315	42.12	0.02	0.66	V	42.80	53.98	11.18	AV
12210	43.11	0.00	8.77	H	51.88	73.98	22.10	PK
12210	31.55	0.02	8.77	H	40.34	53.98	13.64	AV
18315	53.41	0.00	0.66	H	54.07	73.98	19.91	PK
18315	42.05	0.02	0.66	H	42.73	53.98	11.25	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	44.74	0.00	8.70	V	53.44	73.98	20.54	PK
12530	31.74	0.02	8.70	V	40.46	53.98	13.52	AV
18795	54.32	0.00	-1.61	V	52.71	73.98	21.27	PK
18795	42.45	0.02	-1.61	V	40.86	53.98	13.12	AV
12530	43.28	0.00	8.70	H	51.98	73.98	22.00	PK
12530	31.55	0.02	8.70	H	40.27	53.98	13.71	AV
18795	54.22	0.00	-1.61	H	52.61	73.98	21.37	PK
18795	42.40	0.02	-1.61	H	40.81	53.98	13.17	AV

[MRU]

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	43.40	0.00	8.49	V	51.89	73.98	22.09	PK
11870	31.56	0.04	8.49	V	40.09	53.98	13.89	AV
17805	39.88	0.00	16.74	V	56.62	73.98	17.36	PK
17805	28.19	0.04	16.74	V	44.97	53.98	9.01	AV
11870	44.06	0.00	8.49	H	52.55	73.98	21.43	PK
11870	31.44	0.04	8.49	H	39.97	53.98	14.01	AV
17805	39.66	0.00	16.74	H	56.40	73.98	17.58	PK
17805	28.23	0.04	16.74	H	45.01	53.98	8.97	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	43.46	0.00	8.41	V	51.87	73.98	22.11	PK
11910	31.44	0.04	8.41	V	39.89	53.98	14.09	AV
17865	39.92	0.00	17.17	V	57.09	73.98	16.89	PK
17865	28.46	0.04	17.17	V	45.67	53.98	8.31	AV
11910	43.56	0.00	8.41	H	51.97	73.98	22.01	PK
11910	31.41	0.04	8.41	H	39.86	53.98	14.12	AV
17865	40.11	0.00	17.17	H	57.28	73.98	16.70	PK
17865	28.48	0.04	17.17	H	45.69	53.98	8.29	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	43.42	0.00	9.16	V	52.58	88.20	35.62	PK
12350	31.46	0.04	9.16	V	40.66	68.20	27.54	AV
18525	54.54	0.00	-0.82	V	53.72	73.98	20.26	PK
18525	41.56	0.04	-0.82	V	40.78	53.98	13.20	AV
12350	42.83	0.00	9.16	H	51.99	88.20	36.21	PK
12350	31.35	0.04	9.16	H	40.55	68.20	27.65	AV
18525	54.32	0.00	-0.82	H	53.50	73.98	20.48	PK
18525	41.49	0.04	-0.82	H	40.71	53.98	13.27	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	42.36	0.00	11.14	V	53.50	88.20	34.70	PK
12830	30.42	0.04	11.14	V	41.60	68.20	26.60	AV
19245	51.09	0.00	1.64	V	52.73	73.98	21.25	PK
19245	39.12	0.04	1.64	V	40.80	53.98	13.18	AV
12830	42.54	0.00	11.14	H	53.68	88.20	34.52	PK
12830	30.37	0.04	11.14	H	41.55	68.20	26.65	AV
19245	50.99	0.00	1.64	H	52.63	73.98	21.35	PK
19245	39.09	0.04	1.64	H	40.77	53.98	13.21	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	42.89	0.00	12.30	V	55.19	88.20	33.01	PK
13070	30.26	0.04	12.30	V	42.60	68.20	25.60	AV
19605	48.71	0.00	4.15	V	52.86	73.98	21.12	PK
19605	36.69	0.04	4.15	V	40.88	53.98	13.10	AV
13070	42.27	0.00	12.30	H	54.57	88.20	33.63	PK
13070	30.28	0.04	12.30	H	42.62	68.20	25.58	AV
19605	48.66	0.00	4.15	H	52.81	73.98	21.17	PK
19605	36.65	0.04	4.15	H	40.84	53.98	13.14	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	41.18	0.00	12.38	V	53.56	88.20	34.64	PK
13390	29.34	0.04	12.38	V	41.76	68.20	26.44	AV
20085	46.58	0.00	6.32	V	52.90	73.98	21.08	PK
20085	34.55	0.04	6.32	V	40.91	53.98	13.07	AV
13390	41.41	0.00	12.38	H	53.79	88.20	34.41	PK
13390	29.40	0.04	12.38	H	41.82	68.20	26.38	AV
20085	46.49	0.00	6.32	H	52.81	73.98	21.17	PK
20085	34.50	0.04	6.32	H	40.86	53.98	13.12	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 106+26T MRU82				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	40.99	0.00	13.26	V	54.25	88.20	33.95	PK
13710	29.38	0.04	13.26	V	42.68	68.20	25.52	AV
20565	46.23	0.00	7.22	V	53.45	73.98	20.53	PK
20565	34.58	0.04	7.22	V	41.84	53.98	12.14	AV
13710	41.11	0.00	13.26	H	54.37	88.20	33.83	PK
13710	29.34	0.04	13.26	H	42.64	68.20	25.56	AV
20565	46.18	0.00	7.22	H	53.40	73.98	20.58	PK
20565	34.55	0.04	7.22	H	41.81	53.98	12.17	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.2 5935 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11870	43.50	0.00	8.49	V	51.99	73.98	21.99	PK
11870	31.55	0.03	8.49	V	40.07	53.98	13.91	AV
17805	40.65	0.00	16.74	V	57.39	73.98	16.59	PK
17805	28.22	0.03	16.74	V	44.99	53.98	8.99	AV
11870	44.58	0.00	8.49	H	53.07	73.98	20.91	PK
11870	31.61	0.03	8.49	H	40.13	53.98	13.85	AV
17805	40.00	0.00	16.74	H	56.74	73.98	17.24	PK
17805	28.21	0.03	16.74	H	44.98	53.98	9.00	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.1 5955 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11910	43.38	0.00	8.41	V	51.79	73.98	22.19	PK
11910	31.47	0.03	8.41	V	39.91	53.98	14.07	AV
17865	40.08	0.00	17.17	V	57.25	73.98	16.73	PK
17865	28.39	0.03	17.17	V	45.59	53.98	8.39	AV
11910	43.41	0.00	8.41	H	51.82	73.98	22.16	PK
11910	31.48	0.03	8.41	H	39.92	53.98	14.06	AV
17865	40.59	0.00	17.17	H	57.76	73.98	16.22	PK
17865	28.41	0.03	17.17	H	45.61	53.98	8.37	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.45 6175 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12350	43.17	0.00	9.16	V	52.33	88.20	35.87	PK
12350	31.41	0.03	9.16	V	40.60	68.20	27.60	AV
18525	54.62	0.00	-0.82	V	53.80	73.98	20.18	PK
18525	41.58	0.03	-0.82	V	40.79	53.98	13.19	AV
12350	44.08	0.00	9.16	H	53.24	88.20	34.96	PK
12350	31.35	0.03	9.16	H	40.54	68.20	27.66	AV
18525	54.59	0.00	-0.82	H	53.77	73.98	20.21	PK
18525	41.52	0.03	-0.82	H	40.73	53.98	13.25	AV

Band : UNII 5				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.93 6415 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12830	42.26	0.00	11.14	V	53.40	88.20	34.80	PK
12830	30.45	0.03	11.14	V	41.62	68.20	26.58	AV
19245	51.12	0.00	1.64	V	52.76	73.98	21.22	PK
19245	39.12	0.03	1.64	V	40.79	53.98	13.19	AV
12830	42.18	0.00	11.14	H	53.32	88.20	34.88	PK
12830	30.45	0.03	11.14	H	41.62	68.20	26.58	AV
19245	50.99	0.00	1.64	H	52.63	73.98	21.35	PK
19245	39.10	0.03	1.64	H	40.77	53.98	13.21	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.117 6535 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13070	42.39	0.00	12.30	V	54.69	88.20	33.51	PK
13070	30.21	0.03	12.30	V	42.54	68.20	25.66	AV
19605	48.72	0.00	4.15	V	52.87	73.98	21.11	PK
19605	36.80	0.03	4.15	V	40.98	53.98	13.00	AV
13070	41.96	0.00	12.30	H	54.26	88.20	33.94	PK
13070	30.27	0.03	12.30	H	42.60	68.20	25.60	AV
19605	48.68	0.00	4.15	H	52.83	73.98	21.15	PK
19605	36.77	0.03	4.15	H	40.95	53.98	13.03	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.149 6695 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13390	41.60	0.00	12.38	V	53.98	88.20	34.22	PK
13390	29.35	0.03	12.38	V	41.76	68.20	26.44	AV
20085	46.61	0.00	6.32	V	52.93	73.98	21.05	PK
20085	34.58	0.03	6.32	V	40.93	53.98	13.05	AV
13390	41.39	0.00	12.38	H	53.77	88.20	34.43	PK
13390	29.38	0.03	12.38	H	41.79	68.20	26.41	AV
20085	46.52	0.00	6.32	H	52.84	73.98	21.14	PK
20085	34.51	0.03	6.32	H	40.86	53.98	13.12	AV

Band : UNII 7				Operation Mode : 802.11be_EHT20 MCS0 52+26T MRU71				
CH.181 6855 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13710	41.23	0.00	13.26	V	54.49	88.20	33.71	PK
13710	29.31	0.03	13.26	V	42.60	68.20	25.60	AV
20565	46.25	0.00	7.22	V	53.47	73.98	20.51	PK
20565	34.53	0.03	7.22	V	41.78	53.98	12.20	AV
13710	41.34	0.00	13.26	H	54.60	88.20	33.60	PK
13710	29.35	0.03	13.26	H	42.64	68.20	25.56	AV
20565	46.19	0.00	7.22	H	53.41	73.98	20.57	PK
20565	34.41	0.03	7.22	H	41.66	53.98	12.32	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	43.38	0.00	8.44	V	51.82	73.98	22.16	PK
11930	31.60	0.04	8.44	V	40.08	53.98	13.90	AV
17895	39.88	0.00	17.19	V	57.07	73.98	16.91	PK
17895	28.28	0.04	17.19	V	45.51	53.98	8.47	AV
11930	42.97	0.00	8.44	H	51.41	73.98	22.57	PK
11930	31.42	0.04	8.44	H	39.90	53.98	14.08	AV
17895	39.93	0.00	17.19	H	57.12	73.98	16.86	PK
17895	28.36	0.04	17.19	H	45.59	53.98	8.39	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	43.09	0.00	9.51	V	52.60	73.98	21.38	PK
12330	31.25	0.04	9.51	V	40.80	53.98	13.18	AV
18495	53.30	0.00	-0.61	V	52.69	73.98	21.29	PK
18495	41.38	0.04	-0.61	V	40.81	53.98	13.17	AV
12330	43.68	0.00	9.51	H	53.19	73.98	20.79	PK
12330	31.33	0.04	9.51	H	40.88	53.98	13.10	AV
18495	53.09	0.00	-0.61	H	52.48	73.98	21.50	PK
18495	41.27	0.04	-0.61	H	40.70	53.98	13.28	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	42.48	0.00	10.76	V	53.24	88.20	34.96	PK
12810	30.39	0.04	10.76	V	41.19	68.20	27.01	AV
19215	51.75	0.00	1.40	V	53.15	73.98	20.83	PK
19215	39.95	0.04	1.40	V	41.39	53.98	12.59	AV
12810	42.69	0.00	10.76	H	53.45	88.20	34.75	PK
12810	30.46	0.04	10.76	H	41.26	68.20	26.94	AV
19215	51.69	0.00	1.40	H	53.09	73.98	20.89	PK
19215	39.94	0.04	1.40	H	41.38	53.98	12.60	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	42.61	0.00	11.61	V	54.22	88.20	33.98	PK
13130	30.32	0.04	11.61	V	41.97	68.20	26.23	AV
19695	48.25	0.00	4.68	V	52.93	73.98	21.05	PK
19695	36.35	0.04	4.68	V	41.07	53.98	12.91	AV
13130	42.31	0.00	11.61	H	53.92	88.20	34.28	PK
13130	30.30	0.04	11.61	H	41.95	68.20	26.25	AV
19695	48.11	0.00	4.68	H	52.79	73.98	21.19	PK
19695	36.31	0.04	4.68	H	41.03	53.98	12.95	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	41.10	0.00	12.39	V	53.49	88.20	34.71	PK
13370	29.50	0.04	12.39	V	41.93	68.20	26.27	AV
20055	46.23	0.00	6.42	V	52.65	73.98	21.33	PK
20055	34.71	0.04	6.42	V	41.17	53.98	12.81	AV
13370	41.32	0.00	12.39	H	53.71	88.20	34.49	PK
13370	29.50	0.04	12.39	H	41.93	68.20	26.27	AV
20055	45.82	0.00	6.42	H	52.24	73.98	21.74	PK
20055	34.68	0.04	6.42	H	41.14	53.98	12.84	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 106+26T MRU83				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	41.40	0.00	12.92	V	54.32	88.20	33.88	PK
13690	29.26	0.04	12.92	V	42.22	68.20	25.98	AV
20535	46.15	0.00	7.14	V	53.29	73.98	20.69	PK
20535	34.02	0.04	7.14	V	41.20	53.98	12.78	AV
13690	41.62	0.00	12.92	H	54.54	88.20	33.66	PK
13690	29.33	0.04	12.92	H	42.29	68.20	25.91	AV
20535	46.05	0.00	7.14	H	53.19	73.98	20.79	PK
20535	34.01	0.04	7.14	H	41.19	53.98	12.79	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.3 5965 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11930	43.16	0.00	8.44	V	51.60	73.98	22.38	PK
11930	31.41	0.02	8.44	V	39.87	53.98	14.11	AV
17895	40.15	0.00	17.19	V	57.34	73.98	16.64	PK
17895	28.29	0.02	17.19	V	45.50	53.98	8.48	AV
11930	43.68	0.00	8.44	H	52.12	73.98	21.86	PK
11930	31.41	0.02	8.44	H	39.87	53.98	14.11	AV
17895	39.84	0.00	17.19	H	57.03	73.98	16.95	PK
17895	28.29	0.02	17.19	H	45.50	53.98	8.48	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.43 6165 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12330	43.72	0.00	9.51	V	53.23	73.98	20.75	PK
12330	31.33	0.02	9.51	V	40.86	53.98	13.12	AV
18495	53.33	0.00	-0.61	V	52.72	73.98	21.26	PK
18495	41.42	0.02	-0.61	V	40.83	53.98	13.15	AV
12330	43.16	0.00	9.51	H	52.67	73.98	21.31	PK
12330	31.30	0.02	9.51	H	40.83	53.98	13.15	AV
18495	53.23	0.00	-0.61	H	52.62	73.98	21.36	PK
18495	41.40	0.02	-0.61	H	40.81	53.98	13.17	AV

Band : UNII 5				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.91 6405 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12810	42.15	0.00	10.76	V	52.91	88.20	35.29	PK
12810	30.42	0.02	10.76	V	41.20	68.20	27.00	AV
19215	51.51	0.00	1.40	V	52.91	73.98	21.07	PK
19215	39.89	0.02	1.40	V	41.31	53.98	12.67	AV
12810	42.23	0.00	10.76	H	52.99	88.20	35.21	PK
12810	30.54	0.02	10.76	H	41.32	68.20	26.88	AV
19215	51.50	0.00	1.40	H	52.90	73.98	21.08	PK
19215	39.88	0.02	1.40	H	41.30	53.98	12.68	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.123 6565 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13130	42.27	0.00	11.61	V	53.88	88.20	34.32	PK
13130	30.26	0.02	11.61	V	41.89	68.20	26.31	AV
19695	48.03	0.00	4.68	V	52.71	73.98	21.27	PK
19695	36.29	0.02	4.68	V	40.99	53.98	12.99	AV
13130	42.62	0.00	11.61	H	54.23	88.20	33.97	PK
13130	30.33	0.02	11.61	H	41.96	68.20	26.24	AV
19695	47.86	0.00	4.68	H	52.54	73.98	21.44	PK
19695	36.12	0.02	4.68	H	40.82	53.98	13.16	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.147 6685 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13370	41.27	0.00	12.39	V	53.66	88.20	34.54	PK
13370	29.49	0.02	12.39	V	41.90	68.20	26.30	AV
20055	46.03	0.00	6.42	V	52.45	73.98	21.53	PK
20055	34.68	0.02	6.42	V	41.12	53.98	12.86	AV
13370	41.55	0.00	12.39	H	53.94	88.20	34.26	PK
13370	29.49	0.02	12.39	H	41.90	68.20	26.30	AV
20055	45.70	0.00	6.42	H	52.12	73.98	21.86	PK
20055	34.65	0.02	6.42	H	41.09	53.98	12.89	AV

Band : UNII 7				Operation Mode : 802.11be_EHT40 MCS0 52+26T MRU72				
CH.179 6845 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13690	41.28	0.00	12.92	V	54.20	88.20	34.00	PK
13690	29.25	0.02	12.92	V	42.19	68.20	26.01	AV
20535	46.32	0.00	7.14	V	53.46	73.98	20.52	PK
20535	34.22	0.02	7.14	V	41.38	53.98	12.60	AV
13690	42.01	0.00	12.92	H	54.93	88.20	33.27	PK
13690	29.34	0.02	12.92	H	42.28	68.20	25.92	AV
20535	46.22	0.00	7.14	H	53.36	73.98	20.62	PK
20535	34.12	0.02	7.14	H	41.28	53.98	12.70	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	43.01	0.00	8.46	V	51.47	73.98	22.51	PK
11970	31.27	0.09	8.46	V	39.82	53.98	14.16	AV
17955	39.83	0.00	17.29	V	57.12	73.98	16.86	PK
17955	28.43	0.09	17.29	V	45.81	53.98	8.17	AV
11970	43.00	0.00	8.46	H	51.46	73.98	22.52	PK
11970	31.25	0.09	8.46	H	39.80	53.98	14.18	AV
17955	40.40	0.00	17.29	H	57.69	73.98	16.29	PK
17955	28.40	0.09	17.29	H	45.78	53.98	8.20	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	43.35	0.00	9.03	V	52.38	73.98	21.60	PK
12290	31.79	0.09	9.03	V	40.91	53.98	13.07	AV
18435	53.12	0.00	-0.19	V	52.93	73.98	21.05	PK
18435	42.37	0.09	-0.19	V	42.27	53.98	11.71	AV
12290	43.35	0.00	9.03	H	52.38	73.98	21.60	PK
12290	31.67	0.09	9.03	H	40.79	53.98	13.19	AV
18435	52.96	0.00	-0.19	H	52.77	73.98	21.21	PK
18435	42.36	0.09	-0.19	H	42.26	53.98	11.72	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	42.57	0.00	10.47	V	53.04	88.20	35.16	PK
12770	30.78	0.09	10.47	V	41.34	68.20	26.86	AV
19155	53.36	0.00	0.67	V	54.03	73.98	19.95	PK
19155	41.48	0.09	0.67	V	42.24	53.98	11.74	AV
12770	43.84	0.00	10.47	H	54.31	88.20	33.89	PK
12770	30.88	0.09	10.47	H	41.44	68.20	26.76	AV
19155	53.32	0.00	0.67	H	53.99	73.98	19.99	PK
19155	41.46	0.09	0.67	H	42.22	53.98	11.76	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	42.03	0.00	11.88	V	53.91	73.98	20.07	PK
13250	30.11	0.09	11.88	V	42.08	53.98	11.90	AV
19875	48.70	0.00	5.59	V	54.29	73.98	19.69	PK
19875	36.15	0.09	5.59	V	41.83	53.98	12.15	AV
13250	42.13	0.00	11.88	H	54.01	73.98	19.97	PK
13250	29.99	0.09	11.88	H	41.96	53.98	12.02	AV
19875	48.65	0.00	5.59	H	54.24	73.98	19.74	PK
19875	36.07	0.09	5.59	H	41.75	53.98	12.23	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	41.23	0.00	12.88	V	54.11	88.20	34.09	PK
13410	29.54	0.09	12.88	V	42.51	68.20	25.69	AV
20115	46.55	0.00	6.38	V	52.93	73.98	21.05	PK
20115	35.04	0.09	6.38	V	41.51	53.98	12.47	AV
13410	41.54	0.00	12.88	H	54.42	88.20	33.78	PK
13410	29.57	0.09	12.88	H	42.54	68.20	25.66	AV
20115	46.50	0.00	6.38	H	52.88	73.98	21.10	PK
20115	35.02	0.09	6.38	H	41.49	53.98	12.49	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 484+242T MRU91				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	41.38	0.00	13.30	V	54.68	88.20	33.52	PK
13570	29.27	0.09	13.30	V	42.66	68.20	25.54	AV
20355	45.77	0.00	7.18	V	52.95	73.98	21.03	PK
20355	34.95	0.09	7.18	V	42.22	53.98	11.76	AV
13570	41.05	0.00	13.30	H	54.35	88.20	33.85	PK
13570	29.23	0.09	13.30	H	42.62	68.20	25.58	AV
20355	45.62	0.00	7.18	H	52.80	73.98	21.18	PK
20355	34.91	0.09	7.18	H	42.18	53.98	11.80	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.7 5985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11970	43.13	0.00	8.46	V	51.59	73.98	22.39	PK
11970	31.39	0.02	8.46	V	39.87	53.98	14.11	AV
17955	39.97	0.00	17.29	V	57.26	73.98	16.72	PK
17955	28.43	0.02	17.29	V	45.74	53.98	8.24	AV
11970	43.66	0.00	8.46	H	52.12	73.98	21.86	PK
11970	31.53	0.02	8.46	H	40.01	53.98	13.97	AV
17955	40.11	0.00	17.29	H	57.40	73.98	16.58	PK
17955	28.45	0.02	17.29	H	45.76	53.98	8.22	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.39 6145 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12290	43.24	0.00	9.03	V	52.27	73.98	21.71	PK
12290	31.76	0.02	9.03	V	40.81	53.98	13.17	AV
18435	53.11	0.00	-0.19	V	52.92	73.98	21.06	PK
18435	42.31	0.02	-0.19	V	42.14	53.98	11.84	AV
12290	43.29	0.00	9.03	H	52.32	73.98	21.66	PK
12290	31.82	0.02	9.03	H	40.87	53.98	13.11	AV
18435	52.88	0.00	-0.19	H	52.69	73.98	21.29	PK
18435	42.30	0.02	-0.19	H	42.13	53.98	11.85	AV

Band : UNII 5				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.87 6385 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12770	43.34	0.00	10.47	V	53.81	88.20	34.39	PK
12770	30.88	0.02	10.47	V	41.37	68.20	26.83	AV
19155	53.29	0.00	0.67	V	53.96	73.98	20.02	PK
19155	41.41	0.02	0.67	V	42.10	53.98	11.88	AV
12770	42.55	0.00	10.47	H	53.02	88.20	35.18	PK
12770	31.08	0.02	10.47	H	41.57	68.20	26.63	AV
19155	53.25	0.00	0.67	H	53.92	73.98	20.06	PK
19155	41.40	0.02	0.67	H	42.09	53.98	11.89	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.135 6625 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13250	42.35	0.00	11.88	V	54.23	73.98	19.75	PK
13250	30.10	0.02	11.88	V	42.00	53.98	11.98	AV
19875	48.65	0.00	5.59	V	54.24	73.98	19.74	PK
19875	36.18	0.02	5.59	V	41.79	53.98	12.19	AV
13250	41.98	0.00	11.88	H	53.86	73.98	20.12	PK
13250	30.21	0.02	11.88	H	42.11	53.98	11.87	AV
19875	48.60	0.00	5.59	H	54.19	73.98	19.79	PK
19875	36.12	0.02	5.59	H	41.73	53.98	12.25	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.151 6705 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13410	41.61	0.00	12.88	V	54.49	88.20	33.71	PK
13410	29.64	0.02	12.88	V	42.54	68.20	25.66	AV
20115	46.63	0.00	6.38	V	53.01	73.98	20.97	PK
20115	35.03	0.02	6.38	V	41.43	53.98	12.55	AV
13410	41.37	0.00	12.88	H	54.25	88.20	33.95	PK
13410	29.65	0.02	12.88	H	42.55	68.20	25.65	AV
20115	46.56	0.00	6.38	H	52.94	73.98	21.04	PK
20115	35.02	0.02	6.38	H	41.42	53.98	12.56	AV

Band : UNII 7				Operation Mode : 802.11be_EHT80 MCS0 52+26T MRU75				
CH.167 6785 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13570	41.10	0.00	13.30	V	54.40	88.20	33.80	PK
13570	29.33	0.02	13.30	V	42.65	68.20	25.55	AV
20355	45.80	0.00	7.18	V	52.98	73.98	21.00	PK
20355	34.89	0.02	7.18	V	42.09	53.98	11.89	AV
13570	40.89	0.00	13.30	H	54.19	88.20	34.01	PK
13570	29.35	0.02	13.30	H	42.67	68.20	25.53	AV
20355	45.67	0.00	7.18	H	52.85	73.98	21.13	PK
20355	34.88	0.02	7.18	H	42.08	53.98	11.90	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	43.04	0.00	8.67	V	51.71	73.98	22.27	PK
12050	31.80	0.02	8.67	V	40.49	53.98	13.49	AV
18075	51.35	0.00	2.12	V	53.47	73.98	20.51	PK
18075	40.25	0.02	2.12	V	42.39	53.98	11.59	AV
12050	43.72	0.00	8.67	H	52.39	73.98	21.59	PK
12050	31.89	0.02	8.67	H	40.58	53.98	13.40	AV
18075	51.22	0.00	2.12	H	53.34	73.98	20.64	PK
18075	40.21	0.02	2.12	H	42.35	53.98	11.63	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	43.66	0.00	9.12	V	52.78	73.98	21.20	PK
12370	31.72	0.02	9.12	V	40.86	53.98	13.12	AV
18555	55.32	0.00	-1.05	V	54.27	73.98	19.71	PK
18555	42.57	0.02	-1.05	V	41.54	53.98	12.44	AV
12370	43.42	0.00	9.12	H	52.54	73.98	21.44	PK
12370	31.70	0.02	9.12	H	40.84	53.98	13.14	AV
18555	55.29	0.00	-1.05	H	54.24	73.98	19.74	PK
18555	42.48	0.02	-1.05	H	41.45	53.98	12.53	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	44.82	0.00	9.70	V	54.52	73.98	19.46	PK
12690	31.75	0.02	9.70	V	41.47	53.98	12.51	AV
19035	54.62	0.00	-0.31	V	54.31	73.98	19.67	PK
19035	42.44	0.02	-0.31	V	42.15	53.98	11.83	AV
12690	44.53	0.00	9.70	H	54.23	73.98	19.75	PK
12690	31.70	0.02	9.70	H	41.42	53.98	12.56	AV
19035	54.58	0.00	-0.31	H	54.27	73.98	19.71	PK
19035	42.40	0.02	-0.31	H	42.11	53.98	11.87	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160(80L) MCS0 52+26T MRU75				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	42.37	0.00	12.19	V	54.56	73.98	19.42	PK
13330	30.13	0.02	12.19	V	42.34	53.98	11.64	AV
19995	47.22	0.00	6.02	V	53.24	73.98	20.74	PK
19995	36.11	0.02	6.02	V	42.15	53.98	11.83	AV
13330	41.86	0.00	12.19	H	54.05	73.98	19.93	PK
13330	30.09	0.02	12.19	H	42.30	53.98	11.68	AV
19995	47.12	0.00	6.02	H	53.14	73.98	20.84	PK
19995	36.08	0.02	6.02	H	42.12	53.98	11.86	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T_Non-OFDMA MRU99				
CH.15 6025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12050	42.88	0.00	8.67	V	51.55	73.98	22.43	PK
12050	31.51	0.02	8.67	V	40.20	53.98	13.78	AV
18075	51.29	0.00	2.12	V	53.41	73.98	20.57	PK
18075	40.22	0.02	2.12	V	42.36	53.98	11.62	AV
12050	42.95	0.00	8.67	H	51.62	73.98	22.36	PK
12050	31.62	0.02	8.67	H	40.31	53.98	13.67	AV
18075	51.20	0.00	2.12	H	53.32	73.98	20.66	PK
18075	40.18	0.02	2.12	H	42.32	53.98	11.66	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T_Non-OFDMA MRU99				
CH.47 6185 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12370	42.89	0.00	9.12	V	52.01	73.98	21.97	PK
12370	31.75	0.02	9.12	V	40.89	53.98	13.09	AV
18555	55.26	0.00	-1.05	V	54.21	73.98	19.77	PK
18555	42.55	0.02	-1.05	V	41.52	53.98	12.46	AV
12370	43.01	0.00	9.12	H	52.13	73.98	21.85	PK
12370	31.82	0.02	9.12	H	40.96	53.98	13.02	AV
18555	55.21	0.00	-1.05	H	54.16	73.98	19.82	PK
18555	42.41	0.02	-1.05	H	41.38	53.98	12.60	AV

Band : UNII 5				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T_Non-OFDMA MRU99				
CH.79 6345 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12690	43.36	0.00	9.70	V	53.06	73.98	20.92	PK
12690	31.88	0.02	9.70	V	41.60	53.98	12.38	AV
19035	54.65	0.00	-0.31	V	54.34	73.98	19.64	PK
19035	42.41	0.02	-0.31	V	42.12	53.98	11.86	AV
12690	43.12	0.00	9.70	H	52.82	73.98	21.16	PK
12690	31.71	0.02	9.70	H	41.43	53.98	12.55	AV
19035	54.50	0.00	-0.31	H	54.19	73.98	19.79	PK
19035	42.38	0.02	-0.31	H	42.09	53.98	11.89	AV

Band : UNII 7				Operation Mode : 802.11be_EHT160 MCS0 996+484+242T_Non-OFDMA MRU99				
CH.143 6665 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13330	41.51	0.00	12.19	V	53.70	73.98	20.28	PK
13330	30.31	0.02	12.19	V	42.52	53.98	11.46	AV
19995	47.12	0.00	6.02	V	53.14	73.98	20.84	PK
19995	36.08	0.02	6.02	V	42.12	53.98	11.86	AV
13330	41.44	0.00	12.19	H	53.63	73.98	20.35	PK
13330	30.26	0.02	12.19	H	42.47	53.98	11.51	AV
19995	47.05	0.00	6.02	H	53.07	73.98	20.91	PK
19995	36.02	0.02	6.02	H	42.06	53.98	11.92	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x3+484T MRU1106				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	43.60	0.00	8.77	V	52.37	73.98	21.61	PK
12210	31.58	0.19	8.77	V	40.54	53.98	13.44	AV
18315	53.35	0.00	0.66	V	54.01	73.98	19.97	PK
18315	42.08	0.19	0.66	V	42.93	53.98	11.05	AV
12210	43.16	0.00	8.77	H	51.93	73.98	22.05	PK
12210	31.60	0.19	8.77	H	40.56	53.98	13.42	AV
18315	53.31	0.00	0.66	H	53.97	73.98	20.01	PK
18315	42.02	0.19	0.66	H	42.87	53.98	11.11	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320 MCS0 996x3+484T MRU1106				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	44.09	0.00	8.70	V	52.79	73.98	21.19	PK
12530	31.68	0.19	8.70	V	40.57	53.98	13.41	AV
18795	54.21	0.00	-1.61	V	52.60	73.98	21.38	PK
18795	42.35	0.19	-1.61	V	40.93	53.98	13.05	AV
12530	43.42	0.00	8.70	H	52.12	73.98	21.86	PK
12530	31.65	0.19	8.70	H	40.54	53.98	13.44	AV
18795	54.18	0.00	-1.61	H	52.57	73.98	21.41	PK
18795	42.31	0.19	-1.61	H	40.89	53.98	13.09	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 52+26T MRU75				
CH.31 6105 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12210	43.11	0.00	8.77	V	51.88	73.98	22.10	PK
12210	31.55	0.02	8.77	V	40.34	53.98	13.64	AV
18315	53.31	0.00	0.66	V	53.97	73.98	20.01	PK
18315	42.05	0.02	0.66	V	42.73	53.98	11.25	AV
12210	43.25	0.00	8.77	H	52.02	73.98	21.96	PK
12210	31.64	0.02	8.77	H	40.43	53.98	13.55	AV
18315	53.29	0.00	0.66	H	53.95	73.98	20.03	PK
18315	42.03	0.02	0.66	H	42.71	53.98	11.27	AV

Band : UNII 5				Operation Mode : 802.11be_EHT320(80LL) MCS0 52+26T MRU75				
CH.63 6265 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12530	43.24	0.00	8.70	V	51.94	73.98	22.04	PK
12530	31.62	0.02	8.70	V	40.34	53.98	13.64	AV
18795	54.39	0.00	-1.61	V	52.78	73.98	21.20	PK
18795	42.29	0.02	-1.61	V	40.70	53.98	13.28	AV
12530	43.46	0.00	8.70	H	52.16	73.98	21.82	PK
12530	31.64	0.02	8.70	H	40.36	53.98	13.62	AV
18795	54.32	0.00	-1.61	H	52.71	73.98	21.27	PK
18795	42.28	0.02	-1.61	H	40.69	53.98	13.29	AV

10.12.2 Indoor Cilent

[SRU]

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.97 6435 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12870	42.24	0.00	11.20	V	53.44	88.20	34.76	PK
12870	30.19	0.07	11.20	V	41.46	68.20	26.74	AV
19305	51.11	0.00	2.10	V	53.21	73.98	20.77	PK
19305	38.99	0.07	2.10	V	41.16	53.98	12.82	AV
12870	42.13	0.00	11.20	H	53.33	88.20	34.87	PK
12870	30.15	0.07	11.20	H	41.42	68.20	26.78	AV
19305	50.95	0.00	2.10	H	53.05	73.98	20.93	PK
19305	38.88	0.07	2.10	H	41.05	53.98	12.93	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.105 6475 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12950	41.88	0.00	11.69	V	53.57	88.20	34.63	PK
12950	29.49	0.07	11.69	V	41.25	68.20	26.95	AV
19425	50.08	0.00	3.04	V	53.12	73.98	20.86	PK
19425	38.06	0.07	3.04	V	41.17	53.98	12.81	AV
12950	41.20	0.00	11.69	H	52.89	88.20	35.31	PK
12950	29.53	0.07	11.69	H	41.29	68.20	26.91	AV
19425	50.00	0.00	3.04	H	53.04	73.98	20.94	PK
19425	38.01	0.07	3.04	H	41.12	53.98	12.86	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.113 6515 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13030	41.95	0.00	11.61	V	53.56	88.20	34.64	PK
13030	29.91	0.07	11.61	V	41.59	68.20	26.61	AV
19545	48.81	0.00	3.76	V	52.57	73.98	21.41	PK
19545	36.71	0.07	3.76	V	40.54	53.98	13.44	AV
13030	41.76	0.00	11.61	H	53.37	88.20	34.83	PK
13030	29.80	0.07	11.61	H	41.48	68.20	26.72	AV
19545	48.72	0.00	3.76	H	52.48	73.98	21.50	PK
19545	36.65	0.07	3.76	H	40.48	53.98	13.50	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.185 6875 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13750	41.09	0.00	12.61	V	53.70	88.20	34.50	PK
13750	29.36	0.07	12.61	V	42.04	68.20	26.16	AV
20625	45.79	0.00	7.20	V	52.99	73.98	20.99	PK
20625	34.02	0.07	7.20	V	41.29	53.98	12.69	AV
13750	41.24	0.00	12.61	H	53.85	88.20	34.35	PK
13750	29.43	0.07	12.61	H	42.11	68.20	26.09	AV
20625	45.72	0.00	7.20	H	52.92	73.98	21.06	PK
20625	34.01	0.07	7.20	H	41.28	53.98	12.70	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.209 6995 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13990	41.35	0.00	12.38	V	53.73	88.20	34.47	PK
13990	29.45	0.07	12.38	V	41.90	68.20	26.30	AV
20985	46.59	0.00	6.64	V	53.23	73.98	20.75	PK
20985	34.27	0.07	6.64	V	40.98	53.98	13.00	AV
13990	41.11	0.00	12.38	H	53.49	88.20	34.71	PK
13990	29.37	0.07	12.38	H	41.82	68.20	26.38	AV
20985	46.44	0.00	6.64	H	53.08	73.98	20.90	PK
20985	34.19	0.07	6.64	H	40.90	53.98	13.08	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 242T RU61				
CH.233 7115 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14230	40.99	0.00	13.61	V	54.60	88.20	33.60	PK
14230	28.88	0.07	13.61	V	42.56	68.20	25.64	AV
21345	47.62	0.00	5.59	V	53.21	73.98	20.77	PK
21345	35.99	0.07	5.59	V	41.65	53.98	12.33	AV
14230	40.38	0.00	13.61	H	53.99	88.20	34.21	PK
14230	28.82	0.07	13.61	H	42.50	68.20	25.70	AV
21345	47.38	0.00	5.59	H	52.97	73.98	21.01	PK
21345	35.92	0.07	5.59	H	41.58	53.98	12.40	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.97 6435 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12870	41.78	0.00	11.20	V	52.98	88.20	35.22	PK
12870	30.29	0.02	11.20	V	41.51	68.20	26.69	AV
19305	51.05	0.00	2.10	V	53.15	73.98	20.83	PK
19305	39.02	0.02	2.10	V	41.14	53.98	12.84	AV
12870	42.42	0.00	11.20	H	53.62	88.20	34.58	PK
12870	30.13	0.02	11.20	H	41.35	68.20	26.85	AV
19305	50.95	0.00	2.10	H	53.05	73.98	20.93	PK
19305	38.95	0.02	2.10	H	41.07	53.98	12.91	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.105 6475 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12950	41.63	0.00	11.69	V	53.32	88.20	34.88	PK
12950	29.61	0.02	11.69	V	41.32	68.20	26.88	AV
19425	50.05	0.00	3.04	V	53.09	73.98	20.89	PK
19425	38.05	0.02	3.04	V	41.11	53.98	12.87	AV
12950	41.42	0.00	11.69	H	53.11	88.20	35.09	PK
12950	29.52	0.02	11.69	H	41.23	68.20	26.97	AV
19425	49.99	0.00	3.04	H	53.03	73.98	20.95	PK
19425	38.00	0.02	3.04	H	41.06	53.98	12.92	AV

Band : UNII 6				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.113 6515 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13030	41.95	0.00	11.61	V	53.56	88.20	34.64	PK
13030	29.95	0.02	11.61	V	41.58	68.20	26.62	AV
19545	48.90	0.00	3.76	V	52.66	73.98	21.32	PK
19545	36.98	0.02	3.76	V	40.76	53.98	13.22	AV
13030	42.33	0.00	11.61	H	53.94	88.20	34.26	PK
13030	29.77	0.02	11.61	H	41.40	68.20	26.80	AV
19545	48.82	0.00	3.76	H	52.58	73.98	21.40	PK
19545	36.91	0.02	3.76	H	40.69	53.98	13.29	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.185 6875 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13750	41.62	0.00	12.61	V	54.23	88.20	33.97	PK
13750	29.50	0.02	12.61	V	42.13	68.20	26.07	AV
20625	45.90	0.00	7.20	V	53.10	73.98	20.88	PK
20625	34.11	0.02	7.20	V	41.33	53.98	12.65	AV
13750	41.55	0.00	12.61	H	54.16	88.20	34.04	PK
13750	29.37	0.02	12.61	H	42.00	68.20	26.20	AV
20625	45.72	0.00	7.20	H	52.92	73.98	21.06	PK
20625	34.05	0.02	7.20	H	41.27	53.98	12.71	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.209 6995 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13990	41.19	0.00	12.38	V	53.57	88.20	34.63	PK
13990	29.50	0.02	12.38	V	41.90	68.20	26.30	AV
20985	46.73	0.00	6.64	V	53.37	73.98	20.61	PK
20985	34.43	0.02	6.64	V	41.09	53.98	12.89	AV
13990	40.90	0.00	12.38	H	53.28	88.20	34.92	PK
13990	29.38	0.02	12.38	H	41.78	68.20	26.42	AV
20985	46.45	0.00	6.64	H	53.09	73.98	20.89	PK
20985	34.32	0.02	6.64	H	40.98	53.98	13.00	AV

Band : UNII 8				Operation Mode : 802.11be_EHT20 MCS0 26T RU4				
CH.233 7115 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14230	40.54	0.00	13.61	V	54.15	88.20	34.05	PK
14230	29.07	0.02	13.61	V	42.70	68.20	25.50	AV
21345	47.82	0.00	5.59	V	53.41	73.98	20.57	PK
21345	35.93	0.02	5.59	V	41.54	53.98	12.44	AV
14230	40.95	0.00	13.61	H	54.56	88.20	33.64	PK
14230	28.86	0.02	13.61	H	42.49	68.20	25.71	AV
21345	47.55	0.00	5.59	H	53.14	73.98	20.84	PK
21345	35.90	0.02	5.59	H	41.51	53.98	12.47	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.99 6445 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12890	42.00	0.00	11.78	V	53.78	88.20	34.42	PK
12890	30.02	0.12	11.78	V	41.92	68.20	26.28	AV
19335	50.41	0.00	2.45	V	52.86	73.98	21.12	PK
19335	38.78	0.12	2.45	V	41.35	53.98	12.63	AV
12890	41.87	0.00	11.78	H	53.65	88.20	34.55	PK
12890	30.10	0.12	11.78	H	42.00	68.20	26.20	AV
19335	50.35	0.00	2.45	H	52.80	73.98	21.18	PK
19335	38.69	0.12	2.45	H	41.26	53.98	12.72	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.107 6485 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12970	41.15	0.00	12.52	V	53.67	88.20	34.53	PK
12970	29.47	0.12	12.52	V	42.11	68.20	26.09	AV
19455	49.58	0.00	3.21	V	52.79	73.98	21.19	PK
19455	37.77	0.12	3.21	V	41.10	53.98	12.88	AV
12970	41.35	0.00	12.52	H	53.87	88.20	34.33	PK
12970	29.23	0.12	12.52	H	41.87	68.20	26.33	AV
19455	49.48	0.00	3.21	H	52.69	73.98	21.29	PK
19455	37.72	0.12	3.21	H	41.05	53.98	12.93	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.115 6525 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13050	41.67	0.00	12.07	V	53.74	88.20	34.46	PK
13050	30.01	0.12	12.07	V	42.20	68.20	26.00	AV
19575	48.85	0.00	3.88	V	52.73	73.98	21.25	PK
19575	36.59	0.12	3.88	V	40.59	53.98	13.39	AV
13050	41.71	0.00	12.07	H	53.78	88.20	34.42	PK
13050	30.00	0.12	12.07	H	42.19	68.20	26.01	AV
19575	48.69	0.00	3.88	H	52.57	73.98	21.41	PK
19575	36.50	0.12	3.88	H	40.50	53.98	13.48	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.187 6885 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13770	41.02	0.00	12.96	V	53.98	88.20	34.22	PK
13770	29.37	0.12	12.96	V	42.45	68.20	25.75	AV
20655	45.73	0.00	7.12	V	52.85	73.98	21.13	PK
20655	34.05	0.12	7.12	V	41.29	53.98	12.69	AV
13770	41.21	0.00	12.96	H	54.17	88.20	34.03	PK
13770	29.33	0.12	12.96	H	42.41	68.20	25.79	AV
20655	45.40	0.00	7.12	H	52.52	73.98	21.46	PK
20655	34.01	0.12	7.12	H	41.25	53.98	12.73	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.211 7005 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14010	42.12	0.00	12.68	V	54.80	88.20	33.40	PK
14010	29.42	0.12	12.68	V	42.22	68.20	25.98	AV
21015	46.38	0.00	6.57	V	52.95	73.98	21.03	PK
21015	34.68	0.12	6.57	V	41.37	53.98	12.61	AV
14010	41.80	0.00	12.68	H	54.48	88.20	33.72	PK
14010	29.34	0.12	12.68	H	42.14	68.20	26.06	AV
21015	46.27	0.00	6.57	H	52.84	73.98	21.14	PK
21015	34.65	0.12	6.57	H	41.34	53.98	12.64	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 484T RU65				
CH.227 7085 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14170	41.00	0.00	13.37	V	54.37	88.20	33.83	PK
14170	29.28	0.12	13.37	V	42.77	68.20	25.43	AV
21255	47.39	0.00	5.80	V	53.19	73.98	20.79	PK
21255	35.75	0.12	5.80	V	41.67	53.98	12.31	AV
14170	41.71	0.00	13.37	H	55.08	88.20	33.12	PK
14170	29.24	0.12	13.37	H	42.73	68.20	25.47	AV
21255	47.24	0.00	5.80	H	53.04	73.98	20.94	PK
21255	35.71	0.12	5.80	H	41.63	53.98	12.35	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.99 6445 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12890	41.62	0.00	11.78	V	53.40	88.20	34.80	PK
12890	30.00	0.01	11.78	V	41.79	68.20	26.41	AV
19335	50.45	0.00	2.45	V	52.90	73.98	21.08	PK
19335	38.78	0.01	2.45	V	41.24	53.98	12.74	AV
12890	42.00	0.00	11.78	H	53.78	88.20	34.42	PK
12890	29.95	0.01	11.78	H	41.74	68.20	26.46	AV
19335	50.35	0.00	2.45	H	52.80	73.98	21.18	PK
19335	38.65	0.01	2.45	H	41.11	53.98	12.87	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.107 6485 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12970	41.91	0.00	12.52	V	54.43	88.20	33.77	PK
12970	29.31	0.01	12.52	V	41.84	68.20	26.36	AV
19455	49.65	0.00	3.21	V	52.86	73.98	21.12	PK
19455	37.82	0.01	3.21	V	41.04	53.98	12.94	AV
12970	40.82	0.00	12.52	H	53.34	88.20	34.86	PK
12970	29.29	0.01	12.52	H	41.82	68.20	26.38	AV
19455	49.59	0.00	3.21	H	52.80	73.98	21.18	PK
19455	37.77	0.01	3.21	H	40.99	53.98	12.99	AV

Band : UNII 6				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.115 6525 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13050	41.97	0.00	12.07	V	54.04	88.20	34.16	PK
13050	30.04	0.01	12.07	V	42.12	68.20	26.08	AV
19575	48.88	0.00	3.88	V	52.76	73.98	21.22	PK
19575	36.62	0.01	3.88	V	40.51	53.98	13.47	AV
13050	41.63	0.00	12.07	H	53.70	88.20	34.50	PK
13050	30.05	0.01	12.07	H	42.13	68.20	26.07	AV
19575	48.81	0.00	3.88	H	52.69	73.98	21.29	PK
19575	36.58	0.01	3.88	H	40.47	53.98	13.51	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.187 6885 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13770	41.34	0.00	12.96	V	54.30	88.20	33.90	PK
13770	29.31	0.01	12.96	V	42.28	68.20	25.92	AV
20655	45.84	0.00	7.12	V	52.96	73.98	21.02	PK
20655	34.02	0.01	7.12	V	41.15	53.98	12.83	AV
13770	41.94	0.00	12.96	H	54.90	88.20	33.30	PK
13770	29.39	0.01	12.96	H	42.36	68.20	25.84	AV
20655	45.52	0.00	7.12	H	52.64	73.98	21.34	PK
20655	34.00	0.01	7.12	H	41.13	53.98	12.85	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.211 7005 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14010	41.15	0.00	12.68	V	53.83	88.20	34.37	PK
14010	29.34	0.01	12.68	V	42.03	68.20	26.17	AV
21015	46.31	0.00	6.57	V	52.88	73.98	21.10	PK
21015	34.62	0.01	6.57	V	41.20	53.98	12.78	AV
14010	41.47	0.00	12.68	H	54.15	88.20	34.05	PK
14010	29.35	0.01	12.68	H	42.04	68.20	26.16	AV
21015	46.19	0.00	6.57	H	52.76	73.98	21.22	PK
21015	34.60	0.01	6.57	H	41.18	53.98	12.80	AV

Band : UNII 8				Operation Mode : 802.11be_EHT40 MCS0 26T RU9				
CH.227 7085 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14170	41.09	0.00	13.37	V	54.46	88.20	33.74	PK
14170	29.27	0.01	13.37	V	42.65	68.20	25.55	AV
21255	47.42	0.00	5.80	V	53.22	73.98	20.76	PK
21255	35.82	0.01	5.80	V	41.63	53.98	12.35	AV
14170	41.22	0.00	13.37	H	54.59	88.20	33.61	PK
14170	29.27	0.01	13.37	H	42.65	68.20	25.55	AV
21255	47.33	0.00	5.80	H	53.13	73.98	20.85	PK
21255	35.75	0.01	5.80	H	41.56	53.98	12.42	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.103 6465 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12930	41.91	0.00	11.80	V	53.71	88.20	34.49	PK
12930	29.83	0.13	11.80	V	41.76	68.20	26.44	AV
19395	50.89	0.00	2.79	V	53.68	73.98	20.30	PK
19395	40.18	0.13	2.79	V	43.10	53.98	10.88	AV
12930	42.19	0.00	11.80	H	53.99	88.20	34.21	PK
12930	29.72	0.13	11.80	H	41.65	68.20	26.55	AV
19395	50.77	0.00	2.79	H	53.56	73.98	20.42	PK
19395	40.05	0.13	2.79	H	42.97	53.98	11.01	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.119 6545 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13090	42.28	0.00	11.74	V	54.02	88.20	34.18	PK
13090	30.21	0.13	11.74	V	42.08	68.20	26.12	AV
19635	49.35	0.00	4.41	V	53.76	73.98	20.22	PK
19635	37.77	0.13	4.41	V	42.31	53.98	11.67	AV
13090	42.38	0.00	11.74	H	54.12	88.20	34.08	PK
13090	30.19	0.13	11.74	H	42.06	68.20	26.14	AV
19635	49.29	0.00	4.41	H	53.70	73.98	20.28	PK
19635	37.72	0.13	4.41	H	42.26	53.98	11.72	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.183 6865 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13730	41.64	0.00	12.92	V	54.56	88.20	33.64	PK
13730	29.41	0.13	12.92	V	42.46	68.20	25.74	AV
20595	46.23	0.00	7.20	V	53.43	73.98	20.55	PK
20595	34.62	0.13	7.20	V	41.95	53.98	12.03	AV
13730	41.45	0.00	12.92	H	54.37	88.20	33.83	PK
13730	29.52	0.13	12.92	H	42.57	68.20	25.63	AV
20595	46.19	0.00	7.20	H	53.39	73.98	20.59	PK
20595	34.58	0.13	7.20	H	41.91	53.98	12.07	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.199 6945 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13890	41.42	0.00	12.66	V	54.08	88.20	34.12	PK
13890	29.42	0.13	12.66	V	42.21	68.20	25.99	AV
20835	47.16	0.00	7.05	V	54.21	73.98	19.77	PK
20835	34.22	0.13	7.05	V	41.40	53.98	12.58	AV
13890	41.34	0.00	12.66	H	54.00	88.20	34.20	PK
13890	29.36	0.13	12.66	H	42.15	68.20	26.05	AV
20835	47.05	0.00	7.05	H	54.10	73.98	19.88	PK
20835	34.12	0.13	7.05	H	41.30	53.98	12.68	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 996T RU67				
CH.215 7025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14050	41.33	0.00	12.91	V	54.24	88.20	33.96	PK
14050	29.40	0.13	12.91	V	42.44	68.20	25.76	AV
21075	47.35	0.00	6.36	V	53.71	73.98	20.27	PK
21075	35.71	0.13	6.36	V	42.20	53.98	11.78	AV
14050	41.84	0.00	12.91	H	54.75	88.20	33.45	PK
14050	29.31	0.13	12.91	H	42.35	68.20	25.85	AV
21075	47.22	0.00	6.36	H	53.58	73.98	20.40	PK
21075	35.65	0.13	6.36	H	42.14	53.98	11.84	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.103 6465 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12930	41.85	0.00	11.80	V	53.65	88.20	34.55	PK
12930	30.19	0.02	11.80	V	42.01	68.20	26.19	AV
19395	50.81	0.00	2.79	V	53.60	73.98	20.38	PK
19395	40.02	0.02	2.79	V	42.83	53.98	11.15	AV
12930	41.82	0.00	11.80	H	53.62	88.20	34.58	PK
12930	30.05	0.02	11.80	H	41.87	68.20	26.33	AV
19395	50.70	0.00	2.79	H	53.49	73.98	20.49	PK
19395	40.00	0.02	2.79	H	42.81	53.98	11.17	AV

Band : UNII 6				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.119 6545 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13090	42.17	0.00	11.74	V	53.91	88.20	34.29	PK
13090	30.60	0.02	11.74	V	42.36	68.20	25.84	AV
19635	49.22	0.00	4.41	V	53.63	73.98	20.35	PK
19635	37.68	0.02	4.41	V	42.11	53.98	11.87	AV
13090	42.45	0.00	11.74	H	54.19	88.20	34.01	PK
13090	30.53	0.02	11.74	H	42.29	68.20	25.91	AV
19635	49.12	0.00	4.41	H	53.53	73.98	20.45	PK
19635	37.65	0.02	4.41	H	42.08	53.98	11.90	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.183 6865 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13730	41.40	0.00	12.92	V	54.32	88.20	33.88	PK
13730	29.71	0.02	12.92	V	42.65	68.20	25.55	AV
20595	46.25	0.00	7.20	V	53.45	73.98	20.53	PK
20595	34.59	0.02	7.20	V	41.81	53.98	12.17	AV
13730	41.44	0.00	12.92	H	54.36	88.20	33.84	PK
13730	29.65	0.02	12.92	H	42.59	68.20	25.61	AV
20595	46.21	0.00	7.20	H	53.41	73.98	20.57	PK
20595	34.55	0.02	7.20	H	41.77	53.98	12.21	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.199 6945 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13890	41.15	0.00	12.66	V	53.81	88.20	34.39	PK
13890	29.67	0.02	12.66	V	42.35	68.20	25.85	AV
20835	47.05	0.00	7.05	V	54.10	73.98	19.88	PK
20835	34.12	0.02	7.05	V	41.19	53.98	12.79	AV
13890	41.76	0.00	12.66	H	54.42	88.20	33.78	PK
13890	29.63	0.02	12.66	H	42.31	68.20	25.89	AV
20835	46.99	0.00	7.05	H	54.04	73.98	19.94	PK
20835	34.15	0.02	7.05	H	41.22	53.98	12.76	AV

Band : UNII 8				Operation Mode : 802.11be_EHT80 MCS0 26T RU19				
CH.215 7025 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
14050	42.07	0.00	12.91	V	54.98	88.20	33.22	PK
14050	29.57	0.02	12.91	V	42.50	68.20	25.70	AV
21075	47.29	0.00	6.36	V	53.65	73.98	20.33	PK
21075	35.68	0.02	6.36	V	42.06	53.98	11.92	AV
14050	41.73	0.00	12.91	H	54.64	88.20	33.56	PK
14050	29.45	0.02	12.91	H	42.38	68.20	25.82	AV
21075	47.12	0.00	6.36	H	53.48	73.98	20.50	PK
21075	35.65	0.02	6.36	H	42.03	53.98	11.95	AV

Band : UNII 6				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.111 6505 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13010	42.21	0.00	12.10	V	54.31	88.20	33.89	PK
13010	30.03	0.11	12.10	V	42.24	68.20	25.96	AV
19515	51.01	0.00	3.56	V	54.57	73.98	19.41	PK
19515	39.51	0.11	3.56	V	43.18	53.98	10.80	AV
13010	42.12	0.00	12.10	H	54.22	88.20	33.98	PK
13010	30.08	0.11	12.10	H	42.29	68.20	25.91	AV
19515	50.95	0.00	3.56	H	54.51	73.98	19.47	PK
19515	39.49	0.11	3.56	H	43.16	53.98	10.82	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.175 6825 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13650	41.42	0.00	13.17	V	54.59	88.20	33.61	PK
13650	29.37	0.11	13.17	V	42.65	68.20	25.55	AV
20475	46.15	0.00	7.06	V	53.21	73.98	20.77	PK
20475	34.69	0.11	7.06	V	41.86	53.98	12.12	AV
13650	41.35	0.00	13.17	H	54.52	88.20	33.68	PK
13650	29.42	0.11	13.17	H	42.70	68.20	25.50	AV
20475	46.02	0.00	7.06	H	53.08	73.98	20.90	PK
20475	34.65	0.11	7.06	H	41.82	53.98	12.16	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160 MCS0 996x2T RU68				
CH.207 6985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13970	41.28	0.00	12.54	V	53.82	88.20	34.38	PK
13970	29.36	0.11	12.54	V	42.01	68.20	26.19	AV
20955	46.93	0.00	6.85	V	53.78	73.98	20.20	PK
20955	35.68	0.11	6.85	V	42.64	53.98	11.34	AV
13970	41.83	0.00	12.54	H	54.37	88.20	33.83	PK
13970	29.32	0.11	12.54	H	41.97	68.20	26.23	AV
20955	46.83	0.00	6.85	H	53.68	73.98	20.30	PK
20955	35.61	0.11	6.85	H	42.57	53.98	11.41	AV

Band : UNII 6				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.111 6505 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13010	41.92	0.00	12.10	V	54.02	88.20	34.18	PK
13010	30.44	0.02	12.10	V	42.56	68.20	25.64	AV
19515	50.85	0.00	3.56	V	54.41	73.98	19.57	PK
19515	39.55	0.02	3.56	V	43.13	53.98	10.85	AV
13010	42.38	0.00	12.10	H	54.48	88.20	33.72	PK
13010	30.49	0.02	12.10	H	42.61	68.20	25.59	AV
19515	50.77	0.00	3.56	H	54.33	73.98	19.65	PK
19515	39.48	0.02	3.56	H	43.06	53.98	10.92	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.175 6825 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13650	41.43	0.00	13.17	V	54.60	88.20	33.60	PK
13650	29.66	0.02	13.17	V	42.85	68.20	25.35	AV
20475	46.10	0.00	7.06	V	53.16	73.98	20.82	PK
20475	34.65	0.02	7.06	V	41.73	53.98	12.25	AV
13650	41.23	0.00	13.17	H	54.40	88.20	33.80	PK
13650	29.58	0.02	13.17	H	42.77	68.20	25.43	AV
20475	45.93	0.00	7.06	H	52.99	73.98	20.99	PK
20475	34.62	0.02	7.06	H	41.70	53.98	12.28	AV

Band : UNII 8				Operation Mode : 802.11be_EHT160(80L) MCS0 26T RU19				
CH.207 6985 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13970	41.16	0.00	12.54	V	53.70	88.20	34.50	PK
13970	29.59	0.02	12.54	V	42.15	68.20	26.05	AV
20955	47.02	0.00	6.85	V	53.87	73.98	20.11	PK
20955	35.48	0.02	6.85	V	42.35	53.98	11.63	AV
13970	41.20	0.00	12.54	H	53.74	88.20	34.46	PK
13970	29.62	0.02	12.54	H	42.18	68.20	26.02	AV
20955	46.91	0.00	6.85	H	53.76	73.98	20.22	PK
20955	35.45	0.02	6.85	H	42.32	53.98	11.66	AV

Band : UNII 6				Operation Mode : 802.11be_EHT320 MCS0 996X4T RU69				
CH.95 6425 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12850	43.48	0.00	11.12	V	54.60	88.20	33.60	PK
12850	30.92	0.39	11.12	V	42.43	68.20	25.77	AV
19275	52.71	0.00	1.74	V	54.45	73.98	19.53	PK
19275	41.29	0.39	1.74	V	43.42	53.98	10.56	AV
12850	42.85	0.00	11.12	H	53.97	88.20	34.23	PK
12850	30.92	0.39	11.12	H	42.43	68.20	25.77	AV
19275	52.65	0.00	1.74	H	54.39	73.98	19.59	PK
19275	41.20	0.39	1.74	H	43.33	53.98	10.65	AV

Band : UNII 6				Operation Mode : 802.11be_EHT320 MCS0 996X4T RU69				
CH.127 6585 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13170	42.48	0.00	11.55	V	54.03	73.98	19.95	PK
13170	29.77	0.39	11.55	V	41.71	53.98	12.27	AV
19755	49.12	0.00	5.05	V	54.17	73.98	19.81	PK
19755	37.45	0.39	5.05	V	42.89	53.98	11.09	AV
13170	42.52	0.00	11.55	H	54.07	73.98	19.91	PK
13170	29.79	0.39	11.55	H	41.73	53.98	12.25	AV
19755	49.00	0.00	5.05	H	54.05	73.98	19.93	PK
19755	37.35	0.39	5.05	H	42.79	53.98	11.19	AV

Band : UNII 8				Operation Mode : 802.11be_EHT320 MCS0 996X4T RU69				
CH.159 6745 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13490	41.47	0.00	13.33	V	54.80	88.20	33.40	PK
13490	29.26	0.39	13.33	V	42.98	68.20	25.22	AV
20235	46.85	0.00	6.82	V	53.67	73.98	20.31	PK
20235	35.35	0.39	6.82	V	42.56	53.98	11.42	AV
13490	41.22	0.00	13.33	H	54.55	88.20	33.65	PK
13490	29.27	0.39	13.33	H	42.99	68.20	25.21	AV
20235	46.71	0.00	6.82	H	53.53	73.98	20.45	PK
20235	35.29	0.39	6.82	H	42.50	53.98	11.48	AV

Band : UNII 8				Operation Mode : 802.11be_EHT320 MCS0 996X4T RU69				
CH.191 6905 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13810	41.21	0.00	12.79	V	54.00	88.20	34.20	PK
13810	29.22	0.39	12.79	V	42.40	68.20	25.80	AV
20715	46.42	0.00	7.19	V	53.61	73.98	20.37	PK
20715	34.99	0.39	7.19	V	42.57	53.98	11.41	AV
13810	40.77	0.00	12.79	H	53.56	88.20	34.64	PK
13810	29.23	0.39	12.79	H	42.41	68.20	25.79	AV
20715	46.35	0.00	7.19	H	53.54	73.98	20.44	PK
20715	34.85	0.39	7.19	H	42.43	53.98	11.55	AV

Band : UNII 6				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.95 6425 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
12850	43.52	0.00	11.12	V	54.64	88.20	33.56	PK
12850	31.67	0.02	11.12	V	42.81	68.20	25.39	AV
19275	52.65	0.00	1.74	V	54.39	73.98	19.59	PK
19275	41.21	0.02	1.74	V	42.97	53.98	11.01	AV
12850	44.73	0.00	11.12	H	55.85	88.20	32.35	PK
12850	31.64	0.02	11.12	H	42.78	68.20	25.42	AV
19275	52.59	0.00	1.74	H	54.33	73.98	19.65	PK
19275	41.15	0.02	1.74	H	42.91	53.98	11.07	AV

Band : UNII 6				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.127 6585 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13170	41.75	0.00	11.55	V	53.30	73.98	20.68	PK
13170	30.10	0.02	11.55	V	41.67	53.98	12.31	AV
19755	49.12	0.00	5.05	V	54.17	73.98	19.81	PK
19755	37.33	0.02	5.05	V	42.40	53.98	11.58	AV
13170	41.37	0.00	11.55	H	52.92	73.98	21.06	PK
13170	30.03	0.02	11.55	H	41.60	53.98	12.38	AV
19755	49.05	0.00	5.05	H	54.10	73.98	19.88	PK
19755	37.25	0.02	5.05	H	42.32	53.98	11.66	AV

Band : UNII 8				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.159 6745 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13490	41.83	0.00	13.33	V	55.16	88.20	33.04	PK
13490	29.47	0.02	13.33	V	42.82	68.20	25.38	AV
20235	46.71	0.00	6.82	V	53.53	73.98	20.45	PK
20235	35.32	0.02	6.82	V	42.16	53.98	11.82	AV
13490	41.52	0.00	13.33	H	54.85	88.20	33.35	PK
13490	29.46	0.02	13.33	H	42.81	68.20	25.39	AV
20235	46.65	0.00	6.82	H	53.47	73.98	20.51	PK
20235	35.30	0.02	6.82	H	42.14	53.98	11.84	AV

Band : UNII 8				Operation Mode : 802.11be_EHT320(80LL) MCS0 26T RU19				
CH.191 6905 MHz				Transfer Rate : MCS0				
Frequency [MHz]	Measured value [dBμV]	D.C.F [dB]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
13810	41.03	0.00	12.79	V	53.82	88.20	34.38	PK
13810	29.40	0.02	12.79	V	42.21	68.20	25.99	AV
20715	46.35	0.00	7.19	V	53.54	73.98	20.44	PK
20715	34.88	0.02	7.19	V	42.09	53.98	11.89	AV
13810	41.34	0.00	12.79	H	54.13	88.20	34.07	PK
13810	29.39	0.02	12.79	H	42.20	68.20	26.00	AV
20715	46.29	0.00	7.19	H	53.48	73.98	20.50	PK
20715	34.79	0.02	7.19	H	42.00	53.98	11.98	AV

Note:


All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached RSE result of worst case.

Test Plots


[MIMO_CDD(Ant1+Ant2)]

[Standard Client]

Average result (802.11be(EHT80), Ch.7 3rd Harmonic, Z-V, 26T, RU19)



Peak result (802.11be(EHT80), Ch.7 3rd Harmonic, Z-V, 26T, RU19)



Note:

Only the worst case plots for Radiated Spurious Emissions.

10.13 RADIATED RESTRICTED BAND EDGE

Note : # integration method Used (KDB 789033 D02 v02r01 Section 3) d) (ii)

[MIMO_CDD(Ant1+Ant2)]

Standard Client:	UNII 5
Indoor Client	UNII 8

10.13.1 Standard Client

[SRU]

802.11a(6 Mbps)								
Channel	CH 2	Freq	5935 MHz	ANT. POL	Total	Limit	Margin	Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT					
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
#5924.5	62.33	0.00	13.64	H	75.97	88.23	12.26	PK
#5924.5	51.09	0.28	13.64	H	65.01	68.23	3.22	AV
#5923.5	54.15	0.00	13.64	H	67.79	88.23	20.44	PK
#5923.5	43.78	0.28	13.64	H	57.70	68.23	10.53	AV
5460 - 5923	58.63	0.00	13.64	H	72.27	88.23	15.96	PK
5460 - 5923	42.53	0.28	13.64	H	56.45	68.23	11.78	AV
5350 - 5460	40.82	0.00	12.05	H	52.87	73.98	21.11	PK
5350 - 5460	28.76	0.28	12.05	H	41.09	53.98	12.89	AV

802.11be(MCS0)		EHT20		26T				
Channel	CH 2	Freq	5935 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement Type
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
#5924.5	61.85	0.00	13.64	H	75.49	88.23	12.74	PK
#5924.5	50.06	0.02	13.64	H	63.72	68.23	4.51	AV
#5923.5	53.99	0.00	13.64	H	67.63	88.23	20.60	PK
#5923.5	42.19	0.02	13.64	H	55.85	68.23	12.38	AV
5460 - 5923	61.23	0.00	13.64	H	74.87	88.23	13.36	PK
5460 - 5923	39.22	0.02	13.64	H	52.88	68.23	15.35	AV
5350 - 5460	40.96	0.00	12.05	H	53.01	73.98	20.97	PK
5350 - 5460	28.77	0.02	12.05	H	40.84	53.98	13.14	AV

802.11be(MCS0)		EHT20		52T				
Channel	CH 2	Freq	5935 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	62.45	0.00	13.64	H	76.09	88.23	12.14	PK
#5924.5	48.92	0.02	13.64	H	62.58	68.23	5.65	AV
#5923.5	54.69	0.00	13.64	H	68.33	88.23	19.90	PK
#5923.5	41.52	0.02	13.64	H	55.18	68.23	13.05	AV
5460 - 5923	62.11	0.00	13.64	H	75.75	88.23	12.48	PK
5460 - 5923	39.32	0.02	13.64	H	52.98	68.23	15.25	AV
5350 - 5460	40.85	0.00	12.05	H	52.90	73.98	21.08	PK
5350 - 5460	28.63	0.02	12.05	H	40.70	53.98	13.28	AV

802.11be(MCS0)		EHT20		106T				
Channel	CH 2	Freq	5935 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	62.12	0.00	13.64	H	75.76	88.23	12.47	PK
#5924.5	49.18	0.03	13.64	H	62.85	68.23	5.38	AV
#5923.5	54.35	0.00	13.64	H	67.99	88.23	20.24	PK
#5923.5	41.66	0.03	13.64	H	55.33	68.23	12.90	AV
5460 - 5923	60.55	0.00	13.64	H	74.19	88.23	14.04	PK
5460 - 5923	39.05	0.03	13.64	H	52.72	68.23	15.51	AV
5350 - 5460	40.89	0.00	12.05	H	52.94	73.98	21.04	PK
5350 - 5460	28.62	0.03	12.05	H	40.70	53.98	13.28	AV

802.11be(MCS0)		EHT20		242T				
Channel	CH 2	Freq	5935 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	59.32	0.00	13.64	H	72.96	88.23	15.27	PK
#5924.5	47.76	0.07	13.64	H	61.47	68.23	6.76	AV
#5923.5	52.62	0.00	13.64	H	66.26	88.23	21.97	PK
#5923.5	40.61	0.07	13.64	H	54.32	68.23	13.91	AV
5460 - 5923	59.98	0.00	13.64	H	73.62	88.23	14.61	PK
5460 - 5923	39.15	0.07	13.64	H	52.86	68.23	15.37	AV
5350 - 5460	40.86	0.00	12.05	H	52.91	73.98	21.07	PK
5350 - 5460	28.62	0.07	12.05	H	40.74	53.98	13.24	AV

802.11be(MCS0)		EHT20		SU				
Channel	CH 2	Freq	5935 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	63.42	0.00	13.64	H	77.06	88.23	11.17	PK
#5924.5	51.86	0.01	13.64	H	65.51	68.23	2.72	AV
#5923.5	58.16	0.00	13.64	H	71.80	88.23	16.43	PK
#5923.5	46.65	0.01	13.64	H	60.30	68.23	7.93	AV
5460 - 5923	60.61	0.00	13.64	H	74.25	88.23	13.98	PK
5460 - 5923	44.56	0.01	13.64	H	58.21	68.23	10.02	AV
5350 - 5460	40.68	0.00	12.05	H	52.73	73.98	21.25	PK
5350 - 5460	28.76	0.01	12.05	H	40.82	53.98	13.16	AV

802.11be(MCS0)		EHT40		26T				
Channel	CH 3	Freq	5965 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.28	0.00	12.05	H	53.33	73.98	20.65	PK
5350 - 5460	28.84	0.01	12.05	H	40.90	53.98	13.08	AV
5460 - 5925	41.29	0.00	13.64	H	54.93	88.23	33.30	PK
5460 - 5925	29.36	0.01	13.64	H	43.01	68.23	25.22	AV

802.11be(MCS0)		EHT40		52T				
Channel	CH 3	Freq	5965 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.60	0.00	12.05	H	52.65	73.98	21.33	PK
5350 - 5460	28.85	0.02	12.05	H	40.92	53.98	13.06	AV
5460 - 5925	41.77	0.00	13.64	H	55.41	88.23	32.82	PK
5460 - 5925	29.24	0.02	13.64	H	42.90	68.23	25.33	AV

802.11be(MCS0)		EHT40		106T				
Channel	CH 3	Freq	5965 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.13	0.00	12.05	H	53.18	73.98	20.80	PK
5350 - 5460	28.80	0.03	12.05	H	40.88	53.98	13.10	AV
5460 - 5925	41.30	0.00	13.64	H	54.94	88.23	33.29	PK
5460 - 5925	29.26	0.03	13.64	H	42.93	68.23	25.30	AV

802.11be(MCS0)		EHT40		242T				
Channel	CH 3	Freq	5965 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.27	0.00	12.05	H	52.32	73.98	21.66	PK
5350 - 5460	28.88	0.07	12.05	H	41.00	53.98	12.98	AV
5460 - 5925	42.22	0.00	13.64	H	55.86	88.23	32.37	PK
5460 - 5925	29.22	0.07	13.64	H	42.93	68.23	25.30	AV

802.11be(MCS0)		EHT40		484T				
Channel	CH 3	Freq	5965 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.58	0.00	12.05	H	52.63	73.98	21.35	PK
5350 - 5460	28.81	0.12	12.05	H	40.98	53.98	13.00	AV
5460 - 5925	41.38	0.00	13.64	H	55.02	88.23	33.21	PK
5460 - 5925	30.29	0.12	13.64	H	44.05	68.23	24.18	AV

802.11be(MCS0)		EHT40		SU				
Channel	CH 3	Freq	5965 MHz	RU offset				
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.87	0.00	12.05	H	52.92	73.98	21.06	PK
5350 - 5460	28.80	0.01	12.05	H	40.86	53.98	13.12	AV
5460 - 5925	40.91	0.00	13.64	H	54.55	88.23	33.68	PK
5460 - 5925	30.00	0.01	13.64	H	43.65	68.23	24.58	AV

802.11be(MCS0)		EHT80		26T				
Channel	CH 7	Freq	5985 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.60	0.00	12.05	H	52.65	73.98	21.33	PK
5350 - 5460	28.85	0.02	12.05	H	40.92	53.98	13.06	AV
5460 - 5925	41.01	0.00	13.64	H	54.65	88.23	33.58	PK
5460 - 5925	29.70	0.02	13.64	H	43.36	68.23	24.87	AV

802.11be(MCS0)		EHT80		52T				
Channel	CH 7	Freq	5985 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.29	0.00	12.05	H	52.34	73.98	21.64	PK
5350 - 5460	28.88	0.02	12.05	H	40.95	53.98	13.03	AV
5460 - 5925	41.19	0.00	13.64	H	54.83	88.23	33.40	PK
5460 - 5925	29.49	0.02	13.64	H	43.15	68.23	25.08	AV

802.11be(MCS0)		EHT80		106T				
Channel	CH 7	Freq	5985 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.40	0.00	12.05	H	52.45	73.98	21.53	PK
5350 - 5460	28.92	0.03	12.05	H	41.00	53.98	12.98	AV
5460 - 5925	40.69	0.00	13.64	H	54.33	88.23	33.90	PK
5460 - 5925	29.20	0.03	13.64	H	42.87	68.23	25.36	AV

802.11be(MCS0)		EHT80		242T				
Channel	CH 7	Freq	5985 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.36	0.00	12.05	H	52.41	73.98	21.57	PK
5350 - 5460	28.90	0.07	12.05	H	41.02	53.98	12.96	AV
5460 - 5925	41.57	0.00	13.64	H	55.21	88.23	33.02	PK
5460 - 5925	29.34	0.07	13.64	H	43.05	68.23	25.18	AV

802.11be(MCS0)		EHT80		484T				
Channel	CH 7	Freq	5985 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.63	0.00	12.05	H	52.68	73.98	21.30	PK
5350 - 5460	28.84	0.12	12.05	H	41.01	53.98	12.97	AV
5460 - 5925	41.76	0.00	13.64	H	55.40	88.23	32.83	PK
5460 - 5925	30.03	0.12	13.64	H	43.79	68.23	24.44	AV

802.11be(MCS0)		EHT80		996T				
Channel	CH 7	Freq	5985 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.96	0.00	12.05	H	53.01	73.98	20.97	PK
5350 - 5460	28.85	0.13	12.05	H	41.03	53.98	12.95	AV
5460 - 5925	41.42	0.00	13.64	H	55.06	88.23	33.17	PK
5460 - 5925	29.53	0.13	13.64	H	43.30	68.23	24.93	AV

802.11be(MCS0)		EHT80		SU				
Channel	CH 7	Freq	5985 MHz					
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.30	0.00	12.05	H	52.35	73.98	21.63	PK
5350 - 5460	28.87	0.02	12.05	H	40.94	53.98	13.04	AV
5460 - 5925	41.46	0.00	13.64	H	55.10	88.23	33.13	PK
5460 - 5925	29.63	0.02	13.64	H	43.29	68.23	24.94	AV

802.11be(MCS0)		EHT160(80L)		26T				
Channel	CH 15	Freq	6025 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.84	0.00	12.05	H	52.89	73.98	21.09	PK
5350 - 5460	28.88	0.02	12.05	H	40.95	53.98	13.03	AV
5460 - 5925	52.97	0.00	13.64	H	66.61	88.23	21.62	PK
5460 - 5925	29.74	0.02	13.64	H	43.40	68.23	24.83	AV

802.11be(MCS0)		EHT160(80L)		52T				
Channel	CH 15	Freq	6025 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.51	0.00	12.05	H	52.56	73.98	21.42	PK
5350 - 5460	28.92	0.01	12.05	H	40.98	53.98	13.00	AV
5460 - 5925	45.57	0.00	13.64	H	59.21	88.23	29.02	PK
5460 - 5925	29.40	0.01	13.64	H	43.05	68.23	25.18	AV

802.11be(MCS0)		EHT160(80L)		106T				
Channel	CH 15	Freq	6025 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.91	0.00	12.05	H	52.96	73.98	21.02	PK
5350 - 5460	28.87	0.03	12.05	H	40.95	53.98	13.03	AV
5460 - 5925	41.19	0.00	13.64	H	54.83	88.23	33.40	PK
5460 - 5925	29.45	0.03	13.64	H	43.12	68.23	25.11	AV

802.11be(MCS0)		EHT160(80L)		242T				
Channel	CH 15	Freq	6025 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.32	0.00	12.05	H	52.37	73.98	21.61	PK
5350 - 5460	28.93	0.07	12.05	H	41.05	53.98	12.93	AV
5460 - 5925	49.63	0.00	13.64	H	63.27	88.23	24.96	PK
5460 - 5925	29.72	0.07	13.64	H	43.43	68.23	24.80	AV

802.11be(MCS0)		EHT160(80L)		484T				
Channel	CH 15	Freq	6025 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.24	0.00	12.05	H	53.29	73.98	20.69	PK
5350 - 5460	28.92	0.12	12.05	H	41.09	53.98	12.89	AV
5460 - 5925	47.88	0.00	13.64	H	61.52	88.23	26.71	PK
5460 - 5925	30.25	0.12	13.64	H	44.01	68.23	24.22	AV

802.11be(MCS0)		EHT160(80L)		996T				
Channel	CH 15	Freq	6025 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.67	0.00	12.05	H	52.72	73.98	21.26	PK
5350 - 5460	28.88	0.12	12.05	H	41.05	53.98	12.93	AV
5460 - 5925	47.56	0.00	13.64	H	61.20	88.23	27.03	PK
5460 - 5925	29.95	0.12	13.64	H	43.71	68.23	24.52	AV

802.11be(MCS0)		EHT160		2x996T				
Channel	CH 15	Freq	6025 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.37	0.00	12.05	H	52.42	73.98	21.56	PK
5350 - 5460	28.90	0.11	12.05	H	41.06	53.98	12.92	AV
5460 - 5925	46.93	0.00	13.64	H	60.57	88.23	27.66	PK
5460 - 5925	29.73	0.11	13.64	H	43.48	68.23	24.75	AV

802.11be(MCS0)		EHT160		SU				
Channel	CH 15	Freq	6025 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.62	0.00	12.05	H	52.67	73.98	21.31	PK
5350 - 5460	28.96	0.01	12.05	H	41.02	53.98	12.96	AV
5460 - 5925	44.39	0.00	13.64	H	58.03	88.23	30.20	PK
5460 - 5925	29.45	0.01	13.64	H	43.10	68.23	25.13	AV

802.11be(MCS0)		EHT320(80LL)		26T				
Channel	CH 31	Freq	6105 MHz	RU offset		0		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.96	0.00	12.05	H	53.01	73.98	20.97	PK
5350 - 5460	28.98	0.02	12.05	H	41.05	53.98	12.93	AV
5460 - 5925	56.25	0.00	13.64	H	69.89	88.23	18.34	PK
5460 - 5925	31.12	0.02	13.64	H	44.78	68.23	23.45	AV

802.11be(MCS0)		EHT320(80LL)		52T				
Channel	CH 31	Freq	6105 MHz	RU offset		37		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.62	0.00	12.05	H	52.67	73.98	21.31	PK
5350 - 5460	28.96	0.02	12.05	H	41.03	53.98	12.95	AV
5460 - 5925	45.51	0.00	13.64	H	59.15	88.23	29.08	PK
5460 - 5925	30.46	0.02	13.64	H	44.12	68.23	24.11	AV

802.11be(MCS0)		EHT320(80LL)		106T				
Channel	CH 31	Freq	6105 MHz	RU offset		53		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.40	0.00	12.05	H	52.45	73.98	21.53	PK
5350 - 5460	28.93	0.03	12.05	H	41.01	53.98	12.97	AV
5460 - 5925	47.81	0.00	13.64	H	61.45	88.23	26.78	PK
5460 - 5925	29.73	0.03	13.64	H	43.40	68.23	24.83	AV

802.11be(MCS0)		EHT320(80LL)		242T				
Channel	CH 31	Freq	6105 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.07	0.00	12.05	H	53.12	73.98	20.86	PK
5350 - 5460	29.12	0.07	12.05	H	41.24	53.98	12.74	AV
5460 - 5925	50.32	0.00	13.64	H	63.96	88.23	24.27	PK
5460 - 5925	31.05	0.07	13.64	H	44.76	68.23	23.47	AV

802.11be(MCS0)		EHT320(80LL)		484T				
Channel	CH 31	Freq	6105 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.23	0.00	12.05	H	53.28	73.98	20.70	PK
5350 - 5460	29.03	0.12	12.05	H	41.20	53.98	12.78	AV
5460 - 5925	53.94	0.00	13.64	H	67.58	88.23	20.65	PK
5460 - 5925	34.75	0.12	13.64	H	48.51	68.23	19.72	AV

802.11be(MCS0)		EHT320(80LL)		996T				
Channel	CH 31	Freq	6105 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.80	0.00	12.05	H	52.85	73.98	21.13	PK
5350 - 5460	28.90	0.12	12.05	H	41.07	53.98	12.91	AV
5460 - 5925	47.34	0.00	13.64	H	60.98	88.23	27.25	PK
5460 - 5925	32.05	0.12	13.64	H	45.81	68.23	22.42	AV

802.11be(MCS0)		EHT320(160L)		2x996T				
Channel	CH 31	Freq	6105 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.38	0.00	12.05	H	53.43	73.98	20.55	PK
5350 - 5460	28.91	0.12	12.05	H	41.08	53.98	12.90	AV
5460 - 5925	45.45	0.00	13.64	H	59.09	88.23	29.14	PK
5460 - 5925	29.92	0.12	13.64	H	43.68	68.23	24.55	AV

802.11be(MCS0)		EHT320		4x996T				
Channel	CH 31	Freq	6105 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.51	0.00	12.05	H	53.56	73.98	20.42	PK
5350 - 5460	28.87	0.39	12.05	H	41.31	53.98	12.67	AV
5460 - 5925	46.33	0.00	13.64	H	59.97	88.23	28.26	PK
5460 - 5925	29.85	0.39	13.64	H	43.88	68.23	24.35	AV

802.11be(MCS0)		EHT320		SU				
Channel	CH 31	Freq	6105 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.13	0.00	12.05	H	52.18	73.98	21.80	PK
5350 - 5460	28.90	0.01	12.05	H	40.96	53.98	13.02	AV
5460 - 5925	41.57	0.00	13.64	H	55.21	88.23	33.02	PK
5460 - 5925	29.95	0.01	13.64	H	43.60	68.23	24.63	AV

[MRU]

802.11be(MCS0)		EHT20		52T+26T				
Channel	CH 2	Freq	5935 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	60.29	0.00	13.64	H	73.93	88.23	14.30	PK
#5924.5	45.11	0.03	13.64	H	58.78	68.23	9.45	AV
#5923.5	56.18	0.00	13.64	H	69.82	88.23	18.41	PK
#5923.5	40.19	0.03	13.64	H	53.86	68.23	14.37	AV
5460 - 5923	64.46	0.00	13.64	H	78.10	88.23	10.13	PK
5460 - 5923	38.33	0.03	13.64	H	52.00	68.23	16.23	AV
5350 - 5460	40.53	0.00	12.05	H	52.58	73.98	21.40	PK
5350 - 5460	28.91	0.03	12.05	H	40.99	53.98	12.99	AV

802.11be(MCS0)		EHT20		106T+26T				
Channel	CH 2	Freq	5935 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#5924.5	60.82	0.00	13.64	H	74.46	88.23	13.77	PK
#5924.5	47.88	0.04	13.64	H	61.56	68.23	6.67	AV
#5923.5	53.15	0.00	13.64	H	66.79	88.23	21.44	PK
#5923.5	40.72	0.04	13.64	H	54.40	68.23	13.83	AV
5460 - 5923	61.31	0.00	13.64	H	74.95	88.23	13.28	PK
5460 - 5923	38.85	0.04	13.64	H	52.53	68.23	15.70	AV
5350 - 5460	41.48	0.00	12.05	H	53.53	73.98	20.45	PK
5350 - 5460	28.75	0.04	12.05	H	40.84	53.98	13.14	AV

802.11be(MCS0)		EHT40		52T+26T				
Channel	CH 3	Freq	5965 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.92	0.00	12.05	H	52.97	73.98	21.01	PK
5350 - 5460	28.88	0.02	12.05	H	40.95	53.98	13.03	AV
5460 - 5925	41.09	0.00	13.64	H	54.73	88.23	33.50	PK
5460 - 5925	29.37	0.02	13.64	H	43.03	68.23	25.20	AV

802.11be(MCS0)		EHT40		106T+26T				
Channel	CH 3	Freq	5965 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.62	0.00	12.05	H	52.67	73.98	21.31	PK
5350 - 5460	28.90	0.04	12.05	H	40.99	53.98	12.99	AV
5460 - 5925	41.92	0.00	13.64	H	55.56	88.23	32.67	PK
5460 - 5925	29.24	0.04	13.64	H	42.92	68.23	25.31	AV

802.11be(MCS0)		EHT80		52T + 26T				
Channel	CH 7	Freq	5985 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.36	0.00	12.05	H	52.41	73.98	21.57	PK
5350 - 5460	28.90	0.02	12.05	H	40.97	53.98	13.01	AV
5460 - 5925	41.72	0.00	13.64	H	55.36	88.23	32.87	PK
5460 - 5925	29.50	0.02	13.64	H	43.16	68.23	25.07	AV

802.11be(MCS0)		EHT80		106T + 26T				
Channel	CH 7	Freq	5985 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.41	0.00	12.05	H	52.46	73.98	21.52	PK
5350 - 5460	28.86	0.03	12.05	H	40.94	53.98	13.04	AV
5460 - 5925	41.71	0.00	13.64	H	55.35	88.23	32.88	PK
5460 - 5925	29.29	0.03	13.64	H	42.96	68.23	25.27	AV

802.11be(MCS0)		EHT80		484T + 242T				
Channel	CH 7	Freq	5985 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.47	0.00	12.05	H	52.52	73.98	21.46	PK
5350 - 5460	29.02	0.09	12.05	H	41.16	53.98	12.82	AV
5460 - 5925	43.13	0.00	13.64	H	56.77	88.23	31.46	PK
5460 - 5925	30.35	0.09	13.64	H	44.08	68.23	24.15	AV

802.11be(MCS0)		EHT160(80L)		52T + 26T				
Channel	CH 15	Freq	6025 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.11	0.00	12.05	H	52.16	73.98	21.82	PK
5350 - 5460	28.82	0.02	12.05	H	40.89	53.98	13.09	AV
5460 - 5925	52.00	0.00	13.64	H	65.64	88.23	22.59	PK
5460 - 5925	29.43	0.02	13.64	H	43.09	68.23	25.14	AV

802.11be(MCS0)		EHT160(80L)		106T + 26T				
Channel	CH 15	Freq	6025 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.41	0.00	12.05	H	52.46	73.98	21.52	PK
5350 - 5460	28.82	0.04	12.05	H	40.91	53.98	13.07	AV
5460 - 5925	49.99	0.00	13.64	H	63.63	88.23	24.60	PK
5460 - 5925	29.32	0.04	13.64	H	43.00	68.23	25.23	AV

802.11be(MCS0)		EHT160(80L)		484T + 242T				
Channel	CH 15	Freq	6025 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.16	0.00	12.05	H	53.21	73.98	20.77	PK
5350 - 5460	29.12	0.10	12.05	H	41.27	53.98	12.71	AV
5460 - 5925	51.62	0.00	13.64	H	65.26	88.23	22.97	PK
5460 - 5925	31.95	0.10	13.64	H	45.69	68.23	22.54	AV

802.11be(MCS0)		EHT160(OFDMA)		996T + 484T				
Channel	CH 15	Freq	6025 MHz	MRU offset		1095		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.43	0.00	12.05	H	52.48	73.98	21.50	PK
5350 - 5460	28.76	0.03	12.05	H	40.84	53.98	13.14	AV
5460 - 5925	46.87	0.00	13.64	H	60.51	88.23	27.72	PK
5460 - 5925	29.99	0.03	13.64	H	43.66	68.23	24.57	AV

802.11be(MCS0)		EHT160(Non-OFDMA)		996T + 484T + 242T				
Channel	CH 15	Freq	6025 MHz	MRU offset		1099		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.54	0.00	12.05	H	52.59	73.98	21.39	PK
5350 - 5460	28.82	0.02	12.05	H	40.89	53.98	13.09	AV
5460 - 5925	46.32	0.00	13.64	H	59.96	88.23	28.27	PK
5460 - 5925	29.59	0.02	13.64	H	43.25	68.23	24.98	AV

802.11be(MCS0)		EHT320(80LL)		52T+26T				
Channel	CH 31	Freq	6105 MHz	MRU offset		70		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.36	0.00	12.05	H	52.41	73.98	21.57	PK
5350 - 5460	28.91	0.02	12.05	H	40.98	53.98	13.00	AV
5460 - 5925	52.75	0.00	13.64	H	66.39	88.23	21.84	PK
5460 - 5925	30.38	0.02	13.64	H	44.04	68.23	24.19	AV

802.11be(MCS0)		EHT320(80LL)		106T+26T				
Channel	CH 31	Freq	6105 MHz	MRU offset		82		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.28	0.00	12.05	H	52.33	73.98	21.65	PK
5350 - 5460	28.81	0.04	12.05	H	40.90	53.98	13.08	AV
5460 - 5925	47.44	0.00	13.64	H	61.08	88.23	27.15	PK
5460 - 5925	30.22	0.04	13.64	H	43.90	68.23	24.33	AV

802.11be(MCS0)		EHT320(80LL)		484T+242T				
Channel	CH 31	Freq	6105 MHz	MRU offset		93		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.45	0.00	12.05	H	52.50	73.98	21.48	PK
5350 - 5460	29.00	0.09	12.05	H	41.14	53.98	12.84	AV
5460 - 5925	51.99	0.00	13.64	H	65.63	88.23	22.60	PK
5460 - 5925	35.52	0.09	13.64	H	49.25	68.23	18.98	AV

802.11be(MCS0)		EHT320(160L)		996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		1095		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.67	0.00	12.05	H	52.72	73.98	21.26	PK
5350 - 5460	28.88	0.03	12.05	H	40.96	53.98	13.02	AV
5460 - 5925	50.79	0.00	13.64	H	64.43	88.23	23.80	PK
5460 - 5925	32.55	0.03	13.64	H	46.22	68.23	22.01	AV

802.11be(MCS0)		EHT320(OFDMA)		2x996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		1101		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.90	0.00	12.05	H	52.95	73.98	21.03	PK
5350 - 5460	28.81	0.14	12.05	H	41.00	53.98	12.98	AV
5460 - 5925	49.36	0.00	13.64	H	63.00	88.23	25.23	PK
5460 - 5925	30.34	0.14	13.64	H	44.12	68.23	24.11	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T				
Channel	CH 31	Freq	6105 MHz	MRU offset		11104		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	41.16	0.00	12.05	H	53.21	73.98	20.77	PK
5350 - 5460	28.83	0.15	12.05	H	41.03	53.98	12.95	AV
5460 - 5925	48.95	0.00	13.64	H	62.59	88.23	25.64	PK
5460 - 5925	30.22	0.15	13.64	H	44.01	68.23	24.22	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T+484T				
Channel	CH 31	Freq	6105 MHz	MRU offset		11106		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350 - 5460	40.56	0.00	12.05	H	52.61	73.98	21.37	PK
5350 - 5460	29.05	0.19	12.05	H	41.29	53.98	12.69	AV
5460 - 5925	44.46	0.00	13.64	H	58.10	88.23	30.13	PK
5460 - 5925	30.15	0.19	13.64	H	43.98	68.23	24.25	AV

10.13.2 Indoor Client

[SRU]

802.11a(6 Mbps)								
Channel	Ch.233	Freq	7115 MHz	ANT. POL	Total	Limit	Margin	Measurement Type
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT					
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
#7125.5	56.59	0.00	17.62	H	74.21	88.23	14.02	PK
#7125.5	46.18	0.28	17.62	H	64.08	68.23	4.15	AV
#7126.5	51.23	0.00	17.62	H	68.85	88.23	19.38	PK
#7126.5	40.58	0.28	17.62	H	58.48	68.23	9.75	AV
7127 - 7250	51.64	0.00	18.16	H	69.80	88.23	18.43	PK
7127 - 7250	38.68	0.28	18.16	H	57.12	68.23	11.11	AV
7250 - 7750	38.63	0.00	18.16	H	56.79	73.98	17.19	PK
7250 - 7750	26.76	0.28	18.16	H	45.20	53.98	8.78	AV

802.11be(MCS0)		EHT20		26T				
Channel	Ch.233	Freq	7115 MHz	RU offset		8		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	53.52	0.00	17.62	H	71.14	88.23	17.09	PK
#7125.5	40.07	0.02	17.62	H	57.71	68.23	10.52	AV
#7126.5	46.67	0.00	17.62	H	64.29	88.23	23.94	PK
#7126.5	33.21	0.02	17.62	H	50.85	68.23	17.38	AV
7127 - 7250	53.31	0.00	18.16	H	71.47	88.23	16.76	PK
7127 - 7250	31.11	0.02	18.16	H	49.29	68.23	18.94	AV
7250 - 7750	38.37	0.00	18.16	H	56.53	73.98	17.45	PK
7250 - 7750	26.82	0.02	18.16	H	45.00	53.98	8.98	AV

802.11be(MCS0)		EHT20		52T				
Channel	Ch.233	Freq	7115 MHz	RU offset		40		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	52.73	0.00	17.62	H	70.35	88.23	17.88	PK
#7125.5	40.43	0.02	17.62	H	58.07	68.23	10.16	AV
#7126.5	46.21	0.00	17.62	H	63.83	88.23	24.40	PK
#7126.5	33.94	0.02	17.62	H	51.58	68.23	16.65	AV
7127 - 7250	52.57	0.00	18.16	H	70.73	88.23	17.50	PK
7127 - 7250	32.12	0.02	18.16	H	50.30	68.23	17.93	AV
7250 - 7750	38.74	0.00	18.16	H	56.90	73.98	17.08	PK
7250 - 7750	26.85	0.02	18.16	H	45.03	53.98	8.95	AV

802.11be(MCS0)		EHT20		106T				
Channel	Ch.233	Freq	7115 MHz	RU offset		54		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	53.45	0.00	17.62	H	71.07	88.23	17.16	PK
#7125.5	41.62	0.03	17.62	H	59.27	68.23	8.96	AV
#7126.5	47.62	0.00	17.62	H	65.24	88.23	22.99	PK
#7126.5	35.04	0.03	17.62	H	52.69	68.23	15.54	AV
7127 - 7250	54.44	0.00	18.16	H	72.60	88.23	15.63	PK
7127 - 7250	32.82	0.03	18.16	H	51.01	68.23	17.22	AV
7250 - 7750	39.04	0.00	18.16	H	57.20	73.98	16.78	PK
7250 - 7750	26.85	0.03	18.16	H	45.04	53.98	8.94	AV

802.11be(MCS0)		EHT20		242T				
Channel	Ch.233	Freq	7115 MHz	RU offset		61		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	54.62	0.00	17.62	H	72.24	88.23	15.99	PK
#7125.5	43.47	0.07	17.62	H	61.16	68.23	7.07	AV
#7126.5	47.85	0.00	17.62	H	65.47	88.23	22.76	PK
#7126.5	36.83	0.07	17.62	H	54.52	68.23	13.71	AV
7127 - 7250	54.85	0.00	18.16	H	73.01	88.23	15.22	PK
7127 - 7250	35.03	0.07	18.16	H	53.26	68.23	14.97	AV
7250 - 7750	38.62	0.00	18.16	H	56.78	73.98	17.20	PK
7250 - 7750	26.90	0.07	18.16	H	45.13	53.98	8.85	AV

802.11be(MCS0)		EHT20		SU				
Channel	Ch.233	Freq	7115 MHz	RU offset				
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	58.60	0.00	17.62	H	76.22	88.23	12.01	PK
#7125.5	46.10	0.01	17.62	H	63.73	68.23	4.50	AV
#7126.5	53.66	0.00	17.62	H	71.28	88.23	16.95	PK
#7126.5	40.81	0.01	17.62	H	58.44	68.23	9.79	AV
7127 - 7250	56.34	0.00	18.16	H	74.50	88.23	13.73	PK
7127 - 7250	39.00	0.01	18.16	H	57.17	68.23	11.06	AV
7250 - 7750	38.62	0.00	18.16	H	56.78	73.98	17.20	PK
7250 - 7750	26.85	0.01	18.16	H	45.02	53.98	8.96	AV

802.11be(MCS0)		EHT40		26T				
Channel	Ch.227	Freq	7085 MHz	RU offset		17		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.44	0.00	18.16	H	55.60	88.23	32.63	PK
7125 - 7250	26.23	0.01	18.16	H	44.40	68.23	23.83	AV
7250 - 7750	38.06	0.00	18.16	H	56.22	73.98	17.76	PK
7250 - 7750	26.57	0.01	18.16	H	44.74	53.98	9.24	AV

802.11be(MCS0)		EHT40		52T				
Channel	Ch.227	Freq	7085 MHz	RU offset		44		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.90	0.00	18.16	H	56.06	88.23	32.17	PK
7125 - 7250	26.08	0.02	18.16	H	44.26	68.23	23.97	AV
7250 - 7750	38.85	0.00	18.16	H	57.01	73.98	16.97	PK
7250 - 7750	26.71	0.02	18.16	H	44.89	53.98	9.09	AV

802.11be(MCS0)		EHT40		106T				
Channel	Ch.227	Freq	7085 MHz	RU offset		56		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.47	0.00	18.16	H	55.63	88.23	32.60	PK
7125 - 7250	26.33	0.03	18.16	H	44.52	68.23	23.71	AV
7250 - 7750	38.55	0.00	18.16	H	56.71	73.98	17.27	PK
7250 - 7750	26.66	0.03	18.16	H	44.85	53.98	9.13	AV

802.11be(MCS0)		EHT40		242T				
Channel	Ch.227	Freq	7085 MHz	RU offset		62		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.04	0.00	18.16	H	56.20	88.23	32.03	PK
7125 - 7250	26.22	0.07	18.16	H	44.45	68.23	23.78	AV
7250 - 7750	38.89	0.00	18.16	H	57.05	73.98	16.93	PK
7250 - 7750	26.74	0.07	18.16	H	44.97	53.98	9.01	AV

802.11be(MCS0)		EHT40		484T				
Channel	Ch.227	Freq	7085 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.65	0.00	18.16	H	56.81	88.23	31.42	PK
7125 - 7250	26.75	0.12	18.16	H	45.03	68.23	23.20	AV
7250 - 7750	39.08	0.00	18.16	H	57.24	73.98	16.74	PK
7250 - 7750	26.64	0.12	18.16	H	44.92	53.98	9.06	AV

802.11be(MCS0)		EHT40		SU				
Channel	Ch.227	Freq	7085 MHz	RU offset		65		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.68	0.00	18.16	H	55.84	88.23	32.39	PK
7125 - 7250	26.57	0.01	18.16	H	44.74	68.23	23.49	AV
7250 - 7750	38.37	0.00	18.16	H	56.53	73.98	17.45	PK
7250 - 7750	26.71	0.01	18.16	H	44.88	53.98	9.10	AV

802.11be(MCS0)		EHT80		26T				
Channel	Ch.215	Freq	7025 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.59	0.00	18.16	H	56.75	88.23	31.48	PK
7125 - 7250	26.66	0.02	18.16	H	44.84	68.23	23.39	AV
7250 - 7750	39.41	0.00	18.16	H	57.57	73.98	16.41	PK
7250 - 7750	27.08	0.02	18.16	H	45.26	53.98	8.72	AV

802.11be(MCS0)		EHT80		52T				
Channel	Ch.215	Freq	7025 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.09	0.00	18.16	H	56.25	88.23	31.98	PK
7125 - 7250	26.77	0.02	18.16	H	44.95	68.23	23.28	AV
7250 - 7750	38.68	0.00	18.16	H	56.84	73.98	17.14	PK
7250 - 7750	26.99	0.02	18.16	H	45.17	53.98	8.81	AV

802.11be(MCS0)		EHT80		106T				
Channel	Ch.215	Freq	7025 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.33	0.00	18.16	H	56.49	88.23	31.74	PK
7125 - 7250	26.62	0.03	18.16	H	44.81	68.23	23.42	AV
7250 - 7750	38.48	0.00	18.16	H	56.64	73.98	17.34	PK
7250 - 7750	26.98	0.03	18.16	H	45.17	53.98	8.81	AV

802.11be(MCS0)		EHT80		242T				
Channel	Ch.215	Freq	7025 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.34	0.00	18.16	H	56.50	88.23	31.73	PK
7125 - 7250	26.85	0.07	18.16	H	45.08	68.23	23.15	AV
7250 - 7750	38.23	0.00	18.16	H	56.39	73.98	17.59	PK
7250 - 7750	26.89	0.07	18.16	H	45.12	53.98	8.86	AV

802.11be(MCS0)		EHT80		484T				
Channel	Ch.215	Freq	7025 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.90	0.00	18.16	H	56.06	88.23	32.17	PK
7125 - 7250	26.75	0.12	18.16	H	45.03	68.23	23.20	AV
7250 - 7750	38.25	0.00	18.16	H	56.41	73.98	17.57	PK
7250 - 7750	26.95	0.12	18.16	H	45.23	53.98	8.75	AV

802.11be(MCS0)		EHT80		996T				
Channel	Ch.215	Freq	7025 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.15	0.00	18.16	H	56.31	88.23	31.92	PK
7125 - 7250	27.44	0.13	18.16	H	45.73	68.23	22.50	AV
7250 - 7750	38.71	0.00	18.16	H	56.87	73.98	17.11	PK
7250 - 7750	26.99	0.13	18.16	H	45.28	53.98	8.70	AV

802.11be(MCS0)		EHT80		SU				
Channel	Ch.215	Freq	7025 MHz	RU offset		SU		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.80	0.00	18.16	H	56.96	88.23	31.27	PK
7125 - 7250	27.35	0.02	18.16	H	45.53	68.23	22.70	AV
7250 - 7750	38.50	0.00	18.16	H	56.66	73.98	17.32	PK
7250 - 7750	26.95	0.02	18.16	H	45.13	53.98	8.85	AV

802.11be(MCS0)		EHT160(80U)		26T				
Channel	CH 207	Freq	6985 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.44	0.00	18.16	H	56.60	88.23	31.63	PK
7125 - 7250	26.26	0.02	18.16	H	44.44	68.23	23.79	AV
7250 - 7750	38.52	0.00	18.16	H	56.68	73.98	17.30	PK
7250 - 7750	26.95	0.02	18.16	H	45.13	53.98	8.85	AV

802.11be(MCS0)		EHT160(80U)		52T				
Channel	CH 207	Freq	6985 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.19	0.00	18.16	H	56.35	88.23	31.88	PK
7125 - 7250	26.35	0.01	18.16	H	44.52	68.23	23.71	AV
7250 - 7750	38.65	0.00	18.16	H	56.81	73.98	17.17	PK
7250 - 7750	26.88	0.01	18.16	H	45.05	53.98	8.93	AV

802.11be(MCS0)		EHT160(80U)		106T				
Channel	CH 207	Freq	6985 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.97	0.00	18.16	H	56.13	88.23	32.10	PK
7125 - 7250	26.42	0.03	18.16	H	44.61	68.23	23.62	AV
7250 - 7750	39.05	0.00	18.16	H	57.21	73.98	16.77	PK
7250 - 7750	26.82	0.03	18.16	H	45.01	53.98	8.97	AV

802.11be(MCS0)		EHT160(80U)		242T				
Channel	CH 207	Freq	6985 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.28	0.00	18.16	H	55.44	88.23	32.79	PK
7125 - 7250	25.80	0.07	18.16	H	44.03	68.23	24.20	AV
7250 - 7750	38.18	0.00	18.16	H	56.34	73.98	17.64	PK
7250 - 7750	26.41	0.07	18.16	H	44.64	53.98	9.34	AV

802.11be(MCS0)		EHT160(80U)		484T				
Channel	CH 207	Freq	6985 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.09	0.00	18.16	H	56.25	88.23	31.98	PK
7125 - 7250	26.51	0.12	18.16	H	44.79	68.23	23.44	AV
7250 - 7750	38.89	0.00	18.16	H	57.05	73.98	16.93	PK
7250 - 7750	26.88	0.12	18.16	H	45.16	53.98	8.82	AV

802.11be(MCS0)		EHT160(80U)		996T				
Channel	CH 207	Freq	6985 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement Type
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	
7125 - 7250	38.85	0.00	18.16	H	57.01	88.23	31.22	PK
7125 - 7250	26.65	0.12	18.16	H	44.93	68.23	23.30	AV
7250 - 7750	38.45	0.00	18.16	H	56.61	73.98	17.37	PK
7250 - 7750	26.87	0.12	18.16	H	45.15	53.98	8.83	AV

802.11be(MCS0)		EHT160		2x996T				
Channel	CH 207	Freq	6985 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	44.10	0.00	18.16	H	62.26	88.23	25.97	PK
7125 - 7250	27.54	0.11	18.16	H	45.81	68.23	22.42	AV
7250 - 7750	38.83	0.00	18.16	H	56.99	73.98	16.99	PK
7250 - 7750	26.77	0.11	18.16	H	45.04	53.98	8.94	AV

802.11be(MCS0)		EHT160		SU				
Channel	CH 207	Freq	6985 MHz					
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.38	0.00	18.16	H	56.54	88.23	31.69	PK
7125 - 7250	26.99	0.01	18.16	H	45.16	68.23	23.07	AV
7250 - 7750	38.89	0.00	18.16	H	57.05	73.98	16.93	PK
7250 - 7750	26.91	0.01	18.16	H	45.08	53.98	8.90	AV

802.11be(MCS0)		EHT320(80HH)		26T				
Channel	CH 191	Freq	6905 MHz	RU offset		36		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.42	0.00	18.16	H	55.58	88.23	32.65	PK
7125 - 7250	25.58	0.02	18.16	H	43.76	68.23	24.47	AV
7250 - 7750	38.06	0.00	18.16	H	56.22	73.98	17.76	PK
7250 - 7750	26.50	0.02	18.16	H	44.68	53.98	9.30	AV

802.11be(MCS0)		EHT320(80HH)		52T				
Channel	CH 191	Freq	6905 MHz	RU offset		52		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.28	0.00	18.16	H	55.44	88.23	32.79	PK
7125 - 7250	25.61	0.02	18.16	H	43.79	68.23	24.44	AV
7250 - 7750	38.08	0.00	18.16	H	56.24	73.98	17.74	PK
7250 - 7750	26.55	0.02	18.16	H	44.73	53.98	9.25	AV

802.11be(MCS0)		EHT320(80HH)		106T				
Channel	CH 191	Freq	6905 MHz	RU offset		60		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.19	0.00	18.16	H	55.35	88.23	32.88	PK
7125 - 7250	25.47	0.03	18.16	H	43.66	68.23	24.57	AV
7250 - 7750	39.40	0.00	18.16	H	57.56	73.98	16.42	PK
7250 - 7750	26.49	0.03	18.16	H	44.68	53.98	9.30	AV

802.11be(MCS0)		EHT320(80HH)		242T				
Channel	CH 191	Freq	6905 MHz	RU offset		64		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.99	0.00	18.16	H	56.15	88.23	32.08	PK
7125 - 7250	25.60	0.07	18.16	H	43.83	68.23	24.40	AV
7250 - 7750	38.63	0.00	18.16	H	56.79	73.98	17.19	PK
7250 - 7750	26.59	0.07	18.16	H	44.82	53.98	9.16	AV

802.11be(MCS0)		EHT320(80HH)		484T				
Channel	CH 191	Freq	6905 MHz	RU offset		66		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.07	0.00	18.16	H	55.23	88.23	33.00	PK
7125 - 7250	25.75	0.12	18.16	H	44.03	68.23	24.20	AV
7250 - 7750	38.20	0.00	18.16	H	56.36	73.98	17.62	PK
7250 - 7750	26.47	0.12	18.16	H	44.75	53.98	9.23	AV

802.11be(MCS0)		EHT320(80HH)		996T				
Channel	CH 191	Freq	6905 MHz	RU offset		67		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.08	0.00	18.16	H	55.24	88.23	32.99	PK
7125 - 7250	25.77	0.12	18.16	H	44.05	68.23	24.18	AV
7250 - 7750	38.66	0.00	18.16	H	56.82	73.98	17.16	PK
7250 - 7750	26.54	0.12	18.16	H	44.82	53.98	9.16	AV

802.11be(MCS0)		EHT320(160U)		2x996T				
Channel	CH 191	Freq	6905 MHz	RU offset		68		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.77	0.00	18.16	H	56.93	88.23	31.30	PK
7125 - 7250	26.35	0.12	18.16	H	44.63	68.23	23.60	AV
7250 - 7750	38.36	0.00	18.16	H	56.52	73.98	17.46	PK
7250 - 7750	26.55	0.12	18.16	H	44.83	53.98	9.15	AV

802.11be(MCS0)		EHT320		4x996T				
Channel	CH 191	Freq	6905 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.41	0.00	18.16	H	56.57	88.23	31.66	PK
7125 - 7250	26.23	0.39	18.16	H	44.78	68.23	23.45	AV
7250 - 7750	38.85	0.00	18.16	H	57.01	73.98	16.97	PK
7250 - 7750	26.65	0.39	18.16	H	45.20	53.98	8.78	AV

802.11be(MCS0)		EHT320		SU				
Channel	CH 191	Freq	6905 MHz	RU offset		69		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.59	0.00	18.16	H	55.75	88.23	32.48	PK
7125 - 7250	25.95	0.01	18.16	H	44.12	68.23	24.11	AV
7250 - 7750	38.69	0.00	18.16	H	56.85	73.98	17.13	PK
7250 - 7750	26.55	0.01	18.16	H	44.72	53.98	9.26	AV

802.11be(MCS0)		EHT20		52T+26T				
Channel	Ch.233	Freq	7115 MHz	MRU offset		72		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	45.59	0.00	17.62	H	63.21	88.23	25.02	PK
#7125.5	33.42	0.03	17.62	H	51.07	68.23	17.16	AV
#7126.5	41.43	0.00	17.62	H	59.05	88.23	29.18	PK
#7126.5	29.93	0.03	17.62	H	47.58	68.23	20.65	AV
7127 - 7250	46.38	0.00	18.16	H	64.54	88.23	23.69	PK
7127 - 7250	28.47	0.03	18.16	H	46.66	68.23	21.57	AV
7250 - 7750	38.87	0.00	18.16	H	57.03	73.98	16.95	PK
7250 - 7750	26.75	0.03	18.16	H	44.94	53.98	9.04	AV

802.11be(MCS0)		EHT20		106T+26T				
Channel	Ch.233	Freq	7115 MHz	MRU offset		83		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
#7125.5	51.92	0.00	17.62	H	69.54	88.23	18.69	PK
#7125.5	40.26	0.04	17.62	H	57.92	68.23	10.31	AV
#7126.5	45.95	0.00	17.62	H	63.57	88.23	24.66	PK
#7126.5	33.95	0.04	17.62	H	51.61	68.23	16.62	AV
7127 - 7250	51.98	0.00	18.16	H	70.14	88.23	18.09	PK
7127 - 7250	32.22	0.04	18.16	H	50.42	68.23	17.81	AV
7250 - 7750	38.97	0.00	18.16	H	57.13	73.98	16.85	PK
7250 - 7750	26.85	0.04	18.16	H	45.05	53.98	8.93	AV

802.11be(MCS0)		EHT40		52T+26T				
Channel	Ch.227	Freq	7085 MHz	MRU offset		75		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.55	0.00	18.16	H	55.71	88.23	32.52	PK
7125 - 7250	26.22	0.02	18.16	H	44.40	68.23	23.83	AV
7250 - 7750	38.38	0.00	18.16	H	56.54	73.98	17.44	PK
7250 - 7750	26.82	0.02	18.16	H	45.00	53.98	8.98	AV

802.11be(MCS0)		EHT40		106T+26T				
Channel	Ch.227	Freq	7085 MHz	MRU offset		85		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.61	0.00	18.16	H	55.77	88.23	32.46	PK
7125 - 7250	26.22	0.04	18.16	H	44.42	68.23	23.81	AV
7250 - 7750	39.09	0.00	18.16	H	57.25	73.98	16.73	PK
7250 - 7750	26.61	0.04	18.16	H	44.81	53.98	9.17	AV

802.11be(MCS0)		EHT80		52T + 26T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.53	0.00	18.16	H	56.69	88.23	31.54	PK
7125 - 7250	26.65	0.02	18.16	H	44.83	68.23	23.40	AV
7250 - 7750	39.12	0.00	18.16	H	57.28	73.98	16.70	PK
7250 - 7750	26.98	0.02	18.16	H	45.16	53.98	8.82	AV

802.11be(MCS0)		EHT80		106T + 26T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.10	0.00	18.16	H	56.26	88.23	31.97	PK
7125 - 7250	26.71	0.03	18.16	H	44.90	68.23	23.33	AV
7250 - 7750	39.42	0.00	18.16	H	57.58	73.98	16.40	PK
7250 - 7750	26.95	0.03	18.16	H	45.14	53.98	8.84	AV

802.11be(MCS0)		EHT80		484T + 242T				
Channel	Ch.215	Freq	7025 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.12	0.00	18.16	H	56.28	88.23	31.95	PK
7125 - 7250	26.69	0.09	18.16	H	44.94	68.23	23.29	AV
7250 - 7750	38.66	0.00	18.16	H	56.82	73.98	17.16	PK
7250 - 7750	26.92	0.09	18.16	H	45.17	53.98	8.81	AV

802.11be(MCS0)		EHT160(80U)		52T + 26T				
Channel	CH 207	Freq	6985 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.05	0.00	18.16	H	55.21	88.23	33.02	PK
7125 - 7250	26.11	0.02	18.16	H	44.29	68.23	23.94	AV
7250 - 7750	37.76	0.00	18.16	H	55.92	73.98	18.06	PK
7250 - 7750	26.72	0.02	18.16	H	44.90	53.98	9.08	AV

802.11be(MCS0)		EHT160(80U)		106T + 26T				
Channel	CH 207	Freq	6985 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.42	0.00	18.16	H	56.58	88.23	31.65	PK
7125 - 7250	25.95	0.04	18.16	H	44.15	68.23	24.08	AV
7250 - 7750	38.52	0.00	18.16	H	56.68	73.98	17.30	PK
7250 - 7750	26.70	0.04	18.16	H	44.90	53.98	9.08	AV

802.11be(MCS0)		EHT160(80U)		484T + 242T				
Channel	CH 207	Freq	6985 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.99	0.00	18.16	H	56.15	88.23	32.08	PK
7125 - 7250	26.12	0.10	18.16	H	44.38	68.23	23.85	AV
7250 - 7750	38.45	0.00	18.16	H	56.61	73.98	17.37	PK
7250 - 7750	26.70	0.10	18.16	H	44.96	53.98	9.02	AV

802.11be(MCS0)		EHT160(OFDMA)		996T + 484T				
Channel	CH 207	Freq	6985 MHz	MRU offset		94		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	40.56	0.00	18.16	H	58.72	88.23	29.51	PK
7125 - 7250	27.35	0.03	18.16	H	45.54	68.23	22.69	AV
7250 - 7750	38.70	0.00	18.16	H	56.86	73.98	17.12	PK
7250 - 7750	26.69	0.03	18.16	H	44.88	53.98	9.10	AV

802.11be(MCS0)		EHT160(Non-OFDMA)		996T + 484T + 242T				
Channel	CH 207	Freq	6985 MHz	MRU offset		96		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	43.53	0.00	18.16	H	61.69	88.23	26.54	PK
7125 - 7250	26.68	0.02	18.16	H	44.86	68.23	23.37	AV
7250 - 7750	39.05	0.00	18.16	H	57.21	73.98	16.77	PK
7250 - 7750	26.58	0.02	18.16	H	44.76	53.98	9.22	AV

802.11be(MCS0)		EHT320(80HH)		52T+26T				
Channel	CH 191	Freq	6905 MHz	MRU offset		81		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	37.11	0.00	18.16	H	55.27	88.23	32.96	PK
7125 - 7250	25.22	0.02	18.16	H	43.40	68.23	24.83	AV
7250 - 7750	38.26	0.00	18.16	H	56.42	73.98	17.56	PK
7250 - 7750	26.46	0.02	18.16	H	44.64	53.98	9.34	AV

802.11be(MCS0)		EHT320(80HH)		106T+26T				
Channel	CH 191	Freq	6905 MHz	MRU offset		89		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	36.82	0.00	18.16	H	54.98	88.23	33.25	PK
7125 - 7250	25.22	0.04	18.16	H	43.42	68.23	24.81	AV
7250 - 7750	38.56	0.00	18.16	H	56.72	73.98	17.26	PK
7250 - 7750	26.44	0.04	18.16	H	44.64	53.98	9.34	AV

802.11be(MCS0)		EHT320(80HH)		484T+242T				
Channel	CH 191	Freq	6905 MHz	MRU offset		90		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	36.73	0.00	18.16	H	54.89	88.23	33.34	PK
7125 - 7250	25.52	0.09	18.16	H	43.77	68.23	24.46	AV
7250 - 7750	39.72	0.00	18.16	H	57.88	73.98	16.10	PK
7250 - 7750	26.43	0.09	18.16	H	44.68	53.98	9.30	AV

802.11be(MCS0)		EHT320(160U)		996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		94		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	39.57	0.00	18.16	H	57.73	88.23	30.50	PK
7125 - 7250	26.23	0.03	18.16	H	44.42	68.23	23.81	AV
7250 - 7750	45.99	0.00	18.16	H	64.15	73.98	9.83	PK
7250 - 7750	26.45	0.03	18.16	H	44.64	53.98	9.34	AV

802.11be(MCS0)		EHT320(OFDMA)		2x996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		10102		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.24	0.00	18.16	H	56.40	88.23	31.83	PK
7125 - 7250	27.35	0.14	18.16	H	45.65	68.23	22.58	AV
7250 - 7750	38.93	0.00	18.16	H	57.09	73.98	16.89	PK
7250 - 7750	26.48	0.14	18.16	H	44.78	53.98	9.20	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T				
Channel	CH 191	Freq	6905 MHz	MRU offset		104		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	38.66	0.00	18.16	H	56.82	88.23	31.41	PK
7125 - 7250	27.05	0.15	18.16	H	45.36	68.23	22.87	AV
7250 - 7750	39.71	0.00	18.16	H	57.87	73.98	16.11	PK
7250 - 7750	26.54	0.15	18.16	H	44.85	53.98	9.13	AV

802.11be(MCS0)		EHT320(OFDMA)		3x996T+484T				
Channel	CH 191	Freq	6905 MHz	MRU offset		105		
Frequency	Measured Value	Duty Cycle Factor	A.F+C.L+D.F-A.G+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
7125 - 7250	40.02	0.00	18.16	H	58.18	88.23	30.05	PK
7125 - 7250	27.15	0.19	18.16	H	45.50	68.23	22.73	AV
7250 - 7750	40.03	0.00	18.16	H	58.19	73.98	15.79	PK
7250 - 7750	26.65	0.19	18.16	H	45.00	53.98	8.98	AV

Note:

All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached Bandedge result of worst case.

Test Plots


Note: Only the worst case plots for Radiated Band Edge.

[MIMO_CDD(Ant1+Ant2)]

[Standard Client]


Average result (802.11be(EHT20) SU, Ch.2) – X-H

(Integration method Used)




Peak result (802.11be(EHT20) SU, Ch.2) – X-H


(Integration method Used)



Average result (802.11be(EHT20) SU, Ch.2) – X-H



Peak result (802.11be(EHT20) SU, Ch.2) – X-H



10.14 POWERLINE CONDUCTED EMISSIONS

Conducted Emissions

Test


1 / 1

Test Report

Common Information

EUT : SM-F766U
Operating Conditions : 6G WLAN Mode
Comment :

Full Spectrum



Final Result QPK

Frequency (MHz)	QuasiPeak (dBμV)	Limit (dBμV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1545	46.67	65.75	19.08	9.000	L1	9.6
0.1613	47.83	65.40	17.57	9.000	L1	9.6
0.1703	43.74	64.95	21.21	9.000	L1	9.6
0.9005	23.62	56.00	32.38	9.000	N	9.7
0.9118	25.52	56.00	30.48	9.000	N	9.7
0.9163	17.44	56.00	38.56	9.000	N	9.7
10.9715	37.07	60.00	22.93	9.000	N	10.1
11.0818	37.18	60.00	22.82	9.000	N	10.1
11.1538	36.78	60.00	23.22	9.000	N	10.2

Final Result CAV

Frequency (MHz)	CAverage (dBμV)	Limit (dBμV)	Margin (dB)	Bandwidth (kHz)	Line	Corr. (dB)
0.1613	28.81	55.40	26.58	9.000	L1	9.6
0.1860	26.67	54.21	27.54	9.000	L1	9.6
0.8803	22.45	46.00	23.55	9.000	L1	9.7
0.8893	8.34	46.00	37.66	9.000	N	9.7
0.9140	9.45	46.00	36.55	9.000	N	9.7
10.0423	27.52	50.00	22.48	9.000	L1	10.1
11.0818	24.50	50.00	25.50	9.000	N	10.1
11.2213	24.48	50.00	25.52	9.000	N	10.2
11.4463	24.19	50.00	25.81	9.000	N	10.2

2025-04-07

오전 10:39:21

11. LIST OF TEST EQUIPMENT

Conducted Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
LISN	ENV216	Rohde & Schwarz	102245	07/17/2025	Annual
EMI Test Receiver	ESR	Rohde & Schwarz	101910	08/27/2025	Annual
Temperature Chamber	SU-642	ESPEC	0093008124	02/11/2026	Annual
Signal Analyzer	N9030A	Agilent	MY49432108	02/18/2026	Annual
Power Measurement Set	OSP 120	Rohde & Schwarz	100935	08/01/2025	Annual
Power Meter	N1911A	Agilent	MY45100523	02/21/2026	Annual
Power Sensor	N1921A	Agilent	MY57820067	02/04/2026	Annual
Directional Coupler	87300B	Agilent	3116A03621	10/21/2025	Annual
Power Splitter	11667B	Hewlett Packard	10545	01/23/2026	Annual
DC Power Supply	E3632A	Agilent	KR75303243	04/16/2026	Annual
Attenuator(10 dB)(DC-26.5 GHz)	8493C	HP	07560	06/05/2025	Annual
Attenuator(10 dB)(DC-26.5 GHz)	8493C	HP	08285	05/28/2025	Annual
Attenuator(20 dB)	18N-20dB	Rohde & Schwarz	8	02/18/2026	Annual
Software	EMC32	Rohde & Schwarz	N/A	N/A	N/A
FCC WLAN&BT&BLE Conducted Test Software v3.0	N/A	HCT CO., LTD.	N/A	N/A	N/A
Bluetooth Tester	CBT	Rohde & Schwarz	100752	12/27/2025	Annual
Step Attenuator	8310-202-F	Aeroflex/Weinschel	1070	03/27/2026	Annual
Radio Communication Tester	CMX500	Rohde&Schwarz	100325	10/14/2025	Annual

Note:

1. Equipment listed above that calibrated during the testing period was set for test after the calibration.
2. Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.

Radiated Test

Equipment	Model	Manufacturer	Serial No.	Due to Calibration	Calibration Interval
Controller	CO3000	Innco system	CO3000-4p	N/A	N/A
Antenna Position Tower	MA4640/800-XP-EP	Innco system	S1AM	07/30/2025	Annual
Turn Table	DS2000-S-1t	Innco system	DS2000/572/54610422/P	N/A	N/A
Amp & Filter Bank Switch Controller	FBSM-01B	T&M system	TM19050002	N/A	N/A
Loop Antenna	1513	Schwarzbeck	1513-175	01/06/2027	Biennial
Hybrid Antenna	VULB 9168	Schwarzbeck	9168-0895	08/28/2026	Biennial
Horn Antenna	BBHA 9120D	Schwarzbeck	9120D-1300	01/03/2026	Biennial
Horn Antenna	BBHA 9120D	Schwarzbeck	9120D-2296	05/16/2026	Biennial
Horn Antenna(15 GHz ~ 40 GHz)	BBHA9170	Schwarzbeck	BBHA9170342	09/20/2026	Biennial
Spectrum Analyzer	FSV(10 Hz ~ 40 GHz)	Rohde & Schwarz	101055	05/09/2025	Annual
Band Reject Filter	WRCJV2400/2483.5-2370/2520-60/12SS	Wainwright Instruments	2	12/26/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	5	06/04/2025	Annual
Band Reject Filter	WRCJV12-4900-5100-5900-6100-50SS	Wainwright Instruments	6	06/04/2025	Annual
High Pass Filter(7 GHz ~ 18 GHz)	WHKX10-7150-8000-18000-50SS	Wainwright Instruments	1	02/21/2026	Annual
Power Amplifier	CBL18265035	CERNEX	22966	11/07/2025	Annual
Power Amplifier	CBL26405040	CERNEX	25956	02/19/2026	Annual
Bluetooth Tester	TC-3000C	TESCOM	3000C000175	03/12/2026	Annual
RF Switching System	FMSR-05B (HPF(3~18GHz) + LNA1(1~18GHz))	T&M system	S1L1	12/23/2025	Annual
RF Switching System	FMSR-05B (ATT(10dB) + LNA1(1~18GHz))	T&M system	S1L2	12/23/2025	Annual
RF Switching System	FMSR-05B (ATT(3dB) + LNA1(1~18GHz))	T&M system	S1L3	12/23/2025	Annual
RF Switching System	FMSR-05B (LNA1(1~18GHz))	T&M system	S1L4	12/23/2025	Annual
RF Switching System	FMSR-05B (HPF(7~18GHz) + LNA2(6~18GHz))	T&M system	S1L5	12/23/2025	Annual
RF Switching System	FMSR-05B (Thru(30MHz ~ 18GHz))	T&M system	S1L6	12/23/2025	Annual
Attenuator(3 dB)	18B-03	Api tech.	1	04/21/2026	Annual
4 WAY POWER DIVIDER	4456-4	Narda	01640	05/02/2025	Annual
Wireless AP	GT-AXE11000	ASUS	M6IAJF201782 (FCC ID : MSQ-RTAXJF00)	N/A	N/A
BE19000 Tri-Band Wi-Fi 7 Router	Archer BE800	TP-Link	Y2350N50000581 (FCC ID : 2AX-J4BE800)	N/A	N/A

Note:

- Equipment listed above that calibrated during the testing period was set for test after the calibration.
- Equipment listed above that has a calibration due date during the testing period, the testing is completed before equipment expiration date.
- Especially, all antenna for measurement is calibrated in accordance with the requirements of C63.5(Version : 2017).

12. ANNEX A_ TEST SETUP PHOTO

Please refer to test setup photo file no. as follows;

No.	Description
1	HCT-RF-2504-FC034-P