[MRU]

[Ant.1]

20M Ch.144(5720 MHz) 52T+26T RU70



40M Ch.142(5710 MHz) 52T+26T RU75

80M Ch.138(5690 MHz) 52T+26T RU81

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Ant.2]

20M Ch.144(5720 MHz) 52T+26T RU71

40M Ch.142(5710 MHz) 52T+26T RU75

80M Ch.138(5690 MHz) 52T+26T RU81

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(Output Power)

Note: In order to simplify the report, attached plots were only channel of highest Power.

[SRU] [Ant.1]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 242 Tones RU 61	20M Ch.144(5720 MHz) 106 Tones RU 54
	
40M Ch.142(5710 MHz) SU	40M Ch.142(5710 MHz) 106 Tones RU 56
	
80M Ch.138(5690 MHz) SU	80M Ch.138(5690 MHz) 106 Tones RU 60
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Ant.2]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) SU	20M Ch.144(5720 MHz) 106 Tones RU 54
	
40M Ch.142(5710 MHz) SU	40M Ch.142(5710 MHz) 106 Tones RU 56
	
80M Ch.138(5690 MHz) SU	80M Ch.138(5690 MHz) 106 Tones RU 60
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[MRU]

[Ant.1]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106T+26T RU82	20M Ch.144(5720 MHz) 106T+26T RU83
	
40M Ch.142(5710 MHz) 106T+26T RU85	40M Ch.142(5710 MHz) 106T+26T RU85
	
80M Ch.138(5690 MHz) 484T+242T RU93	80M Ch.138(5690 MHz) 106T+26T RU89
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Ant.2]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106T+26T RU82	20M Ch.144(5720 MHz) 106T+26T RU83
	
40M Ch.142(5710 MHz) 106T+26T RU85	40M Ch.142(5710 MHz) 106T+26T RU85
	
80M Ch.138(5690 MHz) 484T+242T RU93	80M Ch.138(5690 MHz) 106T+26T RU89
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(Power Spectral Density)

Note: In order to simplify the report, attached plots were only channel of highest PSD.

[SRU] [Ant.1]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106 Tones RU 53	20M Ch.144(5720 MHz) 106 Tones RU 54
40M Ch.142(5710 MHz) 106 Tones RU 56	40M Ch.142(5710 MHz) 106 Tones RU 56
80M Ch.138(5690 MHz) 106 Tones RU 59	80M Ch.138(5690 MHz) 106 Tones RU 60

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Ant.2]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106 Tones RU 53	20M Ch.144(5720 MHz) 106 Tones RU 54
40M Ch.142(5710 MHz) 106 Tones RU 56	40M Ch.142(5710 MHz) 106 Tones RU 56
80M Ch.138(5690 MHz) 106 Tones RU 59	80M Ch.138(5690 MHz) 106 Tones RU 60

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[MRU]

[Ant.1]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106T+26T RU82	20M Ch.144(5720 MHz) 106T+26T RU83
40M Ch.142(5710 MHz) 106T+26T RU85	40M Ch.142(5710 MHz) 106T+26T RU85
80M Ch.138(5690 MHz) 106T+26T RU89	80M Ch.138(5690 MHz) 106T+26T RU89

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Ant.2]

UNII 2C	UNII 3
20M Ch.144(5720 MHz) 106T+26T RU82	20M Ch.144(5720 MHz) 106T+26T RU83
40M Ch.142(5710 MHz) 106T+26T RU85	40M Ch.142(5710 MHz) 106T+26T RU85
	
80M Ch.138(5690 MHz) 106T+26T RU89	80M Ch.138(5690 MHz) 106T+26T RU89

The report shall not be (partly) reproduced except in full without approval of the laboratory.

10.7 RADIATED SPURIOUS EMISSIONS (9 kHz – 1 GHz)

Frequency Range : 9 kHz – 30 MHz

Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]
No Critical peaks found						

Note:

1. The Measured Val;ue of emissions are attenuated more than 20 dB below the permissible limits or the field strength is too small to be measured.
2. Distance extrapolation factor = 40log (specific distance / test distance) (dB)
3. Limit line = specific Limits (dBμV) + Distance extrapolation factor

Frequency Range : Below 1 GHz

Frequency	Measured Value	A.F+C.L	ANT. POL	Total	Limit	Margin
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]
No Critical peaks found						

Note:

1. Radiated emissions measured in frequency range from 30 MHz to 1000 MHz were made with an instrument using Quasi peak detector mode

The report shall not be (partly) reproduced except in full without approval of the laboratory.

10.8 RADIATED SPURIOUS EMISSIONS (Above 1 GHz)

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.36	5180 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	61.76	-2.83	V	58.93	68.20	9.27	PK
15540	52.20	-0.82	V	51.38	73.98	22.60	PK
15540	38.87	-0.82	V	38.05	53.98	15.93	AV
10360	61.55	-2.83	H	58.72	68.20	9.48	PK
15540	52.55	-0.82	H	51.73	73.98	22.25	PK
15540	38.24	-0.82	H	37.42	53.98	16.56	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.40	5200 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10400	60.46	-2.79	V	57.67	68.20	10.53	PK
15600	53.54	-1.30	V	52.24	73.98	21.74	PK
15600	40.18	-1.30	V	38.88	53.98	15.10	AV
10400	61.63	-2.79	H	58.84	68.20	9.36	PK
15600	53.77	-1.30	H	52.47	73.98	21.51	PK
15600	40.11	-1.30	H	38.81	53.98	15.17	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.48	5240 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10480	59.30	-3.15	V	56.15	68.20	12.05	PK
15720	53.42	-1.57	V	51.85	73.98	22.13	PK
15720	40.10	-1.57	V	38.53	53.98	15.45	AV
10480	60.62	-3.15	H	57.47	68.20	10.73	PK
15720	52.73	-1.57	H	51.16	73.98	22.82	PK
15720	40.17	-1.57	H	38.60	53.98	15.38	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.52	5260 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10520	60.26	-3.35	V	56.91	68.20	11.29	PK
15780	52.49	-1.91	V	50.58	73.98	23.40	PK
15780	38.95	-1.91	V	37.04	53.98	16.94	AV
10520	60.50	-3.35	H	57.15	68.20	11.05	PK
15780	52.48	-1.91	H	50.57	73.98	23.41	PK
15780	38.93	-1.91	H	37.02	53.98	16.96	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.60	5300 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10600	59.12	-2.99	V	56.13	73.98	17.85	PK
10600	45.59	-2.99	V	42.60	53.98	11.38	AV
15900	52.18	-2.09	V	50.09	73.98	23.89	PK
15900	38.79	-2.09	V	36.70	53.98	17.28	AV
10600	59.61	-2.99	H	56.62	73.98	17.36	PK
10600	46.64	-2.99	H	43.65	53.98	10.33	AV
15900	52.41	-2.09	H	50.32	73.98	23.66	PK
15900	38.88	-2.09	H	36.79	53.98	17.19	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.64	5320 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10640	59.10	-2.91	V	56.19	73.98	17.79	PK
10640	46.31	-2.91	V	43.40	53.98	10.58	AV
15960	52.73	-1.81	V	50.92	73.98	23.06	PK
15960	39.02	-1.81	V	37.21	53.98	16.77	AV
10640	58.56	-2.91	H	55.65	73.98	18.33	PK
10640	46.06	-2.91	H	43.15	53.98	10.83	AV
15960	52.94	-1.81	H	51.13	73.98	22.85	PK
15960	38.97	-1.81	H	37.16	53.98	16.82	AV

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.100	5500 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11000	59.75	-2.24	V	57.51	73.98	16.47	PK
11000	45.63	-2.24	V	43.39	53.98	10.59	AV
16500	52.45	-2.07	V	50.38	68.20	17.82	PK
11000	57.18	-2.24	H	54.94	73.98	19.04	PK
11000	43.98	-2.24	H	41.74	53.98	12.24	AV
16500	52.11	-2.07	H	50.04	68.20	18.16	PK

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.116	5580 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11160	58.01	-3.10	V	54.91	73.98	19.07	PK
11160	44.83	-3.10	V	41.73	53.98	12.25	AV
16740	52.13	-2.07	V	50.06	68.20	18.14	PK
11160	57.63	-3.10	H	54.53	73.98	19.45	PK
11160	44.01	-3.10	H	40.91	53.98	13.07	AV
16740	52.18	-2.07	H	50.11	68.20	18.09	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.144	5720 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	57.87	-2.58	V	55.29	73.98	18.69	PK
11440	43.65	-2.58	V	41.07	53.98	12.91	AV
17160	52.28	-1.97	V	50.31	68.20	17.89	PK
11440	57.50	-2.58	H	54.92	73.98	19.06	PK
11440	44.03	-2.58	H	41.45	53.98	12.53	AV
17160	53.26	-1.97	H	51.29	68.20	16.91	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.149	5745 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	57.28	-2.65	V	54.63	73.98	19.35	PK
11490	43.40	-2.65	V	40.75	53.98	13.23	AV
17235	53.03	-1.84	V	51.19	68.20	17.01	PK
11490	56.79	-2.65	H	54.14	73.98	19.84	PK
11490	42.94	-2.65	H	40.29	53.98	13.69	AV
17235	52.72	-1.84	H	50.88	68.20	17.32	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.157	5785 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	57.27	-3.00	V	54.27	73.98	19.71	PK
11570	42.98	-3.00	V	39.98	53.98	14.00	AV
17355	53.39	-1.56	V	51.83	68.20	16.37	PK
11570	56.00	-3.00	H	53.00	73.98	20.98	PK
11570	42.68	-3.00	H	39.68	53.98	14.30	AV
17355	52.67	-1.56	H	51.11	68.20	17.09	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.165	5825 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	55.68	-3.48	V	52.20	73.98	21.78	PK
11650	42.44	-3.48	V	38.96	53.98	15.02	AV
17475	51.66	-0.28	V	51.38	68.20	16.82	PK
11650	55.55	-3.48	H	52.07	73.98	21.91	PK
11650	41.78	-3.48	H	38.30	53.98	15.68	AV
17475	51.30	-0.28	H	51.02	68.20	17.18	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.169	5845 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	55.41	-3.24	V	52.17	73.98	21.81	PK
11690	41.86	-3.24	V	38.62	53.98	15.36	AV
17535	52.10	0.90	V	53.00	68.20	15.20	PK
11690	54.88	-3.24	H	51.64	73.98	22.34	PK
11690	41.36	-3.24	H	38.12	53.98	15.86	AV
17535	51.30	0.90	H	52.20	68.20	16.00	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.173	5865 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	54.38	-3.04	V	51.34	73.98	22.64	PK
11730	41.26	-3.04	V	38.22	53.98	15.76	AV
17595	52.29	1.19	V	53.48	68.20	14.72	PK
11730	54.14	-3.04	H	51.10	73.98	22.88	PK
11730	40.92	-3.04	H	37.88	53.98	16.10	AV
17595	52.05	1.19	H	53.24	68.20	14.96	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 242T RU61		
CH.177	5885 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	54.39	-2.86	V	51.53	73.98	22.45	PK
11770	40.75	-2.86	V	37.89	53.98	16.09	AV
17655	52.04	1.64	V	53.68	68.20	14.52	PK
11770	54.14	-2.86	H	51.28	73.98	22.70	PK
11770	40.60	-2.86	H	37.74	53.98	16.24	AV
17655	51.95	1.64	H	53.59	68.20	14.61	PK

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.36	5180 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10360	59.15	-2.83	V	56.32	68.20	11.88	PK
15540	52.07	-0.82	V	51.25	73.98	22.73	PK
15540	39.00	-0.82	V	38.18	53.98	15.80	AV
10360	60.74	-2.83	H	57.91	68.20	10.29	PK
15540	52.02	-0.82	H	51.20	73.98	22.78	PK
15540	38.80	-0.82	H	37.98	53.98	16.00	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.40	5200 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10400	58.03	-2.79	V	55.24	68.20	12.96	PK
15600	53.46	-1.30	V	52.16	73.98	21.82	PK
15600	40.28	-1.30	V	38.98	53.98	15.00	AV
10400	60.51	-2.79	H	57.72	68.20	10.48	PK
15600	53.49	-1.30	H	52.19	73.98	21.79	PK
15600	40.27	-1.30	H	38.97	53.98	15.01	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.48	5240 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10480	58.70	-3.15	V	55.55	68.20	12.65	PK
15720	53.02	-1.57	V	51.45	73.98	22.53	PK
15720	40.26	-1.57	V	38.69	53.98	15.29	AV
10480	58.94	-3.15	H	55.79	68.20	12.41	PK
15720	53.48	-1.57	H	51.91	73.98	22.07	PK
15720	40.08	-1.57	H	38.51	53.98	15.47	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.52	5260 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10520	57.46	-3.35	V	54.11	68.20	14.09	PK
15780	52.77	-1.91	V	50.86	73.98	23.12	PK
15780	38.92	-1.91	V	37.01	53.98	16.97	AV
10520	58.87	-3.35	H	55.52	68.20	12.68	PK
15780	52.08	-1.91	H	50.17	73.98	23.81	PK
15780	38.52	-1.91	H	36.61	53.98	17.37	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.60	5300 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10600	57.39	-2.99	V	54.40	73.98	19.58	PK
10600	44.07	-2.99	V	41.08	53.98	12.90	AV
15900	52.07	-2.09	V	49.98	73.98	24.00	PK
15900	39.03	-2.09	V	36.94	53.98	17.04	AV
10600	57.96	-2.99	H	54.97	73.98	19.01	PK
10600	44.16	-2.99	H	41.17	53.98	12.81	AV
15900	52.06	-2.09	H	49.97	73.98	24.01	PK
15900	38.95	-2.09	H	36.86	53.98	17.12	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.64	5320 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10640	57.89	-2.91	V	54.98	73.98	19.00	PK
10640	44.45	-2.91	V	41.54	53.98	12.44	AV
15960	53.20	-1.81	V	51.39	73.98	22.59	PK
15960	39.31	-1.81	V	37.50	53.98	16.48	AV
10640	56.97	-2.91	H	54.06	73.98	19.92	PK
10640	44.33	-2.91	H	41.42	53.98	12.56	AV
15960	53.11	-1.81	H	51.30	73.98	22.68	PK
15960	39.11	-1.81	H	37.30	53.98	16.68	AV

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.100	5500 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11000	57.45	-2.24	V	55.21	73.98	18.77	PK
11000	43.07	-2.24	V	40.83	53.98	13.15	AV
16500	53.05	-2.07	V	50.98	68.20	17.22	PK
11000	56.63	-2.24	H	54.39	73.98	19.59	PK
11000	42.53	-2.24	H	40.29	53.98	13.69	AV
16500	52.96	-2.07	H	50.89	68.20	17.31	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.116	5580 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11160	55.49	-3.10	V	52.39	73.98	21.59	PK
11160	42.47	-3.10	V	39.37	53.98	14.61	AV
16740	53.22	-2.07	V	51.15	68.20	17.05	PK
11160	55.26	-3.10	H	52.16	73.98	21.82	PK
11160	41.72	-3.10	H	38.62	53.98	15.36	AV
16740	53.20	-2.07	H	51.13	68.20	17.07	PK

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.144	5720 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	55.13	-2.58	V	52.55	73.98	21.43	PK
11440	42.46	-2.58	V	39.88	53.98	14.10	AV
17160	53.23	-1.97	V	51.26	68.20	16.94	PK
11440	55.80	-2.58	H	53.22	73.98	20.76	PK
11440	42.09	-2.58	H	39.51	53.98	14.47	AV
17160	53.08	-1.97	H	51.11	68.20	17.09	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.149	5745 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	55.36	-2.65	V	52.71	73.98	21.27	PK
11490	42.53	-2.65	V	39.88	53.98	14.10	AV
17235	53.37	-1.84	V	51.53	68.20	16.67	PK
11490	54.86	-2.65	H	52.21	73.98	21.77	PK
11490	41.89	-2.65	H	39.24	53.98	14.74	AV
17235	53.72	-1.84	H	51.88	68.20	16.32	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.157	5785 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	54.36	-3.00	V	51.36	73.98	22.62	PK
11570	42.03	-3.00	V	39.03	53.98	14.95	AV
17355	53.44	-1.56	V	51.88	68.20	16.32	PK
11570	54.98	-3.00	H	51.98	73.98	22.00	PK
11570	41.61	-3.00	H	38.61	53.98	15.37	AV
17355	52.79	-1.56	H	51.23	68.20	16.97	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.165	5825 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	55.21	-3.48	V	51.73	73.98	22.25	PK
11650	41.66	-3.48	V	38.18	53.98	15.80	AV
17475	52.67	-0.28	V	52.39	68.20	15.81	PK
11650	54.50	-3.48	H	51.02	73.98	22.96	PK
11650	41.44	-3.48	H	37.96	53.98	16.02	AV
17475	52.05	-0.28	H	51.77	68.20	16.43	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.169	5845 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	54.65	-3.24	V	51.41	73.98	22.57	PK
11690	41.21	-3.24	V	37.97	53.98	16.01	AV
17535	52.22	0.90	V	53.12	68.20	15.08	PK
11690	54.11	-3.24	H	50.87	73.98	23.11	PK
11690	40.96	-3.24	H	37.72	53.98	16.26	AV
17535	52.02	0.90	H	52.92	68.20	15.28	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.173	5865 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	54.00	-3.04	V	50.96	73.98	23.02	PK
11730	40.89	-3.04	V	37.85	53.98	16.13	AV
17595	52.03	1.19	V	53.22	68.20	14.98	PK
11730	53.85	-3.04	H	50.81	73.98	23.17	PK
11730	40.89	-3.04	H	37.85	53.98	16.13	AV
17595	52.76	1.19	H	53.95	68.20	14.25	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 26T RU4		
CH.177	5885 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	53.80	-2.86	V	50.94	73.98	23.04	PK
11770	40.96	-2.86	V	38.10	53.98	15.88	AV
17655	52.34	1.64	V	53.98	68.20	14.22	PK
11770	53.97	-2.86	H	51.11	73.98	22.87	PK
11770	40.43	-2.86	H	37.57	53.98	16.41	AV
17655	51.57	1.64	H	53.21	68.20	14.99	PK

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.38	5190 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	59.27	-2.80	V	56.47	68.20	11.73	PK
15570	53.37	-0.70	V	52.67	73.98	21.31	PK
15570	40.54	-0.70	V	39.84	53.98	14.14	AV
10380	59.92	-2.80	H	57.12	68.20	11.08	PK
15570	53.55	-0.70	H	52.85	73.98	21.13	PK
15570	40.37	-0.70	H	39.67	53.98	14.31	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.46	5230 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	59.02	-3.22	V	55.80	68.20	12.40	PK
15690	53.06	-1.68	V	51.38	73.98	22.60	PK
15690	40.96	-1.68	V	39.28	53.98	14.70	AV
10460	58.56	-3.22	H	55.34	68.20	12.86	PK
15690	53.32	-1.68	H	51.64	73.98	22.34	PK
15690	41.05	-1.68	H	39.37	53.98	14.61	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.54	5270 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	58.98	-3.42	V	55.56	68.20	12.64	PK
15810	53.07	-1.84	V	51.23	73.98	22.75	PK
15810	40.11	-1.84	V	38.27	53.98	15.71	AV
10540	59.30	-3.42	H	55.88	68.20	12.32	PK
15810	53.06	-1.84	H	51.22	73.98	22.76	PK
15810	40.06	-1.84	H	38.22	53.98	15.76	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.62	5310 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	57.82	-2.97	V	54.85	73.98	19.13	PK
10620	45.57	-2.97	V	42.60	53.98	11.38	AV
15930	53.01	-1.97	V	51.04	73.98	22.94	PK
15930	40.17	-1.97	V	38.20	53.98	15.78	AV
10620	57.90	-2.97	H	54.93	73.98	19.05	PK
10620	45.38	-2.97	H	42.41	53.98	11.57	AV
15930	52.54	-1.97	H	50.57	73.98	23.41	PK
15930	40.24	-1.97	H	38.27	53.98	15.71	AV

Band :	UNII 2C		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.102	5510 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	56.65	-2.42	V	54.23	73.98	19.75	PK
11020	44.97	-2.42	V	42.55	53.98	11.43	AV
16530	53.68	-2.00	V	51.68	68.20	16.52	PK
11020	55.80	-2.42	H	53.38	73.98	20.60	PK
11020	43.52	-2.42	H	41.10	53.98	12.88	AV
16530	53.78	-2.00	H	51.78	68.20	16.42	PK

Band :	UNII 2C		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.110	5550 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11100	56.43	-3.23	V	53.20	73.98	20.78	PK
11100	44.22	-3.23	V	40.99	53.98	12.99	AV
16650	54.05	-2.24	V	51.81	68.20	16.39	PK
11100	56.30	-3.23	H	53.07	73.98	20.91	PK
11100	43.96	-3.23	H	40.73	53.98	13.25	AV
16650	53.97	-2.24	H	51.73	68.20	16.47	PK

Band :	UNII 2C		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.142	5710 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	56.01	-2.80	V	53.21	73.98	20.77	PK
11420	43.94	-2.80	V	41.14	53.98	12.84	AV
17130	53.04	-1.60	V	51.44	68.20	16.76	PK
11420	56.26	-2.80	H	53.46	73.98	20.52	PK
11420	44.39	-2.80	H	41.59	53.98	12.39	AV
17130	52.99	-1.60	H	51.39	68.20	16.81	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 3		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.151	5755 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	55.01	-2.47	V	52.54	73.98	21.44	PK
11510	43.12	-2.47	V	40.65	53.98	13.33	AV
17265	53.85	-1.81	V	52.04	68.20	16.16	PK
11510	55.10	-2.47	H	52.63	73.98	21.35	PK
11510	43.05	-2.47	H	40.58	53.98	13.40	AV
17265	53.89	-1.81	H	52.08	68.20	16.12	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.159	5795 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	54.90	-3.04	V	51.86	73.98	22.12	PK
11590	42.36	-3.04	V	39.32	53.98	14.66	AV
17385	53.43	-1.58	V	51.85	68.20	16.35	PK
11590	54.60	-3.04	H	51.56	73.98	22.42	PK
11590	42.00	-3.04	H	38.96	53.98	15.02	AV
17385	53.01	-1.58	H	51.43	68.20	16.77	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.167	5835 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	54.58	-3.28	V	51.30	73.98	22.68	PK
11670	42.23	-3.28	V	38.95	53.98	15.03	AV
17505	51.93	0.16	V	52.09	68.20	16.11	PK
11670	54.91	-3.28	H	51.63	73.98	22.35	PK
11670	42.27	-3.28	H	38.99	53.98	14.99	AV
17505	52.62	0.16	H	52.78	68.20	15.42	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT40 MCS0 484T RU65		
CH.175	5875 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	53.77	-2.93	V	50.84	73.98	23.14	PK
11750	41.38	-2.93	V	38.45	53.98	15.53	AV
17625	52.37	1.71	V	54.08	68.20	14.12	PK
11750	53.56	-2.93	H	50.63	73.98	23.35	PK
11750	41.39	-2.93	H	38.46	53.98	15.52	AV
17625	51.98	1.71	H	53.69	68.20	14.51	PK

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 26T RU9		
CH.38	5190 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	60.52	-2.80	V	57.72	68.20	10.48	PK
15570	52.66	-0.70	V	51.96	73.98	22.02	PK
15570	40.34	-0.70	V	39.64	53.98	14.34	AV
10380	60.77	-2.80	H	57.97	68.20	10.23	PK
15570	52.50	-0.70	H	51.80	73.98	22.18	PK
15570	40.16	-0.70	H	39.46	53.98	14.52	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 1		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.46	5230 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	59.55	-3.22	V	56.33	68.20	11.87	PK
15690	53.63	-1.68	V	51.95	73.98	22.03	PK
15690	40.96	-1.68	V	39.28	53.98	14.70	AV
10460	59.80	-3.22	H	56.58	68.20	11.62	PK
15690	53.46	-1.68	H	51.78	73.98	22.20	PK
15690	41.07	-1.68	H	39.39	53.98	14.59	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.54	5270 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10540	59.39	-3.42	V	55.97	68.20	12.23	PK
15810	53.74	-1.84	V	51.90	73.98	22.08	PK
15810	40.10	-1.84	V	38.26	53.98	15.72	AV
10540	59.07	-3.42	H	55.65	68.20	12.55	PK
15810	52.64	-1.84	H	50.80	73.98	23.18	PK
15810	39.92	-1.84	H	38.08	53.98	15.90	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.62	5310 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10620	57.25	-2.97	V	54.28	73.98	19.70	PK
10620	43.92	-2.97	V	40.95	53.98	13.03	AV
15930	52.97	-1.97	V	51.00	73.98	22.98	PK
15930	40.23	-1.97	V	38.26	53.98	15.72	AV
10620	58.79	-2.97	H	55.82	73.98	18.16	PK
10620	44.44	-2.97	H	41.47	53.98	12.51	AV
15930	52.80	-1.97	H	50.83	73.98	23.15	PK
15930	40.12	-1.97	H	38.15	53.98	15.83	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.102	5510 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11020	57.55	-2.42	V	55.13	73.98	18.85	PK
11020	43.41	-2.42	V	40.99	53.98	12.99	AV
16530	53.59	-2.00	V	51.59	68.20	16.61	PK
11020	56.78	-2.42	H	54.36	73.98	19.62	PK
11020	43.33	-2.42	H	40.91	53.98	13.07	AV
16530	53.44	-2.00	H	51.44	68.20	16.76	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.110	5550 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11100	56.64	-3.23	V	53.41	73.98	20.57	PK
11100	43.36	-3.23	V	40.13	53.98	13.85	AV
16650	54.30	-2.24	V	52.06	68.20	16.14	PK
11100	57.45	-3.23	H	54.22	73.98	19.76	PK
11100	42.89	-3.23	H	39.66	53.98	14.32	AV
16650	53.80	-2.24	H	51.56	68.20	16.64	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.142	5710 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	55.78	-2.80	V	52.98	73.98	21.00	PK
11420	43.13	-2.80	V	40.33	53.98	13.65	AV
17130	52.96	-1.60	V	51.36	68.20	16.84	PK
11420	56.81	-2.80	H	54.01	73.98	19.97	PK
11420	43.42	-2.80	H	40.62	53.98	13.36	AV
17130	53.10	-1.60	H	51.50	68.20	16.70	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.151	5755 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	54.82	-2.47	V	52.35	73.98	21.63	PK
11510	42.69	-2.47	V	40.22	53.98	13.76	AV
17265	54.66	-1.81	V	52.85	68.20	15.35	PK
11510	54.61	-2.47	H	52.14	73.98	21.84	PK
11510	42.58	-2.47	H	40.11	53.98	13.87	AV
17265	53.80	-1.81	H	51.99	68.20	16.21	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.159	5795 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	54.49	-3.04	V	51.45	73.98	22.53	PK
11590	42.27	-3.04	V	39.23	53.98	14.75	AV
17385	53.19	-1.58	V	51.61	68.20	16.59	PK
11590	54.58	-3.04	H	51.54	73.98	22.44	PK
11590	42.10	-3.04	H	39.06	53.98	14.92	AV
17385	53.08	-1.58	H	51.50	68.20	16.70	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.167	5835 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	55.02	-3.28	V	51.74	73.98	22.24	PK
11670	42.16	-3.28	V	38.88	53.98	15.10	AV
17505	52.88	0.16	V	53.04	68.20	15.16	PK
11670	54.62	-3.28	H	51.34	73.98	22.64	PK
11670	42.27	-3.28	H	38.99	53.98	14.99	AV
17505	52.45	0.16	H	52.61	68.20	15.59	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT40 MCS0 26T RU9			
CH.175	5875 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	53.65	-2.93	V	50.72	73.98	23.26	PK
11750	41.80	-2.93	V	38.87	53.98	15.11	AV
17625	52.57	1.71	V	54.28	68.20	13.92	PK
11750	53.62	-2.93	H	50.69	73.98	23.29	PK
11750	41.26	-2.93	H	38.33	53.98	15.65	AV
17625	52.57	1.71	H	54.28	68.20	13.92	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 1		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.42	5210 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	56.84	-3.06	V	53.78	68.20	14.42	PK
15630	53.76	-1.02	V	52.74	73.98	21.24	PK
15630	41.29	-1.02	V	40.27	53.98	13.71	AV
10420	57.66	-3.06	H	54.60	68.20	13.60	PK
15630	53.47	-1.02	H	52.45	73.98	21.53	PK
15630	41.28	-1.02	H	40.26	53.98	13.72	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.58	5290 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	57.06	-3.21	V	53.85	68.20	14.35	PK
15870	51.91	-1.94	V	49.97	73.98	24.01	PK
15870	39.91	-1.94	V	37.97	53.98	16.01	AV
10580	57.22	-3.21	H	54.01	68.20	14.19	PK
15870	51.90	-1.94	H	49.96	73.98	24.02	PK
15870	39.87	-1.94	H	37.93	53.98	16.05	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.106	5530 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	55.91	-3.02	V	52.89	73.98	21.09	PK
11060	43.23	-3.02	V	40.21	53.98	13.77	AV
16590	52.91	-2.30	V	50.61	68.20	17.59	PK
11060	55.88	-3.02	H	52.86	73.98	21.12	PK
11060	43.31	-3.02	H	40.29	53.98	13.69	AV
16590	53.20	-2.30	H	50.90	68.20	17.30	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.122	5610 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	53.33	-2.66	V	50.67	73.98	23.31	PK
11220	41.92	-2.66	V	39.26	53.98	14.72	AV
16830	53.67	-2.67	V	51.00	68.20	17.20	PK
11220	53.33	-2.66	H	50.67	73.98	23.31	PK
11220	41.17	-2.66	H	38.51	53.98	15.47	AV
16830	53.37	-2.67	H	50.70	68.20	17.50	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.138	5690 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	55.34	-2.73	V	52.61	73.98	21.37	PK
11380	43.47	-2.73	V	40.74	53.98	13.24	AV
17070	52.32	-1.61	V	50.71	68.20	17.49	PK
11380	55.42	-2.73	H	52.69	73.98	21.29	PK
11380	42.76	-2.73	H	40.03	53.98	13.95	AV
17070	52.07	-1.61	H	50.46	68.20	17.74	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 3		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.155	5775 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	54.55	-2.72	V	51.83	73.98	22.15	PK
11550	42.45	-2.72	V	39.73	53.98	14.25	AV
17325	53.30	-1.71	V	51.59	68.20	16.61	PK
11550	54.56	-2.72	H	51.84	73.98	22.14	PK
11550	42.13	-2.72	H	39.41	53.98	14.57	AV
17325	53.91	-1.71	H	52.20	68.20	16.00	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT80 MCS0 996T RU67			
CH.171	5855 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	53.81	-3.19	V	50.62	73.98	23.36	PK
11710	41.78	-3.19	V	38.59	53.98	15.39	AV
17565	52.62	1.21	V	53.83	68.20	14.37	PK
11710	54.13	-3.19	H	50.94	73.98	23.04	PK
11710	41.51	-3.19	H	38.32	53.98	15.66	AV
17565	51.73	1.21	H	52.94	68.20	15.26	PK

Band :	UNII 1		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.42	5210 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10420	61.11	-3.06	V	58.05	68.20	10.15	PK
15630	54.49	-1.02	V	53.47	73.98	20.51	PK
15630	41.39	-1.02	V	40.37	53.98	13.61	AV
10420	60.67	-3.06	H	57.61	68.20	10.59	PK
15630	54.01	-1.02	H	52.99	73.98	20.99	PK
15630	41.20	-1.02	H	40.18	53.98	13.80	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.58	5290 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10580	57.85	-3.21	V	54.64	68.20	13.56	PK
15870	53.16	-1.94	V	51.22	73.98	22.76	PK
15870	40.34	-1.94	V	38.40	53.98	15.58	AV
10580	59.99	-3.21	H	56.78	68.20	11.42	PK
15870	52.77	-1.94	H	50.83	73.98	23.15	PK
15870	39.70	-1.94	H	37.76	53.98	16.22	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.106	5530 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11060	56.95	-3.02	V	53.93	73.98	20.05	PK
11060	43.05	-3.02	V	40.03	53.98	13.95	AV
16590	54.98	-2.30	V	52.68	68.20	15.52	PK
11060	56.45	-3.02	H	53.43	73.98	20.55	PK
11060	42.49	-3.02	H	39.47	53.98	14.51	AV
16590	54.32	-2.30	H	52.02	68.20	16.18	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.122	5610 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	54.70	-2.66	V	52.04	73.98	21.94	PK
11220	41.69	-2.66	V	39.03	53.98	14.95	AV
16830	54.29	-2.67	V	51.62	68.20	16.58	PK
11220	55.34	-2.66	H	52.68	73.98	21.30	PK
11220	41.60	-2.66	H	38.94	53.98	15.04	AV
16830	53.77	-2.67	H	51.10	68.20	17.10	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.138	5690 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	54.73	-2.73	V	52.00	73.98	21.98	PK
11380	42.68	-2.73	V	39.95	53.98	14.03	AV
17070	53.61	-1.61	V	52.00	68.20	16.20	PK
11380	55.31	-2.73	H	52.58	73.98	21.40	PK
11380	42.54	-2.73	H	39.81	53.98	14.17	AV
17070	52.30	-1.61	H	50.69	68.20	17.51	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.155	5775 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	54.38	-2.72	V	51.66	73.98	22.32	PK
11550	42.25	-2.72	V	39.53	53.98	14.45	AV
17325	53.64	-1.71	V	51.93	68.20	16.27	PK
11550	54.79	-2.72	H	52.07	73.98	21.91	PK
11550	41.92	-2.72	H	39.20	53.98	14.78	AV
17325	54.06	-1.71	H	52.35	68.20	15.85	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT80 MCS0 26T RU19			
CH.171	5855 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	54.37	-3.19	V	51.18	73.98	22.80	PK
11710	42.05	-3.19	V	38.86	53.98	15.12	AV
17565	52.34	1.21	V	53.55	68.20	14.65	PK
11710	54.18	-3.19	H	50.99	73.98	22.99	PK
11710	41.90	-3.19	H	38.71	53.98	15.27	AV
17565	52.61	1.21	H	53.82	68.20	14.38	PK

Band :	UNII 1&2A		Operation Mode :	802.11be_EHT160 MCS0 2x996T RU68			
CH.50	5250 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	55.46	-3.35	V	52.11	68.20	16.09	PK
15750	53.19	-2.04	V	51.15	73.98	22.83	PK
15750	41.07	-2.04	V	39.03	53.98	14.95	AV
10500	55.34	-3.35	H	51.99	68.20	16.21	PK
15750	53.23	-2.04	H	51.19	73.98	22.79	PK
15750	40.85	-2.04	H	38.81	53.98	15.17	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT160 MCS0 2x996T RU68			
CH.114	5570 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11140	53.56	-3.25	V	50.31	73.98	23.67	PK
11140	42.58	-3.25	V	39.33	53.98	14.65	AV
16710	52.68	-2.28	V	50.40	68.20	17.80	PK
11140	53.30	-3.25	H	50.05	73.98	23.93	PK
11140	41.94	-3.25	H	38.69	53.98	15.29	AV
16710	53.06	-2.28	H	50.78	68.20	17.42	PK

Band :	UNII 3&4		Operation Mode :	802.11be_EHT160 MCS0 2x996T RU68			
CH.163	5815 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11630	54.93	-3.10	V	51.83	73.98	22.15	PK
11630	42.31	-3.10	V	39.21	53.98	14.77	AV
17445	51.83	-2.23	V	49.60	68.20	18.60	PK
11630	54.80	-3.10	H	51.70	73.98	22.28	PK
11630	42.53	-3.10	H	39.43	53.98	14.55	AV
17445	51.68	-2.23	H	49.45	68.20	18.75	PK

Band :	UNII 1&2A		Operation Mode :	802.11be_EHT160(80L) MCS0 26T RU19			
CH.50	5250 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10500	54.22	-3.35	V	50.87	68.20	17.33	PK
15750	53.27	-2.04	V	51.23	73.98	22.75	PK
15750	40.74	-2.04	V	38.70	53.98	15.28	AV
10500	57.34	-3.35	H	53.99	68.20	14.21	PK
15750	52.95	-2.04	H	50.91	73.98	23.07	PK
15750	40.82	-2.04	H	38.78	53.98	15.20	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT160(80L) MCS0 26T RU19			
CH.114	5570 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11140	52.74	-3.25	V	49.49	73.98	24.49	PK
11140	42.37	-3.25	V	39.12	53.98	14.86	AV
16710	53.76	-2.28	V	51.48	68.20	16.72	PK
11140	52.96	-3.25	H	49.71	73.98	24.27	PK
11140	41.87	-3.25	H	38.62	53.98	15.36	AV
16710	52.98	-2.28	H	50.70	68.20	17.50	PK

Band :	UNII 3&4		Operation Mode :	802.11be_EHT160(80L) MCS0 26T RU19			
CH.163	5815 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11630	54.82	-3.10	V	51.72	73.98	22.26	PK
11630	42.17	-3.10	V	39.07	53.98	14.91	AV
17445	52.10	-2.23	V	49.87	68.20	18.33	PK
11630	54.23	-3.10	H	51.13	73.98	22.85	PK
11630	42.19	-3.10	H	39.09	53.98	14.89	AV
17445	51.95	-2.23	H	49.72	68.20	18.48	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[MRU]

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.36	5180 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	59.06	-2.83	V	56.23	68.20	11.97	PK
15540	52.42	-0.82	V	51.60	73.98	22.38	PK
15540	38.97	-0.82	V	38.15	53.98	15.83	AV
10360	58.82	-2.83	H	55.99	68.20	12.21	PK
15540	51.71	-0.82	H	50.89	73.98	23.09	PK
15540	38.99	-0.82	H	38.17	53.98	15.81	AV

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.40	5200 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10400	59.00	-2.79	V	56.21	68.20	11.99	PK
15600	53.35	-1.30	V	52.05	73.98	21.93	PK
15600	40.31	-1.30	V	39.01	53.98	14.97	AV
10400	59.54	-2.79	H	56.75	68.20	11.45	PK
15600	54.23	-1.30	H	52.93	73.98	21.05	PK
15600	40.21	-1.30	H	38.91	53.98	15.07	AV

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.48	5240 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10480	58.17	-3.15	V	55.02	68.20	13.18	PK
15720	53.45	-1.57	V	51.88	73.98	22.10	PK
15720	39.91	-1.57	V	38.34	53.98	15.64	AV
10480	58.89	-3.15	H	55.74	68.20	12.46	PK
15720	52.87	-1.57	H	51.30	73.98	22.68	PK
15720	40.01	-1.57	H	38.44	53.98	15.54	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.52	5260 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10520	60.03	-3.35	V	56.68	68.20	11.52	PK
15780	52.47	-1.91	V	50.56	73.98	23.42	PK
15780	39.10	-1.91	V	37.19	53.98	16.79	AV
10520	60.44	-3.35	H	57.09	68.20	11.11	PK
15780	53.01	-1.91	H	51.10	73.98	22.88	PK
15780	39.79	-1.91	H	37.88	53.98	16.10	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.60	5300 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10600	58.04	-2.99	V	55.05	73.98	18.93	PK
10600	44.73	-2.99	V	41.74	53.98	12.24	AV
15900	53.05	-2.09	V	50.96	73.98	23.02	PK
15900	38.98	-2.09	V	36.89	53.98	17.09	AV
10600	58.72	-2.99	H	55.73	73.98	18.25	PK
10600	44.88	-2.99	H	41.89	53.98	12.09	AV
15900	52.33	-2.09	H	50.24	73.98	23.74	PK
15900	39.39	-2.09	H	37.30	53.98	16.68	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.64	5320 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10640	56.90	-2.91	V	53.99	73.98	19.99	PK
10640	43.54	-2.91	V	40.63	53.98	13.35	AV
15960	52.96	-1.81	V	51.15	73.98	22.83	PK
15960	39.23	-1.81	V	37.42	53.98	16.56	AV
10640	57.70	-2.91	H	54.79	73.98	19.19	PK
10640	43.83	-2.91	H	40.92	53.98	13.06	AV
15960	52.80	-1.81	H	50.99	73.98	22.99	PK
15960	39.32	-1.81	H	37.51	53.98	16.47	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.100	5500 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11000	57.28	-2.24	V	55.04	73.98	18.94	PK
11000	43.73	-2.24	V	41.49	53.98	12.49	AV
16500	53.66	-2.07	V	51.59	68.20	16.61	PK
11000	55.75	-2.24	H	53.51	73.98	20.47	PK
11000	42.69	-2.24	H	40.45	53.98	13.53	AV
16500	54.25	-2.07	H	52.18	68.20	16.02	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.116	5580 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11160	55.92	-3.10	V	52.82	73.98	21.16	PK
11160	42.39	-3.10	V	39.29	53.98	14.69	AV
16740	53.94	-2.07	V	51.87	68.20	16.33	PK
11160	55.71	-3.10	H	52.61	73.98	21.37	PK
11160	42.66	-3.10	H	39.56	53.98	14.42	AV
16740	53.45	-2.07	H	51.38	68.20	16.82	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.144	5720 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	55.55	-2.58	V	52.97	73.98	21.01	PK
11440	42.92	-2.58	V	40.34	53.98	13.64	AV
17160	53.18	-1.97	V	51.21	68.20	16.99	PK
11440	56.16	-2.58	H	53.58	73.98	20.40	PK
11440	42.78	-2.58	H	40.20	53.98	13.78	AV
17160	53.88	-1.97	H	51.91	68.20	16.29	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.149	5745 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	55.02	-2.65	V	52.37	73.98	21.61	PK
11490	42.00	-2.65	V	39.35	53.98	14.63	AV
17235	53.84	-1.84	V	52.00	68.20	16.20	PK
11490	55.38	-2.65	H	52.73	73.98	21.25	PK
11490	41.78	-2.65	H	39.13	53.98	14.85	AV
17235	53.47	-1.84	H	51.63	68.20	16.57	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.157	5785 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	54.77	-3.00	V	51.77	73.98	22.21	PK
11570	41.92	-3.00	V	38.92	53.98	15.06	AV
17355	53.00	-1.56	V	51.44	68.20	16.76	PK
11570	54.72	-3.00	H	51.72	73.98	22.26	PK
11570	41.53	-3.00	H	38.53	53.98	15.45	AV
17355	53.31	-1.56	H	51.75	68.20	16.45	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.165	5825 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	54.84	-3.48	V	51.36	73.98	22.62	PK
11650	41.79	-3.48	V	38.31	53.98	15.67	AV
17475	52.73	-0.28	V	52.45	68.20	15.75	PK
11650	55.10	-3.48	H	51.62	73.98	22.36	PK
11650	41.63	-3.48	H	38.15	53.98	15.83	AV
17475	53.00	-0.28	H	52.72	68.20	15.48	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.169	5845 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	54.43	-3.24	V	51.19	73.98	22.79	PK
11690	40.99	-3.24	V	37.75	53.98	16.23	AV
17535	52.37	0.90	V	53.27	68.20	14.93	PK
11690	54.25	-3.24	H	51.01	73.98	22.97	PK
11690	41.00	-3.24	H	37.76	53.98	16.22	AV
17535	52.53	0.90	H	53.43	68.20	14.77	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 4		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.173	5865 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11730	54.05	-3.04	V	51.01	73.98	22.97	PK
11730	40.78	-3.04	V	37.74	53.98	16.24	AV
17595	52.27	1.19	V	53.46	68.20	14.74	PK
11730	53.79	-3.04	H	50.75	73.98	23.23	PK
11730	40.92	-3.04	H	37.88	53.98	16.10	AV
17595	52.11	1.19	H	53.30	68.20	14.90	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT20 MCS0 106+26T MRU82			
CH.177	5885 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11770	54.66	-2.86	V	51.80	73.98	22.18	PK
11770	40.96	-2.86	V	38.10	53.98	15.88	AV
17655	52.58	1.64	V	54.22	68.20	13.98	PK
11770	54.10	-2.86	H	51.24	73.98	22.74	PK
11770	41.08	-2.86	H	38.22	53.98	15.76	AV
17655	52.25	1.64	H	53.89	68.20	14.31	PK

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.36	5180 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	59.26	-2.83	V	56.43	68.20	11.77	PK
15540	52.28	-0.82	V	51.46	73.98	22.52	PK
15540	39.17	-0.82	V	38.35	53.98	15.63	AV
10360	59.35	-2.83	H	56.52	68.20	11.68	PK
15540	52.12	-0.82	H	51.30	73.98	22.68	PK
15540	38.98	-0.82	H	38.16	53.98	15.82	AV

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.40	5200 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10400	57.50	-2.79	V	54.71	68.20	13.49	PK
15600	53.25	-1.30	V	51.95	73.98	22.03	PK
15600	40.30	-1.30	V	39.00	53.98	14.98	AV
10400	59.34	-2.79	H	56.55	68.20	11.65	PK
15600	53.32	-1.30	H	52.02	73.98	21.96	PK
15600	40.27	-1.30	H	38.97	53.98	15.01	AV

Band :	UNII 1		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.48	5240 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10480	57.73	-3.15	V	54.58	68.20	13.62	PK
15720	53.06	-1.57	V	51.49	73.98	22.49	PK
15720	40.06	-1.57	V	38.49	53.98	15.49	AV
10480	59.50	-3.15	H	56.35	68.20	11.85	PK
15720	52.94	-1.57	H	51.37	73.98	22.61	PK
15720	40.00	-1.57	H	38.43	53.98	15.55	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.52	5260 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10520	58.49	-3.35	V	55.14	68.20	13.06	PK
15780	52.93	-1.91	V	51.02	73.98	22.96	PK
15780	38.99	-1.91	V	37.08	53.98	16.90	AV
10520	60.53	-3.35	H	57.18	68.20	11.02	PK
15780	53.49	-1.91	H	51.58	73.98	22.40	PK
15780	39.97	-1.91	H	38.06	53.98	15.92	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.60	5300 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10600	57.53	-2.99	V	54.54	73.98	19.44	PK
10600	43.91	-2.99	V	40.92	53.98	13.06	AV
15900	52.66	-2.09	V	50.57	73.98	23.41	PK
15900	39.01	-2.09	V	36.92	53.98	17.06	AV
10600	56.96	-2.99	H	53.97	73.98	20.01	PK
10600	43.84	-2.99	H	40.85	53.98	13.13	AV
15900	52.53	-2.09	H	50.44	73.98	23.54	PK
15900	39.11	-2.09	H	37.02	53.98	16.96	AV

Band :	UNII 2A		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.64	5320 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10640	56.48	-2.91	V	53.57	73.98	20.41	PK
10640	43.20	-2.91	V	40.29	53.98	13.69	AV
15960	52.91	-1.81	V	51.10	73.98	22.88	PK
15960	39.50	-1.81	V	37.69	53.98	16.29	AV
10640	56.21	-2.91	H	53.30	73.98	20.68	PK
10640	43.41	-2.91	H	40.50	53.98	13.48	AV
15960	52.53	-1.81	H	50.72	73.98	23.26	PK
15960	39.41	-1.81	H	37.60	53.98	16.38	AV

Band :	UNII 2C		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.100	5500 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11000	56.76	-2.24	V	54.52	73.98	19.46	PK
11000	42.70	-2.24	V	40.46	53.98	13.52	AV
16500	53.16	-2.07	V	51.09	68.20	17.11	PK
11000	56.22	-2.24	H	53.98	73.98	20.00	PK
11000	42.03	-2.24	H	39.79	53.98	14.19	AV
16500	53.77	-2.07	H	51.70	68.20	16.50	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.116	5580 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11160	55.93	-3.10	V	52.83	73.98	21.15	PK
11160	41.75	-3.10	V	38.65	53.98	15.33	AV
16740	53.38	-2.07	V	51.31	68.20	16.89	PK
11160	55.77	-3.10	H	52.67	73.98	21.31	PK
11160	41.81	-3.10	H	38.71	53.98	15.27	AV
16740	53.32	-2.07	H	51.25	68.20	16.95	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.144	5720 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11440	55.93	-2.58	V	53.35	73.98	20.63	PK
11440	42.09	-2.58	V	39.51	53.98	14.47	AV
17160	53.62	-1.97	V	51.65	68.20	16.55	PK
11440	56.51	-2.58	H	53.93	73.98	20.05	PK
11440	42.05	-2.58	H	39.47	53.98	14.51	AV
17160	53.89	-1.97	H	51.92	68.20	16.28	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.149	5745 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11490	55.08	-2.65	V	52.43	73.98	21.55	PK
11490	42.11	-2.65	V	39.46	53.98	14.52	AV
17235	53.77	-1.84	V	51.93	68.20	16.27	PK
11490	55.14	-2.65	H	52.49	73.98	21.49	PK
11490	41.62	-2.65	H	38.97	53.98	15.01	AV
17235	54.17	-1.84	H	52.33	68.20	15.87	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.157	5785 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11570	54.55	-3.00	V	51.55	73.98	22.43	PK
11570	41.77	-3.00	V	38.77	53.98	15.21	AV
17355	53.51	-1.56	V	51.95	68.20	16.25	PK
11570	54.73	-3.00	H	51.73	73.98	22.25	PK
11570	41.39	-3.00	H	38.39	53.98	15.59	AV
17355	53.76	-1.56	H	52.20	68.20	16.00	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT20 MCS0 52+26T MRU71			
CH.165	5825 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11650	54.52	-3.48	V	51.04	73.98	22.94	PK
11650	41.79	-3.48	V	38.31	53.98	15.67	AV
17475	52.50	-0.28	V	52.22	68.20	15.98	PK
11650	54.65	-3.48	H	51.17	73.98	22.81	PK
11650	41.48	-3.48	H	38.00	53.98	15.98	AV
17475	53.15	-0.28	H	52.87	68.20	15.33	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.169	5845 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11690	54.79	-3.24	V	51.55	73.98	22.43	PK
11690	40.94	-3.24	V	37.70	53.98	16.28	AV
17535	52.45	0.90	V	53.35	68.20	14.85	PK
11690	55.22	-3.24	H	51.98	73.98	22.00	PK
11690	40.93	-3.24	H	37.69	53.98	16.29	AV
17535	52.02	0.90	H	52.92	68.20	15.28	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.173	5865 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11730	54.00	-3.04	V	50.96	73.98	23.02	PK
11730	40.76	-3.04	V	37.72	53.98	16.26	AV
17595	52.75	1.19	V	53.94	68.20	14.26	PK
11730	54.14	-3.04	H	51.10	73.98	22.88	PK
11730	40.80	-3.04	H	37.76	53.98	16.22	AV
17595	52.48	1.19	H	53.67	68.20	14.53	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT20 MCS0 52+26T MRU71		
CH.177	5885 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11770	54.38	-2.86	V	51.52	73.98	22.46	PK
11770	40.69	-2.86	V	37.83	53.98	16.15	AV
17655	52.12	1.64	V	53.76	68.20	14.44	PK
11770	54.36	-2.86	H	51.50	73.98	22.48	PK
11770	40.78	-2.86	H	37.92	53.98	16.06	AV
17655	52.29	1.64	H	53.93	68.20	14.27	PK

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.38	5190 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10380	61.17	-2.80	V	58.37	68.20	9.83	PK
15570	52.56	-0.70	V	51.86	73.98	22.12	PK
15570	40.39	-0.70	V	39.69	53.98	14.29	AV
10380	61.21	-2.80	H	58.41	68.20	9.79	PK
15570	53.15	-0.70	H	52.45	73.98	21.53	PK
15570	40.17	-0.70	H	39.47	53.98	14.51	AV

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.46	5230 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10460	60.76	-3.22	V	57.54	68.20	10.66	PK
15690	53.52	-1.68	V	51.84	73.98	22.14	PK
15690	41.09	-1.68	V	39.41	53.98	14.57	AV
10460	60.18	-3.22	H	56.96	68.20	11.24	PK
15690	53.46	-1.68	H	51.78	73.98	22.20	PK
15690	41.02	-1.68	H	39.34	53.98	14.64	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 106+26T MRU83			
CH.54	5270 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10540	60.17	-3.42	V	56.75	68.20	11.45	PK
15810	52.58	-1.84	V	50.74	73.98	23.24	PK
15810	40.00	-1.84	V	38.16	53.98	15.82	AV
10540	60.62	-3.42	H	57.20	68.20	11.00	PK
15810	52.93	-1.84	H	51.09	73.98	22.89	PK
15810	40.11	-1.84	H	38.27	53.98	15.71	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 106+26T MRU83			
CH.62	5310 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10620	58.85	-2.97	V	55.88	73.98	18.10	PK
10620	45.80	-2.97	V	42.83	53.98	11.15	AV
15930	52.90	-1.97	V	50.93	73.98	23.05	PK
15930	40.09	-1.97	V	38.12	53.98	15.86	AV
10620	58.56	-2.97	H	55.59	73.98	18.39	PK
10620	46.05	-2.97	H	43.08	53.98	10.90	AV
15930	52.59	-1.97	H	50.62	73.98	23.36	PK
15930	39.99	-1.97	H	38.02	53.98	15.96	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 106+26T MRU83			
CH.102	5510 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11020	58.38	-2.42	V	55.96	73.98	18.02	PK
11020	44.94	-2.42	V	42.52	53.98	11.46	AV
16530	53.96	-2.00	V	51.96	68.20	16.24	PK
11020	56.59	-2.42	H	54.17	73.98	19.81	PK
11020	43.90	-2.42	H	41.48	53.98	12.50	AV
16530	53.82	-2.00	H	51.82	68.20	16.38	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 106+26T MRU83			
CH.110	5550 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11100	57.26	-3.23	V	54.03	73.98	19.95	PK
11100	44.28	-3.23	V	41.05	53.98	12.93	AV
16650	54.20	-2.24	V	51.96	68.20	16.24	PK
11100	57.16	-3.23	H	53.93	73.98	20.05	PK
11100	44.06	-3.23	H	40.83	53.98	13.15	AV
16650	53.87	-2.24	H	51.63	68.20	16.57	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 106+26T MRU83			
CH.142	5710 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11420	56.30	-2.80	V	53.50	73.98	20.48	PK
11420	43.80	-2.80	V	41.00	53.98	12.98	AV
17130	52.83	-1.60	V	51.23	68.20	16.97	PK
11420	57.85	-2.80	H	55.05	73.98	18.93	PK
11420	44.16	-2.80	H	41.36	53.98	12.62	AV
17130	53.54	-1.60	H	51.94	68.20	16.26	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 3		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.151	5755 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11510	56.29	-2.47	V	53.82	73.98	20.16	PK
11510	42.66	-2.47	V	40.19	53.98	13.79	AV
17265	53.86	-1.81	V	52.05	68.20	16.15	PK
11510	55.29	-2.47	H	52.82	73.98	21.16	PK
11510	43.34	-2.47	H	40.87	53.98	13.11	AV
17265	53.78	-1.81	H	51.97	68.20	16.23	PK

Band :	UNII 3		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.159	5795 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11590	55.18	-3.04	V	52.14	73.98	21.84	PK
11590	42.19	-3.04	V	39.15	53.98	14.83	AV
17385	52.96	-1.58	V	51.38	68.20	16.82	PK
11590	54.82	-3.04	H	51.78	73.98	22.20	PK
11590	42.16	-3.04	H	39.12	53.98	14.86	AV
17385	53.33	-1.58	H	51.75	68.20	16.45	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.167	5835 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11670	54.34	-3.28	V	51.06	73.98	22.92	PK
11670	42.25	-3.28	V	38.97	53.98	15.01	AV
17505	52.26	0.16	V	52.42	68.20	15.78	PK
11670	54.61	-3.28	H	51.33	73.98	22.65	PK
11670	42.16	-3.28	H	38.88	53.98	15.10	AV
17505	52.96	0.16	H	53.12	68.20	15.08	PK

Band :	UNII 4		Operation Mode :		802.11be_EHT40 MCS0 106+26T MRU83		
CH.175	5875 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11750	53.74	-2.93	V	50.81	73.98	23.17	PK
11750	41.27	-2.93	V	38.34	53.98	15.64	AV
17625	52.89	1.71	V	54.60	68.20	13.60	PK
11750	54.39	-2.93	H	51.46	73.98	22.52	PK
11750	41.51	-2.93	H	38.58	53.98	15.40	AV
17625	52.85	1.71	H	54.56	68.20	13.64	PK

Band :	UNII 1		Operation Mode :		802.11be_EHT40 MCS0 52+26T MRU72		
CH.38	5190 MHz		Transfer Rate :		MCS0		
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10380	58.10	-2.80	V	55.30	68.20	12.90	PK
15570	53.17	-0.70	V	52.47	73.98	21.51	PK
15570	40.11	-0.70	V	39.41	53.98	14.57	AV
10380	58.95	-2.80	H	56.15	68.20	12.05	PK
15570	53.04	-0.70	H	52.34	73.98	21.64	PK
15570	40.22	-0.70	H	39.52	53.98	14.46	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 1		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.46	5230 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10460	57.71	-3.22	V	54.49	68.20	13.71	PK
15690	53.96	-1.68	V	52.28	73.98	21.70	PK
15690	41.04	-1.68	V	39.36	53.98	14.62	AV
10460	58.80	-3.22	H	55.58	68.20	12.62	PK
15690	54.10	-1.68	H	52.42	73.98	21.56	PK
15690	40.98	-1.68	H	39.30	53.98	14.68	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.54	5270 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10540	57.70	-3.42	V	54.28	68.20	13.92	PK
15810	52.61	-1.84	V	50.77	73.98	23.21	PK
15810	39.85	-1.84	V	38.01	53.98	15.97	AV
10540	59.27	-3.42	H	55.85	68.20	12.35	PK
15810	52.72	-1.84	H	50.88	73.98	23.10	PK
15810	40.07	-1.84	H	38.23	53.98	15.75	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.62	5310 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10620	56.45	-2.97	V	53.48	73.98	20.50	PK
10620	44.26	-2.97	V	41.29	53.98	12.69	AV
15930	52.38	-1.97	V	50.41	73.98	23.57	PK
15930	40.07	-1.97	V	38.10	53.98	15.88	AV
10620	56.29	-2.97	H	53.32	73.98	20.66	PK
10620	43.82	-2.97	H	40.85	53.98	13.13	AV
15930	52.72	-1.97	H	50.75	73.98	23.23	PK
15930	40.14	-1.97	H	38.17	53.98	15.81	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.102	5510 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11020	56.78	-2.42	V	54.36	73.98	19.62	PK
11020	42.99	-2.42	V	40.57	53.98	13.41	AV
16530	54.21	-2.00	V	52.21	68.20	15.99	PK
11020	54.25	-2.42	H	51.83	73.98	22.15	PK
11020	41.86	-2.42	H	39.44	53.98	14.54	AV
16530	54.01	-2.00	H	52.01	68.20	16.19	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.110	5550 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11100	56.46	-3.23	V	53.23	73.98	20.75	PK
11100	42.70	-3.23	V	39.47	53.98	14.51	AV
16650	54.05	-2.24	V	51.81	68.20	16.39	PK
11100	56.02	-3.23	H	52.79	73.98	21.19	PK
11100	43.04	-3.23	H	39.81	53.98	14.17	AV
16650	53.37	-2.24	H	51.13	68.20	17.07	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.142	5710 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11420	55.43	-2.80	V	52.63	73.98	21.35	PK
11420	43.69	-2.80	V	40.89	53.98	13.09	AV
17130	53.45	-1.60	V	51.85	68.20	16.35	PK
11420	55.31	-2.80	H	52.51	73.98	21.47	PK
11420	42.53	-2.80	H	39.73	53.98	14.25	AV
17130	53.53	-1.60	H	51.93	68.20	16.27	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.151	5755 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11510	54.42	-2.47	V	51.95	73.98	22.03	PK
11510	42.93	-2.47	V	40.46	53.98	13.52	AV
17265	54.89	-1.81	V	53.08	68.20	15.12	PK
11510	54.53	-2.47	H	52.06	73.98	21.92	PK
11510	42.37	-2.47	H	39.90	53.98	14.08	AV
17265	53.47	-1.81	H	51.66	68.20	16.54	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.159	5795 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11590	54.39	-3.04	V	51.35	73.98	22.63	PK
11590	42.18	-3.04	V	39.14	53.98	14.84	AV
17385	53.69	-1.58	V	52.11	68.20	16.09	PK
11590	54.51	-3.04	H	51.47	73.98	22.51	PK
11590	42.21	-3.04	H	39.17	53.98	14.81	AV
17385	53.41	-1.58	H	51.83	68.20	16.37	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.167	5835 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11670	54.74	-3.28	V	51.46	73.98	22.52	PK
11670	42.06	-3.28	V	38.78	53.98	15.20	AV
17505	52.51	0.16	V	52.67	68.20	15.53	PK
11670	54.60	-3.28	H	51.32	73.98	22.66	PK
11670	42.06	-3.28	H	38.78	53.98	15.20	AV
17505	53.01	0.16	H	53.17	68.20	15.03	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT40 MCS0 52+26T MRU72			
CH.175	5875 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11750	54.00	-2.93	V	51.07	73.98	22.91	PK
11750	41.56	-2.93	V	38.63	53.98	15.35	AV
17625	52.27	1.71	V	53.98	68.20	14.22	PK
11750	53.97	-2.93	H	51.04	73.98	22.94	PK
11750	41.57	-2.93	H	38.64	53.98	15.34	AV
17625	52.35	1.71	H	54.06	68.20	14.14	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 1		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.42	5210 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10420	57.00	-3.06	V	53.94	68.20	14.26	PK
15630	53.44	-1.02	V	52.42	73.98	21.56	PK
15630	41.27	-1.02	V	40.25	53.98	13.73	AV
10420	57.28	-3.06	H	54.22	68.20	13.98	PK
15630	53.71	-1.02	H	52.69	73.98	21.29	PK
15630	41.23	-1.02	H	40.21	53.98	13.77	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.58	5290 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10580	57.15	-3.21	V	53.94	68.20	14.26	PK
15870	52.56	-1.94	V	50.62	73.98	23.36	PK
15870	39.93	-1.94	V	37.99	53.98	15.99	AV
10580	59.04	-3.21	H	55.83	68.20	12.37	PK
15870	51.79	-1.94	H	49.85	73.98	24.13	PK
15870	40.23	-1.94	H	38.29	53.98	15.69	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.106	5530 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11060	55.04	-3.02	V	52.02	73.98	21.96	PK
11060	44.93	-3.02	V	41.91	53.98	12.07	AV
16590	53.29	-2.30	V	50.99	68.20	17.21	PK
11060	56.78	-3.02	H	53.76	73.98	20.22	PK
11060	45.24	-3.02	H	42.22	53.98	11.76	AV
16590	52.90	-2.30	H	50.60	68.20	17.60	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.122	5610 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11220	53.89	-2.66	V	51.23	73.98	22.75	PK
11220	43.85	-2.66	V	41.19	53.98	12.79	AV
16830	53.34	-2.67	V	50.67	68.20	17.53	PK
11220	52.77	-2.66	H	50.11	73.98	23.87	PK
11220	42.68	-2.66	H	40.02	53.98	13.96	AV
16830	53.87	-2.67	H	51.20	68.20	17.00	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.138	5690 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11380	55.25	-2.73	V	52.52	73.98	21.46	PK
11380	44.17	-2.73	V	41.44	53.98	12.54	AV
17070	51.84	-1.61	V	50.23	68.20	17.97	PK
11380	55.99	-2.73	H	53.26	73.98	20.72	PK
11380	43.92	-2.73	H	41.19	53.98	12.79	AV
17070	52.41	-1.61	H	50.80	68.20	17.40	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 3		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.155	5775 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11550	54.32	-2.72	V	51.60	73.98	22.38	PK
11550	42.36	-2.72	V	39.64	53.98	14.34	AV
17325	53.34	-1.71	V	51.63	68.20	16.57	PK
11550	54.12	-2.72	H	51.40	73.98	22.58	PK
11550	41.95	-2.72	H	39.23	53.98	14.75	AV
17325	52.96	-1.71	H	51.25	68.20	16.95	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT80 MCS0 484+242T MRU91			
CH.171	5855 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11710	53.85	-3.19	V	50.66	73.98	23.32	PK
11710	42.05	-3.19	V	38.86	53.98	15.12	AV
17565	52.08	1.21	V	53.29	68.20	14.91	PK
11710	54.57	-3.19	H	51.38	73.98	22.60	PK
11710	41.72	-3.19	H	38.53	53.98	15.45	AV
17565	52.33	1.21	H	53.54	68.20	14.66	PK

Band :	UNII 1		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.42	5210 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10420	59.96	-3.06	V	56.90	68.20	11.30	PK
15630	53.90	-1.02	V	52.88	73.98	21.10	PK
15630	41.63	-1.02	V	40.61	53.98	13.37	AV
10420	60.06	-3.06	H	57.00	68.20	11.20	PK
15630	53.28	-1.02	H	52.26	73.98	21.72	PK
15630	41.24	-1.02	H	40.22	53.98	13.76	AV

Band :	UNII 2A		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.58	5290 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10580	56.87	-3.21	V	53.66	68.20	14.54	PK
15870	52.19	-1.94	V	50.25	73.98	23.73	PK
15870	39.90	-1.94	V	37.96	53.98	16.02	AV
10580	60.41	-3.21	H	57.20	68.20	11.00	PK
15870	51.63	-1.94	H	49.69	73.98	24.29	PK
15870	39.97	-1.94	H	38.03	53.98	15.95	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.106	5530 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11060	55.51	-3.02	V	52.49	73.98	21.49	PK
11060	43.01	-3.02	V	39.99	53.98	13.99	AV
16590	52.62	-2.30	V	50.32	68.20	17.88	PK
11060	54.40	-3.02	H	51.38	73.98	22.60	PK
11060	42.38	-3.02	H	39.36	53.98	14.62	AV
16590	53.17	-2.30	H	50.87	68.20	17.33	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.122	5610 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11220	54.10	-2.66	V	51.44	73.98	22.54	PK
11220	41.77	-2.66	V	39.11	53.98	14.87	AV
16830	53.12	-2.67	V	50.45	68.20	17.75	PK
11220	54.15	-2.66	H	51.49	73.98	22.49	PK
11220	42.00	-2.66	H	39.34	53.98	14.64	AV
16830	52.84	-2.67	H	50.17	68.20	18.03	PK

Band :	UNII 2C		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.138	5690 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11380	54.87	-2.73	V	52.14	73.98	21.84	PK
11380	42.97	-2.73	V	40.24	53.98	13.74	AV
17070	52.19	-1.61	V	50.58	68.20	17.62	PK
11380	55.15	-2.73	H	52.42	73.98	21.56	PK
11380	43.15	-2.73	H	40.42	53.98	13.56	AV
17070	52.75	-1.61	H	51.14	68.20	17.06	PK

Band :	UNII 3		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.155	5775 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11550	54.43	-2.72	V	51.71	73.98	22.27	PK
11550	42.32	-2.72	V	39.60	53.98	14.38	AV
17325	53.25	-1.71	V	51.54	68.20	16.66	PK
11550	54.46	-2.72	H	51.74	73.98	22.24	PK
11550	41.93	-2.72	H	39.21	53.98	14.77	AV
17325	53.39	-1.71	H	51.68	68.20	16.52	PK

Band :	UNII 4		Operation Mode :	802.11be_EHT80 MCS0 52+26T MRU75			
CH.171	5855 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
11710	53.97	-3.19	V	50.78	73.98	23.20	PK
11710	41.88	-3.19	V	38.69	53.98	15.29	AV
17565	52.49	1.21	V	53.70	68.20	14.50	PK
11710	54.11	-3.19	H	50.92	73.98	23.06	PK
11710	41.72	-3.19	H	38.53	53.98	15.45	AV
17565	51.91	1.21	H	53.12	68.20	15.08	PK

Band :	UNII 1&2A		Operation Mode :	802.11be_EHT160(80L) MCS0 52+26T MRU75			
CH.50	5250 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBμV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
10500	54.17	-3.35	V	50.82	68.20	17.38	PK
15750	53.49	-2.04	V	51.45	73.98	22.53	PK
15750	40.98	-2.04	V	38.94	53.98	15.04	AV
10500	54.69	-3.35	H	51.34	68.20	16.86	PK
15750	53.42	-2.04	H	51.38	73.98	22.60	PK
15750	40.87	-2.04	H	38.83	53.98	15.15	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Band :	UNII 2C		Operation Mode :	802.11be_EHT160(80L) MCS0 52+26T MRU75			
CH.114	5570 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11140	53.66	-3.25	V	50.41	73.98	23.57	PK
11140	42.57	-3.25	V	39.32	53.98	14.66	AV
16710	52.67	-2.28	V	50.39	68.20	17.81	PK
11140	53.06	-3.25	H	49.81	73.98	24.17	PK
11140	41.74	-3.25	H	38.49	53.98	15.49	AV
16710	53.17	-2.28	H	50.89	68.20	17.31	PK

Band :	UNII 3&4		Operation Mode :	802.11be_EHT160(80L) MCS0 52+26T MRU75			
CH.163	5815 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11630	54.98	-3.10	V	51.88	73.98	22.10	PK
11630	42.40	-3.10	V	39.30	53.98	14.68	AV
17445	52.02	-2.23	V	49.79	68.20	18.41	PK
11630	55.03	-3.10	H	51.93	73.98	22.05	PK
11630	42.44	-3.10	H	39.34	53.98	14.64	AV
17445	52.16	-2.23	H	49.93	68.20	18.27	PK

Band :	UNII 1&2A		Operation Mode :	802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99			
CH.50	5250 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10500	56.11	-3.35	V	52.76	68.20	15.44	PK
15750	52.67	-2.04	V	50.63	73.98	23.35	PK
15750	40.22	-2.04	V	38.18	53.98	15.80	AV
10500	54.69	-3.35	H	51.34	68.20	16.86	PK
15750	51.85	-2.04	H	49.81	73.98	24.17	PK
15750	40.92	-2.04	H	38.88	53.98	15.10	AV

Band :	UNII 2C		Operation Mode :	802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99			
CH.114	5570 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11140	53.06	-3.25	V	49.81	73.98	24.17	PK
11140	42.15	-3.25	V	38.90	53.98	15.08	AV
16710	52.85	-2.28	V	50.57	68.20	17.63	PK
11140	52.68	-3.25	H	49.43	73.98	24.55	PK
11140	41.97	-3.25	H	38.72	53.98	15.26	AV
16710	52.24	-2.28	H	49.96	68.20	18.24	PK

Band :	UNII 3&4		Operation Mode :	802.11be_EHT160 MCS0 996+484+242T(Non-OFDMA) MRU99			
CH.163	5815 MHz		Transfer Rate :	MCS0			
Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
11630	54.05	-3.10	V	50.95	73.98	23.03	PK
11630	41.89	-3.10	V	38.79	53.98	15.19	AV
17445	51.89	-2.23	V	49.66	68.20	18.54	PK
11630	53.32	-3.10	H	50.22	73.98	23.76	PK
11630	41.76	-3.10	H	38.66	53.98	15.32	AV
17445	51.72	-2.23	H	49.49	68.20	18.71	PK

Note:
All Modes of operation were investigated and the worst case configuration results are reported.
In order to simplify the report, We only have attached RSE result of worst case.

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[Simultaneous transmission Scenario]

Scenario 1

Dual Bluetooth DH5_Ch.39 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	60.88	-2.83	V	58.05	68.20	10.15	PK
15540	52.75	-0.82	V	51.93	73.98	22.05	PK
15540	39.28	-0.82	V	38.46	53.98	15.52	AV
10360	60.06	-2.83	H	57.23	68.20	10.97	PK
15540	52.75	-0.82	H	51.93	73.98	22.05	PK
15540	39.17	-0.82	H	38.35	53.98	15.63	AV

Scenario 2

Ant All(MIMO)_2.4 GHz 802.11b _1 Mbps Ch.6 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	60.94	-2.83	V	58.11	68.20	10.09	PK
15540	53.06	-0.82	V	52.24	73.98	21.74	PK
15540	39.23	-0.82	V	38.41	53.98	15.57	AV
10360	56.15	-2.83	H	53.32	68.20	14.88	PK
15540	52.97	-0.82	H	52.15	73.98	21.83	PK
15540	39.11	-0.82	H	38.29	53.98	15.69	AV

Scenario 3

Ant.1_Bluetooth DH5_Ch.39 + Ant.2_2.4 GHz 802.11b _1 Mbps Ch.6 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Frequency [MHz]	Measured value [dBµV]	CL+AF+DF-AG [dB/m]	ANT. POL [H/V]	Total [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Measurement Type
10360	59.60	-2.83	V	56.77	68.20	11.43	PK
15540	51.33	-0.82	V	50.51	73.98	23.47	PK
15540	38.83	-0.82	V	38.01	53.98	15.97	AV
10360	60.20	-2.83	H	57.37	68.20	10.83	PK
15540	51.88	-0.82	H	51.06	73.98	22.92	PK
15540	38.92	-0.82	H	38.10	53.98	15.88	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots_[MIMO_CDD(Ant.1+ Ant.2)]

[SRU] – 242 Tone RU 61

Radiated Spurious Emissions plot – Peak result (802.11be EHT20, Ch.36 2nd Spurious Emission, Z-V)



[Simultaneous transmission Scenario]

Scenario 1

Dual Bluetooth DH5_Ch.39 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Radiated Spurious Emissions plot – Peak Result (2nd Harmonic, Z-V)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Scenario 2

Ant All(MIMO)_2.4 GHz 802.11b _1 Mbps Ch.6 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Radiated Spurious Emissions plot – Peak Result (2nd Harmonic, Z-V)



Scenario 3

Ant.1_Bluetooth DH5_Ch.39 + Ant.2_2.4 GHz 802.11b _1 Mbps Ch.6 + Ant All(MIMO) 5 GHz 802.11be(EHT20)_Ch.36_ MCS0_242 Tone RU61

Radiated Spurious Emissions plot – Peak Result (2nd Harmonic, X-H)



Note:

Only the worst case plots for Radiated Spurious Emissions.

The report shall not be (partly) reproduced except in full without approval of the laboratory.

10.9 RADIATED RESTRICTED BAND EDGE

Note : # Integration method Used (KDB 789033 D02 v02r01 Section 3) d) (ii)

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

802.11be(MCS0)		EHT20			242T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	55.49	13.10	H	68.59	73.98	5.39	PK
5150	37.79	13.10	H	50.89	53.98	3.09	AV

802.11be(MCS0)		EHT20			242T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	53.28	13.57	H	66.85	73.98	7.13	PK
5350	35.24	13.57	H	48.81	53.98	5.17	AV

802.11be(MCS0)		EHT20			242T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	52.89	14.14	H	67.03	73.98	6.95	PK
5460	32.15	14.14	H	46.29	53.98	7.69	AV
#5460-5470	49.63	14.15	H	63.78	68.20	4.42	PK

802.11be(MCS0)		EHT20			26T		
Channel	CH 36	5180 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	44.96	13.10	H	58.06	73.98	15.92	PK
5150	32.65	13.10	H	45.75	53.98	8.23	AV

802.11be(MCS0)		EHT20			26T		
Channel	CH 64	5320 MHz	UNII2C		SRU offset		8
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	44.99	13.57	H	58.56	73.98	15.42	PK
5350	32.15	13.57	H	45.72	53.98	8.26	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT20			26T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.53	14.14	H	58.67	73.98	15.31	PK
5460	31.92	14.14	H	46.06	53.98	7.92	AV
5470	42.50	14.15	H	56.65	68.20	11.55	PK

802.11be(MCS0)		EHT20			52T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.83	13.10	H	58.93	73.98	15.05	PK
5150	32.80	13.10	H	45.90	53.98	8.08	AV

802.11be(MCS0)		EHT20			52T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		40
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.12	13.57	H	58.69	73.98	15.29	PK
5350	32.41	13.57	H	45.98	53.98	8.00	AV

802.11be(MCS0)		EHT20			52T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.25	14.14	H	58.39	73.98	15.59	PK
5460	32.03	14.14	H	46.17	53.98	7.81	AV
5470	42.86	14.15	H	57.01	68.20	11.19	PK

802.11be(MCS0)		EHT20			106T		
Channel	CH 36	5180 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.46	13.10	H	58.56	73.98	15.42	PK
5150	32.77	13.10	H	45.87	53.98	8.11	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT20			106T		
Channel	CH 64	5320 MHz	UNII2A		SRU offset		54
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	44.83	13.57	H	58.40	73.98	15.58	PK
5350	32.33	13.57	H	45.90	53.98	8.08	AV

802.11be(MCS0)		EHT20			106T		
Channel	CH 100	5500 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.83	14.14	H	58.97	73.98	15.01	PK
5460	32.12	14.14	H	46.26	53.98	7.72	AV
5470	43.09	14.15	H	57.24	68.20	10.96	PK

802.11be(MCS0)		EHT20			SU		
Channel	CH 36	5180 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	50.16	13.10	H	63.26	73.98	10.72	PK
5150	36.02	13.10	H	49.12	53.98	4.86	AV

802.11be(MCS0)		EHT20			SU		
Channel	CH 64	5180 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	47.39	13.57	H	60.96	73.98	13.02	PK
5350	33.80	13.57	H	47.37	53.98	6.61	AV

802.11be(MCS0)		EHT20			SU		
Channel	CH 100	5180 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.99	14.14	H	59.13	73.98	14.85	PK
5460	32.05	14.14	H	46.19	53.98	7.79	AV
#5460~5470	46.22	14.15	H	60.37	68.20	7.83	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			484T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5150	46.39	13.10	H	59.49	73.98	14.49	PK
5150	34.83	13.10	H	47.93	53.98	6.05	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5350	51.21	13.57	H	64.78	73.98	9.20	PK
5350	37.10	13.57	H	50.67	53.98	3.31	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5460	48.33	14.14	H	62.47	73.98	11.51	PK
5460	34.91	14.14	H	49.05	53.98	4.93	AV
#5460~5470	49.86	14.15	H	64.01	68.20	4.19	PK

802.11be(MCS0)		EHT40			484T		
Channel	CH 46	5230 MHz	UNII1		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5150	45.73	13.10	H	58.83	73.98	15.15	PK
5150	33.91	13.10	H	47.01	53.98	6.97	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 54	5270 MHz	UNII2A		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5350	45.70	13.57	H	59.27	73.98	14.71	PK
5350	33.15	13.57	H	46.72	53.98	7.26	AV

802.11be(MCS0)		EHT40			484T		
Channel	CH 110	5550 MHz	UNII2C		SRU offset		65
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5460	45.91	14.14	H	60.05	73.98	13.93	PK
5460	32.62	14.14	H	46.76	53.98	7.22	AV
5470	44.19	14.15	H	58.34	68.20	9.86	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			26T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.03	13.10	H	58.13	73.98	15.85	PK
5150	34.12	13.10	H	47.22	53.98	6.76	AV

802.11be(MCS0)		EHT40			26T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		17
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	44.72	13.57	H	58.29	73.98	15.69	PK
5350	32.39	13.57	H	45.96	53.98	8.02	AV

802.11be(MCS0)		EHT40			26T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.33	14.14	H	59.47	73.98	14.51	PK
5460	32.13	14.14	H	46.27	53.98	7.71	AV
5470	43.75	14.15	H	57.90	68.20	10.30	PK

802.11be(MCS0)		EHT40			52T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.06	13.10	H	58.16	73.98	15.82	PK
5150	33.55	13.10	H	46.65	53.98	7.33	AV

802.11be(MCS0)		EHT40			52T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		44
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	46.49	13.57	H	60.06	73.98	13.92	PK
5350	32.83	13.57	H	46.40	53.98	7.58	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			52T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.19	14.14	H	59.33	73.98	14.65	PK
5460	32.35	14.14	H	46.49	53.98	7.49	AV
5470	43.07	14.15	H	57.22	68.20	10.98	PK

802.11be(MCS0)		EHT40			106T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.91	13.10	H	59.01	73.98	14.97	PK
5150	33.44	13.10	H	46.54	53.98	7.44	AV

802.11be(MCS0)		EHT40			106T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		56
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5360	45.24	13.57	H	58.81	73.98	15.17	PK
5350	32.53	13.57	H	46.10	53.98	7.88	AV

802.11be(MCS0)		EHT40			106T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.27	14.14	H	59.41	73.98	14.57	PK
5460	32.34	14.14	H	46.48	53.98	7.50	AV
#5460-5470	43.44	14.15	H	57.59	68.20	10.61	PK

802.11be(MCS0)		EHT40			242T		
Channel	CH 38	5190 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	54.19	13.10	H	67.29	73.98	6.69	PK
5150	37.42	13.10	H	50.52	53.98	3.46	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			242T		
Channel	CH 62	5310 MHz	UNII2A		SRU offset		62
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	49.14	13.57	H	62.71	73.98	11.27	PK
5350	34.16	13.57	H	47.73	53.98	6.25	AV

802.11be(MCS0)		EHT40			242T		
Channel	CH 102	5510 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	46.47	14.14	H	60.61	73.98	13.37	PK
5460	32.96	14.14	H	47.10	53.98	6.88	AV
#5460-5470	48.08	14.15	H	62.23	68.20	5.97	PK

802.11be(MCS0)		EHT40			SU		
Channel	CH 38	5190 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.52	13.10	H	60.62	73.98	13.36	PK
5150	34.59	13.10	H	47.69	53.98	6.29	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 62	5310 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	50.48	13.57	H	64.05	73.98	9.93	PK
5350	36.04	13.57	H	49.61	53.98	4.37	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 102	5510 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	46.24	14.14	H	60.38	73.98	13.60	PK
5460	33.29	14.14	H	47.43	53.98	6.55	AV
#5460-5470	48.25	14.15	H	62.40	68.20	5.80	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			SU		
Channel	CH 46	5230 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.99	13.10	H	59.09	73.98	14.89	PK
5150	32.79	13.10	H	45.89	53.98	8.09	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 54	5270 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.12	13.57	H	58.69	73.98	15.29	PK
5350	32.36	13.57	H	45.93	53.98	8.05	AV

802.11be(MCS0)		EHT40			SU		
Channel	CH 110	5550 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.51	14.14	H	58.65	73.98	15.33	PK
5460	32.08	14.14	H	46.22	53.98	7.76	AV
5470	43.31	14.15	H	57.46	68.20	10.74	PK

802.11be(MCS0)		EHT80			996T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.79	13.10	H	60.89	73.98	13.09	PK
5150	35.57	13.10	H	48.67	53.98	5.31	AV

802.11be(MCS0)		EHT80			996T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	50.77	13.57	H	64.34	73.98	9.64	PK
5350	36.71	13.57	H	50.28	53.98	3.70	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			996T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		67
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5460	48.05	14.14	H	62.19	73.98	11.79	PK
5460	34.54	14.14	H	48.68	53.98	5.30	AV
5470	48.68	14.15	H	62.83	68.20	5.37	PK

802.11be(MCS0)		EHT80			996T		
Channel	CH 122	5610 MHz	UNII2C		SRU offset		67
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5460	45.47	14.14	H	59.61	73.98	14.37	PK
5460	32.88	14.14	H	47.02	53.98	6.96	AV
5470	46.98	14.15	H	61.13	68.20	7.07	PK

802.11be(MCS0)		EHT80			26T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		0
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5150	46.63	13.10	H	59.73	73.98	14.25	PK
5150	33.38	13.10	H	46.48	53.98	7.50	AV

802.11be(MCS0)		EHT80			26T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		36
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5350	44.73	13.57	H	58.30	73.98	15.68	PK
5350	32.29	13.57	H	45.86	53.98	8.12	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			26T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.61	14.14	H	58.75	73.98	15.23	PK
5460	32.24	14.14	H	46.38	53.98	7.60	AV
5470	43.90	14.15	H	58.05	68.20	10.15	PK

802.11be(MCS0)		EHT80			52T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.16	13.10	H	60.26	73.98	13.72	PK
5150	33.57	13.10	H	46.67	53.98	7.31	AV

802.11be(MCS0)		EHT80			52T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		52
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	46.29	13.57	H	59.86	73.98	14.12	PK
5350	32.61	13.57	H	46.18	53.98	7.80	AV

802.11be(MCS0)		EHT80			52T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.29	14.14	H	59.43	73.98	14.55	PK
5460	32.23	14.14	H	46.37	53.98	7.61	AV
5470	45.24	14.15	H	59.39	68.20	8.81	PK

802.11be(MCS0)		EHT80			106T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.57	13.10	H	60.67	73.98	13.31	PK
5150	33.44	13.10	H	46.54	53.98	7.44	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			106T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		60
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	47.52	13.57	H	61.09	73.98	12.89	PK
5350	32.49	13.57	H	46.06	53.98	7.92	AV

802.11be(MCS0)		EHT80			106T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.05	14.14	H	59.19	73.98	14.79	PK
5460	32.35	14.14	H	46.49	53.98	7.49	AV
5470	48.39	14.15	H	62.54	68.20	5.66	PK

802.11be(MCS0)		EHT80			242T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	54.80	13.10	H	67.90	73.98	6.08	PK
5150	37.31	13.10	H	50.41	53.98	3.57	AV

802.11be(MCS0)		EHT80			242T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		64
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	51.75	13.57	H	65.32	73.98	8.66	PK
5350	33.41	13.57	H	46.98	53.98	7.00	AV

802.11be(MCS0)		EHT80			242T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	47.94	14.14	H	62.08	73.98	11.90	PK
5460	32.53	14.14	H	46.67	53.98	7.31	AV
#5460~5470	49.37	14.15	H	63.52	68.20	4.68	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			484T		
Channel	CH 42	5210 MHz	UNII1		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	48.92	13.10	H	62.02	73.98	11.96	PK
5150	35.70	13.10	H	48.80	53.98	5.18	AV

802.11be(MCS0)		EHT80			484T		
Channel	CH 58	5290 MHz	UNII2A		SRU offset		66
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	51.36	13.57	H	64.93	73.98	9.05	PK
5350	36.20	13.57	H	49.77	53.98	4.21	AV

802.11be(MCS0)		EHT80			484T		
Channel	CH 106	5530 MHz	UNII2C		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	48.21	14.14	H	62.35	73.98	11.63	PK
5460	33.45	14.14	H	47.59	53.98	6.39	AV
#5460~5470	48.71	14.15	H	62.86	68.20	5.34	PK

802.11be(MCS0)		EHT80			SU		
Channel	CH 42	5210 MHz	UNII1				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.03	13.10	H	60.13	73.98	13.85	PK
5150	34.96	13.10	H	48.06	53.98	5.92	AV

802.11be(MCS0)		EHT80			SU		
Channel	CH 58	5290 MHz	UNII2A				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	49.67	13.57	H	63.24	73.98	10.74	PK
5350	36.10	13.57	H	49.67	53.98	4.31	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			SU		
Channel	CH 106	5530 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	48.17	14.14	H	62.31	73.98	11.67	PK
5460	35.27	14.14	H	49.41	53.98	4.57	AV
#5460~5470	47.47	14.15	H	61.62	68.20	6.58	PK

802.11be(MCS0)		EHT80			SU		
Channel	CH 122	5610 MHz	UNII2C				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.58	14.14	H	59.72	73.98	14.26	PK
5460	32.87	14.14	H	47.01	53.98	6.97	AV
5470	45.78	14.15	H	59.93	68.20	8.27	PK

802.11be(MCS0)		EHT160(80L)			996T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	53.25	13.10	H	66.35	73.98	7.63	PK
5150	35.13	13.10	H	48.23	53.98	5.75	AV

802.11be(MCS0)		EHT160(80L)			996T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	47.87	13.57	H	61.44	73.98	12.54	PK
5350	32.97	13.57	H	46.54	53.98	7.44	AV

802.11be(MCS0)		EHT160(80L)			996T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	50.18	14.14	H	64.32	73.98	9.66	PK
5460	36.13	14.14	H	50.27	53.98	3.71	AV
#5460~5470	46.58	14.15	H	60.73	68.20	7.47	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80L)			26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	52.08	13.10	H	65.18	73.98	8.80	PK
5150	32.61	13.10	H	45.71	53.98	8.27	AV

802.11be(MCS0)		EHT160(80L)			26T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	44.86	13.57	H	58.43	73.98	15.55	PK
5350	32.33	13.57	H	45.90	53.98	8.08	AV

802.11be(MCS0)		EHT160(80L)			26T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		0
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	47.70	14.14	H	61.84	73.98	12.14	PK
5460	32.08	14.14	H	46.22	53.98	7.76	AV
#5460~5470	42.32	14.15	H	56.47	68.20	11.73	PK

802.11be(MCS0)		EHT160(80L)			52T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.13	13.10	H	59.23	73.98	14.75	PK
5150	32.67	13.10	H	45.77	53.98	8.21	AV

802.11be(MCS0)		EHT160(80L)			52T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.10	13.57	H	58.67	73.98	15.31	PK
5350	33.25	13.57	H	46.82	53.98	7.16	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80L)			52T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		37
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.28	14.14	H	59.42	73.98	14.56	PK
5460	32.30	14.14	H	46.44	53.98	7.54	AV
#5460~5470	41.98	14.15	H	56.13	68.20	12.07	PK

802.11be(MCS0)		EHT160(80L)			106T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	56.95	13.10	H	70.05	73.98	3.93	PK
5150	33.02	13.10	H	46.12	53.98	7.86	AV

802.11be(MCS0)		EHT160(80L)			106T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	46.55	13.57	H	60.12	73.98	13.86	PK
5350	33.53	13.57	H	47.10	53.98	6.88	AV

802.11be(MCS0)		EHT160(80L)			106T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		53
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	51.85	14.14	H	65.99	73.98	7.99	PK
5460	32.60	14.14	H	46.74	53.98	7.24	AV
#5460~5470	45.79	14.15	H	59.94	68.20	8.26	PK

802.11be(MCS0)		EHT160(80L)			242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	51.39	13.10	H	64.49	73.98	9.49	PK
5150	34.41	13.10	H	47.51	53.98	6.47	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80L)			242T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	50.53	13.57	H	64.10	73.98	9.88	PK
5350	32.98	13.57	H	46.55	53.98	7.43	AV

802.11be(MCS0)		EHT160(80L)			242T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		61
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	56.27	14.14	H	70.41	73.98	3.57	PK
5460	32.44	14.14	H	46.58	53.98	7.40	AV
#5460~5470	50.18	14.15	H	64.33	68.20	3.87	PK

802.11be(MCS0)		EHT160(80L)			484T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	52.59	13.10	H	65.69	73.98	8.29	PK
5150	35.00	13.10	H	48.10	53.98	5.88	AV

802.11be(MCS0)		EHT160(80L)			484T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	44.26	13.57	H	57.83	73.98	16.15	PK
5350	33.17	13.57	H	46.74	53.98	7.24	AV

802.11be(MCS0)		EHT160(80L)			484T		
Channel	CH 114	5570 MHz	UNII 2C Low edge		SRU offset		65
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	52.04	14.14	H	66.18	73.98	7.80	PK
5460	33.22	14.14	H	47.36	53.98	6.62	AV
#5460~5470	48.37	14.15	H	62.52	68.20	5.68	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80U)			996T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.03	13.10	H	59.13	73.98	14.85	PK
5150	33.25	13.10	H	46.35	53.98	7.63	AV

802.11be(MCS0)		EHT160(80U)			996T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		67
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	51.66	13.57	H	65.23	73.98	8.75	PK
5350	34.50	13.57	H	48.07	53.98	5.91	AV

802.11be(MCS0)		EHT160(80U)			26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		36
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.48	13.10	H	58.58	73.98	15.40	PK
5150	32.78	13.10	H	45.88	53.98	8.10	AV

802.11be(MCS0)		EHT160(80U)			26T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		36
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.80	13.57	H	59.37	73.98	14.61	PK
5350	32.78	13.57	H	46.35	53.98	7.63	AV

802.11be(MCS0)		EHT160(80U)			52T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		52
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.56	13.10	H	59.66	73.98	14.32	PK
5150	32.81	13.10	H	45.91	53.98	8.07	AV

802.11be(MCS0)		EHT160(80U)			52T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		52
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	50.12	13.57	H	63.69	73.98	10.29	PK
5350	32.91	13.57	H	46.48	53.98	7.50	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80U)			106T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		60
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.03	13.10	H	59.13	73.98	14.85	PK
5150	32.74	13.10	H	45.84	53.98	8.14	AV

802.11be(MCS0)		EHT160(80U)			106T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		60
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	53.31	13.57	H	66.88	73.98	7.10	PK
5350	33.33	13.57	H	46.90	53.98	7.08	AV

802.11be(MCS0)		EHT160(80U)			242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		64
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.63	13.10	H	60.73	73.98	13.25	PK
5150	32.71	13.10	H	45.81	53.98	8.17	AV

802.11be(MCS0)		EHT160(80U)			242T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		64
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	54.04	13.57	H	67.61	73.98	6.37	PK
5350	32.87	13.57	H	46.44	53.98	7.54	AV

802.11be(MCS0)		EHT160(80U)			484T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		66
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.13	13.10	H	58.23	73.98	15.75	PK
5150	33.42	13.10	H	46.52	53.98	7.46	AV

802.11be(MCS0)		EHT160(80U)			484T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		66
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	49.73	13.57	H	63.30	73.98	10.68	PK
5350	33.96	13.57	H	47.53	53.98	6.45	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 50	5250 MHz	UNII1 Low edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	53.02	13.10	H	66.12	73.98	7.86	PK
5150	36.50	13.10	H	49.60	53.98	4.38	AV

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 50	5250 MHz	UNII 2A Upper edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	55.02	13.57	H	68.59	73.98	5.39	PK
5350	37.78	13.57	H	51.35	53.98	2.63	AV

802.11be(MCS0)		EHT160			2x996T		
Channel	CH 114	5570 MHz	UNII2C Low edge		SRU offset		68
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	53.19	14.14	H	67.33	73.98	6.65	PK
5460	36.01	14.14	H	50.15	53.98	3.83	AV
#5460-5470	44.84	14.15	H	58.99	68.20	9.21	PK

802.11be(MCS0)		EHT160			SU		
Channel	CH 50	5210 MHz	UNII 1 Low edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	57.00	13.10	H	70.10	73.98	3.88	PK
5150	38.13	13.10	H	51.23	53.98	2.75	AV

802.11be(MCS0)		EHT160			SU		
Channel	CH 50	5210 MHz	UNII 2A Upper edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	57.54	13.57	H	71.11	73.98	2.87	PK
5350	38.11	13.57	H	51.68	53.98	2.30	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160			SU		
Channel	CH 114	5570 MHz	UNII 2C Low edge				
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	54.14	14.14	H	68.28	73.98	5.70	PK
5460	36.32	14.14	H	50.46	53.98	3.52	AV
#5460-5470	47.19	14.15	H	61.34	68.20	6.86	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

[MRU]

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 36	5180 MHz	UNII1		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.15	13.10	H	59.25	73.98	14.73	PK
5150	32.69	13.10	H	45.79	53.98	8.19	AV

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 64	5320 MHz	UNII2A		MRU offset		72
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.27	13.57	H	58.84	73.98	15.14	PK
5350	32.42	13.57	H	45.99	53.98	7.99	AV

802.11be(MCS0)		EHT20			52T+26T		
Channel	CH 100	5500 MHz	UNII2C		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.92	14.14	H	59.06	73.98	14.92	PK
5460	32.09	14.14	H	46.23	53.98	7.75	AV
#5460~5470	43.27	14.15	H	57.42	68.20	10.78	PK

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 36	5180 MHz	UNII1		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.83	13.10	H	58.93	73.98	15.05	PK
5150	32.75	13.10	H	45.85	53.98	8.13	AV

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 64	5320 MHz	UNII2A		MRU offset		83
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.92	13.57	H	59.49	73.98	14.49	PK
5350	32.38	13.57	H	45.95	53.98	8.03	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT20			106T+26T		
Channel	CH 100	5500 MHz	UNII2C		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.26	14.14	H	58.40	73.98	15.58	PK
5460	32.02	14.14	H	46.16	53.98	7.82	AV
#5460~5470	43.41	14.15	H	57.56	68.20	10.64	PK

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 38	5190 MHz	UNII1		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.84	13.10	H	58.94	73.98	15.04	PK
5150	32.96	13.10	H	46.06	53.98	7.92	AV

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 62	5310 MHz	UNII2A		MRU offset		75
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.53	13.57	H	59.10	73.98	14.88	PK
5350	32.56	13.57	H	46.13	53.98	7.85	AV

802.11be(MCS0)		EHT40			52T+26T		
Channel	CH 102	5510 MHz	UNII2C		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.28	14.14	H	59.42	73.98	14.56	PK
5460	32.27	14.14	H	46.41	53.98	7.57	AV
5470	43.77	14.15	H	57.92	68.20	10.28	PK

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 38	5190 MHz	UNII1		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.36	13.10	H	59.46	73.98	14.52	PK
5150	32.95	13.10	H	46.05	53.98	7.93	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 62	5310 MHz	UNII2A		MRU offset		85
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.25	13.57	H	58.82	73.98	15.16	PK
5350	32.61	13.57	H	46.18	53.98	7.80	AV

802.11be(MCS0)		EHT40			106T+26T		
Channel	CH 102	5510 MHz	UNII2C		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.43	14.14	H	59.57	73.98	14.41	PK
5460	32.39	14.14	H	46.53	53.98	7.45	AV
5470	43.98	14.15	H	58.13	68.20	10.07	PK

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 42	5190 MHz	UNII1		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	48.68	13.10	H	61.78	73.98	12.20	PK
5150	33.47	13.10	H	46.57	53.98	7.41	AV

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 58	5290 MHz	UNII2A		MRU offset		81
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.70	13.57	H	59.27	73.98	14.71	PK
5350	32.63	13.57	H	46.20	53.98	7.78	AV

802.11be(MCS0)		EHT80			52T+26T		
Channel	CH 106	5530 MHz	UNII2C		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	44.73	14.14	H	58.87	73.98	15.11	PK
5460	32.47	14.14	H	46.61	53.98	7.37	AV
5470	44.87	14.15	H	59.02	68.20	9.18	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 42	5190 MHz	UNII1		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	48.25	13.10	H	61.35	73.98	12.63	PK
5150	33.63	13.10	H	46.73	53.98	7.25	AV

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 58	5290 MHz	UNII2A		MRU offset		89
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	47.36	13.57	H	60.93	73.98	13.05	PK
5350	32.70	13.57	H	46.27	53.98	7.71	AV

802.11be(MCS0)		EHT80			106T+26T		
Channel	CH 106	5530 MHz	UNII2C		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.65	14.14	H	59.79	73.98	14.19	PK
5460	32.32	14.14	H	46.46	53.98	7.52	AV
5470	49.81	14.15	H	63.96	68.20	4.24	PK

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 42	5190 MHz	UNII1		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	46.95	13.10	H	60.05	73.98	13.93	PK
5150	35.24	13.10	H	48.34	53.98	5.64	AV

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 58	5290 MHz	UNII2A		MRU offset		90
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	49.26	13.57	H	62.83	73.98	11.15	PK
5350	35.82	13.57	H	49.39	53.98	4.59	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 106	5530 MHz	UNII2C		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	47.22	14.14	H	61.36	73.98	12.62	PK
5460	33.51	14.14	H	47.65	53.98	6.33	AV
#5460-5470	45.12	14.15	H	59.27	68.20	8.93	PK

802.11be(MCS0)		EHT80 (OFDMA)			484T+242T		
Channel	CH 122	5610 MHz	UNII2C		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	45.18	14.14	H	59.32	73.98	14.66	PK
5460	32.75	14.14	H	46.89	53.98	7.09	AV
5470	43.50	14.15	H	57.65	68.20	10.55	PK

802.11be(MCS0)		EHT160(80L)			52T+26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	57.65	13.10	H	70.75	73.98	3.23	PK
5150	33.23	13.10	H	46.33	53.98	7.65	AV

802.11be(MCS0)		EHT160(80L)			52T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	47.17	13.57	H	60.74	73.98	13.24	PK
5350	32.94	13.57	H	46.51	53.98	7.47	AV

802.11be(MCS0)		EHT160(80L)			52T+26T		
Channel	CH 114	5570 MHz	UNII2C Low edge		MRU offset		70
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	52.90	14.14	H	67.04	73.98	6.94	PK
5460	32.48	14.14	H	46.62	53.98	7.36	AV
#5460-5470	47.34	14.15	H	61.49	68.20	6.71	PK

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80L)			106T+26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	49.63	13.10	H	62.73	73.98	11.25	PK
5150	33.03	13.10	H	46.13	53.98	7.85	AV

802.11be(MCS0)		EHT160(80L)			106T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	48.74	13.57	H	62.31	73.98	11.67	PK
5350	33.19	13.57	H	46.76	53.98	7.22	AV

802.11be(MCS0)		EHT160(80L)			106T+26T		
Channel	CH 114	5570 MHz	UNII2C Low edge		MRU offset		82
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	55.23	14.14	H	69.37	73.98	4.61	PK
5460	32.76	14.14	H	46.90	53.98	7.08	AV
#5460-5470	49.36	14.15	H	63.51	68.20	4.69	PK

802.11be(MCS0)		EHT160(80L)			484T+242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	51.75	13.10	H	64.85	73.98	9.13	PK
5150	36.01	13.10	H	49.11	53.98	4.87	AV

802.11be(MCS0)		EHT160(80L)			484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		93
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	45.37	13.57	H	58.94	73.98	15.04	PK
5350	33.47	13.57	H	47.04	53.98	6.94	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80L)			484T+242T		
Channel	CH 114	5570 MHz	UNII2C Low edge		MRU offset		92
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5460	51.86	14.14	H	66.00	73.98	7.98	PK
5460	34.93	14.14	H	49.07	53.98	4.91	AV
#5460-5470	48.29	14.15	H	62.44	68.20	5.76	PK

802.11be(MCS0)		EHT160(80U)			52T+26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		81
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5150	46.40	13.10	H	59.50	73.98	14.48	PK
5150	32.70	13.10	H	45.80	53.98	8.18	AV

802.11be(MCS0)		EHT160(80U)			52T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		81
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5350	46.58	13.57	H	60.15	73.98	13.83	PK
5350	32.45	13.57	H	46.02	53.98	7.96	AV

802.11be(MCS0)		EHT160(80U)			106T+26T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		89
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5150	45.84	13.10	H	58.94	73.98	15.04	PK
5150	32.63	13.10	H	45.73	53.98	8.25	AV

802.11be(MCS0)		EHT160(80U)			106T+26T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		89
Frequency [MHz]	Measured Value [dBμV]	CL+AF+DF-AG+ATT [dB/m]	ANT. POL [H/V]	Total [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Measurement Type
5350	54.09	13.57	H	67.66	73.98	6.32	PK
5350	32.83	13.57	H	46.40	53.98	7.58	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160(80U)			484T+242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		90
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	45.52	13.10	H	58.62	73.98	15.36	PK
5150	33.33	13.10	H	46.43	53.98	7.55	AV

802.11be(MCS0)		EHT160(80U)			484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		90
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	51.89	13.57	H	65.46	73.98	8.52	PK
5350	35.65	13.57	H	49.22	53.98	4.76	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		1095
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	53.17	13.10	H	66.27	73.98	7.71	PK
5150	36.42	13.10	H	49.52	53.98	4.46	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		1095
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	55.45	13.57	H	69.02	73.98	4.96	PK
5350	37.12	13.57	H	50.69	53.98	3.29	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		94
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	47.88	13.10	H	60.98	73.98	13.00	PK
5150	33.60	13.10	H	46.70	53.98	7.28	AV

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		94
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	50.82	13.57	H	64.39	73.98	9.59	PK
5350	35.52	13.57	H	49.09	53.98	4.89	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160 (OFDMA)			996T+484T		
Channel	CH 114	5570 MHz	UNII2C Low edge		MRU offset		1095
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	50.78	14.14	H	64.92	73.98	9.06	PK
5460	35.49	14.14	H	49.63	53.98	4.35	AV
#5460-5470	45.22	14.15	H	59.37	68.20	8.83	PK

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		1099
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	55.48	13.10	H	68.58	73.98	5.40	PK
5150	35.01	13.10	H	48.11	53.98	5.87	AV

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		1099
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	54.15	13.57	H	67.72	73.98	6.26	PK
5350	34.18	13.57	H	47.75	53.98	6.23	AV

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII1 Low edge		MRU offset		96
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5150	52.25	13.10	H	65.35	73.98	8.63	PK
5150	33.38	13.10	H	46.48	53.98	7.50	AV

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 50	5250 MHz	UNII2A Upper edge		MRU offset		96
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5350	56.50	13.57	H	70.07	73.98	3.91	PK
5350	35.33	13.57	H	48.90	53.98	5.08	AV

The report shall not be (partly) reproduced except in full without approval of the laboratory.

802.11be(MCS0)		EHT160 (Non-OFDMA)			996T+484T+242T		
Channel	CH 114	5570 MHz	UNII2C Low edge		MRU offset		1099
Frequency	Measured Value	CL+AF+DF-AG+ATT	ANT. POL	Total	Limit	Margin	Measurement
[MHz]	[dBμV]	[dB/m]	[H/V]	[dBμV/m]	[dBμV/m]	[dB]	Type
5460	52.11	14.14	H	66.25	73.98	7.73	PK
5460	34.43	14.14	H	48.57	53.98	5.41	AV
#5460-5470	46.97	14.15	H	61.12	68.20	7.08	PK

Note:

All Modes of operation were investigated and the worst case configuration results are reported.

In order to simplify the report, We only have attached Bandedge result of worst case.

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(UNII 1, 2A, 2C),

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Radiated Restricted Band Edges plot - Average result (802.11be(EHT160), Ch.50, Z-H) – SU



Radiated Restricted Band Edges plot - Peak result (802.11be(EHT160), Ch.50, Z-H) – SU



Note:

Only the worst case plots for Radiated Restricted Band Edge.

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(Straddle Channel)_Upper edge

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Peak result (802.11be(EHT20) Ch.144, 26T RU 8)



Peak result (802.11be(EHT20) Ch.144, 52T RU 40)



Peak result (802.11be(EHT20) Ch.144, 106T RU 54)



Peak result (802.11be(EHT20) Ch.144, 242T RU 61)



Peak result (802.11be(EHT20) Ch.144, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT40) Ch.142, 26T RU 17)



Peak result (802.11be(EHT40) Ch. 142, 52T RU 44)



Peak result (802.11be(EHT40) Ch. 142, 106T RU 56)



Peak result (802.11be(EHT40) Ch.142, 484T RU 62)



Peak result (802.11be(EHT40) Ch.142, 242T RU 65)



Peak result (802.11be(EHT40) Ch.142, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.138, 26T RU 36)



Peak result (802.11be(EHT80) Ch.138, 52T RU 52)



Peak result (802.11be(EHT80) Ch.138, 106T RU 60)



Peak result (802.11be(EHT80) Ch.138, 242T RU 64)



Peak result (802.11be(EHT80) Ch.138, 484T RU 66)



Peak result (802.11be(EHT80) Ch.138, 996T RU 67)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.138, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

[MRU]

Peak result (802.11be(EHT20) Ch.144, 52T+26T RU 72)	Peak result (802.11be(EHT20) Ch.144, 106T+26T RU 83)
	
Peak result (802.11be(EHT40) Ch.142, 52T+26T RU 75)	Peak result (802.11be(EHT40) Ch.142, 106T+26T RU 85)
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.142, 52T+26T RU 81)



Peak result (802.11be(EHT80) Ch.142, 106T+26T RU 89)



Peak result (802.11be(EHT80) Ch.142, 484T+242T RU 90)



Note :

1. Only the worst case plots for Radiated Restricted Band Edge.
2. Red line : 5 850 MHz
3. Ambient Noise (Because of ambient noise, We attached only the worst plot without a data table)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(UNII 3)_Low Edge

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Peak result (802.11be(EHT20) Ch.149, 26T RU 0)



Peak result (802.11be(EHT20) Ch.149, 52T RU 37)



Peak result (802.11be(EHT20) Ch.149, 106T RU 53)



Peak result (802.11be(EHT20) Ch.149, 242T RU 61)



Peak result (802.11be(EHT20) Ch.149, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT40) Ch.151, 26T RU 0)



Peak result (802.11be(EHT40) Ch.151, 52T RU 37)



Peak result (802.11be(EHT40) Ch.151, 106T RU 53)



Peak result (802.11be(EHT40) Ch.151, 242T RU 61)



Peak result (802.11be(EHT40) Ch.151, 484T RU 65)



Peak result (802.11be(EHT40) Ch.151, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.155, 26T RU 0)



Peak result (802.11be(EHT80) Ch.155, 52T RU 37)



Peak result (802.11be(EHT80) Ch.155, 106T RU 53)



Peak result (802.11be(EHT80) Ch.155, 242T RU 61)



Peak result (802.11be(EHT80) Ch.155, 484T RU 65)



Peak result (802.11be(EHT80) Ch.155, 996T RU 67)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.155, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT20) Ch.149, 52T+26T RU 70)	Peak result (802.11be(EHT20) Ch.149, 106T+26T RU 82)
	
Peak result (802.11be(EHT40) Ch.151, 52T+26T RU 70)	Peak result (802.11be(EHT40) Ch.151, 106T+26T RU 82)
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.155, 52T+26T RU 70)



Peak result (802.11be(EHT80) Ch.155, 106T+26T RU 82)



Peak result (802.11be(EHT80) Ch.155, 484T+242T RU 93)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

▣ Test Plots(UNII 3)_High Edge

[MIMO_CDD(Ant.1+ Ant.2)]

[SRU]

Peak result (802.11be(EHT20) Ch.165, 26T RU 8)



Peak result (802.11be(EHT20) Ch.165, 52T RU 40)



Peak result (802.11be(EHT20) Ch.165, 106T RU 54)



Peak result (802.11be(EHT20) Ch.165, 242T RU 61)



Peak result (802.11be(EHT20) Ch.165, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT40) Ch.159, 26T RU 17)



Peak result (802.11be(EHT40) Ch.159, 52T RU 44)



Peak result (802.11be(EHT40) Ch.159, 106T RU 56)



Peak result (802.11be(EHT40) Ch.159, 242T RU 62)



Peak result (802.11be(EHT40) Ch.159, 484T RU 65)



Peak result (802.11be(EHT40) Ch.159, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.155, 26T RU 36)



Peak result (802.11be(EHT80) Ch.155, 52T RU 52)



Peak result (802.11be(EHT80) Ch.155, 106T RU 60)



Peak result (802.11be(EHT80) Ch.155, 242T RU 64)



Peak result (802.11be(EHT80) Ch.155, 484T RU 66)



Peak result (802.11be(EHT80) Ch.155, 996T RU 67)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT80) Ch.155, SU)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

Peak result (802.11be(EHT20) Ch.165, 52T+26T RU 72)	Peak result (802.11be(EHT20) Ch.165, 106T+26T RU 83)
	
Peak result (802.11be(EHT40) Ch.159, 52T+26T RU 75)	Peak result (802.11be(EHT40) Ch.159, 106T+26T RU 85)
	

The report shall not be (partly) reproduced except in full without approval of the laboratory.