







Plot 7-58. Occupied Bandwidth Plot (NR Band n25/2 – 25.0MHz CP-OFDM 16QAM - Full RB – ANT2)





Plot 7-59. Occupied Bandwidth Plot (NR Band n25/2 – 20.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)


FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 52 of 169




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 53 of 169





FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 54 of 169




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 55 of 169



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 56 of 169



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 57 of 169



Plot 7-70. Occupied Bandwidth Plot (NR Band n25/2 – 5.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 58 of 169

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26:2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 20GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes

1. Per Part 24, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 59 of 169

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-PCS	250 kHz	Low	30.0 - 1845.0	-40.45	-13.00	-27.45
		Low	1910.0 - 10000.0	-29.27	-13.00	-16.27
		Low	10000.0 - 20000.0	-48.58	-13.00	-35.58
		Mid	30.0 - 1850.0	-41.28	-13.00	-28.28
		Mid	1910.0 - 10000.0	-35.48	-13.00	-22.48
		Mid	10000.0 - 20000.0	-48.08	-13.00	-35.08
		High	30.0 - 1850.0	-40.18	-13.00	-27.18
		High	1915.0 - 10000.0	-35.59	-13.00	-22.59
		High	10000.0 - 20000.0	-47.89	-13.00	-34.89
WCDMA-PCS	5 MHz	Low	30.0 - 1845.0	-28.96	-13.00	-15.96
		Low	1910.0 - 10000.0	-43.04	-13.00	-30.04
		Low	10000.0 - 20000.0	-56.14	-13.00	-43.13
		Mid	30.0 - 1850.0	-49.00	-13.00	-36.00
		Mid	1910.0 - 10000.0	-42.48	-13.00	-29.48
		Mid	10000.0 - 20000.0	-56.20	-13.00	-43.20
		High	30.0 - 1850.0	-49.67	-13.00	-36.67
		High	1915.0 - 10000.0	-30.32	-13.00	-17.32
		High	10000.0 - 20000.0	-56.04	-13.00	-43.04
LTE-B25-2	20 MHz	Low	30.0 - 1845.0	-37.37	-13.00	-24.37
		Low	1910.0 - 10000.0	-40.26	-13.00	-27.26
		Low	10000.0 - 20000.0	-52.49	-13.00	-39.49
		Mid	30.0 - 1850.0	-47.21	-13.00	-34.21
		Mid	1910.0 - 10000.0	-39.72	-13.00	-26.72
		Mid	10000.0 - 20000.0	-52.14	-13.00	-39.14
		High	30.0 - 1850.0	-49.49	-13.00	-36.49
		High	1915.0 - 10000.0	-38.98	-13.00	-25.97
		High	10000.0 - 20000.0	-51.94	-13.00	-38.94


Table 7-10. Conducted Emission Test Results – LTE - Ant1

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	30.0 - 1845.0	-39.39	-13.00	-26.39
		Low	1910.0 - 10000.0	-39.77	-13.00	-26.77
		Low	10000.0 - 20000.0	-52.36	-13.00	-39.36
		Mid	30.0 - 1850.0	-45.25	-13.00	-32.25
		Mid	1910.0 - 10000.0	-40.17	-13.00	-27.17
		Mid	10000.0 - 20000.0	-52.82	-13.00	-39.82
		High	30.0 - 1850.0	-47.67	-13.00	-34.67
		High	1915.0 - 10000.0	-39.38	-13.00	-26.38
		High	10000.0 - 20000.0	-52.48	-13.00	-39.48


Table 7-11. Conducted Emission Test Results – NR - Ant1

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 60 of 169

LTE Band 25/2 – Ant1




Plot 7-71. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)



Plot 7-72. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 61 of 169




Plot 7-73. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 62 of 169

NR Band n25/2 – Ant1




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 63 of 169




Plot 7-76. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - High Channel - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 64 of 169

GSM/GPRS PCS – Ant1




Plot 7-77. Conducted Spurious Plot (GPRS Ch. 512 - Ant1)



Plot 7-78. Conducted Spurious Plot (GPRS Ch. 512 - Ant1)


FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 65 of 169




Plot 7-79. Conducted Spurious Plot (GPRS Ch. 512 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 66 of 169

WCDMA PCS – Ant1




Plot 7-80. Conducted Spurious Plot (WCDMA Ch. 9262 - Ant1)



Plot 7-81. Conducted Spurious Plot (WCDMA Ch. 9262 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 67 of 169



Plot 7-82. Conducted Spurious Plot (WCDMA Ch. 9262 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 68 of 169

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA-PCS	5 MHz	Low	30.0 - 1845.0	-26.34	-13.00	-13.33
		Low	1910.0 - 10000.0	-33.11	-13.00	-20.11
		Low	10000.0 - 20000.0	-49.18	-13.00	-36.18
		Mid	30.0 - 1850.0	-39.93	-13.00	-26.93
		Mid	1910.0 - 10000.0	-33.04	-13.00	-20.04
		Mid	10000.0 - 20000.0	-49.07	-13.00	-36.07
		High	30.0 - 1850.0	-40.10	-13.00	-27.10
		High	1915.0 - 10000.0	-26.52	-13.00	-13.52
		High	10000.0 - 20000.0	-48.68	-13.00	-35.68
LTE-B25-2	20 MHz	Low	30.0 - 1845.0	-37.17	-13.00	-24.17
		Low	1910.0 - 10000.0	-39.71	-13.00	-26.71
		Low	10000.0 - 20000.0	-53.01	-13.00	-40.01
		Mid	30.0 - 1850.0	-47.54	-13.00	-34.54
		Mid	1910.0 - 10000.0	-39.96	-13.00	-26.96
		Mid	10000.0 - 20000.0	-53.21	-13.00	-40.21
		High	30.0 - 1850.0	-49.25	-13.00	-36.25
		High	1915.0 - 10000.0	-38.09	-13.00	-25.09
		High	10000.0 - 20000.0	-52.48	-13.00	-39.48


Table 7-12. Conducted Emission Test Results – LTE – Ant2

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	30.0 - 1845.0	-38.82	-13.00	-25.82
		Low	1910.0 - 10000.0	-39.91	-13.00	-26.91
		Low	10000.0 - 20000.0	-53.00	-13.00	-40.00
		Mid	30.0 - 1850.0	-40.21	-13.00	-27.21
		Mid	1910.0 - 10000.0	-40.49	-13.00	-27.49
		Mid	10000.0 - 20000.0	-53.19	-13.00	-40.19
		High	30.0 - 1850.0	-46.73	-13.00	-33.73
		High	1915.0 - 10000.0	-39.90	-13.00	-26.90
		High	10000.0 - 20000.0	-52.81	-13.00	-39.81


Table 7-13. Conducted Emission Test Results – NR – Ant2

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 69 of 169

LTE Band 25/2 – Ant2




Plot 7-83. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant2)



Plot 7-84. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant2)


FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 70 of 169




Plot 7-85. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 71 of 169

NR Band n25/2 – Ant2




Plot 7-86. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Low Channel - Ant2)



Plot 7-87. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Low Channel - Ant2)



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 72 of 169




Plot 7-88. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Low Channel - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 73 of 169

WCDMA PCS – Ant2



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 74 of 169



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 75 of 169

7.5 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26:2015 – Section 5.7.3

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq 1\%$ of the emission bandwidth
4. VBW $\geq 3 \times$ RBW
5. Detector = RMS
6. Number of sweep points $\geq 2 \times$ Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. Per 24.238(b), in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 76 of 169



2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 77 of 169

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-PCS	250kHz	Low	Band Edge	-20.61	-13.00	-7.61
		High	Band Edge	-18.29	-13.00	-5.29
WCDMA-PCS	5 MHz	Low	Band Edge	-19.37	-13.00	-6.37
		Low	Extended	-19.91	-13.00	-6.91
		High	Band Edge	-17.29	-13.00	-4.29
		High	Extended	-18.93	-13.00	-5.93
LTE-B25-2	20 MHz	Low	Band Edge	-33.04	-13.00	-20.04
		Low	Extended	-28.03	-13.00	-15.03
		High LB2	Band Edge	-30.79	-13.00	-17.79
		High LB25	Band Edge	-31.53	-13.00	-18.53
		High LB2	Extended	-28.07	-13.00	-15.07
		High LB25	Extended	-28.06	-13.00	-15.06
	15 MHz	Low	Band Edge	-30.86	-13.00	-17.86
		Low	Extended	-26.81	-13.00	-13.81
		High LB2	Band Edge	-29.73	-13.00	-16.73
		High LB25	Band Edge	-29.60	-13.00	-16.60
		High LB2	Extended	-25.10	-13.00	-12.10
		High LB25	Extended	-25.16	-13.00	-12.16
	10 MHz	Low	Band Edge	-27.58	-13.00	-14.58
		Low	Extended	-22.48	-13.00	-9.48
		High LB2	Band Edge	-28.45	-13.00	-15.45
		High LB25	Band Edge	-29.08	-13.00	-16.08
		High LB2	Extended	-23.29	-13.00	-10.29
		High LB25	Extended	-23.39	-13.00	-10.39
	5 MHz	Low	Band Edge	-22.38	-13.00	-9.38
		Low	Extended	-20.22	-13.00	-7.22
		High LB2	Band Edge	-22.79	-13.00	-9.79
		High LB25	Band Edge	-21.97	-13.00	-8.97
		High LB2	Extended	-19.93	-13.00	-6.93
		High LB25	Extended	-19.63	-13.00	-6.63
	3 MHz	Low	Band Edge	-23.93	-13.00	-10.93
		Low	Extended	-22.60	-13.00	-9.60
		High LB2	Band Edge	-23.29	-13.00	-10.29
		High LB25	Band Edge	-23.23	-13.00	-10.23
		High LB2	Extended	-21.27	-13.00	-8.27
		High LB25	Extended	-21.00	-13.00	-8.00
	1.4 MHz	Low	Band Edge	-26.66	-13.00	-13.66
		Low	Extended	-28.70	-13.00	-15.70
		High LB2	Band Edge	-27.00	-13.00	-14.00
		High LB25	Band Edge	-26.14	-13.00	-13.14
		High LB2	Extended	-26.22	-13.00	-13.22
		High LB25	Extended	-28.40	-13.00	-15.40

Table 7-14. Conducted Emission Test Results – Ant1


FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 78 of 169

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	Band Edge	-20.35	-13.00	-7.35
		Low	Extended	-21.26	-13.00	-8.26
		High NR 2	Band Edge	-22.82	-13.00	-9.82
		High NR 25	Band Edge	-23.33	-13.00	-10.32
		High NR 2	Extended	-22.77	-13.00	-9.77
		High NR 25	Extended	-22.78	-13.00	-9.78
	30 MHz	Low	Band Edge	-21.93	-13.00	-8.93
		Low	Extended	-22.74	-13.00	-9.74
		High NR 2	Band Edge	-21.30	-13.00	-8.30
		High NR 25	Band Edge	-24.65	-13.00	-11.65
		High NR 2	Extended	-21.80	-13.00	-8.80
		High NR 25	Extended	-21.28	-13.00	-8.28
	25 MHz	Low	Band Edge	-24.85	-13.00	-11.84
		Low	Extended	-24.38	-13.00	-11.38
		High NR 2	Band Edge	-27.15	-13.00	-14.15
		High NR 25	Band Edge	-26.72	-13.00	-13.72
		High NR 2	Extended	-29.26	-13.00	-16.26
		High NR 25	Extended	-23.02	-13.00	-10.02
	20 MHz	Low	Band Edge	-25.32	-13.00	-12.32
		Low	Extended	-22.32	-13.00	-9.32
		High NR 2	Band Edge	-25.75	-13.00	-12.75
		High NR 25	Band Edge	-25.16	-13.00	-12.16
		High NR 2	Extended	-23.53	-13.00	-10.53
		High NR 25	Extended	-22.49	-13.00	-9.49
	15 MHz	Low	Band Edge	-27.35	-13.00	-14.35
		Low	Extended	-21.08	-13.00	-8.08
		High NR 2	Band Edge	-26.85	-13.00	-13.85
		High NR 25	Band Edge	-35.82	-13.00	-22.81
		High NR 2	Extended	-21.17	-13.00	-8.17
		High NR 25	Extended	-21.22	-13.00	-8.22
	10 MHz	Low	Band Edge	-25.91	-13.00	-12.91
		Low	Extended	-16.99	-13.00	-3.99
		High NR 2	Band Edge	-27.64	-13.00	-14.64
		High NR 25	Band Edge	-27.52	-13.00	-14.52
		High NR 2	Extended	-27.07	-13.00	-14.07
		High NR 25	Extended	-18.91	-13.00	-5.91
	5 MHz	Low	Band Edge	-21.64	-13.00	-8.64
		Low	Extended	-18.67	-13.00	-5.67
		High NR 2	Band Edge	-22.47	-13.00	-9.47
		High NR 25	Band Edge	-22.49	-13.00	-9.49
		High NR 2	Extended	-17.54	-13.00	-4.54
		High NR 25	Extended	-17.52	-13.00	-4.52


Table 7-15. Conducted Emission Test Results – Ant1

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 79 of 169

LTE Band 25/2 – Ant1




Plot 7-92. Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK – Full RB - Ant1)




Plot 7-93. Extended Lower Band Edge Plot (LTE Band 25/2 - 5MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 80 of 169





FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 81 of 169




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 82 of 169



NR Band n25/2 – Ant1



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 83 of 169




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 84 of 169




FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 85 of 169

GSM/GPRS PCS – Ant1




Plot 7-104. Lower Band Edge Plot (GPRS PCS – Ch. 512 - Ant1)




Plot 7-105. Upper Band Edge Plot (GPRS PCS – Ch. 810 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 86 of 169

WCDMA PCS – Ant1



Plot 7-106. Lower Band Edge Plot (WCDMA PCS – Ch. 9262 - Ant1)




Plot 7-107. Extended Lower Band Edge Plot (WCDMA PCS – Ch. 9262 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 87 of 169



Plot 7-108. Upper Band Edge Plot (WCDMA PCS – Ch. 9538 - Ant1)



Plot 7-109. Extended Upper Band Edge Plot (WCDMA PCS – Ch. 9538 - Ant1)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 88 of 169

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA-PCS	5 MHz	Low	Band Edge	-16.71	-13.00	-3.71
		Low	Extended	-16.34	-13.00	-3.34
		High	Band Edge	-16.04	-13.00	-3.04
		High	Extended	-17.86	-13.00	-4.86
LTE-B25-2	20 MHz	Low	Band Edge	-28.25	-13.00	-14.24
		Low	Extended	-24.83	-13.00	-9.82
		High LB2	Band Edge	-29.97	-13.00	-14.54
		High LB25	Band Edge	-30.07	-13.00	-14.07
		High LB2	Extended	-25.09	-13.00	-9.30
		High LB25	Extended	-25.47	-13.00	-8.33
	15 MHz	Low	Band Edge	-27.40	-13.00	-14.40
		Low	Extended	-21.93	-13.00	-8.93
		High LB2	Band Edge	-26.68	-13.00	-13.68
		High LB25	Band Edge	-27.41	-13.00	-14.41
		High LB2	Extended	-22.16	-13.00	-9.16
		High LB25	Extended	-21.64	-13.00	-8.64
	10 MHz	Low	Band Edge	-27.37	-13.00	-14.37
		Low	Extended	-21.85	-13.00	-8.85
		High LB2	Band Edge	-28.86	-13.00	-15.86
		High LB25	Band Edge	-26.80	-13.00	-13.80
		High LB2	Extended	-23.97	-13.00	-10.97
		High LB25	Extended	-22.69	-13.00	-9.69
	5 MHz	Low	Band Edge	-21.40	-13.00	-8.40
		Low	Extended	-25.56	-13.00	-12.56
		High LB2	Band Edge	-22.83	-13.00	-9.83
		High LB25	Band Edge	-22.31	-13.00	-9.31
		High LB2	Extended	-25.71	-13.00	-12.71
		High LB25	Extended	-24.72	-13.00	-11.72
	3 MHz	Low	Band Edge	-22.55	-13.00	-9.55
		Low	Extended	-25.09	-13.00	-12.09
		High LB2	Band Edge	-22.64	-13.00	-9.64
		High LB25	Band Edge	-22.55	-13.00	-9.55
		High LB2	Extended	-24.43	-13.00	-11.43
		High LB25	Extended	-22.75	-13.00	-9.75
	1.4 MHz	Low	Band Edge	-24.68	-13.00	-11.68
		Low	Extended	-31.04	-13.00	-18.04
		High LB2	Band Edge	-26.09	-13.00	-13.09
		High LB25	Band Edge	-24.60	-13.00	-11.60
		High LB2	Extended	-31.92	-13.00	-18.92
		High LB25	Extended	-32.54	-13.00	-19.54

Table 7-16. Conducted Emission Test Results – Ant2



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 89 of 169

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	Band Edge	-21.23	-13.00	-8.23
		Low	Extended	-21.60	-13.00	-8.60
		High NR 2	Band Edge	-23.27	-13.00	-10.27
		High NR 25	Band Edge	-23.12	-13.00	-10.12
		High NR 2	Extended	-24.65	-13.00	-11.65
		High NR 25	Extended	-25.60	-13.00	-12.60
	30 MHz	Low	Band Edge	-23.64	-13.00	-10.64
		Low	Extended	-22.12	-13.00	-9.12
		High NR 2	Band Edge	-24.83	-13.00	-11.83
		High NR 25	Band Edge	-25.95	-13.00	-12.95
		High NR 2	Extended	-21.20	-13.00	-8.20
		High NR 25	Extended	-22.09	-13.00	-9.09
	25 MHz	Low	Band Edge	-23.87	-13.00	-10.87
		Low	Extended	-22.67	-13.00	-9.67
		High NR 2	Band Edge	-27.94	-13.00	-14.94
		High NR 25	Band Edge	-24.24	-13.00	-11.24
		High NR 2	Extended	-30.85	-13.00	-17.85
		High NR 25	Extended	-31.52	-13.00	-18.52
	20 MHz	Low	Band Edge	-23.71	-13.00	-10.71
		Low	Extended	-20.79	-13.00	-7.79
		High NR 2	Band Edge	-25.70	-13.00	-12.70
		High NR 25	Band Edge	-25.21	-13.00	-12.21
		High NR 2	Extended	-21.66	-13.00	-8.66
		High NR 25	Extended	-22.88	-13.00	-9.88
	15 MHz	Low	Band Edge	-27.33	-13.00	-14.33
		Low	Extended	-20.72	-13.00	-7.72
		High NR 2	Band Edge	-26.85	-13.00	-13.85
		High NR 25	Band Edge	-27.20	-13.00	-14.20
		High NR 2	Extended	-20.94	-13.00	-7.94
		High NR 25	Extended	-20.90	-13.00	-7.90
	10 MHz	Low	Band Edge	-23.59	-13.00	-10.59
		Low	Extended	-16.42	-13.00	-3.42
		High NR 2	Band Edge	-26.81	-13.00	-13.81
		High NR 25	Band Edge	-28.34	-13.00	-15.34
		High NR 2	Extended	-20.15	-13.00	-7.15
		High NR 25	Extended	-19.58	-13.00	-6.58
	5 MHz	Low	Band Edge	-22.35	-13.00	-9.35
		Low	Extended	-25.19	-13.00	-12.19
		High NR 2	Band Edge	-22.20	-13.00	-9.20
		High NR 25	Band Edge	-24.90	-13.00	-11.90
		High NR 2	Extended	-24.49	-13.00	-11.49
		High NR 25	Extended	-23.96	-13.00	-10.96


Table 7-17. Conducted Emission Test Results – Ant2

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 90 of 169


LTE Band 25/2 – Ant2



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 91 of 169




Plot 7-112. Upper Band Edge Plot (LTE Band 2 - 20MHz QPSK - Full RB - Ant2)




Plot 7-113. Extended Upper Band Edge Plot (LTE Band 2 - 20MHz QPSK - Full RB - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 92 of 169




Plot 7-114. Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK - Full RB - Ant2)




Plot 7-115. Extended Upper Band Edge Plot (LTE Band 25 - 20MHz QPSK - Full RB - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 93 of 169

NR Band 25/2 – Ant2





Plot 7-116. Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB - Ant2)




Plot 7-117. Extended Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 94 of 169



FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 95 of 169



Plot 7-121. Extended Upper Band Edge Plot (NR Band n25 - 10MHz QPSK – Full RB - Ant2)

FCC ID: A3LSMF776B	PART 24 MEASUREMENT REPORT	Test Dates: 4/11/2026 - 4/16/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2603110020-06-R4-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 96 of 169