


LTE Band 25/2 – Ant1




Plot 7-82. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)



Plot 7-83. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 65 of 163




Plot 7-84. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 66 of 163

NR Band n25/2 – Ant1




Plot 7-85. Conducted Spurious Plot (NR Band n25/2 -40.0MHz - 1RB - Mid Channel - Ant1)



Plot 7-86. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Mid Channel - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 67 of 163



Plot 7-87. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Mid Channel - Ant1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 68 of 163

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B25-2	20 MHz	Low	30.0 - 1849.0	-48.77	-13.0	-35.77
		Low	1915.0 - 10000.0	-43.21	-13.0	-30.21
		Low	10000.0 - 20000.0	-55.61	-13.0	-42.61
		Mid	30.0 - 1850.0	-49.56	-13.0	-36.56
		Mid	1915.0 - 10000.0	-42.74	-13.0	-29.74
		Mid	10000.0 - 20000.0	-55.63	-13.0	-42.63
		High	30.0 - 1850.0	-49.58	-13.0	-36.58
		High	1915.0 - 10000.0	-42.37	-13.0	-29.37
		High	10000.0 - 20000.0	-55.52	-13.0	-42.52
NR-n25-2	40 MHz	Low	30.0 - 1850.0	-49.23	-13.0	-36.23
		Low	1915.0 - 10000.0	-43.31	-13.0	-30.31
		Low	10000.0 - 20000.0	-56.00	-13.0	-43.00
		Mid	30.0 - 1850.0	-49.35	-13.0	-36.35
		Mid	1915.0 - 10000.0	-43.06	-13.0	-30.06
		Mid	10000.0 - 20000.0	-55.28	-13.0	-42.28
		High	30.0 - 1850.0	-49.73	-13.0	-36.73
		High	1915.0 - 10000.0	-42.56	-13.0	-29.56
		High	10000.0 - 20000.0	-55.48	-13.0	-42.48


Table 7-10. Conducted Spurious Emissions Results – Ant2

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 69 of 163

LTE Band 25/2 – Ant2




Plot 7-88. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel – Ant2)



Plot 7-89. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel – Ant2)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 70 of 163




Plot 7-90. Conducted Spurious Plot (LTE Band 25/2 - 20MHz QPSK - 1RB - Low Channel – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 71 of 163

NR Band n25/2 – Ant2




Plot 7-91. Conducted Spurious Plot (NR Band n25/2 -40.0MHz - 1RB - Low Channel – Ant2)



Plot 7-92. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Low Channel – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 72 of 163



Plot 7-93. Conducted Spurious Plot (NR Band n25/2 - 40.0MHz - 1RB - Low Channel – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 73 of 163

7.5 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26:2015 – Section 5.7.3

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq$ 1% of the emission bandwidth
4. VBW $\geq$ 3 x RBW
5. Detector = RMS
6. Number of sweep points $\geq$ 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-4. Test Instrument & Measurement Setup

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 74 of 163

Test Notes

1. Per 24.238(b) and RSS-133(6.5), in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 75 of 163

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-PCS	250k Hz	Low	Band Edge	-19.72	-13.0	-6.72
		High	Band Edge	-19.27	-13.0	-6.27
WCDMA-PCS	5 MHz	Low	Band Edge	-23.32	-13.0	-10.32
		Low	Extended	-15.83	-13.0	-2.83
		High	Band Edge	-20.38	-13.0	-7.38
		High	Extended	-16.17	-13.0	-3.17
LTE-B25-2	20 MHz	Low	Band Edge	-27.54	-13.0	-14.54
		Low	Extended	-22.46	-13.0	-9.46
		High LB2	Band Edge	-28.87	-13.0	-15.87
		High LB25	Band Edge	-28.12	-13.0	-15.12
		High LB2	Extended	-23.71	-13.0	-10.71
		High LB25	Extended	-22.19	-13.0	-9.18
	15 MHz	Low	Band Edge	-27.22	-13.0	-14.22
		Low	Extended	-20.69	-13.0	-7.69
		High LB2	Band Edge	-26.75	-13.0	-13.75
		High LB25	Band Edge	-26.09	-13.0	-13.09
		High LB2	Extended	-21.41	-13.0	-8.41
		High LB25	Extended	-20.60	-13.0	-7.60
	10 MHz	Low	Band Edge	-27.75	-13.0	-14.74
		Low	Extended	-20.89	-13.0	-7.89
		High LB2	Band Edge	-27.76	-13.0	-14.76
		High LB25	Band Edge	-26.34	-13.0	-13.34
		High LB2	Extended	-20.13	-13.0	-7.13
		High LB25	Extended	-20.84	-13.0	-7.84
	5 MHz	Low	Band Edge	-24.26	-13.0	-11.26
		Low	Extended	-27.10	-13.0	-14.10
		High LB2	Band Edge	-23.39	-13.0	-10.39
		High LB25	Band Edge	-23.77	-13.0	-10.77
		High LB2	Extended	-26.64	-13.0	-13.64
		High LB25	Extended	-25.07	-13.0	-12.07
	3 MHz	Low	Band Edge	-23.86	-13.0	-10.86
		Low	Extended	-27.73	-13.0	-14.73
		High LB2	Band Edge	-23.30	-13.0	-10.30
		High LB25	Band Edge	-22.05	-13.0	-9.05
		High LB2	Extended	-24.29	-13.0	-11.29
		High LB25	Extended	-19.12	-13.0	-6.12
	1.4 MHz	Low	Band Edge	-23.70	-13.0	-10.70
		Low	Extended	-28.57	-13.0	-15.57
		High LB2	Band Edge	-21.86	-13.0	-8.86
		High LB25	Band Edge	-22.04	-13.0	-9.04
		High LB2	Extended	-28.83	-13.0	-15.83
		High LB25	Extended	-27.82	-13.0	-14.82

Table 7-11. Conducted Band Edge Results – Ant1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 76 of 163

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	Band Edge	-23.99	-13.0	-10.99
		Low	Extended	-26.98	-13.0	-13.98
		High NR 2	Band Edge	-26.83	-13.0	-13.82
		High NR 25	Band Edge	-22.51	-13.0	-9.51
		High NR 2	Extended	-26.63	-13.0	-13.63
		High NR 25	Extended	-26.86	-13.0	-13.86
	35 MHz	Low	Band Edge	-24.23	-13.0	-11.23
		Low	Extended	-26.58	-13.0	-13.58
		High NR 2	Band Edge	-26.03	-13.0	-16.03
		High NR 25	Band Edge	-21.68	-13.0	-8.68
		High NR 2	Extended	-26.91	-13.0	-13.91
		High NR 25	Extended	-27.15	-13.0	-14.15
	30 MHz	Low	Band Edge	-23.21	-13.0	-10.21
		Low	Extended	-25.61	-13.0	-12.61
		High NR 2	Band Edge	-25.09	-13.0	-12.09
		High NR 25	Band Edge	-19.76	-13.0	-6.76
		High NR 2	Extended	-26.11	-13.0	-13.11
		High NR 25	Extended	-19.26	-13.0	-6.25
	25 MHz	Low	Band Edge	-24.58	-13.0	-11.58
		Low	Extended	-25.49	-13.0	-12.49
		High NR 2	Band Edge	-25.80	-13.0	-12.79
		High NR 25	Band Edge	-25.88	-13.0	-12.88
		High NR 2	Extended	-28.46	-13.0	-15.46
		High NR 25	Extended	-20.78	-13.0	-7.78
	20 MHz	Low	Band Edge	-29.36	-13.0	-16.36
		Low	Extended	-24.26	-13.0	-11.26
		High NR 2	Band Edge	-29.40	-13.0	-16.40
		High NR 25	Band Edge	-28.79	-13.0	-15.79
		High NR 2	Extended	-24.95	-13.0	-11.95
		High NR 25	Extended	-25.11	-13.0	-12.11
	15 MHz	Low	Band Edge	-27.98	-13.0	-14.98
		Low	Extended	-21.27	-13.0	-8.27
		High NR 2	Band Edge	-28.80	-13.0	-15.80
		High NR 25	Band Edge	-24.18	-13.0	-11.18
		High NR 2	Extended	-22.24	-13.0	-9.24
		High NR 25	Extended	-20.99	-13.0	-7.99
	10 MHz	Low	Band Edge	-24.20	-13.0	-11.20
		Low	Extended	-16.69	-13.0	-3.69
		High NR 2	Band Edge	-26.31	-13.0	-13.31
		High NR 25	Band Edge	-24.67	-13.0	-11.67
		High NR 2	Extended	-18.27	-13.0	-5.27
		High NR 25	Extended	-17.87	-13.0	-4.87
	5 MHz	Low	Band Edge	-23.43	-13.0	-10.42
		Low	Extended	-22.70	-13.0	-9.70
		High NR 2	Band Edge	-25.23	-13.0	-12.23
		High NR 25	Band Edge	-22.72	-13.0	-9.72
		High NR 2	Extended	-26.01	-13.0	-13.01
		High NR 25	Extended	-30.85	-13.0	-17.85

Table 7-12. Conducted Band Edge Results – Ant1

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 77 of 163

GSM/GPRS PCS – Ant1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 78 of 163

WCDMA PCS – Ant1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 79 of 163




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 80 of 163

LTE Band 25/2 – Ant1



Plot 7-100. Lower Band Edge Plot (LTE Band 25/2 – 3MHz QPSK – Full RB - Ant1)




Plot 7-101. Extended Lower Band Edge Plot (LTE Band 25/2 – 3MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 81 of 163



Plot 7-102. Upper Band Edge Plot (LTE Band 2 – 3MHz QPSK – Full RB - Ant1)




Plot 7-103. Extended Upper Band Edge Plot (LTE Band 2 – 3MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 82 of 163




Plot 7-104. Upper Band Edge Plot (LTE Band 25 – 3MHz QPSK – Full RB - Ant1)




Plot 7-105. Extended Upper Band Edge Plot (LTE Band 25 – 3MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 83 of 163

NR Band n25/2 – Ant1



Plot 7-106. Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB - Ant1)




Plot 7-107. Extended Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 84 of 163



Plot 7-108. Upper Band Edge Plot (NR Band n2 - 10MHz QPSK – Full RB - Ant1)



Plot 7-109. Extended Upper Band Edge Plot (NR Band n2 - 10MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 85 of 163



Plot 7-110. Upper Band Edge Plot (NR Band n25 - 10MHz QPSK – Full RB - Ant1)



Plot 7-111. Extended Upper Band Edge Plot (NR Band n25 - 10MHz QPSK – Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 86 of 163

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B25-2	20 MHz	Low	Band Edge	-27.24	-13.0	-14.24
		Low	Extended	-22.82	-13.0	-9.82
		High LB2	Band Edge	-27.54	-13.0	-14.54
		High LB25	Band Edge	-27.07	-13.0	-14.07
		High LB2	Extended	-22.30	-13.0	-9.30
		High LB25	Extended	-21.33	-13.0	-8.33
	15 MHz	Low	Band Edge	-27.32	-13.0	-14.32
		Low	Extended	-20.48	-13.0	-7.48
		High LB2	Band Edge	-25.06	-13.0	-12.06
		High LB25	Band Edge	-25.04	-13.0	-12.04
		High LB2	Extended	-20.06	-13.0	-7.06
		High LB25	Extended	-19.70	-13.0	-6.70
	10 MHz	Low	Band Edge	-26.70	-13.0	-13.70
		Low	Extended	-19.88	-13.0	-6.88
		High LB2	Band Edge	-27.05	-13.0	-14.05
		High LB25	Band Edge	-26.22	-13.0	-13.22
		High LB2	Extended	-19.90	-13.0	-6.90
		High LB25	Extended	-19.47	-13.0	-6.47
	5 MHz	Low	Band Edge	-22.42	-13.0	-9.42
		Low	Extended	-25.13	-13.0	-12.13
		High LB2	Band Edge	-23.56	-13.0	-10.56
		High LB25	Band Edge	-22.32	-13.0	-9.32
		High LB2	Extended	-25.10	-13.0	-12.10
		High LB25	Extended	-24.04	-13.0	-11.04
	3 MHz	Low	Band Edge	-21.93	-13.0	-8.93
		Low	Extended	-24.88	-13.0	-11.88
		High LB2	Band Edge	-21.30	-13.0	-8.30
		High LB25	Band Edge	-21.29	-13.0	-8.29
		High LB2	Extended	-18.61	-13.0	-5.61
		High LB25	Extended	-20.09	-13.0	-7.09
	1.4 MHz	Low	Band Edge	-22.07	-13.0	-9.07
		Low	Extended	-26.89	-13.0	-13.89
		High LB2	Band Edge	-21.54	-13.0	-8.54
		High LB25	Band Edge	-21.36	-13.0	-8.36
		High LB2	Extended	-25.70	-13.0	-12.70
		High LB25	Extended	-27.15	-13.0	-14.15

Table 7-13. Conducted Spurious Emissions Results – Ant2


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 87 of 163

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n25-2	40 MHz	Low	Band Edge	-23.85	-13.0	-10.85
		Low	Extended	-27.21	-13.0	-14.21
		High NR 2	Band Edge	-24.35	-13.0	-11.35
		High NR 25	Band Edge	-23.82	-13.0	-10.82
		High NR 2	Extended	-27.01	-13.0	-14.01
		High NR 25	Extended	-35.95	-13.0	-22.95
	35 MHz	Low	Band Edge	-25.13	-13.0	-12.13
		Low	Extended	-27.28	-13.0	-14.28
		High NR 2	Band Edge	-28.17	-13.0	-15.17
		High NR 25	Band Edge	-22.49	-13.0	-9.49
		High NR 2	Extended	-26.49	-13.0	-13.49
		High NR 25	Extended	-19.60	-13.0	-6.60
	30 MHz	Low	Band Edge	-26.24	-13.0	-13.24
		Low	Extended	-26.14	-13.0	-13.14
		High NR 2	Band Edge	-28.68	-13.0	-15.68
		High NR 25	Band Edge	-23.56	-13.0	-10.56
		High NR 2	Extended	-23.13	-13.0	-10.13
		High NR 25	Extended	-25.12	-13.0	-12.12
	25 MHz	Low	Band Edge	-26.45	-13.0	-13.45
		Low	Extended	-25.94	-13.0	-12.94
		High NR 2	Band Edge	-24.16	-13.0	-11.16
		High NR 25	Band Edge	-24.91	-13.0	-11.91
		High NR 2	Extended	-24.78	-13.0	-11.78
		High NR 25	Extended	-25.26	-13.0	-12.26
	20 MHz	Low	Band Edge	-28.82	-13.0	-15.82
		Low	Extended	-25.38	-13.0	-12.38
		High NR 2	Band Edge	-27.95	-13.0	-14.95
		High NR 25	Band Edge	-25.79	-13.0	-12.79
		High NR 2	Extended	-23.71	-13.0	-10.71
		High NR 25	Extended	-25.03	-13.0	-12.03
	15 MHz	Low	Band Edge	-28.42	-13.0	-15.42
		Low	Extended	-22.95	-13.0	-9.95
		High NR 2	Band Edge	-28.00	-13.0	-15.00
		High NR 25	Band Edge	-27.64	-13.0	-14.64
		High NR 2	Extended	-21.20	-13.0	-8.20
		High NR 25	Extended	-21.45	-13.0	-8.45
	10 MHz	Low	Band Edge	-26.05	-13.0	-13.05
		Low	Extended	-16.44	-13.0	-3.44
		High NR 2	Band Edge	-23.95	-13.0	-10.95
		High NR 25	Band Edge	-24.35	-13.0	-11.35
		High NR 2	Extended	-17.52	-13.0	-4.52
		High NR 25	Extended	-19.53	-13.0	-6.53
	5 MHz	Low	Band Edge	-23.65	-13.0	-10.65
		Low	Extended	-35.00	-13.0	-22.00
		High NR 2	Band Edge	-23.11	-13.0	-10.11
		High NR 25	Band Edge	-22.78	-13.0	-9.78
		High NR 2	Extended	-32.11	-13.0	-19.11
		High NR 25	Extended	-32.16	-13.0	-19.16


Table 7-14. Conducted Spurious Emissions Results – Ant2

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 88 of 163

LTE Band 25/2 – Ant2



Plot 7-112. Lower Band Edge Plot (LTE Band 25/2 – 3MHz QPSK – Full RB – Ant2)




Plot 7-113. Extended Lower Band Edge Plot (LTE Band 25/2 – 3MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 89 of 163



Plot 7-114. Upper Band Edge Plot (LTE Band 2 – 3MHz QPSK – Full RB – Ant2)




Plot 7-115. Extended Upper Band Edge Plot (LTE Band 2 – 3MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 90 of 163




Plot 7-116. Upper Band Edge Plot (LTE Band 25 – 3MHz QPSK – Full RB – Ant2)




Plot 7-117. Extended Upper Band Edge Plot (LTE Band 25 – 3MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 91 of 163

NR Band n25/2 – Ant1



Plot 7-118. Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB – Ant2)




Plot 7-119. Extended Lower Band Edge Plot (NR Band n25/2 - 10MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 92 of 163



Plot 7-120. Upper Band Edge Plot (NR Band n2 - 10MHz QPSK – Full RB – Ant2)




Plot 7-121. Extended Upper Band Edge Plot (NR Band n2 - 10MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 93 of 163



Plot 7-122. Upper Band Edge Plot (NR Band n25 - 10MHz QPSK – Full RB – Ant2)



Plot 7-123. Extended Upper Band Edge Plot (NR Band n25 - 10MHz QPSK – Full RB – Ant2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 94 of 163

7.6 Peak-Average Ratio

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

Test Procedure Used

ANSI C63.26:2015 – Section 5.2.3.4

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW $\geq$ OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-5. Test Instrument & Measurement Setup

Test Notes

For the QAM modulations, 256QAM was found to have the worst-case peak-to-average ratio so it is the only QAM measurement included in this section.

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 95 of 163

Mode	Bandwidth	Modulation	Average Power [dBm]	PAR at 0.1% [dB]	PAR Limit [dB]	Margin [dB]
GSM-PCS	N/A	GMSK	28.91	2.74	13.0	-10.26
GSM-PCS Edge		8-PSK	23.86	2.70	13.0	-10.30
WCDMA		Spread Spectrum	23.57	2.97	13.0	-10.03
LTE-B25-2	20 MHz	QPSK	24.74	4.61	13.0	-8.39
		256QAM	20.44	6.77	13.0	-6.23
	15 MHz	QPSK	24.85	4.59	13.0	-8.41
		256QAM	20.44	6.72	13.0	-6.28
	10 MHz	QPSK	24.88	4.53	13.0	-8.47
		256QAM	20.40	6.68	13.0	-6.32
	5 MHz	QPSK	24.90	4.48	13.0	-8.52
		256QAM	20.39	6.69	13.0	-6.31
	3 MHz	QPSK	24.96	4.46	13.0	-8.54
		256QAM	20.40	6.69	13.0	-6.31
	1.4 MHz	QPSK	24.87	4.51	13.0	-8.49
		256QAM	20.37	6.81	13.0	-6.20
NR-n25-2	40 MHz	$\pi/2$ BPSK	24.33	3.89	13.0	-9.11
		QPSK	22.25	6.64	13.0	-6.36
		256QAM	18.75	8.42	13.0	-4.58
	35 MHz	$\pi/2$ BPSK	24.32	4.05	13.0	-8.95
		QPSK	22.24	6.66	13.0	-6.34
		256QAM	18.69	8.44	13.0	-4.56
	30 MHz	$\pi/2$ BPSK	24.32	3.85	13.0	-9.15
		QPSK	22.15	6.61	13.0	-6.39
		256QAM	18.80	8.50	13.0	-4.50
	25 MHz	$\pi/2$ BPSK	24.43	4.06	13.0	-8.94
		QPSK	22.41	6.72	13.0	-6.28
		256QAM	18.94	8.42	13.0	-4.58
	20 MHz	$\pi/2$ BPSK	24.50	3.95	13.0	-9.05
		QPSK	22.55	6.56	13.0	-6.44
		256QAM	19.04	8.44	13.0	-4.56
	15MHz	$\pi/2$ BPSK	24.57	4.00	13.0	-9.00
		QPSK	22.53	6.54	13.0	-6.46
		256QAM	19.09	8.42	13.0	-4.58
	10MHz	$\pi/2$ BPSK	24.62	3.92	13.0	-9.08
		QPSK	22.61	6.66	13.0	-6.34
		256QAM	19.15	8.42	13.0	-4.58
	5MHz	$\pi/2$ BPSK	24.52	4.05	13.0	-8.95
		QPSK	22.59	6.62	13.0	-6.38
		256QAM	19.04	8.42	13.0	-4.58


Table 7-15. Peak-Average Ratio Results – Ant1

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 96 of 163

GSM/GPRS PCS – Ant1




Plot 7-124. PAR Plot (GPRS, Ch. 661 - Ant1)



Plot 7-125. PAR Plot (EDGE, Ch. 661 - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 97 of 163


WCDMA PCS – Ant1



Plot 7-126. PAR Plot (WCDMA, Ch. 9400 - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 98 of 163

LTE Band 25/2 – Ant1




Plot 7-127. PAR Plot (LTE Band 25/2 - 20MHz QPSK - Full RB - Ant1)




Plot 7-128. PAR Plot (LTE Band 25/2 - 20MHz 256-QAM - Full RB - Ant1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 99 of 163



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 100 of 163




Plot 7-131. PAR Plot (LTE Band 25/2 - 10MHz QPSK - Full RB - Ant1)




Plot 7-132. PAR Plot (LTE Band 25/2 - 10MHz 256-QAM - Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 101 of 163




Plot 7-133. PAR Plot (LTE Band 25/2 - 5MHz QPSK - Full RB - Ant1)



Plot 7-134. PAR Plot (LTE Band 25/2 - 5MHz 256-QAM - Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 102 of 163



Plot 7-135. PAR Plot (LTE Band 25/2 - 3MHz QPSK - Full RB - Ant1)



Plot 7-136. PAR Plot (LTE Band 25/2 - 3MHz 256-QAM - Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 103 of 163




Plot 7-137. PAR Plot (LTE Band 25/2 - 1.4MHz QPSK - Full RB - Ant1)



Plot 7-138. PAR Plot (LTE Band 25/2 - 1.4MHz 256-QAM - Full RB - Ant1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 104 of 163

NR Band n25/2 – Ant1




Plot 7-139. PAR Plot (NR Band n25/2 - 40.0MHz DFT-s-OFDM BPSK - Full RB - ANT1)



Plot 7-140. PAR Plot (NR Band n25/2 - 40.0MHz CP-OFDM QPSK - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.		Page 105 of 163



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 106 of 163




Plot 7-143. PAR Plot (NR Band n25/2 - 35.0MHz CP-OFDM QPSK - Full RB - ANT1)




Plot 7-144. PAR Plot (NR Band n25/2 - 35.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 107 of 163



Plot 7-145. PAR Plot (NR Band n25/2 - 30.0MHz DFT-s-OFDM BPSK - Full RB - ANT1)




Plot 7-146. PAR Plot (NR Band n25/2 - 30.0MHz CP-OFDM QPSK - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 108 of 163



Plot 7-147. PAR Plot (NR Band n25/2 - 30.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



Plot 7-148. PAR Plot (NR Band n25/2 - 25.0MHz DFT-s-OFDM BPSK - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 109 of 163




Plot 7-149. PAR Plot (NR Band n25/2 - 25.0MHz CP-OFDM QPSK - Full RB - ANT1)



Plot 7-150. PAR Plot (NR Band n25/2 - 25.0MHz CP-OFDM 256-QAM - Full RB - ANT1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 110 of 163



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 111 of 163




Plot 7-153. PAR Plot (NR Band n25/2 - 20.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



Plot 7-154. PAR Plot (NR Band n25/2 - 15.0MHz DFT-s-OFDM BPSK - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 112 of 163




Plot 7-155. PAR Plot (NR Band n25/2 - 15.0MHz CP-OFDM QPSK - Full RB - ANT1)



Plot 7-156. PAR Plot (NR Band n25/2 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 113 of 163



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 24 RSS-133 MEASUREMENT REPORT	Test Dates: 3/24/2026 - 4/21/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-03-R4.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit https://www.blockchain-verified.com or by clicking on the Blockchain logo.			Page 114 of 163