









FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 111 of 318





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 112 of 318





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 113 of 318




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 114 of 318




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 115 of 318



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 116 of 318




Plot 7-159. Occupied Bandwidth Plot (NR Band n71 - 5MHz DFT-s-OFDM BPSK - Full RB – ANT2)



Plot 7-160. Occupied Bandwidth Plot (NR Band n71 - 5MHz CP-OFDM QPSK - Full RB – ANT2)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 117 of 318




Plot 7-161. Occupied Bandwidth Plot (NR Band n71 - 5MHz CP-OFDM 16-QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 118 of 318

NR Band n70 – ANT2





Plot 7-162. Occupied Bandwidth Plot (NR Band n70 - 15.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-163. Occupied Bandwidth Plot (NR Band n70 - 15.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 119 of 318





© 2026 ELEMENT V11.1 08/28/2023


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 121 of 318





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 122 of 318




Plot 7-170. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 123 of 318


NR Band n66 – ANT2



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 124 of 318




Plot 7-173. Occupied Bandwidth Plot (NR Band n66 - 45.0MHz CP-OFDM 16QAM - Full RB – ANT2)




Plot 7-174. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 125 of 318




Plot 7-175. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-176. Occupied Bandwidth Plot (NR Band n66 - 40.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 126 of 318




Plot 7-177. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)




Plot 7-178. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM QPSK - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 127 of 318





Plot 7-179. Occupied Bandwidth Plot (NR Band n66 - 35.0MHz CP-OFDM 16QAM - Full RB – ANT2)



Plot 7-180. Occupied Bandwidth Plot (NR Band n66 - 30.0MHz DFT-s-OFDM BPSK - Full RB – ANT2)



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 128 of 318




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 129 of 318




© 2026 ELEMENT V11.1 08/28/2023
Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 131 of 318



Plot 7-187. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-188. Occupied Bandwidth Plot (NR Band n66 - 20.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 132 of 318




© 2026 ELEMENT V11.1 08/28/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




© 2026 ELEMENT V11.1 08/28/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.





Plot 7-193. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM QPSK - Full RB – ANT2)




Plot 7-194. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 135 of 318



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 136 of 318



Plot 7-197. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 137 of 318

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW $\geq$ 100kHz
3. VBW $\geq$ 3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. Per Part 27 and RSS-139, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 138 of 318

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 71	20 MHz	Low	30.0 - 662.0	-63.77	-13	-50.77
		Low	698.0 - 1000.0	-65.66	-13	-52.66
		Low	1000.0 - 10000.0	-42.34	-13	-29.34
		Mid	30.0 - 663.0	-65.63	-13	-52.63
		Mid	698.0 - 1000.0	-65.75	-13	-52.75
		Mid	1000.0 - 10000.0	-47.43	-13	-34.43
		High	30.0 - 663.0	-65.89	-13	-52.89
		High	699.0 - 1000.0	-63.56	-13	-50.56
		High	1000.0 - 10000.0	-43.43	-13	-30.43
LTE Band 12	10 MHz	Low	30.0 - 697.9	-61.50	-13	-48.50
		Low	716.0 - 1000.0	-65.13	-13	-52.13
		Low	1000.0 - 10000.0	-43.82	-13	-30.82
		Mid	30.0 - 698.0	-64.44	-13	-51.44
		Mid	716.0 - 1000.0	-64.66	-13	-51.66
		Mid	1000.0 - 10000.0	-43.31	-13	-30.31
		High	30.0 - 697.9	-65.20	-13	-52.20
		High	716.1 - 1000.0	-60.02	-13	-47.02
		High	1000.0 - 10000.0	-46.09	-13	-33.09
LTE Band 13	10 MHz	Mid	30.0 - 777.0	-65.40	-35	-30.40
		Mid	787.0 - 1000.0	-64.38	-13	-51.38
		Mid	1000.0 - 20000.0	-46.85	-13	-33.85
NR Band n71	35 MHz	Mid	30.0 - 663.0	-65.15	-13	-52.15
		Mid	698.0 - 1000.0	-63.98	-13	-50.98
		Mid	1000.0 - 10000.0	-36.01	-13	-23.01
NR Band n12	15 MHz	Low	30.0 - 698.0	-61.17	-13	-48.17
		Low	716.0 - 1000.0	-62.35	-13	-49.35
		Low	1000.0 - 10000.0	-38.60	-13	-25.60
		Mid	30.0 - 698.0	-61.22	-13	-48.22
		Mid	716.0 - 1000.0	-60.97	-13	-47.97
		Mid	1000.0 - 10000.0	-39.52	-13	-26.52
		High	30.0 - 698.0	-61.48	-13	-48.48
		High	716.0 - 1000.0	-61.75	-13	-48.75
		High	1000.0 - 10000.0	-39.39	-13	-26.39

Table 7-16. Conducted Spurious Emissions Results – Ant1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 139 of 318

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA1700	N/A	Low	30.0 - 1705.0	-36.21	-13	-23.21
		Low	1755.0 - 10000.0	-47.81	-13	-34.81
		Low	10000.0 - 20000.0	-63.98	-13	-50.98
		Mid	30.0 - 1710.0	-53.76	-13	-40.76
		Mid	1755.0 - 10000.0	-47.61	-13	-34.61
		Mid	10000.0 - 20000.0	-63.33	-13	-50.33
		High	30.0 - 1710.0	-54.43	-13	-41.43
		High	1760.0 - 10000.0	-38.14	-13	-25.14
LTE-B66-4	20 MHz	High	10000.0 - 20000.0	-63.49	-13	-50.49
		Low	30.0 - 1709.0	-52.34	-13	-39.34
		Low	1780.0 - 10000.0	-46.49	-13	-33.49
		Low	10000.0 - 20000.0	-62.16	-13	-49.16
		Mid	30.0 - 1710.0	-54.11	-13	-41.11
		Mid	1780.0 - 10000.0	-46.98	-13	-33.98
		Mid	10000.0 - 20000.0	-60.72	-13	-47.72
		High	30.0 - 1710.0	-54.44	-13	-41.44
NR Band n70	15 MHz	High	1781.0 - 10000.0	-46.64	-13	-33.64
		High	10000.0 - 20000.0	-60.76	-13	-47.76
		Mid	30.0 - 1695.0	-51.89	-13	-38.89
		Mid	1710.0 - 10000.0	-47.79	-13	-34.79
NR Band n66	45 MHz	Mid	10000.0 - 20000.0	-63.24	-13	-50.24
		Low	30.0 - 1710.0	-52.26	-13	-39.26
		Low	1780.0 - 10000.0	-47.56	-13	-34.56
		Low	10000.0 - 20000.0	-63.14	-13	-50.14
		Mid	30.0 - 1710.0	-53.97	-13	-40.97
		Mid	1780.0 - 10000.0	-47.51	-13	-34.51
		Mid	10000.0 - 20000.0	-62.68	-13	-49.68
		High	30.0 - 1710.0	-54.03	-13	-41.03
		High	1780.0 - 10000.0	-47.60	-13	-34.60
		High	10000.0 - 20000.0	-63.44	-13	-50.44


Table 7-17. Conducted Spurious Emissions Results – Ant1

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 140 of 318

WCDMA-AWS – ANT1




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 141 of 318




Plot 7-200. Conducted Spurious Plot (WCDMA-AWS - 5MHz QPSK - 1 RB - Low Channel)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 142 of 318

LTE Band 71 – ANT1




Plot 7-201. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Low Channel - ANT1)



Plot 7-202. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Low Channel - ANT1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 143 of 318




Plot 7-203. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Low Channel - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 144 of 318

LTE Band 12 – ANT1




Plot 7-204. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - ANT1)



Plot 7-205. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - ANT1)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 145 of 318




Plot 7-206. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 146 of 318

LTE Band 13 – ANT1




Plot 7-207. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)



Plot 7-208. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 147 of 318




Plot 7-209. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 148 of 318

NR Band n71 – ANT1





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 149 of 318




Plot 7-212. Conducted Spurious Plot (NR Band n71 - 35MHz - 1 RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 150 of 318

NR Band n12 – ANT1




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 151 of 318




Plot 7-215. Conducted Spurious Plot (NR Band n12 - 15.0MHz - 1 RB - Low Channel - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 152 of 318

LTE Band 66/4 – ANT1




Plot 7-216. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB – Low Channel)



Plot 7-217. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB – Low Channel)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 153 of 318



Plot 7-218. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB – Low Channel)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 154 of 318