




NR Band n70 – ANT1





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 155 of 318




Plot 7-221. Conducted Spurious Plot (NR Band n70 - 15.0MHz - 1 RB - Mid Channel - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 156 of 318

NR Band n66 – ANT1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 157 of 318



Plot 7-224. Conducted Spurious Plot (NR Band n66 - 45.0MHz - 1 RB - Mid Channel - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 158 of 318

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 71	20 MHz	Low	30.0 - 662.0	-64.39	-13	-51.39
		Low	698.0 - 1000.0	-66.09	-13	-53.09
		Low	1000.0 - 10000.0	-45.10	-13	-32.10
		Mid	30.0 - 663.0	-65.97	-13	-52.97
		Mid	698.0 - 1000.0	-65.69	-13	-52.69
		Mid	1000.0 - 10000.0	-42.95	-13	-29.95
		High	30.0 - 663.0	-66.26	-13	-53.26
		High	699.0 - 1000.0	-62.76	-13	-49.76
		High	1000.0 - 10000.0	-47.58	-13	-34.58
LTE Band 12	10 MHz	Low	30.0 - 697.9	-61.79	-13	-48.79
		Low	716.0 - 1000.0	-64.84	-13	-51.84
		Low	1000.0 - 10000.0	-47.22	-13	-34.22
		Mid	30.0 - 698.0	-55.07	-13	-42.07
		Mid	716.0 - 1000.0	-63.92	-13	-50.92
		Mid	1000.0 - 10000.0	-46.80	-13	-33.80
		High	30.0 - 697.9	-59.83	-13	-46.83
		High	716.1 - 1000.0	-58.86	-13	-45.86
		High	1000.0 - 10000.0	-41.50	-13	-28.50
LTE Band 13	10 MHz	Mid	30.0 - 777.0	-60.04	-35	-25.04
		Mid	787.0 - 1000.0	-64.46	-13	-51.46
		Mid	1000.0 - 20000.0	-46.78	-13	-33.78
NR Band n71	35 MHz	Mid	30.0 - 663.0	-63.27	-13	-50.27
		Mid	698.0 - 1000.0	-63.16	-13	-50.16
		Mid	1000.0 - 10000.0	-37.94	-13	-24.94
NR Band n12	15 MHz	Low	30.0 - 698.0	-61.88	-13	-48.88
		Low	716.0 - 1000.0	-61.81	-13	-48.81
		Low	1000.0 - 10000.0	-40.81	-13	-27.81
		Mid	30.0 - 698.0	-62.84	-13	-49.84
		Mid	716.0 - 1000.0	-62.42	-13	-49.42
		Mid	1000.0 - 10000.0	-41.78	-13	-28.78
		High	30.0 - 698.0	-62.52	-13	-49.52
		High	716.0 - 1000.0	-62.32	-13	-49.32
		High	1000.0 - 10000.0	-42.20	-13	-29.20

Table 7-18. Conducted Spurious Emissions Results – Ant2

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B66-4	20 MHz	Low	30.0 - 1709.0	-52.21	-13	-39.21
		Low	1780.0 - 10000.0	-47.52	-13	-34.52
		Low	10000.0 - 20000.0	-63.55	-13	-50.55
		Mid	30.0 - 1710.0	-53.90	-13	-40.90
		Mid	1780.0 - 10000.0	-47.39	-13	-34.39
		Mid	10000.0 - 20000.0	-63.82	-13	-50.82
		High	30.0 - 1710.0	-54.03	-13	-41.03
		High	1781.0 - 10000.0	-47.16	-13	-34.16
		High	10000.0 - 20000.0	-63.72	-13	-50.72
NR Band n70	15 MHz	Mid	30.0 - 1695.0	-51.50	-13	-38.50
		Mid	1710.0 - 10000.0	-47.30	-13	-34.30
		Mid	10000.0 - 20000.0	-63.43	-13	-50.43
NR Band n66	45 MHz	Low	30.0 - 1710.0	-52.18	-13	-39.18
		Low	1780.0 - 10000.0	-47.40	-13	-34.40
		Low	10000.0 - 20000.0	-63.41	-13	-50.41
		Mid	30.0 - 1710.0	-53.52	-13	-40.52
		Mid	1780.0 - 10000.0	-47.85	-13	-34.85
		Mid	10000.0 - 20000.0	-62.46	-13	-49.46
		High	30.0 - 1710.0	-53.83	-13	-40.83
		High	1780.0 - 10000.0	-47.73	-13	-34.73
		High	10000.0 - 20000.0	-63.02	-13	-50.02


Table 7-19. Conducted Spurious Emissions Results – Ant2

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 159 of 318

LTE Band 71 – ANT2




Plot 7-225. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Mid Channel - ANT2)



Plot 7-226. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Mid Channel - ANT2)



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 160 of 318




Plot 7-227. Conducted Spurious Plot (LTE Band 71 - 20MHz QPSK - 1 RB - Mid Channel - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 161 of 318

LTE Band 12 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 162 of 318




Plot 7-230. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - High Channel - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 163 of 318

LTE Band 13 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 164 of 318




Plot 7-233. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 165 of 318

NR Band n71 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 166 of 318




Plot 7-236. Conducted Spurious Plot (NR Band n71 - 35MHz - 1 RB - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 167 of 318

NR Band n12 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 168 of 318




Plot 7-239. Conducted Spurious Plot (NR Band n12 - 15.0MHz - 1 RB – Low Channel - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 169 of 318

LTE Band 66/4 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 170 of 318



Plot 7-242. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB – High Channel)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 171 of 318

NR Band n70 – ANT2





FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 172 of 318



Plot 7-245. Conducted Spurious Plot (NR Band n70 - 15.0MHz - 1 RB - Mid Channel - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 173 of 318

NR Band n66 – ANT2



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 174 of 318



Plot 7-248. Conducted Spurious Plot (NR Band n66 - 45.0MHz - 1 RB - Low Channel - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 175 of 318

7.5 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.3

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq 1\%$ of the emission bandwidth
4. VBW $\geq 3 \times$ RBW
5. Detector = RMS
6. Number of sweep points $\geq 2 \times$ Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 176 of 318

Test Notes

1. Per 27.53(h) and RSS-139(5.6) for AWS band operation, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. Per 27.53(g) and RSS-130(4.7.1) for operations in the 663 - 698 MHz and 698 – 746MHz bands, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
3. Per 27.53(c)(5) and RSS-130(4.7.2) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
4. For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC and ISSED limit per 27.53(c)(4) and RSS-130(4.7.2) is $65 + 10 \log_{10}(P) = -35\text{dBm}$ in a 6.25kHz bandwidth.

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 177 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 71	20 MHz	Low	Band Edge	-29.57	-13	-16.57
		High	Band Edge	-28.83	-13	-15.83
	15 MHz	Low	Band Edge	-28.54	-13	-15.54
		High	Band Edge	-27.34	-13	-14.34
	10 MHz	Low	Band Edge	-27.16	-13	-14.16
		High	Band Edge	-27.11	-13	-14.11
	5 MHz	Low	Band Edge	-23.04	-13	-10.04
		High	Band Edge	-22.43	-13	-9.43
LTE Band 12	10 MHz	Low	Band Edge	-25.50	-13	-12.50
		High	Band Edge	-29.17	-13	-16.17
	5 MHz	Low	Band Edge	-22.47	-13	-9.47
		High	Band Edge	-24.35	-13	-11.35
	3 MHz	Low	Band Edge	-17.08	-13	-4.08
		High	Band Edge	-17.48	-13	-4.48
	1.4 MHz	Low	Band Edge	-23.77	-13	-10.77
		High	Band Edge	-24.97	-13	-11.97
LTE Band 13	10 MHz	Low	Band Edge	-27.19	-13	-14.19
		Low	Emission Mask	-61.34	-13	-48.34
		High	Band Edge	-25.46	-13	-12.46
		High	Emission Mask	-50.71	-13	-37.71
	5 MHz	Low	Band Edge	-21.80	-13	-8.80
		Low	Emission Mask	-54.65	-13	-41.65
		High	Band Edge	-20.41	-13	-7.41
		High	Emission Mask	-54.31	-13	-41.31

Table 7-20. Conducted Band Edge Results – Ant1


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 178 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA1700	N/A	Low	Band Edge	-22.18	-13	-9.18
		Low	Extended	-14.41	-13	-1.41
		High	Band Edge	-22.92	-13	-9.92
		High	Extended	-17.75	-13	-4.75
LTE Band 66/4	20MHz	Low	Band Edge	-25.48	-13	-12.48
		Low	Extended	-22.70	-13	-9.70
		High (B4)	Band Edge	-27.10	-13	-14.10
		High (B4)	Extended	-23.38	-13	-10.38
		High (B66)	Band Edge	-26.91	-13	-13.91
		High (B66)	Extended	-24.78	-13	-11.78
	15MHz	Low	Band Edge	-23.26	-13	-10.26
		Low	Extended	-21.35	-13	-8.35
		High (B4)	Band Edge	-24.84	-13	-11.84
		High (B4)	Extended	-23.49	-13	-10.49
		High (B66)	Band Edge	-24.60	-13	-11.60
		High (B66)	Extended	-23.73	-13	-10.73
	10MHz	Low	Band Edge	-24.10	-13	-11.10
		Low	Extended	-19.74	-13	-6.74
		High (B4)	Band Edge	-24.12	-13	-11.12
		High (B4)	Extended	-20.80	-13	-7.80
		High (B66)	Band Edge	-24.58	-13	-11.58
		High (B66)	Extended	-20.38	-13	-7.38
	5MHz	Low	Band Edge	-19.95	-13	-6.95
		Low	Extended	-26.03	-13	-13.03
		High (B4)	Band Edge	-20.75	-13	-7.75
		High (B4)	Extended	-26.81	-13	-13.81
		High (B66)	Band Edge	-23.64	-13	-10.64
		High (B66)	Extended	-26.53	-13	-13.53
	3MHz	Low	Band Edge	-20.65	-13	-7.65
		Low	Extended	-26.33	-13	-13.33
		High (B4)	Band Edge	-20.11	-13	-7.11
		High (B4)	Extended	-27.37	-13	-14.37
		High (B66)	Band Edge	-20.29	-13	-7.29
		High (B66)	Extended	-26.55	-13	-13.55
	1.4MHz	Low	Band Edge	-20.59	-13	-7.59
		Low	Extended	-33.94	-13	-20.94
		High (B4)	Band Edge	-20.39	-13	-7.39
		High (B4)	Extended	-29.84	-13	-16.84
		High (B66)	Band Edge	-20.19	-13	-7.19
		High (B66)	Extended	-31.27	-13	-18.27


Table 7-21. Conducted Band Edge Results – Ant1

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 179 of 318

WCDMA AWS – ANT1




Plot 7-249. Lower Band Edge Plot (WCDMA AWS – Ch. 1312 – ANT1)




Plot 7-250. Lower Extended Band Edge Plot (WCDMA AWS – Ch. 1312 – ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 180 of 318



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 181 of 318

LTE Band 71 – ANT1




Plot 7-253. Lower Band Edge Plot (LTE Band 71 - 5MHz QPSK – Full RB - ANT1)



Plot 7-254. Upper Band Edge Plot (LTE Band 71 - 5MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 182 of 318

LTE Band 12 – ANT1




Plot 7-255. Lower Band Edge Plot (LTE Band 12 – 3MHz QPSK – Full RB - ANT1)




Plot 7-256. Upper Band Edge Plot (LTE Band 12 – 3MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 183 of 318

LTE Band 13 – ANT1




Plot 7-257. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT1)




Plot 7-258. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 184 of 318




Plot 7-259. Upper Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT1)




Plot 7-260. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 185 of 318

LTE Band 66/4 – ANT1



Plot 7-261. Lower Band Edge Plot (LTE Band 66/4 – 10MHz QPSK – Full RB - ANT1)




Plot 7-262. Lower Extended Band Edge Plot (LTE Band 66/4 – 10MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 186 of 318



Plot 7-263. Upper Band Edge Plot (LTE Band 4 – 10MHz QPSK – Full RB - ANT1)




Plot 7-264. Upper Extended Band Edge Plot (LTE Band 4 – 10MHz QPSK – Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 187 of 318



Plot 7-265. Upper Band Edge Plot (LTE Band 66 - 10MHz QPSK - Full RB - ANT1)



Plot 7-266. Upper Extended Band Edge Plot (LTE Band 66 - 10MHz QPSK - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2-A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 188 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR Band n71	35 MHz	Low	Band Edge	-29.32	-13	-16.32
		High	Band Edge	-26.85	-13	-13.85
	30 MHz	Low	Band Edge	-29.30	-13	-16.30
		High	Band Edge	-27.26	-13	-14.26
	25 MHz	Low	Band Edge	-29.75	-13	-16.75
		High	Band Edge	-27.75	-13	-14.75
	20 MHz	Low	Band Edge	-28.98	-13	-15.98
		High	Band Edge	-29.02	-13	-16.02
	15 MHz	Low	Band Edge	-27.72	-13	-14.72
		High	Band Edge	-27.25	-13	-14.25
	10 MHz	Low	Band Edge	-25.60	-13	-12.60
		High	Band Edge	-25.89	-13	-12.89
	5 MHz	Low	Band Edge	-22.43	-13	-9.43
		High	Band Edge	-19.15	-13	-6.15
NR Band n12	15 MHz	Low	Band Edge	-22.48	-13	-9.48
		High	Band Edge	-24.82	-13	-11.82
	10 MHz	Low	Band Edge	-23.45	-13	-10.45
		High	Band Edge	-25.72	-13	-12.72
	5 MHz	Low	Band Edge	-22.16	-13	-9.16
		High	Band Edge	-23.99	-13	-10.99

Table 7-22. Conducted Band Edge Results – Ant1


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 189 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
NR Band n70	15 MHz	Low	Band Edge	-27.32	-13	-14.32
		Low	Extended	-20.85	-13	-7.85
		High	Band Edge	-24.92	-13	-11.92
		High	Extended	-19.04	-13	-6.04
	10 MHz	Low	Band Edge	-26.69	-13	-13.69
		Low	Extended	-17.83	-13	-4.83
		High	Band Edge	-25.42	-13	-12.42
		High	Extended	-17.67	-13	-4.67
	5 MHz	Low	Band Edge	-24.79	-13	-11.79
		Low	Extended	-30.78	-13	-17.78
		High	Band Edge	-22.29	-13	-9.29
		High	Extended	-32.14	-13	-19.14
NR Band n66	45 MHz	Low	Band Edge	-28.40	-13	-15.40
		Low	Extended	-28.39	-13	-15.39
		High	Band Edge	-27.49	-13	-14.49
		High	Extended	-25.49	-13	-12.49
	40 MHz	Low	Band Edge	-26.87	-13	-13.87
		Low	Extended	-26.80	-13	-13.80
		High	Band Edge	-23.92	-13	-10.92
		High	Extended	-27.87	-13	-14.87
	35 MHz	Low	Band Edge	-27.57	-13	-14.57
		Low	Extended	-26.60	-13	-13.60
		High	Band Edge	-27.28	-13	-14.28
		High	Extended	-25.95	-13	-12.95
	30 MHz	Low	Band Edge	-26.68	-13	-13.68
		Low	Extended	-26.51	-13	-13.51
		High	Band Edge	-27.57	-13	-14.57
		High	Extended	-27.17	-13	-14.17
	25 MHz	Low	Band Edge	-29.05	-13	-16.05
		Low	Extended	-25.56	-13	-12.56
		High	Band Edge	-28.54	-13	-15.54
		High	Extended	-18.62	-13	-5.62
	20 MHz	Low	Band Edge	-28.39	-13	-15.39
		Low	Extended	-23.39	-13	-10.39
		High	Band Edge	-29.94	-13	-16.94
		High	Extended	-26.80	-13	-13.80
	15 MHz	Low	Band Edge	-28.49	-13	-15.49
		Low	Extended	-21.56	-13	-8.56
		High	Band Edge	-27.77	-13	-14.77
		High	Extended	-22.27	-13	-9.27
	10 MHz	Low	Band Edge	-25.39	-13	-12.39
		Low	Extended	-17.02	-13	-4.02
		High	Band Edge	-28.00	-13	-15.00
		High	Extended	-20.96	-13	-7.96
	5 MHz	Low	Band Edge	-24.12	-13	-11.12
		Low	Extended	-29.87	-13	-16.87
		High	Band Edge	-22.30	-13	-9.30
		High	Extended	-29.81	-13	-16.81


Table 7-23. Conducted Band Edge Results – Ant1

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 190 of 318

NR Band n71 – ANT1




Plot 7-267. Lower Band Edge Plot (NR Band n71 – 5.0MHz - Full RB - ANT1)



Plot 7-268. Upper Band Edge Plot (NR Band n71 – 5.0MHz - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 191 of 318

NR Band n12 – ANT1




Plot 7-269. Lower Band Edge Plot (NR Band n12 – 5.0MHz - Full RB - ANT1)




Plot 7-270. Upper Band Edge Plot (NR Band n12 – 5.0MHz - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 192 of 318

NR Band n70 – ANT1




Plot 7-271. Lower Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT1)




Plot 7-272. Lower Extended Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 193 of 318





Plot 7-273. Upper Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT1)





Plot 7-274. Upper Extended Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT1)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 194 of 318

NR Band n66 – ANT1



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 195 of 318



FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 196 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 71	20 MHz	Low	Band Edge	-25.04	-13	-12.04
		High	Band Edge	-23.72	-13	-10.72
	15 MHz	Low	Band Edge	-25.56	-13	-12.56
		High	Band Edge	-27.74	-13	-14.74
	10 MHz	Low	Band Edge	-25.30	-13	-12.30
		High	Band Edge	-27.79	-13	-14.79
	5 MHz	Low	Band Edge	-21.19	-13	-8.19
		High	Band Edge	-21.64	-13	-8.64
LTE Band 12	10 MHz	Low	Band Edge	-27.61	-13	-14.61
		High	Band Edge	-27.80	-13	-14.80
	5 MHz	Low	Band Edge	-20.87	-13	-7.87
		High	Band Edge	-24.71	-13	-11.71
	3 MHz	Low	Band Edge	-17.79	-13	-4.79
		High	Band Edge	-18.94	-13	-5.94
	1.4 MHz	Low	Band Edge	-23.36	-13	-10.36
		High	Band Edge	-24.33	-13	-11.33
LTE Band 13	10 MHz	Low	Band Edge	-26.58	-13	-13.58
		Low	Emission Mask	-62.13	-13	-49.13
		High	Band Edge	-24.38	-13	-11.38
		High	Emission Mask	-47.66	-13	-34.66
	5 MHz	Low	Band Edge	-20.06	-13	-7.06
		Low	Emission Mask	-54.21	-13	-41.21
		High	Band Edge	-21.57	-13	-8.57
		High	Emission Mask	-68.14	-13	-55.14

Table 7-24. Conducted Band Edge Results – Ant2


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 197 of 318

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
LTE Band 66/4	20MHz	Low	Band Edge	-24.55	-13	-11.55
		Low	Extended	-22.21	-13	-9.21
		High (B4)	Band Edge	-23.49	-13	-10.49
		High (B4)	Extended	-22.97	-13	-9.97
		High (B66)	Band Edge	-25.51	-13	-12.51
		High (B66)	Extended	-23.52	-13	-10.52
	15MHz	Low	Band Edge	-23.78	-13	-10.78
		Low	Extended	-21.91	-13	-8.91
		High (B4)	Band Edge	-23.72	-13	-10.72
		High (B4)	Extended	-22.25	-13	-9.25
		High (B66)	Band Edge	-24.85	-13	-11.85
		High (B66)	Extended	-22.65	-13	-9.65
	10MHz	Low	Band Edge	-22.36	-13	-9.36
		Low	Extended	-19.66	-13	-6.66
		High (B4)	Band Edge	-22.74	-13	-9.74
		High (B4)	Extended	-19.93	-13	-6.93
		High (B66)	Band Edge	-23.19	-13	-10.19
		High (B66)	Extended	-20.34	-13	-7.34
	5MHz	Low	Band Edge	-20.72	-13	-7.72
		Low	Extended	-25.29	-13	-12.29
		High (B4)	Band Edge	-20.77	-13	-7.77
		High (B4)	Extended	-24.57	-13	-11.57
		High (B66)	Band Edge	-21.23	-13	-8.23
		High (B66)	Extended	-25.75	-13	-12.75
	3MHz	Low	Band Edge	-17.60	-13	-4.60
		Low	Extended	-28.34	-13	-15.34
		High (B4)	Band Edge	-18.63	-13	-5.63
		High (B4)	Extended	-22.76	-13	-9.76
		High (B66)	Band Edge	-17.60	-13	-4.60
		High (B66)	Extended	-27.11	-13	-14.11
	1.4MHz	Low	Band Edge	-19.05	-13	-6.05
		Low	Extended	-31.98	-13	-18.98
		High (B4)	Band Edge	-19.06	-13	-6.06
		High (B4)	Extended	-21.84	-13	-8.84
		High (B66)	Band Edge	-19.28	-13	-6.28
		High (B66)	Extended	-30.10	-13	-17.10


Table 7-25. Conducted Band Edge Results – Ant2

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 198 of 318

LTE Band 71 – ANT2




Plot 7-279. Lower Band Edge Plot (LTE Band 71 - 5MHz QPSK – Full RB - ANT2)



Plot 7-280. Upper Band Edge Plot (LTE Band 71 - 5MHz QPSK – Full RB - ANT2)


FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 199 of 318

LTE Band 12 – ANT2




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 200 of 318

LTE Band 13 – ANT2




Plot 7-283. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT2)




Plot 7-284. Lower Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 201 of 318




FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 202 of 318

LTE Band 66/4 – ANT2



Plot 7-287. Lower Band Edge Plot (LTE Band 66/4 – 3MHz QPSK – Full RB - ANT2)



Plot 7-288. Lower Extended Band Edge Plot (LTE Band 66/4 – 3MHz QPSK – Full RB - ANT2)

FCC ID: A3LSMF776U IC: 649E-SMF776W	PART 27 RSS-130 & RSS-139 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/17/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-05-R2.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 203 of 318