







|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                       | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 204 of 318                   |



Plot 7-291. Upper Band Edge Plot (LTE Band 66 – 3MHz QPSK – Full RB - ANT2)



Plot 7-292. Upper Extended Band Edge Plot (LTE Band 66 – 3MHz QPSK – Full RB - ANT2)

|                                            |                                                                                                                                                                                                                  |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                    | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 205 of 318                   |

| Mode        | Bandwidth | Channel | Test Case | Level [dBm] | Limit [dBm] | Margin [dB] |
|-------------|-----------|---------|-----------|-------------|-------------|-------------|
| NR Band n71 | 35 MHz    | Low     | Band Edge | -25.45      | -13         | -12.45      |
|             |           | High    | Band Edge | -26.95      | -13         | -13.95      |
|             | 30 MHz    | Low     | Band Edge | -26.62      | -13         | -13.62      |
|             |           | High    | Band Edge | -26.43      | -13         | -13.43      |
|             | 25 MHz    | Low     | Band Edge | -26.77      | -13         | -13.77      |
|             |           | High    | Band Edge | -28.45      | -13         | -15.45      |
|             | 20 MHz    | Low     | Band Edge | -25.73      | -13         | -12.73      |
|             |           | High    | Band Edge | -23.75      | -13         | -10.75      |
|             | 15 MHz    | Low     | Band Edge | -25.93      | -13         | -12.93      |
|             |           | High    | Band Edge | -26.53      | -13         | -13.53      |
|             | 10 MHz    | Low     | Band Edge | -25.14      | -13         | -12.14      |
|             |           | High    | Band Edge | -27.71      | -13         | -14.71      |
|             | 5 MHz     | Low     | Band Edge | -19.64      | -13         | -6.64       |
|             |           | High    | Band Edge | -19.95      | -13         | -6.95       |
| NR Band n12 | 15 MHz    | Low     | Band Edge | -22.98      | -13         | -9.98       |
|             |           | High    | Band Edge | -22.44      | -13         | -9.44       |
|             | 10 MHz    | Low     | Band Edge | -25.00      | -13         | -12.00      |
|             |           | High    | Band Edge | -26.50      | -13         | -13.50      |
|             | 5 MHz     | Low     | Band Edge | -21.61      | -13         | -8.61       |
|             |           | High    | Band Edge | -21.66      | -13         | -8.66       |

**Table 7-26. Conducted Band Edge Results – Ant2**


|                                                      |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMF776U<br><b>IC:</b> 649E-SMF776W | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L    |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 206 of 318                          |

| Mode        | Bandwidth | Channel | Test Case | Level [dBm] | Limit [dBm] | Margin [dB] |
|-------------|-----------|---------|-----------|-------------|-------------|-------------|
| NR Band n70 | 15 MHz    | Low     | Band Edge | -27.10      | -13         | -14.10      |
|             |           | Low     | Extended  | -21.12      | -13         | -8.12       |
|             |           | High    | Band Edge | -23.49      | -13         | -10.49      |
|             |           | High    | Extended  | -18.47      | -13         | -5.47       |
|             | 10 MHz    | Low     | Band Edge | -26.80      | -13         | -13.80      |
|             |           | Low     | Extended  | -17.38      | -13         | -4.38       |
|             |           | High    | Band Edge | -24.53      | -13         | -11.53      |
|             |           | High    | Extended  | -17.27      | -13         | -4.27       |
|             | 5 MHz     | Low     | Band Edge | -26.34      | -13         | -13.34      |
|             |           | Low     | Extended  | -33.75      | -13         | -20.75      |
|             |           | High    | Band Edge | -22.06      | -13         | -9.06       |
|             |           | High    | Extended  | -30.79      | -13         | -17.79      |
| NR Band n66 | 45 MHz    | Low     | Band Edge | -28.08      | -13         | -15.08      |
|             |           | Low     | Extended  | -25.27      | -13         | -12.27      |
|             |           | High    | Band Edge | -27.20      | -13         | -14.20      |
|             |           | High    | Extended  | -28.01      | -13         | -15.01      |
|             | 40 MHz    | Low     | Band Edge | -26.16      | -13         | -13.16      |
|             |           | Low     | Extended  | -27.53      | -13         | -14.53      |
|             |           | High    | Band Edge | -21.26      | -13         | -8.26       |
|             |           | High    | Extended  | -23.08      | -13         | -10.08      |
|             | 35 MHz    | Low     | Band Edge | -27.89      | -13         | -14.89      |
|             |           | Low     | Extended  | -25.95      | -13         | -12.95      |
|             |           | High    | Band Edge | -28.30      | -13         | -15.30      |
|             |           | High    | Extended  | -25.28      | -13         | -12.28      |
|             | 30 MHz    | Low     | Band Edge | -26.34      | -13         | -13.34      |
|             |           | Low     | Extended  | -26.80      | -13         | -13.80      |
|             |           | High    | Band Edge | -26.67      | -13         | -13.67      |
|             |           | High    | Extended  | -22.53      | -13         | -9.53       |
|             | 25 MHz    | Low     | Band Edge | -29.05      | -13         | -16.05      |
|             |           | Low     | Extended  | -25.56      | -13         | -12.56      |
|             |           | High    | Band Edge | -29.14      | -13         | -16.14      |
|             |           | High    | Extended  | -18.62      | -13         | -5.62       |
|             | 20 MHz    | Low     | Band Edge | -29.15      | -13         | -16.15      |
|             |           | Low     | Extended  | -23.40      | -13         | -10.40      |
|             |           | High    | Band Edge | -29.11      | -13         | -16.11      |
|             |           | High    | Extended  | -25.66      | -13         | -12.66      |
|             | 15 MHz    | Low     | Band Edge | -28.10      | -13         | -15.10      |
|             |           | Low     | Extended  | -21.22      | -13         | -8.22       |
|             |           | High    | Band Edge | -26.28      | -13         | -13.28      |
|             |           | High    | Extended  | -21.95      | -13         | -8.95       |
|             | 10 MHz    | Low     | Band Edge | -26.30      | -13         | -13.30      |
|             |           | Low     | Extended  | -16.67      | -13         | -3.67       |
|             |           | High    | Band Edge | -24.76      | -13         | -11.76      |
|             |           | High    | Extended  | -17.67      | -13         | -4.67       |
|             | 5 MHz     | Low     | Band Edge | -23.83      | -13         | -10.83      |
|             |           | Low     | Extended  | -28.27      | -13         | -15.27      |
|             |           | High    | Band Edge | -22.56      | -13         | -9.56       |
|             |           | High    | Extended  | -27.45      | -13         | -14.45      |


**Table 7-27. Conducted Band Edge Results – Ant2**

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 207 of 318                   |

## NR Band n71 – ANT2




Plot 7-293. Lower Band Edge Plot (NR Band n71 – 5.0MHz - Full RB - ANT2)



Plot 7-294. Upper Band Edge Plot (NR Band n71 – 5.0MHz - Full RB - ANT2)

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 208 of 318                   |

## NR Band n12 – ANT2




Plot 7-295. Lower Band Edge Plot (NR Band n12 – 5.0MHz - Full RB - ANT2)




Plot 7-296. Upper Band Edge Plot (NR Band n12 – 5.0MHz - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 209 of 318                   |

## NR Band n70 – ANT2





Plot 7-297. Lower Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT2)





Plot 7-298. Lower Extended Band Edge Plot (NR Band n70 – 10.0MHz - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 210 of 318                   |





|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 211 of 318                   |

## NR Band n66 – ANT2



|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 212 of 318                   |



|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 213 of 318                   |

## 7.6 Peak-Average Ratio

### Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

### Test Procedure Used


ANSI C63.26-2015 – Section 5.2.3.4

### Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW  $\geq$  OBW or specified reference bandwidth
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms. For burst transmissions, the spectrum analyzer is set to use an internal "RF Burst" trigger that is synced with an incoming pulse and the measurement interval is set to less than the duration of the "on time" of one burst to ensure that energy is only captured during a time in which the transmitter is operating at maximum power

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-5. Test Instrument & Measurement Setup**

### Test Notes

For the QAM modulations, 256QAM was found to have the worst-case peak-to-average ratio so it is the only QAM measurement included in this section.

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 214 of 318                          |

| Mode      | Bandwidth | Modulation | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|-----------|-----------|------------|---------------------|------------------|----------------|-------------|
| WCDMA-AWS | 5MHz      | GMSK       | 24.29               | 3.20             | 13             | -9.80       |
| LTE-B66-4 | 20MHz     | QPSK       | 23.35               | 4.52             | 13             | -8.48       |
|           |           | 256QAM     | 19.35               | 6.68             | 13             | -6.32       |
|           | 15MHz     | QPSK       | 23.38               | 4.40             | 13             | -8.60       |
|           |           | 256QAM     | 19.40               | 6.72             | 13             | -6.28       |
|           | 10MHz     | QPSK       | 23.39               | 4.57             | 13             | -8.43       |
|           |           | 256QAM     | 19.40               | 6.69             | 13             | -6.31       |
|           | 5MHz      | QPSK       | 23.37               | 4.51             | 13             | -8.49       |
|           |           | 256QAM     | 19.40               | 6.71             | 13             | -6.29       |
|           | 3MHz      | QPSK       | 23.36               | 4.52             | 13             | -8.48       |
|           |           | 256QAM     | 19.40               | 6.75             | 13             | -6.25       |
|           | 1.4MHz    | QPSK       | 23.33               | 4.56             | 13             | -8.44       |
|           |           | 256QAM     | 19.38               | 6.69             | 13             | -6.31       |

**Table 7-28. Peak-Average Ratio Results – Ant1**


|                                                      |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMF776U<br><b>IC:</b> 649E-SMF776W | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L    |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 215 of 318                          |

| Mode   | Bandwidth | Modulation   | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|--------|-----------|--------------|---------------------|------------------|----------------|-------------|
| NR-n70 | 15MHz     | $\pi/2$ BPSK | 24.15               | 3.74             | 13             | -9.26       |
|        |           | QPSK         | 21.58               | 6.56             | 13             | -6.44       |
|        |           | 256QAM       | 18.07               | 8.37             | 13             | -4.63       |
|        | 10MHz     | $\pi/2$ BPSK | 24.06               | 3.76             | 13             | -9.24       |
|        |           | QPSK         | 21.62               | 6.58             | 13             | -6.42       |
|        |           | 256QAM       | 18.07               | 8.52             | 13             | -4.48       |
|        | 5MHz      | $\pi/2$ BPSK | 24.21               | 3.80             | 13             | -9.20       |
|        |           | QPSK         | 21.70               | 6.64             | 13             | -6.36       |
|        |           | 256QAM       | 18.12               | 8.31             | 13             | -4.69       |
| NR-n66 | 45MHz     | $\pi/2$ BPSK | 24.02               | 4.15             | 13             | -8.85       |
|        |           | QPSK         | 21.36               | 6.85             | 13             | -6.15       |
|        |           | 256QAM       | 17.85               | 8.36             | 13             | -4.64       |
|        | 40MHz     | $\pi/2$ BPSK | 23.79               | 3.99             | 13             | -9.01       |
|        |           | QPSK         | 21.28               | 6.48             | 13             | -6.52       |
|        |           | 256QAM       | 17.75               | 8.34             | 13             | -4.66       |
|        | 35MHz     | $\pi/2$ BPSK | 23.82               | 3.89             | 13             | -9.11       |
|        |           | QPSK         | 21.22               | 6.54             | 13             | -6.46       |
|        |           | 256QAM       | 17.73               | 8.30             | 13             | -4.70       |
|        | 30MHz     | $\pi/2$ BPSK | 23.87               | 3.69             | 13             | -9.31       |
|        |           | QPSK         | 21.21               | 6.49             | 13             | -6.51       |
|        |           | 256QAM       | 17.76               | 8.24             | 13             | -4.76       |
|        | 25MHz     | $\pi/2$ BPSK | 23.81               | 4.04             | 13             | -8.96       |
|        |           | QPSK         | 21.21               | 6.62             | 13             | -6.38       |
|        |           | 256QAM       | 17.70               | 8.44             | 13             | -4.56       |
|        | 20MHz     | $\pi/2$ BPSK | 23.82               | 3.76             | 13             | -9.24       |
|        |           | QPSK         | 21.28               | 6.47             | 13             | -6.53       |
|        |           | 256QAM       | 17.72               | 8.56             | 13             | -4.44       |
|        | 15MHz     | $\pi/2$ BPSK | 23.81               | 3.75             | 13             | -9.25       |
|        |           | QPSK         | 21.18               | 6.51             | 13             | -6.49       |
|        |           | 256QAM       | 17.68               | 8.42             | 13             | -4.58       |
|        | 10MHz     | $\pi/2$ BPSK | 23.83               | 3.83             | 13             | -9.17       |
|        |           | QPSK         | 21.26               | 6.62             | 13             | -6.38       |
|        |           | 256QAM       | 17.68               | 8.59             | 13             | -4.41       |
|        | 5MHz      | $\pi/2$ BPSK | 23.83               | 3.90             | 13             | -9.10       |
|        |           | QPSK         | 21.29               | 6.59             | 13             | -6.41       |
|        |           | 256QAM       | 17.71               | 8.33             | 13             | -4.67       |

**Table 7-29. Peak-Average Ratio Results – Ant1**

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 216 of 318                   |


## WCDMA AWS – ANT1




Plot 7-305. PAR Plot (WCDMA, Ch. 1413 – ANT1)

|                                                      |                                                                                     |                                                                                                                                                                                                                     |                                      |                                          |
|------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMF776U<br><b>IC:</b> 649E-SMF776W | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                         | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L    |  | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 217 of 318                          |

## LTE Band 66/4 – ANT1




Plot 7-306. PAR Plot (LTE Band 66/4 - 20MHz 256-QAM - Full RB - ANT1)




Plot 7-307. PAR Plot (LTE Band 66/4 - 15MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                   | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2-A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 218 of 318                   |




Plot 7-308. PAR Plot (LTE Band 66/4 - 10MHz 256-QAM - Full RB - ANT1)




Plot 7-309. PAR Plot (LTE Band 66/4 - 5MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                                                                                                         |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                                                                                                       | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 219 of 318                   |




Plot 7-310. PAR Plot (LTE Band 66/4 - 3MHz 256-QAM - Full RB - ANT1)



Plot 7-311. PAR Plot (LTE Band 66/4 - 1.4MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                   | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 220 of 318                   |

## NR Band n70 – ANT1




Plot 7-312. PAR Plot (NR Band n70 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



Plot 7-313. PAR Plot (NR Band n70 - 10.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 221 of 318                          |



Plot 7-314. PAR Plot (NR Band n70 - 5.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                     |                                                                                                                                                                                                                     |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                                | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 222 of 318                   |


## NR Band n66 – ANT1



|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 223 of 318                          |



Plot 7-317. PAR Plot (NR Band n66 - 35.0MHz CP-OFDM 256-QAM - Full RB - ANT1)




Plot 7-318. PAR Plot (NR Band n66 - 30.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 224 of 318                          |




Plot 7-319. PAR Plot (NR Band n66 - 25.0MHz CP-OFDM 256-QAM - Full RB - ANT1)




Plot 7-320. PAR Plot (NR Band n66 - 20.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                                   |                                                                                                                                                                                                                                                                                                      |                                             |                                      |                                          |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026 | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                             |                                      | Page 225 of 318                          |



|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 226 of 318                          |



Plot 7-323. PAR Plot (NR Band n66 - 5.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 227 of 318                   |

| Mode      | Bandwidth | Modulation | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|-----------|-----------|------------|---------------------|------------------|----------------|-------------|
| LTE-B66-4 | 20MHz     | QPSK       | 24.81               | 4.57             | 13             | -8.43       |
|           |           | 256QAM     | 20.85               | 6.74             | 13             | -6.26       |
|           | 15MHz     | QPSK       | 24.83               | 4.52             | 13             | -8.48       |
|           |           | 256QAM     | 20.83               | 6.72             | 13             | -6.28       |
|           | 10MHz     | QPSK       | 24.80               | 4.59             | 13             | -8.41       |
|           |           | 256QAM     | 20.83               | 6.72             | 13             | -6.28       |
|           | 5MHz      | QPSK       | 24.82               | 4.59             | 13             | -8.41       |
|           |           | 256QAM     | 20.82               | 6.72             | 13             | -6.28       |
|           | 3MHz      | QPSK       | 24.81               | 4.52             | 13             | -8.48       |
|           |           | 256QAM     | 20.84               | 6.78             | 13             | -6.22       |
|           | 1.4MHz    | QPSK       | 24.71               | 4.56             | 13             | -8.44       |
|           |           | 256QAM     | 20.74               | 6.77             | 13             | -6.23       |

**Table 7-30. Peak-Average Ratio Results – Ant2**

| Mode   | Bandwidth | Modulation   | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|--------|-----------|--------------|---------------------|------------------|----------------|-------------|
| NR-n70 | 15MHz     | $\pi/2$ BPSK | 24.72               | 3.76             | 13             | -9.24       |
|        |           | QPSK         | 22.03               | 6.61             | 13             | -6.39       |
|        |           | 256QAM       | 18.53               | 8.34             | 13             | -4.66       |
|        | 10MHz     | $\pi/2$ BPSK | 24.71               | 3.88             | 13             | -9.12       |
|        |           | QPSK         | 22.08               | 6.67             | 13             | -6.33       |
|        |           | 256QAM       | 18.57               | 8.66             | 13             | -4.34       |
|        | 5MHz      | $\pi/2$ BPSK | 24.64               | 3.75             | 13             | -9.25       |
|        |           | QPSK         | 22.19               | 6.63             | 13             | -6.37       |
|        |           | 256QAM       | 18.60               | 8.49             | 13             | -4.51       |
| NR-n66 | 45MHz     | $\pi/2$ BPSK | 25.00               | 4.02             | 13             | -8.98       |
|        |           | QPSK         | 22.41               | 6.81             | 13             | -6.19       |
|        |           | 256QAM       | 18.88               | 8.17             | 13             | -4.83       |
|        | 40MHz     | $\pi/2$ BPSK | 24.86               | 4.04             | 13             | -8.96       |
|        |           | QPSK         | 22.33               | 6.51             | 13             | -6.49       |
|        |           | 256QAM       | 18.77               | 8.27             | 13             | -4.73       |
|        | 35MHz     | $\pi/2$ BPSK | 24.86               | 3.83             | 13             | -9.17       |
|        |           | QPSK         | 22.26               | 6.57             | 13             | -6.43       |
|        |           | 256QAM       | 18.73               | 8.31             | 13             | -4.69       |
|        | 30MHz     | $\pi/2$ BPSK | 24.91               | 3.76             | 13             | -9.24       |
|        |           | QPSK         | 22.26               | 6.51             | 13             | -6.49       |
|        |           | 256QAM       | 18.80               | 8.28             | 13             | -4.72       |
|        | 25MHz     | $\pi/2$ BPSK | 24.82               | 4.05             | 13             | -8.95       |
|        |           | QPSK         | 22.27               | 6.62             | 13             | -6.38       |
|        |           | 256QAM       | 18.70               | 8.56             | 13             | -4.44       |
|        | 20MHz     | $\pi/2$ BPSK | 24.77               | 3.79             | 13             | -9.21       |
|        |           | QPSK         | 22.18               | 6.46             | 13             | -6.54       |
|        |           | 256QAM       | 18.67               | 8.44             | 13             | -4.56       |
|        | 15MHz     | $\pi/2$ BPSK | 24.75               | 3.74             | 13             | -9.26       |
|        |           | QPSK         | 22.12               | 6.50             | 13             | -6.50       |
|        |           | 256QAM       | 18.67               | 8.36             | 13             | -4.64       |
|        | 10MHz     | $\pi/2$ BPSK | 24.79               | 3.88             | 13             | -9.12       |
|        |           | QPSK         | 22.13               | 6.63             | 13             | -6.37       |
|        |           | 256QAM       | 18.60               | 8.54             | 13             | -4.46       |
|        | 5MHz      | $\pi/2$ BPSK | 24.75               | 3.81             | 13             | -9.19       |
|        |           | QPSK         | 22.30               | 6.58             | 13             | -6.42       |
|        |           | 256QAM       | 18.70               | 8.36             | 13             | -4.64       |


**Table 7-31. Peak-Average Ratio Results – Ant2**

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 228 of 318                   |

## LTE Band 66/4 – ANT2



Plot 7-324. PAR Plot (LTE Band 66/4 - 20MHz 256-QAM - Full RB - ANT2)




Plot 7-325. PAR Plot (LTE Band 66/4 - 15MHz 256-QAM - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                       | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 229 of 318                   |




Plot 7-326. PAR Plot (LTE Band 66/4 - 10MHz 256-QAM - Full RB - ANT2)



Plot 7-327. PAR Plot (LTE Band 66/4 - 5MHz 256-QAM - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 230 of 318                   |




Plot 7-328. PAR Plot (LTE Band 66/4 - 3MHz 256-QAM - Full RB - ANT2)




Plot 7-329. PAR Plot (LTE Band 66/4 - 1.4MHz 256-QAM - Full RB - ANT2)

|                                                   |                                                                                                                                                                                                                                                                                                      |                                             |                                      |                                          |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026 | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2-A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                             |                                      | Page 231 of 318                          |

## NR Band n70 – ANT2



Plot 7-330. PAR Plot (NR Band n70 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT2)



Plot 7-331. PAR Plot (NR Band n70 - 10.0MHz CP-OFDM 256-QAM - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 232 of 318                   |



Plot 7-332. PAR Plot (NR Band n70 - 5.0MHz CP-OFDM 256-QAM - Full RB - ANT2)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 233 of 318                          |

## NR Band n66 – ANT2



Plot 7-333. PAR Plot (NR Band n66 - 45.0MHz CP-OFDM 256-QAM - Full RB - ANT2)



Plot 7-334. PAR Plot (NR Band n66 - 40.0MHz CP-OFDM 256-QAM - Full RB - ANT2)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 234 of 318                   |




|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 235 of 318                          |



|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 236 of 318                          |



Plot 7-339. PAR Plot (NR Band n66 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT2)



Plot 7-340. PAR Plot (NR Band n66 - 10.0MHz CP-OFDM 256-QAM - Full RB - ANT2)

|                                                   |                                                                                     |                                                                                                                                                                                                                  |                                      |                                          |
|---------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026                                                                                                                                                                      | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      | Page 237 of 318                          |

|                                                   |                                                                                                                                                                                                                                                                                                      |                                             |                                      |                                          |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------|--------------------------------------|------------------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W            | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | <b>Test Dates:</b><br>2/24/2026 - 4/17/2026 | <b>EUT Type:</b><br>Portable Handset | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                             |                                      | Page 238 of 318                          |

| Mode    | Bandwidth | Modulation | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|---------|-----------|------------|---------------------|------------------|----------------|-------------|
| LTE-B71 | 20MHz     | QPSK       | 23.44               | 4.50             | 13             | -8.50       |
|         |           | 256QAM     | 19.30               | 6.58             | 13             | -6.42       |
|         | 15MHz     | QPSK       | 23.47               | 4.39             | 13             | -8.61       |
|         |           | 256QAM     | 19.47               | 6.65             | 13             | -6.35       |
|         | 10MHz     | QPSK       | 23.49               | 4.47             | 13             | -8.53       |
|         |           | 256QAM     | 19.49               | 6.68             | 13             | -6.32       |
| LTE-B12 | 10MHz     | QPSK       | 23.43               | 4.46             | 13             | -8.54       |
|         |           | 256QAM     | 19.45               | 6.72             | 13             | -6.28       |
|         | 5MHz      | QPSK       | 23.34               | 4.56             | 13             | -8.44       |
|         |           | 256QAM     | 19.37               | 6.65             | 13             | -6.35       |
|         | 3MHz      | QPSK       | 23.33               | 4.52             | 13             | -8.48       |
|         |           | 256QAM     | 19.34               | 6.71             | 13             | -6.29       |
| LTE-B13 | 10MHz     | QPSK       | 23.31               | 4.37             | 13             | -8.63       |
|         |           | 256QAM     | 19.35               | 6.77             | 13             | -6.23       |
|         | 5MHz      | QPSK       | 23.25               | 4.47             | 13             | -8.53       |
|         |           | 256QAM     | 19.30               | 6.73             | 13             | -6.27       |
|         | 1.4MHz    | QPSK       | 23.34               | 4.94             | 13             | -8.06       |
|         |           | 256QAM     | 19.43               | 6.76             | 13             | -6.24       |


**Table 7-32. Peak-Average Ratio Results – Ant1**

| Mode   | Bandwidth | Modulation   | Average Power [dBm] | PAR at 0.1% [dB] | PAR Limit [dB] | Margin [dB] |
|--------|-----------|--------------|---------------------|------------------|----------------|-------------|
| NR-n71 | 20MHz     | $\pi/2$ BPSK | 23.92               | 3.54             | 13             | -9.46       |
|        |           | QPSK         | 21.40               | 6.45             | 13             | -6.55       |
|        |           | 256QAM       | 17.81               | 8.54             | 13             | -4.46       |
|        | 15MHz     | $\pi/2$ BPSK | 23.88               | 3.47             | 13             | -9.53       |
|        |           | QPSK         | 21.31               | 6.51             | 13             | -6.49       |
|        |           | 256QAM       | 17.81               | 8.36             | 13             | -4.64       |
|        | 10MHz     | $\pi/2$ BPSK | 23.91               | 3.65             | 13             | -9.35       |
|        |           | QPSK         | 21.30               | 6.64             | 13             | -6.36       |
|        |           | 256QAM       | 17.75               | 8.56             | 13             | -4.44       |
|        | 5MHz      | $\pi/2$ BPSK | 23.93               | 3.88             | 13             | -9.12       |
|        |           | QPSK         | 21.40               | 6.65             | 13             | -6.35       |
|        |           | 256QAM       | 17.81               | 8.35             | 13             | -4.65       |
| NR-n12 | 15MHz     | $\pi/2$ BPSK | 23.63               | 4.03             | 13             | -8.97       |
|        |           | QPSK         | 21.13               | 6.64             | 13             | -6.36       |
|        |           | 256QAM       | 17.60               | 8.44             | 13             | -4.56       |
|        | 10MHz     | $\pi/2$ BPSK | 23.64               | 4.02             | 13             | -8.98       |
|        |           | QPSK         | 21.06               | 6.61             | 13             | -6.39       |
|        |           | 256QAM       | 17.53               | 8.53             | 13             | -4.47       |
|        | 5MHz      | $\pi/2$ BPSK | 23.65               | 3.81             | 13             | -9.19       |
|        |           | QPSK         | 21.15               | 6.65             | 13             | -6.35       |
|        |           | 256QAM       | 17.58               | 8.44             | 13             | -4.56       |


**Table 7-33. Peak-Average Ratio Results – Ant1**

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 239 of 318                   |

## LTE Band 71 – ANT1





Plot 7-342. PAR Plot (LTE Band 71 - 20MHz 256-QAM - Full RB - ANT1)




Plot 7-343. PAR Plot (LTE Band 71 - 15MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                                                                                                         |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                                                                                                       | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 240 of 318                   |




|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 241 of 318                   |

## LTE Band 12 – ANT1




Plot 7-346. PAR Plot (LTE Band 12 - 10MHz 256-QAM - Full RB - ANT1)




Plot 7-347. PAR Plot (LTE Band 12 - 5MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                   | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 242 of 318                   |




Plot 7-348. PAR Plot (LTE Band 12 - 3MHz 256-QAM - Full RB - ANT1)




Plot 7-349. PAR Plot (LTE Band 12 - 1.4MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                   | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 243 of 318                   |

## LTE Band 13 – ANT1



Plot 7-350. PAR Plot (LTE Band 13 - 10MHz 256-QAM - Full RB - ANT1)




Plot 7-351. PAR Plot (LTE Band 13 - 5MHz 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                     |                                      |                               |                                   |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | PART 27   RSS-130 & RSS-139<br>MEASUREMENT REPORT                                                                                                                                                                   | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 244 of 318                   |

## NR Band n71 – ANT1



Plot 7-352. PAR Plot (NR Band n71 - 20.0MHz CP-OFDM 256-QAM - Full RB - ANT1)




Plot 7-353. PAR Plot (NR Band n71 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                                                                                                                                                                                                                                      |                                      |                               |                                   |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                                                                                                                                                                                                                                        | Test Dates:<br>2/24/2026 - 4/17/2026 | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                                      |                               | Page 245 of 318                   |



Plot 7-354. PAR Plot (NR Band n71 - 10.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



Plot 7-355. PAR Plot (NR Band n71 - 5.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 246 of 318                   |

## NR Band n12 – ANT1




Plot 7-356. PAR Plot (NR Band n12 - 15.0MHz CP-OFDM 256-QAM - Full RB - ANT1)



Plot 7-357. PAR Plot (NR Band n12 - 10.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                     |                                                                                                                                                                                                                     |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                                | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit<br><a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 247 of 318                   |



Plot 7-358. PAR Plot (NR Band n12 - 5.0MHz CP-OFDM 256-QAM - Full RB - ANT1)

|                                            |                                                                                     |                                                                                                                                                                                                                  |                               |                                   |
|--------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------------------------|
| FCC ID: A3LSMF776U<br>IC: 649E-SMF776W     | <b>PART 27   RSS-130 &amp; RSS-139<br/>MEASUREMENT REPORT</b>                       | Test Dates:<br>2/24/2026 - 4/17/2026                                                                                                                                                                             | EUT Type:<br>Portable Handset | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2602190015-05-R2.A3L |  | This report is Blockchain Verified. To verify the report authenticity, please visit <a href="https://www.blockchain-verified.com">HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM</a> or by clicking on the Blockchain logo. |                               | Page 248 of 318                   |