






Plot 7-132. Occupied Bandwidth Plot (NR Band n41 PC2 – 15MHz $\pi/2$ BPSK – Full RB – Tx Hopping – Ant1)




Plot 7-133. Occupied Bandwidth Plot (NR Band n41 PC2 – 15MHz QPSK – Full RB – Tx Hopping – Ant1)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 103 of 247




Plot 7-134. Occupied Bandwidth Plot (NR Band n41 PC2 – 15MHz 16-QAM – Full RB – Tx Hopping – Ant1)




Plot 7-135. Occupied Bandwidth Plot (NR Band n41 PC2 – 10MHz $\pi/2$ BPSK – Full RB – Tx Hopping – Ant1)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 104 of 247



Plot 7-136. Occupied Bandwidth Plot (NR Band n41 PC2 – 10MHz QPSK – Full RB – Tx Hopping – Ant1)



Plot 7-137. Occupied Bandwidth Plot (NR Band n41 PC2 – 10MHz 16-QAM – Full RB – Tx Hopping – Ant1)


FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 105 of 247

Mode	Bandwidth	Modulation	OBW [MHz]
LTE-B30	10MHz	QPSK	9.00
		16QAM	9.04
	5MHz	QPSK	4.53
		16QAM	4.52
LTE-B7	20MHz	QPSK	18.01
		16QAM	18.00
	15MHz	QPSK	13.53
		16QAM	13.54
	10MHz	QPSK	9.02
		16QAM	9.01
	5MHz	QPSK	4.52
		16QAM	4.53
LTE-B41PC3-38	20MHz	QPSK	18.04
		16QAM	17.98
	15MHz	QPSK	13.57
		16QAM	13.53
	10MHz	QPSK	9.02
		16QAM	9.06
	5MHz	QPSK	4.51
		16QAM	4.54


Table 7-22. Occupied Bandwidth Test Results – LTE – Ant 2

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 106 of 247

LTE Band 30 – Ant2




Plot 7-138. Occupied Bandwidth Plot (LTE Band 30 - 10MHz QPSK - Full RB - Ant2 – Ant2)




Plot 7-139. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 107 of 247





Plot 7-140. Occupied Bandwidth Plot (LTE Band 30 - 5MHz QPSK - Full RB - Ant2)





Plot 7-141. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 108 of 247



LTE Band 41(PC3)/38 – Ant2




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 109 of 247




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 110 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 111 of 247





Plot 7-148. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz QPSK - Full RB - Ant2)





Plot 7-149. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 112 of 247


LTE Band 7 – Ant2




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 113 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 115 of 247



Plot 7-156. Occupied Bandwidth Plot (LTE Band 7 - 5MHz QPSK - Full RB - Ant2)



Plot 7-157. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 16-QAM - Full RB - Ant2)



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 116 of 247

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n30	10MHz	$\pi/2$ BPSK	9.01
		QPSK	9.34
		16QAM	9.35
	5MHz	$\pi/2$ BPSK	4.52
		QPSK	4.53
		16QAM	4.52
NR-n7	50MHz	$\pi/2$ BPSK	48.45
		QPSK	48.42
		16QAM	48.46
	40MHz	$\pi/2$ BPSK	38.69
		QPSK	38.76
		16QAM	38.80
	35MHz	$\pi/2$ BPSK	32.22
		QPSK	33.68
		16QAM	33.62
	30MHz	$\pi/2$ BPSK	28.66
		QPSK	28.68
		16QAM	28.70
	25MHz	$\pi/2$ BPSK	23.01
		QPSK	23.94
		16QAM	23.86
	20MHz	$\pi/2$ BPSK	17.98
		QPSK	18.99
		16QAM	19.06
	15MHz	$\pi/2$ BPSK	13.49
		QPSK	14.20
		16QAM	14.18
	10MHz	$\pi/2$ BPSK	9.01
		QPSK	9.36
		16QAM	9.34
	5MHz	$\pi/2$ BPSK	4.52
		QPSK	4.53
		16QAM	4.52



Table 7-23. Occupied Bandwidth Test Results – NR – Ant 2

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 117 of 247


NR Band n30 – Ant2




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 118 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 119 of 247





Plot 7-162. Occupied Bandwidth Plot (NR Band n30 - 5MHz QPSK - Full RB - Ant2)




Plot 7-163. Occupied Bandwidth Plot (NR Band n30 - 5MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 120 of 247


NR Band n7 – Ant2



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 121 of 247





Plot 7-166. Occupied Bandwidth Plot (NR Band n7 - 50MHz 16-QAM - Full RB - Ant2)





Plot 7-167. Occupied Bandwidth Plot (NR Band n7 - 40MHz $\pi/2$ BPSK - Full RB - Ant2)


FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 122 of 247




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 123 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 124 of 247





Plot 7-172. Occupied Bandwidth Plot (NR Band n7 - 35MHz 16-QAM - Full RB - Ant2)




Plot 7-173. Occupied Bandwidth Plot (NR Band n7 - 30MHz $\pi/2$ BPSK - Full RB - Ant2)


FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 125 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 126 of 247





Plot 7-176. Occupied Bandwidth Plot (NR Band n7 - 25MHz $\pi/2$ BPSK - Full RB - Ant2)





Plot 7-177. Occupied Bandwidth Plot (NR Band n7 - 25MHz QPSK - Full RB - Ant2)



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 127 of 247





FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 128 of 247




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 129 of 247




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L	 This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.			Page 130 of 247



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 131 of 247





Plot 7-186. Occupied Bandwidth Plot (NR Band n7 - 10MHz QPSK - Full RB - Ant2)




Plot 7-187. Occupied Bandwidth Plot (NR Band n7 - 10MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 132 of 247



Plot 7-189. Occupied Bandwidth Plot (NR Band n7 - 5MHz QPSK - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 133 of 247



Plot 7-190. Occupied Bandwidth Plot (NR Band n7 - 5MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 134 of 247

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is $70 + 10 \log_{10}(P_{\text{Watts}})$.

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is $55 + 10 \log_{10}(P_{\text{Watts}})$.

Test Procedure Used

ANSI C63.26:2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup

Test Notes

1. Per Part 27, RSS-195 and RSS-199, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.
3. Only the highest target power SRS-1 antenna for n41 default (Antenna B) and n41 Tx Hopping (Antenna H) are reported for the overall n41 SRS worst case.



FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1-A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 135 of 247

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B30	10MHz	Mid	30.0 - 2288.0	-51.39	-40	-11.39
		Mid	2570.0 - 15000.0	-44.32	-40	-4.32
		Mid	15000.0 - 27000.0	-58.02	-40	-18.02
LTE-B7	20MHz	Low	30.0 - 2500.0	-50.93	-25	-25.93
		Low	2570.0 - 15000.0	-37.14	-25	-12.14
		Low	15000.0 - 27000.0	-53.82	-25	-28.82
		Mid	30.0 - 2500.0	-50.76	-25	-25.76
		Mid	2570.0 - 15000.0	-36.45	-25	-11.45
		Mid	15000.0 - 27000.0	-53.18	-25	-28.17
		High	30.0 - 2500.0	-50.91	-25	-25.91
		High	2570.0 - 15000.0	-34.28	-25	-9.27
		High	15000.0 - 27000.0	-54.54	-25	-29.54
LTE-B41PC3-38	20MHz	Low	30.0 - 2475.0	-38.02	-25	-13.02
		Low	2690.0 - 15000.0	-37.29	-25	-12.29
		Low	15000.0 - 27000.0	-48.94	-25	-23.94
		Mid	30.0 - 2500.0	-41.89	-25	-16.89
		Mid	2690.0 - 15000.0	-37.44	-25	-12.44
		Mid	15000.0 - 27000.0	-50.26	-25	-25.26
		High	30.0 - 2500.0	-42.50	-25	-17.49
		High	2690.0 - 15000.0	-36.48	-25	-11.48
		High	15000.0 - 27000.0	-51.20	-25	-26.20


Table 7-24. Conducted Emission Test Results – LTE – Ant 1

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 136 of 247

LTE Band 30 – Ant1




FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 137 of 247




Plot 7-193. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0 - Ant1)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 138 of 247

LTE Band 41(PC3)/38– Ant1




Plot 7-194. Conducted Spurious Plot (LTE Band 41(PC3)/38- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)



Plot 7-195. Conducted Spurious Plot (LTE Band 41(PC3)/38- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)


FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 139 of 247




Plot 7-196. Conducted Spurious Plot (LTE Band 41(PC3)/38- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 140 of 247

LTE Band 7 – Ant1



Plot 7-197. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)



Plot 7-198. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)

FCC ID: A3LSMF776U	PART 27 MEASUREMENT REPORT	Test Dates: 2/24/2026 - 4/23/2026	EUT Type: Portable Handset	Approved by: Technical Manager
Test Report S/N: 1M2602190015-06-R1.A3L		This report is Blockchain Verified. To verify the report authenticity, please visit HTTPS://WWW.BLOCKCHAIN-VERIFIED.COM or by clicking on the Blockchain logo.		Page 141 of 247