







Plot 7-63. Occupied Bandwidth Plot (NR Band n41 PC2 – 60MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)




Plot 7-64. Occupied Bandwidth Plot (NR Band n41 PC2 – 60MHz QPSK – Full RB – Switch – Ant1)


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 54 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 55 of 163




Plot 7-67. Occupied Bandwidth Plot (NR Band n41 PC2 – 50MHz QPSK – Full RB – Switch – Ant1)




Plot 7-68. Occupied Bandwidth Plot (NR Band n41 PC2 – 50MHz 16-QAM – Full RB – Switch – Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 56 of 163




Plot 7-69. Occupied Bandwidth Plot (NR Band n41 PC2 – 45MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)




Plot 7-70. Occupied Bandwidth Plot (NR Band n41 PC2 – 45MHz QPSK – Full RB – Switch – Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 57 of 163




Plot 7-71. Occupied Bandwidth Plot (NR Band n41 PC2 – 45MHz 16-QAM – Full RB – Switch – Ant1)




Plot 7-72. Occupied Bandwidth Plot (NR Band n41 PC2 – 40MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 58 of 163





Plot 7-73. Occupied Bandwidth Plot (NR Band n41 PC2 – 40MHz QPSK – Full RB – Switch – Ant1)





Plot 7-74. Occupied Bandwidth Plot (NR Band n41 PC2 – 40MHz 16-QAM – Full RB – Switch – Ant1)



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 59 of 163




FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 60 of 163




FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 61 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 62 of 163




Plot 7-81. Occupied Bandwidth Plot (NR Band n41 PC2 – 25MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)




Plot 7-82. Occupied Bandwidth Plot (NR Band n41 PC2 – 25MHz QPSK – Full RB – Switch – Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 63 of 163





Plot 7-83. Occupied Bandwidth Plot (NR Band n41 PC2 – 25MHz 16-QAM – Full RB – Switch – Ant1)




Plot 7-84. Occupied Bandwidth Plot (NR Band n41 PC2 – 20MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 64 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 65 of 163




Plot 7-87. Occupied Bandwidth Plot (NR Band n41 PC2 – 15MHz $\pi/2$ BPSK – Full RB – Switch – Ant1)



Plot 7-88. Occupied Bandwidth Plot (NR Band n41 PC2 – 15MHz QPSK – Full RB – Switch – Ant1)


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 66 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 67 of 163



Plot 7-91. Occupied Bandwidth Plot (NR Band n41 PC2 – 10MHz QPSK – Full RB – Switch – Ant1)



Plot 7-92. Occupied Bandwidth Plot (NR Band n41 PC2 – 10MHz 16-QAM – Full RB – Switch – Ant1)



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 68 of 163

Mode	Bandwidth	Modulation	OBW [MHz]
LTE-B41PC3	20MHz	QPSK	18.07
		16QAM	18.05
	15MHz	QPSK	13.52
		16QAM	13.55
	10MHz	QPSK	9.03
		16QAM	9.04
	5MHz	QPSK	4.53
		16QAM	4.53


Table 7-8. Occupied Bandwidth Test Results – LTE – Ant 2

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 69 of 163


LTE Band 41(PC3) – Ant2



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 70 of 163




Plot 7-95. Occupied Bandwidth Plot (LTE Band 41(PC3) - 15MHz QPSK - Full RB - Ant2)




Plot 7-96. Occupied Bandwidth Plot (LTE Band 41(PC3) - 15MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 71 of 163





Plot 7-97. Occupied Bandwidth Plot (LTE Band 41(PC3) - 10MHz QPSK - Full RB - Ant2)



Plot 7-98. Occupied Bandwidth Plot (LTE Band 41(PC3) - 10MHz 16-QAM - Full RB - Ant2)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 72 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 73 of 163

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

For Band 30, the minimum permissible attenuation level of any spurious emission <2288MHz and >2365MHz is $70 + 10 \log_{10}(P_{[Watts]})$.

For Band 7 and 41, the minimum permissible attenuation level of any spurious emission is $55 + 10 \log_{10}(P_{[Watts]})$.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 74 of 163

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B41PC3	20MHz	Low	30.0 - 2475.0	-37.55	-25.0	-12.55
		Low	2690.0 - 15000.0	-32.02	-25.0	-7.02
		Low	15000.0 - 27000.0	-45.22	-25	-20.22
		Mid	30.0 - 2500.0	-38.22	-25	-13.22
		Mid	2690.0 - 15000.0	-32.58	-25	-7.58
		Mid	15000.0 - 27000.0	-45.11	-25	-20.10
		High	30.0 - 2500.0	-38.15	-25	-13.15
		High	2690.0 - 15000.0	-32.44	-25	-7.44
		High	15000.0 - 27000.0	-46.08	-25	-21.08


Table 7-9. Conducted Emission Test Results – LTE – Ant 1

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 75 of 163

LTE Band 41(PC3)– Ant1




Plot 7-101. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant1)




Plot 7-102. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 76 of 163




Plot 7-103. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant1)




Plot 7-104. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel - Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 77 of 163




Plot 7-105. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel - Ant1)




Plot 7-106. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel - Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 78 of 163




Plot 7-107. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)



Plot 7-108. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 79 of 163



Plot 7-109. Conducted Spurious Plot (LTE Band 41(PC3)- 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel - Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 80 of 163

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-37.92	-25.0	-12.92
		Low	2690.0 - 15000.0	-39.10	-25.0	-14.10
		Low	15000.0 - 27000.0	-45.73	-25	-20.73
		Mid	30.0 - 2470.0	-37.81	-25	-12.81
		Mid	2690.0 - 15000.0	-40.87	-25	-15.87
		Mid	15000.0 - 27000.0	-45.63	-25	-20.63
		High	30.0 - 2470.0	-37.27	-25	-12.27
		High	2690.0 - 15000.0	-40.90	-25	-15.90
		High	15000.0 - 27000.0	-44.87	-25	-19.87


Table 7-10. Conducted Emission Test Results – n41 default – Ant 1

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.23	-25.0	-13.23
		Low	2690.0 - 15000.0	-33.03	-25.0	-8.03
		Low	15000.0 - 27000.0	-47.26	-25	-22.26
		Mid	30.0 - 2470.0	-38.16	-25	-13.16
		Mid	2690.0 - 15000.0	-32.93	-25	-7.93
		Mid	15000.0 - 27000.0	-46.42	-25	-21.42
		High	30.0 - 2470.0	-36.41	-25	-11.41
		High	2690.0 - 15000.0	-33.95	-25	-8.95
		High	15000.0 - 27000.0	-46.33	-25	-21.33


Table 7-11. Conducted Emission Test Results – n41 switch – Ant 1

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 81 of 163

NR Band n41 – Main – Ant1




Plot 7-110. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)




Plot 7-111. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 82 of 163





Plot 7-112. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)




Plot 7-113. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant1)


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 83 of 163



FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 84 of 163




Plot 7-116. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant1)



Plot 7-117. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant1)


FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 85 of 163




Plot 7-118. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 86 of 163

NR Band n41 – Switch – Ant1




Plot 7-119. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)




Plot 7-120. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 87 of 163




Plot 7-121. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant1)




Plot 7-122. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 88 of 163




Plot 7-123. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant1)




Plot 7-124. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 89 of 163



Plot 7-125. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant1)



Plot 7-126. Conducted Spurious Plot (NR Band n41PC2 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant1)

FCC ID: A3LSMF966JPN	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2504070040-11-R1.A3L	Test Dates: 2/24/2025 - 4/30/2025	EUT Type: Portable Handset	Page 90 of 163