

PART 25 SCS TEST REPORT

Report Number. : S-4792147635-E14V2

Applicant : SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 16677, KOREA

Model : SC-57G, SCG41

FCC ID : A3LSMF971JPN

EUT Description : GSM/WCDMA/LTE/5G NR Phone + BT/BLE,
DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB

Test Standard(s) : FCC 47 CFR PART 25

Date Of Issue:
2026-05-29

Prepared by:
UL KOREA LTD.
26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL KOREA LTD. Suwon Laboratory
218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16675, Korea
TEL: (031) 337-9902
FAX: (031) 213-5433

Revision History

Rev.	Issue Date	Revisions	Presented by
V1	2026-05-18	Initial issue	Yeonghwan Hong
V2	2026-05-29	Updated to address TCB's question	Yeonghwan Hong

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	4
2. TEST METHODOLOGY	5
3. FACILITIES AND ACCREDITATION	5
4. EQUIPMENT UNDER TEST	5
4.1. DESCRIPTION OF EUT.....	5
4.2. SUPPLEMENTAL COVERAGE FROM SPACE(SCS).....	6

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.

EUT DESCRIPTION: GSM/WCDMA/LTE/5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB

MODEL NUMBER: SC-57G, SCG41

DATE TESTED: 2026-03-31 – 2026-05-18

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART § 25.109 (f), § 25.204 (g)	Complies

UL KOREA LTD. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL KOREA LTD. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and Modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL KOREA LTD. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL KOREA LTD. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL KOREA LTD. By:



Seokhwan Hong
Suwon Lab Engineer
UL KOREA LTD.

Tested By:



Yeonghwan Hong
Suwon Lab Engineer
UL KOREA LTD.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

1. FCC 47 CFR Part 2, Part 22H, Part 24E, Part27, and Part 90R
2. FCC KDB 273109 D02 Part 25 SCS and CMRS-Bands v01r01
3. ANSI C63.26: 2015

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro	
☒	Chamber 1(3m semi-anechoic chamber)
☒	Chamber 2(3m semi-anechoic chamber)
☐	Chamber 3(3m semi-anechoic chamber)
☒	Chamber 4(3m Full-anechoic chamber)
☐	Chamber 5(3m Full-anechoic chamber)

UL KOREA LTD. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at <https://www.iasonline.org/wp-content/uploads/2017/05/TL-637-cert-New.pdf>.

4. EQUIPMENT UNDER TEST

4.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE/5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB. This test report addresses the WWAN Operational mode.

Representative model	Comparison Criteria	Derivative model
		SCG41
SC-57G	Hardware	Identical
	Software	UI modified according to Service Provider specifications

The SC-57G model was used as the representative model for final testing. All test results in this report apply to both the representative model and its derivative variants.

4.2. SUPPLEMENTAL COVERAGE FROM SPACE(SCS)

Under section § 25.109 (f) of the FCC rules Space and SCS earth stations providing SCS are subject to technical rules in parts 2, 22, 24, and 27 of this chapter based on the operating frequency band. Section § 25.204 (g) specifies that earth stations providing SCS pursuant to §§ 25.125 and 25.115 shall comply with the power requirements and out-of-band emission limits corresponding to devices operating in parts 22, 24, or 27 of this chapter (e.g., §§ 22.913, 24.232, 27.50), as required for their operating frequencies. We have clarified through KDB inquiry that the technical requirements from Part 90R should be applied for SCS operations in the 700 MHz Public Safety Band.

The table below identifies the SCS frequencies available for use and, for each band, the applicable FCC Part 22, 24, 27, and 90R technical requirements, the air interfaces supported by the device for SCS use and, in the final column, the reference to the test report containing the relevant test data showing compliance with the technical requirements.

The bands available for SCS and the bands supported by the devices in the scope of this report are:

Frequency			Part 22/24/27/ 90 Rule parts	3GPP Band	Supported	Reference to test report showing compliance with § 25.204 (g) for power requirements and out-ofband emission limits
Band	DL (MHz)	UL (MHz)				
600 MHz:	614-652	663-698	27.5 (l)	B71 n71	No	-
			27.50 (c)			
			27.53 (g)			
700 MHz:	729-746	699-716	27.5 (c)	B12	No	-
			27.50 (c)			
			27.53 (g)			
	746-756	777-787	27.5 (b)	B13	No	-
			27.50 (b)			
			27.53 (f)			
	758-769	788-799	90R	n14 B14	No	-
	805-806				No	-
800 MHz:	869-894	824-849	22H	WCDMA5 B5/n5	No	-
Broad band PCS:	1930- 1995	1850- 1915	24E	B25	Yes	S-4792147575-E3

END OF REPORT