NR Band n41 (PC2) (ANT F)

100 MHz QPSK FRB DFT-s_OFDM	 Low channel
	 Mid channel
	 High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

100 MHz

16QAM

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-24.42	(-11.42)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-32.98	(-19.98)	-1.923 M	---	(---)	---
5.500 MHz	200.0 MHz	1.000 MHz	-33.32	(-8.32)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-33.79	(-23.79)	40.00 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-33.75	(-23.75)	3.020 M
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-33.89	(-20.89)	8.800 M
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	-37.08	(-12.08)	101.5 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-22.36	(-12.36)	-5.000 k	-32.04	(-22.04)	400.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-32.97	(-22.97)	-1.180 M	-32.59	(-22.59)	4.320 M
5.000 MHz	100.0 MHz	1.000 MHz	-33.13	(-20.13)	-10.23 M	-31.25	(-18.25)	17.83 M
100.0 MHz	200.0 MHz	1.000 MHz	-38.34	(-13.34)	-101.0 M	-37.78	(-12.78)	103.5 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	Peak dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-22.21	(-12.21)	0.0	-32.10	(-22.10)	70.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-30.19	(-20.19)	-1.020 M	-32.45	(-22.45)	2.220 M
5.000 MHz	100.0 MHz	1.000 MHz	-30.35	(-17.35)	-33.03 M	-32.46	(-19.46)	7.375 M
100.0 MHz	200.0 MHz	1.000 MHz	-37.04	(-12.04)	-100.5 M	-38.01	(-13.01)	109.0 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

90 MHz

QPSK

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-23.80	(-10.80)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-31.06	(-18.06)	-1.090 M	---	(---)	---
5.500 MHz	150.0 MHz	1.000 MHz	-29.90	(-4.90)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-30.71	(-20.71)	30.00 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-31.79	(-21.79)	3.880 M
5.000 MHz	90.00 MHz	1.000 MHz	---	(---)	---	-31.64	(-18.64)	12.23 M
90.00 MHz	150.0 MHz	1.000 MHz	---	(---)	---	-35.75	(-10.75)	91.80 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-23.26	(-13.26)	0.0	-29.85	(-19.85)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	-29.21	(-19.21)	-3.040 M	-29.64	(-19.64)	2.660 M
5.000 MHz	90.00 MHz	1.000 MHz	-31.28	(-18.28)	-5.425 M	-30.53	(-17.53)	12.65 M
90.00 MHz	200.0 MHz	1.000 MHz	-38.24	(-13.24)	-92.50 M	-36.99	(-11.99)	92.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-20.42	(-10.42)	-5.000 k	-26.95	(-16.95)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	-25.67	(-15.67)	-5.000 M	-28.09	(-18.09)	4.860 M
5.000 MHz	90.00 MHz	1.000 MHz	-24.51	(-11.51)	-16.48 M	-27.91	(-14.91)	5.000 M
90.00 MHz	200.0 MHz	1.000 MHz	-34.98	(-9.98)	-90.00 M	-38.04	(-13.04)	91.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

90 MHz

16QAM

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-25.36	(-12.36)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-33.83	(-20.83)	-1.068 M	---	(---)	---
5.500 MHz	150.0 MHz	1.000 MHz	-33.87	(-8.87)	-7.000 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-32.95	(-22.95)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-33.24	(-23.24)	3.720 M
5.000 MHz	90.00 MHz	1.000 MHz	---	(---)	---	-31.78	(-18.78)	12.23 M
90.00 MHz	150.0 MHz	1.000 MHz	---	(---)	---	-36.55	(-11.55)	92.10 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-24.48	(-14.48)	-5.000 k	-32.13	(-22.13)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	-31.61	(-21.61)	-3.020 M	-29.92	(-19.92)	3.840 M
5.000 MHz	90.00 MHz	1.000 MHz	-32.42	(-19.42)	-5.000 M	-31.82	(-18.82)	21.58 M
90.00 MHz	200.0 MHz	1.000 MHz	-38.24	(-13.24)	-93.00 M	-37.62	(-12.62)	91.50 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-22.62	(-12.62)	0.0	-30.51	(-20.51)	25.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-29.21	(-19.21)	-1.040 M	-31.41	(-21.41)	1.200 M
5.000 MHz	90.00 MHz	1.000 MHz	-28.63	(-15.63)	-9.250 M	-31.40	(-18.40)	5.000 M
90.00 MHz	200.0 MHz	1.000 MHz	-36.46	(-11.46)	-90.00 M	-38.05	(-13.05)	92.50 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

80 MHz

QPSK

FRB

DFT-s_OFDM



Low channel



Mid channel



High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

80 MHz

16QAM

FRB

DFT-s_OFDM

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-27.01	(-14.01)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-33.27	(-20.27)	-2.778 M	---	(---)	---
5.500 MHz	150.0 MHz	1.000 MHz	-34.08	(-9.08)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-30.99	(-20.99)	10.00 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-33.40	(-23.40)	1.120 M
5.000 MHz	80.00 MHz	1.000 MHz	---	(---)	---	-33.62	(-20.62)	10.25 M
80.00 MHz	150.0 MHz	1.000 MHz	---	(---)	---	-36.66	(-11.66)	80.00 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-25.90	(-15.90)	0.0	-30.25	(-20.25)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	-32.40	(-22.40)	-2.220 M	-32.44	(-22.44)	1.060 M
5.000 MHz	80.00 MHz	1.000 MHz	-33.86	(-20.86)	-5.000 M	-33.13	(-20.13)	5.750 M
80.00 MHz	150.0 MHz	1.000 MHz	-38.02	(-13.02)	-82.10 M	-37.52	(-12.52)	80.35 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-23.62	(-13.62)	-5.000 k	-29.16	(-19.16)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	-27.71	(-17.71)	-2.620 M	-30.64	(-20.64)	1.400 M
5.000 MHz	80.00 MHz	1.000 MHz	-28.85	(-15.85)	-5.375 M	-31.15	(-18.15)	5.375 M
80.00 MHz	150.0 MHz	1.000 MHz	-36.26	(-11.26)	-80.00 M	-38.09	(-13.09)	89.10 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

70 MHz

QPSK

FRB

DFT-s_OFDM



Low channel



Mid channel



High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

70 MHz

16QAM

FRB

DFT-s_OFDM



Low channel



Mid channel



High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

60 MHz

QPSK

FRB

DFT-s_OFDM



Low channel



Mid channel



High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

60 MHz

16QAM

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-20.90	(-7.90)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-31.66	(-18.66)	-2.305 M	---	(---)	---
5.500 MHz	150.0 MHz	1.000 MHz	-32.13	(-7.13)	-6.000 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-20.59	(-10.59)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-29.83	(-19.83)	2.260 M
5.000 MHz	60.00 MHz	1.000 MHz	---	(---)	---	-30.34	(-17.34)	9.950 M
60.00 MHz	150.0 MHz	1.000 MHz	---	(---)	---	-34.72	(-9.72)	60.00 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-21.17	(-11.17)	0.0	-21.24	(-11.24)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	-33.70	(-23.70)	-2.280 M	-31.76	(-21.76)	2.380 M
5.000 MHz	60.00 MHz	1.000 MHz	-33.04	(-20.04)	-6.925 M	-31.60	(-18.60)	10.23 M
60.00 MHz	150.0 MHz	1.000 MHz	-36.32	(-11.32)	-60.45 M	-36.27	(-11.27)	60.45 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-18.54	(-8.54)	0.0	-21.98	(-11.98)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	-26.34	(-16.34)	-2.220 M	-28.31	(-18.31)	1.980 M
5.000 MHz	60.00 MHz	1.000 MHz	-28.26	(-15.26)	-5.825 M	-28.32	(-15.32)	10.23 M
60.00 MHz	150.0 MHz	1.000 MHz	-34.87	(-9.87)	-60.90 M	-37.77	(-12.77)	60.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

50 MHz

QPSK

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-25.99	(-12.99)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-31.42	(-18.42)	-1.855 M	---	(---)	---
5.500 MHz	100.0 MHz	1.000 MHz	-32.59	(-7.59)	-5.973 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-30.11	(-20.11)	470.0 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-30.40	(-20.40)	1.040 M
5.000 MHz	50.00 MHz	1.000 MHz	---	(---)	---	-30.91	(-17.91)	5.225 M
50.00 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-35.08	(-10.08)	50.00 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-26.73	(-16.73)	0.0	-30.76	(-20.76)	90.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-32.61	(-22.61)	-4.960 M	-31.35	(-21.35)	1.020 M
5.000 MHz	50.00 MHz	1.000 MHz	-31.94	(-18.94)	-5.450 M	-31.38	(-18.38)	5.225 M
50.00 MHz	100.0 MHz	1.000 MHz	-36.96	(-11.96)	-50.75 M	-36.47	(-11.47)	50.50 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-25.00	(-15.00)	0.0	-28.96	(-18.96)	525.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-29.01	(-19.01)	-4.980 M	-28.88	(-18.88)	1.080 M
5.000 MHz	50.00 MHz	1.000 MHz	-28.99	(-15.99)	-5.000 M	-30.07	(-17.07)	5.000 M
50.00 MHz	100.0 MHz	1.000 MHz	-35.19	(-10.19)	-50.00 M	-37.40	(-12.40)	50.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

50 MHz

16QAM

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-28.42	(-15.42)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-33.64	(-20.64)	-2.328 M	---	(---)	---
5.500 MHz	100.0 MHz	1.000 MHz	-34.06	(-9.06)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	1.000 MHz	---	(---)	---	-31.57	(-21.57)	725.0 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-31.96	(-21.96)	1.000 M
5.000 MHz	50.00 MHz	1.000 MHz	---	(---)	---	-32.69	(-19.69)	5.000 M
50.00 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-36.61	(-11.61)	50.00 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-28.51	(-18.51)	0.0	-31.80	(-21.80)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	-33.71	(-23.71)	-2.640 M	-31.88	(-21.88)	1.060 M
5.000 MHz	50.00 MHz	1.000 MHz	-33.38	(-20.38)	-20.75 M	-32.29	(-19.29)	8.825 M
50.00 MHz	100.0 MHz	1.000 MHz	-37.47	(-12.47)	-50.50 M	-37.30	(-12.30)	50.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	1.000 MHz	-26.47	(-16.47)	-5.000 k	-30.06	(-20.06)	40.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-30.45	(-20.45)	-3.400 M	-30.85	(-20.85)	1.000 M
5.000 MHz	50.00 MHz	1.000 MHz	-30.42	(-17.42)	-5.225 M	-31.56	(-18.56)	5.000 M
50.00 MHz	100.0 MHz	1.000 MHz	-36.33	(-11.33)	-50.25 M	-37.76	(-12.76)	50.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

45 MHz

QPSK

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-24.63	(-11.63)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-29.93	(-16.93)	-1.023 M	---	(---)	---
5.500 MHz	100.0 MHz	1.000 MHz	-30.08	(-5.08)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	910.0 kHz	---	(---)	---	-28.51	(-18.51)	1.000 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-26.60	(-16.60)	1.600 M
5.000 MHz	45.00 MHz	1.000 MHz	---	(---)	---	-28.16	(-15.16)	7.600 M
45.00 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-35.08	(-10.08)	46.10 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-26.57	(-16.57)	0.0	-30.18	(-20.18)	635.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-32.56	(-22.56)	-2.880 M	-30.26	(-20.26)	1.060 M
5.000 MHz	45.00 MHz	1.000 MHz	-32.53	(-19.53)	-6.600 M	-30.57	(-17.57)	5.200 M
45.00 MHz	100.0 MHz	1.000 MHz	-36.57	(-11.57)	-48.03 M	-36.44	(-11.44)	46.10 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-23.61	(-13.61)	0.0	-28.22	(-18.22)	950.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-27.08	(-17.08)	-1.080 M	-27.79	(-17.79)	1.640 M
5.000 MHz	45.00 MHz	1.000 MHz	-28.75	(-15.75)	-5.800 M	-28.70	(-15.70)	7.400 M
45.00 MHz	100.0 MHz	1.000 MHz	-34.53	(-9.53)	-45.00 M	-37.26	(-12.26)	46.38 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

45 MHz

16QAM

FRB

DFT-s_OFDM

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-26.36	(-13.36)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-32.67	(-19.67)	-1.023 M	---	(---)	---
5.500 MHz	100.0 MHz	1.000 MHz	-33.52	(-8.52)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	910.0 kHz	---	(---)	---	-31.22	(-21.22)	100.0 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-31.31	(-21.31)	1.000 M
5.000 MHz	45.00 MHz	1.000 MHz	---	(---)	---	-32.15	(-19.15)	5.000 M
45.00 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-36.42	(-11.42)	46.10 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-26.24	(-16.24)	0.0	-30.90	(-20.90)	920.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-33.00	(-23.00)	-4.700 M	-31.08	(-21.08)	1.040 M
5.000 MHz	45.00 MHz	1.000 MHz	-32.91	(-19.91)	-6.400 M	-31.38	(-18.38)	5.000 M
45.00 MHz	100.0 MHz	1.000 MHz	-37.09	(-12.09)	-48.03 M	-37.20	(-12.20)	46.10 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	910.0 kHz	-25.82	(-15.82)	-5.000 k	-30.05	(-20.05)	730.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-28.95	(-18.95)	-3.020 M	-30.62	(-20.62)	1.080 M
5.000 MHz	45.00 MHz	1.000 MHz	-31.55	(-18.55)	-5.000 M	-31.08	(-18.08)	5.000 M
45.00 MHz	100.0 MHz	1.000 MHz	-36.03	(-11.03)	-45.28 M	-37.66	(-12.66)	46.10 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

40 MHz

QPSK

FRB

DFT-s_OFDM



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-25.94	(-12.94)	-5.000 k	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-30.12	(-17.12)	-1.023 M	---	(---)	---
5.500 MHz	100.0 MHz	1.000 MHz	-31.16	(-6.16)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	820.0 kHz	---	(---)	---	-29.01	(-19.01)	490.0 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-28.03	(-18.03)	1.080 M
5.000 MHz	40.00 MHz	1.000 MHz	---	(---)	---	-29.38	(-16.38)	5.000 M
40.00 MHz	100.0 MHz	1.000 MHz	---	(---)	---	-35.04	(-10.04)	40.30 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-25.91	(-15.91)	0.0	-30.11	(-20.11)	325.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-32.42	(-22.42)	-1.020 M	-29.57	(-19.57)	1.040 M
5.000 MHz	40.00 MHz	1.000 MHz	-33.70	(-20.70)	-5.175 M	-31.61	(-18.61)	5.175 M
40.00 MHz	100.0 MHz	1.000 MHz	-36.47	(-11.47)	-42.40 M	-36.54	(-11.54)	40.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	820.0 kHz	-25.46	(-15.46)	-15.00 k	-26.88	(-16.88)	180.0 k
1.000 MHz	5.000 MHz	1.000 MHz	-27.72	(-17.72)	-1.020 M	-26.91	(-16.91)	1.000 M
5.000 MHz	40.00 MHz	1.000 MHz	-29.83	(-16.83)	-6.750 M	-29.13	(-16.13)	5.175 M
40.00 MHz	100.0 MHz	1.000 MHz	-34.54	(-9.54)	-42.40 M	-36.32	(-11.32)	40.00 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

40 MHz

16QAM

FRB

DFT-s_OFDM

Low channel



Mid channel



High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

35 MHz

QPSK

FRB

DFT-s_OFDM

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-25.26	(-12.26)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-30.33	(-17.33)	-1.000 M	---	(---)	---
5.500 MHz	70.00 MHz	1.000 MHz	-31.96	(-6.96)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	750.0 kHz	---	(---)	---	-28.71	(-18.71)	20.00 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-28.96	(-18.96)	4.900 M
5.000 MHz	35.00 MHz	1.000 MHz	---	(---)	---	-29.58	(-16.58)	5.450 M
35.00 MHz	70.00 MHz	1.000 MHz	---	(---)	---	-34.52	(-9.52)	35.18 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-26.28	(-16.28)	-5.000 k	-30.90	(-20.90)	10.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-32.26	(-22.26)	-3.020 M	-29.05	(-19.05)	2.420 M
5.000 MHz	35.00 MHz	1.000 MHz	-33.49	(-20.49)	-5.150 M	-30.04	(-17.04)	5.000 M
35.00 MHz	70.00 MHz	1.000 MHz	-36.61	(-11.61)	-39.73 M	-36.35	(-11.35)	36.05 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-24.67	(-14.67)	0.0	-27.78	(-17.78)	5.000 k
1.000 MHz	5.000 MHz	1.000 MHz	-28.49	(-18.49)	-1.020 M	-27.91	(-17.91)	2.600 M
5.000 MHz	35.00 MHz	1.000 MHz	-29.77	(-16.77)	-5.000 M	-28.07	(-15.07)	5.600 M
35.00 MHz	70.00 MHz	1.000 MHz	-33.56	(-8.56)	-35.00 M	-35.51	(-10.51)	35.18 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.

35 MHz

16QAM

FRB

DFT-s_OFDM

Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-27.09	(-14.09)	0.0	---	(---)	---
1.000 MHz	5.500 MHz	1.000 MHz	-32.42	(-19.42)	-1.180 M	---	(---)	---
5.500 MHz	70.00 MHz	1.000 MHz	-33.81	(-8.81)	-5.500 M	---	(---)	---
0.0 Hz	1.000 MHz	750.0 kHz	---	(---)	---	-31.26	(-21.26)	50.00 k
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	-30.75	(-20.75)	2.600 M
5.000 MHz	35.00 MHz	1.000 MHz	---	(---)	---	-31.46	(-18.46)	5.000 M
35.00 MHz	70.00 MHz	1.000 MHz	---	(---)	---	-36.28	(-11.28)	35.35 M

Low channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-27.47	(-17.47)	-5.000 k	-31.86	(-21.86)	0.0
1.000 MHz	5.000 MHz	1.000 MHz	-32.64	(-22.64)	-3.080 M	-30.44	(-20.44)	2.660 M
5.000 MHz	35.00 MHz	1.000 MHz	-33.82	(-20.82)	-5.150 M	-30.71	(-17.71)	5.000 M
35.00 MHz	70.00 MHz	1.000 MHz	-37.20	(-12.20)	-39.73 M	-36.88	(-11.88)	35.53 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

Mid channel



Start Freq	Stop Freq	Integ BW	dBm	Lower ΔLim(dB)	Lower Freq (Hz)	<- Peak -> dBm	Upper ΔLim(dB)	Upper Freq (Hz)
0.0 Hz	1.000 MHz	750.0 kHz	-26.44	(-16.44)	0.0	-29.88	(-19.88)	35.00 k
1.000 MHz	5.000 MHz	1.000 MHz	-30.24	(-20.24)	-1.000 M	-29.17	(-19.17)	2.260 M
5.000 MHz	35.00 MHz	1.000 MHz	-31.49	(-18.49)	-5.150 M	-29.93	(-16.93)	5.000 M
35.00 MHz	70.00 MHz	1.000 MHz	-35.83	(-10.83)	-35.00 M	-36.31	(-11.31)	35.18 M
1.000 MHz	5.000 MHz	1.000 MHz	---	(---)	---	---	(---)	---
5.000 MHz	100.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---
100.0 MHz	200.0 MHz	1.000 MHz	---	(---)	---	---	(---)	---

High channel

UL KOREA LTD. Suwon Laboratory FORM ID: FCC_27(05)
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea TEL: (031) 337-9902 FAX: (031) 213-5433
UL KOREA LTD. Confidential
This report shall not be reproduced except in full, without the written approval of UL KOREA LTD.