LTE Band 66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**20**	Channel Number		132072	132322	132572	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	16QAM	1	0	21.63	21.58	22.06	1
		1	50	21.63	21.49	21.58	1
		1	99	21.19	21.93	21.78	1
		50	0	20.52	20.32	20.42	2
		50	25	20.58	20.37	20.43	2
		50	50	20.49	20.36	20.51	2
		100	0	20.43	20.40	20.37	2
	64QAM	1	0	20.49	20.55	20.79	2
		1	50	20.67	20.86	20.50	2
		1	99	20.50	20.37	20.57	2
		50	0	19.54	19.32	19.47	3
		50	25	19.44	19.36	19.41	3
		50	50	19.39	19.48	19.44	3
		100	0	19.40	19.31	19.50	3
	256QAM	1	0	17.46	17.45	17.42	5
		1	50	17.52	17.62	17.74	5
		1	99	17.44	17.46	17.63	5
		50	0	17.38	17.46	17.55	5
		50	25	17.40	17.50	17.62	5
		50	50	17.46	17.41	17.60	5
		100	0	17.44	17.42	17.76	5
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	15.14	14.99	15.07	0
		1	50	15.16	14.87	15.02	0
		1	99	14.98	14.89	15.20	0
		50	0	14.94	14.74	14.85	0
		50	25	14.85	14.90	15.03	0
		50	50	14.80	14.80	14.95	0
		100	0	14.92	14.80	14.94	0
	64QAM	1	0	14.97	14.98	14.86	0
		1	50	15.16	15.00	15.30	0
		1	99	14.87	15.09	15.38	0
		50	0	14.97	14.83	14.79	0
		50	25	14.96	14.86	14.97	0
		50	50	14.84	14.81	14.94	0
		100	0	14.86	14.79	14.92	0
	256QAM	1	0	14.92	14.83	14.78	0
		1	50	15.04	14.84	15.04	0
		1	99	14.86	15.20	15.11	0
		50	0	14.93	14.77	14.90	0
		50	25	14.92	14.94	14.97	0
		50	50	14.81	14.88	14.86	0
		100	0	14.94	14.83	14.86	0

LTE Band 66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	15	Channel Number		132047	132322	132597	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.39	23.30	23.24	0
		1	36	23.40	23.36	23.42	0
		1	74	23.19	23.19	23.47	0
		36	0	21.45	21.32	21.42	1
		36	18	21.49	21.40	21.39	1
		36	37	21.49	21.36	21.53	1
		75	0	21.43	21.31	21.38	1
	16QAM	1	0	21.62	21.61	21.64	1
		1	36	21.88	21.75	21.55	1
		1	74	21.39	21.40	21.83	1
		36	0	20.55	20.44	20.44	2
		36	18	20.49	20.37	20.48	2
		36	37	20.54	20.38	20.56	2
		75	0	20.49	20.38	20.41	2
	64QAM	1	0	20.90	20.57	20.62	2
		1	36	20.48	20.65	20.55	2
		1	74	20.14	20.47	20.44	2
		36	0	19.41	19.39	19.43	3
		36	18	19.45	19.34	19.45	3
		36	37	19.53	19.35	19.56	3
		75	0	19.51	19.28	19.40	3
	256QAM	1	0	17.29	17.36	17.36	5
		1	36	17.66	17.59	17.74	5
		1	74	17.35	17.35	17.65	5
		36	0	17.35	17.35	17.54	5
		36	18	17.48	17.42	17.54	5
		36	37	17.40	17.43	17.58	5
		75	0	17.50	17.38	17.59	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.76	15.61	15.59	0
		1	36	15.90	15.76	15.85	0
		1	74	15.59	15.60	15.83	0
		36	0	15.93	15.70	15.77	0
		36	18	15.91	15.82	15.86	0
		36	37	15.92	15.80	15.95	0
		75	0	15.85	15.85	15.81	0
	16QAM	1	0	14.78	14.77	14.77	0
		1	36	15.03	14.85	15.09	0
		1	74	14.89	14.81	14.95	0
		36	0	14.96	14.77	14.96	0
		36	18	14.98	14.88	14.90	0
		36	37	14.91	14.84	15.01	0
		75	0	14.95	14.81	14.85	0
	64QAM	1	0	14.98	15.07	14.77	0
		1	36	15.06	14.98	14.96	0
		1	74	14.76	14.88	14.91	0
		36	0	14.93	14.76	14.85	0
		36	18	14.89	14.72	14.83	0
		36	37	14.98	14.77	14.83	0
		75	0	14.95	14.83	14.74	0
	256QAM	1	0	14.75	14.71	14.69	0
		1	36	15.11	14.95	14.91	0
		1	74	14.98	14.92	14.97	0
		36	0	14.97	14.81	14.77	0
		36	18	14.99	14.81	14.93	0
		36	37	14.90	14.93	14.95	0
		75	0	14.93	14.84	14.85	0

LTE Band 66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**10**	Channel Number		132022	132322	132622	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.32	23.38	23.22	0
		1	25	23.36	23.25	23.49	0
		1	49	23.32	23.34	23.41	0
		25	0	21.47	21.31	21.41	1
		25	12	21.42	21.42	21.48	1
		25	25	21.50	21.37	21.51	1
		50	0	21.46	21.32	21.42	1
	16QAM	1	0	21.75	21.38	21.53	1
		1	25	21.71	21.69	21.55	1
		1	49	21.42	21.80	21.69	1
		25	0	20.39	20.33	20.49	2
		25	12	20.55	20.48	20.58	2
		25	25	20.55	20.40	20.53	2
		50	0	20.49	20.38	20.52	2
	64QAM	1	0	20.42	20.38	20.49	2
		1	25	20.54	20.45	20.61	2
		1	49	20.35	20.33	20.52	2
		25	0	19.43	19.38	19.41	3
		25	12	19.51	19.40	19.58	3
		25	25	19.54	19.49	19.61	3
		50	0	19.46	19.29	19.54	3
	256QAM	1	0	17.58	17.58	17.74	5
		1	25	17.68	17.49	17.86	5
		1	49	17.65	17.43	17.70	5
		25	0	17.52	17.30	17.63	5
		25	12	17.48	17.50	17.68	5
		25	25	17.59	17.44	17.80	5
		50	0	17.37	17.43	17.54	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.78	15.75	15.99	0
		1	25	15.95	15.84	15.96	0
		1	49	15.96	15.66	15.94	0
		25	0	15.92	15.79	15.96	0
		25	12	15.91	15.84	15.91	0
		25	25	15.93	15.77	16.02	0
		50	0	15.90	15.82	15.95	0
	16QAM	1	0	14.95	15.08	14.95	0
		1	25	15.34	14.95	15.24	0
		1	49	15.07	14.84	15.25	0
		25	0	14.97	14.87	14.98	0
		25	12	14.95	14.88	14.95	0
		25	25	14.87	14.76	15.03	0
		50	0	14.90	14.85	14.90	0
	64QAM	1	0	15.17	14.85	15.24	0
		1	25	14.92	14.98	15.17	0
		1	49	15.09	14.81	15.03	0
		25	0	14.96	14.83	14.91	0
		25	12	14.98	14.81	14.93	0
		25	25	14.96	14.88	15.06	0
		50	0	14.93	14.84	14.94	0
	256QAM	1	0	14.93	14.96	15.20	0
		1	25	15.14	14.99	15.25	0
		1	49	14.88	14.79	15.32	0
		25	0	14.84	14.88	14.91	0
		25	12	15.00	14.84	14.92	0
		25	25	15.04	14.85	15.02	0
		50	0	14.99	14.82	14.91	0

LTE Band 66		Frequency [MHz]		1712.5	1745	1777.5	
Antenna:	A						
Bandwidth [MHz]:	5	Channel Number		131997	132322	132647	MPR [dB]
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.22	23.31	23.63	0
		1	12	23.50	23.45	23.73	0
		1	24	23.21	23.40	23.49	0
		12	0	21.37	21.30	21.56	1
		12	6	21.39	21.46	21.70	1
		12	13	21.40	21.50	21.69	1
		25	0	21.34	21.38	21.59	1
	16QAM	1	0	21.47	21.59	21.77	1
		1	12	21.65	21.77	21.91	1
		1	24	21.60	21.59	21.91	1
		12	0	20.39	20.34	20.69	2
		12	6	20.45	20.45	20.75	2
		12	13	20.43	20.53	20.89	2
		25	0	20.41	20.46	20.60	2
	64QAM	1	0	20.43	20.55	20.74	2
		1	12	20.73	20.64	20.85	2
		1	24	20.63	20.54	20.80	2
		12	0	19.43	19.39	19.58	3
		12	6	19.47	19.51	19.70	3
		12	13	19.47	19.53	19.67	3
		25	0	19.39	19.44	19.63	3
	256QAM	1	0	17.39	17.35	17.59	5
		1	12	17.63	17.58	17.83	5
		1	24	17.46	17.53	17.88	5
		12	0	17.40	17.40	17.59	5
		12	6	17.38	17.43	17.71	5
		12	13	17.42	17.42	17.73	5
		25	0	17.48	17.48	17.55	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.70	15.73	15.89	0
		1	12	16.00	15.79	15.93	0
		1	24	15.81	15.67	15.86	0
		12	0	15.83	15.83	15.91	0
		12	6	15.82	15.82	16.02	0
		12	13	15.81	15.72	15.99	0
		25	0	15.82	15.79	15.83	0
	16QAM	1	0	15.14	15.03	15.10	0
		1	12	14.95	15.19	15.10	0
		1	24	14.94	14.93	15.12	0
		12	0	14.87	14.82	14.86	0
		12	6	14.88	14.79	15.10	0
		12	13	14.84	14.81	15.08	0
		25	0	14.91	14.80	14.86	0
	64QAM	1	0	14.91	14.78	15.04	0
		1	12	15.15	15.06	15.14	0
		1	24	14.83	14.88	15.00	0
		12	0	14.72	14.82	14.89	0
		12	6	14.81	14.86	15.06	0
		12	13	14.85	14.70	15.00	0
		25	0	14.74	14.72	14.92	0
	256QAM	1	0	14.98	14.73	14.93	0
		1	12	15.00	15.07	15.16	0
		1	24	14.83	14.84	15.07	0
		12	0	14.86	14.79	14.91	0
		12	6	14.85	14.75	15.00	0
		12	13	14.84	14.89	15.05	0
		25	0	14.71	14.77	14.91	0

LTE Band 66		Frequency [MHz]		1711.5	1745	1778.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**3**	Channel Number		131987	132322	132657	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.22	23.30	23.52	0
		1	7	23.33	23.46	23.63	0
		1	14	23.39	23.29	23.63	0
		8	0	21.43	21.37	21.53	1
		8	4	21.42	21.41	21.71	1
		8	7	21.37	21.45	21.50	1
		15	0	21.37	21.38	21.60	1
	16QAM	1	0	21.61	21.42	21.83	1
		1	7	21.56	21.72	22.27	1
		1	14	21.55	21.66	21.75	1
		8	0	20.34	20.42	20.55	2
		8	4	20.50	20.50	20.71	2
		8	7	20.41	20.51	20.70	2
		15	0	20.42	20.44	20.58	2
	64QAM	1	0	20.47	20.52	20.79	2
		1	7	20.70	20.73	21.07	2
		1	14	20.54	20.46	20.74	2
		8	0	19.46	19.42	19.65	3
		8	4	19.43	19.54	19.76	3
		8	7	19.42	19.46	19.75	3
		15	0	19.50	19.48	19.59	3
	256QAM	1	0	17.49	17.43	17.60	5
		1	7	17.63	17.54	17.78	5
		1	14	17.50	17.44	17.74	5
		8	0	17.39	17.38	17.61	5
		8	4	17.46	17.44	17.71	5
		8	7	17.32	17.40	17.70	5
		15	0	17.42	17.45	17.66	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.72	15.70	15.84	0
		1	7	15.87	15.80	16.01	0
		1	14	15.74	15.79	15.77	0
		8	0	15.84	15.70	15.88	0
		8	4	15.84	15.84	16.02	0
		8	7	15.85	15.81	16.00	0
		15	0	15.80	15.81	15.98	0
	16QAM	1	0	15.04	14.87	15.13	0
		1	7	15.09	15.02	15.21	0
		1	14	14.89	14.81	15.15	0
		8	0	14.91	14.83	14.83	0
		8	4	14.87	14.83	15.05	0
		8	7	14.90	14.84	15.02	0
		15	0	14.81	14.82	14.96	0
	64QAM	1	0	14.86	14.91	15.02	0
		1	7	14.96	14.95	15.14	0
		1	14	14.93	14.86	14.80	0
		8	0	14.85	14.81	14.79	0
		8	4	14.94	14.83	15.03	0
		8	7	14.94	14.80	14.98	0
		15	0	14.81	14.81	15.00	0
	256QAM	1	0	14.94	14.95	14.92	0
		1	7	14.91	14.93	15.06	0
		1	14	14.90	14.96	15.07	0
		8	0	14.82	14.74	14.91	0
		8	4	14.95	14.85	15.04	0
		8	7	14.83	14.81	15.05	0
		15	0	14.89	14.87	14.93	0

LTE Band 66		Frequency [MHz]		1710.7	1745	1779.3	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**1.4**	Channel Number		131979	132322	132665	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.33	23.17	23.68	0
		1	2	23.17	23.16	23.58	0
		1	5	23.15	23.28	23.48	0
		3	0	22.25	22.27	22.49	0
		3	2	22.21	22.33	22.50	0
		3	3	22.20	22.32	22.48	0
		6	0	21.32	21.36	21.57	1
	16QAM	1	0	21.66	21.88	21.86	1
		1	2	21.52	21.73	21.72	1
		1	5	21.17	21.44	21.88	1
		3	0	21.40	21.47	21.70	1
		3	2	21.57	21.36	21.56	1
		3	3	21.38	21.34	21.62	1
		6	0	20.47	20.32	20.68	2
	64QAM	1	0	20.65	20.63	20.83	2
		1	2	20.30	20.56	20.68	2
		1	5	20.44	20.51	20.88	2
		3	0	20.41	20.41	20.65	2
		3	2	20.51	20.49	20.71	2
		3	3	20.38	20.38	20.73	2
		6	0	19.36	19.44	19.68	3
	256QAM	1	0	17.71	17.73	17.77	5
		1	2	17.35	17.59	17.74	5
		1	5	17.31	17.41	17.77	5
		3	0	17.54	17.58	17.80	5
		3	2	17.34	17.56	17.65	5
		3	3	17.40	17.34	17.69	5
		6	0	17.32	17.38	17.66	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.77	15.77	15.92	0
		1	2	15.58	15.52	15.82	0
		1	5	15.69	15.54	15.87	0
		3	0	15.79	15.67	15.84	0
		3	2	15.67	15.71	15.80	0
		3	3	15.74	15.65	15.86	0
		6	0	15.81	15.64	16.01	0
	16QAM	1	0	14.98	14.93	15.14	0
		1	2	14.92	14.94	15.22	0
		1	5	14.93	14.85	15.16	0
		3	0	14.79	14.82	15.00	0
		3	2	14.99	14.78	14.93	0
		3	3	14.86	14.81	15.08	0
		6	0	14.87	14.83	14.99	0
	64QAM	1	0	15.24	14.81	15.15	0
		1	2	14.93	14.79	15.17	0
		1	5	14.94	14.87	15.06	0
		3	0	15.03	14.80	14.99	0
		3	2	14.94	14.85	15.00	0
		3	3	14.88	14.83	14.94	0
		6	0	14.89	14.80	15.04	0
	256QAM	1	0	15.06	14.86	15.09	0
		1	2	14.88	14.96	15.08	0
		1	5	14.91	14.81	15.29	0
		3	0	14.89	14.88	15.04	0
		3	2	14.89	14.89	15.19	0
		3	3	14.93	14.91	15.06	0
		6	0	14.91	14.80	14.99	0

LTE Band 66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**20**	Channel Number		132072	132322	132572	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	17.21	17.30	17.20	0
		1	50	17.55	17.56	17.38	0
		1	99	17.12	17.32	17.24	0
		50	0	17.14	17.17	17.18	0
		50	25	17.15	17.21	17.21	0
		50	50	17.20	17.28	17.13	0
		100	0	17.14	17.17	17.16	0
	64QAM	1	0	17.33	17.29	17.30	0
		1	50	17.32	17.40	17.34	0
		1	99	17.06	17.18	17.18	0
		50	0	17.11	17.16	17.11	0
		50	25	17.19	17.15	17.22	0
		50	50	17.18	17.23	17.17	0
		100	0	17.12	17.19	17.17	0
	256QAM	1	0	17.18	17.21	17.15	0
		1	50	17.19	17.54	17.27	0
		1	99	17.18	17.09	17.12	0
		50	0	17.14	17.16	17.15	0
		50	25	17.13	17.18	17.30	0
		50	50	17.18	17.28	17.16	0
		100	0	17.20	17.20	17.17	0
DSI 1 (Head)	16QAM	1	0	16.15	16.11	16.18	0
		1	50	16.16	16.15	16.16	0
		1	99	16.02	16.11	16.24	0
		50	0	15.84	15.88	15.82	0
		50	25	16.02	15.90	15.85	0
		50	50	16.00	15.97	15.92	0
		100	0	16.00	15.94	15.93	0
	64QAM	1	0	16.11	16.09	16.04	0
		1	50	16.16	16.14	16.14	0
		1	99	16.05	16.04	16.07	0
		50	0	15.85	15.81	15.93	0
		50	25	15.88	15.90	15.84	0
		50	50	15.88	15.92	15.98	0
		100	0	16.01	15.85	15.96	0
	256QAM	1	0	16.15	16.28	16.18	0
		1	50	16.26	16.29	16.32	0
		1	99	16.05	16.17	16.12	0
		50	0	16.14	16.22	16.13	0
		50	25	16.12	16.20	16.14	0
		50	50	16.17	16.26	16.16	0
		100	0	16.12	16.12	16.21	0

LTE Band 66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	15	Channel Number		132047	132322	132597	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.42	17.14	17.07	0
		1	36	17.11	17.14	17.14	0
		1	74	17.10	17.07	17.14	0
		36	0	17.20	17.13	17.20	0
		36	18	17.18	17.20	17.28	0
		36	37	17.21	17.26	17.22	0
		75	0	17.26	17.15	17.24	0
	16QAM	1	0	17.19	17.12	17.11	0
		1	36	17.27	17.03	17.13	0
		1	74	17.05	17.05	17.14	0
		36	0	17.26	17.23	17.18	0
		36	18	17.29	17.26	17.22	0
		36	37	17.24	17.35	17.32	0
		75	0	17.21	17.17	17.25	0
	64QAM	1	0	17.19	17.16	17.17	0
		1	36	17.10	17.15	17.20	0
		1	74	17.12	17.06	17.02	0
		36	0	17.17	17.19	17.24	0
		36	18	17.29	17.21	17.30	0
		36	37	17.32	17.24	17.31	0
		75	0	17.32	17.21	17.29	0
	256QAM	1	0	17.30	17.19	17.22	0
		1	36	17.45	17.56	17.22	0
		1	74	17.22	17.20	17.16	0
		36	0	17.13	17.19	17.10	0
		36	18	17.26	17.24	17.17	0
		36	37	17.23	17.30	17.21	0
		75	0	17.18	17.26	17.11	0
DSI 1 (Head)	QPSK	1	0	16.16	16.21	15.97	0
		1	36	16.02	16.23	16.12	0
		1	74	16.00	16.08	16.02	0
		36	0	16.13	16.10	15.99	0
		36	18	16.16	16.13	16.09	0
		36	37	16.13	16.20	16.10	0
		75	0	16.17	16.17	16.03	0
	16QAM	1	0	16.20	16.13	16.13	0
		1	36	16.03	16.14	16.20	0
		1	74	16.08	16.24	16.17	0
		36	0	15.97	15.85	15.92	0
		36	18	15.98	15.85	15.98	0
		36	37	15.87	15.99	15.92	0
		75	0	15.89	15.85	15.96	0
	64QAM	1	0	16.22	16.21	16.08	0
		1	36	16.17	16.06	16.14	0
		1	74	16.15	16.03	16.08	0
		36	0	15.88	15.87	15.97	0
		36	18	16.00	15.91	15.94	0
		36	37	15.90	15.97	16.04	0
		75	0	15.92	15.98	15.95	0
	256QAM	1	0	16.39	16.34	16.20	0
		1	36	16.26	16.38	16.11	0
		1	74	16.23	16.21	16.13	0
		36	0	16.15	16.16	16.05	0
		36	18	16.19	16.20	16.05	0
		36	37	16.10	16.24	16.17	0
		75	0	16.16	16.14	16.12	0

LTE Band 66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**10**	Channel Number		132022	132322	132622	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.04	17.04	17.04	0
		1	25	17.21	17.19	17.21	0
		1	49	17.05	17.10	17.05	0
		25	0	17.22	17.13	17.14	0
		25	12	17.23	17.31	17.18	0
		25	25	17.09	17.26	17.24	0
		50	0	17.19	17.21	17.13	0
	16QAM	1	0	17.23	17.27	17.38	0
		1	25	17.47	17.39	17.42	0
		1	49	17.17	17.39	17.36	0
		25	0	17.22	17.26	17.17	0
		25	12	17.24	17.32	17.29	0
		25	25	17.19	17.21	17.28	0
		50	0	17.23	17.19	17.22	0
	64QAM	1	0	17.17	17.25	17.23	0
		1	25	17.40	17.41	17.37	0
		1	49	17.18	17.17	17.29	0
		25	0	17.21	17.22	17.18	0
		25	12	17.24	17.28	17.25	0
		25	25	17.20	17.33	17.21	0
		50	0	17.19	17.21	17.15	0
	256QAM	1	0	17.24	17.26	17.26	0
		1	25	17.42	17.44	17.45	0
		1	49	17.16	17.26	17.22	0
		25	0	17.19	17.22	17.14	0
		25	12	17.29	17.27	17.29	0
		25	25	17.26	17.27	17.28	0
		50	0	17.20	17.18	17.18	0
DSI 1 (Head)	QPSK	1	0	16.57	16.63	16.64	0
		1	25	16.70	16.74	16.75	0
		1	49	16.55	16.70	16.66	0
		25	0	16.71	16.69	16.63	0
		25	12	16.70	16.84	16.73	0
		25	25	16.73	16.78	16.76	0
		50	0	16.69	16.65	16.67	0
	16QAM	1	0	16.13	16.17	16.27	0
		1	25	16.17	16.21	16.19	0
		1	49	16.11	16.19	16.21	0
		25	0	15.91	15.96	15.95	0
		25	12	15.99	15.86	15.84	0
		25	25	15.93	15.89	15.95	0
		50	0	15.97	15.81	15.83	0
	64QAM	1	0	16.22	16.10	16.09	0
		1	25	16.09	16.05	16.15	0
		1	49	16.03	16.02	16.05	0
		25	0	15.93	15.92	15.91	0
		25	12	16.02	15.89	15.90	0
		25	25	15.92	15.96	15.92	0
		50	0	15.96	15.84	15.85	0
	256QAM	1	0	16.13	16.09	15.99	0
		1	25	16.38	16.38	16.39	0
		1	49	16.13	16.26	16.21	0
		25	0	16.10	16.09	16.10	0
		25	12	16.25	16.34	16.25	0
		25	25	16.16	16.17	16.16	0
		50	0	16.18	16.16	16.05	0

LTE Band 66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	5	Channel Number		131997	132322	132647	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.60	17.60	17.60	0
		1	12	17.77	17.75	17.77	0
		1	24	17.61	17.66	17.61	0
		12	0	17.78	17.69	17.70	0
		12	6	17.79	17.87	17.74	0
		12	13	17.65	17.82	17.80	0
		25	0	17.75	17.77	17.69	0
	16QAM	1	0	17.79	17.83	17.94	0
		1	12	18.03	17.95	17.98	0
		1	24	17.73	17.95	17.92	0
		12	0	17.78	17.82	17.73	0
		12	6	17.80	17.88	17.85	0
		12	13	17.75	17.77	17.84	0
		25	0	17.79	17.75	17.78	0
	64QAM	1	0	17.73	17.81	17.79	0
		1	12	17.96	17.97	17.93	0
		1	24	17.74	17.73	17.85	0
		12	0	17.77	17.78	17.74	0
		12	6	17.80	17.84	17.81	0
		12	13	17.76	17.89	17.77	0
		25	0	17.75	17.77	17.71	0
	256QAM	1	0	17.33	17.17	17.24	0
		1	12	17.42	17.38	17.41	0
		1	24	17.22	17.37	17.21	0
		12	0	17.25	17.14	17.06	0
		12	6	17.31	17.25	17.06	0
		12	13	17.30	17.22	17.28	0
		25	0	17.31	17.19	17.25	0
DSI 1 (Head)	QPSK	1	0	16.50	16.57	16.63	0
		1	12	16.65	16.73	16.77	0
		1	24	16.56	16.64	16.53	0
		12	0	16.73	16.69	16.58	0
		12	6	16.71	16.79	16.78	0
		12	13	16.66	16.71	16.70	0
		25	0	16.68	16.64	16.64	0
	16QAM	1	0	16.19	16.19	16.06	0
		1	12	16.37	16.21	16.37	0
		1	24	16.08	16.11	16.07	0
		12	0	15.99	15.78	15.92	0
		12	6	16.06	15.93	15.92	0
		12	13	15.97	15.97	16.00	0
		25	0	16.00	15.82	15.84	0
	64QAM	1	0	16.15	16.04	15.96	0
		1	12	16.13	16.16	16.23	0
		1	24	16.09	16.10	16.05	0
		12	0	16.03	15.90	15.95	0
		12	6	16.05	16.08	15.95	0
		12	13	15.97	15.91	15.95	0
		25	0	16.01	15.89	15.87	0
	256QAM	1	0	16.23	16.32	16.22	0
		1	12	16.20	16.30	16.36	0
		1	24	16.15	16.21	16.20	0
		12	0	16.18	16.14	16.19	0
		12	6	16.25	16.14	16.14	0
		12	13	16.22	16.25	16.20	0
		25	0	16.22	16.20	16.18	0

LTE Band 66		Frequency [MHz]		1711.5	1745	1778.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	3	Channel Number		131987	132322	132657	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.24	17.09	17.12	0
		1	7	17.46	17.28	17.22	0
		1	14	17.20	16.99	17.08	0
		8	0	17.32	17.09	17.21	0
		8	4	17.30	17.24	17.17	0
		8	7	17.31	17.24	17.21	0
		15	0	17.33	17.15	17.24	0
	16QAM	1	0	17.21	17.17	17.17	0
		1	7	17.62	17.25	17.37	0
		1	14	17.14	17.15	17.05	0
		8	0	17.09	16.92	17.02	0
		8	4	17.13	17.01	17.10	0
		8	7	17.04	17.11	17.06	0
		15	0	17.01	16.84	16.94	0
	64QAM	1	0	17.17	17.02	17.00	0
		1	7	17.32	17.15	17.15	0
		1	14	17.19	16.95	17.02	0
		8	0	16.97	17.02	16.90	0
		8	4	17.09	17.05	17.01	0
		8	7	17.10	16.99	16.96	0
		15	0	17.08	16.90	16.95	0
	256QAM	1	0	17.22	17.34	17.24	0
		1	7	17.29	17.32	17.30	0
		1	14	17.29	17.41	17.20	0
		8	0	17.21	17.18	17.14	0
		8	4	17.22	17.41	17.19	0
		8	7	17.18	17.30	17.30	0
		15	0	17.24	17.21	17.18	0
DSI 1 (Head)	QPSK	1	0	16.42	16.73	16.61	0
		1	7	16.48	16.58	16.58	0
		1	14	16.57	16.60	16.50	0
		8	0	16.54	16.67	16.55	0
		8	4	16.54	16.66	16.66	0
		8	7	16.50	16.67	16.57	0
		15	0	16.55	16.70	16.62	0
	16QAM	1	0	16.21	16.04	16.07	0
		1	7	16.21	16.10	16.15	0
		1	14	16.18	16.11	16.02	0
		8	0	16.07	15.90	16.04	0
		8	4	16.11	15.92	16.05	0
		8	7	16.08	15.97	15.95	0
		15	0	16.00	15.93	15.93	0
	64QAM	1	0	16.07	15.94	15.93	0
		1	7	16.17	16.18	16.26	0
		1	14	16.00	16.06	16.00	0
		8	0	16.04	15.87	15.95	0
		8	4	16.14	16.04	15.95	0
		8	7	16.04	15.92	16.04	0
		15	0	15.93	15.86	15.94	0
	256QAM	1	0	16.19	16.13	16.13	0
		1	7	16.26	16.39	16.33	0
		1	14	16.22	16.15	16.23	0
		8	0	16.11	16.15	16.11	0
		8	4	16.19	16.29	16.19	0
		8	7	16.06	16.25	16.18	0
		15	0	16.14	16.16	16.20	0

LTE Band 66		Frequency [MHz]		1710.7	1745	1779.3	
Antenna:	F						
Bandwidth [MHz]:	1.4	Channel Number		131979	132322	132665	MPR [dB]
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.25	17.18	17.12	0
		1	2	17.15	17.21	17.11	0
		1	5	17.15	17.23	17.01	0
		3	0	17.08	17.03	17.09	0
		3	2	17.22	17.13	17.14	0
		3	3	17.11	17.06	17.17	0
		6	0	17.19	17.07	17.18	0
	16QAM	1	0	17.46	17.35	17.06	0
		1	2	17.27	17.71	17.05	0
		1	5	17.14	17.45	17.06	0
		3	0	17.09	17.15	17.04	0
		3	2	17.30	17.00	16.81	0
		3	3	17.05	16.93	16.99	0
		6	0	17.29	17.01	17.28	0
	64QAM	1	0	17.11	17.15	16.85	0
		1	2	17.20	17.11	17.03	0
		1	5	17.15	17.17	17.10	0
		3	0	17.02	17.09	17.25	0
		3	2	17.11	17.27	17.07	0
		3	3	17.03	17.30	17.05	0
		6	0	17.09	17.17	17.25	0
	256QAM	1	0	17.31	17.31	17.35	0
		1	2	17.24	17.21	16.94	0
		1	5	17.33	17.34	17.29	0
		3	0	17.18	17.34	17.19	0
		3	2	17.21	17.16	17.17	0
		3	3	17.23	17.29	17.13	0
		6	0	17.17	17.13	17.10	0
DSI 1 (Head)	QPSK	1	0	15.85	15.87	15.84	0
		1	2	15.72	15.77	15.86	0
		1	5	15.80	15.80	15.76	0
		3	0	15.82	15.84	15.86	0
		3	2	15.91	15.85	15.77	0
		3	3	15.77	15.89	15.84	0
		6	0	15.88	15.88	15.94	0
	16QAM	1	0	16.23	16.19	16.16	0
		1	2	16.14	16.45	15.94	0
		1	5	16.28	16.06	16.03	0
		3	0	16.14	15.96	16.03	0
		3	2	15.94	15.86	15.97	0
		3	3	16.21	15.95	15.95	0
		6	0	15.92	16.00	15.93	0
	64QAM	1	0	16.16	16.12	15.98	0
		1	2	16.06	16.03	16.08	0
		1	5	16.04	16.20	15.92	0
		3	0	16.41	16.03	16.03	0
		3	2	16.08	16.21	16.21	0
		3	3	16.50	16.02	16.17	0
		6	0	16.04	15.89	16.04	0
	256QAM	1	0	16.24	16.19	16.20	0
		1	2	16.15	16.19	16.27	0
		1	5	16.31	16.17	16.18	0
		3	0	16.12	16.25	16.15	0
		3	2	16.37	16.24	16.11	0
		3	3	16.14	16.26	16.13	0
		6	0	16.15	16.28	16.04	0

LTE Band 25		Frequency [MHz]		1860	1882.5	1905	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**20**	Channel Number		26140	26365	26590	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	16QAM	1	0	22.13	21.64	21.66	1
		1	50	22.79	21.46	21.64	1
		1	99	21.84	21.74	21.73	1
		50	0	20.96	20.74	20.65	2
		50	25	20.79	20.64	20.71	2
		50	50	20.74	20.67	20.84	2
		100	0	20.71	20.59	20.73	2
	64QAM	1	0	21.10	20.89	20.84	2
		1	50	21.01	20.67	20.66	2
		1	99	20.73	20.91	20.78	2
		50	0	19.89	19.66	19.60	3
		50	25	19.87	19.67	19.74	3
		50	50	19.74	19.65	19.71	3
		100	0	19.65	19.59	19.80	3
	256QAM	1	0	17.88	17.76	17.76	5
		1	50	18.16	17.66	18.10	5
		1	99	17.82	17.68	17.83	5
		50	0	17.82	17.60	17.76	5
		50	25	17.73	17.56	17.73	5
		50	50	17.68	17.52	17.76	5
		100	0	17.72	17.53	17.68	5
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	16.96	16.63	16.71	0
		1	50	16.89	16.82	16.89	0
		1	99	16.70	16.28	16.51	0
		50	0	16.70	16.44	16.55	0
		50	25	16.58	16.47	16.54	0
		50	50	16.55	16.45	16.61	0
		100	0	16.58	16.36	16.45	0
	64QAM	1	0	16.94	16.57	16.60	0
		1	50	17.02	16.89	17.12	0
		1	99	16.58	16.26	16.51	0
		50	0	16.72	16.44	16.53	0
		50	25	16.57	16.40	16.46	0
		50	50	16.53	16.42	16.55	0
		100	0	16.53	16.43	16.47	0
	256QAM	1	0	16.88	16.69	16.57	0
		1	50	16.91	16.50	16.73	0
		1	99	16.41	16.37	16.42	0
		50	0	16.71	16.34	16.44	0
		50	25	16.61	16.36	16.45	0
		50	50	16.51	16.36	16.51	0
		100	0	16.46	16.37	16.49	0

LTE Band 25		Frequency [MHz]		1857.5	1882.5	1907.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	15	Channel Number		26115	26365	26615	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.56	22.30	22.48	0
		1	36	23.07	22.37	22.45	0
		1	74	22.35	22.36	22.96	0
		36	0	21.83	21.52	21.69	1
		36	18	21.91	21.63	21.79	1
		36	37	21.74	21.54	21.79	1
		75	0	21.75	21.46	21.72	1
	16QAM	1	0	21.78	21.41	21.61	1
		1	36	22.31	22.00	22.00	1
		1	74	21.71	21.74	21.74	1
		36	0	20.89	20.55	20.72	2
		36	18	20.95	20.52	20.83	2
		36	37	20.71	20.58	20.81	2
		75	0	20.76	20.51	20.72	2
	64QAM	1	0	20.66	20.55	20.51	2
		1	36	20.94	20.50	20.86	2
		1	74	20.86	20.71	20.75	2
		36	0	19.94	19.52	19.73	3
		36	18	19.91	19.57	19.84	3
		36	37	19.91	19.52	19.78	3
		75	0	19.75	19.51	19.81	3
	256QAM	1	0	17.80	17.62	17.80	5
		1	36	18.00	17.82	18.02	5
		1	74	17.69	17.98	17.76	5
		36	0	17.87	17.59	17.70	5
		36	18	17.90	17.58	17.82	5
		36	37	17.70	17.38	17.81	5
		75	0	17.70	17.57	17.97	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.68	16.40	16.47	0
		1	36	16.65	16.36	16.41	0
		1	74	16.49	16.32	16.31	0
		36	0	16.70	16.43	16.44	0
		36	18	16.71	16.38	16.48	0
		36	37	16.59	16.41	16.51	0
		75	0	16.62	16.39	16.44	0
	16QAM	1	0	17.26	16.89	16.61	0
		1	36	16.90	16.61	16.77	0
		1	74	16.65	16.57	16.80	0
		36	0	16.74	16.43	16.45	0
		36	18	16.72	16.41	16.57	0
		36	37	16.63	16.45	16.50	0
		75	0	16.68	16.39	16.55	0
	64QAM	1	0	16.90	16.62	16.74	0
		1	36	16.87	16.75	16.84	0
		1	74	16.48	16.68	16.62	0
		36	0	16.65	16.42	16.40	0
		36	18	16.68	16.46	16.52	0
		36	37	16.57	16.40	16.51	0
		75	0	16.71	16.44	16.47	0
	256QAM	1	0	16.99	16.65	16.54	0
		1	36	16.98	16.63	16.59	0
		1	74	16.53	16.53	16.42	0
		36	0	16.69	16.39	16.43	0
		36	18	16.77	16.39	16.53	0
		36	37	16.57	16.44	16.43	0
		75	0	16.58	16.34	16.49	0

LTE Band 25		Frequency [MHz]		1855	1882.5	1910	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	10	Channel Number		26090	26365	26640	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.94	22.48	22.72	0
		1	25	22.80	22.48	22.83	0
		1	49	22.64	22.41	22.75	0
		25	0	21.97	21.51	21.73	1
		25	12	21.87	21.49	21.85	1
		25	25	21.80	21.54	21.83	1
		50	0	21.85	21.48	21.79	1
	16QAM	1	0	22.03	21.72	21.97	1
		1	25	22.32	21.64	22.15	1
		1	49	21.86	21.42	21.86	1
		25	0	20.88	20.63	20.69	2
		25	12	20.77	20.61	20.85	2
		25	25	20.82	20.65	20.80	2
		50	0	20.80	20.47	20.81	2
	64QAM	1	0	21.15	20.72	20.97	2
		1	25	21.07	20.58	21.05	2
		1	49	20.90	20.79	20.75	2
		25	0	19.96	19.48	19.70	3
		25	12	19.88	19.64	19.92	3
		25	25	19.73	19.61	19.81	3
		50	0	19.87	19.58	19.77	3
	256QAM	1	0	18.01	17.68	17.82	5
		1	25	18.12	17.49	17.94	5
		1	49	17.70	17.81	17.95	5
		25	0	17.88	17.59	17.67	5
		25	12	17.87	17.53	17.89	5
		25	25	17.84	17.59	17.88	5
		50	0	17.77	17.55	17.71	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.71	16.34	16.35	0
		1	25	16.64	16.37	16.42	0
		1	49	16.57	16.36	16.25	0
		25	0	16.80	16.38	16.40	0
		25	12	16.66	16.41	16.54	0
		25	25	16.62	16.33	16.50	0
		50	0	16.58	16.37	16.44	0
	16QAM	1	0	16.96	16.56	16.60	0
		1	25	17.04	16.51	16.53	0
		1	49	16.77	16.43	16.69	0
		25	0	16.79	16.44	16.43	0
		25	12	16.71	16.44	16.56	0
		25	25	16.69	16.42	16.47	0
		50	0	16.59	16.38	16.53	0
	64QAM	1	0	16.88	16.44	16.35	0
		1	25	16.71	16.44	16.74	0
		1	49	16.67	16.60	16.35	0
		25	0	16.80	16.43	16.42	0
		25	12	16.77	16.41	16.51	0
		25	25	16.66	16.41	16.43	0
		50	0	16.61	16.39	16.47	0
	256QAM	1	0	16.76	16.51	16.47	0
		1	25	16.87	16.51	16.59	0
		1	49	16.66	16.58	16.53	0
		25	0	16.75	16.36	16.78	0
		25	12	16.68	16.46	16.53	0
		25	25	16.68	16.41	16.47	0
		50	0	16.63	16.41	16.50	0

LTE Band 25		Frequency [MHz]		1852.5	1882.5	1912.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		26065	26365	26665	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.73	22.44	22.68	0
		1	12	22.74	22.40	22.70	0
		1	24	22.98	22.43	22.86	0
		12	0	21.76	21.53	21.69	1
		12	6	21.87	21.54	21.70	1
		12	13	21.90	21.57	21.60	1
		25	0	21.81	21.52	21.66	1
	16QAM	1	0	22.05	21.61	22.16	1
		1	12	22.21	21.90	22.17	1
		1	24	22.05	21.87	22.02	1
		12	0	20.87	20.53	20.76	2
		12	6	20.90	20.63	20.81	2
		12	13	20.90	20.67	20.76	2
		25	0	20.92	20.52	20.67	2
	64QAM	1	0	21.01	20.70	21.03	2
		1	12	20.98	20.86	21.15	2
		1	24	20.99	20.74	21.30	2
		12	0	19.77	19.55	19.70	3
		12	6	19.89	19.62	19.80	3
		12	13	19.93	19.55	19.73	3
		25	0	19.82	19.57	19.78	3
	256QAM	1	0	17.88	17.54	17.76	5
		1	12	18.05	17.79	18.20	5
		1	24	18.03	17.63	17.94	5
		12	0	17.87	17.52	17.75	5
		12	6	17.91	17.58	17.67	5
		12	13	17.90	17.55	17.66	5
		25	0	17.87	17.56	17.71	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.57	16.34	16.29	0
		1	12	16.66	16.40	16.49	0
		1	24	16.56	16.36	16.41	0
		12	0	16.59	16.39	16.36	0
		12	6	16.71	16.40	16.43	0
		12	13	16.72	16.37	16.45	0
		25	0	16.65	16.34	16.37	0
	16QAM	1	0	17.01	16.68	16.80	0
		1	12	16.94	16.65	16.80	0
		1	24	16.83	16.58	16.72	0
		12	0	16.59	16.43	16.44	0
		12	6	16.73	16.53	16.42	0
		12	13	16.68	16.43	16.49	0
		25	0	16.66	16.37	16.41	0
	64QAM	1	0	16.89	16.30	16.74	0
		1	12	17.08	16.58	16.71	0
		1	24	16.76	16.44	16.56	0
		12	0	16.66	16.41	16.37	0
		12	6	16.69	16.47	16.47	0
		12	13	16.71	16.38	16.46	0
		25	0	16.74	16.40	16.40	0
	256QAM	1	0	16.74	16.38	16.57	0
		1	12	16.82	16.61	16.54	0
		1	24	16.80	16.39	16.66	0
		12	0	16.67	16.36	16.34	0
		12	6	16.76	16.47	16.46	0
		12	13	16.73	16.45	16.55	0
		25	0	16.66	16.60	16.33	0

LTE Band 25		Frequency [MHz]		1851.5	1882.5	1913.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	3	Channel Number		26055	26365	26675	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.62	22.28	22.57	0
		1	7	22.81	22.46	22.71	0
		1	14	22.85	22.45	22.71	0
		8	0	21.77	21.46	21.60	1
		8	4	21.85	21.56	21.62	1
		8	7	21.88	21.52	21.61	1
		15	0	21.83	21.44	21.65	1
	16QAM	1	0	22.03	21.63	21.63	1
		1	7	22.04	21.89	22.16	1
		1	14	22.16	21.70	21.96	1
		8	0	20.89	20.52	20.64	2
		8	4	20.93	20.55	20.74	2
		8	7	20.90	20.57	20.50	2
		15	0	20.87	20.54	20.67	2
	64QAM	1	0	21.04	20.53	20.87	2
		1	7	20.99	20.71	20.91	2
		1	14	20.97	20.68	20.95	2
		8	0	19.81	19.53	19.70	3
		8	4	19.99	19.50	19.73	3
		8	7	19.94	19.58	19.84	3
		15	0	19.81	19.46	19.82	3
	256QAM	1	0	17.87	17.61	18.08	5
		1	7	18.08	17.65	18.02	5
		1	14	17.99	17.59	17.95	5
		8	0	17.87	17.51	17.76	5
		8	4	17.89	17.54	17.89	5
		8	7	17.87	17.52	17.68	5
		15	0	17.83	17.50	17.81	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.48	16.34	16.21	0
		1	7	16.65	16.38	16.40	0
		1	14	16.46	16.36	16.35	0
		8	0	16.65	16.39	16.40	0
		8	4	16.66	16.41	16.37	0
		8	7	16.72	16.39	16.43	0
		15	0	16.68	16.37	16.41	0
	16QAM	1	0	16.67	16.45	16.42	0
		1	7	16.93	16.70	16.56	0
		1	14	16.85	16.47	16.70	0
		8	0	16.69	16.41	16.31	0
		8	4	16.73	16.52	16.46	0
		8	7	16.70	16.47	16.43	0
		15	0	16.69	16.39	16.37	0
	64QAM	1	0	16.78	16.54	16.71	0
		1	7	16.91	16.77	16.48	0
		1	14	16.79	16.71	16.46	0
		8	0	16.60	16.45	16.41	0
		8	4	16.70	16.48	16.46	0
		8	7	16.68	16.43	16.50	0
		15	0	16.66	16.44	16.37	0
	256QAM	1	0	16.60	16.45	16.40	0
		1	7	16.89	16.43	16.63	0
		1	14	16.73	16.54	16.56	0
		8	0	16.75	16.29	16.38	0
		8	4	16.69	16.48	16.47	0
		8	7	16.70	16.37	16.48	0
		15	0	16.70	16.47	16.38	0

LTE Band 25		Frequency [MHz]		1850.7	1882.5	1914.3	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	1.4	Channel Number		26047	26365	26683	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.72	22.31	22.72	0
		1	2	22.77	22.25	22.70	0
		1	5	22.71	22.46	22.51	0
		3	0	22.73	22.39	22.35	0
		3	2	22.70	22.33	22.31	0
		3	3	22.68	22.44	22.33	0
		6	0	21.74	21.34	21.52	1
	16QAM	1	0	22.07	21.89	22.29	1
		1	2	22.09	21.84	21.92	1
		1	5	21.97	21.69	22.15	1
		3	0	21.84	21.50	21.76	1
		3	2	21.80	21.44	21.59	1
		3	3	21.87	21.53	21.54	1
		6	0	20.82	20.55	20.67	2
	64QAM	1	0	20.91	20.68	21.27	2
		1	2	20.96	20.79	20.79	2
		1	5	21.00	20.73	20.88	2
		3	0	20.83	20.59	20.73	2
		3	2	20.93	20.46	20.67	2
		3	3	20.91	20.59	20.56	2
		6	0	19.94	19.58	19.77	3
	256QAM	1	0	17.90	17.53	17.87	5
		1	2	18.07	17.66	17.79	5
		1	5	17.90	17.64	17.99	5
		3	0	17.92	17.63	17.56	5
		3	2	17.94	17.55	17.48	5
		3	3	17.90	17.59	17.79	5
		6	0	17.89	17.47	17.74	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.45	16.43	16.29	0
		1	2	16.54	16.30	16.21	0
		1	5	16.51	16.09	16.44	0
		3	0	16.49	16.29	16.34	0
		3	2	16.55	16.26	16.26	0
		3	3	16.57	16.28	16.32	0
		6	0	16.56	16.26	16.36	0
	16QAM	1	0	16.94	16.80	16.50	0
		1	2	16.82	16.60	16.56	0
		1	5	16.90	16.59	16.46	0
		3	0	16.66	16.41	16.37	0
		3	2	16.70	16.47	16.56	0
		3	3	16.73	16.57	16.51	0
		6	0	16.62	16.31	16.51	0
	64QAM	1	0	16.78	16.38	16.35	0
		1	2	16.77	16.62	16.75	0
		1	5	16.78	16.56	16.51	0
		3	0	16.74	16.39	16.46	0
		3	2	16.77	16.40	16.48	0
		3	3	16.73	16.38	16.40	0
		6	0	16.75	16.27	16.42	0
	256QAM	1	0	16.81	16.76	16.54	0
		1	2	16.76	16.53	16.47	0
		1	5	16.88	16.46	16.74	0
		3	0	16.68	16.47	16.50	0
		3	2	16.75	16.39	16.36	0
		3	3	16.74	16.44	16.51	0
		6	0	16.60	16.42	16.34	0

LTE Band 25		Frequency [MHz]		1860	1882.5	1905	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**20**	Channel Number		26140	26365	26590	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	17.78	17.62	17.88	0
		1	50	17.88	17.70	17.82	0
		1	99	17.56	17.70	17.44	0
		50	0	17.72	17.55	17.53	0
		50	25	17.67	17.55	17.74	0
		50	50	17.56	17.48	17.69	0
		100	0	17.62	17.47	17.65	0
	64QAM	1	0	17.86	17.66	17.96	0
		1	50	17.89	17.64	17.78	0
		1	99	17.48	17.53	17.58	0
		50	0	17.76	17.39	17.62	0
		50	25	17.70	17.55	17.71	0
		50	50	17.49	17.52	17.62	0
		100	0	17.66	17.48	17.63	0
	256QAM	1	0	17.79	17.68	17.73	0
		1	50	17.79	17.58	17.81	0
		1	99	17.39	17.45	17.52	0
		50	0	17.73	17.49	17.52	0
		50	25	17.76	17.51	17.72	0
		50	50	17.52	17.47	17.65	0
		100	0	17.72	17.57	17.71	0
DSI 1 (Head)	16QAM	1	0	16.66	16.50	16.88	0
		1	50	16.80	16.51	16.62	0
		1	99	16.48	16.51	16.65	0
		50	0	16.50	16.32	16.36	0
		50	25	16.46	16.27	16.35	0
		50	50	16.43	16.27	16.47	0
		100	0	16.48	16.18	16.27	0
	64QAM	1	0	16.86	16.60	16.43	0
		1	50	16.58	16.46	16.73	0
		1	99	16.61	16.34	16.72	0
		50	0	16.50	16.32	16.38	0
		50	25	16.48	16.37	16.41	0
		50	50	16.33	16.28	16.45	0
		100	0	16.47	16.19	16.32	0
	256QAM	1	0	16.24	16.04	16.20	0
		1	50	16.34	16.28	16.32	0
		1	99	15.98	16.06	16.04	0
		50	0	16.32	16.11	16.20	0
		50	25	16.27	16.12	16.25	0
		50	50	16.15	16.08	16.18	0
		100	0	16.19	16.08	16.20	0

LTE Band 25		Frequency [MHz]		1857.5	1882.5	1907.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	15	Channel Number		26115	26365	26615	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.71	17.55	17.52	0
		1	36	17.70	17.47	17.56	0
		1	74	17.58	17.43	17.43	0
		36	0	17.86	17.55	17.49	0
		36	18	17.73	17.56	17.68	0
		36	37	17.70	17.50	17.65	0
		75	0	17.69	17.51	17.68	0
	16QAM	1	0	17.93	17.62	17.73	0
		1	36	17.94	17.63	17.82	0
		1	74	17.64	17.37	17.71	0
		36	0	17.74	17.52	17.61	0
		36	18	17.72	17.48	17.64	0
		36	37	17.65	17.51	17.67	0
		75	0	17.66	17.57	17.61	0
	64QAM	1	0	17.76	17.58	17.69	0
		1	36	17.91	17.76	17.79	0
		1	74	17.72	17.62	17.71	0
		36	0	17.70	17.46	17.53	0
		36	18	17.61	17.53	17.65	0
		36	37	17.62	17.56	17.61	0
		75	0	17.73	17.57	17.71	0
	256QAM	1	0	17.78	17.64	17.67	0
		1	36	17.76	17.70	17.81	0
		1	74	17.67	17.46	17.49	0
		36	0	17.80	17.49	17.58	0
		36	18	17.63	17.54	17.55	0
		36	37	17.68	17.49	17.64	0
		75	0	17.70	17.52	17.68	0
DSI 1 (Head)	QPSK	1	0	16.24	16.00	16.08	0
		1	36	16.23	16.11	16.07	0
		1	74	16.17	15.95	16.00	0
		36	0	16.24	16.02	16.08	0
		36	18	16.17	16.02	16.18	0
		36	37	16.17	16.03	16.13	0
		75	0	16.17	16.05	16.16	0
	16QAM	1	0	16.70	16.51	16.56	0
		1	36	16.41	16.46	16.58	0
		1	74	16.58	16.55	16.46	0
		36	0	16.49	16.28	16.34	0
		36	18	16.48	16.33	16.41	0
		36	37	16.38	16.23	16.43	0
		75	0	16.43	16.28	16.44	0
	64QAM	1	0	16.48	16.44	16.57	0
		1	36	16.66	16.54	16.59	0
		1	74	16.55	16.21	16.60	0
		36	0	16.63	16.31	16.27	0
		36	18	16.52	16.29	16.28	0
		36	37	16.30	16.34	16.46	0
		75	0	16.37	16.24	16.55	0
	256QAM	1	0	16.50	16.20	16.13	0
		1	36	16.37	16.08	16.24	0
		1	74	16.13	16.02	16.10	0
		36	0	16.28	16.10	16.10	0
		36	18	16.29	16.14	16.24	0
		36	37	16.22	15.95	16.12	0
		75	0	16.09	15.97	16.26	0

LTE Band 25		Frequency [MHz]		1855	1882.5	1910	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	10	Channel Number		26090	26365	26640	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.77	17.52	17.52	0
		1	25	17.81	17.47	17.63	0
		1	49	17.60	17.48	17.55	0
		25	0	17.71	17.49	17.58	0
		25	12	17.82	17.60	17.57	0
		25	25	17.75	17.57	17.60	0
		50	0	17.70	17.51	17.56	0
	16QAM	1	0	17.97	17.72	17.82	0
		1	25	17.93	17.66	17.94	0
		1	49	17.79	17.64	17.66	0
		25	0	17.79	17.48	17.50	0
		25	12	17.77	17.63	17.57	0
		25	25	17.68	17.50	17.75	0
		50	0	17.65	17.49	17.59	0
	64QAM	1	0	17.81	17.61	17.80	0
		1	25	18.00	17.65	17.70	0
		1	49	17.66	17.57	17.62	0
		25	0	17.81	17.55	17.51	0
		25	12	17.81	17.65	17.64	0
		25	25	17.76	17.54	17.64	0
		50	0	17.83	17.57	17.59	0
	256QAM	1	0	17.82	17.67	17.53	0
		1	25	17.89	17.66	17.64	0
		1	49	17.89	17.57	17.55	0
		25	0	17.81	17.43	17.59	0
		25	12	17.81	17.56	17.59	0
		25	25	17.66	17.52	17.60	0
		50	0	17.80	17.51	17.57	0
DSI 1 (Head)	QPSK	1	0	16.25	15.93	16.08	0
		1	25	16.24	16.03	16.06	0
		1	49	16.19	15.95	16.05	0
		25	0	16.33	16.03	16.09	0
		25	12	16.38	16.04	16.11	0
		25	25	16.22	16.04	16.11	0
		50	0	16.21	16.04	16.00	0
	16QAM	1	0	16.68	16.34	16.65	0
		1	25	16.88	17.04	16.65	0
		1	49	16.62	16.65	16.83	0
		25	0	16.47	16.31	16.39	0
		25	12	16.56	16.31	16.43	0
		25	25	16.40	16.27	16.43	0
		50	0	16.39	16.21	16.36	0
	64QAM	1	0	16.61	16.32	16.30	0
		1	25	16.72	16.44	16.63	0
		1	49	16.53	16.32	16.43	0
		25	0	16.49	16.29	16.37	0
		25	12	16.54	16.32	16.36	0
		25	25	16.47	16.30	16.37	0
		50	0	16.38	16.31	16.28	0
	256QAM	1	0	16.36	16.07	16.03	0
		1	25	16.48	16.06	16.38	0
		1	49	16.30	15.96	16.13	0
		25	0	16.26	16.04	16.04	0
		25	12	16.38	16.05	16.04	0
		25	25	16.25	15.97	16.07	0
		50	0	16.21	15.95	16.05	0

LTE Band 25		Frequency [MHz]		1852.5	1882.5	1912.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	5	Channel Number		26065	26365	26665	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.60	17.39	17.60	0
		1	12	17.83	17.53	17.51	0
		1	24	17.56	17.48	17.53	0
		12	0	17.68	17.52	17.46	0
		12	6	17.73	17.61	17.56	0
		12	13	17.80	17.61	17.57	0
		25	0	17.69	17.55	17.53	0
	16QAM	1	0	17.85	17.68	17.71	0
		1	12	18.04	17.73	17.78	0
		1	24	17.68	17.77	17.71	0
		12	0	17.70	17.53	17.58	0
		12	6	17.77	17.58	17.57	0
		12	13	17.74	17.57	17.62	0
		25	0	17.67	17.52	17.50	0
	64QAM	1	0	17.85	17.52	17.78	0
		1	12	17.89	17.58	17.81	0
		1	24	17.71	17.67	17.71	0
		12	0	17.64	17.51	17.43	0
		12	6	17.71	17.54	17.55	0
		12	13	17.82	17.49	17.50	0
		25	0	17.73	17.50	17.57	0
	256QAM	1	0	17.75	17.43	17.46	0
		1	12	17.83	17.65	17.74	0
		1	24	17.82	17.53	17.80	0
		12	0	17.76	17.54	17.50	0
		12	6	17.68	17.58	17.58	0
		12	13	17.75	17.56	17.61	0
		25	0	17.63	17.50	17.53	0
DSI 1 (Head)	QPSK	1	0	16.16	15.96	15.97	0
		1	12	16.20	16.01	16.10	0
		1	24	16.16	16.02	16.07	0
		12	0	16.21	16.03	16.00	0
		12	6	16.27	15.99	16.10	0
		12	13	16.26	16.01	16.14	0
		25	0	16.26	15.99	16.01	0
	16QAM	1	0	16.61	16.45	16.75	0
		1	12	16.73	16.59	16.58	0
		1	24	16.76	16.36	16.75	0
		12	0	16.55	16.28	16.45	0
		12	6	16.54	16.35	16.50	0
		12	13	16.40	16.21	16.45	0
		25	0	16.56	16.28	16.48	0
	64QAM	1	0	16.64	16.32	16.45	0
		1	12	16.57	16.52	16.55	0
		1	24	16.51	16.43	16.55	0
		12	0	16.55	16.20	16.26	0
		12	6	16.58	16.35	16.50	0
		12	13	16.63	16.37	16.47	0
		25	0	16.54	16.23	16.45	0
	256QAM	1	0	16.17	15.96	15.99	0
		1	12	16.42	16.06	16.14	0
		1	24	16.31	15.98	16.30	0
		12	0	16.23	15.99	16.02	0
		12	6	16.28	16.08	16.08	0
		12	13	16.28	15.89	16.40	0
		25	0	16.21	16.07	16.07	0

LTE Band 25		Frequency [MHz]		1851.5	1882.5	1913.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	3	Channel Number		26055	26365	26675	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.57	17.45	17.46	0
		1	7	17.75	17.51	17.52	0
		1	14	17.66	17.42	17.50	0
		8	0	17.69	17.45	17.50	0
		8	4	17.77	17.48	17.50	0
		8	7	17.78	17.50	17.58	0
		15	0	17.67	17.50	17.56	0
	16QAM	1	0	17.70	17.52	17.63	0
		1	7	17.78	17.64	17.89	0
		1	14	17.74	17.48	17.56	0
		8	0	17.74	17.50	17.50	0
		8	4	17.80	17.45	17.58	0
		8	7	17.80	17.53	17.63	0
		15	0	17.78	17.52	17.48	0
	64QAM	1	0	17.71	17.64	17.63	0
		1	7	17.90	17.62	17.72	0
		1	14	17.90	17.51	17.64	0
		8	0	17.67	17.47	17.51	0
		8	4	17.72	17.51	17.62	0
		8	7	17.66	17.55	17.59	0
		15	0	17.78	17.52	17.59	0
	256QAM	1	0	17.63	17.63	17.47	0
		1	7	17.80	17.66	17.73	0
		1	14	17.78	17.43	17.67	0
		8	0	17.76	17.58	17.44	0
		8	4	17.76	17.62	17.56	0
		8	7	17.73	17.53	17.68	0
		15	0	17.69	17.54	17.53	0
DSI 1 (Head)	QPSK	1	0	16.95	16.73	16.75	0
		1	7	16.79	16.56	16.63	0
		1	14	16.94	16.67	16.73	0
		8	0	16.93	16.76	16.78	0
		8	4	16.93	16.75	16.69	0
		8	7	16.97	16.71	16.76	0
		15	0	16.91	16.66	16.80	0
	16QAM	1	0	16.65	16.41	16.52	0
		1	7	16.94	16.49	16.71	0
		1	14	16.62	16.43	16.92	0
		8	0	16.57	16.32	16.38	0
		8	4	16.59	16.32	16.47	0
		8	7	16.60	16.28	16.46	0
		15	0	16.58	16.14	16.37	0
	64QAM	1	0	16.59	16.09	16.37	0
		1	7	16.69	16.44	16.57	0
		1	14	16.62	16.41	16.45	0
		8	0	16.48	16.28	16.29	0
		8	4	16.53	16.42	16.43	0
		8	7	16.59	16.35	16.40	0
		15	0	16.57	16.30	16.39	0
	256QAM	1	0	16.32	15.89	15.84	0
		1	7	16.34	16.19	16.14	0
		1	14	16.28	15.95	16.12	0
		8	0	16.21	15.92	15.99	0
		8	4	16.32	16.08	16.04	0
		8	7	16.32	15.92	16.12	0
		15	0	16.23	16.09	16.02	0

LTE Band 25		Frequency [MHz]		1850.7	1882.5	1914.3	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	1.4	Channel Number		26047	26365	26683	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.64	17.43	17.42	0
		1	2	17.66	17.38	17.41	0
		1	5	17.68	17.33	17.42	0
		3	0	17.66	17.45	17.45	0
		3	2	17.46	17.40	17.43	0
		3	3	17.71	17.41	17.42	0
		6	0	17.62	17.40	17.53	0
	16QAM	1	0	17.86	17.75	17.90	0
		1	2	17.76	17.44	17.50	0
		1	5	17.74	17.87	17.57	0
		3	0	17.85	17.46	17.62	0
		3	2	17.87	17.62	17.58	0
		3	3	17.71	17.51	17.51	0
		6	0	17.68	17.48	17.47	0
	64QAM	1	0	17.84	17.57	17.60	0
		1	2	17.66	17.52	17.66	0
		1	5	17.68	17.62	17.86	0
		3	0	17.72	17.53	17.59	0
		3	2	17.70	17.56	17.53	0
		3	3	17.67	17.69	17.46	0
		6	0	17.72	17.46	17.49	0
	256QAM	1	0	17.67	17.51	17.72	0
		1	2	17.95	17.50	17.53	0
		1	5	17.80	17.47	17.19	0
		3	0	17.86	17.57	17.60	0
		3	2	17.76	17.59	17.49	0
		3	3	17.78	17.54	17.65	0
		6	0	17.65	17.52	17.52	0
DSI 1 (Head)	QPSK	1	0	16.95	16.73	16.75	0
		1	2	16.79	16.56	16.63	0
		1	5	16.94	16.67	16.73	0
		3	0	16.93	16.76	16.78	0
		3	2	16.93	16.75	16.69	0
		3	3	16.97	16.71	16.76	0
		6	0	16.91	16.66	16.80	0
	16QAM	1	0	16.66	16.76	16.24	0
		1	2	16.45	16.51	16.56	0
		1	5	16.63	16.40	16.31	0
		3	0	16.48	16.36	16.11	0
		3	2	16.50	16.43	16.80	0
		3	3	16.45	16.41	16.95	0
		6	0	16.54	16.25	16.43	0
	64QAM	1	0	16.56	16.33	16.31	0
		1	2	16.60	16.40	16.49	0
		1	5	16.55	16.25	16.34	0
		3	0	16.70	16.32	16.51	0
		3	2	16.56	16.42	16.67	0
		3	3	16.67	16.26	16.46	0
		6	0	16.62	17.70	16.62	0
	256QAM	1	0	16.37	15.76	16.15	0
		1	2	16.29	16.08	16.18	0
		1	5	16.40	16.22	16.00	0
		3	0	16.27	16.10	16.44	0
		3	2	16.29	16.17	16.04	0
		3	3	16.23	16.16	16.07	0
		6	0	16.11	16.03	16.07	0

LTE Band 30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**10**	Channel Number		27710	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	16QAM	1	0	21.10	1
		1	25	21.15	1
		1	49	21.01	1
		25	0	20.00	2
		25	12	19.91	2
		25	25	19.88	2
		50	0	19.90	2
	64QAM	1	0	20.10	2
		1	25	20.03	2
		1	49	20.01	2
		25	0	18.92	3
		25	12	18.90	3
		25	25	18.88	3
		50	0	18.91	3
	256QAM	1	0	16.67	5
		1	25	17.24	5
		1	49	16.70	5
		25	0	16.81	5
		25	12	16.78	5
		25	25	16.82	5
		50	0	16.70	5
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	19.58	0
		1	25	19.55	0
		1	49	19.53	0
		25	0	19.42	0
		25	12	19.44	0
		25	25	19.40	0
		50	0	19.37	0
	64QAM	1	0	19.57	0
		1	25	19.56	0
		1	49	19.48	0
		25	0	18.91	1
		25	12	18.90	1
		25	25	18.88	1
		50	0	18.89	1
	256QAM	1	0	16.58	3
		1	25	16.63	3
		1	49	16.30	3
		25	0	16.55	3
		25	12	16.57	3
		25	25	16.54	3
		50	0	16.61	3

LTE Band 30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**5**	Channel Number		27710	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	QPSK	1	0	21.99	0
		1	12	21.89	0
		1	24	21.86	0
		12	0	20.92	1
		12	6	20.94	1
		12	13	20.88	1
		25	0	20.87	1
	16QAM	1	0	21.66	1
		1	12	21.51	1
		1	24	21.30	1
		12	0	19.96	2
		12	6	19.97	2
		12	13	19.93	2
		25	0	19.90	2
	64QAM	1	0	20.40	2
		1	12	20.33	2
		1	24	20.19	2
		12	0	18.96	3
		12	6	18.98	3
		12	13	18.92	3
		25	0	18.92	3
	256QAM	1	0	16.98	5
		1	12	16.96	5
		1	24	17.01	5
		12	0	16.89	5
		12	6	16.90	5
		12	13	16.79	5
		25	0	16.78	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.32	0
		1	12	19.49	0
		1	24	19.56	0
		12	0	19.59	0
		12	6	19.44	0
		12	13	19.37	0
		25	0	19.39	0
	16QAM	1	0	19.91	0
		1	12	19.85	0
		1	24	19.81	0
		12	0	19.46	0
		12	6	19.49	0
		12	13	19.42	0
		25	0	19.40	0
	64QAM	1	0	19.82	0
		1	12	18.85	0
		1	24	18.77	0
		12	0	18.93	1
		12	6	18.95	1
		12	13	18.88	1
		25	0	18.92	1
	256QAM	1	0	16.44	3
		1	12	16.73	3
		1	24	16.67	3
		12	0	16.56	3
		12	6	16.68	3
		12	13	16.57	3
		25	0	16.59	3

LTE Band 30		Frequency [MHz]		2310	MPR [dB]
Antenna:	F				
Bandwidth [MHz]:	10	Channel Number		27710	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	19.35	0
		1	25	19.80	0
		1	49	19.47	0
		25	0	19.17	0
		25	12	19.17	0
		25	25	19.27	0
		50	0	19.16	0
	64QAM	1	0	19.24	0
		1	25	19.37	0
		1	49	19.30	0
		25	0	19.11	0
		25	12	19.16	0
		25	25	19.19	0
		50	0	19.22	0
	256QAM	1	0	17.96	2
		1	25	17.98	2
		1	49	17.95	2
		25	0	17.91	2
		25	12	17.90	2
		25	25	17.95	2
		50	0	17.84	2
DSI 1 (Head)	16QAM	1	0	17.76	0
		1	25	17.78	0
		1	49	17.85	0
		25	0	17.61	0
		25	12	17.48	0
		25	25	17.69	0
		50	0	17.55	0
	64QAM	1	0	18.10	0
		1	25	17.91	0
		1	49	17.86	0
		25	0	17.60	0
		25	12	17.71	0
		25	25	17.67	0
		50	0	17.59	0
	256QAM	1	0	17.72	0.5
		1	25	17.76	0.5
		1	49	17.61	0.5
		25	0	17.64	0.5
		25	12	17.61	0.5
		25	25	17.61	0.5
		50	0	17.65	0.5

LTE Band 30		Frequency [MHz]		2310	MPR [dB]
Antenna:	F				
Bandwidth [MHz]:	5	Channel Number		27710	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.03	0
		1	12	19.34	0
		1	24	19.05	0
		12	0	19.15	0
		12	6	19.19	0
		12	13	19.04	0
		25	0	19.09	0
	16QAM	1	0	19.30	0
		1	12	19.44	0
		1	24	19.22	0
		12	0	19.16	0
		12	6	19.15	0
		12	13	19.05	0
		25	0	19.05	0
	64QAM	1	0	19.20	0
		1	12	19.31	0
		1	24	19.21	0
		12	0	19.17	0
		12	6	19.15	0
		12	13	19.07	0
		25	0	19.12	0
	256QAM	1	0	17.81	2
		1	12	17.82	2
		1	24	17.80	2
		12	0	17.81	2
		12	6	17.85	2
		12	13	17.79	2
		25	0	17.83	2
DSI 1 (Head)	QPSK	1	0	17.61	0
		1	12	17.72	0
		1	24	17.68	0
		12	0	17.63	0
		12	6	17.67	0
		12	13	17.58	0
		25	0	17.57	0
	16QAM	1	0	17.93	0
		1	12	18.00	0
		1	24	18.03	0
		12	0	17.65	0
		12	6	17.70	0
		12	13	17.50	0
		25	0	17.54	0
	64QAM	1	0	17.61	0
		1	12	17.85	0
		1	24	17.83	0
		12	0	17.69	0
		12	6	17.74	0
		12	13	17.58	0
		25	0	17.60	0
	256QAM	1	0	17.76	0.5
		1	12	17.87	0.5
		1	24	17.58	0.5
		12	0	17.72	0.5
		12	6	17.59	0.5
		12	13	17.59	0.5
		25	0	17.64	0.5

LTE Band 7		Frequency [MHz]		2510	2535	2560	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**20**	Channel Number		20850	21100	21350	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	16QAM	1	0	22.26	22.40	22.49	1
		1	50	22.32	22.43	22.37	1
		1	99	22.13	22.15	22.26	1
		50	0	21.09	21.19	21.35	2
		50	25	21.26	21.31	21.35	2
		50	50	21.22	21.26	21.25	2
		100	0	21.14	21.28	21.30	2
	64QAM	1	0	21.22	21.36	21.22	2
		1	50	21.26	21.51	21.42	2
		1	99	21.17	21.17	21.15	2
		50	0	20.09	20.16	20.36	3
		50	25	20.19	20.34	20.36	3
		50	50	20.22	20.26	20.24	3
		100	0	20.21	20.33	20.35	3
	256QAM	1	0	18.15	18.29	18.45	5
		1	50	18.34	18.55	18.45	5
		1	99	18.14	18.16	18.17	5
		50	0	18.08	18.26	18.32	5
		50	25	18.23	18.33	18.35	5
		50	50	18.31	18.27	18.31	5
		100	0	18.15	18.29	18.36	5
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	17.81	17.90	17.92	0
		1	50	17.65	17.67	17.85	0
		1	99	17.75	17.83	17.77	0
		50	0	17.52	17.76	17.79	0
		50	25	17.65	17.72	17.73	0
		50	50	17.69	17.81	17.70	0
		100	0	17.63	17.70	17.79	0
	64QAM	1	0	17.57	17.91	17.85	0
		1	50	17.94	17.92	17.90	0
		1	99	17.53	17.88	17.84	0
		50	0	17.62	17.82	17.77	0
		50	25	17.68	17.85	17.83	0
		50	50	17.78	17.74	17.77	0
		100	0	17.68	17.84	17.79	0
	256QAM	1	0	17.62	17.88	17.93	0
		1	50	17.61	18.09	17.96	0
		1	99	17.68	17.66	17.53	0
		50	0	17.56	17.75	17.81	0
		50	25	17.77	17.77	17.89	0
		50	50	17.79	17.73	17.63	0
		100	0	17.69	17.79	17.77	0

LTE Band 7		Frequency [MHz]		2507.5	2535	2562.5	MPR [dB]
Antenna:	B						
Bandwidth [MHz]:	15	Channel Number		20825	21100	21375	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.95	23.27	23.20	0
		1	36	22.96	23.23	23.11	0
		1	74	22.91	23.11	23.36	0
		36	0	21.95	22.17	22.30	1
		36	18	22.01	22.27	22.25	1
		36	37	22.12	22.25	22.25	1
		75	0	22.15	22.20	22.30	1
	16QAM	1	0	21.99	22.36	22.31	1
		1	36	22.14	22.31	22.36	1
		1	74	22.39	22.28	22.35	1
		36	0	20.93	21.22	21.27	2
		36	18	21.07	21.27	21.33	2
		36	37	21.18	21.24	21.40	2
		75	0	21.05	21.23	21.36	2
	64QAM	1	0	21.15	21.26	21.36	2
		1	36	21.15	21.65	21.46	2
		1	74	21.24	21.33	21.40	2
		36	0	19.94	20.24	20.27	3
		36	18	20.15	20.31	20.30	3
		36	37	20.17	20.17	20.25	3
		75	0	20.23	20.27	20.30	3
	256QAM	1	0	18.07	18.44	18.63	5
		1	36	18.25	18.32	18.35	5
		1	74	18.17	18.26	18.27	5
		36	0	18.03	18.29	18.34	5
		36	18	18.12	18.22	18.35	5
		36	37	18.21	18.21	18.38	5
		75	0	18.13	18.30	18.42	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.37	17.80	17.64	0
		1	36	17.62	17.65	17.66	0
		1	74	17.41	17.71	17.60	0
		36	0	17.41	17.66	17.76	0
		36	18	17.52	17.70	17.79	0
		36	37	17.62	17.74	17.77	0
		75	0	17.60	17.75	17.76	0
	16QAM	1	0	17.59	18.00	17.72	0
		1	36	17.59	17.97	17.79	0
		1	74	17.73	17.82	17.91	0
		36	0	17.50	17.75	17.77	0
		36	18	17.58	17.76	17.75	0
		36	37	17.67	17.73	17.76	0
		75	0	17.60	17.79	17.82	0
	64QAM	1	0	17.49	17.85	17.91	0
		1	36	17.81	17.86	17.88	0
		1	74	17.67	17.80	17.81	0
		36	0	17.51	17.78	17.77	0
		36	18	17.65	17.79	17.82	0
		36	37	17.66	17.74	17.89	0
		75	0	17.56	17.75	17.79	0
	256QAM	1	0	17.61	17.91	17.85	0
		1	36	17.75	17.96	17.82	0
		1	74	17.67	17.79	17.72	0
		36	0	17.47	17.76	17.83	0
		36	18	17.63	17.75	17.83	0
		36	37	17.67	17.77	17.90	0
		75	0	17.61	17.84	17.72	0

LTE Band 7		Frequency [MHz]		2505	2535	2565	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**10**	Channel Number		20800	21100	21400	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.85	23.26	23.17	0
		1	25	22.97	23.36	23.30	0
		1	49	23.07	23.22	23.09	0
		25	0	21.95	22.24	22.21	1
		25	12	22.10	22.21	22.25	1
		25	25	22.06	22.21	22.11	1
		50	0	22.05	22.19	22.13	1
	16QAM	1	0	21.99	22.60	22.24	1
		1	25	22.23	22.63	22.27	1
		1	49	22.13	22.47	22.27	1
		25	0	21.02	21.27	21.19	2
		25	12	21.07	21.32	21.25	2
		25	25	21.04	21.22	21.06	2
		50	0	21.03	21.28	21.22	2
	64QAM	1	0	21.08	21.52	21.46	2
		1	25	21.12	21.43	21.20	2
		1	49	21.06	21.36	21.34	2
		25	0	19.98	20.31	20.25	3
		25	12	20.01	20.36	20.26	3
		25	25	20.11	20.24	20.19	3
		50	0	20.06	20.34	20.28	3
	256QAM	1	0	18.12	18.43	18.29	5
		1	25	18.26	18.48	18.28	5
		1	49	18.21	18.21	18.17	5
		25	0	18.08	18.33	18.27	5
		25	12	18.13	18.33	18.34	5
		25	25	18.15	18.24	18.21	5
		50	0	18.07	18.39	18.25	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.43	17.68	17.63	0
		1	25	17.38	17.87	17.79	0
		1	49	17.52	17.81	17.60	0
		25	0	17.42	17.75	17.66	0
		25	12	17.53	17.73	17.73	0
		25	25	17.52	17.75	17.58	0
		50	0	17.47	17.73	17.67	0
	16QAM	1	0	17.50	17.96	17.74	0
		1	25	17.82	18.22	17.86	0
		1	49	17.72	17.79	17.68	0
		25	0	17.50	17.76	17.75	0
		25	12	17.54	17.76	17.70	0
		25	25	17.59	17.73	17.66	0
		50	0	17.52	17.69	17.80	0
	64QAM	1	0	17.68	17.84	17.85	0
		1	25	17.68	17.97	17.79	0
		1	49	17.70	17.78	17.64	0
		25	0	17.43	17.82	17.78	0
		25	12	17.56	17.80	17.74	0
		25	25	17.52	17.79	17.69	0
		50	0	17.50	17.77	17.68	0
	256QAM	1	0	17.52	17.83	17.71	0
		1	25	17.67	17.93	17.77	0
		1	49	17.66	17.83	17.72	0
		25	0	17.48	17.78	17.74	0
		25	12	17.57	17.80	17.71	0
		25	25	17.51	17.79	17.65	0
		50	0	17.59	17.76	17.67	0

LTE Band 7		Frequency [MHz]		2502.5	2535	2567.5	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**5**	Channel Number		20775	21100	21425	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.93	23.29	23.22	0
		1	12	23.07	23.40	23.18	0
		1	24	23.04	23.29	23.13	0
		12	0	22.08	22.29	22.19	1
		12	6	22.08	22.22	22.25	1
		12	13	22.12	22.28	22.27	1
		25	0	22.07	22.24	22.27	1
	16QAM	1	0	22.23	22.48	22.34	1
		1	12	22.31	22.55	22.45	1
		1	24	22.29	22.49	22.33	1
		12	0	21.08	21.26	21.17	2
		12	6	21.13	21.34	21.25	2
		12	13	21.13	21.37	21.27	2
		25	0	21.08	21.35	21.25	2
	64QAM	1	0	21.18	21.49	21.35	2
		1	12	21.18	21.61	21.41	2
		1	24	21.18	21.38	21.36	2
		12	0	20.10	20.29	20.24	3
		12	6	20.10	20.33	20.33	3
		12	13	20.08	20.31	20.31	3
		25	0	20.31	20.31	20.24	3
	256QAM	1	0	18.15	18.40	18.34	5
		1	12	18.18	18.49	18.35	5
		1	24	18.20	18.41	18.18	5
		12	0	18.10	18.36	18.23	5
		12	6	18.21	18.33	18.32	5
		12	13	18.09	18.36	18.33	5
		25	0	18.20	18.33	18.33	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.42	17.87	17.75	0
		1	12	17.48	17.69	17.74	0
		1	24	17.52	17.77	17.58	0
		12	0	17.59	17.71	17.70	0
		12	6	17.59	17.80	17.79	0
		12	13	17.54	17.78	17.70	0
		25	0	17.52	17.71	17.67	0
	16QAM	1	0	17.63	17.94	17.87	0
		1	12	17.92	17.94	18.02	0
		1	24	17.89	17.93	17.97	0
		12	0	17.57	17.74	17.73	0
		12	6	17.60	17.91	17.77	0
		12	13	17.68	17.86	17.79	0
		25	0	17.56	17.79	17.76	0
	64QAM	1	0	17.61	17.95	17.75	0
		1	12	17.65	17.95	17.87	0
		1	24	17.81	18.04	17.81	0
		12	0	17.55	17.74	17.72	0
		12	6	17.62	17.81	17.77	0
		12	13	17.67	17.74	17.77	0
		25	0	17.57	17.72	17.77	0
	256QAM	1	0	17.63	17.80	17.78	0
		1	12	17.75	17.99	17.78	0
		1	24	17.62	17.62	17.77	0
		12	0	17.54	17.72	17.72	0
		12	6	17.67	17.75	17.78	0
		12	13	17.61	17.81	17.77	0
		25	0	17.53	17.79	17.77	0

LTE Band 7		Frequency [MHz]		2510	2535	2560	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	20	Channel Number		20850	21100	21350	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	16.22	16.08	15.66	0
		1	50	16.29	16.03	15.75	0
		1	99	16.28	15.86	15.57	0
		50	0	16.08	16.01	15.81	0
		50	25	16.01	15.85	15.69	0
		50	50	16.00	15.86	15.53	0
		100	0	16.00	15.99	15.68	0
	64QAM	1	0	16.24	16.02	15.84	0
		1	50	16.22	16.19	15.69	0
		1	99	16.15	15.94	15.51	0
		50	0	16.14	16.04	15.72	0
		50	25	16.06	15.90	15.68	0
		50	50	16.06	15.93	15.54	0
		100	0	16.03	16.01	15.63	0
	256QAM	1	0	16.00	16.00	15.80	0
		1	50	16.14	16.14	15.65	0
		1	99	15.87	15.58	15.50	0
		50	0	16.13	16.02	15.71	0
		50	25	16.09	15.92	15.66	0
		50	50	15.99	15.83	15.58	0
		100	0	15.97	15.91	15.60	0
DSI 1 (Head)	16QAM	1	0	15.47	15.52	15.24	0
		1	50	15.68	15.38	15.18	0
		1	99	15.41	15.45	14.93	0
		50	0	15.30	15.39	15.07	0
		50	25	15.29	15.16	15.06	0
		50	50	15.22	15.19	14.78	0
		100	0	15.29	15.21	15.01	0
	64QAM	1	0	15.50	15.45	15.22	0
		1	50	15.51	15.58	15.19	0
		1	99	15.48	15.42	15.02	0
		50	0	15.38	15.41	15.12	0
		50	25	15.41	15.32	15.11	0
		50	50	15.35	15.27	14.89	0
		100	0	15.37	15.26	15.02	0
	256QAM	1	0	15.40	15.36	15.13	0
		1	50	15.54	15.33	14.94	0
		1	99	15.29	14.99	14.72	0
		50	0	15.32	15.37	15.05	0
		50	25	15.35	15.22	14.95	0
		50	50	15.25	15.18	14.88	0
		100	0	15.23	15.31	15.00	0

LTE Band 7		Frequency [MHz]		2507.5	2405	2562.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	15	Channel Number		20825	19800	21375	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.06	15.94	15.70	0
		1	36	16.04	15.97	15.55	0
		1	74	15.93	15.68	15.51	0
		36	0	16.03	16.05	15.57	0
		36	18	16.07	15.91	15.60	0
		36	37	16.05	15.92	15.52	0
		75	0	16.07	15.90	15.60	0
	16QAM	1	0	16.29	15.98	15.88	0
		1	36	16.56	15.90	15.81	0
		1	74	16.07	15.90	15.69	0
		36	0	16.06	16.03	15.72	0
		36	18	16.09	16.03	15.66	0
		36	37	16.03	15.87	15.55	0
		75	0	16.06	15.90	15.59	0
	64QAM	1	0	16.17	16.06	15.74	0
		1	36	16.15	16.11	15.85	0
		1	74	16.04	16.12	15.61	0
		36	0	16.04	16.03	15.73	0
		36	18	16.09	16.02	15.68	0
		36	37	16.04	15.95	15.56	0
		75	0	16.07	15.81	15.72	0
	256QAM	1	0	16.18	16.09	15.85	0
		1	36	16.11	16.13	15.66	0
		1	74	15.93	15.82	15.51	0
		36	0	16.03	16.00	15.59	0
		36	18	16.03	15.95	15.69	0
		36	37	15.94	15.88	15.62	0
		75	0	16.07	15.89	15.63	0
DSI 1 (Head)	QPSK	1	0	15.03	15.22	15.10	0
		1	36	15.06	15.28	15.03	0
		1	74	14.88	15.06	15.20	0
		36	0	15.03	15.52	15.22	0
		36	18	15.07	15.20	15.08	0
		36	37	14.96	15.13	15.05	0
		75	0	15.06	15.28	15.18	0
	16QAM	1	0	15.28	15.39	15.43	0
		1	36	15.11	15.45	15.34	0
		1	74	14.96	15.11	15.14	0
		36	0	15.05	15.30	15.23	0
		36	18	15.11	15.33	15.11	0
		36	37	15.03	15.24	15.03	0
		75	0	15.04	15.21	15.18	0
	64QAM	1	0	15.20	15.33	15.25	0
		1	36	15.20	15.51	15.33	0
		1	74	15.02	15.32	15.19	0
		36	0	15.05	15.34	15.28	0
		36	18	15.12	15.27	15.19	0
		36	37	15.11	15.25	15.08	0
		75	0	15.14	15.30	15.22	0
	256QAM	1	0	15.22	15.47	15.35	0
		1	36	15.13	15.39	15.35	0
		1	74	15.03	15.37	15.09	0
		36	0	15.12	15.34	15.25	0
		36	18	15.07	15.29	15.20	0
		36	37	15.01	15.28	15.08	0
		75	0	15.12	15.28	15.19	0

LTE Band 7		Frequency [MHz]		2505	2535	2565	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	10	Channel Number		20800	21100	21400	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	17.77	17.37	17.70	0
		1	25	17.84	17.53	17.86	0
		1	49	17.89	17.51	17.73	0
		25	0	17.81	17.55	17.62	0
		25	12	17.90	17.62	17.82	0
		25	25	17.91	17.47	17.73	0
		50	0	17.91	17.55	17.67	0
	16QAM	1	0	16.82	16.80	16.49	0
		1	25	16.83	16.85	16.42	0
		1	49	16.80	16.87	16.33	0
		25	0	16.62	16.65	16.22	0
		25	12	16.65	16.61	16.17	0
		25	25	16.61	16.54	16.10	0
		50	0	16.53	16.65	16.18	0
	64QAM	1	0	16.73	16.70	16.36	0
		1	25	16.75	16.70	16.38	0
		1	49	16.74	16.78	16.29	0
		25	0	16.66	16.66	16.21	0
		25	12	16.59	16.61	16.21	0
		25	25	16.58	16.58	16.13	0
		50	0	16.55	16.65	16.18	0
	256QAM	1	0	16.97	16.80	16.42	0
		1	25	16.80	16.83	16.34	0
		1	49	16.73	16.60	16.15	0
		25	0	16.77	16.83	16.34	0
		25	12	16.81	16.73	16.31	0
		25	25	16.68	16.68	16.04	0
		50	0	16.78	16.66	16.33	0
DSI 1 (Head)	QPSK	1	0	15.08	15.03	15.15	0
		1	25	15.03	15.07	15.10	0
		1	49	15.04	15.01	14.95	0
		25	0	15.07	15.08	15.14	0
		25	12	15.01	15.07	15.15	0
		25	25	15.00	15.03	15.07	0
		50	0	14.99	15.01	15.15	0
	16QAM	1	0	15.29	15.27	15.41	0
		1	25	15.31	15.40	15.42	0
		1	49	15.31	15.30	15.37	0
		25	0	15.15	15.16	15.25	0
		25	12	15.11	15.10	15.17	0
		25	25	15.04	15.05	15.14	0
		50	0	15.02	15.04	15.11	0
	64QAM	1	0	15.25	15.23	15.14	0
		1	25	15.22	15.32	15.16	0
		1	49	15.22	15.30	15.08	0
		25	0	15.14	15.17	15.17	0
		25	12	15.14	15.12	15.43	0
		25	25	15.05	15.09	15.42	0
		50	0	15.07	15.03	15.37	0
	256QAM	1	0	15.16	15.09	15.30	0
		1	25	15.24	15.26	15.23	0
		1	49	15.10	14.88	15.02	0
		25	0	15.06	15.02	15.11	0
		25	12	15.09	14.98	15.16	0
		25	25	15.08	14.95	15.02	0
		50	0	15.06	15.02	15.11	0

LTE Band 7		Frequency [MHz]		2502.5	2535	2567.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	5	Channel Number		20775	21100	21425	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.75	16.68	16.22	0
		1	12	16.90	16.77	16.30	0
		1	24	16.80	16.77	16.12	0
		12	0	16.81	16.73	16.25	0
		12	6	16.95	16.72	16.22	0
		12	13	16.80	16.74	16.25	0
		25	0	16.96	16.68	16.24	0
	16QAM	1	0	17.02	16.79	16.24	0
		1	12	17.02	16.85	16.42	0
		1	24	16.89	16.92	16.43	0
		12	0	16.96	16.72	16.34	0
		12	6	16.99	16.75	16.34	0
		12	13	16.86	16.74	16.20	0
		25	0	16.88	16.65	16.26	0
	64QAM	1	0	17.04	16.86	16.38	0
		1	12	16.98	16.73	16.43	0
		1	24	17.03	16.71	16.38	0
		12	0	16.92	16.75	16.28	0
		12	6	16.97	16.76	16.34	0
		12	13	16.88	16.66	16.26	0
		25	0	16.92	16.70	16.31	0
	256QAM	1	0	17.07	16.86	16.36	0
		1	12	17.05	16.94	16.50	0
		1	24	16.91	16.65	16.24	0
		12	0	16.96	16.75	16.30	0
		12	6	16.91	16.68	16.31	0
		12	13	16.85	16.73	16.21	0
		25	0	16.98	16.72	16.30	0
DSI 1 (Head)	QPSK	1	0	15.26	15.13	15.23	0
		1	12	15.35	15.31	15.31	0
		1	24	15.36	15.19	15.26	0
		12	0	15.36	15.22	15.27	0
		12	6	15.48	15.26	15.34	0
		12	13	15.33	15.20	15.19	0
		25	0	15.40	15.14	15.21	0
	16QAM	1	0	15.44	15.32	15.31	0
		1	12	15.72	15.45	15.42	0
		1	24	15.49	15.28	15.34	0
		12	0	15.46	15.29	15.25	0
		12	6	15.42	15.24	15.31	0
		12	13	15.35	15.17	15.18	0
		25	0	15.44	15.24	15.24	0
	64QAM	1	0	15.47	15.38	15.18	0
		1	12	15.58	15.44	15.50	0
		1	24	15.44	15.32	15.23	0
		12	0	15.44	15.27	15.31	0
		12	6	15.46	15.26	15.31	0
		12	13	15.30	15.23	15.28	0
		25	0	15.48	15.18	15.22	0
	256QAM	1	0	15.36	15.17	15.06	0
		1	12	15.41	15.23	15.20	0
		1	24	15.14	14.94	15.02	0
		12	0	15.18	15.04	15.06	0
		12	6	15.35	15.04	15.12	0
		12	13	15.14	15.04	15.09	0
		25	0	15.17	15.07	15.05	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	20	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	16QAM	1	0	22.21	22.50	22.61	23.04	23.07	1
		1	50	22.47	22.49	22.75	22.84	23.02	1
		1	99	22.51	22.32	22.91	22.79	22.48	1
		50	0	21.30	21.31	21.53	21.77	21.65	2
		50	25	21.33	21.33	21.58	21.75	21.64	2
		50	50	21.21	21.17	21.58	21.68	21.49	2
		100	0	21.18	21.26	21.51	21.70	21.62	2
	64QAM	1	0	21.34	21.35	21.49	21.84	21.73	2
		1	50	21.26	21.38	21.46	21.88	21.68	2
		1	99	21.09	21.23	21.59	21.79	21.48	2
		50	0	20.28	20.33	20.50	20.82	20.64	3
		50	25	20.32	20.35	20.57	20.75	20.65	3
		50	50	20.22	20.21	20.52	20.65	20.53	3
		100	0	20.19	20.28	20.54	20.73	20.60	3
	256QAM	1	0	18.16	18.19	18.45	18.86	18.69	5
		1	50	18.23	18.26	18.44	18.74	18.47	5
		1	99	18.00	18.01	18.56	18.40	18.36	5
		50	0	18.62	18.29	18.50	18.79	18.64	5
		50	25	18.33	18.30	18.59	18.74	18.59	5
		50	50	18.20	18.20	18.54	18.68	18.51	5
		100	0	18.16	18.28	18.54	18.72	18.56	5
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	20.10	20.08	20.62	20.50	20.63	0
		1	50	20.18	20.04	20.63	20.56	20.35	0
		1	99	19.96	20.04	20.39	20.38	20.21	0
		50	0	19.99	20.00	20.17	20.40	20.28	0
		50	25	20.05	20.03	20.24	20.33	20.22	0
		50	50	19.90	19.93	20.19	20.29	20.14	0
		100	0	19.89	19.98	20.20	20.35	20.21	0
	64QAM	1	0	19.86	19.97	20.14	20.44	20.26	0
		1	50	19.99	20.15	20.43	20.46	20.21	0
		1	99	19.77	20.03	20.01	20.14	20.15	0
		50	0	20.02	20.01	20.15	20.38	20.25	0
		50	25	20.06	20.05	20.23	20.35	20.22	0
		50	50	19.93	19.96	20.18	20.28	20.17	0
		100	0	20.00	19.99	20.22	20.32	20.19	0
	256QAM	1	0	18.29	18.26	18.37	18.73	18.60	1
		1	50	18.27	18.23	18.65	18.72	18.55	1
		1	99	18.14	18.17	18.50	18.22	18.26	1
		50	0	18.55	18.29	18.49	18.70	18.63	1
		50	25	18.36	18.38	18.57	18.66	18.50	1
		50	50	18.26	18.23	18.48	18.60	18.41	1
		100	0	18.21	18.30	18.54	18.65	18.50	1

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	15	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	23.01	23.04	23.38	23.60	23.63	0
		1	36	23.34	23.28	23.44	23.67	23.66	0
		1	74	23.13	23.07	23.48	23.66	23.47	0
		36	0	22.25	22.27	22.48	22.72	22.59	1
		36	18	22.30	22.29	22.57	22.73	22.63	1
		36	37	22.27	22.19	22.56	22.66	22.53	1
		75	0	22.23	22.23	22.48	22.69	22.51	1
	16QAM	1	0	22.25	22.36	22.45	22.85	22.76	1
		1	36	22.46	22.46	22.85	22.94	22.94	1
		1	74	22.43	22.16	22.74	22.63	22.98	1
		36	0	21.29	21.30	21.49	21.77	21.61	2
		36	18	21.29	21.30	21.55	21.74	21.60	2
		36	37	21.30	21.20	21.55	21.68	21.56	2
		75	0	21.27	21.26	21.55	21.72	21.60	2
	64QAM	1	0	21.18	21.09	21.40	21.71	21.52	2
		1	36	21.37	21.30	21.66	21.79	21.83	2
		1	74	21.34	21.13	21.65	21.51	21.59	2
		36	0	20.28	20.23	20.49	20.75	20.62	3
		36	18	20.31	20.33	20.60	20.75	20.63	3
		36	37	20.30	20.22	20.55	20.68	20.50	3
		75	0	20.28	20.27	20.55	20.72	20.62	3
	256QAM	1	0	18.14	18.05	18.40	18.42	18.43	5
		1	36	18.21	18.32	18.56	18.73	18.60	5
		1	74	18.26	18.13	18.49	18.42	18.42	5
		36	0	18.28	18.26	18.54	18.74	18.62	5
		36	18	18.30	18.31	18.58	18.71	18.60	5
		36	37	18.31	18.19	18.55	18.67	18.53	5
		75	0	18.28	18.27	18.55	18.73	18.57	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.88	19.63	20.10	20.22	19.99	0
		1	36	20.03	20.09	20.25	20.36	20.04	0
		1	74	20.08	19.80	20.09	20.12	20.11	0
		36	0	19.97	19.96	20.20	20.37	20.26	0
		36	18	20.01	20.03	20.26	20.34	20.25	0
		36	37	19.96	19.91	20.22	20.29	20.19	0
		75	0	19.95	19.97	20.22	20.34	20.20	0
	16QAM	1	0	20.10	19.90	20.25	20.30	20.48	0
		1	36	20.17	20.13	20.69	20.44	20.50	0
		1	74	20.06	20.00	20.48	20.31	20.30	0
		36	0	20.01	20.00	20.15	20.37	20.23	0
		36	18	19.98	20.01	20.22	20.39	20.24	0
		36	37	20.01	19.93	20.22	20.29	20.18	0
		75	0	19.94	19.98	20.19	20.36	20.20	0
	64QAM	1	0	19.98	19.84	20.06	20.30	20.24	0
		1	36	20.22	19.99	20.32	20.37	20.40	0
		1	74	19.95	19.91	20.26	20.27	20.08	0
		36	0	20.01	19.99	20.17	20.38	20.27	0
		36	18	20.05	20.03	20.23	20.39	20.24	0
		36	37	20.00	19.93	20.18	20.29	20.18	0
		75	0	20.01	20.00	20.18	20.33	20.22	0
	256QAM	1	0	18.27	18.14	18.16	18.43	18.51	1
		1	36	18.39	18.38	18.51	18.66	18.54	1
		1	74	18.35	18.10	18.39	18.39	18.39	1
		36	0	18.30	18.32	18.46	18.69	18.57	1
		36	18	18.32	18.32	18.53	18.70	18.56	1
		36	37	18.31	18.23	18.51	18.62	18.48	1
		75	0	18.29	18.27	18.52	18.66	18.55	1

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	10	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	23.12	23.21	23.49	23.75	23.50	0
		1	25	23.22	23.26	23.56	23.75	23.52	0
		1	49	23.20	23.20	23.48	23.69	23.67	0
		25	0	22.23	22.23	22.49	22.77	22.61	1
		25	12	22.24	22.30	22.60	22.77	22.63	1
		25	25	22.25	22.22	22.58	22.70	22.58	1
		50	0	22.24	22.24	22.55	22.69	22.60	1
	16QAM	1	0	22.23	22.41	22.76	22.94	22.87	1
		1	25	22.42	22.41	22.81	22.91	22.79	1
		1	49	22.49	22.31	22.77	22.90	22.70	1
		25	0	21.24	21.28	21.51	21.77	21.64	2
		25	12	21.27	21.30	21.62	21.77	21.64	2
		25	25	21.27	21.27	21.59	21.74	21.57	2
		50	0	21.24	21.28	21.61	21.74	21.60	2
	64QAM	1	0	21.26	21.17	21.53	21.71	21.72	2
		1	25	21.33	21.34	21.61	21.81	21.61	2
		1	49	21.15	21.27	21.42	21.71	21.57	2
		25	0	20.28	20.27	20.52	20.77	20.63	3
		25	12	20.28	20.30	20.59	20.80	20.64	3
		25	25	20.28	20.22	20.58	20.76	20.59	3
		50	0	20.26	20.25	20.61	20.75	20.65	3
	256QAM	1	0	18.28	18.16	18.42	18.69	18.70	5
		1	25	18.21	18.30	18.57	18.71	18.53	5
		1	49	18.16	18.07	18.49	18.60	18.48	5
		25	0	18.21	18.30	18.49	18.78	18.63	5
		25	12	18.29	18.30	18.62	18.73	18.63	5
		25	25	18.27	18.20	18.57	18.69	18.63	5
		50	0	18.32	18.26	18.60	18.75	18.58	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.89	19.81	20.20	20.37	20.17	0
		1	25	19.90	19.86	20.29	20.49	20.19	0
		1	49	19.97	19.78	20.13	20.31	20.19	0
		25	0	19.92	19.91	20.15	20.39	20.32	0
		25	12	19.98	19.93	20.25	20.43	20.28	0
		25	25	19.96	19.86	20.23	20.36	20.26	0
		50	0	19.95	19.91	20.23	20.42	20.23	0
	16QAM	1	0	20.19	20.06	20.55	20.64	20.55	0
		1	25	20.23	20.06	20.71	20.67	20.46	0
		1	49	20.20	19.97	20.20	20.53	20.40	0
		25	0	19.94	19.92	20.17	20.43	20.26	0
		25	12	19.99	19.95	20.25	20.44	20.28	0
		25	25	19.98	19.88	20.19	20.38	20.20	0
		50	0	19.97	19.91	20.24	20.37	20.24	0
	64QAM	1	0	19.93	19.89	20.27	20.43	20.42	0
		1	25	20.08	19.92	20.41	20.36	20.24	0
		1	49	20.09	19.88	20.24	20.30	20.16	0
		25	0	20.00	19.94	20.12	20.42	20.30	0
		25	12	19.99	19.96	20.24	20.42	20.27	0
		25	25	20.03	19.91	20.25	20.39	20.25	0
		50	0	19.99	19.94	20.22	20.38	20.28	0
	256QAM	1	0	18.16	18.12	18.30	18.64	18.61	1
		1	25	18.16	18.15	18.49	18.64	18.52	1
		1	49	18.13	18.08	18.61	18.58	18.37	1
		25	0	18.19	18.23	18.49	18.74	18.61	1
		25	12	18.33	18.25	18.53	18.73	18.57	1
		25	25	18.25	18.18	18.56	18.69	18.54	1
		50	0	18.30	18.29	18.53	18.71	18.56	1

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	5	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	23.21	23.13	23.50	23.57	23.51	0
		1	12	23.25	23.21	23.51	23.66	23.45	0
		1	24	23.23	23.15	23.48	23.58	23.41	0
		12	0	22.27	22.24	22.45	22.68	22.59	1
		12	6	22.26	22.30	22.54	22.73	22.59	1
		12	13	22.24	22.26	22.56	22.71	22.56	1
		25	0	22.27	22.20	22.50	22.70	22.53	1
	16QAM	1	0	22.41	22.40	22.86	22.82	22.76	1
		1	12	22.45	22.36	22.73	22.93	22.71	1
		1	24	22.42	22.35	22.66	22.77	22.64	1
		12	0	21.27	21.27	21.45	21.75	21.56	2
		12	6	21.26	21.31	21.58	21.74	21.58	2
		12	13	21.20	21.24	21.54	21.71	21.59	2
		25	0	21.29	21.26	21.55	21.73	21.57	2
	64QAM	1	0	21.35	21.29	21.59	21.63	21.45	2
		1	12	21.38	21.34	21.68	21.75	21.49	2
		1	24	21.38	21.27	21.47	21.69	21.58	2
		12	0	20.27	20.30	20.47	20.75	20.61	3
		12	6	20.30	20.28	20.59	20.75	20.63	3
		12	13	20.27	20.30	20.60	20.71	20.55	3
		25	0	20.25	20.32	20.57	20.75	20.59	3
	256QAM	1	0	18.15	18.19	18.25	18.66	18.45	5
		1	12	18.29	18.32	18.63	18.62	18.48	5
		1	24	18.16	18.09	18.56	18.62	18.48	5
		12	0	18.24	18.28	18.50	18.73	18.57	5
		12	6	18.26	18.27	18.58	18.72	18.58	5
		12	13	18.25	18.29	18.59	18.75	18.56	5
		25	0	18.26	18.24	18.56	18.70	18.58	5
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.91	19.79	20.16	20.27	20.24	0
		1	12	19.88	19.89	20.17	20.34	20.29	0
		1	24	19.91	19.79	20.00	20.28	20.10	0
		12	0	19.95	19.90	20.15	20.36	20.26	0
		12	6	19.96	19.93	20.25	20.39	20.26	0
		12	13	19.95	19.92	20.24	20.38	20.23	0
		25	0	19.90	19.93	20.22	20.38	20.23	0
	16QAM	1	0	20.11	19.95	20.32	20.49	20.39	0
		1	12	20.21	20.08	20.45	20.44	20.47	0
		1	24	20.06	19.96	20.49	20.43	20.49	0
		12	0	19.96	19.94	20.13	20.32	20.24	0
		12	6	19.96	19.93	20.21	20.40	20.24	0
		12	13	19.98	19.92	20.22	20.38	20.20	0
		25	0	19.98	19.94	20.17	20.35	20.24	0
	64QAM	1	0	19.99	19.92	20.16	20.40	20.21	0
		1	12	20.07	19.94	20.37	20.33	20.16	0
		1	24	20.00	19.85	20.26	20.28	20.23	0
		12	0	19.96	19.98	20.14	20.39	20.27	0
		12	6	20.00	19.99	20.22	20.40	20.26	0
		12	13	19.99	19.93	20.22	20.37	20.24	0
		25	0	19.99	19.98	20.25	20.38	20.24	0
	256QAM	1	0	18.23	18.16	18.28	18.55	18.36	1
		1	12	18.21	18.23	18.64	18.64	18.49	1
		1	24	18.16	17.95	18.54	18.48	18.36	1
		12	0	18.27	18.24	18.39	18.70	18.56	1
		12	6	18.23	18.29	18.52	18.69	18.56	1
		12	13	18.29	18.18	18.51	18.65	18.56	1
		25	0	18.25	18.24	18.50	18.68	18.56	1

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	**F**								
Bandwidth [MHz]:	**20**	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	20.52	20.80	20.99	21.12	20.79	0
		1	50	20.60	20.85	21.00	21.00	20.80	0
		1	99	20.42	20.95	21.04	20.82	20.43	0
		50	0	20.45	20.62	20.86	20.96	20.64	0
		50	25	20.45	20.74	20.92	20.93	20.60	0
		50	50	20.40	20.72	20.88	20.78	20.40	0
		100	0	20.37	20.61	20.89	20.94	20.56	0
	64QAM	1	0	20.52	20.70	20.95	21.06	20.76	0
		1	50	20.50	20.84	21.05	20.94	20.62	0
		1	99	20.43	20.86	20.86	20.73	20.24	0
		50	0	20.47	20.60	20.88	20.99	20.66	0
		50	25	20.47	20.76	20.99	20.96	20.61	0
		50	50	20.44	20.76	20.89	20.77	20.41	0
		100	0	20.39	20.63	20.90	20.88	20.58	0
	256QAM	1	0	18.40	18.44	18.87	19.03	18.72	1.5
		1	50	18.44	18.79	18.85	18.99	18.57	1.5
		1	99	18.34	18.58	18.82	18.64	18.21	1.5
		50	0	18.49	18.56	18.88	18.97	18.71	1.5
		50	25	18.50	18.77	18.95	18.95	18.63	1.5
		50	50	18.43	18.76	18.91	18.82	18.41	1.5
		100	0	18.41	18.65	18.95	18.91	18.60	1.5
DSI 1 (Head)	16QAM	1	0	18.43	18.11	18.22	18.32	18.28	0
		1	50	18.55	18.25	18.24	18.49	18.26	0
		1	99	18.37	18.30	18.28	18.48	18.66	0
		50	0	18.36	18.14	18.12	18.21	18.91	0
		50	25	18.25	18.19	18.21	18.18	18.89	0
		50	50	18.29	18.06	18.14	18.05	18.69	0
		100	0	18.23	18.08	18.16	18.18	18.82	0
	64QAM	1	0	18.21	18.02	18.38	18.48	18.12	0
		1	50	18.37	18.02	18.34	18.20	18.92	0
		1	99	18.22	18.32	18.23	18.93	18.61	0
		50	0	18.26	18.90	18.27	18.21	18.95	0
		50	25	18.27	18.02	18.20	18.20	18.88	0
		50	50	18.28	18.21	18.14	18.98	18.70	0
		100	0	18.20	18.22	18.14	18.46	18.03	0
	256QAM	1	0	18.23	18.27	18.28	18.47	18.12	0
		1	50	18.22	18.06	18.08	18.09	18.15	0
		1	99	18.24	18.12	18.28	18.41	18.02	0
		50	0	18.24	18.04	18.36	18.40	18.11	0
		50	25	18.18	18.04	18.31	18.21	18.04	0
		50	50	18.25	18.00	18.35	18.33	18.17	0
		100	0	18.27	18.88	18.35	18.33	18.02	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	15	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.68	20.22	20.49	20.64	20.27	0
		1	36	20.84	20.56	20.80	20.78	20.37	0
		1	74	20.80	20.50	20.73	20.59	20.22	0
		36	0	20.84	20.46	20.81	20.86	20.52	0
		36	18	20.81	20.62	20.83	20.81	20.44	0
		36	37	20.79	20.65	20.81	20.69	20.29	0
		75	0	20.77	20.49	20.80	20.77	20.45	0
	16QAM	1	0	20.77	20.28	20.62	20.71	20.45	0
		1	36	21.03	20.76	20.83	21.00	20.54	0
		1	74	20.91	20.65	20.92	20.77	20.45	0
		36	0	20.85	20.43	20.83	20.83	20.53	0
		36	18	20.80	20.61	20.80	20.82	20.46	0
		36	37	20.87	20.61	20.78	20.70	20.31	0
		75	0	20.83	20.49	20.79	20.76	20.43	0
	64QAM	1	0	20.66	20.34	20.61	20.76	20.33	0
		1	36	21.02	20.72	20.78	20.97	20.55	0
		1	74	20.97	20.65	20.85	20.81	20.21	0
		36	0	20.89	20.48	20.81	20.85	20.52	0
		36	18	20.83	20.62	20.86	20.83	20.44	0
		36	37	20.82	20.60	20.79	20.67	20.33	0
		75	0	20.82	20.52	20.84	20.78	20.44	0
	256QAM	1	0	18.46	18.16	18.63	18.74	18.22	1.5
		1	36	18.93	18.66	18.79	18.70	18.54	1.5
		1	74	18.70	18.57	18.62	18.59	18.17	1.5
		36	0	18.85	18.52	18.81	18.82	18.52	1.5
		36	18	18.87	18.68	18.87	18.83	18.46	1.5
		36	37	18.81	18.68	18.83	18.70	18.30	1.5
		75	0	18.83	18.57	18.82	18.84	18.46	1.5
DSI 1 (Head)	QPSK	1	0	18.45	18.19	18.02	18.63	18.44	0
		1	36	18.72	18.18	18.40	18.19	18.14	0
		1	74	18.64	18.12	18.22	18.24	18.31	0
		36	0	18.71	18.32	18.39	18.24	18.12	0
		36	18	18.70	18.02	18.40	18.22	18.07	0
		36	37	18.71	18.23	18.39	18.06	18.35	0
		75	0	18.66	18.08	18.37	18.19	18.07	0
	16QAM	1	0	18.56	18.87	18.29	18.31	18.01	0
		1	36	18.00	18.23	18.57	18.43	18.21	0
		1	74	18.78	18.30	18.42	18.40	18.01	0
		36	0	18.76	18.58	18.35	18.40	18.08	0
		36	18	18.80	18.06	18.39	18.37	18.10	0
		36	37	18.75	18.12	18.35	18.24	18.28	0
		75	0	18.70	18.93	18.36	18.39	18.03	0
	64QAM	1	0	18.55	18.30	18.29	18.24	18.03	0
		1	36	18.95	18.09	18.42	18.50	18.04	0
		1	74	18.72	18.01	18.28	18.24	18.34	0
		36	0	18.74	18.04	18.43	18.41	18.12	0
		36	18	18.74	18.00	18.40	18.43	18.06	0
		36	37	18.75	18.24	18.39	18.27	18.23	0
		75	0	18.71	18.04	18.38	18.38	18.06	0
	256QAM	1	0	18.46	18.15	18.00	18.24	18.27	0
		1	36	18.61	18.00	18.25	18.26	18.24	0
		1	74	18.62	18.03	18.19	18.06	18.27	0
		36	0	18.70	18.07	18.37	18.40	18.12	0
		36	18	18.72	18.01	18.39	18.37	18.05	0
		36	37	18.69	18.09	18.34	18.28	17.93	0
		75	0	18.68	18.09	18.37	18.37	18.06	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	10	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.76	20.42	20.75	20.86	20.45	0
		1	25	20.84	20.56	20.88	20.79	20.41	0
		1	49	20.82	20.54	20.76	20.71	20.34	0
		25	0	20.84	20.57	20.86	20.83	20.54	0
		25	12	20.83	20.66	20.88	20.84	20.53	0
		25	25	20.85	20.63	20.84	20.73	20.47	0
		50	0	20.78	20.56	20.84	20.80	20.51	0
	16QAM	1	0	20.90	20.61	20.99	21.04	20.63	0
		1	25	20.96	20.73	21.00	21.02	20.66	0
		1	49	21.00	20.81	20.86	20.89	20.40	0
		25	0	20.84	20.57	20.82	20.80	20.55	0
		25	12	20.80	20.62	20.87	20.82	20.49	0
		25	25	20.85	20.68	20.82	20.74	20.48	0
		50	0	20.80	20.59	20.81	20.81	20.51	0
	64QAM	1	0	20.84	20.56	20.88	20.79	20.57	0
		1	25	20.95	20.68	20.86	20.91	20.58	0
		1	49	20.88	20.64	20.94	20.80	20.44	0
		25	0	20.86	20.58	20.89	20.82	20.55	0
		25	12	20.82	20.64	20.88	20.84	20.48	0
		25	25	20.81	20.69	20.85	20.78	20.48	0
		50	0	20.79	20.60	20.88	20.80	20.51	0
	256QAM	1	0	18.67	18.59	18.68	18.82	18.56	1.5
		1	25	18.77	18.60	18.82	18.94	18.42	1.5
		1	49	18.75	18.52	18.73	18.50	18.33	1.5
		25	0	18.82	18.59	18.86	18.87	18.55	1.5
		25	12	18.87	18.60	18.89	18.86	18.53	1.5
		25	25	18.84	18.68	18.88	18.76	18.53	1.5
		50	0	18.78	18.63	18.89	18.85	18.54	1.5
DSI 1 (Head)	QPSK	1	0	18.12	18.16	18.54	18.43	18.15	0
		1	25	18.15	18.17	18.48	18.39	18.31	0
		1	49	18.00	18.19	18.33	18.36	18.01	0
		25	0	18.01	18.26	18.47	18.28	18.20	0
		25	12	18.02	18.31	18.64	18.51	18.40	0
		25	25	18.12	18.11	18.33	18.48	18.19	0
		50	0	18.40	18.22	18.47	18.48	18.16	0
	16QAM	1	0	18.17	18.50	18.62	18.66	18.25	0
		1	25	18.25	18.34	18.74	18.82	18.39	0
		1	49	18.28	18.33	18.62	18.48	18.25	0
		25	0	18.01	18.17	18.65	18.70	18.22	0
		25	12	18.46	18.29	18.49	18.61	18.26	0
		25	25	18.67	18.32	18.41	18.40	18.27	0
		50	0	18.43	18.24	18.60	18.44	18.16	0
	64QAM	1	0	18.43	18.37	18.46	18.47	18.31	0
		1	25	18.60	18.21	18.54	18.54	18.28	0
		1	49	18.36	18.17	18.60	18.54	18.05	0
		25	0	18.47	18.12	18.45	18.46	18.17	0
		25	12	18.54	18.04	18.43	18.69	18.35	0
		25	25	18.45	18.49	18.45	18.22	18.11	0
		50	0	18.40	18.26	18.45	18.48	18.11	0
	256QAM	1	0	18.39	18.18	17.97	18.38	18.07	0
		1	25	18.30	18.33	18.45	18.14	18.22	0
		1	49	18.43	18.12	18.24	18.17	17.88	0
		25	0	18.42	18.28	18.44	18.64	18.28	0
		25	12	18.58	18.43	18.50	18.47	18.12	0
		25	25	18.45	18.23	18.03	18.23	18.10	0
		50	0	18.42	18.25	18.43	18.66	18.21	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	5	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.73	20.47	20.62	20.72	20.33	0
		1	12	20.86	20.63	20.81	20.82	20.46	0
		1	24	20.73	20.51	20.67	20.66	20.33	0
		12	0	20.85	20.60	20.82	20.81	20.49	0
		12	6	20.81	20.59	20.84	20.86	20.49	0
		12	13	20.81	20.59	20.85	20.83	20.47	0
		25	0	20.78	20.58	20.79	20.83	20.45	0
	16QAM	1	0	20.96	20.67	20.80	20.81	20.50	0
		1	12	21.12	20.83	20.91	20.97	20.61	0
		1	24	20.96	20.66	20.84	20.83	20.40	0
		12	0	20.89	20.55	20.86	20.83	20.42	0
		12	6	20.82	20.60	20.82	20.81	20.47	0
		12	13	20.79	20.58	20.79	20.8	20.47	0
		25	0	20.79	20.60	20.86	20.82	20.47	0
	64QAM	1	0	20.85	20.58	20.79	20.76	20.44	0
		1	12	21.04	20.76	20.95	20.91	20.52	0
		1	24	20.78	20.56	20.75	20.71	20.26	0
		12	0	20.87	20.64	20.83	20.83	20.48	0
		12	6	20.85	20.64	20.82	20.85	20.55	0
		12	13	20.84	20.63	20.89	20.81	20.48	0
		25	0	20.79	20.62	20.83	20.85	20.47	0
	256QAM	1	0	18.79	18.49	18.52	18.68	18.26	1.5
		1	12	18.85	18.56	18.76	18.8	18.42	1.5
		1	24	18.73	18.48	18.71	18.59	18.25	1.5
		12	0	18.87	18.57	18.87	18.81	18.48	1.5
		12	6	18.79	18.65	18.85	18.83	18.55	1.5
		12	13	18.80	18.64	18.88	18.81	18.48	1.5
		25	0	18.82	18.64	18.84	18.82	18.48	1.5
DSI 1 (Head)	QPSK	1	0	18.41	18.07	18.23	18.31	17.99	0
		1	12	18.46	18.22	18.40	18.39	18.03	0
		1	24	18.39	18.09	18.30	18.27	18.39	0
		12	0	18.42	18.18	18.40	18.41	18.08	0
		12	6	18.44	18.22	18.45	18.47	18.10	0
		12	13	18.43	18.22	18.44	18.42	18.07	0
		25	0	18.40	18.19	18.43	18.42	18.08	0
	16QAM	1	0	18.63	18.18	18.42	18.43	18.14	0
		1	12	18.70	18.32	18.66	18.44	18.19	0
		1	24	18.54	18.25	18.42	18.31	18.04	0
		12	0	18.46	18.17	18.39	18.42	18.05	0
		12	6	18.43	18.23	18.37	18.43	18.06	0
		12	13	18.44	18.21	18.38	18.41	18.03	0
		25	0	18.41	18.22	18.39	18.40	18.07	0
	64QAM	1	0	18.32	18.39	18.16	18.20	18.34	0
		1	12	18.58	18.25	18.42	18.41	18.10	0
		1	24	18.49	18.16	18.38	18.33	18.40	0
		12	0	18.45	18.18	18.39	18.44	18.10	0
		12	6	18.44	18.22	18.43	18.43	18.07	0
		12	13	18.43	18.18	18.42	18.43	18.09	0
		25	0	18.39	18.22	18.38	18.41	18.12	0
	256QAM	1	0	18.33	18.35	18.10	18.23	18.36	0
		1	12	18.42	18.19	18.30	18.28	18.36	0
		1	24	18.25	18.03	18.26	18.16	18.30	0
		12	0	18.41	18.14	18.36	18.43	18.07	0
		12	6	18.44	18.18	18.38	18.37	18.07	0
		12	13	18.40	18.17	18.41	18.40	18.07	0
		25	0	18.43	18.18	18.43	18.34	18.09	0

LTE Band 48		Frequency [MHz]		3560	3603.3	3646.7	3690	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	20	Channel Number		55340	55773	56207	56640	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	19.29	19.43	19.83	19.58	0
		1	50	19.79	19.59	19.82	19.41	0
		1	99	19.67	19.55	19.74	19.38	0
		50	0	19.63	19.39	19.69	19.25	0
		50	25	19.72	19.46	19.76	19.29	0
		50	50	19.65	19.51	19.69	19.24	0
		100	0	19.65	19.55	19.73	19.84	0
	64QAM	1	0	19.58	19.43	19.72	19.69	0
		1	50	19.63	19.38	19.87	19.73	0
		1	99	19.51	19.37	19.82	19.79	0
		50	0	18.92	18.89	19.00	18.85	1
		50	25	19.05	18.90	19.06	19.00	1
		50	50	18.99	18.13	18.97	18.90	1
		100	0	19.03	18.16	19.04	18.93	1
	256QAM	1	0	16.59	16.81	16.89	16.88	3
		1	50	16.74	16.86	16.89	16.86	3
		1	99	16.63	16.78	16.81	16.71	3
		50	0	16.78	16.88	16.95	16.89	3
		50	25	16.89	16.99	17.08	16.96	3
		50	50	16.77	16.93	17.00	16.93	3
		100	0	16.82	16.97	17.01	16.93	3
DSI 1 (Head)	16QAM	1	0	17.28	17.58	17.44	17.42	0
		1	50	17.25	17.55	17.45	17.33	0
		1	99	17.24	17.47	17.27	17.20	0
		50	0	17.22	17.33	17.26	17.19	0
		50	25	17.31	17.45	17.34	17.26	0
		50	50	17.30	17.36	17.27	17.25	0
		100	0	17.30	17.38	17.29	17.29	0
	64QAM	1	0	17.19	17.41	17.30	17.15	0
		1	50	17.14	17.40	17.36	17.30	0
		1	99	17.18	17.37	17.22	17.10	0
		50	0	17.26	17.33	17.29	17.19	0
		50	25	17.36	17.44	17.35	17.27	0
		50	50	17.30	17.38	17.26	17.20	0
		100	0	17.29	17.42	17.31	17.23	0
	256QAM	1	0	17.10	17.23	17.20	17.08	0
		1	50	17.30	17.37	17.23	17.13	0
		1	99	17.07	17.15	17.12	16.98	0
		50	0	17.22	17.33	17.29	17.16	0
		50	25	17.32	17.45	17.33	17.28	0
		50	50	17.29	17.38	17.26	17.21	0
		100	0	17.31	17.40	17.27	17.22	0

LTE Band 48		Frequency [MHz]		3557.5	3602.5	3647.5	3692.5	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	15	Channel Number		55315	55765	56215	56665	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	18.93	19.01	18.76	19.16	0
		1	36	19.24	19.50	19.31	19.40	0
		1	74	19.10	19.26	19.28	19.15	0
		36	0	19.21	19.31	19.30	19.24	0
		36	18	19.67	19.41	19.26	19.32	0
		36	37	19.64	19.61	19.33	19.41	0
		75	0	19.66	19.50	19.46	19.30	0
	16QAM	1	0	19.52	19.24	19.27	19.42	0
		1	36	19.82	19.40	19.41	19.36	0
		1	74	19.59	19.40	19.59	19.37	0
		36	0	19.59	19.34	19.67	19.25	0
		36	18	19.67	19.58	19.43	19.48	0
		36	37	19.65	19.42	19.54	19.45	0
		75	0	19.66	19.44	19.45	19.47	0
	64QAM	1	0	19.37	19.08	19.32	19.30	0
		1	36	19.62	19.39	19.57	19.51	0
		1	74	19.59	19.54	19.53	19.41	0
		36	0	18.87	18.06	18.94	18.90	1
		36	18	18.96	18.14	18.98	19.02	1
		36	37	18.99	18.15	19.04	18.92	1
		75	0	18.99	18.13	18.91	18.95	1
	256QAM	1	0	16.65	15.82	16.73	16.51	3
		1	36	16.93	16.07	16.98	16.90	3
		1	74	16.77	16.86	16.90	16.80	3
		36	0	16.88	17.03	17.03	16.91	3
		36	18	16.99	17.13	16.96	16.99	3
		36	37	16.96	17.10	17.03	16.98	3
		75	0	16.99	17.12	16.98	16.95	3
DSI 1 (Head)	QPSK	1	0	17.11	17.13	17.02	16.93	0
		1	36	17.19	17.32	17.27	17.20	0
		1	74	17.13	17.29	17.16	17.10	0
		36	0	17.20	17.30	17.23	17.14	0
		36	18	17.27	17.43	17.30	17.26	0
		36	37	17.25	17.40	17.30	17.25	0
		75	0	17.28	17.36	17.24	17.24	0
	16QAM	1	0	17.20	17.23	17.14	17.17	0
		1	36	17.34	17.42	17.39	17.32	0
		1	74	17.22	17.40	17.26	17.25	0
		36	0	17.19	17.35	17.25	17.22	0
		36	18	17.34	17.44	17.24	17.28	0
		36	37	17.27	17.39	17.29	17.23	0
		75	0	17.30	17.44	17.25	17.26	0
	64QAM	1	0	17.20	17.11	17.01	16.95	0
		1	36	17.30	17.42	17.28	17.22	0
		1	74	17.31	17.25	17.24	17.08	0
		36	0	17.19	17.33	17.24	17.16	0
		36	18	17.34	17.43	17.27	17.29	0
		36	37	17.28	17.43	17.32	17.24	0
		75	0	17.31	17.42	17.26	17.22	0
	256QAM	1	0	17.00	17.12	17.06	16.88	0
		1	36	17.18	17.27	17.31	17.17	0
		1	74	17.23	17.33	17.18	17.16	0
		36	0	17.25	17.31	17.25	17.19	0
		36	18	17.27	17.41	17.26	17.27	0
		36	37	17.26	17.40	17.32	17.26	0
		75	0	17.25	17.39	17.20	17.27	0

LTE Band 48		Frequency [MHz]		3555	3601.7	3648.3	3695	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	10	Channel Number		55290	55757	56223	56690	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.43	19.54	19.32	19.36	0
		1	25	19.44	19.39	19.30	19.23	0
		1	49	19.13	19.51	19.30	19.19	0
		25	0	19.39	19.36	19.31	19.17	0
		25	12	19.26	19.46	19.48	19.13	0
		25	25	19.24	19.63	19.44	19.47	0
		50	0	19.37	19.46	19.32	19.44	0
	16QAM	1	0	19.42	19.49	19.49	19.38	0
		1	25	19.55	19.70	19.54	19.60	0
		1	49	19.31	19.58	19.46	19.32	0
		25	0	19.19	19.33	19.26	19.14	0
		25	12	19.15	19.42	19.56	19.36	0
		25	25	19.26	19.23	19.35	19.24	0
		50	0	19.28	19.59	19.55	19.48	0
	64QAM	1	0	19.49	19.50	19.36	19.31	0
		1	25	19.37	19.50	19.47	19.36	0
		1	49	19.36	19.67	19.44	19.26	0
		25	0	18.71	18.91	18.80	18.69	1
		25	12	18.78	18.77	18.91	18.72	1
		25	25	18.77	18.98	18.91	18.77	1
		50	0	18.80	18.97	18.92	18.83	1
	256QAM	1	0	16.67	16.72	16.73	16.40	3
		1	25	16.78	16.88	16.80	16.57	3
		1	49	16.68	16.86	16.74	16.42	3
		25	0	16.71	16.83	16.83	16.53	3
		25	12	16.80	16.95	16.95	16.72	3
		25	25	16.81	16.91	16.87	16.76	3
		50	0	16.78	16.96	16.88	16.77	3
DSI 1 (Head)	QPSK	1	0	17.20	17.30	17.30	17.15	0
		1	25	17.25	17.40	17.34	17.14	0
		1	49	17.21	17.33	17.26	17.11	0
		25	0	17.19	17.34	17.28	17.14	0
		25	12	17.26	17.39	17.35	17.10	0
		25	25	17.26	17.42	17.33	17.18	0
		50	0	17.24	17.45	17.35	17.19	0
	16QAM	1	0	17.34	17.54	17.43	17.31	0
		1	25	17.33	17.60	17.44	17.35	0
		1	49	17.39	17.51	17.42	17.25	0
		25	0	17.18	17.31	17.25	17.10	0
		25	12	17.24	17.42	17.34	17.15	0
		25	25	17.25	17.37	17.32	17.18	0
		50	0	17.29	17.41	17.33	17.20	0
	64QAM	1	0	17.25	17.40	17.34	17.25	0
		1	25	17.22	17.41	17.36	17.20	0
		1	49	17.31	17.45	17.25	17.21	0
		25	0	17.22	17.30	17.30	17.14	0
		25	12	17.35	17.45	17.35	17.13	0
		25	25	17.30	17.40	17.31	17.16	0
		50	0	17.30	17.41	17.34	17.22	0
	256QAM	1	0	17.17	17.32	17.17	17.07	0
		1	25	17.20	17.31	17.32	17.08	0
		1	49	17.09	17.29	17.04	17.00	0
		25	0	17.17	17.33	17.27	17.13	0
		25	12	17.27	17.42	17.35	17.13	0
		25	25	17.23	17.37	17.30	17.18	0
		50	0	17.30	17.42	17.34	17.18	0

LTE Band 48		Frequency [MHz]		3552.5	3600.8	3649.2	3697.5	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	5	Channel Number		55265	55748	56232	56715	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	19.53	19.61	19.49	19.41	0
		1	12	19.63	19.68	19.63	19.52	0
		1	24	19.54	19.57	19.54	19.40	0
		12	0	19.62	19.60	19.58	19.42	0
		12	6	19.62	19.71	19.61	19.45	0
		12	13	19.61	19.69	19.60	19.50	0
		25	0	19.61	19.68	19.62	19.45	0
	16QAM	1	0	19.72	19.79	19.63	19.62	0
		1	12	19.86	19.80	19.93	19.73	0
		1	24	19.66	19.76	19.76	19.58	0
		12	0	19.61	19.59	19.60	19.47	0
		12	6	19.64	19.74	19.62	19.45	0
		12	13	19.63	19.70	19.61	19.48	0
		25	0	19.61	19.72	19.66	19.42	0
	64QAM	1	0	19.56	19.75	19.52	19.50	0
		1	12	19.71	19.69	19.69	19.59	0
		1	24	19.59	19.67	19.63	19.41	0
		12	0	19.03	19.05	18.99	18.90	1
		12	6	19.08	19.15	19.06	18.90	1
		12	13	19.05	19.14	19.07	18.94	1
		25	0	19.04	19.10	19.08	18.84	1
	256QAM	1	0	16.92	16.97	16.96	16.70	3
		1	12	17.04	17.08	17.06	16.92	3
		1	24	16.99	16.92	16.95	16.76	3
		12	0	17.09	17.03	17.00	16.86	3
		12	6	17.08	17.14	17.04	16.92	3
		12	13	17.04	17.08	17.06	16.92	3
		25	0	17.07	17.10	17.07	16.86	3
DSI 1 (Head)	QPSK	1	0	17.18	17.24	17.16	17.06	0
		1	12	17.34	17.37	17.30	17.18	0
		1	24	17.20	17.26	17.21	17.06	0
		12	0	17.29	17.31	17.26	17.09	0
		12	6	17.32	17.42	17.25	17.11	0
		12	13	17.29	17.36	17.33	17.15	0
		25	0	17.32	17.35	17.32	17.08	0
	16QAM	1	0	17.32	17.45	17.37	17.24	0
		1	12	17.38	17.66	17.54	17.30	0
		1	24	17.44	17.38	17.36	17.23	0
		12	0	17.30	17.28	17.25	17.09	0
		12	6	17.31	17.39	17.26	17.12	0
		12	13	17.30	17.36	17.27	17.16	0
		25	0	17.32	17.41	17.29	17.09	0
	64QAM	1	0	17.26	17.36	17.21	17.11	0
		1	12	17.46	17.49	17.40	17.19	0
		1	24	17.32	17.34	17.23	17.13	0
		12	0	17.33	17.33	17.26	17.11	0
		12	6	17.36	17.46	17.26	17.16	0
		12	13	17.35	17.41	17.31	17.13	0
		25	0	17.32	17.38	17.33	17.11	0
	256QAM	1	0	17.11	17.21	17.12	17.04	0
		1	12	17.28	17.44	17.26	17.07	0
		1	24	17.15	17.27	17.17	17.05	0
		12	0	17.31	17.33	17.26	17.08	0
		12	6	17.34	17.38	17.27	17.15	0
		12	13	17.32	17.35	17.29	17.19	0
		25	0	17.32	17.37	17.29	17.12	0

H.3. NR Conducted Powers

Table 2-82

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna: A					
Bandwidth [MHz]: 30		Channel Number		136100	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	80	24.05	0
DSI 1	DFT-s-OFDM QPSK	1	80	23.49	0
DSI 0	DFT-s-OFDM QPSK	1	80	22.37	0
not needed	DFT-s-OFDM QPSK	1	80	18.58	0

Table 2-83

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna: A					
Bandwidth [MHz]: 15		Channel Number		136100	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	40	23.97	0
DSI 1	DFT-s-OFDM QPSK	1	40	23.60	0
DSI 0	DFT-s-OFDM QPSK	1	40	22.57	0
not needed	DFT-s-OFDM QPSK	1	40	18.50	0

Table 2-84

NR Band n71		Frequency [MHz]		668	680.5	693	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 10		Channel Number		133600	136100	138600	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	26	23.76	24.02	23.75	0
DSI 1	DFT-s-OFDM QPSK	1	26	23.42	23.48	23.28	0
DSI 0	DFT-s-OFDM QPSK	1	26	22.20	22.44	22.11	0
not needed	DFT-s-OFDM QPSK	1	26	18.27	18.47	18.16	0

Table 2-85

NR Band n71		Frequency [MHz]		665.5	680.5	695.5	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 5		Channel Number		133100	136100	139100	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	13	23.86	24.01	23.82	0
DSI 1	DFT-s-OFDM QPSK	1	13	23.38	23.53	23.26	0
DSI 0	DFT-s-OFDM QPSK	1	13	22.35	22.40	22.14	0
not needed	DFT-s-OFDM QPSK	1	13	18.13	18.33	18.24	0

Table 2-86

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna: E					
Bandwidth [MHz]: 30		Channel Number		136100	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	80	24.09	0
DSI 0	DFT-s-OFDM QPSK	1	80	21.94	0
not needed	DFT-s-OFDM QPSK	1	80	18.16	0

Table 2-87

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna: E					
Bandwidth [MHz]: 25		Channel Number		136100	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	24.21	0
DSI 0	DFT-s-OFDM QPSK	1	67	21.93	0
not needed	DFT-s-OFDM QPSK	1	67	18.24	0

Table 2-88

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	20	Channel Number		136100	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	24.11	0
DSI 0	DFT-s-OFDM QPSK	1	53	21.95	0
not needed	DFT-s-OFDM QPSK	1	53	18.18	0

Table 2-89

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	15	Channel Number		136100	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	40	24.11	0
DSI 0	DFT-s-OFDM QPSK	1	40	21.99	0
not needed	DFT-s-OFDM QPSK	1	40	18.16	0

Table 2-90

NR Band n71		Frequency [MHz]		668	680.5	693	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:	10	Channel Number		133600	136100	138600	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	26	23.89	24.15	23.70	0
DSI 0	DFT-s-OFDM QPSK	1	26	21.81	21.89	21.63	0
not needed	DFT-s-OFDM QPSK	1	26	18.19	18.09	17.92	0

Table 2-91

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	A+C				
Bandwidth [MHz]:	10	Channel Number		141500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	26	23.57	0
DSI 1	DFT-s-OFDM QPSK	1	26	23.14	0
DSI 0	DFT-s-OFDM QPSK	1	26	21.92	0
not needed	DFT-s-OFDM QPSK	1	26	17.89	0

Table 2-92

NR Band n12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna:	A+C						
Bandwidth [MHz]:	5	Channel Number		140300	141500	142700	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	13	23.69	23.58	23.74	0
DSI 1	DFT-s-OFDM QPSK	1	13	23.11	23.12	23.11	0
DSI 0	DFT-s-OFDM QPSK	1	13	21.89	21.94	21.82	0
not needed	DFT-s-OFDM QPSK	1	13	17.86	17.95	17.92	0

Table 2-93

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		141500	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	26	23.60	0
DSI 0	DFT-s-OFDM QPSK	1	26	21.60	0
not needed	DFT-s-OFDM QPSK	1	26	17.89	0

Table 2-94

NR Band n12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna: E							
Bandwidth [MHz]: 5		Channel Number		140300	141500	142700	
Pmax/DSI 1/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	13	23.74	23.62	23.60	0
DSI 0	DFT-s-OFDM QPSK	1	13	21.79	21.82	21.70	0
not needed	DFT-s-OFDM QPSK	1	13	18.08	17.96	18.03	0

Table 2-95

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna: B					
Bandwidth [MHz]: 40		Channel Number		349000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	108	24.05	0
DSI 0	DFT-s-OFDM QPSK	1	108	16.35	0

Table 2-96

NR Band n66		Frequency [MHz]		1727.5	1762.5	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 35		Channel Number		345500	352500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	94	24.10		0
DSI 0	DFT-s-OFDM QPSK	1	94	16.69	16.40	0

Table 2-97

NR Band n66		Frequency [MHz]		1725	1765	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 30		Channel Number		345000	353000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	80	23.97		0
DSI 0	DFT-s-OFDM QPSK	1	80	16.57	16.38	0

Table 2-98

NR Band n66		Frequency [MHz]		1722.5	1767.5	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 25		Channel Number		344500	353500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	23.97		0
DSI 0	DFT-s-OFDM QPSK	1	67	16.64	16.34	0

Table 2-99

NR Band n66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 20		Channel Number		344000	349000	354000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	23.76	24.02	23.75	0
DSI 0	DFT-s-OFDM QPSK	1	53	16.50	16.35	16.24	0

Table 2-100

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 15		Channel Number		343500	349000	354500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	40	23.86	24.01	23.82	0
DSI 0	DFT-s-OFDM QPSK	1	40	16.63	16.38	16.19	0

Table 2-101

NR Band n66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 10		Channel Number		343000	349000	355000	
DSI 0	DFT-s-OFDM QPSK	1	26	16.57	16.30	16.19	0

Table 2-102

NR Band n66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 5		Channel Number		342500	349000	355500	
DSI 0	DFT-s-OFDM QPSK	1	13	16.56	16.36	16.27	0

Table 2-103

NR Band n66		Frequency [MHz]	1745
Antenna:	G		
Bandwidth [MHz]:	40	Channel Number	349000

Table 2-104

NR Band n66		Frequency [MHz]		1727.5	1762.5
Antenna:	G				
Bandwidth [MHz]:	35	Channel Number		345500	352500
Pmax	DFT-s-OFDM QPSK	1	94	24.10	

Table 2-105

NR Band n66		Frequency [MHz]		1725	1765
Antenna:	G				
Bandwidth [MHz]:	30	Channel Number		345000	353000
Pmax	DFT-s-OFDM QPSK	1	80	23.97	

Table 2-106

NR Band n66		Frequency [MHz]		1722.5	1767.5
Antenna:	G				
Bandwidth [MHz]:	25	Channel Number		344500	353500
Pmax	DFT-s-OFDM QPSK	1	67	23.97	

Table 2-107

NR Band n66		Frequency [MHz]		1720	1745	1770
Antenna:	G					
Bandwidth [MHz]:	20	Channel Number		344000	349000	354000
Pmax	DFT-s-OFDM QPSK	1	53	23.76	24.02	23.75

Table 2-108

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5
Antenna:	G					
Bandwidth [MHz]:	15	Channel Number		343500	349000	354500
Pmax	DFT-s-OFDM QPSK	1	40	23.86	24.01	23.82

Table 2-109

NR Band n66		Frequency [MHz]	1715	1745	1775	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	10	Channel Number	343000	349000	355000	

Table 2-110

NR Band n66		Frequency [MHz]	1712.5	1745	1777.5	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	5	Channel Number	342500	349000	355500	

Table 2-111

NR Band n25		Frequency [MHz]		1882.5	MPR [dB]
Antenna:	B				
Bandwidth [MHz]:	35	Channel Number		376500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	94	24.05	0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	94	16.34	0
not needed	DFT-s-OFDM QPSK	1	94	10.73	0

Table 2-112

NR Band n25		Frequency [MHz]		1865	1900	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	30	Channel Number		373000	380000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	80	24.10		0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	80	16.51	16.34	0
not needed	DFT-s-OFDM QPSK	1	80	10.79	10.39	0

Table 2-113

NR Band n25		Frequency [MHz]		1862.5	1902.5	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	25	Channel Number		372500	380500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	23.97		0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	67	16.42	16.27	0
not needed	DFT-s-OFDM QPSK	1	67	10.66	10.40	0

Table 2-114

NR Band n25		Frequency [MHz]		1860	1882.5	1905	MPR [dB]
Antenna:	B						
Bandwidth [MHz]:	20	Channel Number		372000	376500	381000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	23.97			0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	53	16.41	16.58	16.36	0
not needed	DFT-s-OFDM QPSK	1	53	10.63	10.55	10.39	0

Table 2-115

NR Band n25		Frequency [MHz]		1857.5	1882.5	1907.5	MPR [dB]
Antenna:	B						
Bandwidth [MHz]:	15	Channel Number		371500	376500	381500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	40	23.76	24.02	23.75	0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	40	16.53	16.63	16.44	0
not needed	DFT-s-OFDM QPSK	1	40	10.73	10.59	10.38	0

Table 2-116

NR Band n25		Frequency [MHz]		1855	1882.5	1910	MPR [dB]
Antenna:	B						
Bandwidth [MHz]:	10	Channel Number		371000	376500	382000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	26	23.86	24.01	23.82	0
DSI 0/DSI 1	DFT-s-OFDM QPSK	1	26	16.45	16.57	16.38	0
not needed	DFT-s-OFDM QPSK	1	26	10.74	10.49	10.35	0

Table 2-117

NR Band n25		Frequency [MHz]		1852.5	1882.5	1912.5	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 5		Channel Number		370500	376500	382500	
not needed	DFT-s-OFDM QPSK	1	13	10.77	10.49	10.01	0

Table 2-118

NR Band n25		Frequency [MHz]	1882.5	MPR [dB]
Antenna:	G			
Bandwidth [MHz]:	35	Channel Number	376500	

Table 2-119

NR Band n25		Frequency [MHz]	1865	1900	MPR [dB]
Antenna:	G				
Bandwidth [MHz]:	30	Channel Number	373000	380000	

Table 2-120

NR Band n25		Frequency [MHz]	1862.5	1902.5	MPR [dB]
Antenna:	G				
Bandwidth [MHz]:	25	Channel Number	372500	380500	

Table 2-121

NR Band n25		Frequency [MHz]	1860	1882.5	1905	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	20	Channel Number	372000	376500	381000	

Table 2-122

NR Band n25		Frequency [MHz]	1857.5	1882.5	1907.5	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	15	Channel Number	371500	376500	381500	

Table 2-123

NR Band n25		Frequency [MHz]	1855	1882.5	1910	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	10	Channel Number	371000	376500	382000	

Table 2-124

NR Band n25		Frequency [MHz]	1852.5	1882.5	1912.5	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	5	Channel Number	370500	376500	382500	

Table 2-125

NR Band n7		Frequency [MHz]		2535	MPR [dB]
Antenna:	B				
Bandwidth [MHz]:	40	Channel Number		507000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	108	24.05	0
DSI 0	DFT-s-OFDM QPSK	1	108	15.11	0

Table 2-126

NR Band n7		Frequency [MHz]		2517.5	2552.5	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 35		Channel Number		503500	510500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	94	24.10		0
DSI 0	DFT-s-OFDM QPSK	1	94	15.14	15.01	0

Table 2-127

NR Band n7		Frequency [MHz]		2515	2555	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 30		Channel Number		503000	511000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	80	23.97		0
DSI 0	DFT-s-OFDM QPSK	1	80	15.03	14.88	0

Table 2-128

NR Band n7		Frequency [MHz]		2512.5	2557.5	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 25		Channel Number		502500	511500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	23.97		0
DSI 0	DFT-s-OFDM QPSK	1	67	15.27	14.90	0

Table 2-129

NR Band n7		Frequency [MHz]		2510	2535	2560	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 20		Channel Number		502000	507000	512000	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	23.76	24.02	23.75	0
DSI 0	DFT-s-OFDM QPSK	1	53	15.13	15.07	14.95	0

Table 2-130

NR Band n7		Frequency [MHz]		2507.5	2535	2562.5	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 15		Channel Number		501500	507000	512500	
Pmax/DSI 2/DSI 3	DFT-s-OFDM QPSK	1	40	23.86	24.01	23.82	0
DSI 0	DFT-s-OFDM QPSK	1	40	15.09	15.01	14.90	0

Table 2-131

NR Band n7		Frequency [MHz]		2505	2535	2565	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 10		Channel Number		501000	507000	513000	
DSI 0	DFT-s-OFDM QPSK	1	26	15.08	15.01	14.75	0

Table 2-132

NR Band n7		Frequency [MHz]		2502.5	2535	2567.5	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 5		Channel Number		500500	507000	513500	
DSI 0	DFT-s-OFDM QPSK	1	13	15.43	15.17	14.83	0

Table 2-133

NR Band n7		Frequency [MHz]	2535
Antenna: G			
Bandwidth [MHz]: 40		Channel Number	507000

Table 2-134

NR Band n7		Frequency [MHz]		2517.5	2552.5
Antenna: G					
Bandwidth [MHz]: 35		Channel Number		503500	510500
Pmax	DFT-s-OFDM QPSK	1	94	24.10	

Table 2-135

NR Band n7		Frequency [MHz]		2515	2555
Antenna:	G				
Bandwidth [MHz]:	30	Channel Number		503000	511000
Pmax	DFT-s-OFDM QPSK	1	80	23.97	

Table 2-136

NR Band n7		Frequency [MHz]		2512.5	2557.5
Antenna:	G				
Bandwidth [MHz]:	25	Channel Number		502500	511500
Pmax	DFT-s-OFDM QPSK	1	67	23.97	

Table 2-137

NR Band n7		Frequency [MHz]		2510	2535	2560
Antenna:	G					
Bandwidth [MHz]:	20	Channel Number		502000	507000	512000
Pmax	DFT-s-OFDM QPSK	1	53	23.76	24.02	23.75

Table 2-138

NR Band n7		Frequency [MHz]		2507.5	2535	2562.5
Antenna:	G					
Bandwidth [MHz]:	15	Channel Number		501500	507000	512500
Pmax	DFT-s-OFDM QPSK	1	40	23.86	24.01	23.82

Table 2-139

NR Band n7		Frequency [MHz]	2505	2535	2565	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	10	Channel Number	501000	507000	513000	

Table 2-140

NR Band n7		Frequency [MHz]	2502.5	2535	2567.5	MPR [dB]
Antenna:	G					
Bandwidth [MHz]:	5	Channel Number	500500	507000	513500	

Table 2-141

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	90	Channel Number		508200	528996	
DSI 1	DFT-s-OFDM QPSK	1	123	16.81	16.92	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	123	23.88	23.98	0
DSI 0	DFT-s-OFDM QPSK	1	123	15.81	15.86	0
not needed	DFT-s-OFDM QPSK	1	123	11.32	11.24	0

Table 2-142

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	80	Channel Number		507204	529998	
DSI 1	DFT-s-OFDM QPSK	1	109	16.92	16.91	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	109	23.97	23.94	0
DSI 0	DFT-s-OFDM QPSK	1	109	15.88	15.91	0
not needed	DFT-s-OFDM QPSK	1	109	11.29	11.34	0

Table 2-143

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna: B						
Bandwidth [MHz]: 70		Channel Number		506202	531000	
DSI 1	DFT-s-OFDM QPSK	1	95	16.92	16.97	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	95	23.98	23.99	0
DSI 0	DFT-s-OFDM QPSK	1	95	15.89	15.96	0
not needed	DFT-s-OFDM QPSK	1	95	11.41	11.27	0

Table 2-144

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 60		Channel Number		505200	518598	531996	
DSI 1	DFT-s-OFDM QPSK	1	81	16.88	16.58	16.86	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	81	23.88	23.68	23.71	0
DSI 0	DFT-s-OFDM QPSK	1	81	15.82	15.68	15.87	0
not needed	DFT-s-OFDM QPSK	1	81	11.23	11.15	11.28	0

Table 2-145

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 50		Channel Number		504204	518598	532998	
DSI 1	DFT-s-OFDM QPSK	1	67	17.04	16.87	17.15	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	23.99	23.95	23.56	0
DSI 0	DFT-s-OFDM QPSK	1	67	16.18	15.92	16.21	0
not needed	DFT-s-OFDM QPSK	1	67	11.51	11.34	11.48	0

Table 2-146

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna: B								
Bandwidth [MHz]: 45		Channel Number		503700	513634	523566	533500	
DSI 1	DFT-s-OFDM QPSK	1	60	17.22	17.02	16.95	17.25	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	60	23.99	23.94	23.91	23.74	0
DSI 0	DFT-s-OFDM QPSK	1	60	16.15	15.96	16.01	16.20	0
not needed	DFT-s-OFDM QPSK	1	60	11.47	11.34	11.48	11.47	0

Table 2-147

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna: B								
Bandwidth [MHz]: 40		Channel Number		503202	513468	523734	534000	
DSI 1	DFT-s-OFDM QPSK	1	53	17.01	16.84	16.83	17.13	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	23.96	23.91	23.94	23.48	0
DSI 0	DFT-s-OFDM QPSK	1	53	16.11	15.88	15.86	16.13	0
not needed	DFT-s-OFDM QPSK	1	53	11.41	11.32	11.31	11.52	0

Table 2-148

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna: B									
Bandwidth [MHz]: 35		Channel Number		502700	510650	518598	526550	534500	
DSI 1	DFT-s-OFDM QPSK	1	46	17.15	16.91	16.88	16.99	17.21	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	46	23.99	23.87	23.87	23.98	23.58	0
DSI 0	DFT-s-OFDM QPSK	1	46	16.23	15.91	15.89	15.98	16.22	0
not needed	DFT-s-OFDM QPSK	1	46	11.51	11.23	11.24	11.42	11.59	0

Table 2-149

NR Band n41		Frequency [MHz]		2511	2552.01	2592.99	2634	2674.98	MPR [dB]
Antenna: B									
Bandwidth [MHz]: 30		Channel Number		502200	510402	518598	526800	534996	
DSI 1	DFT-s-OFDM QPSK	1	39	17.08	16.82	16.82	16.91	17.13	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	39	23.99	23.81	23.88	23.93	23.69	0
DSI 0	DFT-s-OFDM QPSK	1	39	16.13	15.72	15.87	15.93	16.16	0
not needed	DFT-s-OFDM QPSK	1	39	11.48	11.21	11.29	11.33	11.53	0

Table 2-150

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna: G						
Bandwidth [MHz]: 90		Channel Number		508200	528996	
DSI 1	DFT-s-OFDM QPSK	1	123	15.88	15.27	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	123	16.44	15.83	0
DSI 0	DFT-s-OFDM QPSK	1	123	14.91	14.24	0
not needed	DFT-s-OFDM QPSK	1	123	9.33	8.67	0

Table 2-151

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna: G						
Bandwidth [MHz]: 80		Channel Number		507204	529998	
DSI 1	DFT-s-OFDM QPSK	1	109	15.99	15.46	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	109	16.53	15.94	0
DSI 0	DFT-s-OFDM QPSK	1	109	14.91	14.40	0
not needed	DFT-s-OFDM QPSK	1	109	9.35	8.86	0

Table 2-152

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna: G						
Bandwidth [MHz]: 70		Channel Number		506202	531000	
DSI 1	DFT-s-OFDM QPSK	1	95	16.08	15.51	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	95	16.52	16.04	0
DSI 0	DFT-s-OFDM QPSK	1	95	15.04	14.47	0
not needed	DFT-s-OFDM QPSK	1	95	9.38	8.90	0

Table 2-153

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna: G							
Bandwidth [MHz]: 60		Channel Number		505200	518598	531996	
DSI 1	DFT-s-OFDM QPSK	1	81	15.96	14.96	15.43	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	81	16.51	15.48	15.98	0
DSI 0	DFT-s-OFDM QPSK	1	81	14.92	14.08	14.38	0
not needed	DFT-s-OFDM QPSK	1	81	9.37	8.38	9.02	0

Table 2-154

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna: G							
Bandwidth [MHz]: 50		Channel Number		504204	518598	532998	
DSI 1	DFT-s-OFDM QPSK	1	67	16.33	15.24	15.85	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	67	16.62	15.71	16.38	0
DSI 0	DFT-s-OFDM QPSK	1	67	15.14	14.22	14.73	0
not needed	DFT-s-OFDM QPSK	1	67	9.58	8.66	9.24	0

Table 2-155

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna:	G							
Bandwidth [MHz]:	45	Channel Number		503700	513634	523566	533500	
DSI 1	DFT-s-OFDM QPSK	1	60	16.21	15.48	14.99	15.76	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	60	16.71	15.97	15.53	16.28	0
DSI 0	DFT-s-OFDM QPSK	1	60	15.11	14.35	13.98	14.72	0
not needed	DFT-s-OFDM QPSK	1	60	9.52	8.88	8.53	9.07	0

Table 2-156

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna:	G							
Bandwidth [MHz]:	40	Channel Number		503202	513468	523734	534000	
DSI 1	DFT-s-OFDM QPSK	1	53	16.02	15.52	14.98	15.83	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	53	16.53	16.02	15.79	16.28	0
DSI 0	DFT-s-OFDM QPSK	1	53	14.98	14.48	14.05	14.75	0
not needed	DFT-s-OFDM QPSK	1	53	9.51	8.90	8.55	9.17	0

Table 2-157

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna:	G								
Bandwidth [MHz]:	35	Channel Number		502700	510650	518598	526550	534500	
DSI 1	DFT-s-OFDM QPSK	1	46	16.20	15.94	15.20	15.14	15.94	0
DSI 2/DSI 3	DFT-s-OFDM QPSK	1	46	16.76	16.59	15.68	15.75	16.55	0
DSI 0	DFT-s-OFDM QPSK	1	46	15.14	14.89	14.16	14.06	14.95	0
not needed	DFT-s-OFDM QPSK	1	46	9.49	9.20	8.67	8.69	9.45	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	A				
Bandwidth [MHz]:	35	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (head)	DFT-s-OFDM π/2 BPSK	1	1	23.55	0
		1	94	23.78	0
		1	186	23.62	0
		90	0	22.97	0.5
		90	49	23.68	0
		90	98	22.98	0.5
		180	0	22.99	0.5
	DFT-s-OFDM 16QAM	1	94	22.16	1
	DFT-s-OFDM 64QAM	1	94	20.86	2.5
	DFT-s-OFDM 256QAM	1	94	18.27	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	22.85	0
		1	94	22.82	0
		1	186	22.51	0
		90	0	22.67	0
		90	49	22.74	0
		90	98	22.70	0
		180	0	22.76	0
	DFT-s-OFDM 16QAM	1	94	22.79	0
	DFT-s-OFDM 64QAM	1	94	21.43	1.5
	DFT-s-OFDM 256QAM	1	94	18.67	3.5

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**30**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (head)	DFT-s-OFDM QPSK	1	80	23.58	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	22.60	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**25**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (head)	DFT-s-OFDM QPSK	1	67	23.56	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	22.83	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**20**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (head)	DFT-s-OFDM QPSK	1	53	23.61	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	22.83	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**15**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (head)	DFT-s-OFDM QPSK	1	40	23.51	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	22.68	0

NR Band n71		Frequency [MHz]		668	680.5	693	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**10**	Channel Number		133600	136100	138600	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (head)	DFT-s-OFDM QPSK	1	26	23.45	23.62	23.47	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	22.55	22.58	22.43	0

NR Band n71		Frequency [MHz]		665.5	680.5	695.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		133100	136100	139100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (head)	DFT-s-OFDM QPSK	1	13	23.45	23.56	23.61	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	22.61	22.54	22.52	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	35	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	20.95	0
		1	94	20.93	0
		1	186	20.70	0
		90	0	20.81	0
		90	49	20.86	0
		90	98	20.77	0
		180	0	20.73	0
	DFT-s-OFDM 16QAM	1	94	20.60	0
	DFT-s-OFDM 64QAM	1	94	20.83	0
	DFT-s-OFDM 256QAM	1	94	18.97	1.5
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	18.85	0
		1	94	18.83	0
		1	186	18.71	0
		90	0	18.80	0
		90	49	18.82	0
		90	98	18.73	0
		180	0	18.76	0
	DFT-s-OFDM 16QAM	1	94	18.55	0
	DFT-s-OFDM 64QAM	1	94	18.81	0
	DFT-s-OFDM 256QAM	1	94	18.25	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	30	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	20.51	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	80	18.58	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	25	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	20.71	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	18.64	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**E**				
Bandwidth [MHz]:	**20**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	20.57	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	18.56	0

NR Band n71		Frequency [MHz]		680.5	MPR [dB]
Antenna:	**E**				
Bandwidth [MHz]:	**15**	Channel Number		136100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	20.59	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	18.56	0

NR Band n71		Frequency [MHz]		668	680.5	693	MPR [dB]
Antenna:	**E**						
Bandwidth [MHz]:	**10**	Channel Number		133600	136100	138600	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	20.52	20.46	20.45	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	18.54	18.43	18.34	0

NR Band n71		Frequency [MHz]		665.5	680.5	695.5	MPR [dB]
Antenna:	**E**						
Bandwidth [MHz]:	**5**	Channel Number		133100	136100	139100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	20.66	20.84	20.54	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	18.97	18.45	18.40	0

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**15**	Channel Number		141500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	23.67	0
		1	40	23.58	0
		1	77	23.50	0
		36	0	23.06	0.5
		36	22	23.53	0
		36	43	23.02	0.5
		75	0	23.00	0.5
	DFT-s-OFDM 16QAM	1	40	22.03	1
	DFT-s-OFDM 64QAM	1	40	20.92	2.5
	DFT-s-OFDM 256QAM	1	40	18.21	4.5

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**10**	Channel Number		141500	
Power Level	Modulation	RB Size	RB Offset	cted Powers	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	23.50	0

NR Band n12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		140300	141500	142700	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	23.62	23.50	23.40	0

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	15	Channel Number		141500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	21.84	0
		1	40	21.90	0
		1	77	21.82	0
		36	0	21.94	0
		36	22	21.92	0
		36	43	21.87	0
		75	0	21.90	0
	DFT-s-OFDM 16QAM	1	40	21.65	0
	DFT-s-OFDM 64QAM	1	40	20.69	0.5
	DFT-s-OFDM 256QAM	1	40	18.03	2.5
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	18.89	0
		1	40	18.86	0
		1	77	18.84	0
		36	0	18.96	0
		36	22	19.07	0
		36	43	18.88	0
		75	0	18.91	0
	DFT-s-OFDM 16QAM	1	40	18.56	0
	DFT-s-OFDM 64QAM	1	40	18.98	0
	DFT-s-OFDM 256QAM	1	40	18.04	0

NR Band n12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		141500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	21.70	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	18.58	0

NR Band n12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:	5	Channel Number		140300	141500	142700	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	21.62	21.54	21.47	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	18.85	18.71	18.48	0

NR Band n14		Frequency [MHz]		793	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**10**	Channel Number		158600	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	23.66	0
		1	26	23.68	0
		1	50	23.43	0
		25	0	23.16	0.5
		25	14	23.55	0
		25	27	22.98	0.5
		50	0	23.05	0.5
	DFT-s-OFDM 16QAM	1	26	22.09	1
	DFT-s-OFDM 64QAM	1	26	20.88	2.5
	DFT-s-OFDM 256QAM	1	26	18.16	4.5

NR Band n14		Frequency [MHz]		790.5	793	795.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		158100	158600	159100	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	23.71	23.58	23.53	0

NR Band n14		Frequency [MHz]		793	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		158600	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	20.93	0
		1	26	20.71	0
		1	50	20.85	0
		25	0	20.98	0
		25	14	20.95	0
		25	27	20.91	0
		50	0	20.85	0
	DFT-s-OFDM 16QAM	1	26	20.58	0
	DFT-s-OFDM 64QAM	1	26	20.25	0
	DFT-s-OFDM 256QAM	1	26	18.01	1.5
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	19.84	0
		1	26	19.78	0
		1	50	19.80	0
		25	0	19.88	0
		25	14	19.82	0
		25	27	19.81	0
		50	0	19.78	0
	DFT-s-OFDM 16QAM	1	26	19.32	0
	DFT-s-OFDM 64QAM	1	26	19.88	0
	DFT-s-OFDM 256QAM	1	26	18.71	1

NR Band n14		Frequency [MHz]		790.5	793	795.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:	5	Channel Number		158100	158600	159100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	20.53	20.73	20.84	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	19.06	19.14	19.01	0

NR Band n26		Frequency [MHz]		831.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**20**	Channel Number		166300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	23.60	0
		1	53	23.58	0
		1	104	23.69	0
		50	0	23.28	0.5
		50	28	23.94	0
		50	56	23.23	0.5
		100	0	23.30	0.5
	DFT-s-OFDM 16QAM	1	53	22.36	1
	DFT-s-OFDM 64QAM	1	53	21.18	2.5
	DFT-s-OFDM 256QAM	1	53	18.48	4.5

NR Band n26		Frequency [MHz]		831.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**15**	Channel Number		166300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	23.93	0

NR Band n26		Frequency [MHz]		819	831.5	844	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**10**	Channel Number		163800	166300	168800	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	23.44	23.91	23.50	0

NR Band n26		Frequency [MHz]		816.5	831.5	846.5
Antenna:	**A**					
Bandwidth [MHz]:	**5**	Channel Number		163300	166300	169300
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	23.44	23.92	23.57

NR Band n26		Frequency [MHz]		831.5	MPR [dB]
Antenna:	**E**				
Bandwidth [MHz]:	**20**	Channel Number		166300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0/DSI 1 (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.71	0
		1	53	18.96	0
		1	104	18.84	0
		50	0	18.87	0
		50	28	18.93	0
		50	56	18.93	0
		100	0	18.91	0
	DFT-s-OFDM 16QAM	1	53	19.02	0
	DFT-s-OFDM 64QAM	1	53	19.18	0
	DFT-s-OFDM 256QAM	1	53	18.07	0.5

NR Band n26		Frequency [MHz]		831.5	MPR [dB]
Antenna:	**E**				
Bandwidth [MHz]:	**15**	Channel Number		166300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0/DSI 1 (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	18.70	0

NR Band n26		Frequency [MHz]		819	831.5	844	MPR [dB]
Antenna:	**E**						
Bandwidth [MHz]:	**10**	Channel Number		163800	166300	168800	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0/DSI 1 (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.61	18.66	18.72	0

NR Band n26		Frequency [MHz]		816.5	831.5	846.5	MPR [dB]
Antenna:	**E**						
Bandwidth [MHz]:	**5**	Channel Number		163300	166300	169300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0/DSI 1 (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	18.70	18.79	18.55	0

NR Band n70		Frequency [MHz]		1702.5	MPR [dB]
Antenna:	A				
Bandwidth [MHz]:	15	Channel Number		340500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM π/2 BPSK	1	1	23.37	0
		1	40	23.40	0
		1	77	23.37	0
		36	0	23.01	0.5
		36	22	23.57	0
		36	43	22.96	0.5
		75	0	22.95	0.5
	DFT-s-OFDM 16QAM	1	40	21.92	1
	DFT-s-OFDM 64QAM	1	40	20.77	2.5
	DFT-s-OFDM 256QAM	1	40	18.06	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	16.51	0
		1	40	16.55	0
		1	77	16.59	0
		36	0	16.47	0
		36	22	16.51	0
		36	43	16.52	0
		75	0	16.62	0
	DFT-s-OFDM 16QAM	1	40	16.56	0
	DFT-s-OFDM 64QAM	1	40	16.50	0
	DFT-s-OFDM 256QAM	1	40	16.06	0

NR Band n70		Frequency [MHz]		1700	1702.5	1705	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	10	Channel Number		340000	340500	341000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	26	23.52	23.47	23.59	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	16.55	16.52	16.50	0

NR Band n70		Frequency [MHz]		1697.5	1702.5	1707.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	5	Channel Number		339500	340500	341500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	13	23.52	23.54	23.62	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	16.59	16.46	16.51	0

NR Band n70		Frequency [MHz]		1702.5	MPR [dB]
Antenna:	F				
Bandwidth [MHz]:	15	Channel Number		340500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	20.05	0
		1	40	19.95	0
		1	77	20.11	0
		36	0	20.08	0
		36	22	20.19	0
		36	43	20.13	0
		75	0	20.15	0
	DFT-s-OFDM 16QAM	1	40	20.07	0
	DFT-s-OFDM 64QAM	1	40	20.23	0
	DFT-s-OFDM 256QAM	1	40	18.67	1
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	17.07	0
		1	40	17.06	0
		1	77	17.09	0
		36	0	17.10	0
		36	22	17.11	0
		36	43	17.06	0
		75	0	17.10	0
	DFT-s-OFDM 16QAM	1	40	17.18	0
	DFT-s-OFDM 64QAM	1	40	17.09	0
	DFT-s-OFDM 256QAM	1	40	16.59	0

NR Band n70		Frequency [MHz]		1700	1702.5	1705	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	10	Channel Number		340000	340500	341000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	20.12	20.09	20.17	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	17.07	16.98	17.03	0

NR Band n70		Frequency [MHz]		1697.5	1702.5	1707.5	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	5	Channel Number		339500	340500	341500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	20.08	20.16	20.21	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	16.99	16.95	17.15	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**45**	Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax(Head)	DFT-s-OFDM π/2 BPSK	1	1	23.05	0
		1	121	22.85	0
		1	240	23.03	0
		120	0	22.49	0.5
		120	61	22.88	0.5
		120	122	22.43	0.5
		240	0	22.53	0.5
	DFT-s-OFDM 16QAM	1	121	21.75	1
	DFT-s-OFDM 64QAM	1	121	20.54	2.5
	DFT-s-OFDM 256QAM	1	121	17.86	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	17.54	0
		1	121	17.36	0
		1	240	17.43	0
		120	0	17.53	0
		120	61	17.50	0
		120	122	17.57	0
		240	0	17.50	0
	DFT-s-OFDM 16QAM	1	121	17.27	0
	DFT-s-OFDM 64QAM	1	121	17.50	0
	DFT-s-OFDM 256QAM	1	121	16.90	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**40**	Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax(Head)	DFT-s-OFDM QPSK	1	108	22.70	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	17.29	0

NR Band n66		Frequency [MHz]		1727.5	1762.5	MPR [dB]
Antenna:	**A**					
Bandwidth [MHz]:	**35**	Channel Number		345500	352500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax(Head)	DFT-s-OFDM QPSK	1	94	22.74	22.84	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	17.38	17.25	0

NR Band n66		Frequency [MHz]		1725	1765	MPR [dB]
Antenna:	**A**					
Bandwidth [MHz]:	**30**	Channel Number		345000	353000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax(Head)	DFT-s-OFDM QPSK	1	80	22.81	22.98	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	17.25	17.31	0

NR Band n66		Frequency [MHz]		1722.5	1767.5	MPR [dB]
Antenna:	**A**					
Bandwidth [MHz]:	**25**	Channel Number		344500	353500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax(Head)	DFT-s-OFDM QPSK	1	67	22.80	23.05	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.28	17.29	0

NR Band n66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**20**	Channel Number		344000	349000	354000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax(Head)	DFT-s-OFDM QPSK	1	53	22.80	22.66	22.63	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.19	17.22	17.19	0

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**15**	Channel Number		343500	349000	354500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax(Head)	DFT-s-OFDM QPSK	1	40	22.88	22.49	22.72	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	17.34	17.19	17.12	0

NR Band n66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**10**	Channel Number		343000	349000	355000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax(Head)	DFT-s-OFDM QPSK	1	26	22.96	22.70	22.76	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.20	17.11	17.23	0

NR Band n66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		342500	349000	355500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax(Head)	DFT-s-OFDM QPSK	1	13	22.87	22.54	22.78	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	17.21	17.10	17.34	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**45**	Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	17.68	0
		1	121	17.62	0
		1	240	17.63	0
		120	0	17.70	0
		120	61	17.59	0
		120	122	17.54	0
		240	0	17.61	0
	DFT-s-OFDM 16QAM	1	121	17.52	0
	DFT-s-OFDM 64QAM	1	121	17.71	0
	DFT-s-OFDM 256QAM	1	121	17.27	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	16.60	0
		1	121	16.56	0
		1	240	16.67	0
		120	0	16.56	0
		120	61	16.59	0
		120	122	16.53	0
		240	0	16.52	0
	DFT-s-OFDM 16QAM	1	121	16.62	0
	DFT-s-OFDM 64QAM	1	121	16.25	0
	DFT-s-OFDM 256QAM	1	121	16.11	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**40**	Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	17.41	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	108	16.37	0

NR Band n66		Frequency [MHz]		1727.5	1762.5	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**35**	Channel Number		345500	352500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	17.35	17.52	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	94	16.52	16.35	0

NR Band n66		Frequency [MHz]		1725	1765	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**30**	Channel Number		345000	353000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	17.50	17.52	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	80	16.62	16.28	0

NR Band n66		Frequency [MHz]		1722.5	1767.5	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**25**	Channel Number		344500	353500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.35	17.52	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	16.43	16.32	0

NR Band n66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**20**	Channel Number		344000	349000	354000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.31	17.38	17.22	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	16.41	16.50	16.38	0

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**15**	Channel Number		343500	349000	354500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	17.41	17.36	17.34	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	16.53	16.46	16.32	0

NR Band n66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**10**	Channel Number		343000	349000	355000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.45	17.33	17.38	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	16.57	16.50	16.38	0

NR Band n66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**5**	Channel Number		342500	349000	355500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	17.27	17.37	17.38	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	16.49	16.39	16.35	0

NR Band n25		Frequency [MHz]		1882.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**40**	Channel Number		376500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM π/2 BPSK	1	1	23.41	0
		1	108	22.96	0
		1	214	23.27	0
		108	0	22.66	0.5
		108	54	23.18	0
		108	108	22.60	0.5
		216	0	22.66	0.5
	DFT-s-OFDM 16QAM	1	108	21.16	1
	DFT-s-OFDM 64QAM	1	108	19.96	2.5
	DFT-s-OFDM 256QAM	1	108	17.77	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.46	0
		1	108	18.28	0
		1	214	18.34	0
		108	0	18.27	0
		108	54	18.37	0
		108	108	18.25	0
		216	0	18.31	0
	DFT-s-OFDM 16QAM	1	108	18.04	0
	DFT-s-OFDM 64QAM	1	108	18.37	0
	DFT-s-OFDM 256QAM	1	108	17.78	0

NR Band n25		Frequency [MHz]		1882.5	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**35**	Channel Number		376500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM QPSK	1	94	23.17	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	18.18	0

NR Band n25		Frequency [MHz]		1865	1900	MPR [dB]
Antenna:	**A**					
Bandwidth [MHz]:	**30**	Channel Number		373000	380000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	80	23.63	23.08	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	18.12	18.09	0

NR Band n25		Frequency [MHz]		1862.5	1902.5	MPR [dB]
Antenna:	**A**					
Bandwidth [MHz]:	**25**	Channel Number		372500	380500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	67	23.57	22.89	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	18.04	18.01	0

NR Band n25		Frequency [MHz]		1860	1882.5	1905	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**20**	Channel Number		372000	376500	381000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	53	23.61	23.27	22.76	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	18.11	18.02	18.07	0

NR Band n25		Frequency [MHz]		1857.5	1882.5	1907.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**15**	Channel Number		371500	376500	381500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	40	23.60	23.26	22.77	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	18.15	18.09	18.05	0

NR Band n25		Frequency [MHz]		1855	1882.5	1910	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**10**	Channel Number		371000	376500	382000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	26	23.56	23.19	22.98	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.22	17.93	18.16	0

NR Band n25		Frequency [MHz]		1852.5	1882.5	1912.5	MPR [dB]
Antenna:	**A**						
Bandwidth [MHz]:	**5**	Channel Number		370500	376500	382500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	13	23.47	23.01	22.80	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	18.15	17.92	18.06	0

NR Band n25		Frequency [MHz]		1882.5	MPR [dB]
Antenna:	F				
Bandwidth [MHz]:	40	Channel Number		376500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.31	0
		1	108	17.90	0
		1	214	18.19	0
		108	0	18.17	0
		108	54	18.16	0
		108	108	18.08	0
		216	0	18.15	0
	DFT-s-OFDM 16QAM	1	108	18.11	0
	DFT-s-OFDM 64QAM	1	108	18.03	0
	DFT-s-OFDM 256QAM	1	108	17.43	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	16.50	0
		1	108	16.42	0
		1	214	16.32	0
		108	0	16.60	0
		108	54	16.48	0
		108	108	16.43	0
		216	0	16.52	0
	DFT-s-OFDM 16QAM	1	108	16.52	0
	DFT-s-OFDM 64QAM	1	108	16.54	0
	DFT-s-OFDM 256QAM	1	108	15.88	0

NR Band n25		Frequency [MHz]		1882.5	MPR [dB]
Antenna:	F				
Bandwidth [MHz]:	35	Channel Number		376500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	17.96	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	94	16.57	0

NR Band n25		Frequency [MHz]		1865	1900	MPR [dB]
Antenna:	F					
Bandwidth [MHz]:	30	Channel Number		373000	380000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	18.34	18.24	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	80	16.92	16.62	0

NR Band n25		Frequency [MHz]		1862.5	1902.5	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**25**	Channel Number		372500	380500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	18.29	18.20	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	16.81	16.57	0

NR Band n25		Frequency [MHz]		1860	1882.5	1905	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**20**	Channel Number		372000	376500	381000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	18.23	18.03	18.16	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	16.78	16.40	16.57	0

NR Band n25		Frequency [MHz]		1857.5	1882.5	1907.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**15**	Channel Number		371500	376500	381500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	18.29	18.07	18.07	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	16.76	16.36	16.59	0

NR Band n25		Frequency [MHz]		1855	1882.5	1910	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**10**	Channel Number		371000	376500	382000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.35	17.92	18.10	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	16.77	16.38	16.57	0

NR Band n25		Frequency [MHz]		1852.5	1882.5	1912.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**5**	Channel Number		370500	376500	382500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	18.27	17.96	17.96	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	16.60	16.37	16.58	0

NR Band n30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**10**	Channel Number		462000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM π/2 BPSK	1	1	21.90	0
		1	26	21.87	0
		1	50	21.73	0
		25	0	21.41	0.5
		25	14	21.85	0
		25	27	21.30	0.5
		50	0	21.38	0.5
	DFT-s-OFDM 16QAM	1	26	20.46	1
	DFT-s-OFDM 64QAM	1	26	19.11	2.5
	DFT-s-OFDM 256QAM	1	26	16.44	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.86	0
		1	26	18.83	0
		1	50	18.85	0
		25	0	18.99	0
		25	14	18.91	0
		25	27	18.91	0
		50	0	18.95	0
	DFT-s-OFDM 16QAM	1	26	18.83	0
	DFT-s-OFDM 64QAM	1	26	19.10	0.5
	DFT-s-OFDM 256QAM	1	26	16.34	2.5

NR Band n30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**A**				
Bandwidth [MHz]:	**5**	Channel Number		462000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM QPSK	1	13	21.87	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	18.80	0

NR Band n30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**10**	Channel Number		462000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	19.63	0
		1	26	19.66	0
		1	50	19.55	0
		25	0	19.57	0
		25	14	19.61	0
		25	27	19.53	0
		50	0	19.54	0
	DFT-s-OFDM 16QAM	1	26	19.44	0
	DFT-s-OFDM 64QAM	1	26	19.74	0
	DFT-s-OFDM 256QAM	1	26	17.77	1.5
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	18.08	0
		1	26	18.14	0
		1	50	18.06	0
		25	0	18.02	0
		25	14	18.10	0
		25	27	17.97	0
		50	0	18.05	0
	DFT-s-OFDM 16QAM	1	26	18.14	0
	DFT-s-OFDM 64QAM	1	26	18.20	0
	DFT-s-OFDM 256QAM	1	26	18.02	0

NR Band n30		Frequency [MHz]		2310	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**5**	Channel Number		462000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	19.60	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	18.05	0

NR Band n7		Frequency [MHz]		2535	MPR [dB]
Antenna:	**B**				
Bandwidth [MHz]:	**50**	Channel Number		507000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM π/2 BPSK	1	1	23.19	0
		1	135	23.36	0
		1	268	23.18	0
		135	0	22.80	0.5
		135	68	23.36	0
		135	135	22.78	0.5
		270	0	22.85	0.5
	DFT-s-OFDM 16QAM	1	135	22.17	1
	DFT-s-OFDM 64QAM	1	135	20.94	2.5
	DFT-s-OFDM 256QAM	1	135	18.22	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	17.66	0
		1	135	17.76	0
		1	268	17.59	0
		135	0	17.82	0
		135	68	17.80	0
		135	135	17.69	0
		270	0	17.73	0
	DFT-s-OFDM 16QAM	1	135	17.41	0
	DFT-s-OFDM 64QAM	1	135	17.85	0
	DFT-s-OFDM 256QAM	1	135	17.18	0

NR Band n7		Frequency [MHz]		2535	MPR [dB]
Antenna:	**B**				
Bandwidth [MHz]:	**40**	Channel Number		507000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM QPSK	1	108	23.15	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	17.51	0

NR Band n7		Frequency [MHz]		2517.5	2552.5	MPR [dB]
Antenna:	**B**					
Bandwidth [MHz]:	**35**	Channel Number		503500	510500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	94	23.17	23.28	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	17.47	17.51	0

NR Band n7		Frequency [MHz]		2515	2555	MPR [dB]
Antenna:	**B**					
Bandwidth [MHz]:	**30**	Channel Number		503000	511000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	80	22.82	22.91	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	17.44	17.51	0

NR Band n7		Frequency [MHz]		2512.5	2557.5	MPR [dB]
Antenna:	**B**					
Bandwidth [MHz]:	**25**	Channel Number		502500	511500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	67	22.97	23.02	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.45	17.49	0

NR Band n7		Frequency [MHz]		2510	2535	2560	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**20**	Channel Number		502000	507000	512000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	53	22.87	23.09	23.01	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.43	17.59	17.57	0

NR Band n7		Frequency [MHz]		2507.5	2535	2562.5	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**15**	Channel Number		501500	507000	512500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	40	22.89	23.07	23.00	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	17.35	17.50	17.59	0

NR Band n7		Frequency [MHz]		2505	2535	2565	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**10**	Channel Number		501000	507000	513000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	26	22.79	22.93	22.95	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.39	17.49	17.42	0

NR Band n7		Frequency [MHz]		2502.5	2535	2567.5	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**5**	Channel Number		500500	507000	513500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	13	22.90	22.98	23.12	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	17.42	17.51	17.53	0

NR Band n7		Frequency [MHz]		2535	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**50**	Channel Number		507000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.37	0
		1	135	18.18	0
		1	268	17.93	0
		135	0	18.32	0
		135	68	18.34	0
		135	135	18.04	0
		270	0	18.23	0
	DFT-s-OFDM 16QAM	1	135	18.69	0
	DFT-s-OFDM 64QAM	1	135	18.46	0
	DFT-s-OFDM 256QAM	1	135	17.72	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	16.34	0
		1	135	16.31	0
		1	268	15.98	0
		135	0	16.32	0
		135	68	16.23	0
		135	135	16.10	0
		270	0	16.18	0
	DFT-s-OFDM 16QAM	1	135	16.41	0
	DFT-s-OFDM 64QAM	1	135	16.46	0
	DFT-s-OFDM 256QAM	1	135	15.74	0

NR Band n7		Frequency [MHz]		2535	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**40**	Channel Number		507000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	18.10	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	108	15.96	0

NR Band n7		Frequency [MHz]		2517.5	2552.5
Antenna:	**F**				
Bandwidth [MHz]:	**35**	Channel Number		503500	510500
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	18.14	18.12
DSI 1 (Head)	DFT-s-OFDM QPSK	1	94	16.12	16.04

NR Band n7		Frequency [MHz]		2515	2555	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**30**	Channel Number		503000	511000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	18.05	17.83	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	80	16.03	15.86	0

NR Band n7		Frequency [MHz]		2512.5	2557.5	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**25**	Channel Number		502500	511500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	18.18	17.65	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	16.09	15.77	0

NR Band n7		Frequency [MHz]		2510	2535	2560	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**20**	Channel Number		502000	507000	512000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.99	17.93	17.90	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	15.96	15.98	15.92	0

NR Band n7		Frequency [MHz]		2507.5	2535	2562.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**15**	Channel Number		501500	507000	512500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	18.11	18.18	17.90	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	16.03	16.12	15.89	0

NR Band n7		Frequency [MHz]		2505	2535	2565	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**10**	Channel Number		501000	507000	513000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.01	18.17	17.84	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	16.02	16.15	15.79	0

NR Band n7		Frequency [MHz]		2502.5	2535	2567.5	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**5**	Channel Number		500500	507000	513500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	18.19	18.18	17.83	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	16.06	16.17	15.88	0

NR Band n41		Frequency [MHz]		2592.99	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**100**	Channel Number		518598	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	18.04	0
		1	137	18.11	0
		1	271	18.44	0
		135	0	17.99	0
		135	69	18.09	0
		135	138	18.10	0
		270	0	18.06	0
	DFT-s-OFDM 16QAM	1	137	18.06	0
	DFT-s-OFDM 64QAM	1	137	18.14	0
	DFT-s-OFDM 256QAM	1	137	18.14	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	14.52	0
		1	137	14.54	0
		1	271	14.85	0
		135	0	14.48	0
		135	69	14.53	0
		135	138	14.66	0
		270	0	14.55	0
	DFT-s-OFDM 16QAM	1	137	14.67	0
	DFT-s-OFDM 64QAM	1	137	14.59	0
	DFT-s-OFDM 256QAM	1	137	14.59	0

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**90**	Channel Number		508200	528996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	18.27	18.22	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	14.77	14.83	0

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**80**	Channel Number		507204	529998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	18.29	18.30	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	14.60	14.72	0

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**70**	Channel Number		506202	531000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	18.28	18.30	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	14.71	14.70	0

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	60	Channel Number		505200	518598	531996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	18.25	18.03	18.22	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	14.73	14.52	14.68	0

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna:	F						
Bandwidth [MHz]:	50	Channel Number		504204	518598	532998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	18.52	18.26	18.49	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	14.93	14.75	14.98	0

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	45	Channel Number		503700	513634	523566	533500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	60	18.53	18.11	18.31	18.41	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	60	14.92	14.58	14.81	14.95	0

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna:	F							
Bandwidth [MHz]:	40	Channel Number		503202	513468	523734	534000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	18.42	18.11	18.17	18.33	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	14.90	14.53	14.64	14.89	0

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	35	Channel Number		502700	510650	518598	526550	534500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	46	18.54	18.28	18.29	18.23	18.46	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	46	14.91	14.72	14.60	14.68	14.87	0

NR Band n41		Frequency [MHz]		2511	2552.01	2592.99	2634	2674.98	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	30	Channel Number		502200	510402	518598	526800	534996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	18.58	18.28	18.29	18.29	18.45	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	15.05	14.67	14.72	14.81	14.91	0

NR Band n41		Frequency [MHz]		2508.5	2550.75	2592.99	2635.25	2677.5	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	25	Channel Number		501700	510150	518598	527050	535500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	18.48	18.22	18.27	18.31	18.19	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	14.97	14.66	14.68	14.77	14.69	0

NR Band n41		Frequency [MHz]		2506.02	2549.49	2592.99	2636.49	2679.99	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	20	Channel Number		501204	509898	518598	527298	535998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.59	18.24	18.27	18.43	18.44	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	14.91	14.88	14.81	14.81	14.74	0

NR Band n41		Frequency [MHz]		2503.5	2548.26	2592.99	2637.75	2682.51	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	15	Channel Number		500700	509652	518598	527550	536502	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	18.54	18.31	18.24	18.35	18.43	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	14.94	14.74	14.65	14.81	14.74	0

NR Band n41		Frequency [MHz]		2501.01	2547	2592.99	2639.01	2685	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	10	Channel Number		500202	509400	518598	527802	537000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	18.51	18.25	18.23	18.32	18.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	14.97	14.62	14.74	14.74	14.77	0

NR Band n41 PC2 Default		Frequency [MHz]	2541	2644.98
Mode:	SRS/CW			
Bandwidth [MHz]:	90	Channel Number	508200	528996
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.47	17.97
		E	15.41	15.55
		D	15.38	14.55
DSI 1 (Head)		B	21.40	20.90
		E	13.50	12.59
		D	13.46	12.49

NR Band n41 PC2 Default		Frequency [MHz]	2536.02	2649.99
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**80**	Channel Number	507204	529998
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.50	18.00
		E	15.52	14.47
		D	15.50	14.55
DSI 1 (Head)		B	20.70	20.50
		E	13.47	12.51
		D	13.36	12.54

NR Band n41 PC2 Default		Frequency [MHz]	2531.01	2655
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**70**	Channel Number	506202	531000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.42	17.93
		E	15.38	14.33
		D	15.42	14.43
DSI 1 (Head)		B	21.50	20.70
		E	13.50	13.34
		D	13.48	12.36

NR Band n41 PC2 Default		Frequency [MHz]	2526	2592.99	2659.98
Mode:	**SRS/CW**				
Bandwidth [MHz]:	**60**	Channel Number	505200	518598	531996
Power Level		Antenna	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)		B	17.93	18.15	17.98
		E	15.44	14.93	14.42
		D	15.52	14.72	14.52
DSI 1 (Head)		B	22.50	22.40	20.70
		E	13.61	13.04	12.37
		D	13.45	12.78	12.38

NR Band n41 PC2 Default		Frequency [MHz]	2521.02	2592.99	2664.99
Mode:	**SRS/CW**				
Bandwidth [MHz]:	**50**	Channel Number	504204	518598	532998
Power Level		Antenna	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.49	18.28	18.22
		E	15.77	15.30	14.54
		D	15.72	14.94	14.20
DSI 1 (Head)		B	22.90	22.60	20.60
		E	13.79	13.23	12.40
		D	13.70	12.98	12.55

NR Band n41 PC2 Default		Frequency [MHz]	2518.5	2568.17	2617.83	2667.5
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**45**	Channel Number	503700	513634	523566	533500
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.50	18.48	18.09	18.26
		E	15.72	15.37	15.08	14.58
		D	15.81	15.14	14.88	14.24
DSI 1 (Head)		B	22.90	21.40	22.70	20.50
		E	13.78	13.34	13.08	12.40
		D	13.72	13.11	12.75	12.71

NR Band n41 PC2 Default		Frequency [MHz]	2516.01	2567.34	2618.67	2670
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**40**	Channel Number	503202	513468	523734	534000
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.48	18.36	18.01	18.09
		E	15.63	15.19	15.00	14.44
		D	15.71	15.04	14.76	14.44
DSI 1 (Head)		B	22.90	21.10	22.50	20.50
		E	13.70	13.29	12.96	12.37
		D	13.60	13.00	12.68	12.59

NR Band n41 PC2 Default		Frequency [MHz]	2513.5	2553.25	2592.99	2632.75	2672.5
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**35**	Channel Number	502700	510650	518598	526550	534500
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.48	18.47	18.04	17.99	18.05
		E	15.62	15.29	15.09	14.72	14.20
		D	15.62	15.14	14.77	14.64	14.47
DSI 1 (Head)		B	23.00	21.10	22.50	22.70	20.60
		E	12.56	13.31	13.03	12.71	12.32
		D	13.63	13.13	12.76	12.57	12.33

NR Band n41 PC2 Default		Frequency [MHz]	2511	2552.01	2592.99	2634	2674.98
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**30**	Channel Number	502200	510402	518598	526800	534996
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.49	18.46	18.19	18.09	18.12
		E	15.71	15.33	15.19	14.82	14.25
		D	15.71	15.24	14.89	14.72	14.48
DSI 1 (Head)		B	23.00	21.20	22.60	22.60	20.70
		E	13.71	13.39	13.15	12.81	12.19
		D	13.71	13.25	12.87	12.69	12.55

NR Band n41 PC2 Default		Frequency [MHz]	2508.5	2550.75	2592.99	2635.25	2677.5
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**25**	Channel Number	501700	510150	518598	527050	535500
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.45	18.43	18.18	17.99	18.15
		E	15.78	15.30	15.15	14.83	14.35
		D	15.82	15.21	14.83	14.71	14.56
DSI 1 (Head)		B	23.00	21.20	22.50	22.40	20.60
		E	13.78	13.42	13.18	12.76	12.26
		D	13.73	13.22	12.80	12.66	12.39

NR Band n41 PC2 Default		Frequency [MHz]	2506.02	2549.49	2592.99	2636.49	2679.99
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**20**	Channel Number	501204	509898	518598	527298	535998
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.46	18.44	18.21	17.91	18.04
		E	15.57	15.34	15.17	14.81	14.30
		D	15.75	15.25	13.84	14.62	14.41
DSI 1 (Head)		B	23.00	21.40	22.60	22.50	21.10
		E	13.55	13.41	13.11	12.70	12.11
		D	13.77	13.21	12.83	12.61	12.51

NR Band n41 PC2 Default		Frequency [MHz]	2503.5	2548.26	2592.99	2637.75	2682.51
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**15**	Channel Number	500700	509652	518598	527550	536502
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.46	18.45	18.18	17.91	17.98
		E	15.68	15.30	15.23	14.81	14.18
		D	15.72	15.25	14.80	14.60	14.48
DSI 1 (Head)		B	23.00	21.50	22.50	22.60	21.20
		E	13.61	13.38	13.19	12.73	12.17
		D	13.70	13.24	12.80	12.62	12.33

NR Band n41 PC2 Default		Frequency [MHz]	2501.01	2547	2592.99	2639.01	2685
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**10**	Channel Number	500202	509400	518598	527802	537000
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		B	18.48	18.46	18.15	17.93	18.02
		E	15.61	15.35	15.19	14.80	14.18
		D	15.80	15.32	14.81	14.66	14.40
DSI 1 (Head)		B	22.80	21.70	22.50	22.40	21.30
		E	13.58	13.41	13.10	12.82	12.04
		D	13.71	13.32	12.80	12.53	12.37

NR Band n41		Frequency [MHz]		2592.99	MPR [dB]
Antenna:	B				
Bandwidth [MHz]:	100	Channel Number		518598	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	17.52	0
		1	137	17.29	0
		1	271	17.39	0
		135	0	17.37	0
		135	69	17.30	0
		135	138	17.31	0
		270	0	17.29	0
	DFT-s-OFDM 16QAM	1	137	17.31	0
	DFT-s-OFDM 64QAM	1	137	17.33	0
	DFT-s-OFDM 256QAM	1	137	17.34	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	20.13	0
		1	137	19.86	0
		1	271	19.99	0
		135	0	19.92	0
		135	69	19.93	0
		135	138	19.89	0
		270	0	19.92	0
	DFT-s-OFDM 16QAM	1	137	19.73	0
	DFT-s-OFDM 64QAM	1	137	19.80	0
	DFT-s-OFDM 256QAM	1	137	19.84	0

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	90	Channel Number		508200	528996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	17.49	17.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	20.04	19.85	0

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	80	Channel Number		507204	529998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	17.46	17.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	20.08	19.89	0

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	70	Channel Number		506202	531000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	17.63	17.29	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	20.07	19.87	0

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**60**	Channel Number		505200	518598	531996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	17.41	17.24	17.21	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	20.02	19.80	19.71	0

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna:	**B**						
Bandwidth [MHz]:	**50**	Channel Number		504204	518598	532998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.65	17.45	17.42	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	20.19	20.02	20.03	0

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna:	**B**							
Bandwidth [MHz]:	**45**	Channel Number		503700	513634	523566	533500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	60	17.60	17.48	17.46	17.52	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	60	20.24	20.09	19.93	20.01	0

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna:	**B**							
Bandwidth [MHz]:	**40**	Channel Number		503202	513468	523734	534000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.51	17.37	17.34	17.41	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	20.07	19.94	19.82	19.90	0

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna:	**B**								
Bandwidth [MHz]:	**35**	Channel Number		502700	510650	518598	526550	534500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	46	17.47	17.43	17.46	17.28	17.35	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	46	20.10	20.07	19.94	19.92	19.98	0

NR Band n41		Frequency [MHz]		2511	2552.01	2592.99	2634	2674.98	MPR [dB]
Antenna:	**B**								
Bandwidth [MHz]:	**30**	Channel Number		502200	510402	518598	526800	534996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	17.53	17.39	17.38	17.34	17.33	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	20.05	20.00	19.83	19.85	19.88	0

NR Band n41		Frequency [MHz]		2508.5	2550.75	2592.99	2635.25	2677.5	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	25	Channel Number		501700	510150	518598	527050	535500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	17.42	17.43	17.31	17.35	17.44	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	20.03	20.04	19.93	19.90	20.05	0

NR Band n41		Frequency [MHz]		2506.02	2549.49	2592.99	2636.49	2679.99	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	20	Channel Number		501204	509898	518598	527298	535998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.45	17.52	17.36	17.40	17.32	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	20.03	20.02	19.90	19.84	19.79	0

NR Band n41		Frequency [MHz]		2503.5	2548.26	2592.99	2637.75	2682.51	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	15	Channel Number		500700	509652	518598	527550	536502	
0	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	17.50	17.47	17.44	17.31	17.39	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	20.04	20.01	19.90	19.81	19.86	0

NR Band n41		Frequency [MHz]		2501.01	2547	2592.99	2639.01	2685	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	10	Channel Number		500202	509400	518598	527802	537000	
0	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	17.47	17.48	17.33	17.30	17.33	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	20.10	20.02	19.90	19.85	19.91	0

NR Band n41 PC2 Switching		Frequency [MHz]	2541	2644.98
Mode:	SRS/CW			
Bandwidth [MHz]:	90	Channel Number	508200	528996
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.21	16.11
		D	13.37	12.60
		E	14.10	13.22
DSI 1 (Head)		F	12.62	12.54
		D	11.32	10.56
		E	11.97	11.18

NR Band n41 PC2 Switching		Frequency [MHz]	2536.02	2649.99
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**80**	Channel Number	507204	529998
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.31	16.10
		D	13.31	12.55
		E	14.12	13.12
DSI 1 (Head)		F	12.67	12.50
		D	11.33	10.55
		E	11.93	11.15

NR Band n41 PC2 Switching		Frequency [MHz]	2531.01	2655
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**70**	Channel Number	506202	531000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.24	16.10
		D	13.33	12.50
		E	14.04	13.06
DSI 1 (Head)		F	12.67	12.49
		D	11.30	10.48
		E	11.92	11.07

NR Band n41 PC2 Switching		Frequency [MHz]	2526	2592.99	2659.98
Mode:	**SRS/CW**				
Bandwidth [MHz]:	**60**	Channel Number	505200	518598	531996
Power Level		Antenna	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.31	16.18	16.11
		D	13.34	13.05	12.58
		E	14.05	13.81	13.00
DSI 1 (Head)		F	12.64	12.53	12.62
		D	11.30	10.95	10.42
		E	11.88	11.72	10.83

NR Band n41 PC2 Switching		Frequency [MHz]	2521.02	2592.99	2664.99
Mode:	**SRS/CW**				
Bandwidth [MHz]:	**50**	Channel Number	504204	518598	532998
Power Level		Antenna	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.43	16.35	16.31
		D	13.64	13.30	12.78
		E	14.19	14.12	13.25
DSI 1 (Head)		F	12.77	12.77	12.83
		D	11.54	11.28	10.68
		E	12.08	12.06	11.23

NR Band n41 PC2 Switching		Frequency [MHz]	2518.5	2568.17	2617.83	2667.5
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**45**	Channel Number	503700	513634	523566	533500
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.31	16.35	16.38	16.34
		D	13.65	13.48	13.01	12.75
		E	14.21	14.34	13.89	13.23
DSI 1 (Head)		F	12.71	12.74	12.72	12.81
		D	11.54	11.44	11.00	10.61
		E	12.06	12.38	11.77	11.14

NR Band n41 PC2 Switching		Frequency [MHz]	2516.01	2567.34	2618.67	2670
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**40**	Channel Number	503202	513468	523734	534000
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.28	16.24	16.23	16.30
		D	13.52	13.29	12.90	12.54
		E	14.03	14.22	13.74	13.07
DSI 1 (Head)		F	12.53	12.62	12.59	12.65
		D	11.51	11.30	10.84	10.45
		E	11.93	12.19	11.60	10.98

NR Band n41 PC2 Switching		Frequency [MHz]	2513.5	2553.25	2592.99	2632.75	2672.5
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**35**	Channel Number	502700	510650	518598	526550	534500
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.18	16.24	16.27	16.22	16.31
		D	13.59	13.40	13.14	12.79	12.52
		E	14.01	14.14	13.97	13.60	12.92
DSI 1 (Head)		F	12.54	12.70	12.65	12.59	12.78
		D	11.51	11.40	11.16	10.76	10.45
		E	11.91	12.11	11.88	11.60	10.88

NR Band n41 PC2 Switching		Frequency [MHz]	2511	2552.01	2592.99	2634	2674.98
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**30**	Channel Number	502200	510402	518598	526800	534996
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.20	15.35	16.32	16.23	16.28
		D	13.57	13.42	13.17	12.77	12.53
		E	14.01	14.19	14.00	13.56	13.01
DSI 1 (Head)		F	12.55	12.76	12.67	12.64	12.66
		D	11.52	11.36	11.12	10.82	10.42
		E	11.98	12.06	11.88	11.44	10.89

NR Band n41 PC2 Switching		Frequency [MHz]	2508.5	2550.75	2592.99	2635.25	2677.5
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**25**	Channel Number	501700	510150	518598	527050	535500
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.07	16.32	16.24	16.17	16.26
		D	13.60	13.40	13.13	12.86	12.51
		E	13.93	14.13	14.02	13.57	12.95
DSI 1 (Head)		F	12.48	12.68	12.65	12.61	12.80
		D	11.47	11.35	11.12	10.86	10.38
		E	11.83	12.12	11.89	11.54	10.84

NR Band n41 PC2 Switching		Frequency [MHz]	2506.02	2549.49	2592.99	2636.49	2679.99
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**20**	Channel Number	501204	509898	518598	527298	535998
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.13	16.32	16.26	16.23	16.21
		D	13.58	13.41	13.17	12.80	12.46
		E	13.92	14.15	13.95	13.56	12.83
DSI 1 (Head)		F	12.49	12.69	12.66	12.62	12.57
		D	11.50	11.34	11.14	10.82	10.39
		E	11.88	12.04	11.87	11.41	11.81

NR Band n41 PC2 Switching		Frequency [MHz]	2503.5	2548.26	2592.99	2637.75	2682.51
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**15**	Channel Number	500700	509652	518598	527550	536502
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.02	16.33	16.28	16.28	16.17
		D	13.60	13.40	13.12	12.89	12.43
		E	13.94	14.12	14.01	13.53	12.81
DSI 1 (Head)		F	12.37	12.67	12.68	12.63	12.68
		D	11.49	11.37	11.14	10.87	10.34
		E	11.80	12.10	11.91	11.51	10.70

NR Band n41 PC2 Switching		Frequency [MHz]	2501.01	2547	2592.99	2639.01	2685
Mode:	**SRS/CW**						
Bandwidth [MHz]:	**10**	Channel Number	500202	509400	518598	527802	537000
Power Level		Antenna	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)		F	16.00	16.31	16.28	16.25	16.18
		D	13.53	13.39	13.07	12.73	12.38
		E	13.77	14.13	13.92	13.44	12.81
DSI 1 (Head)		F	12.38	12.70	12.69	12.64	12.56
		D	11.43	11.34	11.06	10.72	10.28
		E	11.76	12.00	11.84	11.32	10.81

NR Band n48		Frequency [MHz]		3570	3624.99	3679.98	MPR [dB]
Antenna:	**F**						
Bandwidth [MHz]:	**40**	Channel Number		638000	641666	645332	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	16.64	16.51	16.56	0
		1	53	16.55	16.35	16.43	0
		1	104	16.54	16.46	16.42	0
		50	0	16.65	16.51	16.50	0
		50	28	16.57	16.35	16.48	0
		50	56	16.60	16.45	16.47	0
		100	0	16.59	16.46	16.47	0
	DFT-s-OFDM 16QAM	1	53	16.54	16.49	16.44	0
	DFT-s-OFDM 64QAM	1	53	16.58	16.42	16.40	0
	DFT-s-OFDM 256QAM	1	53	16.56	16.42	16.43	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	14.65	14.52	14.53	0
		1	53	14.56	14.37	14.42	0
		1	104	14.56	14.38	14.45	0
		50	0	14.61	14.48	14.44	0
		50	28	14.69	14.45	14.56	0
		50	56	14.57	14.42	14.43	0
		100	0	14.57	14.37	14.46	0
	DFT-s-OFDM 16QAM	1	53	14.50	14.44	14.39	0
	DFT-s-OFDM 64QAM	1	53	14.57	14.42	14.42	0
	DFT-s-OFDM 256QAM	1	53	14.57	14.43	14.42	0

NR Band n48		Frequency [MHz]		3565.02	3605.01	3645	3684.99	MPR [dB]
Antenna:	**F**							
Bandwidth [MHz]:	**30**	Channel Number		637668	640334	643000	645666	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	16.52	16.45	16.44	16.34	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	14.52	14.42	14.43	14.32	0

NR Band n48		Frequency [MHz]		3560.01	3603.33	3646.68	3690	MPR [dB]
Antenna:	**F**							
Bandwidth [MHz]:	**20**	Channel Number		637334	640222	643112	646000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	16.58	16.50	16.40	16.37	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	14.48	14.38	14.29	14.41	0

NR Band n48		Frequency [MHz]		3557.52	3602.49	3647.49	3692.49	MPR [dB]
Antenna:	**F**							
Bandwidth [MHz]:	**15**	Channel Number		637168	640166	643166	646166	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	16.58	16.50	16.38	16.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	14.54	14.44	14.28	14.41	0

NR Band n48		Frequency [MHz]		3555	3601.68	3648.33	3694.98	MPR [dB]
Antenna:	**F**							
Bandwidth [MHz]:	**10**	Channel Number		637000	640112	643222	646332	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	16.58	16.52	16.38	16.46	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	14.54	14.49	14.37	14.50	0

NR Band n48		Frequency [MHz]	3565.02	3605.01	3645	3684.99
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**30**	Channel Number	637668	640334	643000	645666
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		C	15.36	15.22	15.01	14.81
		H	18.00	17.74	17.81	17.81
		D	13.09	13.01	12.91	12.78
DSI 1 (Head)		C	12.37	12.19	11.94	11.75
		H	14.41	14.30	14.27	14.31
		D	10.55	10.46	10.31	10.24

NR Band n48		Frequency [MHz]	3560.01	3603.33	3646.68	3690
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**20**	Channel Number	637334	640222	643112	646000
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		C	15.37	15.18	14.88	14.83
		H	17.94	17.77	17.71	17.88
		D	13.08	13.01	12.88	12.86
DSI 1 (Head)		C	12.31	12.11	11.87	11.75
		H	14.48	14.29	14.18	14.31
		D	10.58	10.51	10.36	10.34

NR Band n48		Frequency [MHz]	3557.52	3602.49	3647.49	3692.49
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**15**	Channel Number	637168	640166	643166	646166
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		C	15.36	15.17	14.91	14.74
		H	17.93	17.76	17.71	17.82
		D	13.07	12.99	12.82	12.77
DSI 1 (Head)		C	12.31	12.12	11.91	11.66
		H	14.38	14.30	14.19	14.27
		D	10.52	10.47	10.34	10.30

NR Band n48		Frequency [MHz]	3555	3601.68	3648.33	3694.98
Mode:	**SRS/CW**					
Bandwidth [MHz]:	**10**	Channel Number	637000	640112	643222	646332
Power Level		Antenna	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)		C	15.36	15.14	14.82	14.54
		H	17.96	17.77	17.71	17.82
		D	13.06	12.95	12.93	12.74
DSI 1 (Head)		C	12.35	12.10	11.80	11.68
		H	14.44	14.26	14.17	14.26
		D	10.50	10.44	10.34	10.39

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**100**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	15.95	15.94	0
		1	137	15.52	15.92	0
		1	271	15.65	16.55	0
		135	0	15.68	15.91	0
		135	69	15.60	15.98	0
		135	138	15.55	16.22	0
		270	0	15.64	16.04	0
	DFT-s-OFDM 16QAM	1	137	15.54	15.95	0
	DFT-s-OFDM 64QAM	1	137	15.58	15.96	0
	DFT-s-OFDM 256QAM	1	137	15.57	15.98	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	14.70	14.44	0
		1	137	14.27	14.43	0
		1	271	14.36	14.93	0
		135	0	14.40	14.43	0
		135	69	14.26	14.49	0
		135	138	14.20	14.70	0
		270	0	14.38	14.50	0
	DFT-s-OFDM 16QAM	1	137	14.32	14.43	0
	DFT-s-OFDM 64QAM	1	137	14.31	14.47	0
	DFT-s-OFDM 256QAM	1	137	14.27	14.46	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**90**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	15.53	15.97	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	14.07	14.40	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**80**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	15.57	15.95	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	14.26	14.48	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**70**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	15.51	15.89	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	15.34	14.43	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**60**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	15.53	15.87	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	14.13	14.39	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**50**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	15.74	16.13	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	14.46	14.61	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**40**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	15.58	15.86	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	14.22	14.42	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**30**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	15.61	15.84	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	14.33	14.43	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**25**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	15.62	16.02	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	14.33	14.41	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**20**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	15.58	15.93	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	14.28	14.35	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**15**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	15.54	15.93	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	14.07	14.43	0

NR Band n77		Frequency [MHz]		3750	3930	MPR [dB]
Antenna:	**F**					
Bandwidth [MHz]:	**10**	Channel Number		650000	662000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	15.59	15.94	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	14.13	14.48	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**100**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM π/2 BPSK	1	1	16.44	0
		1	137	16.28	0
		1	271	16.33	0
		135	0	16.34	0
		135	69	16.22	0
		135	138	16.20	0
		270	0	16.21	0
	DFT-s-OFDM 16QAM	1	137	16.33	0
	DFT-s-OFDM 64QAM	1	137	16.32	0
	DFT-s-OFDM 256QAM	1	137	16.35	0
DSI 1 (Head)	DFT-s-OFDM π/2 BPSK	1	1	15.13	0
		1	137	14.92	0
		1	271	15.03	0
		135	0	15.01	0
		135	69	14.94	0
		135	138	14.99	0
		270	0	14.97	0
	DFT-s-OFDM 16QAM	1	137	14.82	0
	DFT-s-OFDM 64QAM	1	137	14.83	0
	DFT-s-OFDM 256QAM	1	137	14.80	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**90**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	16.26	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	14.93	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**80**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	16.28	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	14.89	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**70**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	16.29	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	14.93	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**60**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	16.21	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	14.91	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**50**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	16.47	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	15.22	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**40**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	16.41	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	15.02	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**30**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	16.44	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	15.07	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**25**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	16.42	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	15.10	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**20**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	16.42	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	15.02	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**15**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	16.30	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	15.00	0

NR Band n77 DoD		Frequency [MHz]		3500.01	MPR [dB]
Antenna:	**F**				
Bandwidth [MHz]:	**10**	Channel Number		633334	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	16.29	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	15.03	0

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**90**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.12	13.75
		H	14.35	15.80
		D	11.26	11.62
DSI 1 (Head)		C	11.80	12.39
		H	12.84	14.26
		D	9.95	10.19

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**80**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.13	13.82
		H	14.37	15.79
		D	11.23	11.51
DSI 1 (Head)		C	11.79	12.30
		H	12.84	14.27
		D	9.87	10.20

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**70**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.13	13.80
		H	14.35	15.28
		D	11.19	11.59
DSI 1 (Head)		C	11.78	12.35
		H	12.83	14.28
		D	9.98	10.16

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**60**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	12.87	13.71
		H	14.23	15.72
		D	11.06	11.40
DSI 1 (Head)		C	11.60	12.16
		H	12.74	14.10
		D	9.82	10.04

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**50**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.31	13.82
		H	14.55	15.94
		D	11.53	11.62
DSI 1 (Head)		C	11.34	12.50
		H	13.02	14.42
		D	10.15	10.30

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**40**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.10	13.72
		H	14.36	15.77
		D	11.27	11.58
DSI 1 (Head)		C	11.78	12.41
		H	12.84	14.33
		D	9.96	10.22

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**30**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.07	13.70
		H	14.36	15.80
		D	11.32	11.61
DSI 1 (Head)		C	11.76	12.37
		H	12.82	14.33
		D	9.95	10.19

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**25**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.25	13.62
		H	14.47	15.75
		D	11.40	11.59
DSI 1 (Head)		C	11.82	12.30
		H	12.93	14.24
		D	10.01	10.12

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**20**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.20	13.66
		H	14.50	15.66
		D	11.40	11.48
DSI 1 (Head)		C	11.76	12.27
		H	12.94	14.20
		D	10.03	10.10

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**15**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.18	13.71
		H	14.42	15.67
		D	11.27	11.57
DSI 1 (Head)		C	11.85	12.23
		H	12.92	14.15
		D	10.03	10.10

NR Band n77 PC2		Frequency [MHz]	3750	3930
Mode:	**SRS/CW**			
Bandwidth [MHz]:	**10**	Channel Number	650000	662000
Power Level		Antenna	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)		C	13.20	13.72
		H	14.44	15.68
		D	11.38	11.50
DSI 1 (Head)		C	11.84	12.28
		H	12.94	14.22
		D	10.05	10.10

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**90**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.33
		H	14.97
		D	12.23
DSI 1 (Head)		C	12.87
		H	13.52
		D	10.84

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**80**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.34
		H	14.87
		D	12.29
DSI 1 (Head)		C	12.88
		H	13.57
		D	10.84

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**70**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.24
		H	14.90
		D	12.31
DSI 1 (Head)		C	12.81
		H	13.54
		D	10.88

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**60**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.23
		H	14.84
		D	12.20
DSI 1 (Head)		C	12.76
		H	13.49
		D	10.71

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**50**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.48
		H	15.13
		D	12.45
DSI 1 (Head)		C	12.95
		H	13.77
		D	10.07

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**40**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.34
		H	15.02
		D	12.42
DSI 1 (Head)		C	12.91
		H	13.64
		D	10.97

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**30**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.32
		H	15.01
		D	12.32
DSI 1 (Head)		C	12.88
		H	13.65
		D	10.96

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**25**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.33
		H	15.10
		D	12.42
DSI 1 (Head)		C	12.91
		H	13.74
		D	10.94

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**20**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.39
		H	15.06
		D	12.42
DSI 1 (Head)		C	12.92
		H	13.65
		D	10.94

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**15**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.37
		H	15.06
		D	12.42
DSI 1 (Head)		C	12.92
		H	13.76
		D	10.95

NR Band n77 DoD PC2		Frequency [MHz]	3500.01
Mode:	**SRS/CW**		
Bandwidth [MHz]:	**10**	Channel Number	633334
Power Level		Antenna	Conducted Powers [dBm]
DSI 0 (Body-worn/Hotspot/Phablet)		C	14.36
		H	15.06
		D	12.32
DSI 1 (Head)		C	12.93
		H	13.66
		D	10.98