



HCT Co., Ltd.
74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, 17383
KOREA Tel. +82 31 634 6300 Fax. +82 31 645 6401

FCC ID: A3LSMG781V

Appendix A.

- DUT Antenna Information and SAR Test SETUP PHOTOGRAPHS

REVISION HISTORY


The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Aug 26, 2020	Initial Release

- DUT Antenna Information


Distance between Main#1,2 antenna and edge

SAMSUNG Confidential




Distance between Sub#2, Sub#3, Sub#4 antennas and edge

SAMSUNG Confidential




Distance between NFC/MST antenna and edge

SAMSUNG Confidential



* Diagonal dimension of Display and device

SAMSUNG Confidential



- SAR Test SETUP PHOTOGRAPHS

1. Head


1.1 Left All



1.2 Left Touch / Left Tilt



1.3 Right All




1.4 Right Touch / Right Tilt



2. Body

2.1 Body All



2.2 Body Rear



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

2.3 Body Front



Distance of 10 mm from the EUT



Distance of 15 mm from the EUT

2.4 Body Left



Distance of 10 mm from the EUT

2.5 Body Right




Distance of 10 mm from the EUT

2.6 Body Bottom



Distance of 10 mm from the EUT

2.7 Body Top



Distance of 10 mm from the EUT

3. Phablet

3.1 Phablet SAR Test Setup Rear



Distance of 0 mm from the EUT

3.2 Phablet SAR Test Setup Front



Distance of 0 mm from the EUT

3.3 Phablet SAR Test Setup Left



Distance of 0 mm from the EUT

3.4 Phablet SAR Test Setup Right



Distance of 0 mm from the EUT

3.5 Phablet SAR Test Setup Bottom




Distance of 0 mm from the EUT

3.6 Phablet SAR Test Setup Rear



Distance of 8 mm from the EUT

3.8 Phablet SAR Test Setup Front



Distance of 7mm from the EUT

3.9 Phablet SAR Test Setup Bottom



Distance of 13mm from the EUT