

## HEARING AID COMPATIBILITY

**Applicant Name:**

Samsung Electronics Co., Ltd.  
129, Samsung-ro, Maetan dong,  
Yeongtong-gu, Suwon-si  
Gyeonggi-do 443-742, Korea

**Date of Testing:**

10/23/2014

**Test Site/Location:**

PCTEST Lab, Columbia, MD, USA

**Test Report Serial No.:**

0Y1410212031.A3L

**FCC ID:**

**A3LSMG870A**

**APPLICANT:**

**SAMSUNG ELECTRONICS CO., LTD.**

**Scope of Test:**

**Application Type:**

**FCC Rule Part(s):**

**HAC Standard:**

**EUT Type:**

**Model(s):**

**Test Device Serial No.:**

**Class II Permissive Change(s):**

**Original Grant Date:**

RF Emissions Testing

Class II Permissive Change

§20.19(b)

ANSI C63.19-2011

Portable Handset

SM-G870A

Pre-Production Sample [S/N: 352622060083388]

VoLTE Testing

05/08/2014

**C63.19-2011 HAC Category:**

**M4 (RF EMISSIONS CATEGORY, LTE ONLY)**

This report and category rating pertains only to the LTE bands supported by this wireless portable device. The overall category rating of the device is determined by the lowest rating obtained over all air interfaces supported by the device. This wireless portable device has been shown to be hearing-aid compatible under the above rated category, specified in ANSI/IEEE Std. C63.19-2011 and has been tested in accordance with the specified measurement procedures. Hearing-Aid Compatibility is based on the assumption that all production units will be designed electrically identical to the device tested in this report. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Randy Ortanez  
President



|                                      |                                                                                                                                   |                                       |                                                                                       |                                        |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | <b>HAC (RF EMISSIONS) TEST REPORT</b> |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Filename:</b><br>0Y1410212031.A3L | <b>Test Dates:</b><br>10/23/2014                                                                                                  | <b>EUT Type:</b><br>Portable Handset  |                                                                                       | Page 1 of 32                           |

# TABLE OF CONTENTS

---

|     |                                                 |    |
|-----|-------------------------------------------------|----|
| 1.  | INTRODUCTION .....                              | 3  |
| 2.  | TEST SITE.....                                  | 4  |
| 3.  | EUT DESCRIPTION .....                           | 5  |
| 4.  | ANSI/IEEE C63.19 PERFORMANCE CATEGORIES .....   | 6  |
| 5.  | SYSTEM SPECIFICATIONS.....                      | 7  |
| 6.  | TEST PROCEDURE .....                            | 10 |
| 7.  | MODULATION INTERFERENCE FACTOR.....             | 11 |
| 8.  | RF CONDUCTED POWER MEASUREMENTS.....            | 13 |
| 9.  | JUSTIFICATION OF HELD TO EAR MODES TESTED ..... | 29 |
| 10. | EQUIPMENT LIST .....                            | 30 |
| 11. | MEASUREMENT UNCERTAINTY .....                   | 31 |
| 12. | CONCLUSION.....                                 | 32 |

|                                      |                                                                                                                                   |                                       |                                                                                       |                                        |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | <b>HAC (RF EMISSIONS) TEST REPORT</b> |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Filename:</b><br>0Y1410212031.A3L | <b>Test Dates:</b><br>10/23/2014                                                                                                  | <b>EUT Type:</b><br>Portable Handset  |                                                                                       | Page 2 of 32                           |

## 1. INTRODUCTION

On July 10, 2003, the Federal Communications Commission (FCC) adopted new rules requiring wireless manufacturers and service providers to provide digital wireless phones that are compatible with hearing aids. The FCC has modified the exemption for wireless phones under the Hearing Aid Compatibility Act of 1998 (HAC Act) in WT Docket 01-309 RM-8658<sup>1</sup> to extend the benefits of wireless telecommunications to individuals with hearing disabilities. These benefits encompass business, social and emergency communications, which increase the value of the wireless network for everyone. An estimated more than 10% of the population in the United States show signs of hearing impairment and of that fraction, almost 80% use hearing aids. Approximately 500 million people worldwide suffer from hearing loss.

### Compatibility Tests Involved:


The standard calls for wireless communications devices to be measured for:

- RF Electric-field emissions
- T-coil mode, magnetic-signal strength in the audio band
- T-coil mode, magnetic-signal frequency response through the audio band
- T-coil mode, magnetic-signal and noise articulation index

The hearing aid must be measured for:

- RF immunity in microphone mode
- RF immunity in T-coil mode

In the following tests and results, this report includes the evaluation for a wireless communications device.



**Figure 1-1 Hearing Aid *in-vitu***

<sup>1</sup> FCC Rule & Order, WT Docket 01-309 RM-8658

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 3 of 32                    |

## 2. TEST SITE

### 2.1 Test Facility / Accreditations:

Measurements were performed at an independent accredited PCTEST Engineering Lab located in Columbia, MD, U.S.A.



- PCTEST Lab is accredited to ISO 17025-2005 by the American Association for Laboratory Accreditation (A2LA) in Specific Absorption Rate (SAR) testing, Hearing-Aid Compatibility (HAC), Long-Term Evolution (LTE), CTIA Test Plans, and wireless testing for FCC and Industry Canada Rules.
- PCTEST Lab is accredited to ISO 17025 by U.S. National Institute of Standards and Technology (NIST) under the National Voluntary Laboratory Accreditation Program (NVLAP Lab code: 100431-0) in EMC, FCC and Telecommunications.
- PCTEST facility is an FCC registered (PCTEST Reg. No. 90864) test facility with the site description report on file and has met all the requirements specified in Section 2.948 of the FCC Rules and Industry Canada (IC-2451).
- PCTEST Lab is a recognized U.S. Conformity Assessment Body (CAB) in EMC and R&TTE (n.b. 0982) under the U.S.-EU Mutual Recognition Agreement (MRA).
- PCTEST TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC Guide 65 by the American National Standards Institute (ANSI) in all scopes of FCC Rules and all Industry Canada Standards (RSS).
- PCTEST facility is an IC registered (IC-2451) test laboratory with the site description on file at Industry Canada.

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 4 of 32                    |

### 3. EUT DESCRIPTION



FCC ID: A3LSMG870A  
 Manufacturer: Samsung Electronics Co., Ltd.  
 129, Samsung-ro, Maetan dong,  
 Yeongtong-gu, Suwon-si  
 Gyeonggi-do 443-742, Korea  
 Model(s): SM-G870A  
 Serial Number: 352622060083388  
 Antenna Configurations: Internal Antenna  
 HAC Test Configurations: LTE FDD B2; BW's: 20MHz, 15MHz, 10MHz, 5MHz, 3MHz, 1.4MHz;  
 BT Off, WLAN Off  
 LTE FDD B4; BW's: 20MHz, 15MHz, 10MHz, 5MHz, 3MHz, 1.4MHz;  
 BT Off, WLAN Off  
 LTE FDD B5; BW's: 10MHz, 5MHz, 3MHz, 1.4MHz; BT Off, WLAN Off  
 LTE FDD B17; BW's: 10MHz, 5MHz; BT Off, WLAN Off  
 EUT Type: Portable Handset

| Air-Interface | Band (MHz) | Type Transport  | HAC Tested        | Simultaneous But Not Tested | Voice over Digital Transport OTT Capability | WIFI Low Power | Additional GSM Power Reduction |
|---------------|------------|-----------------|-------------------|-----------------------------|---------------------------------------------|----------------|--------------------------------|
| GSM           | 850        | VO              | Yes <sup>2</sup>  | Yes: WIFI or BT             | N/A                                         | N/A            | No                             |
|               | 1900       | DT              | No                | Yes: WIFI or BT             | Yes                                         | N/A            | No                             |
| UMTS          | 850        | VD              | No <sup>1,2</sup> | Yes: WIFI or BT             | N/A                                         | N/A            | N/A                            |
|               | 1900       | DT              | No                | Yes: WIFI or BT             | Yes                                         | N/A            | N/A                            |
| LTE           | 700        | VD <sup>3</sup> | No <sup>1</sup>   | Yes: WIFI or BT             | Yes                                         | N/A            | N/A                            |
|               | 850        |                 |                   |                             |                                             |                |                                |
|               | 1900       |                 |                   |                             |                                             |                |                                |
|               | 2600       |                 |                   |                             |                                             |                |                                |
| WIFI          | 2450       | DT              | No                | Yes: GSM, UMTS or LTE       | Yes                                         | N/A            | N/A                            |
|               | 5200       |                 |                   |                             |                                             |                |                                |
|               | 5300       |                 |                   |                             |                                             |                |                                |
|               | 5500       |                 |                   |                             |                                             |                |                                |
| BT            | 2450       | DT              | No                | Yes: GSM, UMTS or LTE       | N/A                                         | N/A            | N/A                            |

Type Transport  
 VO = Voice Only  
 DT = Digital Data - Not intended for CMRS Service  
 VD = CMRS and Data Transport

Notes:  
 1. Evaluated for MIF and low-power exemption.  
 2. GSM and UMTS air interfaces are not within the scope of this test report. Please refer to appropriate test reports.  
 3. The 3GPP VoLTE CMRS service is defined by GSMA in PRD IR.92 for IP Voice Service and Digital Transport.

**Table 3-1: A3LSMG870A HAC Air Interfaces**

|                               |                                        |                                |  |                                 |
|-------------------------------|----------------------------------------|--------------------------------|--|---------------------------------|
| FCC ID: A3LSMG870A            | PCTEST<br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014              | EUT Type:<br>Portable Handset  |  | Page 5 of 32                    |

## 4. ANSI/IEEE C63.19 PERFORMANCE CATEGORIES

### I. RF EMISSIONS

The ANSI Standard presents performance requirements for acceptable interoperability of hearing aids with wireless communications devices. When these parameters are met, a hearing aid operates acceptably in close proximity to a wireless communications device.

| Category                                                                           | Telephone RF Parameters            |
|------------------------------------------------------------------------------------|------------------------------------|
| Near field Category                                                                | E-field emissions<br>CW<br>dB(V/m) |
| f < 960 MHz                                                                        |                                    |
| M1                                                                                 | 50 to 55                           |
| M2                                                                                 | 45 to 50                           |
| M3                                                                                 | 40 to 45                           |
| M4                                                                                 | < 40                               |
| f > 960 MHz                                                                        |                                    |
| M1                                                                                 | 40 to 45                           |
| M2                                                                                 | 35 to 40                           |
| M3                                                                                 | 30 to 35                           |
| M4                                                                                 | < 30                               |
| <b>Table 4-1</b><br><b>WD near-field categories as defined in ANSI C63.19-2011</b> |                                    |

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 6 of 32                    |

## 5. SYSTEM SPECIFICATIONS

### SPEAG Robotic System

E-field measurements are performed using the DASY5 automated dosimetric assessment system. The DASY5 is made by Schmid & Partner Engineering AG (SPEAG) in Zurich, Switzerland and consists of high precision robotics system (Staubli), robot controller, Intel CORE i7 computer, near-field probe, probe alignment sensor, and the HAC phantom. The robot is a six-axis industrial robot performing precise movements to position the probe to the location (points) of maximum electromagnetic field (EMF).



**Figure 5-1**  
SPEAG Robotic System

### System Hardware

A cell controller system contains the power supply, robot controller, teach pendant (Joystick), and a remote control used to drive the robot motors. The PC consists of the computer with operating system and RF Measurement Software DASY5 v52.8 (with HAC Extension), A/D interface card, monitor, mouse, and keyboard. The Staubli Robot is connected to the cell controller to allow software manipulation of the robot. A data acquisition electronic (DAE) circuit that performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. is connected to the Electro-optical coupler (EOC). The EOC performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC plug-in card.

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 7 of 32                    |

System Electronics

The DAE consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the PC-card is accomplished through an optical downlink for data and status information and an optical uplink for commands and clock lines. The mechanical probe mounting device includes two different sensor systems for frontal and sidewise probe contacts. They are also used for mechanical surface detection and probe collision detection. The robot uses its own controller with a built in VME-bus computer.




Figure 5-2  
SPEAG Robotic System Diagram

DASY5 Instrumentation Chain

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

- with
- $V_i$

$U_i$

$cf$

$dcp_i$

= compensated signal of channel i

= input signal of channel i

= crest factor of exciting field

= diode compression point

(i = x, y, z)

(i = x, y, z)

(DASY parameter)

(DASY parameter)

|                               |                                                                                                                            |                                |                                                                                       |                                 |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  PCTEST<br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                  | EUT Type:<br>Portable Handset  |                                                                                       | Page 8 of 32                    |

From the compensated input signals the primary field data for each channel can be evaluated:

$$E - \text{fieldprobes : } E_i = \sqrt{\frac{V_i}{Norm_i \cdot ConvF}}$$

with  $V_i$  = compensated signal of channel i (i = x, y, z)  
 $Norm_i$  = sensor sensitivity of channel i (i = x, y, z)  
 $\mu V / (V/m)^2$  for E-field Probes  
 $ConvF$  = sensitivity enhancement in solution  
 $E_i$  = electric field strength of channel i in V/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

$$E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$$

The primary field data are used to calculate the derived field units.

The measurement/integration time per point, as specified by the system manufacturer is >500ms.

The signal response time is evaluated as the time required by the system to reach 90% of the expected final value after an on/off switch of the power source with an integration time of 500ms and a probe response time of <5 ms. In the current implementation, DASY5 waits longer than 100ms after having reached the grid point before starting a measurement, i.e., the response time uncertainty is negligible.

If the device under test does not emit a CW signal, the integration time applied to measure the electric field at a specific point may introduce additional uncertainties due to the discretization. The tolerances for the different systems had the worst-case of 2.6%.

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 9 of 32                    |

## 6. TEST PROCEDURE

### I. RF EMISSIONS




Figure 6-1 RF Emissions Flow Chart

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 10 of 32                   |

## 7. MODULATION INTERFERENCE FACTOR

### I. Measuring Modulation Interference Factors

For any specific fixed and repeatable modulated signal, a modulation interference factor (MIF, expressed in dB) may be determined that relates its interference potential to its steady-state RMS signal level or average power level. This factor is a function only of the audio-frequency amplitude modulation characteristics of the signal and is the same for field-strength and conducted power measurements. The MIF is valid only for a specific repeatable audio-frequency amplitude modulation characteristic; any change in modulation characteristic requires determination and application of a new MIF.

The MIF may be determined using a radiated RF field or a conducted RF signal:

- a. Using RF illumination or conducted coupling, apply the specific modulated signal in question to the measurement system at a level within its confirmed operating dynamic range.
- b. Measure the steady-state RMS level at the output of the fast probe or sensor.
- c. Measure the steady-state average level at the weighting output.
- d. Without changing the square-law detector or weighting system, and using RF illumination or conducted coupling, substitute for the specific modulated signal a 1 kHz, 80% amplitude modulated carrier at the same frequency and adjust its strength until the level at the weighting output equals the step c) measurement.
- e. Without changing the carrier level from step d), remove the 1 kHz modulation and again measure the steady-state RMS level indicated at the output of the fast probe or sensor.
- f. The MIF for the specific modulation characteristic is provided by the ratio of the step e) measurement to the step b) measurement, expressed in dB ( $20 \times \log[(\text{step e})/(\text{step b})]$ ).

The following procedure was used to measure the MIF using the SPEAG Audio Interference Analyzer (AIA), Type No: SE UMS 170 CB, Serial No: 1010:

1. The device was placed into a simulated call using a base station simulator or set to transmit using test software for a given mode.
2. The device was then set to continuously transmit at maximum power.
3. Using a coupler if needed, the device output signal was connected to the RF In port of the AIA, which was connected to a desktop computer. Alternatively, a radiated RF signal may be used with the AIA's built-in antenna.
4. The MIF measurement procedure in the DASY software was run, and the resulting MIF value was recorded.
5. Steps 1-4 were repeated for all CMRS air interfaces, frequency bands, and modulations.


The modulation interference factors obtained were applied to readings taken of the actual wireless device in order to obtain an accurate audio interference level reading using the formula:

$$\text{Audio Interference Level [dB(V/m)]} = 20 * \log[\text{Raw Field Value (V/m)}] + \text{MIF (dB)}$$

Because the MIF value is output power independent, MIF values for a given mode should be constant across all devices; however, per C63.19-2011 §D.7, MIF values should be measured for each device being evaluated. The voice modes for this device have been investigated in this section of the report.

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 11 of 32                   |

## II. MIF Measurement Block Diagrams



## III. Measured Modulation Interference Factors:

| LTE Band | Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | MIF [dB] |
|----------|-----------------|---------|-----------------|------------|---------|-----------|----------|
| 2        | 1880            | 18900   | 20              | 16QAM      | 1       | 0         | -16.10   |
| 4        | 1732.5          | 20175   | 20              | 16QAM      | 1       | 0         | -16.55   |
| 5        | 836.5           | 20525   | 10              | 16QAM      | 1       | 0         | -10.81   |
| 17       | 710             | 23790   | 10              | 16QAM      | 1       | 0         | -9.69    |
| 17       | 710             | 23790   | 10              | QPSK       | 1       | 0         | -14.23   |
| 17       | 710             | 23790   | 10              | 16QAM      | 1       | 25        | -9.59    |
| 17       | 710             | 23790   | 10              | 16QAM      | 1       | 49        | -9.68    |
| 17       | 710             | 23790   | 10              | 16QAM      | 25      | 0         | -15.90   |
| 17       | 710             | 23790   | 10              | 16QAM      | 50      | 0         | -17.06   |
| 17       | 710             | 23790   | 5               | 16QAM      | 1       | 0         | -10.60   |

**Table 7-1**  
LTE Modulation Interference Factors<sup>1,2</sup>

<sup>1</sup> Note: Measured MIF values may be lower than sample MIF values provided in ANSI C63.19-2011 Annex D.7 Table D.5 due to manufacturing variations for each device, however per Annex D.7, the sample MIF values of Table D.5 are not intended to substitute for measurements of actual devices under test and their respective operating modes.

<sup>2</sup> Note: LTE MIF's were found to be substantially similar given similar modulation, RB, and BW configurations.

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 12 of 32                   |

## 8. RF CONDUCTED POWER MEASUREMENTS

### I. Procedures Used to Establish RF Signal for HAC Testing

The handset was placed into a simulated call using a base station simulator in a shielded chamber. Such test signals offer a consistent means for testing HAC and are recommended for evaluating HAC. Measurements were taken with a fully charged battery. In order to verify that the device was tested and maintained at full power, this was configured with the base station simulator.

### II. HAC Measurement Conditions

#### Output Power Verification


Maximum output power is verified on the High, Middle and Low channels for all applicable air interfaces. See Table 9-1 for air interface specific settings of transmit power parameters.

| Air Interface: | Parameter Name: | Parameter Set To: |
|----------------|-----------------|-------------------|
| LTE            | TPC             | "Max Power"       |

**Table 8-1**  
**Power Control Parameters and Settings by Air Interface**

### III. Setup Used to Measure RF Conducted Powers

Power measurements were performed using a base station simulator under digital average power.



**Figure 8-1**  
**Power Measurement Setup**

### IV. LTE Conducted Powers.

**Table 8-2**  
**LTE Band 17 (710MHz) Conducted Powers - 10 MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 710.0           | 23790   | 10              | QPSK       | 1       | 0         | 24.08                 | 0                         | 0        |
| 710.0           | 23790   | 10              | QPSK       | 1       | 25        | 24.03                 | 0                         | 0        |
| 710.0           | 23790   | 10              | QPSK       | 1       | 49        | <b>24.11</b>          | 0                         | 0        |
| 710.0           | 23790   | 10              | QPSK       | 25      | 0         | 23.00                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | QPSK       | 25      | 12        | <b>23.05</b>          | 0-1                       | 1        |
| 710.0           | 23790   | 10              | QPSK       | 25      | 25        | 23.01                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | QPSK       | 50      | 0         | 23.03                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | 16QAM      | 1       | 0         | 23.45                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | 16QAM      | 1       | 25        | 23.44                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | 16QAM      | 1       | 49        | 23.41                 | 0-1                       | 1        |
| 710.0           | 23790   | 10              | 16QAM      | 25      | 0         | 22.14                 | 0-2                       | 2        |
| 710.0           | 23790   | 10              | 16QAM      | 25      | 12        | 22.15                 | 0-2                       | 2        |
| 710.0           | 23790   | 10              | 16QAM      | 25      | 25        | 22.13                 | 0-2                       | 2        |
| 710.0           | 23790   | 10              | 16QAM      | 50      | 0         | 22.10                 | 0-2                       | 2        |

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 13 of 32                   |

**Table 8-3**  
**LTE Band 17 (710MHz) Conducted Powers - 5 MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 710.0           | 23790   | 5               | QPSK       | 1       | 0         | 23.88                 | 0                         | 0        |
| 710.0           | 23790   | 5               | QPSK       | 1       | 12        | 24.09                 | 0                         | 0        |
| 710.0           | 23790   | 5               | QPSK       | 1       | 24        | 24.01                 | 0                         | 0        |
| 710.0           | 23790   | 5               | QPSK       | 12      | 0         | 23.20                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | QPSK       | 12      | 6         | 22.95                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | QPSK       | 12      | 13        | 22.81                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | QPSK       | 25      | 0         | 22.83                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | 16-QAM     | 1       | 0         | 23.35                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | 16-QAM     | 1       | 12        | 23.24                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | 16-QAM     | 1       | 24        | 23.41                 | 0-1                       | 1        |
| 710.0           | 23790   | 5               | 16-QAM     | 12      | 0         | 22.24                 | 0-2                       | 2        |
| 710.0           | 23790   | 5               | 16-QAM     | 12      | 6         | 22.25                 | 0-2                       | 2        |
| 710.0           | 23790   | 5               | 16-QAM     | 12      | 13        | 21.93                 | 0-2                       | 2        |
| 710.0           | 23790   | 5               | 16-QAM     | 25      | 0         | 21.90                 | 0-2                       | 2        |

**Table 8-4**  
**LTE Band 5 Conducted Powers - 10MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 836.5           | 20525   | 10              | QPSK       | 1       | 0         | <b>24.14</b>          | 0                         | 0        |
| 836.5           | 20525   | 10              | QPSK       | 1       | 25        | 24.08                 | 0                         | 0        |
| 836.5           | 20525   | 10              | QPSK       | 1       | 49        | 24.12                 | 0                         | 0        |
| 836.5           | 20525   | 10              | QPSK       | 25      | 0         | <b>23.21</b>          | 0-1                       | 1        |
| 836.5           | 20525   | 10              | QPSK       | 25      | 12        | 23.12                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | QPSK       | 25      | 25        | 23.19                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | QPSK       | 50      | 0         | 23.20                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | 16QAM      | 1       | 0         | 23.50                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | 16QAM      | 1       | 25        | 23.41                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | 16QAM      | 1       | 49        | 23.42                 | 0-1                       | 1        |
| 836.5           | 20525   | 10              | 16QAM      | 25      | 0         | 22.30                 | 0-2                       | 2        |
| 836.5           | 20525   | 10              | 16QAM      | 25      | 12        | 22.25                 | 0-2                       | 2        |
| 836.5           | 20525   | 10              | 16QAM      | 25      | 25        | 22.25                 | 0-2                       | 2        |
| 836.5           | 20525   | 10              | 16QAM      | 50      | 0         | 22.26                 | 0-2                       | 2        |

|                               |                                                                                     |                                       |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | <b>HAC (RF EMISSIONS) TEST REPORT</b> |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset         |                                                                                       | Page 14 of 32                   |

**Table 8-5**  
**LTE Band 5 Conducted Powers - 5MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 826.5           | 20425   | 5               | QPSK       | 1       | 0         | 24.14                 | 0                         | 0        |
| 826.5           | 20425   | 5               | QPSK       | 1       | 12        | 24.38                 | 0                         | 0        |
| 826.5           | 20425   | 5               | QPSK       | 1       | 24        | 24.22                 | 0                         | 0        |
| 826.5           | 20425   | 5               | QPSK       | 12      | 0         | 23.31                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | QPSK       | 12      | 6         | 23.12                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | QPSK       | 12      | 13        | 23.39                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | QPSK       | 25      | 0         | 23.20                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | 16-QAM     | 1       | 0         | 23.30                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | 16-QAM     | 1       | 12        | 23.21                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | 16-QAM     | 1       | 24        | 23.12                 | 0-1                       | 1        |
| 826.5           | 20425   | 5               | 16-QAM     | 12      | 0         | 22.49                 | 0-2                       | 2        |
| 826.5           | 20425   | 5               | 16-QAM     | 12      | 6         | 22.05                 | 0-2                       | 2        |
| 826.5           | 20425   | 5               | 16-QAM     | 12      | 13        | 22.15                 | 0-2                       | 2        |
| 826.5           | 20425   | 5               | 16-QAM     | 25      | 0         | 22.26                 | 0-2                       | 2        |
| 836.5           | 20525   | 5               | QPSK       | 1       | 0         | 23.94                 | 0                         | 0        |
| 836.5           | 20525   | 5               | QPSK       | 1       | 12        | 24.28                 | 0                         | 0        |
| 836.5           | 20525   | 5               | QPSK       | 1       | 24        | 24.22                 | 0                         | 0        |
| 836.5           | 20525   | 5               | QPSK       | 12      | 0         | 23.21                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | QPSK       | 12      | 6         | 23.32                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | QPSK       | 12      | 13        | 23.39                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | QPSK       | 25      | 0         | 23.20                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | 16-QAM     | 1       | 0         | 23.50                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | 16-QAM     | 1       | 12        | 23.41                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | 16-QAM     | 1       | 24        | 23.32                 | 0-1                       | 1        |
| 836.5           | 20525   | 5               | 16-QAM     | 12      | 0         | 22.40                 | 0-2                       | 2        |
| 836.5           | 20525   | 5               | 16-QAM     | 12      | 6         | 22.05                 | 0-2                       | 2        |
| 836.5           | 20525   | 5               | 16-QAM     | 12      | 13        | 22.25                 | 0-2                       | 2        |
| 836.5           | 20525   | 5               | 16-QAM     | 25      | 0         | 22.46                 | 0-2                       | 2        |
| 846.5           | 20625   | 5               | QPSK       | 1       | 0         | 23.74                 | 0                         | 0        |
| 846.5           | 20625   | 5               | QPSK       | 1       | 12        | 24.48                 | 0                         | 0        |
| 846.5           | 20625   | 5               | QPSK       | 1       | 24        | 24.12                 | 0                         | 0        |
| 846.5           | 20625   | 5               | QPSK       | 12      | 0         | 23.31                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | QPSK       | 12      | 6         | 23.22                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | QPSK       | 12      | 13        | 23.39                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | QPSK       | 25      | 0         | 23.02                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | 16-QAM     | 1       | 0         | 23.30                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | 16-QAM     | 1       | 12        | 23.31                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | 16-QAM     | 1       | 24        | 23.12                 | 0-1                       | 1        |
| 846.5           | 20625   | 5               | 16-QAM     | 12      | 0         | 22.20                 | 0-2                       | 2        |
| 846.5           | 20625   | 5               | 16-QAM     | 12      | 6         | 21.85                 | 0-2                       | 2        |
| 846.5           | 20625   | 5               | 16-QAM     | 12      | 13        | 22.05                 | 0-2                       | 2        |
| 846.5           | 20625   | 5               | 16-QAM     | 25      | 0         | 22.14                 | 0-2                       | 2        |

|                               |                                                                                     |                                       |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | <b>HAC (RF EMISSIONS) TEST REPORT</b> |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset         |                                                                                       | Page 15 of 32                   |

**Table 8-6**  
**LTE Band 5 Conducted Powers - 3MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 825.5           | 20415   | 3               | QPSK       | 1       | 0         | 24.34                 | 0                         | 0        |
| 825.5           | 20415   | 3               | QPSK       | 1       | 7         | 24.38                 | 0                         | 0        |
| 825.5           | 20415   | 3               | QPSK       | 1       | 14        | 24.42                 | 0                         | 0        |
| 825.5           | 20415   | 3               | QPSK       | 8       | 0         | 23.11                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | QPSK       | 8       | 4         | 23.22                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | QPSK       | 8       | 7         | 23.29                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | QPSK       | 15      | 0         | 23.25                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | 16-QAM     | 1       | 0         | 23.10                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | 16-QAM     | 1       | 7         | 23.21                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | 16-QAM     | 1       | 14        | 23.02                 | 0-1                       | 1        |
| 825.5           | 20415   | 3               | 16-QAM     | 8       | 0         | 22.41                 | 0-2                       | 2        |
| 825.5           | 20415   | 3               | 16-QAM     | 8       | 4         | 22.25                 | 0-2                       | 2        |
| 825.5           | 20415   | 3               | 16-QAM     | 8       | 7         | 22.25                 | 0-2                       | 2        |
| 825.5           | 20415   | 3               | 16-QAM     | 15      | 0         | 22.26                 | 0-2                       | 2        |
| 836.5           | 20525   | 3               | QPSK       | 1       | 0         | 24.04                 | 0                         | 0        |
| 836.5           | 20525   | 3               | QPSK       | 1       | 7         | 24.48                 | 0                         | 0        |
| 836.5           | 20525   | 3               | QPSK       | 1       | 14        | 24.12                 | 0                         | 0        |
| 836.5           | 20525   | 3               | QPSK       | 8       | 0         | 23.41                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | QPSK       | 8       | 4         | 23.35                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | QPSK       | 8       | 7         | 23.29                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | QPSK       | 15      | 0         | 23.22                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | 16-QAM     | 1       | 0         | 23.40                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | 16-QAM     | 1       | 7         | 23.41                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | 16-QAM     | 1       | 14        | 23.41                 | 0-1                       | 1        |
| 836.5           | 20525   | 3               | 16-QAM     | 8       | 0         | 22.15                 | 0-2                       | 2        |
| 836.5           | 20525   | 3               | 16-QAM     | 8       | 4         | 22.05                 | 0-2                       | 2        |
| 836.5           | 20525   | 3               | 16-QAM     | 8       | 7         | 22.05                 | 0-2                       | 2        |
| 836.5           | 20525   | 3               | 16-QAM     | 15      | 0         | 22.44                 | 0-2                       | 2        |
| 847.5           | 20635   | 3               | QPSK       | 1       | 0         | 23.54                 | 0                         | 0        |
| 847.5           | 20635   | 3               | QPSK       | 1       | 7         | 24.28                 | 0                         | 0        |
| 847.5           | 20635   | 3               | QPSK       | 1       | 14        | 24.02                 | 0                         | 0        |
| 847.5           | 20635   | 3               | QPSK       | 8       | 0         | 23.34                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | QPSK       | 8       | 4         | 23.02                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | QPSK       | 8       | 7         | 23.29                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | QPSK       | 15      | 0         | 23.14                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | 16-QAM     | 1       | 0         | 23.20                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | 16-QAM     | 1       | 7         | 23.21                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | 16-QAM     | 1       | 14        | 23.32                 | 0-1                       | 1        |
| 847.5           | 20635   | 3               | 16-QAM     | 8       | 0         | 22.30                 | 0-2                       | 2        |
| 847.5           | 20635   | 3               | 16-QAM     | 8       | 4         | 22.05                 | 0-2                       | 2        |
| 847.5           | 20635   | 3               | 16-QAM     | 8       | 7         | 22.05                 | 0-2                       | 2        |
| 847.5           | 20635   | 3               | 16-QAM     | 15      | 0         | 22.34                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 16 of 32                   |

**Table 8-7**  
**LTE Band 5 Conducted Powers – 1.4MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 824.7           | 20407   | 1.4             | QPSK       | 1       | 0         | 24.24                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 1       | 2         | 24.48                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 1       | 5         | 24.42                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 3       | 0         | 24.02                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 3       | 2         | 24.00                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 3       | 3         | 23.61                 | 0                         | 0        |
| 824.7           | 20407   | 1.4             | QPSK       | 6       | 0         | 23.22                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 1       | 0         | 23.30                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 1       | 2         | 23.31                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 1       | 5         | 22.92                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 3       | 0         | 22.59                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 3       | 2         | 22.55                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 3       | 3         | 22.51                 | 0-1                       | 1        |
| 824.7           | 20407   | 1.4             | 16-QAM     | 6       | 0         | 22.16                 | 0-2                       | 2        |
| 836.5           | 20525   | 1.4             | QPSK       | 1       | 0         | 24.24                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 1       | 2         | 24.28                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 1       | 5         | 24.02                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 3       | 0         | 24.41                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 3       | 2         | 24.22                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 3       | 3         | 24.35                 | 0                         | 0        |
| 836.5           | 20525   | 1.4             | QPSK       | 6       | 0         | 23.42                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 1       | 0         | 23.30                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 1       | 2         | 23.21                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 1       | 5         | 23.32                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 3       | 0         | 22.70                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 3       | 2         | 22.69                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 3       | 3         | 22.54                 | 0-1                       | 1        |
| 836.5           | 20525   | 1.4             | 16-QAM     | 6       | 0         | 22.36                 | 0-2                       | 2        |
| 848.3           | 20643   | 1.4             | QPSK       | 1       | 0         | 23.64                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 1       | 2         | 24.18                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 1       | 5         | 23.92                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 3       | 0         | 24.21                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 3       | 2         | 24.22                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 3       | 3         | 24.01                 | 0                         | 0        |
| 848.3           | 20643   | 1.4             | QPSK       | 6       | 0         | 23.32                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 1       | 0         | 23.00                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 1       | 2         | 23.11                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 1       | 5         | 23.12                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 3       | 0         | 22.95                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 3       | 2         | 22.84                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 3       | 3         | 22.85                 | 0-1                       | 1        |
| 848.3           | 20643   | 1.4             | 16-QAM     | 6       | 0         | 22.34                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 17 of 32                   |

**Table 8-8**  
**LTE Band 4 Conducted Powers – 20MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1732.5          | 20175   | 20              | QPSK       | 1       | 0         | 22.05                 | 0                         | 0        |
| 1732.5          | 20175   | 20              | QPSK       | 1       | 50        | 21.88                 | 0                         | 0        |
| 1732.5          | 20175   | 20              | QPSK       | 1       | 99        | 21.86                 | 0                         | 0        |
| 1732.5          | 20175   | 20              | QPSK       | 50      | 0         | 20.91                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | QPSK       | 50      | 25        | 20.89                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | QPSK       | 50      | 50        | 20.93                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | QPSK       | 100     | 0         | 20.92                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | 16QAM      | 1       | 0         | 21.00                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | 16QAM      | 1       | 50        | 20.84                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | 16QAM      | 1       | 99        | 20.85                 | 0-1                       | 1        |
| 1732.5          | 20175   | 20              | 16QAM      | 50      | 0         | 19.83                 | 0-2                       | 2        |
| 1732.5          | 20175   | 20              | 16QAM      | 50      | 25        | 19.88                 | 0-2                       | 2        |
| 1732.5          | 20175   | 20              | 16QAM      | 50      | 50        | 19.88                 | 0-2                       | 2        |
| 1732.5          | 20175   | 20              | 16QAM      | 100     | 0         | 19.83                 | 0-2                       | 2        |

**Table 8-9**  
**LTE Band 4 Conducted Powers – 15MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1717.5          | 20025   | 15              | QPSK       | 1       | 0         | 21.95                 | 0                         | 0        |
| 1717.5          | 20025   | 15              | QPSK       | 1       | 36        | 21.88                 | 0                         | 0        |
| 1717.5          | 20025   | 15              | QPSK       | 1       | 74        | 21.86                 | 0                         | 0        |
| 1717.5          | 20025   | 15              | QPSK       | 36      | 0         | 20.81                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | QPSK       | 36      | 18        | 20.79                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | QPSK       | 36      | 37        | 20.93                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | QPSK       | 75      | 0         | 20.92                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | 16QAM      | 1       | 0         | 20.90                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | 16QAM      | 1       | 36        | 20.84                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | 16QAM      | 1       | 74        | 20.85                 | 0-1                       | 1        |
| 1717.5          | 20025   | 15              | 16QAM      | 36      | 0         | 19.73                 | 0-2                       | 2        |
| 1717.5          | 20025   | 15              | 16QAM      | 36      | 18        | 19.78                 | 0-2                       | 2        |
| 1717.5          | 20025   | 15              | 16QAM      | 36      | 37        | 19.98                 | 0-2                       | 2        |
| 1717.5          | 20025   | 15              | 16QAM      | 75      | 0         | 19.73                 | 0-2                       | 2        |
| 1732.5          | 20175   | 15              | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1732.5          | 20175   | 15              | QPSK       | 1       | 36        | 22.19                 | 0                         | 0        |
| 1732.5          | 20175   | 15              | QPSK       | 1       | 74        | 22.16                 | 0                         | 0        |
| 1732.5          | 20175   | 15              | QPSK       | 36      | 0         | 21.10                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | QPSK       | 36      | 18        | 21.17                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | QPSK       | 36      | 37        | 21.13                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | QPSK       | 75      | 0         | 21.16                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | 16QAM      | 1       | 0         | 21.18                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | 16QAM      | 1       | 36        | 21.17                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | 16QAM      | 1       | 74        | 21.20                 | 0-1                       | 1        |
| 1732.5          | 20175   | 15              | 16QAM      | 36      | 0         | 20.05                 | 0-2                       | 2        |
| 1732.5          | 20175   | 15              | 16QAM      | 36      | 18        | 20.11                 | 0-2                       | 2        |
| 1732.5          | 20175   | 15              | 16QAM      | 36      | 37        | 20.07                 | 0-2                       | 2        |
| 1732.5          | 20175   | 15              | 16QAM      | 75      | 0         | 20.00                 | 0-2                       | 2        |
| 1747.5          | 20325   | 15              | QPSK       | 1       | 0         | 22.24                 | 0                         | 0        |
| 1747.5          | 20325   | 15              | QPSK       | 1       | 36        | 22.29                 | 0                         | 0        |
| 1747.5          | 20325   | 15              | QPSK       | 1       | 74        | 22.26                 | 0                         | 0        |
| 1747.5          | 20325   | 15              | QPSK       | 36      | 0         | 21.20                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | QPSK       | 36      | 18        | 21.07                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | QPSK       | 36      | 37        | 21.23                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | QPSK       | 75      | 0         | 21.06                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | 16QAM      | 1       | 0         | 21.18                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | 16QAM      | 1       | 36        | 21.27                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | 16QAM      | 1       | 74        | 21.30                 | 0-1                       | 1        |
| 1747.5          | 20325   | 15              | 16QAM      | 36      | 0         | 20.05                 | 0-2                       | 2        |
| 1747.5          | 20325   | 15              | 16QAM      | 36      | 18        | 20.21                 | 0-2                       | 2        |
| 1747.5          | 20325   | 15              | 16QAM      | 36      | 37        | 20.17                 | 0-2                       | 2        |
| 1747.5          | 20325   | 15              | 16QAM      | 75      | 0         | 20.10                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 18 of 32                   |

**Table 8-10**  
**LTE Band 4 Conducted Powers – 10MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1715            | 20000   | 10              | QPSK       | 1       | 0         | 21.85                 | 0                         | 0        |
| 1715            | 20000   | 10              | QPSK       | 1       | 25        | 21.88                 | 0                         | 0        |
| 1715            | 20000   | 10              | QPSK       | 1       | 49        | 21.76                 | 0                         | 0        |
| 1715            | 20000   | 10              | QPSK       | 25      | 0         | 20.71                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | QPSK       | 25      | 12        | 20.79                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | QPSK       | 25      | 25        | 20.93                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | QPSK       | 50      | 0         | 20.92                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | 16QAM      | 1       | 0         | 21.00                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | 16QAM      | 1       | 25        | 20.94                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | 16QAM      | 1       | 49        | 20.95                 | 0-1                       | 1        |
| 1715            | 20000   | 10              | 16QAM      | 25      | 0         | 19.83                 | 0-2                       | 2        |
| 1715            | 20000   | 10              | 16QAM      | 25      | 12        | 19.78                 | 0-2                       | 2        |
| 1715            | 20000   | 10              | 16QAM      | 25      | 25        | 19.88                 | 0-2                       | 2        |
| 1715            | 20000   | 10              | 16QAM      | 50      | 0         | 19.83                 | 0-2                       | 2        |
| 1732.5          | 20175   | 10              | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1732.5          | 20175   | 10              | QPSK       | 1       | 25        | 22.09                 | 0                         | 0        |
| 1732.5          | 20175   | 10              | QPSK       | 1       | 49        | 22.26                 | 0                         | 0        |
| 1732.5          | 20175   | 10              | QPSK       | 25      | 0         | 21.20                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | QPSK       | 25      | 12        | 21.17                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | QPSK       | 25      | 25        | 21.23                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | QPSK       | 50      | 0         | 21.16                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | 16QAM      | 1       | 0         | 21.28                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | 16QAM      | 1       | 25        | 21.17                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | 16QAM      | 1       | 49        | 21.20                 | 0-1                       | 1        |
| 1732.5          | 20175   | 10              | 16QAM      | 25      | 0         | 20.15                 | 0-2                       | 2        |
| 1732.5          | 20175   | 10              | 16QAM      | 25      | 12        | 20.21                 | 0-2                       | 2        |
| 1732.5          | 20175   | 10              | 16QAM      | 25      | 25        | 19.97                 | 0-2                       | 2        |
| 1732.5          | 20175   | 10              | 16QAM      | 50      | 0         | 19.90                 | 0-2                       | 2        |
| 1750            | 20350   | 10              | QPSK       | 1       | 0         | 22.24                 | 0                         | 0        |
| 1750            | 20350   | 10              | QPSK       | 1       | 25        | 22.19                 | 0                         | 0        |
| 1750            | 20350   | 10              | QPSK       | 1       | 49        | 22.25                 | 0                         | 0        |
| 1750            | 20350   | 10              | QPSK       | 25      | 0         | 21.10                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | QPSK       | 25      | 12        | 20.97                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | QPSK       | 25      | 25        | 21.13                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | QPSK       | 50      | 0         | 21.16                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | 16QAM      | 1       | 0         | 21.08                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | 16QAM      | 1       | 25        | 21.27                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | 16QAM      | 1       | 49        | 21.40                 | 0-1                       | 1        |
| 1750            | 20350   | 10              | 16QAM      | 25      | 0         | 20.05                 | 0-2                       | 2        |
| 1750            | 20350   | 10              | 16QAM      | 25      | 12        | 20.31                 | 0-2                       | 2        |
| 1750            | 20350   | 10              | 16QAM      | 25      | 25        | 20.17                 | 0-2                       | 2        |
| 1750            | 20350   | 10              | 16QAM      | 50      | 0         | 20.00                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 19 of 32                   |

**Table 8-11**  
**LTE Band 4 Conducted Powers – 5MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1712.5          | 19975   | 5               | QPSK       | 1       | 0         | 21.85                 | 0                         | 0        |
| 1712.5          | 19975   | 5               | QPSK       | 1       | 12        | 21.88                 | 0                         | 0        |
| 1712.5          | 19975   | 5               | QPSK       | 1       | 24        | 21.86                 | 0                         | 0        |
| 1712.5          | 19975   | 5               | QPSK       | 12      | 0         | 20.61                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | QPSK       | 12      | 6         | 20.69                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | QPSK       | 12      | 13        | 20.93                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | QPSK       | 25      | 0         | 20.92                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | 16-QAM     | 1       | 0         | 21.00                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | 16-QAM     | 1       | 12        | 20.84                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | 16-QAM     | 1       | 24        | 20.85                 | 0-1                       | 1        |
| 1712.5          | 19975   | 5               | 16-QAM     | 12      | 0         | 19.93                 | 0-2                       | 2        |
| 1712.5          | 19975   | 5               | 16-QAM     | 12      | 6         | 19.78                 | 0-2                       | 2        |
| 1712.5          | 19975   | 5               | 16-QAM     | 12      | 13        | 19.98                 | 0-2                       | 2        |
| 1712.5          | 19975   | 5               | 16-QAM     | 25      | 0         | 19.83                 | 0-2                       | 2        |
| 1732.5          | 20175   | 5               | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1732.5          | 20175   | 5               | QPSK       | 1       | 12        | 21.99                 | 0                         | 0        |
| 1732.5          | 20175   | 5               | QPSK       | 1       | 24        | 22.25                 | 0                         | 0        |
| 1732.5          | 20175   | 5               | QPSK       | 12      | 0         | 21.30                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | QPSK       | 12      | 6         | 21.27                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | QPSK       | 12      | 13        | 21.33                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | QPSK       | 25      | 0         | 21.26                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | 16-QAM     | 1       | 0         | 21.28                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | 16-QAM     | 1       | 12        | 21.07                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | 16-QAM     | 1       | 24        | 21.10                 | 0-1                       | 1        |
| 1732.5          | 20175   | 5               | 16-QAM     | 12      | 0         | 20.15                 | 0-2                       | 2        |
| 1732.5          | 20175   | 5               | 16-QAM     | 12      | 6         | 20.31                 | 0-2                       | 2        |
| 1732.5          | 20175   | 5               | 16-QAM     | 12      | 13        | 19.87                 | 0-2                       | 2        |
| 1732.5          | 20175   | 5               | 16-QAM     | 25      | 0         | 19.80                 | 0-2                       | 2        |
| 1752.5          | 20375   | 5               | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1752.5          | 20375   | 5               | QPSK       | 1       | 12        | 22.11                 | 0                         | 0        |
| 1752.5          | 20375   | 5               | QPSK       | 1       | 24        | 22.24                 | 0                         | 0        |
| 1752.5          | 20375   | 5               | QPSK       | 12      | 0         | 21.00                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | QPSK       | 12      | 6         | 20.97                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | QPSK       | 12      | 13        | 21.03                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | QPSK       | 25      | 0         | 21.26                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | 16-QAM     | 1       | 0         | 21.08                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | 16-QAM     | 1       | 12        | 21.37                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | 16-QAM     | 1       | 24        | 21.30                 | 0-1                       | 1        |
| 1752.5          | 20375   | 5               | 16-QAM     | 12      | 0         | 20.05                 | 0-2                       | 2        |
| 1752.5          | 20375   | 5               | 16-QAM     | 12      | 6         | 20.41                 | 0-2                       | 2        |
| 1752.5          | 20375   | 5               | 16-QAM     | 12      | 13        | 20.07                 | 0-2                       | 2        |
| 1752.5          | 20375   | 5               | 16-QAM     | 25      | 0         | 19.98                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 20 of 32                   |

**Table 8-12**  
**LTE Band 4 Conducted Powers – 3MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1711.5          | 19965   | 3               | QPSK       | 1       | 0         | 21.75                 | 0                         | 0        |
| 1711.5          | 19965   | 3               | QPSK       | 1       | 7         | 21.98                 | 0                         | 0        |
| 1711.5          | 19965   | 3               | QPSK       | 1       | 14        | 21.76                 | 0                         | 0        |
| 1711.5          | 19965   | 3               | QPSK       | 8       | 0         | 20.71                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | QPSK       | 8       | 4         | 20.59                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | QPSK       | 8       | 7         | 20.93                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | QPSK       | 15      | 0         | 21.02                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | 16-QAM     | 1       | 0         | 20.90                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | 16-QAM     | 1       | 7         | 20.84                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | 16-QAM     | 1       | 14        | 20.75                 | 0-1                       | 1        |
| 1711.5          | 19965   | 3               | 16-QAM     | 8       | 0         | 19.83                 | 0-2                       | 2        |
| 1711.5          | 19965   | 3               | 16-QAM     | 8       | 4         | 19.78                 | 0-2                       | 2        |
| 1711.5          | 19965   | 3               | 16-QAM     | 8       | 7         | 20.08                 | 0-2                       | 2        |
| 1711.5          | 19965   | 3               | 16-QAM     | 15      | 0         | 19.73                 | 0-2                       | 2        |
| 1732.5          | 20175   | 3               | QPSK       | 1       | 0         | 22.24                 | 0                         | 0        |
| 1732.5          | 20175   | 3               | QPSK       | 1       | 7         | 22.10                 | 0                         | 0        |
| 1732.5          | 20175   | 3               | QPSK       | 1       | 14        | 22.20                 | 0                         | 0        |
| 1732.5          | 20175   | 3               | QPSK       | 8       | 0         | 21.30                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | QPSK       | 8       | 4         | 21.37                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | QPSK       | 8       | 7         | 21.33                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | QPSK       | 15      | 0         | 21.16                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | 16-QAM     | 1       | 0         | 21.28                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | 16-QAM     | 1       | 7         | 20.97                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | 16-QAM     | 1       | 14        | 21.00                 | 0-1                       | 1        |
| 1732.5          | 20175   | 3               | 16-QAM     | 8       | 0         | 20.25                 | 0-2                       | 2        |
| 1732.5          | 20175   | 3               | 16-QAM     | 8       | 4         | 20.21                 | 0-2                       | 2        |
| 1732.5          | 20175   | 3               | 16-QAM     | 8       | 7         | 19.77                 | 0-2                       | 2        |
| 1732.5          | 20175   | 3               | 16-QAM     | 15      | 0         | 19.90                 | 0-2                       | 2        |
| 1753.5          | 20385   | 3               | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1753.5          | 20385   | 3               | QPSK       | 1       | 7         | 22.09                 | 0                         | 0        |
| 1753.5          | 20385   | 3               | QPSK       | 1       | 14        | 22.25                 | 0                         | 0        |
| 1753.5          | 20385   | 3               | QPSK       | 8       | 0         | 21.00                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | QPSK       | 8       | 4         | 20.87                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | QPSK       | 8       | 7         | 20.93                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | QPSK       | 15      | 0         | 21.36                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | 16-QAM     | 1       | 0         | 21.18                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | 16-QAM     | 1       | 7         | 21.47                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | 16-QAM     | 1       | 14        | 21.40                 | 0-1                       | 1        |
| 1753.5          | 20385   | 3               | 16-QAM     | 8       | 0         | 19.95                 | 0-2                       | 2        |
| 1753.5          | 20385   | 3               | 16-QAM     | 8       | 4         | 20.41                 | 0-2                       | 2        |
| 1753.5          | 20385   | 3               | 16-QAM     | 8       | 7         | 19.97                 | 0-2                       | 2        |
| 1753.5          | 20385   | 3               | 16-QAM     | 15      | 0         | 19.87                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 21 of 32                   |

**Table 8-13**  
**LTE Band 4 Conducted Powers – 1.4MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1710.7          | 19957   | 1.4             | QPSK       | 1       | 0         | 21.85                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 1       | 2         | 21.88                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 1       | 5         | 21.76                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 3       | 0         | 21.81                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 3       | 2         | 21.51                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 3       | 3         | 21.93                 | 0                         | 0        |
| 1710.7          | 19957   | 1.4             | QPSK       | 6       | 0         | 21.02                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 1       | 0         | 20.90                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 1       | 2         | 20.84                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 1       | 5         | 20.75                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 3       | 0         | 20.73                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 3       | 2         | 20.88                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 3       | 3         | 20.88                 | 0-1                       | 1        |
| 1710.7          | 19957   | 1.4             | 16-QAM     | 6       | 0         | 19.63                 | 0-2                       | 2        |
| 1732.5          | 20175   | 1.4             | QPSK       | 1       | 0         | 22.14                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 1       | 2         | 22.09                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 1       | 5         | 22.25                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 3       | 0         | 22.12                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 3       | 2         | 22.21                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 3       | 3         | 22.23                 | 0                         | 0        |
| 1732.5          | 20175   | 1.4             | QPSK       | 6       | 0         | 21.16                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 1       | 0         | 21.28                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 1       | 2         | 20.97                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 1       | 5         | 21.00                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 3       | 0         | 21.35                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 3       | 2         | 21.11                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 3       | 3         | 20.77                 | 0-1                       | 1        |
| 1732.5          | 20175   | 1.4             | 16-QAM     | 6       | 0         | 19.90                 | 0-2                       | 2        |
| 1754.3          | 20393   | 1.4             | QPSK       | 1       | 0         | 22.04                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 1       | 2         | 22.09                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 1       | 5         | 22.25                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 3       | 0         | 22.00                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 3       | 2         | 21.77                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 3       | 3         | 21.83                 | 0                         | 0        |
| 1754.3          | 20393   | 1.4             | QPSK       | 6       | 0         | 21.36                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 1       | 0         | 21.08                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 1       | 2         | 21.47                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 1       | 5         | 21.50                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 3       | 0         | 20.95                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 3       | 2         | 20.89                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 3       | 3         | 20.97                 | 0-1                       | 1        |
| 1754.3          | 20393   | 1.4             | 16-QAM     | 6       | 0         | 19.98                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 22 of 32                   |

**Table 8-14**  
**LTE Band 2 Conducted Powers – 20MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1860            | 18700   | 20              | QPSK       | 1       | 0         | 21.85                 | 0                         | 0        |
| 1860            | 18700   | 20              | QPSK       | 1       | 50        | 21.81                 | 0                         | 0        |
| 1860            | 18700   | 20              | QPSK       | 1       | 99        | 21.79                 | 0                         | 0        |
| 1860            | 18700   | 20              | QPSK       | 50      | 0         | <b>20.96</b>          | 0-1                       | 1        |
| 1860            | 18700   | 20              | QPSK       | 50      | 25        | 20.95                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | QPSK       | 50      | 50        | 20.94                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | QPSK       | 100     | 0         | 20.85                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | 16QAM      | 1       | 0         | 20.85                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | 16QAM      | 1       | 50        | 21.01                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | 16QAM      | 1       | 99        | 20.98                 | 0-1                       | 1        |
| 1860            | 18700   | 20              | 16QAM      | 50      | 0         | 19.83                 | 0-2                       | 2        |
| 1860            | 18700   | 20              | 16QAM      | 50      | 25        | 19.92                 | 0-2                       | 2        |
| 1860            | 18700   | 20              | 16QAM      | 50      | 50        | 19.98                 | 0-2                       | 2        |
| 1860            | 18700   | 20              | 16QAM      | 100     | 0         | 19.84                 | 0-2                       | 2        |
| 1880.0          | 18900   | 20              | QPSK       | 1       | 0         | 21.95                 | 0                         | 0        |
| 1880.0          | 18900   | 20              | QPSK       | 1       | 50        | <b>21.97</b>          | 0                         | 0        |
| 1880.0          | 18900   | 20              | QPSK       | 1       | 99        | 21.83                 | 0                         | 0        |
| 1880.0          | 18900   | 20              | QPSK       | 50      | 0         | 20.89                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | QPSK       | 50      | 25        | 20.82                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | QPSK       | 50      | 50        | 20.84                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | QPSK       | 100     | 0         | 20.89                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | 16QAM      | 1       | 0         | 20.91                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | 16QAM      | 1       | 50        | 20.87                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | 16QAM      | 1       | 99        | 20.83                 | 0-1                       | 1        |
| 1880.0          | 18900   | 20              | 16QAM      | 50      | 0         | 19.89                 | 0-2                       | 2        |
| 1880.0          | 18900   | 20              | 16QAM      | 50      | 25        | 19.86                 | 0-2                       | 2        |
| 1880.0          | 18900   | 20              | 16QAM      | 50      | 50        | 19.84                 | 0-2                       | 2        |
| 1880.0          | 18900   | 20              | 16QAM      | 100     | 0         | 19.85                 | 0-2                       | 2        |
| 1900            | 19100   | 20              | QPSK       | 1       | 0         | 21.82                 | 0                         | 0        |
| 1900            | 19100   | 20              | QPSK       | 1       | 50        | 21.85                 | 0                         | 0        |
| 1900            | 19100   | 20              | QPSK       | 1       | 99        | 21.94                 | 0                         | 0        |
| 1900            | 19100   | 20              | QPSK       | 50      | 0         | 20.82                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | QPSK       | 50      | 25        | 20.87                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | QPSK       | 50      | 50        | 20.88                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | QPSK       | 100     | 0         | 20.83                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | 16QAM      | 1       | 0         | 20.89                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | 16QAM      | 1       | 50        | 20.83                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | 16QAM      | 1       | 99        | 21.08                 | 0-1                       | 1        |
| 1900            | 19100   | 20              | 16QAM      | 50      | 0         | 19.86                 | 0-2                       | 2        |
| 1900            | 19100   | 20              | 16QAM      | 50      | 25        | 19.87                 | 0-2                       | 2        |
| 1900            | 19100   | 20              | 16QAM      | 50      | 50        | 19.89                 | 0-2                       | 2        |
| 1900            | 19100   | 20              | 16QAM      | 100     | 0         | 19.90                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 23 of 32                   |

**Table 8-15**  
**LTE Band 2 Conducted Powers – 15MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1857.5          | 18675   | 15              | QPSK       | 1       | 0         | 21.75                 | 0                         | 0        |
| 1857.5          | 18675   | 15              | QPSK       | 1       | 36        | 21.82                 | 0                         | 0        |
| 1857.5          | 18675   | 15              | QPSK       | 1       | 74        | 21.88                 | 0                         | 0        |
| 1857.5          | 18675   | 15              | QPSK       | 36      | 0         | 20.87                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | QPSK       | 36      | 18        | 20.87                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | QPSK       | 36      | 37        | 21.02                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | QPSK       | 75      | 0         | 20.85                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | 16QAM      | 1       | 0         | 20.76                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | 16QAM      | 1       | 36        | 20.91                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | 16QAM      | 1       | 74        | 21.02                 | 0-1                       | 1        |
| 1857.5          | 18675   | 15              | 16QAM      | 36      | 0         | 19.88                 | 0-2                       | 2        |
| 1857.5          | 18675   | 15              | 16QAM      | 36      | 18        | 20.01                 | 0-2                       | 2        |
| 1857.5          | 18675   | 15              | 16QAM      | 36      | 37        | 19.98                 | 0-2                       | 2        |
| 1857.5          | 18675   | 15              | 16QAM      | 75      | 0         | 19.93                 | 0-2                       | 2        |
| 1880.0          | 18900   | 15              | QPSK       | 1       | 0         | 21.92                 | 0                         | 0        |
| 1880.0          | 18900   | 15              | QPSK       | 1       | 36        | 21.98                 | 0                         | 0        |
| 1880.0          | 18900   | 15              | QPSK       | 1       | 74        | 21.81                 | 0                         | 0        |
| 1880.0          | 18900   | 15              | QPSK       | 36      | 0         | 20.79                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | QPSK       | 36      | 18        | 20.87                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | QPSK       | 36      | 37        | 20.84                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | QPSK       | 75      | 0         | 20.87                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | 16QAM      | 1       | 0         | 20.88                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | 16QAM      | 1       | 36        | 20.88                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | 16QAM      | 1       | 74        | 20.89                 | 0-1                       | 1        |
| 1880.0          | 18900   | 15              | 16QAM      | 36      | 0         | 19.95                 | 0-2                       | 2        |
| 1880.0          | 18900   | 15              | 16QAM      | 36      | 18        | 19.92                 | 0-2                       | 2        |
| 1880.0          | 18900   | 15              | 16QAM      | 36      | 37        | 19.92                 | 0-2                       | 2        |
| 1880.0          | 18900   | 15              | 16QAM      | 75      | 0         | 19.89                 | 0-2                       | 2        |
| 1902.5          | 19125   | 15              | QPSK       | 1       | 0         | 21.75                 | 0                         | 0        |
| 1902.5          | 19125   | 15              | QPSK       | 1       | 36        | 21.91                 | 0                         | 0        |
| 1902.5          | 19125   | 15              | QPSK       | 1       | 74        | 21.98                 | 0                         | 0        |
| 1902.5          | 19125   | 15              | QPSK       | 36      | 0         | 20.73                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | QPSK       | 36      | 18        | 20.81                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | QPSK       | 36      | 37        | 20.92                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | QPSK       | 75      | 0         | 20.87                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | 16QAM      | 1       | 0         | 20.98                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | 16QAM      | 1       | 36        | 20.83                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | 16QAM      | 1       | 74        | 21.08                 | 0-1                       | 1        |
| 1902.5          | 19125   | 15              | 16QAM      | 36      | 0         | 19.92                 | 0-2                       | 2        |
| 1902.5          | 19125   | 15              | 16QAM      | 36      | 18        | 19.94                 | 0-2                       | 2        |
| 1902.5          | 19125   | 15              | 16QAM      | 36      | 37        | 19.98                 | 0-2                       | 2        |
| 1902.5          | 19125   | 15              | 16QAM      | 75      | 0         | 19.97                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 24 of 32                   |

**Table 8-16**  
**LTE Band 2 Conducted Powers – 10MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1855            | 18650   | 10              | QPSK       | 1       | 0         | 21.71                 | 0                         | 0        |
| 1855            | 18650   | 10              | QPSK       | 1       | 25        | 21.82                 | 0                         | 0        |
| 1855            | 18650   | 10              | QPSK       | 1       | 49        | 21.79                 | 0                         | 0        |
| 1855            | 18650   | 10              | QPSK       | 25      | 0         | 20.81                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | QPSK       | 25      | 12        | 20.90                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | QPSK       | 25      | 25        | 21.05                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | QPSK       | 50      | 0         | 20.92                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | 16QAM      | 1       | 0         | 20.72                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | 16QAM      | 1       | 25        | 20.97                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | 16QAM      | 1       | 49        | 21.05                 | 0-1                       | 1        |
| 1855            | 18650   | 10              | 16QAM      | 25      | 0         | 19.91                 | 0-2                       | 2        |
| 1855            | 18650   | 10              | 16QAM      | 25      | 12        | 19.91                 | 0-2                       | 2        |
| 1855            | 18650   | 10              | 16QAM      | 25      | 25        | 20.05                 | 0-2                       | 2        |
| 1855            | 18650   | 10              | 16QAM      | 50      | 0         | 19.83                 | 0-2                       | 2        |
| 1880.0          | 18900   | 10              | QPSK       | 1       | 0         | 21.99                 | 0                         | 0        |
| 1880.0          | 18900   | 10              | QPSK       | 1       | 25        | 22.05                 | 0                         | 0        |
| 1880.0          | 18900   | 10              | QPSK       | 1       | 49        | 21.88                 | 0                         | 0        |
| 1880.0          | 18900   | 10              | QPSK       | 25      | 0         | 20.79                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | QPSK       | 25      | 12        | 20.81                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | QPSK       | 25      | 25        | 20.94                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | QPSK       | 50      | 0         | 20.95                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | 16QAM      | 1       | 0         | 20.96                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | 16QAM      | 1       | 25        | 20.79                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | 16QAM      | 1       | 49        | 20.91                 | 0-1                       | 1        |
| 1880.0          | 18900   | 10              | 16QAM      | 25      | 0         | 19.92                 | 0-2                       | 2        |
| 1880.0          | 18900   | 10              | 16QAM      | 25      | 12        | 19.93                 | 0-2                       | 2        |
| 1880.0          | 18900   | 10              | 16QAM      | 25      | 25        | 19.99                 | 0-2                       | 2        |
| 1880.0          | 18900   | 10              | 16QAM      | 50      | 0         | 19.91                 | 0-2                       | 2        |
| 1905            | 19150   | 10              | QPSK       | 1       | 0         | 21.79                 | 0                         | 0        |
| 1905            | 19150   | 10              | QPSK       | 1       | 25        | 21.85                 | 0                         | 0        |
| 1905            | 19150   | 10              | QPSK       | 1       | 49        | 21.94                 | 0                         | 0        |
| 1905            | 19150   | 10              | QPSK       | 25      | 0         | 20.76                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | QPSK       | 25      | 12        | 20.83                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | QPSK       | 25      | 25        | 20.97                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | QPSK       | 50      | 0         | 20.97                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | 16QAM      | 1       | 0         | 20.99                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | 16QAM      | 1       | 25        | 20.83                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | 16QAM      | 1       | 49        | 20.98                 | 0-1                       | 1        |
| 1905            | 19150   | 10              | 16QAM      | 25      | 0         | 19.90                 | 0-2                       | 2        |
| 1905            | 19150   | 10              | 16QAM      | 25      | 12        | 19.85                 | 0-2                       | 2        |
| 1905            | 19150   | 10              | 16QAM      | 25      | 25        | 20.05                 | 0-2                       | 2        |
| 1905            | 19150   | 10              | 16QAM      | 50      | 0         | 20.07                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 25 of 32                   |

**Table 8-17**  
**LTE Band 2 Conducted Powers – 5MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1852.5          | 18625   | 5               | QPSK       | 1       | 0         | 21.65                 | 0                         | 0        |
| 1852.5          | 18625   | 5               | QPSK       | 1       | 12        | 21.76                 | 0                         | 0        |
| 1852.5          | 18625   | 5               | QPSK       | 1       | 24        | 21.77                 | 0                         | 0        |
| 1852.5          | 18625   | 5               | QPSK       | 12      | 0         | 20.74                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | QPSK       | 12      | 6         | 20.96                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | QPSK       | 12      | 13        | 21.02                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | QPSK       | 25      | 0         | 20.97                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | 16-QAM     | 1       | 0         | 20.75                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | 16-QAM     | 1       | 12        | 20.89                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | 16-QAM     | 1       | 24        | 20.98                 | 0-1                       | 1        |
| 1852.5          | 18625   | 5               | 16-QAM     | 12      | 0         | 19.99                 | 0-2                       | 2        |
| 1852.5          | 18625   | 5               | 16-QAM     | 12      | 6         | 20.01                 | 0-2                       | 2        |
| 1852.5          | 18625   | 5               | 16-QAM     | 12      | 13        | 20.15                 | 0-2                       | 2        |
| 1852.5          | 18625   | 5               | 16-QAM     | 25      | 0         | 19.88                 | 0-2                       | 2        |
| 1880.0          | 18900   | 5               | QPSK       | 1       | 0         | 21.96                 | 0                         | 0        |
| 1880.0          | 18900   | 5               | QPSK       | 1       | 12        | 22.00                 | 0                         | 0        |
| 1880.0          | 18900   | 5               | QPSK       | 1       | 24        | 21.73                 | 0                         | 0        |
| 1880.0          | 18900   | 5               | QPSK       | 12      | 0         | 20.70                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | QPSK       | 12      | 6         | 20.83                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | QPSK       | 12      | 13        | 20.92                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | QPSK       | 25      | 0         | 20.91                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | 16-QAM     | 1       | 0         | 21.00                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | 16-QAM     | 1       | 12        | 20.78                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | 16-QAM     | 1       | 24        | 20.87                 | 0-1                       | 1        |
| 1880.0          | 18900   | 5               | 16-QAM     | 12      | 0         | 19.99                 | 0-2                       | 2        |
| 1880.0          | 18900   | 5               | 16-QAM     | 12      | 6         | 19.87                 | 0-2                       | 2        |
| 1880.0          | 18900   | 5               | 16-QAM     | 12      | 13        | 19.96                 | 0-2                       | 2        |
| 1880.0          | 18900   | 5               | 16-QAM     | 25      | 0         | 19.91                 | 0-2                       | 2        |
| 1907.5          | 19175   | 5               | QPSK       | 1       | 0         | 21.85                 | 0                         | 0        |
| 1907.5          | 19175   | 5               | QPSK       | 1       | 12        | 21.89                 | 0                         | 0        |
| 1907.5          | 19175   | 5               | QPSK       | 1       | 24        | 21.97                 | 0                         | 0        |
| 1907.5          | 19175   | 5               | QPSK       | 12      | 0         | 20.73                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | QPSK       | 12      | 6         | 20.74                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | QPSK       | 12      | 13        | 20.97                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | QPSK       | 25      | 0         | 21.02                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | 16-QAM     | 1       | 0         | 20.90                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | 16-QAM     | 1       | 12        | 20.85                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | 16-QAM     | 1       | 24        | 20.88                 | 0-1                       | 1        |
| 1907.5          | 19175   | 5               | 16-QAM     | 12      | 0         | 19.86                 | 0-2                       | 2        |
| 1907.5          | 19175   | 5               | 16-QAM     | 12      | 6         | 19.77                 | 0-2                       | 2        |
| 1907.5          | 19175   | 5               | 16-QAM     | 12      | 13        | 20.12                 | 0-2                       | 2        |
| 1907.5          | 19175   | 5               | 16-QAM     | 25      | 0         | 19.99                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 26 of 32                   |

**Table 8-18**  
**LTE Band 2 Conducted Powers – 3MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1851.5          | 18615   | 3               | QPSK       | 1       | 0         | 21.68                 | 0                         | 0        |
| 1851.5          | 18615   | 3               | QPSK       | 1       | 7         | 21.70                 | 0                         | 0        |
| 1851.5          | 18615   | 3               | QPSK       | 1       | 14        | 21.79                 | 0                         | 0        |
| 1851.5          | 18615   | 3               | QPSK       | 8       | 0         | 20.74                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | QPSK       | 8       | 4         | 21.05                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | QPSK       | 8       | 7         | 20.98                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | QPSK       | 15      | 0         | 21.07                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | 16-QAM     | 1       | 0         | 20.68                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | 16-QAM     | 1       | 7         | 20.84                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | 16-QAM     | 1       | 14        | 20.95                 | 0-1                       | 1        |
| 1851.5          | 18615   | 3               | 16-QAM     | 8       | 0         | 19.93                 | 0-2                       | 2        |
| 1851.5          | 18615   | 3               | 16-QAM     | 8       | 4         | 20.07                 | 0-2                       | 2        |
| 1851.5          | 18615   | 3               | 16-QAM     | 8       | 7         | 20.16                 | 0-2                       | 2        |
| 1851.5          | 18615   | 3               | 16-QAM     | 15      | 0         | 19.81                 | 0-2                       | 2        |
| 1880.0          | 18900   | 3               | QPSK       | 1       | 0         | 21.93                 | 0                         | 0        |
| 1880.0          | 18900   | 3               | QPSK       | 1       | 7         | 21.97                 | 0                         | 0        |
| 1880.0          | 18900   | 3               | QPSK       | 1       | 14        | 21.71                 | 0                         | 0        |
| 1880.0          | 18900   | 3               | QPSK       | 8       | 0         | 20.63                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | QPSK       | 8       | 4         | 20.86                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | QPSK       | 8       | 7         | 21.02                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | QPSK       | 15      | 0         | 21.01                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | 16-QAM     | 1       | 0         | 21.06                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | 16-QAM     | 1       | 7         | 20.84                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | 16-QAM     | 1       | 14        | 20.93                 | 0-1                       | 1        |
| 1880.0          | 18900   | 3               | 16-QAM     | 8       | 0         | 19.91                 | 0-2                       | 2        |
| 1880.0          | 18900   | 3               | 16-QAM     | 8       | 4         | 19.80                 | 0-2                       | 2        |
| 1880.0          | 18900   | 3               | 16-QAM     | 8       | 7         | 19.93                 | 0-2                       | 2        |
| 1880.0          | 18900   | 3               | 16-QAM     | 15      | 0         | 19.81                 | 0-2                       | 2        |
| 1908.5          | 19185   | 3               | QPSK       | 1       | 0         | 21.81                 | 0                         | 0        |
| 1908.5          | 19185   | 3               | QPSK       | 1       | 7         | 21.99                 | 0                         | 0        |
| 1908.5          | 19185   | 3               | QPSK       | 1       | 14        | 21.87                 | 0                         | 0        |
| 1908.5          | 19185   | 3               | QPSK       | 8       | 0         | 20.67                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | QPSK       | 8       | 4         | 20.68                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | QPSK       | 8       | 7         | 20.91                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | QPSK       | 15      | 0         | 20.98                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | 16-QAM     | 1       | 0         | 20.95                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | 16-QAM     | 1       | 7         | 20.89                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | 16-QAM     | 1       | 14        | 20.96                 | 0-1                       | 1        |
| 1908.5          | 19185   | 3               | 16-QAM     | 8       | 0         | 19.87                 | 0-2                       | 2        |
| 1908.5          | 19185   | 3               | 16-QAM     | 8       | 4         | 19.83                 | 0-2                       | 2        |
| 1908.5          | 19185   | 3               | 16-QAM     | 8       | 7         | 20.19                 | 0-2                       | 2        |
| 1908.5          | 19185   | 3               | 16-QAM     | 15      | 0         | 19.98                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 27 of 32                   |

**Table 8-19**  
**LTE Band 2 Conducted Powers – 1.4MHz Bandwidth**

| Frequency [MHz] | Channel | Bandwidth [MHz] | Modulation | RB Size | RB Offset | Conducted Power [dBm] | MPR Allowed per 3GPP [dB] | MPR [dB] |
|-----------------|---------|-----------------|------------|---------|-----------|-----------------------|---------------------------|----------|
| 1850.7          | 18607   | 1.4             | QPSK       | 1       | 0         | 21.76                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 1       | 2         | 21.60                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 1       | 5         | 21.74                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 3       | 0         | 21.77                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 3       | 2         | 21.82                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 3       | 3         | 21.80                 | 0                         | 0        |
| 1850.7          | 18607   | 1.4             | QPSK       | 6       | 0         | 20.84                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 1       | 0         | 20.63                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 1       | 2         | 20.81                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 1       | 5         | 20.91                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 3       | 0         | 20.88                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 3       | 2         | 20.84                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 3       | 3         | 20.86                 | 0-1                       | 1        |
| 1850.7          | 18607   | 1.4             | 16-QAM     | 6       | 0         | 19.80                 | 0-2                       | 2        |
| 1880.0          | 18900   | 1.4             | QPSK       | 1       | 0         | 22.02                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 1       | 2         | 22.03                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 1       | 5         | 21.75                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 3       | 0         | 21.55                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 3       | 2         | 21.68                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 3       | 3         | 21.85                 | 0                         | 0        |
| 1880.0          | 18900   | 1.4             | QPSK       | 6       | 0         | 20.97                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 1       | 0         | 21.15                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 1       | 2         | 20.82                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 1       | 5         | 20.95                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 3       | 0         | 20.99                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 3       | 2         | 20.84                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 3       | 3         | 20.88                 | 0-1                       | 1        |
| 1880.0          | 18900   | 1.4             | 16-QAM     | 6       | 0         | 19.76                 | 0-2                       | 2        |
| 1909.3          | 19193   | 1.4             | QPSK       | 1       | 0         | 21.84                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 1       | 2         | 21.90                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 1       | 5         | 21.92                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 3       | 0         | 21.66                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 3       | 2         | 21.84                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 3       | 3         | 21.90                 | 0                         | 0        |
| 1909.3          | 19193   | 1.4             | QPSK       | 6       | 0         | 20.96                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 1       | 0         | 20.91                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 1       | 2         | 20.90                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 1       | 5         | 20.88                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 3       | 0         | 20.95                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 3       | 2         | 20.79                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 3       | 3         | 20.88                 | 0-1                       | 1        |
| 1909.3          | 19193   | 1.4             | 16-QAM     | 6       | 0         | 20.03                 | 0-2                       | 2        |

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 28 of 32                   |

## 9. JUSTIFICATION OF HELD TO EAR MODES TESTED

### I. Analysis of RF Air Interface Technologies

- a. This report covers only the LTE air interface for VoLTE. Other air interfaces supported by the device are not included in the test scope for this report.
- b. An analysis was performed, following the guidance of §4.3 and §4.4 of the ANSI standard, of the RF air interface technologies being evaluated. The factors that will affect the RF interference potential were evaluated, and the worst case operating modes were identified and used in the evaluation. A WD's interference potential is a function both of the WD's average near-field field strength and of the signal's audio-frequency amplitude modulation characteristics. Per §4.4, RF air interface technologies that have low power have been found to produce sufficiently low RF interference potential, so it is possible to exempt them from the product testing specified in Clause 5 of the ANSI standard. An RF air interface technology of a device is exempt from testing when its average antenna input power plus its MIF is  $\leq 17\text{dBm}$  for all of its operating modes.

The worst case MIF plus the worst case average antenna input power for all modes are investigated below to determine the testing requirements for this device.

### II. Individual Mode Evaluations

| Air Interface | Maximum Average Power (dBm) | Worst Case MIF (dB) | Total (Power + MIF, dB) | C63.19 Testing Required |
|---------------|-----------------------------|---------------------|-------------------------|-------------------------|
| LTE - FDD     | 24.48                       | -9.59               | 14.89                   | No                      |

**Table 9-1**  
Max Power + MIF calculations  
for Low Power Exemptions

### III. Low-Power Exemption Conclusions

Per ANSI C63.19-2011, RF Emissions testing for this device is not required for VoLTE modes. Per C63.19, modes exempted from testing in this manner are assigned an M4 rating.

|                               |                                                                                     |                                |                                                                                       |                                 |
|-------------------------------|-------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                           | EUT Type:<br>Portable Handset  |                                                                                       | Page 29 of 32                   |

## 10. EQUIPMENT LIST

| Manufacturer    | Model     | Description                    | Cal Date   | Cal Interval | Cal Due    | Serial Number |
|-----------------|-----------|--------------------------------|------------|--------------|------------|---------------|
| Anritsu         | ML2469A   | Power Meter                    | 3/14/2014  | Annual       | 3/14/2015  | 1306009       |
| Anritsu         | MA2481A   | Power Sensor                   | 10/30/2013 | Annual       | 10/30/2014 | 5605          |
| Anritsu         | MA2411B   | Pulse Power Sensor             | 11/14/2013 | Annual       | 11/14/2014 | 1126066       |
| Anritsu         | MA24106A  | USB Power Sensor               | 5/15/2014  | Annual       | 5/15/2015  | 1244512       |
| Control Company | 36934-158 | Wall-Mounted Thermometer       | 4/29/2014  | Biennial     | 4/29/2016  | 122014488     |
| Mini-Circuits   | NLP-1200+ | Low Pass Filter DC to 1000 MHz | N/A        | CBT*         | N/A        | N/A           |
| Mini-Circuits   | NLP-2950+ | Low Pass Filter DC to 2700 MHz | N/A        | CBT*         | N/A        | N/A           |
| Mini-Circuits   | BW-N20W5  | Power Attenuator               | N/A        | CBT*         | N/A        | 1226          |
| Pasternack      | PE2208-6  | Bidirectional Coupler          | N/A        | CBT*         | N/A        | N/A           |
| Pasternack      | PE2209-10 | Bidirectional Coupler          | N/A        | CBT*         | N/A        | N/A           |
| Pasternack      | PE2237-20 | Bidirectional Coupler          | N/A        | CBT*         | N/A        | N/A           |
| Rohde & Schwarz | CMW500    | Radio Communication Tester     | 2/20/2014  | Annual       | 2/20/2015  | 128633        |
| Rohde & Schwarz | CMW500    | Radio Communication Tester     | 7/9/2014   | Annual       | 7/9/2015   | 106578        |
| Rohde & Schwarz | NRV-Z32   | Peak Power Sensor (100uW-2W)   | 10/31/2013 | Annual       | 10/31/2014 | 100155        |
| Rohde & Schwarz | NRV-Z32   | Peak Power Sensor (1mW-20W)    | 10/31/2013 | Annual       | 10/31/2014 | 100004        |
| Rohde & Schwarz | SME06     | Signal Generator               | 10/30/2013 | Annual       | 10/30/2014 | 832026        |
| Rohde & Schwarz | NRVS      | Single Channel Power Meter     | 10/31/2013 | Annual       | 10/31/2014 | 835360/0079   |
| Seekonk         | NC-100    | Torque Wrench                  | 3/18/2014  | Biennial     | 3/18/2016  | N/A           |
| Speag           | AIA       | Audio Interference Analyzer    | N/A        | CBT*         | N/A        | 1010          |

**Table 10-1**  
Equipment List

Calibration traceable to the National Institute of Standards and Technology (NIST).

**\*Note: CBT (Calibrated Before Testing).** Prior to testing, the measurement paths containing a cable, attenuator, coupler or filter were connected to a calibrated source (i.e. a signal generator) to determine the losses of the measurement path. The power meter offset was then adjusted to compensate for the measurement system losses. This level offset is stored within the power meter before measurements are made. This calibration verification procedure applies to the system verification and output power measurements. The calibrated reading is then taken directly from the power meter after compensation of the losses for all final power measurements.

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>0Y1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 30 of 32                   |

## 11. MEASUREMENT UNCERTAINTY

| Wireless Communications Device Near-Field Measurement |           |           |             |         |        |           |                                 |
|-------------------------------------------------------|-----------|-----------|-------------|---------|--------|-----------|---------------------------------|
| Uncertainty Estimation                                |           |           |             |         |        |           |                                 |
| Uncertainty Component                                 | Data (dB) | Data Type | Prob. Dist. | Divisor | Ci (E) | Unc. (dB) | Notes/Comments                  |
| <b>Measurement System</b>                             |           |           |             |         |        |           |                                 |
| RF System Reflections                                 | 0.50      | Tolerance | N           | 1.00    | 1      | 0.50      | * Refl. < -20 dB                |
| Field Probe Calibration                               | 0.21      | Tolerance | N           | 1.00    | 1      | 0.21      |                                 |
| Field Probe Isotropy                                  | 0.01      | Tolerance | N           | 1.00    | 1      | 0.01      |                                 |
| Field Probe Frequency Response                        | 0.135     | Tolerance | N           | 1.00    | 1      | 0.14      |                                 |
| Field Probe Linearity                                 | 0.013     | Tolerance | N           | 1.00    | 1      | 0.01      |                                 |
| Modulation Interference Factor                        | 0.20      | Tolerance | R           | 1.73    | 1      | 0.12      | Applicable for M-rating testing |
| Boundary Effects                                      | 0.105     | Accuracy  | R           | 1.73    | 1      | 0.06      | *                               |
| Probe Positioning Accuracy                            | 0.20      | Accuracy  | R           | 1.73    | 1      | 0.12      | *                               |
| Probe Positioner                                      | 0.050     | Accuracy  | R           | 1.73    | 1      | 0.03      | *                               |
| Extrapolation/Interpolation                           | 0.045     | Tolerance | R           | 1.73    | 1      | 0.03      | *                               |
| Resolution to 2mm error                               | 0.21      | Tolerance | N           | 1.00    | 1      | 0.21      |                                 |
| System Detection Limit                                | 0.05      | Tolerance | R           | 1.73    | 1      | 0.03      | *                               |
| Readout Electronics                                   | 0.015     | Tolerance | N           | 1.00    | 1      | 0.02      | *                               |
| Integration Time                                      | 0.11      | Tolerance | R           | 1.73    | 1      | 0.06      | *                               |
| Response Time                                         | 0.033     | Tolerance | R           | 1.73    | 1      | 0.02      | *                               |
| Phantom Thickness                                     | 0.10      | Tolerance | R           | 1.73    | 1      | 0.06      | *                               |
| System Repeatability (Field x 2=power)                | 0.17      | Tolerance | N           | 1.00    | 1      | 0.17      | *                               |
| <b>Test Sample Related</b>                            |           |           |             |         |        |           |                                 |
| Device Positioning Vertical                           | 0.2       | Tolerance | R           | 1.73    | 1      | 0.12      | *                               |
| Device Positioning Lateral                            | 0.045     | Tolerance | R           | 1.73    | 1      | 0.03      | *                               |
| Device Holder and Phantom                             | 0.1       | Tolerance | R           | 1.73    | 1      | 0.06      | *                               |
| Power Drift                                           | 0.21      | Tolerance | R           | 1.73    | 1      | 0.12      |                                 |
| Combined Standard Uncertainty (k=1)                   |           |           |             |         |        | 0.66      | 16.3%                           |
| Expanded Uncertainty [95% confidence]                 |           |           |             |         |        | 1.31      | 32.6%                           |
| Expanded Uncertainty [95% confidence] on Field        |           |           |             |         |        | 0.66      | 16.3%                           |

**Table 11-1**  
Uncertainty Estimation Table

Notes:

1. Test equipments are calibrated according to techniques outlined in NIS81, NIS3003 and NIST Tech Note 1297. All equipments have traceability according to NIST. Measurement Uncertainties are defined in further detail in NIS 81 and NIST Tech Note 1297 and UKAS M3003.
2. \* Uncertainty specifications from Schmidt & Partner Engineering AG (not site specific)

Measurement uncertainty reflects the quality and accuracy of a measured result as compared to the true value. Such statements are generally required when stating results of measurements so that it is clear to the intended audience that the results may differ when reproduced by different facilities. Measurement results vary due to the measurement uncertainty of the instrumentation, measurement technique, and test engineer. Most uncertainties are calculated using the tolerances of the instrumentation used in the measurement, the measurement setup variability, and the technique used in performing the test. While not generally included, the variability of the equipment under test also figures into the overall measurement uncertainty. Another component of the overall uncertainty is based on the variability of repeated measurements (so-called Type A uncertainty). This may mean that the Hearing Aid immunity tests may have to be repeated by taking down the test setup and resetting it up so that there are a statistically significant number of repeat measurements to identify the measurement uncertainty. By combining the repeat measurement results with that of the instrumentation chain using the technique contained in NIS 81 and NIS 3003, the overall measurement uncertainty was estimated.

|                               |                                                                                                                                   |                                |                                                                                       |                                 |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|---------------------------------|
| FCC ID: A3LSMG870A            |  <b>PCTEST</b><br>ENGINEERING LABORATORY, INC. | HAC (RF EMISSIONS) TEST REPORT |  | Reviewed by:<br>Quality Manager |
| Filename:<br>OY1410212031.A3L | Test Dates:<br>10/23/2014                                                                                                         | EUT Type:<br>Portable Handset  |                                                                                       | Page 31 of 32                   |

## 12. CONCLUSION

The measurements indicate that the LTE air interface of this wireless communications device complies with the HAC limits specified in accordance with the ANSI C63.19 Standard and FCC WT Docket No. 01-309 RM-8658. Precise laboratory measures were taken to assure repeatability of the tests. The tested device complies with the requirements in respect to all parameters specific to the test. The test results and statements relate only to the item(s) tested.

Please note that the M-rating for this equipment only represents the field interference possible against a hypothetical and typical hearing aid. The measurement system and techniques presented in this evaluation are proposed in the ANSI standard as a means of best approximating wireless device compatibility with a hearing-aid. The literature is under continual re-construction.

|                                      |                                                                                     |                                       |                                                                                       |                                        |
|--------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------|
| <b>FCC ID:</b> A3LSMG870A            |  | <b>HAC (RF EMISSIONS) TEST REPORT</b> |  | <b>Reviewed by:</b><br>Quality Manager |
| <b>Filename:</b><br>0Y1410212031.A3L | <b>Test Dates:</b><br>10/23/2014                                                    | <b>EUT Type:</b><br>Portable Handset  |                                                                                       | Page 32 of 32                          |