





Plot 6-109. Lower Band Edge Plot (Band 12/17 - 10.0MHz QPSK - RB Size 50)




Plot 6-110. Upper Band Edge Plot (Band 12/17 - 10.0MHz QPSK - RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 71 of 154




Plot 6-111. Lower Band Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)




Plot 6-112. Lower Emission Mask Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 72 of 154




Plot 6-113. Upper Band Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)



Plot 6-114. Upper Emission Mask Edge Plot (Band 13 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 73 of 154




Plot 6-115. Lower Band Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)



Plot 6-116. Upper Band Edge Plot (Band 13 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 74 of 154




Plot 6-117. Lower Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)



Plot 6-118. Lower Extended Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 75 of 154




Plot 6-119. Upper Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)




Plot 6-120. Upper Extended Band Edge Plot (Band 5 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 76 of 154




Plot 6-121. Lower Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)



Plot 6-122. Lower Extended Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 77 of 154




Plot 6-123. Upper Band Edge Plot (Band 5 – 3.0MHz QPSK – RB Size 15)




Plot 6-124. Upper Extended Band Edge Plot (Band 5 – Band 5 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 78 of 154




Plot 6-125. Lower Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)




Plot 6-126. Lower Extended Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 79 of 154




Plot 6-127. Upper Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)




Plot 6-128. Upper Extended Band Edge Plot (Band 5 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 80 of 154



Plot 6-129. Lower Band Edge Plot (Band 5 – 10.0MHz QPSK – RB Size 50)




Plot 6-130. Upper Band Edge Plot (Band 5 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 81 of 154



Plot 6-131. Lower Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 6-132. Lower Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 82 of 154




Plot 6-133. Upper Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)




Plot 6-134. Upper Extended Band Edge Plot (Band 4 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 83 of 154




Plot 6-135. Lower Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 6-136. Lower Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 84 of 154




Plot 6-137. Upper Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)




Plot 6-138. Upper Extended Band Edge Plot (Band 4 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 85 of 154



Plot 6-139. Lower Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 6-140. Lower Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 86 of 154




Plot 6-141. Upper Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)




Plot 6-142. Upper Extended Band Edge Plot (Band 4 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 87 of 154



Plot 6-143. Lower Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)



Plot 6-144. Lower Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 88 of 154




Plot 6-145. Upper Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)



Plot 6-146. Upper Extended Band Edge Plot (Band 4 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 89 of 154




Plot 6-147. Lower Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 6-148. Lower Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 90 of 154




Plot 6-149. Upper Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)




Plot 6-150. Upper Extended Band Edge Plot (Band 4 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 91 of 154



Plot 6-151. Lower Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 6-152. Lower Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 92 of 154




Plot 6-153. Upper Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)




Plot 6-154. Upper Extended Band Edge Plot (Band 4 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 93 of 154



Plot 6-155. Lower Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 6-156. Lower Extended Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 94 of 154




Plot 6-157. Upper Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 6-158. Upper Extended Band Edge Plot (Band 2 – 1.4MHz QPSK – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 95 of 154




Plot 6-159. Lower Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 6-160. Lower Extended Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 96 of 154




Plot 6-161. Upper Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 6-162. Upper Extended Band Edge Plot (Band 2 – 3.0MHz QPSK – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 97 of 154



Plot 6-163. Lower Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 6-164. Lower Extended Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 98 of 154




Plot 6-165. Upper Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)




Plot 6-166. Upper Extended Band Edge Plot (Band 2 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 99 of 154



Plot 6-167. Lower Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)



Plot 6-168. Lower Extended Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 100 of 154




Plot 6-169. Upper Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)




Plot 6-170. Upper Extended Band Edge Plot (Band 2 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 101 of 154



Plot 6-171. Lower Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)



Plot 6-172. Lower Extended Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 102 of 154




Plot 6-173. Upper Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)



Plot 6-174. Upper Extended Band Edge Plot (Band 2 – 15.0MHz QPSK – RB Size 75)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 103 of 154




Plot 6-175. Lower Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)




Plot 6-176. Lower Extended Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 104 of 154




Plot 6-177. Upper Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)



Plot 6-178. Upper Extended Band Edge Plot (Band 2 – 20.0MHz QPSK – RB Size 100)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 105 of 154




Plot 6-179. Lower Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)




Plot 6-180. Lower Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 106 of 154




Plot 6-181. Lower Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)




Plot 6-182. Upper Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 107 of 154




Plot 6-183. Upper Extended Band Edge Plot (Band 30 – 5.0MHz QPSK – RB Size 25)



Plot 6-184. Lower Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 108 of 154




Plot 6-185. Lower Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)



Plot 6-186. Upper Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 109 of 154



Plot 6-187. Upper Extended Band Edge Plot (Band 30 – 10.0MHz QPSK – RB Size 50)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 110 of 154

6.5 Peak-Average Ratio

§24.232(d)

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 v02r02 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW > Emission bandwidth of signal
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.





Figure 6-4. Test Instrument & Measurement Setup


Test Notes

None.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 111 of 154	




Plot 6-188. PAR Plot (Band 2 – 1.4MHz QPSK – RB Size 6)




Plot 6-189. PAR Plot (Band 2 – 1.4MHz 16-QAM – RB Size 6)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 112 of 154




Plot 6-190. PAR Plot (Band 2 – 3.0MHz QPSK – RB Size 15)




Plot 6-191. PAR Plot (Band 2 – 3.0MHz 16-QAM – RB Size 15)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 113 of 154





Plot 6-192. PAR Plot (Band 2 - 5.0MHz QPSK - RB Size 25)




Plot 6-193. PAR Plot (Band 2 - 5.0MHz 16-QAM - RB Size 25)


FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 114 of 154



FCC ID: A3LSMG928W8	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 115 of 154




Plot 6-196. PAR Plot (Band 2 – 15.0MHz QPSK – RB Size 75)




Plot 6-197. PAR Plot (Band 2 – 15.0MHz 16-QAM – RB Size 75)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 116 of 154



Plot 6-198. PAR Plot (Band 2 – 20.0MHz QPSK – RB Size 100)



Plot 6-199. PAR Plot (Band 2 – 20.0MHz 16-QAM – RB Size 100)

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 117 of 154

6.6 Radiated Power (ERP/EIRP)

§22.913(a.2) §24.232(c.2) §27.50(h.2) §27.50(b.10) §27.50(c.10) §27.50(d.4) §27.50(a.3)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-C-2004 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically polarized broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 v02r02 – Section 5.2.1

ANSI/TIA-603-C-2004 – Section 2.2.17

Test Settings

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW $\geq 3 \times$ RBW
4. Span = 1.5 times the OBW
5. No. of sweep points $\geq 2 \times$ span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 118 of 154

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 6-5. Test Instrument & Measurement Setup

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 119 of 154

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	Ant. Pol. [H/V]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
699.70	1.4	QPSK	Standard	3 / 2	16.41	0.92	V	17.33	34.77	-17.44
707.50	1.4	QPSK	Standard	3 / 2	16.53	1.07	V	17.60	34.77	-17.17
715.30	1.4	QPSK	Standard	3 / 2	16.21	1.23	V	17.44	34.77	-17.34
699.70	1.4	16-QAM	Standard	3 / 2	15.24	0.92	V	16.16	34.77	-18.61
707.50	1.4	16-QAM	Standard	3 / 2	15.14	1.07	V	16.21	34.77	-18.56
715.30	1.4	16-QAM	Standard	3 / 2	15.00	1.23	V	16.23	34.77	-18.55
700.50	3	QPSK	Standard	1 / 14	15.89	0.92	V	16.81	34.77	-17.96
707.50	3	QPSK	Standard	1 / 14	16.21	1.07	V	17.28	34.77	-17.49
714.50	3	QPSK	Standard	1 / 0	16.05	1.21	V	17.26	34.77	-17.51
700.50	3	16-QAM	Standard	1 / 14	14.59	0.92	V	15.51	34.77	-19.26
707.50	3	16-QAM	Standard	1 / 14	14.61	1.07	V	15.68	34.77	-19.09
714.50	3	16-QAM	Standard	1 / 0	15.07	1.21	V	16.28	34.77	-18.49

Table 6-2. ERP Data (Band 12)

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	Ant. Pol. [H/V]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
701.50	5	QPSK	Standard	1 / 24	16.33	0.94	V	17.27	34.77	-17.50
707.50	5	QPSK	Standard	1 / 24	16.74	1.07	V	17.81	34.77	-16.96
713.50	5	QPSK	Standard	1 / 0	16.47	1.19	V	17.66	34.77	-17.11
701.50	5	16-QAM	Standard	1 / 24	14.97	0.94	V	15.91	34.77	-18.86
707.50	5	16-QAM	Standard	1 / 24	15.61	1.07	V	16.68	34.77	-18.09
713.50	5	16-QAM	Standard	1 / 0	15.07	1.19	V	16.26	34.77	-18.51
704.00	10	QPSK	Standard	1 / 49	16.30	1.00	V	17.30	34.77	-17.47
707.50	10	QPSK	Standard	1 / 49	17.32	1.07	V	18.39	34.77	-16.38
711.00	10	QPSK	Standard	1 / 0	16.24	1.14	V	17.38	34.77	-17.39
704.00	10	16-QAM	Standard	1 / 49	15.07	1.00	V	16.07	34.77	-18.70
707.50	10	16-QAM	Standard	1 / 49	15.87	1.07	V	16.94	34.77	-17.83
711.00	10	16-QAM	Standard	1 / 0	15.15	1.14	V	16.29	34.77	-18.48

Table 6-3. ERP Data (Band 12/17)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)					Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset				Page 120 of 154	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	Ant. Pol. [H/V]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
779.50	5	QPSK	Standard	1 / 24	14.69	2.47	V	17.16	34.77	-17.61
782.00	5	QPSK	Standard	1 / 24	14.97	2.51	V	17.48	34.77	-17.29
784.50	5	QPSK	Standard	1 / 24	14.74	2.56	V	17.30	34.77	-17.47
779.50	5	16QAM	Standard	1 / 24	13.62	2.47	V	16.09	34.77	-18.68
782.00	5	16QAM	Standard	1 / 24	13.82	2.51	V	16.33	34.77	-18.44
784.50	5	16QAM	Standard	1 / 24	13.69	2.56	V	16.25	34.77	-18.52
782.00	10	QPSK	Standard	1 / 0	14.73	2.51	V	17.24	34.77	-17.53
782.00	10	16QAM	Standard	1 / 0	13.63	2.51	V	16.14	34.77	-18.63

Table 6-4. ERP Data (Band 13)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 121 of 154

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBd]	Ant. Pol. [H/V]	ERP [dBm]	ERP Limit [dBm]	Margin [dB]
824.70	1.4	QPSK	Standard	3 / 2	14.22	2.98	V	17.20	38.45	-21.25
836.50	1.4	QPSK	Standard	3 / 2	14.82	3.04	V	17.86	38.45	-20.59
848.30	1.4	QPSK	Standard	3 / 2	14.10	3.10	V	17.20	38.45	-21.25
824.70	1.4	16-QAM	Standard	3 / 2	12.97	2.98	V	15.95	38.45	-22.50
836.50	1.4	16-QAM	Standard	3 / 2	13.54	3.04	V	16.58	38.45	-21.87
848.30	1.4	16-QAM	Standard	3 / 2	12.89	3.10	V	15.99	38.45	-22.46
825.50	3	QPSK	Standard	1 / 14	13.62	2.98	V	16.60	38.45	-21.85
836.50	3	QPSK	Standard	1 / 14	14.58	3.04	V	17.62	38.45	-20.83
847.50	3	QPSK	Standard	1 / 0	14.42	3.10	V	17.52	38.45	-20.93
825.50	3	16-QAM	Standard	1 / 14	12.35	2.98	V	15.33	38.45	-23.12
836.50	3	16-QAM	Standard	1 / 14	13.02	3.04	V	16.06	38.45	-22.39
847.50	3	16-QAM	Standard	1 / 0	13.48	3.10	V	16.58	38.45	-21.87
826.50	5	QPSK	Standard	1 / 24	14.18	2.99	V	17.17	38.45	-21.28
836.50	5	QPSK	Standard	1 / 24	15.06	3.04	V	18.10	38.45	-20.35
846.50	5	QPSK	Standard	1 / 0	15.03	3.09	V	18.12	38.45	-20.33
826.50	5	16-QAM	Standard	1 / 24	13.01	2.99	V	16.00	38.45	-22.45
836.50	5	16-QAM	Standard	1 / 24	13.84	3.04	V	16.88	38.45	-21.57
846.50	5	16-QAM	Standard	1 / 0	13.44	3.09	V	16.53	38.45	-21.92
829.00	10	QPSK	Standard	1 / 49	14.59	3.00	V	17.59	38.45	-20.86
836.50	10	QPSK	Standard	1 / 49	15.27	3.04	V	18.31	38.45	-20.14
844.00	10	QPSK	Standard	1 / 0	15.51	3.08	V	18.59	38.45	-19.86
829.00	10	16-QAM	Standard	1 / 49	13.23	3.00	V	16.23	38.45	-22.22
836.50	10	16-QAM	Standard	1 / 49	13.76	3.04	V	16.80	38.45	-21.65
844.00	10	16-QAM	Standard	1 / 0	14.38	3.08	V	17.46	38.45	-20.99

Table 6-5. ERP Data (Band 5)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 122 of 154	

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	Ant. Pol. [H/V]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1710.70	1.4	QPSK	Standard	1 / 0	10.46	9.28	V	19.74	30.00	-10.26
1732.50	1.4	QPSK	Standard	3 / 2	9.06	9.00	V	18.06	30.00	-11.94
1754.30	1.4	QPSK	Standard	1 / 5	8.83	8.72	V	17.55	30.00	-12.45
1710.70	1.4	16-QAM	Standard	1 / 0	9.55	9.28	V	18.83	30.00	-11.17
1732.50	1.4	16-QAM	Standard	3 / 2	9.04	9.00	V	18.04	30.00	-11.96
1754.30	1.4	16-QAM	Standard	1 / 5	7.98	8.72	V	16.70	30.00	-13.30
1711.50	3	QPSK	Standard	1 / 14	11.20	9.27	V	20.47	30.00	-9.53
1732.50	3	QPSK	Standard	1 / 0	9.29	9.00	V	18.29	30.00	-11.71
1753.50	3	QPSK	Standard	1 / 14	9.32	8.73	V	18.05	30.00	-11.95
1711.50	3	16-QAM	Standard	1 / 14	10.26	9.27	V	19.53	30.00	-10.47
1732.50	3	16-QAM	Standard	1 / 0	8.30	9.00	V	17.30	30.00	-12.70
1753.50	3	16-QAM	Standard	1 / 14	8.70	8.73	V	17.43	30.00	-12.57
1712.50	5	QPSK	Standard	1 / 24	11.24	9.26	V	20.50	30.00	-9.50
1732.50	5	QPSK	Standard	1 / 0	10.01	9.00	V	19.01	30.00	-10.99
1752.50	5	QPSK	Standard	1 / 24	8.87	8.74	V	17.61	30.00	-12.39
1712.50	5	16-QAM	Standard	1 / 24	10.76	9.26	V	20.02	30.00	-9.98
1732.50	5	16-QAM	Standard	1 / 0	9.39	9.00	V	18.39	30.00	-11.61
1752.50	5	16-QAM	Standard	1 / 24	7.86	8.74	V	16.60	30.00	-13.40
1715.00	10	QPSK	Standard	1 / 0	12.61	9.22	V	21.83	30.00	-8.17
1732.50	10	QPSK	Standard	1 / 49	11.55	9.00	V	20.55	30.00	-9.45
1750.00	10	QPSK	Standard	1 / 0	13.33	8.77	V	22.10	30.00	-7.90
1715.00	10	16-QAM	Standard	1 / 0	10.78	9.22	V	20.00	30.00	-10.00
1732.50	10	16-QAM	Standard	1 / 49	10.63	9.00	V	19.63	30.00	-10.37
1750.00	10	16-QAM	Standard	1 / 0	12.24	8.77	V	21.01	30.00	-8.99
1717.50	15	QPSK	Standard	1 / 74	11.82	9.19	V	21.01	30.00	-8.99
1732.50	15	QPSK	Standard	1 / 74	12.60	9.00	V	21.60	30.00	-8.40
1747.50	15	QPSK	Standard	1 / 74	12.51	8.80	V	21.31	30.00	-8.69
1717.50	15	16-QAM	Standard	1 / 74	10.64	9.19	V	19.83	30.00	-10.17
1732.50	15	16-QAM	Standard	1 / 74	11.58	9.00	V	20.58	30.00	-9.42
1747.50	15	16-QAM	Standard	1 / 74	11.52	8.80	V	20.32	30.00	-9.68
1720.00	20	QPSK	Standard	1 / 0	11.42	9.16	V	20.58	30.00	-9.42
1732.50	20	QPSK	Standard	1 / 0	10.92	9.00	V	19.92	30.00	-10.08
1745.00	20	QPSK	Standard	1 / 99	12.44	8.83	V	21.27	30.00	-8.73
1720.00	20	16-QAM	Standard	1 / 0	10.41	9.16	V	19.57	30.00	-10.43
1732.50	20	16-QAM	Standard	1 / 0	10.01	9.00	V	19.01	30.00	-10.99
1745.00	20	16-QAM	Standard	1 / 99	11.57	8.83	V	20.40	30.00	-9.60

Table 6-6. EIRP Data (Band 4)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 123 of 154

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	Ant. Pol. [H/V]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
1850.70	1.4	QPSK	Standard	3 / 2	15.20	8.34	V	23.54	33.01	-9.47
1880.00	1.4	QPSK	Standard	1 / 0	9.46	8.46	V	17.92	33.01	-15.09
1909.30	1.4	QPSK	Standard	3 / 2	10.28	8.64	V	18.92	33.01	-14.09
1850.70	1.4	16-QAM	Standard	3 / 2	14.14	8.34	V	22.48	33.01	-10.53
1880.00	1.4	16-QAM	Standard	1 / 0	8.83	8.46	V	17.29	33.01	-15.72
1909.30	1.4	16-QAM	Standard	3 / 2	9.17	8.64	V	17.81	33.01	-15.20
1851.50	3	QPSK	Standard	1 / 0	16.10	8.35	V	24.45	33.01	-8.56
1880.00	3	QPSK	Standard	1 / 0	14.64	8.46	V	23.10	33.01	-9.91
1908.50	3	QPSK	Standard	1 / 0	12.41	8.63	V	21.04	33.01	-11.97
1851.50	3	16-QAM	Standard	1 / 0	15.36	8.35	V	23.71	33.01	-9.30
1880.00	3	16-QAM	Standard	1 / 0	13.61	8.46	V	22.07	33.01	-10.94
1908.50	3	16-QAM	Standard	1 / 0	11.70	8.63	V	20.33	33.01	-12.68
1852.50	5	QPSK	Standard	1 / 0	13.46	8.35	V	21.81	33.01	-11.20
1880.00	5	QPSK	Standard	1 / 0	11.99	8.46	V	20.45	33.01	-12.56
1907.50	5	QPSK	Standard	1 / 0	9.44	8.62	V	18.06	33.01	-14.95
1852.50	5	16-QAM	Standard	1 / 0	11.91	8.35	V	20.26	33.01	-12.75
1880.00	5	16-QAM	Standard	1 / 0	10.55	8.46	V	19.01	33.01	-14.00
1907.50	5	16-QAM	Standard	1 / 0	7.94	8.62	V	16.56	33.01	-16.45
1855.00	10	QPSK	Standard	1 / 0	12.45	8.36	V	20.81	33.01	-12.20
1880.00	10	QPSK	Standard	1 / 49	11.96	8.46	V	20.42	33.01	-12.59
1905.00	10	QPSK	Standard	1 / 0	12.28	8.59	V	20.87	33.01	-12.14
1855.00	10	16-QAM	Standard	1 / 0	11.41	8.36	V	19.77	33.01	-13.24
1880.00	10	16-QAM	Standard	1 / 49	10.94	8.46	V	19.40	33.01	-13.61
1905.00	10	16-QAM	Standard	1 / 0	11.28	8.59	V	19.87	33.01	-13.14
1857.50	15	QPSK	Standard	1 / 74	14.43	8.37	V	22.80	33.01	-10.21
1880.00	15	QPSK	Standard	1 / 0	12.88	8.46	V	21.34	33.01	-11.67
1902.50	15	QPSK	Standard	1 / 0	12.27	8.56	V	20.83	33.01	-12.18
1857.50	15	16-QAM	Standard	1 / 74	13.37	8.37	V	21.74	33.01	-11.27
1880.00	15	16-QAM	Standard	1 / 0	11.98	8.46	V	20.44	33.01	-12.57
1902.50	15	16-QAM	Standard	1 / 0	11.24	8.56	V	19.80	33.01	-13.21
1860.00	20	QPSK	Standard	1 / 0	14.49	8.38	V	22.87	33.01	-10.14
1880.00	20	QPSK	Standard	1 / 99	13.55	8.46	V	22.01	33.01	-11.00
1900.00	20	QPSK	Standard	1 / 0	12.17	8.53	V	20.70	33.01	-12.31
1860.00	20	16-QAM	Standard	1 / 0	13.53	8.38	V	21.91	33.01	-11.10
1880.00	20	16-QAM	Standard	1 / 99	12.56	8.46	V	21.02	33.01	-11.99
1900.00	20	16-QAM	Standard	1 / 0	11.26	8.53	V	19.79	33.01	-13.22

Table 6-7. EIRP Data (Band 2)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 124 of 154

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Battery Cover	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	Ant. Pol. [H/V]	EIRP [dBm]	EIRP Limit [dBm]	Margin [dB]
2307.50	5	QPSK	Standard	1 / 24	14.19	8.00	V	22.19	23.98	-1.79
2310.00	5	QPSK	Standard	1 / 24	14.29	8.00	V	22.29	23.98	-1.69
2312.50	5	QPSK	Standard	1 / 24	14.61	8.00	V	22.61	23.98	-1.37
2307.50	5	16-QAM	Standard	1 / 24	13.30	8.00	V	21.30	23.98	-2.68
2310.00	5	16-QAM	Standard	1 / 24	13.37	8.00	V	21.37	23.98	-2.61
2312.50	5	16-QAM	Standard	1 / 24	13.63	8.00	V	21.63	23.98	-2.35
2310.00	10	QPSK	Standard	1 / 49	13.52	8.00	V	21.52	23.98	-2.46
2310.00	10	16-QAM	Standard	1 / 49	12.65	8.00	V	20.65	23.98	-3.33

Table 6-8. EIRP Data (Band 30)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 125 of 154	

6.7 Radiated Spurious Emissions Measurements

§2.1053 §22.917(a) §24.238(a) §27.53(c) §27.53(f) §27.53(g) §27.53(h) §27.53(a.4)

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-C-2004 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as peak measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 v02r02 – Section 5.8

ANSI/TIA-603-C-2004 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW $\geq 3 \times$ RBW
3. Span = 1.5 times the OBW
4. No. of sweep points $\geq 2 \times$ span / RBW
5. Detector = Peak
6. Trace mode = max hold
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 6-6. Test Instrument & Measurement Setup

FCC ID: A3LSMG928W8	PCTEST ENGINEERING LABORATORY, INC.	FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)	SAMSUNG	Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 126 of 154

Test Notes

- 1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.
- 2) This unit was tested with its standard battery.
- 3) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.
- 4) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 127 of 154	

OPERATING FREQUENCY: 704.00 MHz
 CHANNEL: 23060
 MEASURED OUTPUT POWER: 17.30 dBm = 0.054 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.30 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1408.00	-59.71	2.51	-57.20	H	74.5
2112.00	-53.09	2.98	-50.11	H	67.4

Table 6-9. Radiated Spurious Data (Band 12/17 – Low Channel)

OPERATING FREQUENCY: 707.50 MHz
 CHANNEL: 23095
 MEASURED OUTPUT POWER: 18.39 dBm = 0.069 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 31.39 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1415.00	-58.65	2.59	-56.06	H	74.4
2122.50	-54.07	3.02	-51.06	H	69.4
2830.00	-58.45	4.74	-53.71	H	72.1
3537.50	-59.47	6.28	-53.19	H	71.6

Table 6-10. Radiated Spurious Data (Band 12/17 – Mid Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 128 of 154

OPERATING FREQUENCY: 711.00 MHz
 CHANNEL: 23130
 MEASURED OUTPUT POWER: 17.38 dBm = 0.055 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.38 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1422.00	-54.93	2.66	-52.26	H	69.6
2133.00	-51.52	3.05	-48.47	H	65.8
2844.00	-54.89	4.73	-50.16	H	67.5

Table 6-11. Radiated Spurious Data (Band 12/17 – High Channel)

OPERATING FREQUENCY: 707.50 MHz
 CHANNEL: 23095
 MEASURED OUTPUT POWER: 17.30 dBm = 0.054 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.30 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1415.00	-64.99	5.73	-59.26	H	76.6
2122.50	-62.47	6.73	-55.74	H	73.0
2830.00	-65.05	7.80	-57.26	H	74.6

Table 6-12. Radiated Spurious Data with WCP (Band 12/17 – Mid Channel)

OPERATING FREQUENCY: 779.50 MHz
 CHANNEL: 23205
 MEASURED OUTPUT POWER: 17.16 dBm = 0.052 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.16 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
2338.50	-56.60	3.63	-52.97	V	70.1
3118.00	-58.00	5.13	-52.86	V	70.0
3897.50	-57.91	6.37	-51.53	V	68.7

Table 6-13. Radiated Spurious Data (Band 13 – Low Channel)

OPERATING FREQUENCY: 782.00 MHz
 CHANNEL: 23230
 MEASURED OUTPUT POWER: 17.48 dBm = 0.056 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.48 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
2346.00	-56.27	3.63	-52.65	V	70.1
3128.00	-57.59	5.17	-52.42	V	69.9
3910.00	-58.02	6.41	-51.61	V	69.1

Table 6-14. Radiated Spurious Data (Band 13 – Mid Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 130 of 154

OPERATING FREQUENCY: 784.50 MHz
 CHANNEL: 23255
 MEASURED OUTPUT POWER: 17.30 dBm = 0.054 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.30 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
2353.50	-55.36	3.62	-51.74	V	69.0
3138.00	-57.88	5.21	-52.67	V	70.0
3922.50	-57.64	6.45	-51.19	V	68.5

Table 6-15. Radiated Spurious Data (Band 13 – High Channel)

OPERATING FREQUENCY: 782.00 MHz
 CHANNEL: 23230
 MEASURED OUTPUT POWER: 17.48 dBm = 0.056 W
 MODULATION SIGNAL: QPSK
 DISTANCE: 3 meters
 NARROWBAND EMISSION LIMIT: -50 dBm
 WIDEBAND EMISSION LIMIT: -40 dBm/MHz

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	Margin [dB]
1564.00	-56.23	3.63	-52.61	V	-12.6

Table 6-16. Radiated Spurious Data (Band 13 – 1559-1610MHz Band)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 131 of 154

OPERATING FREQUENCY: 782.00 MHz
 CHANNEL: 23230
 MEASURED OUTPUT POWER: 17.48 dBm = 0.056 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.48 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
2346.00	-55.96	3.63	-52.34	H	69.8
3128.00	-56.41	5.17	-51.24	H	68.7
3910.00	-56.82	6.41	-50.41	H	67.9
4692.00	-56.65	7.44	-49.20	H	66.7

Table 6-17. Radiated Spurious Data with WCP (Band 13 – Mid Channel)

OPERATING FREQUENCY: 829.00 MHz
 CHANNEL: 20450
 MEASURED OUTPUT POWER: 17.59 dBm = 0.057 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 30.59 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1658.00	-59.79	3.58	-56.20	H	73.8
2487.00	-53.48	3.56	-49.92	H	67.5
3316.00	-59.57	5.71	-53.86	H	71.4

Table 6-18. Radiated Spurious Data (Band 5 – Low Channel)

OPERATING FREQUENCY: 836.50 MHz
 CHANNEL: 20525
 MEASURED OUTPUT POWER: 18.31 dBm = 0.068 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 31.31 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1673.00	-59.21	3.53	-55.68	H	74.0
2509.50	-55.20	3.57	-51.63	H	69.9
3346.00	-58.15	5.78	-52.37	H	70.7

Table 6-19. Radiated Spurious Data (Band 5 – Mid Channel)

OPERATING FREQUENCY: 844.00 MHz
 CHANNEL: 20600
 MEASURED OUTPUT POWER: 18.59 dBm = 0.072 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 31.59 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1688.00	-57.77	3.47	-54.29	H	72.9
2532.00	-56.33	3.62	-52.72	H	71.3
3376.00	-59.20	5.86	-53.34	H	71.9

Table 6-20. Radiated Spurious Data (Band 5 – High Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 133 of 154

OPERATING FREQUENCY: 844.00 MHz
 CHANNEL: 20600
 MEASURED OUTPUT POWER: 18.59 dBm = 0.072 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 31.59 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBd]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
1688.00	-66.47	6.55	-59.92	H	78.5
2532.00	-63.70	7.35	-56.35	H	74.9
3376.00	-62.11	7.48	-54.63	H	73.2

Table 6-21. Radiated Spurious Data with WCP (Band 5 – High Channel)

OPERATING FREQUENCY: 1715.00 MHz
 CHANNEL: 20000
 MEASURED OUTPUT POWER: 21.83 dBm = 0.153 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 34.83 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3430.00	-40.07	8.17	-31.90	H	53.7
5145.00	-52.34	10.28	-42.07	H	63.9
6860.00	-56.21	11.40	-44.81	H	66.6

Table 6-22. Radiated Spurious Data (Band 4 – Low Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 134 of 154

OPERATING FREQUENCY: 1732.50 MHz
 CHANNEL: 20175
 MEASURED OUTPUT POWER: 20.55 dBm = 0.113 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 33.55 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3465.00	-33.71	8.29	-25.42	H	46.0
5197.50	-45.38	10.35	-35.03	H	55.6
6930.00	-55.62	11.49	-44.14	H	64.7

Table 6-23. Radiated Spurious Data (Band 4 – Mid Channel)

OPERATING FREQUENCY: 1750.00 MHz
 CHANNEL: 20350
 MEASURED OUTPUT POWER: 22.10 dBm = 0.162 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 35.10 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3500.00	-34.37	8.40	-25.97	H	48.1
5250.00	-47.05	10.36	-36.69	H	58.8
7000.00	-60.20	11.55	-48.65	H	70.7

Table 6-24. Radiated Spurious Data (Band 4 – High Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 135 of 154

OPERATING FREQUENCY: 1750.00 MHz
 CHANNEL: 20350
 MEASURED OUTPUT POWER: 22.10 dBm = 0.162 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 10.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 35.10 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3500.00	-50.57	9.73	-40.85	H	62.9
5250.00	-50.63	10.63	-39.99	H	62.1
7000.00	-58.28	11.76	-46.53	H	68.6
8750.00	-52.79	11.02	-41.77	H	63.9

Table 6-25. Radiated Spurious Data with WCP (Band 4 – High Channel)

OPERATING FREQUENCY: 1851.50 MHz
 CHANNEL: 18615
 MEASURED OUTPUT POWER: 24.45 dBm = 0.278 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 37.45 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3703.00	-40.59	8.40	-32.20	H	56.6
5554.50	-50.05	10.56	-39.49	H	63.9
7406.00	-53.65	12.05	-41.60	H	66.0
9257.50	-55.31	13.22	-42.09	H	66.5

Table 6-26. Radiated Spurious Data (Band 2 – Low Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 136 of 154

OPERATING FREQUENCY: 1880.00 MHz
 CHANNEL: 18900
 MEASURED OUTPUT POWER: 23.10 dBm = 0.204 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 36.10 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3760.00	-34.75	8.38	-26.36	H	49.5
5640.00	-46.98	10.70	-36.28	H	59.4
7520.00	-49.65	12.10	-37.54	H	60.6
9400.00	-56.88	13.19	-43.69	H	66.8

Table 6-27. Radiated Spurious Data (Band 2 – Mid Channel)

OPERATING FREQUENCY: 1908.50 MHz
 CHANNEL: 19185
 MEASURED OUTPUT POWER: 21.04 dBm = 0.127 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 34.04 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3817.00	-39.86	8.40	-31.45	H	52.5
5725.50	-50.68	10.76	-39.92	H	61.0
7634.00	-55.41	12.21	-43.19	H	64.2
9542.50	-55.69	13.18	-42.51	H	63.5

Table 6-28. Radiated Spurious Data (Band 2 – High Channel)

OPERATING FREQUENCY: 1851.50 MHz
 CHANNEL: 18615
 MEASURED OUTPUT POWER: 24.45 dBm = 0.279 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 3.0 MHz
 DISTANCE: 3 meters
 LIMIT: $43 + 10 \log_{10} (W) =$ 37.45 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
3703.00	-34.27	9.43	-24.84	H	49.3
5554.50	-42.86	10.79	-32.06	H	56.5
7406.00	-48.72	10.70	-38.02	H	62.5
9257.50	-52.89	11.58	-41.30	H	65.8

Table 6-29. Radiated Spurious Data with WCP (Band 2 – Low Channel)

OPERATING FREQUENCY: 2307.50 MHz
 CHANNEL: 27685
 MEASURED OUTPUT POWER: 22.19 dBm = 0.166 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10} (W) =$ 62.19 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
4615.00	-58.83	9.51	-49.31	H	71.5
6922.50	-67.53	11.48	-56.05	H	78.2
9230.00	-67.84	13.22	-54.62	H	76.8
11537.50	-66.06	13.34	-52.73	H	74.9

Table 6-30. Radiated Spurious Data (Band 30 – Low Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 138 of 154

OPERATING FREQUENCY: 2310.00 MHz
 CHANNEL: 27710
 MEASURED OUTPUT POWER: 22.29 dBm = 0.169 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10} (W) =$ 62.29 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
4620.00	-60.76	9.52	-51.24	H	73.5
6930.00	-64.16	11.49	-52.68	H	75.0
9240.00	-66.62	13.22	-53.40	H	75.7
11550.00	-65.78	13.33	-52.45	H	74.7

Table 6-31. Radiated Spurious Data (Band 30 – Mid Channel)

OPERATING FREQUENCY: 2312.50 MHz
 CHANNEL: 27735
 MEASURED OUTPUT POWER: 22.61 dBm = 0.182 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10} (W) =$ 62.61 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
4625.00	-59.90	9.53	-50.38	H	73.0
6937.50	-65.56	11.49	-54.06	H	76.7
9250.00	-68.54	13.22	-55.33	H	77.9

Table 6-32. Radiated Spurious Data (Band 30 – High Channel)

OPERATING FREQUENCY: 2312.50 MHz
 CHANNEL: 27735
 MEASURED OUTPUT POWER: 22.61 dBm = 0.182 W
 MODULATION SIGNAL: QPSK
 BANDWIDTH: 5.0 MHz
 DISTANCE: 3 meters
 LIMIT: $70 + 10 \log_{10} (W) =$ 62.61 dBc

Frequency [MHz]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Ant. Pol. [H/V]	[dBc]
4625.00	-57.11	10.87	-46.25	H	68.9
6937.50	-65.21	11.75	-53.45	H	76.1
9250.00	-60.06	11.58	-48.48	H	71.1

Table 6-33. Radiated Spurious Data with WCP (Band 30 – High Channel)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset		Page 140 of 154

6.8 Frequency Stability / Temperature Variation

\$2.1055 \$22.355 \$24.235 \$27.54

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-C-2004. The frequency stability of the transmitter is measured by:

- a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.
- b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI/TIA-603-C-2004

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 141 of 154	

Band 12/17 Frequency Stability Measurements

§2.1055 §27.54

OPERATING FREQUENCY: 707,500,000 Hz

CHANNEL: 23790

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	707,499,965	-35	-0.0000049
100 %		- 30	707,499,851	-149	-0.0000210
100 %		- 20	707,499,979	-21	-0.0000030
100 %		- 10	707,499,957	-43	-0.0000061
100 %		0	707,499,823	-177	-0.0000251
100 %		+ 10	707,499,836	-164	-0.0000232
100 %		+ 20	707,499,838	-162	-0.0000229
100 %		+ 30	707,499,950	-50	-0.0000070
100 %		+ 40	707,499,883	-117	-0.0000165
100 %		+ 50	707,499,978	-22	-0.0000032
BATT. ENDPOINT	3.40	+ 20	707,499,906	-94	-0.0000133

Table 6-34. Frequency Stability Data (Band 12)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 142 of 154	

Band 12/17 Frequency Stability Measurements
§2.1055 §27.54




Figure 6-7. Frequency Stability Graph (Band 12)

FCC ID: A3LSMG928W8	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		 Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 143 of 154

Band 13 Frequency Stability Measurements

§2.1055 §27.54

OPERATING FREQUENCY: 782,000,000 Hz

CHANNEL: 23230

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	781,999,696	-304	-0.0000389
100 %		- 30	782,000,341	341	0.0000436
100 %		- 20	782,000,270	270	0.0000345
100 %		- 10	781,999,797	-203	-0.0000260
100 %		0	781,999,897	-103	-0.0000132
100 %		+ 10	782,000,211	211	0.0000270
100 %		+ 20	781,999,871	-129	-0.0000165
100 %		+ 30	782,000,272	272	0.0000348
100 %		+ 40	782,000,060	60	0.0000077
100 %		+ 50	782,000,244	244	0.0000312
BATT. ENDPOINT	3.40	+ 20	782,000,251	251	0.0000321

Table 6-35. Frequency Stability Data (Band 13)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG928W8	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION) 		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 144 of 154

Band 13 Frequency Stability Measurements

§2.1055 §27.54




Figure 6-8. Frequency Stability Graph (Band 13)

FCC ID: A3LSMG928W8	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		 Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 145 of 154

Band 5 Frequency Stability Measurements

§2.1055 §22.355

OPERATING FREQUENCY: 836,500,000 Hz

CHANNEL: 20525

REFERENCE VOLTAGE: 3.85 VDC

DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	836,499,961	-39	-0.0000046
100 %		- 30	836,499,843	-157	-0.0000188
100 %		- 20	836,499,889	-111	-0.0000133
100 %		- 10	836,499,857	-143	-0.0000172
100 %		0	836,499,890	-110	-0.0000131
100 %		+ 10	836,499,906	-94	-0.0000112
100 %		+ 20	836,499,891	-109	-0.0000130
100 %		+ 30	836,499,812	-188	-0.0000225
100 %		+ 40	836,499,967	-33	-0.0000040
100 %		+ 50	836,499,878	-122	-0.0000146
BATT. ENDPOINT	3.40	+ 20	836,499,900	-100	-0.0000120

Table 6-36. Frequency Stability Data (Band 5)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)			Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset			Page 146 of 154

Band 5 Frequency Stability Measurements

§2.1055 §22.355




Figure 6-9. Frequency Stability Graph (Band 5)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 147 of 154	

Band 4 Frequency Stability Measurements

§2.1055 §§27.54

OPERATING FREQUENCY: 1,732,500,000 Hz
 CHANNEL: 20175
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,732,499,900	-100	-0.0000058
100 %		- 30	1,732,499,899	-101	-0.0000058
100 %		- 20	1,732,499,884	-116	-0.0000067
100 %		- 10	1,732,499,917	-83	-0.0000048
100 %		0	1,732,499,832	-168	-0.0000097
100 %		+ 10	1,732,499,983	-17	-0.0000010
100 %		+ 20	1,732,499,850	-150	-0.0000087
100 %		+ 30	1,732,499,889	-111	-0.0000064
100 %		+ 40	1,732,499,900	-100	-0.0000058
100 %		+ 50	1,732,499,947	-53	-0.0000031
BATT. ENDPOINT	3.40	+ 20	1,732,499,830	-170	-0.0000098

Table 6-37. Frequency Stability Data (Band 4)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 148 of 154	

Band 4 Frequency Stability Measurements

§2.1055 §27.54




Figure 6-10. Frequency Stability Graph (Band 4)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 149 of 154	

Band 2 Frequency Stability Measurements

§2.1055 §24.235

OPERATING FREQUENCY: 1,880,000,000 Hz
 CHANNEL: 18900
 REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,879,999,808	-192	-0.0000102
100 %		- 30	1,879,999,902	-98	-0.0000052
100 %		- 20	1,879,999,856	-144	-0.0000076
100 %		- 10	1,879,999,973	-27	-0.0000015
100 %		0	1,879,999,851	-149	-0.0000079
100 %		+ 10	1,879,999,925	-75	-0.0000040
100 %		+ 20	1,879,999,914	-86	-0.0000046
100 %		+ 30	1,879,999,841	-159	-0.0000085
100 %		+ 40	1,879,999,801	-199	-0.0000106
100 %		+ 50	1,879,999,832	-168	-0.0000089
BATT. ENDPOINT	3.40	+ 20	1,879,999,935	-65	-0.0000034

Table 6-38. Frequency Stability Data (Band 2)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 150 of 154	

Band 2 Frequency Stability Measurements

§2.1055 §24.235




Figure 6-11. Frequency Stability Graph (Band 2)

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 151 of 154	

Band 30 Frequency Stability Measurements

§2.1055 §24.235

OPERATING FREQUENCY: 2,310,000,000 Hz

CHANNEL: 27710

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	2,309,999,858	-142	-0.0000062
100 %		- 30	2,309,999,841	-159	-0.0000069
100 %		- 20	2,309,999,941	-59	-0.0000026
100 %		- 10	2,309,999,842	-158	-0.0000068
100 %		0	2,309,999,813	-187	-0.0000081
100 %		+ 10	2,309,999,979	-21	-0.0000009
100 %		+ 20	2,309,999,950	-50	-0.0000022
100 %		+ 30	2,309,999,961	-39	-0.0000017
100 %		+ 40	2,309,999,981	-19	-0.0000008
100 %		+ 50	2,309,999,823	-177	-0.0000077
BATT. ENDPOINT	3.40	+ 20	2,309,999,836	-164	-0.0000071

Table 6-39. Frequency Stability Data (Band 30)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

FCC ID: A3LSMG928W8	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION) 		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 152 of 154

Band 30 Frequency Stability Measurements

§2.1055 §24.235




Figure 6-12. Frequency Stability Graph (Band 30)

FCC ID: A3LSMG928W8	 FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION) 		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 153 of 154

7.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung Electronics Co., Ltd. Portable Handset FCC ID: A3LSMG928W8** complies with all the requirements of Parts 22, 24, & 27 of the FCC rules for LTE operation only.

FCC ID: A3LSMG928W8		FCC Pt. 22, 24, & 27 LTE MEASUREMENT REPORT (CERTIFICATION)		Reviewed by: Quality Manager
Test Report S/N: 0Y1506101122.A3L	Test Dates: 6/10 - 7/2/2015	EUT Type: Portable Handset	Page 154 of 154	