


A3LSMG9730

Internal Photographs



2012 10 31
 Ark931SS
 B K NFS

SAMSUNG
 POLYMER LITHIUM ION BATTERY
 Model No. EB-BN910ABP
 Capacity: 1500mAh (Typical) at 3.8V
 Input: 5V/2A (Max)
 Output: 5V/2A (Max)
 Charging Time: 2.5h (Typical)
 Discharge Time: 10h (Typical)
 Weight: 4.8g (Max)
 Dimensions: 62.1mm (L) x 26.2mm (W) x 4.1mm (H)

Li-ion 3.8V 1500mAh


WARRANTY: 12 MONTHS (or 1000 CHARGES, WHATEVER COMES FIRST)
 For more information, please visit Samsung.com

WARRANTY: 12 MONTHS (or 1000 CHARGES, WHATEVER COMES FIRST)
 For more information, please visit Samsung.com

A photograph of a disassembled smartphone, showing the internal components laid out on a dark surface. A metal ruler is placed vertically to the left of the components for scale. The components include a large, rectangular, gold-colored battery; a camera module with a lens and flash; a SIM card tray; and various other electronic components like connectors and small chips. The phone's frame is visible at the top.


A3LSMG9730

Internal Photographs




A3LSMG9730

Internal Photographs



A3LSMG9730

Internal Photographs



A3LSMG9730

Internal Photographs

