

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1005M

Communication System: UID 0, NR Band n66; Frequency: 1745 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1745 \text{ MHz}$; $\sigma = 1.526 \text{ S/m}$; $\epsilon_r = 52.755$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 12-03-2019; Ambient Temp: 21.2°C; Tissue Temp: 20.2°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1745 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n66, Body SAR, Back Side,
20 MHz Bandwidth, DFT-s-OFDM QPSK, Ch. 349000, 50 RB, 28 RB Offset**


Area Scan (9x15x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 21.93 V/m; Power Drift = -0.19 dB

Peak SAR (extrapolated) = 1.12 W/kg

SAR(1 g) = 0.685 W/kg



0 dB = 0.949 W/kg = -0.23 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1005M

Communication System: UID 0, NR Band n66; Frequency: 1770 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1770 \text{ MHz}$; $\sigma = 1.556 \text{ S/m}$; $\epsilon_r = 52.063$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1770 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n66, Body SAR, Bottom Edge,
20 MHz Bandwidth, CP-OFDM QPSK, Ch. 354000, 1 RB, 1 RB Offset**


Area Scan (10x7x1): Measurement grid: dx=5mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 25.94 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 1.63 W/kg

SAR(1 g) = 0.924 W/kg



0 dB = 1.39 W/kg = 1.43 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1005M

Communication System: UID 0, NR Band n2; Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used:

$f = 1880 \text{ MHz}$; $\sigma = 1.56 \text{ S/m}$; $\epsilon_r = 51.836$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 12-09-2019; Ambient Temp: 20.2°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1880 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n2, Body SAR, Back Side,
20 MHz Bandwidth, DFT-s-OFDM QPSK, Ch. 376000, 50 RB, 28 RB Offset**


Area Scan (9x15x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 22.80 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 1.24 W/kg

SAR(1 g) = 0.730 W/kg



0 dB = 1.06 W/kg = 0.25 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1020M

Communication System: UID 0, NR Band n2; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.581 \text{ S/m}$; $\epsilon_r = 51.468$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 21.7°C; Tissue Temp: 23.1°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n2, Body SAR, Bottom Edge, 20 MHz Bandwidth,
DFT-s-OFDM QPSK, Ch. 380000, 50 RB, 0 RB Offset**


Area Scan (10x7x1): Measurement grid: dx=5mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Reference Value = 24.60 V/m; Power Drift = -0.01 dB

Peak SAR (extrapolated) = 1.54 W/kg

SAR(1 g) = 0.845 W/kg



0 dB = 1.30 W/kg = 1.14 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1017M

Communication System: UID 0, NR Band n41; Frequency: 2592.99 MHz; Duty Cycle: 1:4

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2592.99$ MHz; $\sigma = 2.214$ S/m; $\epsilon_r = 52.277$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 12-12-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2592.99 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n41, Body SAR, Back Side, 100 MHz Bandwidth,
DFT-s-OFDM QPSK, Ch. 518598, 135 RB, 69 RB Offset**


Area Scan (11x16x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x8x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 6.884 V/m; Power Drift = 0.15 dB

Peak SAR (extrapolated) = 0.202 W/kg

SAR(1 g) = 0.099 W/kg



0 dB = 0.159 W/kg = -7.99 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1017M

Communication System: UID 0, NR Band n41; Frequency: 2592.99 MHz; Duty Cycle: 1:4

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2592.99 \text{ MHz}$; $\sigma = 2.214 \text{ S/m}$; $\epsilon_r = 52.277$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-12-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2592.99 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n41, Body SAR, Top Edge, 100 MHz Bandwidth,
DFT-s-OFDM QPSK, Ch. 518598, 1 RB, 137 RB Offset**


Area Scan (11x10x1): Measurement grid: dx=5mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 13.89 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 0.741 W/kg

SAR(1 g) = 0.369 W/kg



0 dB = 0.600 W/kg = -2.22 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1652M

Communication System: UID 0, IEEE 802.11b; Frequency: 2412 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2412 \text{ MHz}$; $\sigma = 1.952 \text{ S/m}$; $\epsilon_r = 51.761$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-30-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7410; ConvF(7.44, 7.44, 7.44) @ 2412 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V8.0; Type: QD 000 P41 Ax; Serial: 1966

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: IEEE 802.11b Ant 1, 22 MHz Bandwidth,
Body SAR, Ch 1, 1 Mbps, Back Side**


Area Scan (11x17x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 8.900 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 0.255 W/kg

SAR(1 g) = 0.139 W/kg



0 dB = 0.212 W/kg = -6.74 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1652M

Communication System: UID 0, _IEEE 802.11b; Frequency: 2412 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2412 \text{ MHz}$; $\sigma = 1.952 \text{ S/m}$; $\epsilon_r = 51.761$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-30-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7410; ConvF(7.44, 7.44, 7.44) @ 2412 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V8.0; Type: QD 000 P41 Ax; Serial: 1966

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: IEEE 802.11b Ant 1, 22 MHz Bandwidth,
Body SAR, Ch 1, 1 Mbps, Top Edge**


Area Scan (10x9x1): Measurement grid: dx=5mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 17.62 V/m; Power Drift = 0.00 dB

Peak SAR (extrapolated) = 1.01 W/kg

SAR(1 g) = 0.526 W/kg



0 dB = 0.844 W/kg = -0.74 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 0385S

Communication System: UID 0, 802.11n 5.2-5.8 GHz Band; Frequency: 5785 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body; Medium parameters used:

$f = 5785 \text{ MHz}$; $\sigma = 6.229 \text{ S/m}$; $\epsilon_r = 46.617$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 12-09-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.8°C

Probe: EX3DV4 - SN7409; ConvF(4.23, 4.23, 4.23) @ 5785 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: IEEE 802.11n MIMO, UNII-3, 20 MHz Bandwidth,
Body SAR, Ch 157, 13 Mbps, Back Side**


Area Scan (13x22x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 6.966 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 1.22 W/kg

SAR(1 g) = 0.280 W/kg



0 dB = 0.689 W/kg = -1.62 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 0385S

Communication System: UID 0, 802.11n 5.2-5.8 GHz Band; Frequency: 5785 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body; Medium parameters used:

$f = 5785 \text{ MHz}$; $\sigma = 6.229 \text{ S/m}$; $\epsilon_r = 46.617$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.8°C

Probe: EX3DV4 - SN7409; ConvF(4.23, 4.23, 4.23) @ 5785 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: IEEE 802.11n MIMO, UNII-3, 20 MHz Bandwidth,
Body SAR, Ch 157, 13 Mbps, Back Side**


Area Scan (13x22x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 9.956 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 2.59 W/kg

SAR(1 g) = 0.526 W/kg



0 dB = 1.43 W/kg = 1.55 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1050M

Communication System: UID 0, Bluetooth; Frequency: 2402 MHz; Duty Cycle: 1:1.289

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2402 \text{ MHz}$; $\sigma = 1.982 \text{ S/m}$; $\epsilon_r = 52.156$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-14-2019; Ambient Temp: 22.3°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2402 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Mode: Bluetooth, Body SAR, Ch 0, 1 Mbps, Back Side


Area Scan (11x17x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (9x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 2.846 V/m; Power Drift = -0.08 dB

Peak SAR (extrapolated) = 0.0310 W/kg

SAR(1 g) = 0.017 W/kg



0 dB = 0.0254 W/kg = -15.95 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1050M

Communication System: UID 0, Bluetooth; Frequency: 2402 MHz; Duty Cycle: 1:1.289

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2402 \text{ MHz}$; $\sigma = 1.982 \text{ S/m}$; $\epsilon_r = 52.156$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-14-2019; Ambient Temp: 22.3°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2402 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

Mode: Bluetooth, Body SAR, Ch 0, 1 Mbps, Top Edge


Area Scan (10x11x1): Measurement grid: $dx=5\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 5.817 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 0.117 W/kg

SAR(1 g) = 0.058 W/kg



0 dB = 0.0949 W/kg = -10.23 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1078M

Communication System: UID 0, UMTS; Frequency: 1712.4 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used (interpolated):

$f = 1712.4 \text{ MHz}$; $\sigma = 1.477 \text{ S/m}$; $\epsilon_r = 52.513$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 11-28-2019; Ambient Temp: 20.4°C; Tissue Temp: 19.8°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1712.4 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Mode: UMTS 1750, Phablet SAR, Bottom Edge, Low.ch


Area Scan (10x7x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (14x14x8)/Cube 0: Measurement grid: $dx=2.8\text{mm}$, $dy=2.8\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 66.08 V/m; Power Drift = 0.10 dB

Peak SAR (extrapolated) = 21.5 W/kg

SAR(10 g) = 2.69 W/kg



0 dB = 12.5 W/kg = 10.97 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1075M

Communication System: UID 0, CDMA; Frequency: 1851.25 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used (interpolated):

$f = 1851.25 \text{ MHz}$; $\sigma = 1.512 \text{ S/m}$; $\epsilon_r = 51.543$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 11-26-2019; Ambient Temp: 20.9°C; Tissue Temp: 22.8°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1851.25 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Mode: PCS EVDO, Phablet SAR, Bottom Edge, Low.ch


Area Scan (10x9x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (13x13x8)/Cube 0: Measurement grid: $dx=2.8\text{mm}$, $dy=2.8\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 73.48 V/m; Power Drift = -0.12 dB

Peak SAR (extrapolated) = 18.4 W/kg

SAR(10 g) = 2.63 W/kg



0 dB = 12.6 W/kg = 11.00 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1078M

Communication System: UID 0, GSM GPRS; 4 Tx slots; Frequency: 1909.8 MHz; Duty Cycle: 1:2.076

Medium: 1900 Body Medium parameters used:

$f = 1910 \text{ MHz}$; $\sigma = 1.569 \text{ S/m}$; $\epsilon_r = 52.1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-14-2019; Ambient Temp: 22.5°C; Tissue Temp: 24.5°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1909.8 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Mode: GPRS 1900, Phablet SAR, Bottom Edge, High.ch, 4 Tx Slots


Area Scan (9x7x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (10x10x8)/Cube 0: Measurement grid: $dx=3.8\text{mm}$, $dy=3.8\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 68.17 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 17.1 W/kg

SAR(10 g) = 2.47 W/kg



0 dB = 11.5 W/kg = 10.61 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1075M

Communication System: UID 0, UMTS; Frequency: 1907.6 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used (interpolated):

$f = 1907.6 \text{ MHz}$; $\sigma = 1.583 \text{ S/m}$; $\epsilon_r = 50.838$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-02-2019; Ambient Temp: 20.7°C; Tissue Temp: 21.7°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1907.6 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

Mode: UMTS 1900, Phablet SAR, Bottom Edge, High.ch


Area Scan (10x7x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (11x11x8)/Cube 0: Measurement grid: $dx=3\text{mm}$, $dy=3\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 64.85 V/m; Power Drift = 0.19 dB

Peak SAR (extrapolated) = 17.2 W/kg

SAR(10 g) = 2.32 W/kg



0 dB = 12.0 W/kg = 10.79 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1010M

Communication System: UID 0, LTE Band 66 (AWS); Frequency: 1745 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used (interpolated):

$f = 1745 \text{ MHz}$; $\sigma = 1.535 \text{ S/m}$; $\epsilon_r = 52.561$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-01-2019; Ambient Temp: 21.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1745 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: LTE Band 66 (AWS) ULCA, Phablet SAR, Bottom Edge,
PCC: 20 MHz Bandwidth, QPSK, Ch. 132322, 50 RB, 0 RB Offset
SCC: 20 MHz Bandwidth, QPSK, Ch. 132124, 50 RB, 50 RB Offset**


Area Scan (11x9x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (14x14x8)/Cube 0: Measurement grid: $dx=2.8\text{mm}$, $dy=2.8\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 64.04 V/m; Power Drift = -0.05 dB

Peak SAR (extrapolated) = 15.5 W/kg

SAR(10 g) = 2.25 W/kg



0 dB = 10.8 W/kg = 10.33 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1077M

Communication System: UID 0, LTE Band 25 (PCS); Frequency: 1882.5 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used (interpolated):

$f = 1882.5 \text{ MHz}$; $\sigma = 1.551 \text{ S/m}$; $\epsilon_r = 51.96$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-05-2019; Ambient Temp: 22.7°C; Tissue Temp: 23.0°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1882.5 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

**Mode: LTE Band 25 (PCS), Phablet SAR, Bottom Edge, Mid.ch,
20 MHz Bandwidth, QPSK, 50 RB, 0 RB Offset**


Area Scan (9x9x1): Measurement grid: $dx=5\text{mm}$, $dy=15\text{mm}$

Zoom Scan (10x10x8)/Cube 0: Measurement grid: $dx=3.8\text{mm}$, $dy=3.8\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Reference Value = 72.00 V/m; Power Drift = -0.17 dB

Peak SAR (extrapolated) = 19.5 W/kg

SAR(10 g) = 2.58 W/kg



0 dB = 12.9 W/kg = 11.11 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1077M

Communication System: UID 0, LTE Band 2 (PCS); Frequency: 1880 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used:

$f = 1880 \text{ MHz}$; $\sigma = 1.548 \text{ S/m}$; $\epsilon_r = 51.969$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-05-2019; Ambient Temp: 22.7°C; Tissue Temp: 23.0°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1880 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: LTE Band 2 (PCS), Phablet SAR, Bottom Edge, Mid.ch,
20 MHz Bandwidth, QPSK, 50 RB, 25 RB Offset**


Area Scan (10x7x1): Measurement grid: dx=5mm, dy=15mm

Zoom Scan (10x11x8)/Cube 0: Measurement grid: dx=3.8mm, dy=3.8mm, dz=1.4mm; Graded Ratio: 1.4

Reference Value = 66.29 V/m; Power Drift = -0.12 dB

Peak SAR (extrapolated) = 19.8 W/kg

SAR(10 g) = 2.52 W/kg



0 dB = 12.3 W/kg = 10.90 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1014M

Communication System: UID 0, LTE Band 30; Frequency: 2310 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2310 \text{ MHz}$; $\sigma = 1.809 \text{ S/m}$; $\epsilon_r = 51.577$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-06-2019; Ambient Temp: 23.9; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.47, 7.47, 7.47) @ 2310 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: LTE Band 30, Phablet SAR, Back side, Mid.ch,
10 MHz Bandwidth, QPSK, 25 RB, 12 RB Offset**


Area Scan (9x16x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (8x9x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 37.90 V/m; Power Drift = -0.15 dB

Peak SAR (extrapolated) = 14.8 W/kg

SAR(10 g) = 2.07 W/kg



0 dB = 10.7 W/kg = 10.29 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1014M

Communication System: UID 0, LTE Band 7; Frequency: 2510 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2510 \text{ MHz}$; $\sigma = 2.033 \text{ S/m}$; $\epsilon_r = 51.088$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-06-2019; Ambient Temp: 23.9; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2510 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: LTE Band 7, Phablet SAR, Back side, Low.ch,
20 MHz Bandwidth, QPSK, 50 RB, 50 RB Offset**


Area Scan (11x8x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (9x8x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 36.75 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 16.3 W/kg

SAR(10 g) = 2.06 W/kg



0 dB = 11.2 W/kg = 10.49 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 0932M

Communication System: UID 0, LTE Band 41 (Class 3), Frequency: 2506 MHz; Duty Cycle: 1:1.58

Medium: 2450 Body; Medium parameters used (interpolated):

$f = 2506 \text{ MHz}$; $\sigma = 2.096 \text{ S/m}$; $\epsilon_r = 52.588$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.9°C; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2506 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

Mode: LTE Band 41 PC3 with ULCA, Phablet SAR, Back side,
PCC: 20 MHz Bandwidth, QPSK, Ch. 39750, 1 RB, 99 RB Offset
SCC: 20 MHz Bandwidth, QPSK, Ch. 39948, 1 RB, 0 RB Offset


Area Scan (11x16x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 59.46 V/m; Power Drift = 0.17 dB

Peak SAR (extrapolated) = 20.5 W/kg

SAR(10 g) = 2.54 W/kg



0 dB = 14.1 W/kg = 11.49 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1005M

Communication System: UID 0, NR Band n66; Frequency: 1720 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1720 \text{ MHz}$; $\sigma = 1.499 \text{ S/m}$; $\epsilon_r = 52.238$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1720 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n66, Phablet SAR, Bottom Edge,
20 MHz Bandwidth, DFT-s-OFDM QPSK, Ch. 344000, 50 RB, 0 RB Offset**


Area Scan (10x7x1): Measurement grid: dx=5mm, dy=15mm

Zoom Scan (10x10x8)/Cube 0: Measurement grid: dx=3.8mm, dy=3.8mm, dz=1.4mm; Graded Ratio: 1.4

Reference Value = 64.98 V/m; Power Drift = -0.11 dB

Peak SAR (extrapolated) = 15.0 W/kg

SAR(10 g) = 2.25 W/kg



0 dB = 9.95 W/kg = 9.98 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 1020M

Communication System: UID 0, NR Band n2; Frequency: 1860 MHz; Duty Cycle: 1:1

Medium: 1900 Body; Medium parameters used:

$f = 1860 \text{ MHz}$; $\sigma = 1.535 \text{ S/m}$; $\epsilon_r = 51.597$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-16-2019; Ambient Temp: 21.7°C; Tissue Temp: 23.1°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1860 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: NR Band n2, Phablet SAR, Bottom Edge,
20 MHz Bandwidth, DFT-s-OFDM QPSK, Ch. 372000, 1 RB, 1 RB Offset**


Area Scan (10x7x1): Measurement grid: dx=5mm, dy=15mm

Zoom Scan (12x13x8)/Cube 0: Measurement grid: dx=2.8mm, dy=2.8mm, dz=1.4mm; Graded Ratio: 1.4

Reference Value = 65.71 V/m; Power Drift = -0.16 dB

Peak SAR (extrapolated) = 15.0 W/kg

SAR(10 g) = 2.23 W/kg



0 dB = 10.7 W/kg = 10.29 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: A3LSMG981U; Type: Portable Handset; Serial: 0385S

Communication System: UID 0, 802.11n 5.2-5.8 GHz Band; Frequency: 5320 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body; Medium parameters used:

$f = 5320 \text{ MHz}$; $\sigma = 5.605 \text{ S/m}$; $\epsilon_r = 46.916$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 0.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7409; ConvF(4.7, 4.7, 4.7) @ 5320 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

**Mode: IEEE 802.11n MIMO, U-NII-2A, 20 MHz Bandwidth,
Phablet SAR, Ch 64, 13 Mbps, Back Side**


Area Scan (9x9x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (9x9x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Reference Value = 44.02 V/m; Power Drift = 0.14 dB

Peak SAR (extrapolated) = 47.2 W/kg

SAR(10 g) = 1.87 W/kg



0 dB = 23.3 W/kg = 13.67 dBW/kg

APPENDIX B: SYSTEM VERIFICATION

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1054

Communication System: UID 0, CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium: 750 Head; Medium parameters used:

$f = 750 \text{ MHz}$; $\sigma = 0.895 \text{ S/m}$; $\epsilon_r = 40.706$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-28-2019; Ambient Temp: 23.4°C; Tissue Temp: 22.3°C

Probe: EX3DV4 - SN7551; ConvF(10.11, 10.11, 10.11) @ 750 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

750 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 2.58 W/kg

SAR(1 g) = 1.69 W/kg

Deviation(1 g) = 1.93%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1054

Communication System: UID 0, CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium: 750 Head; Medium parameters used:

$f = 750 \text{ MHz}$; $\sigma = 0.885 \text{ S/m}$; $\epsilon_r = 41.547$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-07-2019; Ambient Temp: 24.5°C; Tissue Temp: 20.4°C

Probe: EX3DV4 - SN7551; ConvF(10.11, 10.11, 10.11) @ 750 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

750 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 2.53 W/kg

SAR(1 g) = 1.63 W/kg

Deviation(1 g) = -1.69%



0 dB = 2.22 W/kg = 3.46 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d047

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Head; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.886 \text{ S/m}$; $\epsilon_r = 40.029$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-23-2019; Ambient Temp: 21.5°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN7551; ConvF(9.88, 9.88, 9.88) @ 835 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 2.87 W/kg

SAR(1 g) = 1.89 W/kg

Deviation(1 g) = 0.32%



0 dB = 2.54 W/kg = 4.05 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d047

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Head; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.93 \text{ S/m}$; $\epsilon_r = 40.489$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-31-2019; Ambient Temp: 21.3°C; Tissue Temp: 20.9°C

Probe: EX3DV4 - SN7551; ConvF(9.88, 9.88, 9.88) @ 835 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 3.03 W/kg

SAR(1 g) = 2 W/kg

Deviation(1 g) = 6.16%



0 dB = 2.68 W/kg = 4.28 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d047

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Head; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.899 \text{ S/m}$; $\epsilon_r = 40.431$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-11-2019; Ambient Temp: 20.5°C; Tissue Temp: 20.5°C

Probe: EX3DV4 - SN7551; ConvF(9.88, 9.88, 9.88) @ 835 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 2.97 W/kg

SAR(1 g) = 1.96 W/kg;

Deviation(1 g) = 4.03%



0 dB = 2.63 W/kg = 4.20 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d132

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Head Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.918 \text{ S/m}$; $\epsilon_r = 41.382$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-14-2019; Ambient Temp: 22.1°C; Tissue Temp: 21.3°C

Probe: EX3DV4 - SN7417; ConvF(10.07, 10.07, 10.07) @ 835 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 2.88 W/kg

SAR(1 g) = 1.88 W/kg

Deviation(1 g) = -1.98%



0 dB = 2.54 W/kg = 4.05 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1150

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Head Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.362 \text{ S/m}$; $\epsilon_r = 39.117$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-28-2019; Ambient Temp: 21.9°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN7409; ConvF(8.32, 8.32, 8.32) @ 1750 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 6.91 W/kg

SAR(1 g) = 3.68 W/kg

Deviation(1 g) = 0.82%



0 dB = 5.68 W/kg = 7.54 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1150

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Head; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.351 \text{ S/m}$; $\epsilon_r = 40.518$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-13-2019; Ambient Temp: 22.0°C; Tissue Temp: 20.6°C

Probe: EX3DV4 - SN7551; ConvF(8.34, 8.34, 8.34) @ 1750 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 6.83 W/kg

SAR(1 g) = 3.65 W/kg

Deviation(1 g) = 0.00%



0 dB = 5.61 W/kg = 7.49 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1150

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Head; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.359 \text{ S/m}$; $\epsilon_r = 38.889$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-25-2019; Ambient Temp: 22.2°C; Tissue Temp: 21.3°C

Probe: EX3DV4 - SN7551; ConvF(8.34, 8.34, 8.34) @ 1750 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 6.92 W/kg

SAR(1 g) = 3.68 W/kg

Deviation(1 g) = 0.82%



0 dB = 5.73 W/kg = 7.58 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d080

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Head Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.452 \text{ S/m}$; $\epsilon_r = 40.184$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-28-2019; Ambient Temp: 21.7°C; Tissue Temp: 21.3°C

Probe: EX3DV4 - SN3914; ConvF(7.8, 7.8, 7.8) @ 1900 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1272; Calibrated: 2/14/2019

Phantom: Twin-SAM V5.0 Front 30; Type: QD 000 P40 CD; Serial: 1646

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 8.05 W/kg

SAR(1 g) = 4.22 W/kg

Deviation(1 g) = 6.03%



0 dB = 6.65 W/kg = 8.23 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Head Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.449 \text{ S/m}$; $\epsilon_r = 40.194$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-30-2019; Ambient Temp: 21.6°C; Tissue Temp: 21.4°C

Probe: EX3DV4 - SN3914; ConvF(7.8, 7.8, 7.8) @ 1900 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1272; Calibrated: 2/14/2019

Phantom: Twin-SAM V5.0 Front 30; Type: QD 000 P40 CD; Serial: 1646

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 8.39 W/kg

SAR(1 g) = 4.22 W/kg

Deviation(1 g) = 7.38%



0 dB = 6.83 W/kg = 8.34 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d148

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Head; Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.441 \text{ S/m}$; $\epsilon_r = 40.308$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-13-2019; Ambient Temp: 22.0°C; Tissue Temp: 20.6°C

Probe: EX3DV4 - SN7551; ConvF(8.05, 8.05, 8.05) @ 1900 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 7.94 W/kg

SAR(1 g) = 4.17 W/kg

Deviation(1 g) = 6.65%



0 dB = 6.61 W/kg = 8.20 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d080

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Head; Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.445 \text{ S/m}$; $\epsilon_r = 38.648$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-25-2019; Ambient Temp: 22.2°C; Tissue Temp: 21.3°C

Probe: EX3DV4 - SN7551; ConvF(8.05, 8.05, 8.05) @ 1900 MHz; Calibrated: 9/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1333; Calibrated: 9/17/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1792

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.82 W/kg

SAR(1 g) = 4.06 W/kg

Deviation(1 g) = 2.01%



0 dB = 6.48 W/kg = 8.12 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: 1064

Communication System: UID 0, CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2300 \text{ MHz}$; $\sigma = 1.742 \text{ S/m}$; $\epsilon_r = 38.732$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-29-2019; Ambient Temp: 23.8°C; Tissue Temp: 21.5°C

Probe: EX3DV4 - SN7417; ConvF(7.73, 7.73, 7.73) @ 2300 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2300 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.6 W/kg

SAR(1 g) = 5.11 W/kg

Deviation(1 g) = 7.35%



0 dB = 8.42 W/kg = 9.25 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.816 \text{ S/m}$; $\epsilon_r = 37.492$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-04-2019; Ambient Temp: 22.3°C; Tissue Temp: 20.7°C

Probe: EX3DV4 - SN7417; ConvF(7.46, 7.46, 7.46) @ 2450 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.6 W/kg

SAR(1 g) = 5.12 W/kg

Deviation(1 g) = -2.85%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 981

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.866 \text{ S/m}$; $\epsilon_r = 38.982$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-11-2019; Ambient Temp: 21.3°C; Tissue Temp: 19.2°C

Probe: EX3DV4 - SN7417; ConvF(7.46, 7.46, 7.46) @ 2450 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 11.0 W/kg

SAR(1 g) = 5.29 W/kg

Deviation(1 g) = 1.15%



0 dB = 8.78 W/kg = 9.43 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 981

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.849 \text{ S/m}$; $\epsilon_r = 38.818$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 20.8°C; Tissue Temp: 19.8°C

Probe: EX3DV4 - SN7417; ConvF(7.46, 7.46, 7.46) @ 2450 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 11.3 W/kg

SAR(1 g) = 5.4 W/kg

Deviation(1 g) = 3.25%



0 dB = 9.09 W/kg = 9.59 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1004

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2600 \text{ MHz}$; $\sigma = 1.969 \text{ S/m}$; $\epsilon_r = 37.468$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-08-2019; Ambient Temp: 22.3°C; Tissue Temp: 21.5°C

Probe: EX3DV4 - SN7417; ConvF(7.17, 7.17, 7.17) @ 2600 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 12.9 W/kg

SAR(1 g) = 5.92 W/kg

Deviation(1 g) = 5.90%



0 dB = 10.2 W/kg = 10.09 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1064

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Head Medium parameters used:

$f = 2600$ MHz; $\sigma = 1.972$ S/m; $\epsilon_r = 38.422$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.1°C; Tissue Temp: 19.2°C

Probe: EX3DV4 - SN7417; ConvF(7.17, 7.17, 7.17) @ 2600 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn665; Calibrated: 2/13/2019

Phantom: Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1647

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 13.0 W/kg

SAR(1 g) = 6.01 W/kg

Deviation(1 g) = 3.44%



0 dB = 10.4 W/kg = 10.17 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 3500 MHz; Type: D3500V2; Serial: 1059

Communication System: UID 0, CW; Frequency: 3500 MHz; Duty Cycle: 1:1

Medium: 3500 Head; Medium parameters used:

$f = 3500 \text{ MHz}$; $\sigma = 2.946 \text{ S/m}$; $\epsilon_r = 36.892$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.4°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN3589; ConvF(6.16, 6.16, 6.16) @ 3500 MHz; Calibrated: 1/25/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn728; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Left 20; Type: QD 000 P40 CD; Serial: 1715

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

3500 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 19.7 W/kg

SAR(1 g) = 6.91 W/kg

Deviation(1 g) = 6.97%



0 dB = 13.6 W/kg = 11.34 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 3700 MHz; Type: D3700V2; Serial: 1018

Communication System: UID 0, CW; Frequency: 3700 MHz; Duty Cycle: 1:1

Medium: 3500 Head; Medium parameters used:

$f = 3700 \text{ MHz}$; $\sigma = 3.107 \text{ S/m}$; $\epsilon_r = 36.624$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.4°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN3589; ConvF(6.02, 6.02, 6.02) @ 3700 MHz; Calibrated: 1/25/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn728; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Left 20; Type: QD 000 P40 CD; Serial: 1715

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

3700 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 20.8 W/kg

SAR(1 g) = 7.01 W/kg

Deviation(1 g) = 6.53%



0 dB = 14.3 W/kg = 11.55 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1237

Communication System: UID 0, CW; Frequency: 5250 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Head Medium parameters used:

$f = 5250 \text{ MHz}$; $\sigma = 4.726 \text{ S/m}$; $\epsilon_r = 35.896$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-10-2019; Ambient Temp: 21.0°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN7406; ConvF(5.54, 5.54, 5.54) @ 5250 MHz; Calibrated: 5/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn859; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Right 20; Type: QD 000 P40 CD; Serial: 1759

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

5250 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 15.5 W/kg

SAR(1 g) = 3.86 W/kg

Deviation(1 g) = -5.04%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1237

Communication System: UID 0, CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Head Medium parameters used:

$f = 5600 \text{ MHz}$; $\sigma = 5.133 \text{ S/m}$; $\epsilon_r = 35.238$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-10-2019; Ambient Temp: 21.0°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN7406; ConvF(4.94, 4.94, 4.94) @ 5600 MHz; Calibrated: 5/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn859; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Right 20; Type: QD 000 P40 CD; Serial: 1759

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

5600 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 17.7 W/kg

SAR(1 g) = 4.02 W/kg

Deviation(1 g) = -6.18%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1237

Communication System: UID 0, CW; Frequency: 5750 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Head Medium parameters used:

$f = 5750$ MHz; $\sigma = 5.309$ S/m; $\epsilon_r = 34.961$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-10-2019; Ambient Temp: 21.0°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN7406; ConvF(5.23, 5.23, 5.23) @ 5750 MHz; Calibrated: 5/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn859; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Right 20; Type: QD 000 P40 CD; Serial: 1759

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

5750 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 17.6 W/kg

SAR(1 g) = 3.83 W/kg

Deviation(1 g) = -4.96%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1003

Communication System: UID 0, CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium: 750 Body Medium parameters used:

$f = 750 \text{ MHz}$; $\sigma = 0.974 \text{ S/m}$; $\epsilon_r = 56.945$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-28-2019; Ambient Temp: 21.3°C; Tissue Temp: 21.3°C

Probe: EX3DV4 - SN7410; ConvF(10.01, 10.01, 10.01) @ 750 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1630

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

750 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 2.52 W/kg

SAR(1 g) = 1.73 W/kg

Deviation(1 g) = 0.82%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1161

Communication System: UID 0, CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium: 750 Body Medium parameters used:

$f = 750 \text{ MHz}$; $\sigma = 0.967 \text{ S/m}$; $\epsilon_r = 56.339$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 10-29-2019; Ambient Temp: 23.0°C; Tissue Temp: 21.1°C

Probe: EX3DV4 - SN7410; ConvF(10.01, 10.01, 10.01) @ 750 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1630

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

750 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x15x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 2.64 W/kg

SAR(1 g) = 1.76 W/kg

Deviation(1 g) = 4.39%



0 dB = 2.35 W/kg = 3.71 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 750 MHz; Type: D750V3; Serial: 1161

Communication System: UID 0, CW; Frequency: 750 MHz; Duty Cycle: 1:1

Medium: 750 Body Medium parameters used:

$f = 750 \text{ MHz}$; $\sigma = 0.977 \text{ S/m}$; $\epsilon_r = 57.111$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-06-2019; Ambient Temp: 22.2°C; Tissue Temp: 23.5°C

Probe: EX3DV4 - SN7410; ConvF(10.01, 10.01, 10.01) @ 750 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1630

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

750 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x15x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 2.62 W/kg

SAR(1 g) = 1.77 W/kg

Deviation(1 g) = 4.98%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d132

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Body; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.957 \text{ S/m}$; $\epsilon_r = 55.565$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-04-2019; Ambient Temp: 23.1°C; Tissue Temp: 19.9°C

Probe: EX3DV4 - SN7357; ConvF(9.95, 9.95, 9.95) @ 835 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Twin-SAM V4.0 (30); Type: QD 000 P40 CC; Serial: 1167

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 3.15 W/kg

SAR(1 g) = 2.02 W/kg

Deviation(1 g) = 4.45%



0 dB = 2.74 W/kg = 4.38 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d133

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Body; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.958 \text{ S/m}$; $\epsilon_r = 54.531$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-06-2019; Ambient Temp: 23.7°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN7357; ConvF(9.95, 9.95, 9.95) @ 835 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Twin-SAM V4.0 (30); Type: QD 000 P40 CC; Serial: 1167

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 3.25 W/kg

SAR(1 g) = 2.08 W/kg

Deviation(1 g) = 6.67%



0 dB = 2.82 W/kg = 4.50 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d132

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Body; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.956 \text{ S/m}$; $\epsilon_r = 54.694$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-13-2019; Ambient Temp: 22.0°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(9.95, 9.95, 9.95) @ 835 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Twin-SAM V4.0 (30); Type: QD 000 P40 CC; Serial: 1167

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 2.92 W/kg

SAR(1 g) = 1.95 W/kg

Deviation(1 g) = 0.83%;



0 dB = 2.59 W/kg = 4.13 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 835 MHz; Type: D835V2; Serial: 4d133

Communication System: UID 0, CW; Frequency: 835 MHz; Duty Cycle: 1:1

Medium: 835 Body; Medium parameters used:

$f = 835 \text{ MHz}$; $\sigma = 0.967 \text{ S/m}$; $\epsilon_r = 56.103$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.5 cm

Test Date: 11-18-2019; Ambient Temp: 20.6°C; Tissue Temp: 20.0°C

Probe: EX3DV4 - SN7357; ConvF(9.95, 9.95, 9.95) @ 835 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Twin-SAM V4.0 (30); Type: QD 000 P40 CC; Serial: 1167

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

835 MHz System Verification at 23.0 dBm (200 mW)


Area Scan (7x14x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 3.15 W/kg

SAR(1 g) = 2.06 W/kg

Deviation(1 g) = 5.64%



0 dB = 2.76 W/kg = 4.41 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.53 \text{ S/m}$; $\epsilon_r = 51.004$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-28-2019; Ambient Temp: 19.5°C; Tissue Temp: 19.1°C

Probe: EX3DV4 - SN7488; ConvF(8.68, 8.68, 8.68) @ 1750 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1800

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 7.46 W/kg

SAR(1 g) = 3.94 W/kg

Deviation(1 g) = 4.51%



0 dB = 6.09 W/kg = 7.85 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.505 \text{ S/m}$; $\epsilon_r = 51.413$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-11-2019; Ambient Temp: 21.8°C; Tissue Temp: 21.0°C

Probe: EX3DV4 - SN7409; ConvF(7.85, 7.85, 7.85) @ 1750 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 7.00 W/kg

SAR(1 g) = 3.79 W/kg

Deviation(1 g) = 0.53%



0 dB = 5.73 W/kg = 7.58 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.534 \text{ S/m}$; $\epsilon_r = 53.086$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-25-2019; Ambient Temp: 20.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1750 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.62 W/kg

SAR(1 g) = 4.05 W/kg

Deviation(1 g) = 7.43%



0 dB = 6.23 W/kg = 7.94 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1765V2; Serial: 1008

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.521 \text{ S/m}$; $\epsilon_r = 52.36$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-28-2019; Ambient Temp: 20.4°C; Tissue Temp: 19.8°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1750 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.40 W/kg

SAR(10 g) = 2.08 W/kg

Deviation(10 g) = 4.52%



0 dB = 6.11 W/kg = 7.86 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.541 \text{ S/m}$; $\epsilon_r = 52.542$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-01-2019; Ambient Temp: 21.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1750 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.16 W/kg

SAR(10 g) = 2 W/kg

Deviation(10 g) = 1.01%



0 dB = 5.84 W/kg = 7.66 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.532 \text{ S/m}$; $\epsilon_r = 52.733$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-03-2019; Ambient Temp: 21.2°C; Tissue Temp: 20.2°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1750 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.53 W/kg

SAR(1 g) = 4.03 W/kg

Deviation(1 g) = 6.90%



0 dB = 6.18 W/kg = 7.91 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: 1148

Communication System: UID 0, CW; Frequency: 1750 MHz; Duty Cycle: 1:1

Medium: 1750 Body; Medium parameters used:

$f = 1750 \text{ MHz}$; $\sigma = 1.533 \text{ S/m}$; $\epsilon_r = 52.134$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 20.6°C; Tissue Temp: 20.3°C

Probe: EX3DV4 - SN7357; ConvF(8.26, 8.26, 8.26) @ 1750 MHz; Calibrated: 4/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1407; Calibrated: 4/18/2019

Phantom: Right Back Twin-SAM V5.0 (30); Type: QD 000 P40 CD; Serial: 1692

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1750 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x9x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.32 W/kg

SAR(1 g) = 3.96 W/kg; SAR(10 g) = 2.07 W/kg

Deviation(1 g) = 5.04%; Deviation(10 g) = 4.55%



0 dB = 6.17 W/kg = 7.90 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d080

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.571 \text{ S/m}$; $\epsilon_r = 52.013$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-30-2019; Ambient Temp: 21.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7406; ConvF(7.95, 7.95, 7.95) @ 1908.75 MHz; Calibrated: 5/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn859; Calibrated: 5/8/2019

Phantom: Twin-SAM V5.0 Right 30; Type: QD 000 P40 CD; Serial: 1759

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 7.83 W/kg

SAR(1 g) = 4.21 W/kg

Deviation(1 g) = 7.40%



0 dB = 6.45 W/kg = 8.10 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d080

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.565 \text{ S/m}$; $\epsilon_r = 51.78$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-11-2019; Ambient Temp: 21.5°C; Tissue Temp: 22.3°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: Twin-SAM V5.0; Type: QD 000 P40 CD; Serial: 1800

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: $dx=15\text{mm}$, $dy=15\text{mm}$

Zoom Scan (5x5x7)/Cube 0: Measurement grid: $dx=8\text{mm}$, $dy=8\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 7.93 W/kg

SAR(1 g) = 4.15 W/kg

Deviation(1 g) = 5.87%



0 dB = 6.55 W/kg = 8.16 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d148

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.567 \text{ S/m}$; $\epsilon_r = 51.401$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-26-2019; Ambient Temp: 20.9°C; Tissue Temp: 22.8°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x6x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.64 W/kg

SAR(1 g) = 4 W/kg; SAR(10 g) = 2.04 W/kg

Deviation(1 g) = 2.3%; Deviation(10 g) = -0.49%



0 dB = 6.00 W/kg = 7.78 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.575 \text{ S/m}$; $\epsilon_r = 50.866$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-02-2019; Ambient Temp: 20.7°C; Tissue Temp: 21.7°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.98 W/kg

SAR(1 g) = 4.15 W/kg; SAR(10 g) = 2.09 W/kg

Deviation(1 g) = 5.33%; Deviation(10 g) = 0.97%



0 dB = 5.84 W/kg = 7.66 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900$ MHz; $\sigma = 1.571$ S/m; $\epsilon_r = 51.896$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-05-2019; Ambient Temp: 22.7°C; Tissue Temp: 23.0°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 8.02 W/kg

SAR(10 g) = 2.17 W/kg

Deviation(10 g) = 4.83%



0 dB = 6.44 W/kg = 8.09 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.582 \text{ S/m}$; $\epsilon_r = 51.779$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 20.2°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.83 W/kg

SAR(1 g) = 4.19 W/kg

Deviation(1 g) = 6.35%



0 dB = 6.45 W/kg = 8.10 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.558 \text{ S/m}$; $\epsilon_r = 52.138$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-14-2019; Ambient Temp: 22.5°C; Tissue Temp: 24.5°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.55 W/kg

SAR(10 g) = 2.04 W/kg

Deviation(10 g) = -1.45%



0 dB = 6.19 W/kg = 7.92 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: 5d149

Communication System: UID 0, CW; Frequency: 1900 MHz; Duty Cycle: 1:1

Medium: 1900 Body Medium parameters used:

$f = 1900 \text{ MHz}$; $\sigma = 1.581 \text{ S/m}$; $\epsilon_r = 51.468$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 21.7°C; Tissue Temp: 23.1°C

Probe: EX3DV4 - SN7488; ConvF(8.37, 8.37, 8.37) @ 1900 MHz; Calibrated: 1/24/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1530; Calibrated: 1/15/2019

Phantom: SAM Left; Type: QD000P40CC; Serial: TP: 1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

1900 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (7x11x1): Measurement grid: dx=15mm, dy=15mm

Zoom Scan (5x5x7)/Cube 0: Measurement grid: dx=8mm, dy=8mm, dz=5mm

Peak SAR (extrapolated) = 7.86 W/kg

SAR(1 g) = 4.25 W/kg; SAR(10 g) = 2.18 W/kg

Deviation(1 g) = 7.87%; Deviation(10 g) = 5.31%



0 dB = 6.48 W/kg = 8.12 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: 1064

Communication System: UID 0, CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2300$ MHz; $\sigma = 1.864$ S/m; $\epsilon_r = 53.268$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-31-2019; Ambient Temp: 22.7°C; Tissue Temp: 22.5°C

Probe: EX3DV4 - SN7547; ConvF(7.47, 7.47, 7.47) @ 2300 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2300 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 9.73 W/kg

SAR(1 g) = 4.89 W/kg

Deviation(1 g) = 5.16%



0 dB = 8.19 W/kg = 9.13 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: 1073

Communication System: UID 0, CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2300 \text{ MHz}$; $\sigma = 1.798 \text{ S/m}$; $\epsilon_r = 51.601$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-06-2019; Ambient Temp: 23.9; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.47, 7.47, 7.47) @ 2300 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

2300 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 9.74 W/kg

SAR(10 g) = 2.33 W/kg

Deviation(10 g) = 0.43%



0 dB = 7.91 W/kg = 8.98 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2300 MHz; Type: D2300V2; Serial: 1073

Communication System: UID 0, CW; Frequency: 2300 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2300 \text{ MHz}$; $\sigma = 1.859 \text{ S/m}$; $\epsilon_r = 52.293$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7547; ConvF(7.47, 7.47, 7.47) @ 2300 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2300 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 9.94 W/kg

SAR(1 g) = 5.04 W/kg

Deviation(1 g) = 5.66%



0 dB = 8.09 W/kg = 9.08 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 981

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.999 \text{ S/m}$; $\epsilon_r = 51.589$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 10-30-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7410; ConvF(7.44, 7.44, 7.44) @ 2450 MHz; Calibrated: 7/16/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1322; Calibrated: 7/11/2019

Phantom: Twin-SAM V8.0; Type: QD 000 P41 Ax; Serial: 1966

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 10.9 W/kg

SAR(1 g) = 5.32 W/kg

Deviation(1 g) = 4.52%



0 dB = 8.90 W/kg = 9.49 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 2.046 \text{ S/m}$; $\epsilon_r = 51.458$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-11-2019; Ambient Temp: 22.9°C; Tissue Temp: 22.3°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2450 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.8 W/kg

SAR(1 g) = 5.12 W/kg

Deviation(1 g) = 0.20%



0 dB = 8.56 W/kg = 9.32 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 2.04 \text{ S/m}$; $\epsilon_r = 52.022$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-14-2019; Ambient Temp: 22.3°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2450 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.8 W/kg

SAR(1 g) = 5.16 W/kg

Deviation(1 g) = 0.98%



0 dB = 8.70 W/kg = 9.40 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 2.04 \text{ S/m}$; $\epsilon_r = 52.155$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-03-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2450 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.5 W/kg

SAR(1 g) = 5.04 W/kg

Deviation(1 g) = -1.37%



0 dB = 8.40 W/kg = 9.24 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 1.964 \text{ S/m}$; $\epsilon_r = 51.249$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-06-2019; Ambient Temp: 23.9; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2450 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 10.2 W/kg

SAR(10 g) = 2.24 W/kg

Deviation(10 g) = -7.44%



0 dB = 8.14 W/kg = 9.11 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2450 MHz; Type: D2450V2; Serial: 797

Communication System: UID 0, CW; Frequency: 2450 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2450 \text{ MHz}$; $\sigma = 2.03 \text{ S/m}$; $\epsilon_r = 52.738$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.9°C; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.3, 7.3, 7.3) @ 2450 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2450 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 10.5 W/kg

SAR(1 g) = 5.04 W/kg; SAR(10 g) = 2.31 W/kg

Deviation(1 g) = -1.37%; Deviation(10 g) = -4.55%



0 dB = 8.48 W/kg = 9.28 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1004

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2600 \text{ MHz}$; $\sigma = 2.201 \text{ S/m}$; $\epsilon_r = 51.24$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 11-07-2019; Ambient Temp: 22.9°C; Tissue Temp: 21.9°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2600 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 11.8 W/kg

SAR(1 g) = 5.34 W/kg

Deviation(1 g) = -2.55%



0 dB = 9.19 W/kg = 9.63 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1004

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2600 \text{ MHz}$; $\sigma = 2.218 \text{ S/m}$; $\epsilon_r = 51.718$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-03-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2600 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 11.7 W/kg

SAR(1 g) = 5.34 W/kg

Deviation(1 g) = -2.55%



0 dB = 9.19 W/kg = 9.63 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1004

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2600$ MHz; $\sigma = 2.222$ S/m; $\epsilon_r = 52.255$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-12-2019; Ambient Temp: 23.5°C; Tissue Temp: 22.4°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2600 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Peak SAR (extrapolated) = 11.8 W/kg

SAR(1 g) = 5.47 W/kg

Deviation(1 g) = -0.18%



0 dB = 9.30 W/kg = 9.68 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 2600 MHz; Type: D2600V2; Serial: 1004

Communication System: UID 0, CW; Frequency: 2600 MHz; Duty Cycle: 1:1

Medium: 2450 Body; Medium parameters used:

$f = 2600 \text{ MHz}$; $\sigma = 2.212 \text{ S/m}$; $\epsilon_r = 52.32$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.9°C; Tissue Temp: 22.2°C

Probe: EX3DV4 - SN7547; ConvF(7.18, 7.18, 7.18) @ 2600 MHz; Calibrated: 7/15/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1323; Calibrated: 7/11/2019

Phantom: LeftTwin-SAM V5.0; Type: QD 000 P40 CD; Serial: TP1375

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

2600 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: $dx=12\text{mm}$, $dy=12\text{mm}$

Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Peak SAR (extrapolated) = 11.4 W/kg

SAR(1 g) = 5.21 W/kg; SAR(10 g) = 2.3 W/kg

Deviation(1 g) = -4.93%; Deviation(10 g) = -6.88%



0 dB = 8.96 W/kg = 9.52 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 3500 MHz; Type: D3500V2; Serial: 1059

Communication System: UID 0, CW; Frequency: 3500 MHz; Duty Cycle: 1:1

Medium: 3500 Body Medium parameters used:

$f = 3500 \text{ MHz}$; $\sigma = 3.458 \text{ S/m}$; $\epsilon_r = 50.084$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-02-2019; Ambient Temp: 21.3°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN3914; ConvF(6.88, 6.88, 6.88) @ 3500 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1272; Calibrated: 2/14/2019

Phantom: Twin-SAM V5.0 Left 30; Type: QD 000 P40 CD; Serial: 1687

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

3500 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 18.9 W/kg

SAR(1 g) = 6.48 W/kg

Deviation(1 g) = -0.46%



0 dB = 13.0 W/kg = 11.14 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 3700 MHz; Type: D3700V2; Serial: 1018

Communication System: UID 0, CW; Frequency: 3700 MHz; Duty Cycle: 1:1

Medium: 3500 Body Medium parameters used:

$f = 3700 \text{ MHz}$; $\sigma = 3.677 \text{ S/m}$; $\epsilon_r = 49.678$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-02-2019; Ambient Temp: 21.3°C; Tissue Temp: 20.1°C

Probe: EX3DV4 - SN3914; ConvF(6.58, 6.58, 6.58) @ 3700 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1272; Calibrated: 2/14/2019

Phantom: Twin-SAM V5.0 Left 30; Type: QD 000 P40 CD; Serial: 1687

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

3700 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 19.8 W/kg

SAR(1 g) = 6.63 W/kg

Deviation(1 g) = 3.11%



0 dB = 13.6 W/kg = 11.34 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 3700 MHz; Type: D3700V2; Serial: 1018

Communication System: UID 0, CW; Frequency: 3700 MHz; Duty Cycle: 1:1

Medium: 3500 Body Medium parameters used:

$f = 3700 \text{ MHz}$; $\sigma = 3.566 \text{ S/m}$; $\epsilon_r = 49.166$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-18-2019; Ambient Temp: 22.1°C; Tissue Temp: 21.1°C

Probe: EX3DV4 - SN3914; ConvF(6.58, 6.58, 6.58) @ 3700 MHz; Calibrated: 2/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1272; Calibrated: 2/14/2019

Phantom: Twin-SAM V5.0 Left 30; Type: QD 000 P40 CD; Serial: 1687

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

3700 MHz System Verification at 20.0 dBm (100 mW)


Area Scan (8x9x1): Measurement grid: dx=12mm, dy=12mm

Zoom Scan (7x7x8)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 19.4 W/kg

SAR(1 g) = 6.44 W/kg

Deviation(1 g) = 0.16%



0 dB = 13.4 W/kg = 11.27 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5250 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5250 \text{ MHz}$; $\sigma = 5.505 \text{ S/m}$; $\epsilon_r = 47.502$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.8°C

Probe: EX3DV4 - SN7409; ConvF(4.7, 4.7, 4.7) @ 5250 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

5250 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 15.6 W/kg

SAR(1 g) = 3.78 W/kg

Deviation(1 g) = -1.82%



0 dB = 9.15 W/kg = 9.61 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5250 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5250 \text{ MHz}$; $\sigma = 5.515 \text{ S/m}$; $\epsilon_r = 47.044$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7409; ConvF(4.7, 4.7, 4.7) @ 5250 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

5250 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 15.8 W/kg

SAR(10 g) = 1.06 W/kg

Deviation(10 g) = -0.93%



0 dB = 9.14 W/kg = 9.61 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5600$ MHz; $\sigma = 5.981$ S/m; $\epsilon_r = 46.917$; $\rho = 1000$ kg/m³

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.8°C

Probe: EX3DV4 - SN7409; ConvF(4.22, 4.22, 4.22) @ 5600 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

5600 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 18.4 W/kg

SAR(1 g) = 4.03 W/kg

Deviation(1 g) = 2.54%



PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5600 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5600 \text{ MHz}$; $\sigma = 5.98 \text{ S/m}$; $\epsilon_r = 46.434$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7409; ConvF(4.22, 4.22, 4.22) @ 5600 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

5600 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: dx=10mm, dy=10mm

Zoom Scan (8x8x7)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm; Graded Ratio: 1.4

Peak SAR (extrapolated) = 18.3 W/kg

SAR(10 g) = 1.12 W/kg

Deviation(10 g) = 2.28%



0 dB = 9.93 W/kg = 9.97 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5750 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5750 \text{ MHz}$; $\sigma = 6.19 \text{ S/m}$; $\epsilon_r = 46.693$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-09-2019; Ambient Temp: 22.6°C; Tissue Temp: 21.8°C

Probe: EX3DV4 - SN7409; ConvF(4.23, 4.23, 4.23) @ 5750 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2);SEMCAD X Version 14.6.12 (7470)

5750 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Zoom Scan (8x8x7)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Peak SAR (extrapolated) = 18.6 W/kg

SAR(1 g) = 3.86 W/kg

Deviation(1 g) = 0.39%



0 dB = 9.63 W/kg = 9.84 dBW/kg

PCTEST ENGINEERING LABORATORY, INC.

DUT: Dipole 5 GHz; Type: D5GHzV2; Serial: 1191

Communication System: UID 0, CW; Frequency: 5750 MHz; Duty Cycle: 1:1

Medium: 5200-5800 Body Medium parameters used:

$f = 5750 \text{ MHz}$; $\sigma = 6.19 \text{ S/m}$; $\epsilon_r = 46.203$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section; Space: 1.0 cm

Test Date: 12-16-2019; Ambient Temp: 22.6°C; Tissue Temp: 22.0°C

Probe: EX3DV4 - SN7409; ConvF(4.23, 4.23, 4.23) @ 5750 MHz; Calibrated: 6/19/2019

Sensor-Surface: 1.4mm (Mechanical Surface Detection)

Electronics: DAE4 Sn1334; Calibrated: 6/20/2019

Phantom: Front; Type: QD 000 P40 CD; Serial: 1686

Measurement SW: DASY52, Version 52.10 (2); SEMCAD X Version 14.6.12 (7470)

5750 MHz System Verification at 17.0 dBm (50 mW)


Area Scan (7x7x1): Measurement grid: $dx=10\text{mm}$, $dy=10\text{mm}$

Zoom Scan (8x8x7)/Cube 0: Measurement grid: $dx=4\text{mm}$, $dy=4\text{mm}$, $dz=1.4\text{mm}$; Graded Ratio: 1.4

Peak SAR (extrapolated) = 18.7 W/kg

SAR(10 g) = 1.07 W/kg

Deviation(10 g) = 0.47%



APPENDIX C: SAR TISSUE SPECIFICATIONS

Measurement Procedure for Tissue verification:

- 1) The network analyzer and probe system was configured and calibrated.
- 2) The probe was immersed in the tissue. The tissue was placed in a nonmetallic container. Trapped air bubbles beneath the flange were minimized by placing the probe at a slight angle.
- 3) The complex admittance with respect to the probe aperture was measured
- 4) The complex relative permittivity ϵ' can be calculated from the below equation (Pournaropoulos and Misra):

$$Y = \frac{j2\omega\epsilon_r\epsilon_0}{[\ln(b/a)]^2} \int_a^b \int_a^b \int_0^\pi \cos\phi' \frac{\exp[-j\omega r(\mu_0\epsilon_r'\epsilon_0)^{1/2}]}{r} d\phi' d\rho' d\rho$$

where Y is the admittance of the probe in contact with the sample, the primed and unprimed coordinates refer to source and observation points, respectively, $r^2 = \rho^2 + \rho'^2 - 2\rho\rho'\cos\phi'$, ω is the angular frequency, and $j = \sqrt{-1}$.

3 Composition / Information on ingredients

3.2 Mixtures

Description: Aqueous solution with surfactants and inhibitors

Declarable, or hazardous components:

CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28-0000	Ethenediol STOT RE 2, H373; Acute Tox. 4, H302	>1.0-4.9%
CAS: 68608-26-4 EINECS: 271-781-5 Reg.nr.: 01-2119527859-22-0000	Sodium petroleum sulfonate Eye Irrit. 2, H319	< 2.9%
CAS: 107-41-5 EINECS: 203-489-0 Reg.nr.: 01-2119539582-35-0000	Hexylene Glycol / 2-Methyl-pentane-2,4-diol Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 2.9%
CAS: 68920-66-1 NLP: 500-236-9 Reg.nr.: 01-2119489407-26-0000	Alkoxylated alcohol, > C₁₆ Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319	< 2.0%

Additional information:

For the wording of the listed risk phrases refer to section 16.

Not mentioned CAS-, EINECS- or registration numbers are to be regarded as Proprietary/Confidential.

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

Figure C-1

Note: Liquid recipes are proprietary SPEAG. Since the composition is approximate to the actual liquids utilized, the manufacturer tissue-equivalent liquid data sheets are provided below.

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 10/23/19 - 12/18/19	DUT Type: Portable Handset			APPENDIX C: Page 1 of 3

Measurement Certificate / Material Test

Item Name **Body Tissue Simulating Liquid (MBBL600-6000V6)**
 Product No. SL AAM U16 BC (Batch: 181029-1)
 Manufacturer SPEAG

Measurement Method

TSL dielectric parameters measured using calibrated DAK probe.

Target Parameters

Target parameters as defined in the KDB 865864 compliance standard.

Test Condition



Ambient Condition 22°C ; 30% humidity
 TSL Temperature 22°C
 Test Date 30-Oct-18
 Operator CL

Additional Information

TSL Density
 TSL Heat-capacity

Results

f [MHz]	Measured			Target		Diff.to Target [%]	
	e'	e''	sigma	eps	sigma	Δ-eps	Δ-sigma
800	55.1	21.3	0.95	55.3	0.97	-0.4	-2.1
825	55.1	20.8	0.96	55.2	0.98	-0.3	-2.0
835	55.1	20.6	0.96	55.1	0.99	0.0	-2.5
850	55.1	20.4	0.96	55.2	0.99	-0.1	-3.0
900	55.0	19.7	0.98	55.0	1.05	0.0	-6.7
1400	54.2	15.6	1.22	54.1	1.28	0.2	-4.7
1450	54.1	15.4	1.24	54.0	1.30	0.2	-4.6
1500	54.1	15.3	1.27	53.9	1.33	0.3	-4.5
1550	54.0	15.1	1.30	53.9	1.36	0.2	-4.4
1600	53.9	15.0	1.33	53.8	1.39	0.2	-4.3
1625	53.9	14.9	1.35	53.8	1.41	0.3	-4.3
1640	53.9	14.9	1.36	53.7	1.42	0.3	-4.2
1650	53.8	14.9	1.36	53.7	1.43	0.2	-4.9
1700	53.8	14.8	1.40	53.6	1.46	0.4	-4.1
1750	53.7	14.7	1.43	53.4	1.49	0.5	-4.0
1800	53.7	14.6	1.46	53.3	1.52	0.8	-3.9
1810	53.7	14.6	1.47	53.3	1.52	0.8	-3.3
1825	53.7	14.6	1.48	53.3	1.52	0.8	-2.6
1850	53.6	14.5	1.50	53.3	1.52	0.6	-1.3
1900	53.5	14.5	1.53	53.3	1.52	0.4	0.7
1950	53.5	14.5	1.57	53.3	1.52	0.4	3.3
2000	53.4	14.4	1.60	53.3	1.52	0.2	5.3
2050	53.4	14.4	1.64	53.2	1.57	0.3	4.5
2100	53.3	14.4	1.68	53.2	1.62	0.2	3.7
2150	53.3	14.4	1.72	53.1	1.66	0.4	3.6
2200	53.2	14.4	1.76	53.0	1.71	0.3	2.9
2250	53.1	14.4	1.81	53.0	1.76	0.2	2.8
2300	53.1	14.4	1.85	52.9	1.81	0.4	2.2
2350	53.0	14.5	1.89	52.8	1.85	0.3	2.2
2400	52.9	14.5	1.94	52.8	1.90	0.2	2.1
2450	52.9	14.5	1.98	52.7	1.95	0.4	1.5
2500	52.8	14.6	2.03	52.6	2.02	0.3	0.5
2550	52.7	14.6	2.07	52.6	2.09	0.2	-1.0
2600	52.6	14.7	2.12	52.5	2.16	0.2	-1.9



3500	51.1	15.5	3.02	51.3	3.31	-0.4	-8.8
3700	50.8	15.7	3.24	51.1	3.55	-0.5	-8.8
5200	48.1	18.2	5.27	49.0	5.30	-1.8	-0.6
5250	48.0	18.3	5.34	49.0	5.36	-1.9	-0.4
5300	47.9	18.4	5.41	48.9	5.42	-2.0	-0.2
5500	47.5	18.6	5.70	48.6	5.65	-2.2	0.8
5600	47.3	18.8	5.84	48.5	5.77	-2.3	1.3
5700	47.1	18.9	5.99	48.3	5.88	-2.5	1.8
5800	47.0	19.0	6.14	48.2	6.00	-2.6	2.3

TSL Dielectric Parameters

1

Figure C-2
 600 – 5800 MHz Body Tissue Equivalent Matter

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 10/23/19 - 12/18/19	DUT Type: Portable Handset			APPENDIX C: Page 2 of 3

Measurement Certificate / Material Test

Item Name	Head Tissue Simulating Liquid (HBBL600-10000V6)
Product No.	SL AAH U16 BC (Batch: 181031-2)
Manufacturer	SPEAG

Measurement Method

TSL dielectric parameters measured using calibrated DAK probe.

Target Parameters

Target parameters as defined in the IEEE 1528 and IEC 62209 compliance standards.

Test Condition



Ambient Condition	22°C ; 30% humidity
TSL Temperature	22°C
Test Date	31-Oct-18
Operator	CL

Additional Information

TSL Density	
TSL Heat-capacity	

Results

f [MHz]	Measured			Target		Diff.to Target [%]	
	e'	e''	sigma	eps	sigma	Δ-eps	Δ-sigma
800	43.8	20.5	0.91	41.7	0.90	5.1	1.4
825	43.8	20.1	0.92	41.6	0.91	5.3	1.5
835	43.8	19.9	0.93	41.5	0.91	5.4	2.0
850	43.7	19.7	0.93	41.5	0.92	5.3	1.5
900	43.5	18.9	0.95	41.5	0.97	4.8	-2.1
1400	42.5	15.0	1.17	40.6	1.18	4.7	-0.8
1450	42.5	14.8	1.19	40.5	1.20	4.9	-0.8
1600	42.2	14.3	1.27	40.3	1.28	4.7	-1.1
1625	42.2	14.2	1.29	40.3	1.30	4.8	-0.7
1640	42.2	14.2	1.30	40.3	1.31	4.8	-0.5
1650	42.1	14.2	1.30	40.2	1.31	4.6	-1.0
1700	42.1	14.0	1.33	40.2	1.34	4.8	-0.9
1750	42.0	13.9	1.36	40.1	1.37	4.8	-0.8
1800	41.9	13.9	1.39	40.0	1.40	4.7	-0.7
1810	41.9	13.8	1.40	40.0	1.40	4.7	0.0
1825	41.9	13.8	1.41	40.0	1.40	4.7	0.7
1850	41.8	13.8	1.42	40.0	1.40	4.5	1.4
1900	41.8	13.7	1.45	40.0	1.40	4.5	3.6
1950	41.7	13.7	1.48	40.0	1.40	4.3	5.7
2000	41.6	13.6	1.51	40.0	1.40	4.0	7.9
2050	41.6	13.6	1.55	39.9	1.44	4.2	7.3
2100	41.5	13.5	1.58	39.8	1.49	4.2	6.1
2150	41.4	13.5	1.62	39.7	1.53	4.2	5.7
2200	41.4	13.5	1.65	39.6	1.58	4.4	4.6
2250	41.3	13.5	1.69	39.6	1.62	4.4	4.2
2300	41.2	13.5	1.72	39.5	1.67	4.4	3.2
2350	41.1	13.5	1.76	39.4	1.71	4.4	2.9
2400	41.1	13.5	1.80	39.3	1.76	4.6	2.5
2450	41.0	13.5	1.84	39.2	1.80	4.6	2.2
2500	40.9	13.5	1.88	39.1	1.85	4.5	1.4
2550	40.8	13.5	1.92	39.1	1.91	4.4	0.6
2600	40.8	13.6	1.96	39.0	1.96	4.6	-0.2
3500	39.2	14.1	2.74	37.9	2.91	3.3	-5.8
3700	38.9	14.2	2.93	37.7	3.12	3.1	-6.1



5200	36.3	15.8	4.57	36.0	4.66	0.9	-1.7
5250	36.2	15.9	4.63	35.9	4.71	0.8	-1.6
5300	36.1	15.9	4.69	35.9	4.76	0.7	-1.4
5500	35.8	16.1	4.92	35.6	4.96	0.3	-0.9
5600	35.6	16.2	5.04	35.5	5.07	0.1	-0.6
5700	35.4	16.2	5.15	35.4	5.17	0.0	-0.3
5800	35.2	16.3	5.27	35.3	5.27	-0.2	0.0
6000	34.9	16.5	5.50	35.1	5.48	-0.6	0.5
6500	34.0	16.9	6.12	34.5	6.07	-1.4	0.9
7000	33.1	17.3	6.74	33.9	6.65	-2.3	1.3
7500	32.2	17.6	7.36	33.3	7.24	-3.2	1.6
8000	31.4	17.9	7.97	32.7	7.84	-4.1	1.7
8500	30.5	18.2	8.59	32.1	8.45	-5.0	1.6
9000	29.7	18.4	9.20	31.5	9.08	-5.9	1.3
9500	28.9	18.5	9.80	31.0	9.71	-6.8	0.9
10000	28.1	18.7	10.40	30.4	10.36	-7.6	0.4

TSL Dielectric Parameters

1

Figure C-3
600 – 5800 MHz Head Tissue Equivalent Matter

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 10/23/19 - 12/18/19	DUT Type: Portable Handset			APPENDIX C: Page 3 of 3

APPENDIX D: SAR SYSTEM VALIDATION

Per FCC KDB Publication 865664 D02v01r02, SAR system validation status should be documented to confirm measurement accuracy. The SAR systems (including SAR probes, system components and software versions) used for this device were validated against its performance specifications prior to the SAR measurements. Reference dipoles were used with the required tissue- equivalent media for system validation, according to the procedures outlined in FCC KDB Publication 865664 D01v01r04 and IEEE 1528-2013. Since SAR probe calibrations are frequency dependent, each probe calibration point was validated at a frequency within the valid frequency range of the probe calibration point, using the system that normally operates with the probe for routine SAR measurements and according to the required tissue-equivalent media.

A tabulated summary of the system validation status including the validation date(s), measurement frequencies, SAR probes and tissue dielectric parameters has been included.

Table D-1
SAR System Validation Summary – 1g

SAR SYSTEM #	FREQ. [MHz]	DATE	PROBE SN	PROBE CAL. POINT	COND.	PERM.	CW VALIDATION			MOD. VALIDATION		
					(σ)	(ε _r)	SENSITIVITY	PROBE LINEARITY	PROBE ISOTROPY	MOD. TYPE	DUTY FACTOR	PAR
P	750	10/1/2019	7551	750	Head	0.904	41.462	PASS	PASS	PASS	N/A	N/A
P	835	10/1/2019	7551	835	Head	0.918	41.18	PASS	PASS	PASS	PASS	N/A
E	835	9/20/2019	7417	835	Head	0.912	43.45	PASS	PASS	PASS	PASS	N/A
G	1750	9/20/2019	7409	1750	Head	1.373	40.44	PASS	PASS	PASS	N/A	N/A
P	1750	10/2/2019	7551	1750	Head	1.345	39.45	PASS	PASS	PASS	N/A	N/A
D	1900	5/20/2019	3914	1900	Head	1.454	40.608	PASS	PASS	PASS	PASS	N/A
P	1900	10/2/2019	7551	1900	Head	1.444	39.26	PASS	PASS	PASS	PASS	N/A
E	2300	9/6/2019	7417	2300	Head	1.737	39.748	PASS	PASS	PASS	N/A	N/A
E	2450	9/5/2019	7417	2450	Head	1.855	39.542	PASS	PASS	PASS	OFDM/TDD	PASS
E	2600	9/5/2019	7417	2600	Head	1.979	39.302	PASS	PASS	PASS	TDD	PASS
H	3500	12/5/2019	3589	3500	Head	2.778	39.596	PASS	PASS	PASS	TDD	PASS
H	3700	12/5/2019	3589	3700	Head	2.973	39.247	PASS	PASS	PASS	TDD	PASS
H	5250	6/10/2019	7406	5250	Head	4.590	36.819	PASS	PASS	PASS	OFDM	PASS
H	5600	6/10/2019	7406	5600	Head	4.978	34.167	PASS	PASS	PASS	OFDM	PASS
H	5750	6/10/2019	7406	5750	Head	5.15	33.901	PASS	PASS	PASS	OFDM	PASS
L	750	8/20/2019	7410	750	Body	0.941	54.921	PASS	PASS	PASS	N/A	N/A
I	835	10/8/2019	7357	835	Body	0.957	54.363	PASS	PASS	PASS	GMSK	PASS
J	1750	2/7/2019	7488	1750	Body	1.509	51.017	PASS	PASS	PASS	N/A	N/A
G	1750	7/11/2019	7409	1750	Body	1.445	53.92	PASS	PASS	PASS	N/A	N/A
I	1750	5/21/2019	7357	1750	Body	1.442	55.384	PASS	PASS	PASS	N/A	N/A
H	1900	10/2/2019	7406	1900	Body	1.577	52.464	PASS	PASS	PASS	GMSK	PASS
J	1900	10/7/2019	7488	1900	Body	1.555	51.08	PASS	PASS	PASS	GMSK	PASS
K	2300	9/5/2019	7547	2300	Body	1.893	52.45	PASS	PASS	PASS	N/A	N/A
L	2450	8/15/2019	7410	2450	Body	2.018	52.505	PASS	PASS	PASS	OFDM/TDD	PASS
K	2450	9/6/2019	7547	2450	Body	1.996	51.898	PASS	PASS	PASS	OFDM/TDD	PASS
K	2600	9/5/2019	7547	2600	Body	2.716	52.04	PASS	PASS	PASS	TDD	PASS
D	3500	6/12/2019	3914	3500	Body	3.377	51.09	PASS	PASS	PASS	TDD	PASS
D	3700	6/12/2019	3914	3700	Body	3.593	50.776	PASS	PASS	PASS	TDD	PASS
G	5250	10/4/2019	7409	5250	Body	5.223	47.07	PASS	PASS	PASS	OFDM	PASS
G	5600	10/7/2019	7409	5600	Body	5.884	47.08	PASS	PASS	PASS	OFDM	PASS
G	5750	10/7/2019	7409	5750	Body	6.111	46.78	PASS	PASS	PASS	OFDM	PASS

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX D: Page 1 of 2

Table D-2
SAR System Validation Summary – 10g

SAR SYSTEM #	FREQ. [MHz]	DATE	PROBE SN	PROBE CAL. POINT	COND.	PERM.	CW VALIDATION			MOD. VALIDATION		
					(σ)	(ε _r)	SENSITIVITY	PROBE LINEARITY	PROBE ISOTROPY	MOD. TYPE	DUTY FACTOR	PAR
I	1750	5/21/2019	7357	1750	Body	1.442	55.384	PASS	PASS	PASS	N/A	N/A
J	1900	10/7/2019	7488	1900	Body	1.555	51.08	PASS	PASS	PASS	GMSK	PASS
K	2300	9/5/2019	7547	2300	Body	1.893	52.45	PASS	PASS	PASS	N/A	N/A
K	2450	9/6/2019	7547	2450	Body	1.996	51.898	PASS	PASS	PASS	OFDM/TDD	PASS
K	2600	9/5/2019	7547	2600	Body	2.716	52.04	PASS	PASS	PASS	TDD	PASS
G	5250	10/4/2019	7409	5250	Body	5.223	47.07	PASS	PASS	PASS	OFDM	N/A
G	5600	10/7/2019	7409	5600	Body	5.884	47.08	PASS	PASS	PASS	OFDM	N/A
G	5750	10/7/2019	7409	5750	Body	6.111	46.78	PASS	PASS	PASS	OFDM	N/A

NOTE: While the probes have been calibrated for both CW and modulated signals, all measurements were performed using communication systems calibrated for CW signals only. Modulations in the table above represent test configurations for which the measurement system has been validated per FCC KDB Publication 865664 D01v01r04 for scenarios when CW probe calibrations are used with other signal types. SAR systems were validated for modulated signals with a periodic duty cycle, such as GMSK, or with a high peak to average ratio (>5 dB), such as OFDM according to FCC KDB Publication 865664 D01v01r04.

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Approved by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX D: Page 2 of 2

APPENDIX F: DOWNLINK LTE CA RF CONDUCTED POWERS

1.1 LTE Downlink Only Carrier Aggregation Test Reduction Methodology

SAR test exclusion for LTE downlink Carrier Aggregation is determined by power measurements according to the number of component carriers (CCs) supported by the product implementation. Per April 2018 TCBC Workshop Notes, the following test reduction methodology was applied to determine the combinations required for conducted power measurements.

LTE DLCA Test Reduction Methodology:

- The supported combinations were arranged by the number of component carriers in columns.
- Any limitations on the PCC or SCC for each combination were identified alongside the combination (e.g. CA_2A-2A-4A-12A, but B12 can only be configured as a SCC).
- Power measurements were performed for "supersets" (LTE CA combinations with multiple components carriers) and any "subsets" (LTE CA combinations with fewer component carriers) that were not completely covered by the supersets.
- Only subsets that have the exact same components as a superset were excluded for measurement.
- When there were certain restrictions on component carriers that existed in the superset that were not applied for the subset, the subset configuration was additionally evaluated.
- Both inter-band and intra-band downlink carrier aggregation scenarios were considered.
- Downlink CA combinations for SISO and 4x4 Downlink MIMO operations were measured independently, per May 2017 TCBC Workshop notes.

Table 1 – Example of Exclusion Table for SISO Configurations

Index	ACC	Supported Channel Bandwidth (MHz)	Restriction	Completely Covered by Measurement Superset
ACC #1	CA [2A]	5, 10, 15, 20	None	Yes
ACC #2	CA [2A]	5, 10, 15, 20	None	Yes
ACC #3	CA [2A]	5, 10, 15, 20	None	Yes
ACC #4	CA [2A]	5, 10, 15, 20	None	Yes
ACC #5	CA [2A]	5, 10, 15, 20	None	Yes
ACC #6	CA [2A]	5, 10, 15, 20	None	Yes
ACC #7	CA [2A]	5, 10, 15, 20	None	Yes
ACC #8	CA [2A]	5, 10, 15, 20	None	Yes
ACC #9	CA [2A]	5, 10, 15, 20	None	Yes
ACC #10	CA [2A]	5, 10, 15, 20	None	Yes
ACC #11	CA [2A]	5, 10, 15, 20	None	Yes
ACC #12	CA [2A]	5, 10, 15, 20	None	Yes
ACC #13	CA [2A]	5, 10, 15, 20	None	Yes
ACC #14	CA [2A]	5, 10, 15, 20	None	Yes
ACC #15	CA [2A]	5, 10, 15, 20	None	Yes
ACC #16	CA [2A]	5, 10, 15, 20	None	Yes
ACC #17	CA [2A]	5, 10, 15, 20	None	Yes
ACC #18	CA [2A]	5, 10, 15, 20	None	Yes
ACC #19	CA [2A]	5, 10, 15, 20	None	Yes
ACC #20	CA [2A]	5, 10, 15, 20	None	Yes
ACC #21	CA [2A]	5, 10, 15, 20	None	Yes
ACC #22	CA [2A]	5, 10, 15, 20	None	Yes
ACC #23	CA [2A]	5, 10, 15, 20	None	Yes
ACC #24	CA [2A]	5, 10, 15, 20	None	Yes
ACC #25	CA [2A]	5, 10, 15, 20	None	Yes
ACC #26	CA [2A]	5, 10, 15, 20	None	Yes
ACC #27	CA [2A]	5, 10, 15, 20	None	Yes
ACC #28	CA [2A]	5, 10, 15, 20	None	Yes
ACC #29	CA [2A]	5, 10, 15, 20	None	Yes
ACC #30	CA [2A]	5, 10, 15, 20	None	Yes
ACC #31	CA [2A]	5, 10, 15, 20	None	Yes
ACC #32	CA [2A]	5, 10, 15, 20	None	Yes
ACC #33	CA [2A]	5, 10, 15, 20	None	Yes
ACC #34	CA [2A]	5, 10, 15, 20	None	Yes
ACC #35	CA [2A]	5, 10, 15, 20	None	Yes
ACC #36	CA [2A]	5, 10, 15, 20	None	Yes
ACC #37	CA [2A]	5, 10, 15, 20	None	Yes
ACC #38	CA [2A]	5, 10, 15, 20	None	Yes
ACC #39	CA [2A]	5, 10, 15, 20	None	Yes
ACC #40	CA [2A]	5, 10, 15, 20	None	Yes
ACC #41	CA [2A]	5, 10, 15, 20	None	Yes
ACC #42	CA [2A]	5, 10, 15, 20	None	Yes
ACC #43	CA [2A]	5, 10, 15, 20	None	Yes
ACC #44	CA [2A]	5, 10, 15, 20	None	Yes
ACC #45	CA [2A]	5, 10, 15, 20	None	Yes
ACC #46	CA [2A]	5, 10, 15, 20	None	Yes
ACC #47	CA [2A]	5, 10, 15, 20	None	Yes
ACC #48	CA [2A]	5, 10, 15, 20	None	Yes
ACC #49	CA [2A]	5, 10, 15, 20	None	Yes
ACC #50	CA [2A]	5, 10, 15, 20	None	Yes
ACC #51	CA [2A]	5, 10, 15, 20	None	Yes
ACC #52	CA [2A]	5, 10, 15, 20	None	Yes
ACC #53	CA [2A]	5, 10, 15, 20	None	Yes
ACC #54	CA [2A]	5, 10, 15, 20	None	Yes
ACC #55	CA [2A]	5, 10, 15, 20	None	Yes
ACC #56	CA [2A]	5, 10, 15, 20	None	Yes
ACC #57	CA [2A]	5, 10, 15, 20	None	Yes
ACC #58	CA [2A]	5, 10, 15, 20	None	Yes
ACC #59	CA [2A]	5, 10, 15, 20	None	Yes
ACC #60	CA [2A]	5, 10, 15, 20	None	Yes
ACC #61	CA [2A]	5, 10, 15, 20	None	Yes
ACC #62	CA [2A]	5, 10, 15, 20	None	Yes
ACC #63	CA [2A]	5, 10, 15, 20	None	Yes
ACC #64	CA [2A]	5, 10, 15, 20	None	Yes
ACC #65	CA [2A]	5, 10, 15, 20	None	Yes
ACC #66	CA [2A]	5, 10, 15, 20	None	Yes
ACC #67	CA [2A]	5, 10, 15, 20	None	Yes
ACC #68	CA [2A]	5, 10, 15, 20	None	Yes
ACC #69	CA [2A]	5, 10, 15, 20	None	Yes
ACC #70	CA [2A]	5, 10, 15, 20	None	Yes
ACC #71	CA [2A]	5, 10, 15, 20	None	Yes
ACC #72	CA [2A]	5, 10, 15, 20	None	Yes
ACC #73	CA [2A]	5, 10, 15, 20	None	Yes
ACC #74	CA [2A]	5, 10, 15, 20	None	Yes
ACC #75	CA [2A]	5, 10, 15, 20	None	Yes
ACC #76	CA [2A]	5, 10, 15, 20	None	Yes
ACC #77	CA [2A]	5, 10, 15, 20	None	Yes
ACC #78	CA [2A]	5, 10, 15, 20	None	Yes
ACC #79	CA [2A]	5, 10, 15, 20	None	Yes
ACC #80	CA [2A]	5, 10, 15, 20	None	Yes
ACC #81	CA [2A]	5, 10, 15, 20	None	Yes
ACC #82	CA [2A]	5, 10, 15, 20	None	Yes
ACC #83	CA [2A]	5, 10, 15, 20	None	Yes
ACC #84	CA [2A]	5, 10, 15, 20	None	Yes
ACC #85	CA [2A]	5, 10, 15, 20	None	Yes
ACC #86	CA [2A]	5, 10, 15, 20	None	Yes
ACC #87	CA [2A]	5, 10, 15, 20	None	Yes
ACC #88	CA [2A]	5, 10, 15, 20	None	Yes
ACC #89	CA [2A]	5, 10, 15, 20	None	Yes
ACC #90	CA [2A]	5, 10, 15, 20	None	Yes
ACC #91	CA [2A]	5, 10, 15, 20	None	Yes
ACC #92	CA [2A]	5, 10, 15, 20	None	Yes
ACC #93	CA [2A]	5, 10, 15, 20	None	Yes
ACC #94	CA [2A]	5, 10, 15, 20	None	Yes
ACC #95	CA [2A]	5, 10, 15, 20	None	Yes
ACC #96	CA [2A]	5, 10, 15, 20	None	Yes
ACC #97	CA [2A]	5, 10, 15, 20	None	Yes
ACC #98	CA [2A]	5, 10, 15, 20	None	Yes
ACC #99	CA [2A]	5, 10, 15, 20	None	Yes
ACC #100	CA [2A]	5, 10, 15, 20	None	Yes

Table 2 – Example of Exclusion Table for 4x4 Downlink MIMO Configurations

Index	ACC	Supported Channel Bandwidth (MHz)	Restriction	Completely Covered by Measurement Superset
ACC #1	CA [2A]	5, 10, 15, 20	None	Yes
ACC #2	CA [2A]	5, 10, 15, 20	None	Yes
ACC #3	CA [2A]	5, 10, 15, 20	None	Yes
ACC #4	CA [2A]	5, 10, 15, 20	None	Yes
ACC #5	CA [2A]	5, 10, 15, 20	None	Yes
ACC #6	CA [2A]	5, 10, 15, 20	None	Yes
ACC #7	CA [2A]	5, 10, 15, 20	None	Yes
ACC #8	CA [2A]	5, 10, 15, 20	None	Yes
ACC #9	CA [2A]	5, 10, 15, 20	None	Yes
ACC #10	CA [2A]	5, 10, 15, 20	None	Yes
ACC #11	CA [2A]	5, 10, 15, 20	None	Yes
ACC #12	CA [2A]	5, 10, 15, 20	None	Yes
ACC #13	CA [2A]	5, 10, 15, 20	None	Yes
ACC #14	CA [2A]	5, 10, 15, 20	None	Yes
ACC #15	CA [2A]	5, 10, 15, 20	None	Yes
ACC #16	CA [2A]	5, 10, 15, 20	None	Yes
ACC #17	CA [2A]	5, 10, 15, 20	None	Yes
ACC #18	CA [2A]	5, 10, 15, 20	None	Yes
ACC #19	CA [2A]	5, 10, 15, 20	None	Yes
ACC #20	CA [2A]	5, 10, 15, 20	None	Yes
ACC #21	CA [2A]	5, 10, 15, 20	None	Yes
ACC #22	CA [2A]	5, 10, 15, 20	None	Yes
ACC #23	CA [2A]	5, 10, 15, 20	None	Yes
ACC #24	CA [2A]	5, 10, 15, 20	None	Yes
ACC #25	CA [2A]	5, 10, 15, 20	None	Yes
ACC #26	CA [2A]	5, 10, 15, 20	None	Yes
ACC #27	CA [2A]	5, 10, 15, 20	None	Yes
ACC #28	CA [2A]	5, 10, 15, 20	None	Yes
ACC #29	CA [2A]	5, 10, 15, 20	None	Yes
ACC #30	CA [2A]	5, 10, 15, 20	None	Yes
ACC #31	CA [2A]	5, 10, 15, 20	None	Yes
ACC #32	CA [2A]	5, 10, 15, 20	None	Yes
ACC #33	CA [2A]	5, 10, 15, 20	None	Yes
ACC #34	CA [2A]	5, 10, 15, 20	None	Yes
ACC #35	CA [2A]	5, 10, 15, 20	None	Yes
ACC #36	CA [2A]	5, 10, 15, 20	None	Yes
ACC #37	CA [2A]	5, 10, 15, 20	None	Yes
ACC #38	CA [2A]	5, 10, 15, 20	None	Yes
ACC #39	CA [2A]	5, 10, 15, 20	None	Yes
ACC #40	CA [2A]	5, 10, 15, 20	None	Yes
ACC #41	CA [2A]	5, 10, 15, 20	None	Yes
ACC #42	CA [2A]	5, 10, 15, 20	None	Yes
ACC #43	CA [2A]	5, 10, 15, 20	None	Yes
ACC #44	CA [2A]	5, 10, 15, 20	None	Yes
ACC #45	CA [2A]	5, 10, 15, 20	None	Yes
ACC #46	CA [2A]	5, 10, 15, 20	None	Yes
ACC #47	CA [2A]	5, 10, 15, 20	None	Yes
ACC #48	CA [2A]	5, 10, 15, 20	None	Yes
ACC #49	CA [2A]	5, 10, 15, 20	None	Yes
ACC #50	CA [2A]	5, 10, 15, 20	None	Yes
ACC #51	CA [2A]	5, 10, 15, 20	None	Yes
ACC #52	CA [2A]	5, 10, 15, 20	None	Yes
ACC #53	CA [2A]	5, 10, 15, 20	None	Yes
ACC #54	CA [2A]	5, 10, 15, 20	None	Yes
ACC #55	CA [2A]	5, 10, 15, 20	None	Yes
ACC #56	CA [2A]	5, 10, 15, 20	None	Yes
ACC #57	CA [2A]	5, 10, 15, 20	None	Yes
ACC #58	CA [2A]	5, 10, 15, 20	None	Yes
ACC #59	CA [2A]	5, 10, 15, 20	None	Yes
ACC #60	CA [2A]	5, 10, 15, 20	None	Yes
ACC #61	CA [2A]	5, 10, 15, 20	None	Yes
ACC #62	CA [2A]	5, 10, 15, 20	None	Yes
ACC #63	CA [2A]	5, 10, 15, 20	None	Yes
ACC #64	CA [2A]	5, 10, 15, 20	None	Yes
ACC #65	CA [2A]	5, 10, 15, 20	None	Yes
ACC #66	CA [2A]	5, 10, 15, 20	None	Yes
ACC #67	CA [2A]	5, 10, 15, 20	None	Yes
ACC #68	CA [2A]	5, 10, 15, 20	None	Yes
ACC #69	CA [2A]	5, 10, 15, 20	None	Yes
ACC #70	CA [2A]	5, 10, 15, 20	None	Yes
ACC #71	CA [2A]	5, 10, 15, 20	None	Yes
ACC #72	CA [2A]	5, 10, 15, 20	None	Yes
ACC #73	CA [2A]	5, 10, 15, 20	None	Yes
ACC #74	CA [2A]	5, 10, 15, 20	None	Yes
ACC #75	CA [2A]	5, 10, 15, 20	None	Yes
ACC #76	CA [2A]	5, 10, 15, 20	None	Yes
ACC #77	CA [2A]	5, 10, 15, 20	None	Yes
ACC #78	CA [2A]	5, 10, 15, 20	None	Yes
ACC #79	CA [2A]	5, 10, 15, 20	None	Yes
ACC #80	CA [2A]	5, 10, 15, 20	None	Yes
ACC #81	CA [2A]	5, 10, 15, 20	None	Yes
ACC #82	CA [2A]	5, 10, 15, 20	None	Yes
ACC #83	CA [2A]	5, 10, 15, 20	None	Yes
ACC #84	CA [2A]	5, 10, 15, 20	None	Yes
ACC #85	CA [2A]	5, 10, 15, 20	None	Yes
ACC #86	CA [2A]	5, 10, 15, 20	None	Yes
ACC #87	CA [2A]	5, 10, 15, 20	None	Yes
ACC #88	CA [2A]	5, 10, 15, 20	None	Yes
ACC #89	CA [2A]	5, 10, 15, 20	None	Yes
ACC #90	CA [2A]	5, 10, 15, 20	None	Yes
ACC #91	CA [2A]	5, 10, 15, 20	None	Yes
ACC #92	CA [2A]	5, 10, 15, 20	None	Yes
ACC #93	CA [2A]	5, 10, 15, 20	None	Yes
ACC #94	CA [2A]	5, 10, 15, 20	None	Yes
ACC #95	CA [2A]	5, 10, 15, 20	None	Yes
ACC #96	CA [2A]	5, 10, 15, 20	None	Yes
ACC #97	CA [2A]	5, 10, 15, 20	None	Yes
ACC #98	CA [2A]	5, 10, 15, 20	None	Yes
ACC #99	CA [2A]	5, 10, 15, 20	None	Yes
ACC #100	CA [2A]	5, 10, 15, 20	None	Yes

Note: [CC] indicates component carrier with 4x4 DL MIMO antenna configuration

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX F: Page 1 of 21

1.2 LTE Downlink Only Carrier Aggregation Test Selection and Setup

SAR test exclusion for LTE downlink Carrier Aggregation is determined by power measurements according to the number component carriers (CCs) supported by the product implementation. For those configurations required by April 2018 TCBC Workshop Notes, conducted power measurements with LTE Carrier Aggregation (CA) (downlink only) active are made in accordance to KDB Publication 941225 D05Av01r02. The RRC connection is only handled by one cell, the primary component carrier (PCC) for downlink and uplink communications. After making a data connection to the PCC, the UE device adds secondary component carrier(s) (SCC) on the downlink only. All uplink communications and acknowledgements remain identical to specifications when downlink carrier aggregation is inactive on the PCC. Additional conducted output powers are measured with the downlink carrier aggregation active for the configuration with highest measured maximum conducted power with downlink carrier aggregation inactive measured among the channel bandwidth, modulation, and RB combinations in each frequency band.

This device supports LAA with downlink carrier aggregation only. It uses carrier aggregation in the downlink to combine LTE in the unlicensed spectrum (i.e. LTE Band 46) with LTE in the licensed band (served as PCC). All uplink communications and acknowledgements on the PCC remain identical to specifications when downlink carrier aggregation is inactive.

Per FCC KDB Publication 941225 D05Av01r02, no SAR measurements are required for carrier aggregation configurations when the maximum average output power with downlink only carrier aggregation active is not more than 0.25 dB higher than the average output power with downlink only carrier aggregation inactive. All bands required for SAR testing per FCC KDB procedures were considered. Based on the measured maximum powers below, no additional SAR tests were required for DLCA SAR configurations.

General PCC and SCC configuration selection procedure

- PCC uplink channel, channel bandwidth, modulation and RB configurations were selected based on section C)3)b)ii) of KDB 941225 D05 V01r02. The downlink PCC channel was paired with the selected PCC uplink channel according to normal configurations without carrier aggregation.
- To maximize aggregated bandwidth, highest channel bandwidth available for that CA combination was selected for SCC. For inter-band CA, the SCC downlink channels were selected near the middle of their transmission bands. For contiguous intra-band CA, the downlink channel spacing between the component carriers was set to multiple of 300 kHz less than the nominal channel spacing defined in section 5.4.1A of 3GPP TS 36.521. For non-contiguous intra-band CA, the downlink channel spacing between the component carriers was set to be larger than the nominal channel spacing and provided maximum separation between the component carriers.
- All selected PCC and SCC(s) remained fully within the uplink/downlink transmission band of the respective component carrier.




Figure 1
DL CA Power Measurement Setup

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX F: Page 2 of 21




Figure 2
DL CA with DL 4x4 MIMO Power Measurement Setup

1.3 Downlink Carrier Aggregation RF Conducted Powers

1.3.1 LTE Band 71 as PCC

Table 1
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC				SCC 1				SCC 2				SCC 3				Power			
				PCC (UL) Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]	
CA 4A-4A-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B4	20	2175	2132.5	LTE B4	10	2350	2150	-	-	-	-	24.34	24.36
CA 4B-4B-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B48	20	55990	3625	LTE B48	20	56540	3690	-	-	-	-	24.26	24.36
CA 4B-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B48	20	55990	3625	LTE B48	20	56188	3644.8	-	-	-	-	24.27	24.36
CA 2A-2A-4A-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B4	20	2175	2132.5	24.38	24.36
CA 2A-2A-6B-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B66	20	66786	2145	24.32	24.36
CA 2A-6B-6B-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	LTE B66	20	67236	2150	24.31	24.36
CA 2A-6C-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	LTE B66	20	66984	2164.8	24.38	24.36

1.3.2 LTE Band 12 as PCC

Table 2
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Ch.	PCC (UL) Freq. [MHz]	PCC				SCC 1				SCC 2				SCC 3				Power		
					Mod.	PCC UL RB	PCC UL RB Offset	PCC (DL) Channel	PCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC (DL) Channel	SCC (DL) Freq. [MHz]	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)
CA 2A-12A (1)	LTE B12	3	23165	714.5	QPSK	1	14	5165	744.5	LTE B2	20	900	1960	-	-	-	-	-	-	-	-	24.39	24.20
CA 4A-12A (1)	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B4	20	2175	2132.5	-	-	-	-	-	-	-	-	24.25	24.17
CA 4A-12A (2)	LTE B12	3	23165	714.5	QPSK	1	14	5165	744.5	LTE B4	20	2175	2132.5	-	-	-	-	-	-	-	-	24.36	24.20
CA 12A-6B (1)	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B66	20	66786	2145	-	-	-	-	-	-	-	-	24.27	24.17
CA 12A-6B (2)	LTE B12	3	23165	714.5	QPSK	1	14	5165	744.5	LTE B66	20	66786	2145	-	-	-	-	-	-	-	-	24.23	24.20
CA 12A-4B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B46	20	50665	5537.5	-	-	-	-	-	-	-	-	24.26	24.17
CA 4A-4A-12A	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B4	20	2175	2132.5	LTE B4	10	2350	2150	-	-	-	-	24.33	24.17
CA 12A-4B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B46	20	50665	5537.5	LTE B46	20	50467	5517.7	-	-	-	-	24.25	24.17
CA 2A-2A-4A-12A	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B4	20	2175	2132.5	24.29	24.17
CA 2A-2A-7A-12A	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B7	20	3000	2655	24.19	24.17
CA 2A-2A-12B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B12	10	5107	738.7	LTE B2	20	900	1960	LTE B2	20	700	1940	24.26	24.17
CA 2A-2A-12A-3B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B30	10	9820	2355	24.25	24.17
CA 2A-2A-12A-6B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B66	20	66786	2145	24.28	24.17
CA 2A-7A-12B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B12	10	5107	738.7	LTE B2	20	900	1960	LTE B7	20	3000	2655	24.19	24.17
CA 2A-12A-6B-6B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	LTE B66	20	67236	2150	24.31	24.17
CA 2A-12A-6C	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B2	20	900	1960	LTE B66	20	66786	2145	LTE B66	20	66984	2164.8	24.24	24.17
CA 12A-4B	LTE B12	5	23035	701.5	QPSK	1	12	5035	731.5	LTE B46	20	50665	5537.5	LTE B46	20	50467	5517.7	LTE B46	20	50863	5557.3	24.14	24.17

FCC ID: A3LSMG981U		SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX F: Page 3 of 21

1.3.3 LTE Band 13 as PCC

Table 3
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC										SSC1		SSC2		SSC3		SSC4		SSC5		Power				
			PCC [3G] Ch	PCC [3G] Freq. [MHz]	Mod.	PCC LAR RB	PCC RB Offset	PCC [3G] Channel	PCC [3G] Freq. [MHz]	SSC Band	SSC BW [MHz]	PCC [3G] Channel	SSC [3G] Freq. [MHz]	SSC Band	SSC BW [MHz]	PCC [3G] Channel	SSC [3G] Freq. [MHz]	SSC Band	SSC BW [MHz]	PCC [3G] Channel	SSC [3G] Freq. [MHz]	SSC Band	SSC BW [MHz]	SSC [3G] Channel	SSC [3G] Freq. [MHz]	UL Tx Power [dBm]	LTE Single Carrier Tx Power [dBm]
CA 2A-4A-33A	LTE-B13	5	25000	782	QPSK	1	0	5200	751	LTE-B13	20	5000	1378-B4	20	2175	2333.5	-	-	-	-	-	-	-	-	-	-	-
CA 2A-4A-33A	LTE-B13	5	25000	782	QPSK	1	0	5200	751	LTE-B13	20	2175	2333.5	LTE-B4	10	2500	2352	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-4A-66A	LTE-B13	5	25000	782	QPSK	1	0	5200	751	LTE-B13	20	5000	1378-B4	20	2175	2333.5	-	-	-	-	-	-	-	-	-	-	-
CA 13A-44A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B4	20	5000	1537-B6	20	6600	1545	-	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 13A-44A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 13A-44A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B4	20	5000	1537-B6	20	6600	1545	-	-	-	-	-	-	-	-	-	-	-
CA 13A-44A-66C	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B4	20	5000	1537-B6	20	6600	1545	-	-	-	-	-	-	-	-	-	-	-
CA 13A-44C-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B4	20	5000	1537-B6	20	6600	1545	-	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-	-	-	-	-	-
CA 2A-33A-66A	LTE-B13	5	25000	782	QPSK	1	12	5200	751	LTE-B2	20	5000	1360	1378-B6	20	6670	1345	-	-	-	-	-					

1.3.4 LTE Band 14 as PCC

Table 4
Maximum Output Powers

Combination	PCC								SCC 1				SCC 2				SCC 3				SCC 4				Power		
	PCC Band	PCC BW [MHz]	PCC [UL] Ch	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq [MHz]	LTE Tx Power with CA (dBm)	LTE Single Carrier Tx Power (dBm)	
CA_2A-2A-34A-34A-66A	LTE B14	5	23330	793	QPSK	1	0	5330	763	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B30	10	1920	2355	LTE B56	20	66786	2345	24.7	24.8
CA_2A-2A-14A-66A-66A	LTE B14	5	23330	793	QPSK	1	0	5330	763	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B30	10	1920	2355	LTE B56	20	66786	2345	24.7	24.8
CA_2A-2A-14A-66A-66A	LTE B14	5	23330	793	QPSK	1	0	5330	763	LTE B2	20	900	1960	LTE B2	20	700	1940	LTE B30	10	1920	2355	LTE B56	20	66786	2345	24.7	24.8

1.3.5 LTE Band 5 as PCC

Table 5
Maximum Output Powers

[illegible]

1.3.6 LTE Band 26 as PCC

Table 6
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC					SCC Band	SCC 1			SCC 2			Power				
			PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL# Offset		PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]
CA 25A-26A	LTE B26	10	26740	B19	QPSK	1	49	8740	864	LTE B25	20	8365	1962.5				34.44	34.45	
CA 25A-25A-26A	LTE B26	3	26895	831.5	QPSK	1	7	8895	876.5	LTE B25	20	8365	1962.5	LTE B25	20	8590	1985	34.22	34.29
CA 25A-41C	LTE B26	10	26740	B19	QPSK	1	49	8740	864	LTE B41	20	40620	2593	LTE B41	20	40620	2573.2	34.56	34.55
CA 25A-26A-41A	LTE B26	10	26740	B19	QPSK	1	49	8740	864	LTE B25	20	8365	1982.5	LTE B41	20	40620	2593	34.56	34.29

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 4 of 21		

1.3.7 LTE Band 66 as PCC

Table 7
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U	 PCTEST PROFESIONAL COMMUNICATIONS TESTING	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 5 of 21		

1.3.11 LTE Band 7 as PCC

Table 11
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC 1				SCC 2				SCC 3				SCC 4				Power			
										SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]		
CA 3A-7A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B6	10	2525	881.5	-	-	-	-	-	-	-	-	-	-	-	-	-	23.71	23.72	
CA 7A-6A (1)	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B46	20	50655	8537.5	-	-	-	-	-	-	-	-	-	-	-	-	-	23.66	23.72	
CA 4A-4A-7A (1)	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B4	20	2175	2132.5	LTE B4	10	2350	2350	-	-	-	-	-	-	-	-	-	-	23.68	23.72
CA 7A-4B (1)	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B46	20	50655	8537.5	LTE B46	20	50467	8517.7	-	-	-	-	-	-	-	-	-	23.66	23.72	
CA 2A-2A-7A-12A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B2	20	700	1040	LTE B12	10	5095	737.5	-	-	-	-	-	-	23.74	23.72
CA 2A-2A-7A-12A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B2	20	800	1090	LTE B4	20	2375	2332.5	-	-	-	-	-	-	23.76	23.72
CA 2A-7A-7C	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B7	20	2595	2544.6	LTE B2	20	800	1090	LTE B4	20	2375	2332.5	-	-	-	-	-	-	23.68	23.72
CA 2A-2A-7A-12A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B4	20	2375	2332.5	LTE B12	10	5095	737.5	-	-	-	-	-	-	23.83	23.72
CA 2A-7A-12B	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B12	5	6055	737.5	LTE B12	5	5095	732.5	-	-	-	-	-	-	23.66	23.72
CA 2A-7A-6A-6A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B66	20	66768	2345	LTE B66	20	67236	2390	-	-	-	-	-	-	23.68	23.72
CA 7A-4B (1)	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B46	20	50655	8537.5	LTE B46	20	50467	8517.7	LTE B46	20	50363	8507.3	-	-	-	-	-	-	23.67	23.72
CA 2A-2A-7A-12A-6A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B2	20	700	1040	LTE B12	10	5095	737.5	LTE B66	20	66768	2345	23.78	23.72		
CA 2A-7A-12B-6A	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B2	20	800	1090	LTE B12	5	5055	737.5	LTE B12	5	5047	732.5	LTE B66	20	66768	2345	23.76	23.72		
CA 7A-4B	LTE B7	15	20825	2507.5	QPSK	1	74	2825	2627.5	LTE B46	20	50655	8537.5	LTE B46	20	50467	8517.7	LTE B46	20	50363	8507.3	-	-	-	-	-	-	23.67	23.72

1.3.12 LTE Band 41 PC3 as PCC

Table 12
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC										SCC 1				SCC 2				SCC 3				SCC 4				Power	
			PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]			
CA 41A-41A (1)	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	41490	2690	-	-	-	-	-	-	-	-	-	-	-	-	-	24.17	24.42		
CA 41A-41C	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	41292	2660.2	LTE B41	20	41490	2690	-	-	-	-	-	-	-	-	-	24.18	24.42		
CA 41C-41A	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40791	2610.1	LTE B41	20	41490	2690	-	-	-	-	-	-	-	-	-	24.17	24.42		
CA 41A-41D	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	41094	2640.4	LTE B41	20	41292	2660.2	LTE B41	20	41490	2690	-	-	-	-	-	24.16	24.42		
CA 41D-41A	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40449	2575.9	LTE B41	20	40791	2610.1	LTE B41	20	41490	2690	-	-	-	-	-	24.15	24.42		
CA 41C-41C	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40449	2575.9	LTE B41	20	41292	2660.2	LTE B41	20	41490	2690	-	-	-	-	-	24.17	24.42		
CA 41C	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40449	2575.9	LTE B41	20	40449	2575.9	LTE B41	20	40449	2575.9	-	-	-	-	-	24.14	24.42		
CA 41C-41D	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40449	2575.9	LTE B41	20	41094	2640.4	LTE B41	20	41292	2660.2	LTE B41	20	41490	2690	24.15	24.42			
CA 41D-41C	LTE B41	15	40620	2593	QPSK	1	35	40620	2593	LTE B41	20	40449	2575.9	LTE B41	20	40791	2610.1	LTE B41	20	41292	2660.2	LTE B41	20	41490	2690	24.14	24.42			

1.3.13 LTE Band 41 PC2 as PCC

Table 13
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC				PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC 1				SCC 2				SCC 3				SCC 4				LTE Tx Power with DL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]
				Mod.	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC BW [MHz]						SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]				
CA 41A-41A (1)	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	41490	2690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA 41A-41C	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2690	-	-	-	-	-	-	-	-	-	-	-	-	
CA 41C-41A	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40791	2610.1	LTE B41 PC2	20	39750	2506	-	-	-	-	-	-	-	-	-	-	-	-	
CA 41A-41D	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	41094	2640.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2690	-	-	-	-	-	-	-	-	
CA 41D-41A	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40449	2575.9	LTE B41 PC2	20	40791	2610.1	LTE B41 PC2	20	41490	2690	-	-	-	-	-	-	-	-	
CA 41C-41C	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40449	2575.9	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2690	-	-	-	-	-	-	-	-	
CA 41C	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40449	2575.9	LTE B41 PC2	20	40791	2610.1	LTE B41 PC2	20	40989	2629.9	-	-	-	-	-	-	-	-	
CA 41D-41C	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40449	2575.9	LTE B41 PC2	20	41094	2640.4	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2690	24.91	25.91			
CA 41D	LTE B41 PC2	15	40620	2593	QPSK	1	0	40620	2593	LTE B41 PC2	20	40449	2575.9	LTE B41 PC2	20	40791	2610.1	LTE B41 PC2	20	41292	2660.2	LTE B41 PC2	20	41490	2690	24.89	25.91			

1.3.14 LTE Band 48 as PCC

Table 14
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC					SCC 1				SCC 2				SCC 3				SCC 4				Power				
			PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Channel	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [DL] Channel	SCC [DL] Freq. [MHz]	LTE Tx Power with CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]	
CA 48A-48A	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55340	3590	-	-	-	-	-	-	-	-	-	-	-	-	-	22.97	22.99
CA 48A-48B	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55338	3579.8	LTE B48	20	55340	3590	-	-	-	-	-	-	-	-	-	22.92	22.99
CA 48C-48A	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55642	3675.2	LTE B48	20	55340	3590	-	-	-	-	-	-	-	-	-	22.93	22.99
CA 48A-48D	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55340	3590	LTE B48	20	55638	3679.8	LTE B48	20	55736	3699.6	-	-	-	-	-	22.88	22.99
CA 48D-48A	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3690.8	LTE B48	20	55340	3590	LTE B48	20	55640	3690.8	-	-	-	-	-	22.88	22.99
CA 48C-48C	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3690.8	LTE B48	20	55340	3590	LTE B48	20	55638	3679.8	-	-	-	-	-	22.92	22.99
CA 48E	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3690.8	LTE B48	20	55640	3690.8	LTE B48	20	55640	3690.8	-	-	-	-	-	22.91	22.99
CA 48C-48D	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3680.8	LTE B48	20	55340	3590	LTE B48	20	55538	3579.8	LTE B48	20	55736	3699.6	22.94	22.99	
CA 48D-48D	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3680.8	LTE B48	20	55340	3680.8	LTE B48	20	55340	3579.8	LTE B48	20	55538	3579.8	22.97	22.99	
CA 48E	LTE B48	10	56900	3695	QPSK	1	25	56900	3695	LTE B48	20	55640	3680.8	LTE B48	20	55340	3680.8	LTE B48	20	55340	3579.8	LTE B48	20	55538	3579.8	22.97	22.99	

1.4 DL CA with DL 4x4 MIMO RF Conduction Powers

This device supports downlink 4x4 MIMO operations for some LTE bands. Uplink transmission is limited to a single output stream. When carrier aggregation was applicable, the general test selection and setup procedures described in Section 1.2 were applied.

Per May 2017 TCB Workshop Notes, SAR for 4x4 DL MIMO was not needed since the maximum average output power in 4x4 DL MIMO mode was not more than 0.25 dB higher than the maximum output power with 4x4 DL MIMO inactive. Additionally, SAR for 4x4 MIMO Downlink Carrier Aggregation was not needed since the maximum average output power in 4x4 MIMO Downlink Carrier Aggregation mode was not more than 0.25 dB higher than the maximum output power with 4x4 MIMO Downlink and downlink carrier aggregation inactive.

1.4.1 LTE 4x4 MIMO DL Standalone Powers

Table 15
Maximum Output Powers

LTE Band	Bandwidth [MHz]	Channel	Frequency [MHz]	Modulation	RB Size	RB Offset	4x4 DL MIMO Tx. Power [dBm]	Single Antenna Tx. Power [dBm]	Target Power [dBm]
66	20	132572	1770	QPSK	1	0	24.00	23.70	23.5
2	20	18700	1860	QPSK	1	99	23.24	23.21	23.0
25	15	26365	1882.5	QPSK	1	74	23.31	23.35	23.0
7	15	20825	2507.5	QPSK	1	74	23.64	23.72	23.0
30	10	27710	2310	QPSK	1	0	23.54	23.59	23.5
41 PC3	15	40620	2593	QPSK	1	36	24.42	24.42	24.0
41 PC2	15	40620	2593	QPSK	1	0	27.07	26.93	27.0
48	10	56690	3695	QPSK	1	25	22.90	22.99	22.5

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX F: Page 8 of 21

1.4.2 LTE Band 71 as PCC

Table 16
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC (UL) Freq. [MHz]	PCC				DL Ant. Config.	SCC 1				SCC 2				SCC 3				LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)						
				Mod.	PCC UL R	PCC UL R Offset	PCC (DL) Ch.		SCC Band	SCC BW [MHz]	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]			SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.			
CA [4A]-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2350	2150	2x2	-	-	-	-	-	-	24.29	24.36
CA [4A]-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B4	20	2175	2132.5	4x4	LTE B4	20	2350	2150	2x2	-	-	-	-	-	-	24.29	24.36
CA 2A-2A-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	LTE B4	20	2175	2132.5	4x4	24.39	24.36	
CA [2A]-[2A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	LTE B4	20	2175	2132.5	2x2	24.41	24.36	
CA [2A]-[2A]-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	LTE B4	20	2175	2132.5	2x2	24.40	24.36	
CA [2A]-[2A]-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B4	20	2175	2132.5	2x2	24.38	24.36	
CA [2A]-[2A]-[4A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B4	20	2175	2132.5	4x4	24.41	24.36	
CA 2A-2A-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	LTE B66	20	66786	2145	4x4	24.37	24.36	
CA [2A]-2A-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	LTE B66	20	66786	2145	2x2	24.44	24.36	
CA [2A]-[2A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	LTE B66	20	66786	2145	2x2	24.40	24.36	
CA [2A]-[2A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B66	20	66786	2145	2x2	24.40	24.36	
CA [2A]-[2A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	LTE B66	20	66786	2145	4x4	24.38	24.36	
CA 2A-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	66786	2145	4x4	LTE B66	20	67236	2190	2x2	24.41	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	66786	2145	4x4	LTE B66	20	67236	2190	2x2	24.41	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	66786	2145	4x4	LTE B66	20	67236	2190	4x4	24.40	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	67236	2190	2x2	24.44	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	67236	2190	4x4	24.42	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B66	20	66786	2145	2x2	LTE B66	20	66984	2164.8	4x4	24.39	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	2x2	LTE B66	20	66786	2145	2x2	LTE B66	20	66984	2164.8	2x2	24.42	24.36	
CA [2A]-[6A]-[6A]-71A	LTE B71	15	133297	680.5	QPSK	1	0	68761	634.5	2x2	LTE B2	20	900	1960	4x4	LTE B66	20	66786	2145	4x4	LTE B66	20	66984	2164.8	4x4	24.37	24.36	

1.4.3 LTE Band 12 as PCC

Table 17
Maximum Output Powers

Combination	PCC Band	PCC [BW]	PCC [UL] Ch.	PCC				Mod.	SCC UL RB	RB UL Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]		DL Ant. Config.	SCC Band	SCC [BW]	SCC 1		SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC [BW]	SCC 2		SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC [BW]	SCC 3		SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with DL CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)		
				PCC [UL] Freq. [MHz]	PCC [DL] Freq. [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]					SCC [DL] Ch.	SCC [DL] Freq. [MHz]				SCC [DL] Ch.	SCC [DL] Freq. [MHz]					SCC [DL] Ch.													
CA [2A]-12A (1)	LTE B12	3	23165	714.5	QPSS	1	14	5165	744.5	2x2	LTE B2	20	900	1960	4x4	-	-	-	-	-	-	-	20	3100	2655	4x4	-	-	-	-	-	-	24.04	24.20		
CA [4A]-12A (1)	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B4	20	2175	2132.5	4x4	-	-	-	-	-	-	-	-	20	3100	2655	4x4	-	-	-	-	-	-	24.14	24.17	
CA [2A]-12A (2)	LTE B12	3	23165	714.5	QPSS	1	14	5165	744.5	2x2	LTE B4	20	2175	2132.5	4x4	-	-	-	-	-	-	-	-	20	3100	2655	4x4	-	-	-	-	-	-	24.20	24.20	
CA [2A]-16A (1)	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.11	24.17	
CA [2A]-16A (2)	LTE B12	3	23165	714.5	QPSS	1	14	5165	744.5	2x2	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.21	24.20	
CA [2A]-17A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B7	20	3100	2655	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.24	24.17
CA [2A]-17A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B7	20	3100	2655	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.20	24.17
CA [2A]-17A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B7	20	3100	2655	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.22	24.17
CA [2A]-17A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B7	20	3100	2655	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.22	24.17
CA [4A]-14A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B4	20	2175	2132.5	4x4	LTE B4	10	2350	2150	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.17	24.17
CA [7A]-12B	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	10	5107	738.7	2x2	LTE B7	20	3100	2655	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.20	24.17
CA [2A-2A]-4A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.20	24.17
CA [2A-2A]-4A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.23	24.17
CA [2A]-14A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.26	24.17
CA [2A]-14A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.26	24.17
CA [2A]-14A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.27	24.17
CA [2A]-14A-12A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.23	24.17
CA [2A]-12A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.28	24.17
CA [2A]-12A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.28	24.17
CA [2A]-12A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.30	24.17
CA [2A]-12A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.32	24.17
CA [2A]-12A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.30	24.17
CA [2A]-12A-32A-30A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.35	24.17
CA [2A-2A]-12A-16A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.34	24.17
CA [2A]-12A-16A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.36	24.17
CA [2A]-12A-16A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.33	24.17
CA [2A]-12A-16A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.30	24.17
CA [2A]-12A-16A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B2	20	700	1940	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.35	24.17
CA [2A]-16A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	2x2	LTE B6	20	66786	2145	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.38	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.40	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.45	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.45	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20	900	1960	4x4	LTE B6	20	66786	2145	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.46	24.17
CA [2A]-12A-66A-66A	LTE B12	5	23035	701.5	QPSS	1	12	5035	731.5	2x2	LTE B2	20</																								

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 9 of 21		

1.4.6 LTE Band 5 as PCC

Table 20
Maximum Output Powers

Combination	PCC										SCE1										SCE2										SCE3										SCE4										SCE5										SCE6										SCE7										SCE8										SCE9										SCE10										SCE11										SCE12										SCE13										SCE14										SCE15										SCE16										SCE17										SCE18										SCE19										SCE20										SCE21										SCE22										SCE23										SCE24										SCE25										SCE26										SCE27										SCE28										SCE29										SCE30										SCE31										SCE32										SCE33										SCE34										SCE35										SCE36										SCE37										SCE38										SCE39										SCE40										SCE41										SCE42										SCE43										SCE44										SCE45										SCE46										SCE47										SCE48										SCE49										SCE50										SCE51										SCE52										SCE53										SCE54										SCE55										SCE56										SCE57										SCE58										SCE59										SCE60										SCE61										SCE62										SCE63										SCE64										SCE65										SCE66										SCE67										SCE68										SCE69										SCE70										SCE71										SCE72										SCE73										SCE74										SCE75										SCE76										SCE77										SCE78										SCE79										SCE80										SCE81										SCE82										SCE83										SCE84										SCE85										SCE86										SCE87										SCE88										SCE89										SCE90										SCE91										SCE92										SCE93										SCE94										SCE95										SCE96										SCE97										SCE98										SCE99										SCE100										SCE101										SCE102										SCE103										SCE104										SCE105										SCE106										SCE107										SCE108										SCE109										SCE110										SCE111										SCE112										SCE113										SCE114										SCE115										SCE116										SCE117										SCE118										SCE119										SCE120										SCE121										SCE122										SCE123										SCE124										SCE125										SCE126										SCE127										SCE128										SCE129										SCE130										SCE131										SCE132										SCE133										SCE134										SCE135										SCE136										SCE137										SCE138										SCE139										SCE140										SCE141										SCE142										SCE143										SCE144										SCE145										SCE146										SCE147										SCE148										SCE149										SCE150										SCE151										SCE152										SCE153										SCE154										SCE155										SCE156										SCE157										SCE158										SCE159										SCE160										SCE161										SCE162										SCE163										SCE164										SCE165										SCE166										SCE167										SCE168										SCE169										SCE170										SCE171										SCE172										SCE173										SCE174										SCE175										SCE176										SCE177										SCE178										SCE179										SCE180										SCE181										SCE182										SCE183										SCE184										SCE185										SCE186										SCE187										SCE188										SCE189										SCE190										SCE191										SCE192										SCE193										SCE194										SCE195										SCE196										SCE197										SCE198										SCE199										SCE200										SCE201										SCE202										SCE203										SCE204										SCE205										SCE206										SCE207										SCE208										SCE209										SCE210										SCE211										SCE212										SCE213										SCE214										SCE215										SCE216										SCE217										SCE218										SCE219										SCE220										SCE221										SCE222										SCE223										SCE224										SCE225										SCE226										SCE227										SCE228										SCE229										SCE230										SCE231										SCE232										SCE233										SCE234										SCE235										SCE236										SCE237										SCE238										SCE239										SCE240										SCE241										SCE242										SCE243										SCE244										SCE245										SCE246										SCE247										SCE248										SCE249										SCE250										SCE251										SCE252										SCE253										SCE254										SCE255										SCE256										SCE257										SCE258										SCE259										SCE260										SCE261										SCE262										SCE263										SCE264										SCE265										SCE266										SCE267										SCE268										SCE269										SCE270										SCE271										SCE272										SCE273										SCE274										SCE275										SCE276										SCE277										SCE278										SCE279										SCE280										SCE281										SCE282										SCE283										SCE284										SCE285										SCE286										SCE287										SCE288										SCE289										SCE290										SCE291										SCE292										SCE293										SCE294										SCE295										SCE296										SCE297										SCE298										SCE299										SCE300										SCE301										SCE302										SCE303										SCE304										SCE305										SCE306										SCE307										SCE308										SCE309										SCE310										SCE311										SCE312										SCE313										SCE314										SCE315										SCE316										SCE317										SCE318										SCE319										SCE320										SCE321										SCE322										SCE323										SCE324										SCE325										SCE326										SCE327										SCE328										SCE329										SCE330										SCE331										SCE332										SCE333										SCE334										SCE335										SCE336										SCE337										SCE338										SCE339										SCE340										SCE341										SCE342										SCE343										SCE344										SCE345										SCE346										SCE347										SCE348										SCE349										SCE350										SCE351										SCE352										SCE353										SCE354										SCE355										SCE356										SCE357										SCE358										SCE359										SCE360										SCE361										SCE362										SCE363										SCE364										SCE365										SCE366										SCE367										SCE368										SCE369										SCE370										SCE371										SCE372										SCE373										SCE374										SCE375										SCE376										SCE377										SCE378										SCE379										SCE380										SCE381										SCE382										SCE383										SCE384										SCE385										SCE386										SCE387										SCE388										SCE389										SCE390										SCE391										SCE392										SCE393										SCE394										SCE395										SCE396										SCE397										SCE398										SCE399										SCE400										SCE401										SCE402										SCE403										SCE404										SCE405										SCE406										SCE407										SCE408										SCE409										SCE410										SCE411										SCE412										SCE413										SCE414										SCE415										SCE416										SCE417										SCE418										SCE419										SCE420										SCE421										SCE422										SCE423										SCE424										SCE425										SCE426										SCE427										SCE428										SCE429										SCE430										SCE431										SCE432										SCE433										SCE434										SCE435										SCE436										SCE437										SCE438										SCE439										SCE440										SCE441										SCE442										SCE443										SCE444										SCE445										SCE446										SCE447										SCE448										SCE449										SCE450										SCE451										SCE452										SCE453										SCE454										SCE455										SCE456										SCE457										SCE458										SCE459										SCE460										SCE461										SCE462										SCE463										SCE464										SCE465										SCE466										SCE467										SCE468										SCE469										SCE470										SCE471										SCE472										SCE473										SCE474										SCE475										SCE476										SCE477										SCE478										SCE479										SCE480										SCE481										SCE482										SCE483										SCE484										SCE485										SCE486										SCE487										SCE488										SCE489										SCE490										SCE491										SCE492										SCE493										SCE494										SCE495										SCE496										SCE497										SCE498										SCE499										SCE500										SCE501										SCE502										SCE503										SCE504										SCE505										SCE506										SCE507										SCE508										SCE509										SCE510										SCE511										SCE512										SCE513										SCE514										SCE515										SCE516										SCE517										SCE518										SCE519										SCE520										SCE521										SCE522										SCE523										SCE524										SCE525										SCE526										SCE527										SCE528										SCE529										SCE530										SCE531										SCE532										SCE533										SCE534										SCE535										SCE536										SCE537										SCE538										SCE539										SCE540										SCE541										SCE542										SCE543										SCE544										SCE545										SCE546										SCE547										SCE548										SCE549										SCE550										SCE551										SCE552										SCE553										SCE554										SCE555										SCE556										SCE557										SCE558										SCE559										SCE560										SCE561										SCE562										SCE563										SCE564										SCE565										SCE566										SCE567										SCE568										SCE569										SCE570										SCE571										SCE572										SCE573										SCE574										SCE575										SCE576										SCE577										SCE578										SCE579										SCE580										SCE581										SCE582										SCE583										SCE584										SCE585										SCE586										SCE587										SCE588										SCE589										SCE590										SCE591										SCE592										SCE593										SCE594										SCE595										SCE596										SCE597										SCE598										SCE599										SCE600										SCE601										SCE602										SCE603										SCE604										SCE605										SCE606										SCE607										SCE608										SCE609										SCE610										SCE611										SCE612										SCE613										SCE614										SCE615										SCE616										SCE617										SCE618										SCE619										SCE620										SCE621										SCE622										SCE623										SCE624										SCE625										SCE626										SCE627										SCE628										SCE629										SCE630										SCE631										SCE632										SCE633										SCE634										SCE635										SCE636										SCE637										SCE638										SCE639										SCE640										SCE641										SCE642										SCE643										SCE644										SCE645										SCE646										SCE647										SCE648										SCE649										SCE650										SCE651										SCE652										SCE653										SCE654										SCE655										SCE656										SCE657										SCE658										SCE659										SCE660										SCE661										SCE662										SCE663										SCE664										SCE665										SCE666										SCE667										SCE668										SCE669										SCE670										SCE671										SCE672										SCE673										SCE674										SCE675										SCE676										SCE677										SCE678										SCE679										SCE680										SCE681										SCE682										SCE683										SCE684										SCE685										SCE686										SCE687										SCE688										SCE689										SCE690										SCE691										SCE692										SCE693										SCE694										SCE695										SCE696										SCE697										SCE698										SCE699										SCE700										SCE701										SCE702										SCE703										SCE704										SCE705										SCE706										SCE707										SCE708										SCE709										SCE710										SCE711										SCE712										SCE713										SCE714										SCE715										SCE716										SCE717										SCE718										SCE719										SCE720										SCE721										SCE722										SCE723										SCE724										SCE725										SCE726										SCE727										SCE728										SCE729										SCE730										SCE731										SCE732										SCE733										SCE734										SCE735										SCE736										SCE737										SCE738										SCE739										SCE740										SCE741										SCE742										SCE743										SCE744										SCE745										SCE746										SCE747										SCE748										SCE749										SCE750										SCE751										SCE752										SCE753										SCE754										SCE755										SCE756										SCE757										SCE758										SCE759										SCE760										SCE761										SCE762										SCE763										SCE764										SCE765										SCE766										SCE767										SCE768										SCE769										SCE770										SCE771										SCE772										SCE773										SCE774										SCE775										SCE776										SCE777										SCE778										SCE779										SCE780										SCE781										SCE782										SCE783										SCE784										SCE785										SCE786										SCE787										SCE788										SCE789										SCE790										SCE791										SCE792										SCE793										SCE794										SCE795										SCE796										SCE797										SCE798										SCE799										SCE800										SCE801										SCE802										SCE803										SCE804										SCE805										SCE806										SCE807										SCE808										SCE809										SCE810										SCE811										SCE812										SCE813										SCE814										SCE815										SCE816										SCE817										SCE818										SCE819										SCE820										SCE821										SCE822										SCE823										SCE824										SCE825										SCE826										SCE827										SCE828										SCE829										SCE830										SCE831										SCE832										SCE833										SCE834										SCE835										SCE836										SCE837										SCE838										SCE839										SCE840										SCE841										SCE842										SCE843										SCE844										SCE845										SCE846										SCE847										SCE848										SCE849										SCE850										SCE851										SCE852										SCE853										SCE854										SCE855										SCE856										SCE857										SCE858										SCE859										SCE860										SCE861										SCE862										SCE863										SCE864										SCE865										SCE866										SCE867										SCE868										SCE869										SCE870										SCE871										SCE872										SCE873										SCE874										SCE875										SCE876										SCE877										SCE878										SCE879										SCE880										SCE881										SCE882										SCE883										SCE884										SCE885										SCE886										SCE887										SCE888										SCE889										SCE890										S									
-------------	-----	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--

1.4.7 LTE Band 26 as PCC

Table 21
Maximum Output Powers

		PCC									SCC 1				SCC 2				Power			
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [UL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power With CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)
CA [25A]-26A	LTE B26	10	26740	819	QPSK	1	49	8740	864	2x2	LTE B25	20	8365	1962.5	4x4	-	-	-	-	-	24.42	24.45
CA [26A]-[41A]	LTE B26	10	26740	819	QPSK	1	49	8740	864	2x2	LTE B41	20	40620	2593	4x4	-	-	-	-	-	24.47	24.45
CA [25A]-25A-26A	LTE B26	3	26865	831.5	QPSK	1	7	8865	876.5	2x2	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	2x2	24.25	24.29
CA [25A]-[25A]-26A	LTE B26	3	26865	831.5	QPSK	1	7	8865	876.5	2x2	LTE B25	20	8365	1962.5	4x4	LTE B25	20	8590	1985	4x4	24.30	24.29
CA [26A]-[41C]	LTE B26	8	26740	819	QPSK	1	24	8740	864	2x2	LTE B41	20	40620	2593	4x4	LTE B41	20	40620	2593	4x4	24.51	24.50
CA [26B]-26A-[41A]	LTE B26	10	26740	819	QPSK	1	49	8740	864	2x2	LTE B25	20	8365	1962.5	2x2	LTE B41	20	40620	2593	4x4	24.46	24.45
CA [25A]-26A-41A	LTE B26	10	26740	819	QPSK	1	49	8740	864	2x2	LTE B25	20	8365	1962.5	4x4	LTE B41	20	40620	2593	2x2	24.49	24.45
CA [25A]-26A-[41A]	LTE B26	10	26740	819	QPSK	1	49	8740	864	2x2	LTE B25	20	8365	1962.5	4x4	LTE B41	20	40620	2593	4x4	24.46	24.45

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 11 of 21

1.4.8 LTE Band 66 as PCC

Table 22
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U



SAR EVALUATION REPORT



Reviewed by:

Quality Manager

Test Dates:
10/23/19 – 12/18/19

DUT Type:
Portable Handset

APPENDIX F:
Page 12 of 21

1.4.9 LTE Band 66 as PCC – Cont'd

Table 23
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 13 of 21

1.4.10 LTE Band 66 as PCC – Cont'd

Table 24
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 14 of 21		

1.4.11 LTE Band 2 as PCC

Table 25
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 15 of 21

1.4.12 LTE Band 2 as PCC – Cont'd

Table 26 Maximum Output Powers

Department	Q1 Sales	Q2 Sales	Q3 Sales	Q4 Sales	YTD Sales	Q1 Profit	Q2 Profit	Q3 Profit	Q4 Profit	YTD Profit	Q1 Units	Q2 Units	Q3 Units	Q4 Units	YTD Units	Q1 Avg Price	Q2 Avg Price	Q3 Avg Price	Q4 Avg Price	YTD Avg Price	Q1 Margin %	Q2 Margin %	Q3 Margin %	Q4 Margin %	YTD Margin %	Q1 Inventory	Q2 Inventory	Q3 Inventory	Q4 Inventory	YTD Inventory	Q1 Orders	Q2 Orders	Q3 Orders	Q4 Orders	YTD Orders	Q1 New Customers	Q2 New Customers	Q3 New Customers	Q4 New Customers	YTD New Customers	Q1 Repeat Rate	Q2 Repeat Rate	Q3 Repeat Rate	Q4 Repeat Rate	YTD Repeat Rate	Q1 Churn Rate	Q2 Churn Rate	Q3 Churn Rate	Q4 Churn Rate	YTD Churn Rate	Q1 Customer Satisfaction	Q2 Customer Satisfaction	Q3 Customer Satisfaction	Q4 Customer Satisfaction	YTD Customer Satisfaction	Q1 Net Promoter Score	Q2 Net Promoter Score	Q3 Net Promoter Score	Q4 Net Promoter Score	YTD Net Promoter Score	Q1 Employee Count	Q2 Employee Count	Q3 Employee Count	Q4 Employee Count	YTD Employee Count	Q1 Training Hours	Q2 Training Hours	Q3 Training Hours	Q4 Training Hours	YTD Training Hours	Q1 Safety Incidents	Q2 Safety Incidents	Q3 Safety Incidents	Q4 Safety Incidents	YTD Safety Incidents	Q1 Compliance Score	Q2 Compliance Score	Q3 Compliance Score	Q4 Compliance Score	YTD Compliance Score	Q1 Environmental Score	Q2 Environmental Score	Q3 Environmental Score	Q4 Environmental Score	YTD Environmental Score	Q1 Social Media Engagement	Q2 Social Media Engagement	Q3 Social Media Engagement	Q4 Social Media Engagement	YTD Social Media Engagement	Q1 Website Conversion Rate	Q2 Website Conversion Rate	Q3 Website Conversion Rate	Q4 Website Conversion Rate	YTD Website Conversion Rate	Q1 Email Open Rate	Q2 Email Open Rate	Q3 Email Open Rate	Q4 Email Open Rate	YTD Email Open Rate	Q1 Click Through Rate	Q2 Click Through Rate	Q3 Click Through Rate	Q4 Click Through Rate	YTD Click Through Rate	Q1 Return on Ad Spend	Q2 Return on Ad Spend	Q3 Return on Ad Spend	Q4 Return on Ad Spend	YTD Return on Ad Spend	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value	Q3 Customer Lifetime Value	Q4 Customer Lifetime Value	YTD Customer Lifetime Value	Q1 Customer Acquisition Cost	Q2 Customer Acquisition Cost	Q3 Customer Acquisition Cost	Q4 Customer Acquisition Cost	YTD Customer Acquisition Cost	Q1 Customer Retention Rate	Q2 Customer Retention Rate	Q3 Customer Retention Rate	Q4 Customer Retention Rate	YTD Customer Retention Rate	Q1 Customer Churn Rate	Q2 Customer Churn Rate	Q3 Customer Churn Rate	Q4 Customer Churn Rate	YTD Customer Churn Rate	Q1 Customer Lifetime Value	Q2 Customer Lifetime Value
------------	----------	----------	----------	----------	-----------	-----------	-----------	-----------	-----------	------------	----------	----------	----------	----------	-----------	--------------	--------------	--------------	--------------	---------------	-------------	-------------	-------------	-------------	--------------	--------------	--------------	--------------	--------------	---------------	-----------	-----------	-----------	-----------	------------	------------------	------------------	------------------	------------------	-------------------	----------------	----------------	----------------	----------------	-----------------	---------------	---------------	---------------	---------------	----------------	--------------------------	--------------------------	--------------------------	--------------------------	---------------------------	-----------------------	-----------------------	-----------------------	-----------------------	------------------------	-------------------	-------------------	-------------------	-------------------	--------------------	-------------------	-------------------	-------------------	-------------------	--------------------	---------------------	---------------------	---------------------	---------------------	----------------------	---------------------	---------------------	---------------------	---------------------	----------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	--------------------	--------------------	--------------------	--------------------	---------------------	-----------------------	-----------------------	-----------------------	-----------------------	------------------------	-----------------------	-----------------------	-----------------------	-----------------------	------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------------	------------------------------	------------------------------	------------------------------	-------------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------	------------------------	------------------------	------------------------	------------------------	-------------------------	----------------------------	----------------------------

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 16 of 21

1.4.13 LTE Band 2 as PCC – Cont'd

Table 27
Maximum Output Powers

Combination	SSC										SSC1										SSC2										SSC3										SSC4										SSC5										SSC6										SSC7										SSC8										SSC9										SSC10										SSC11										SSC12										SSC13										SSC14										SSC15										SSC16										SSC17										SSC18										SSC19										SSC20										SSC21										SSC22										SSC23										SSC24										SSC25										SSC26										SSC27										SSC28										SSC29										SSC30										SSC31										SSC32										SSC33										SSC34										SSC35										SSC36										SSC37										SSC38										SSC39										SSC40										SSC41										SSC42										SSC43										SSC44										SSC45										SSC46										SSC47										SSC48										SSC49										SSC50										SSC51										SSC52										SSC53										SSC54										SSC55										SSC56										SSC57										SSC58										SSC59										SSC60										SSC61										SSC62										SSC63										SSC64										SSC65										SSC66										SSC67										SSC68										SSC69										SSC70										SSC71										SSC72										SSC73										SSC74										SSC75										SSC76										SSC77										SSC78										SSC79										SSC80										SSC81										SSC82										SSC83										SSC84										SSC85										SSC86										SSC87										SSC88										SSC89										SSC90										SSC91										SSC92										SSC93										SSC94										SSC95										SSC96										SSC97										SSC98										SSC99										SSC100										SSC101										SSC102										SSC103										SSC104										SSC105										SSC106										SSC107										SSC108										SSC109										SSC110										SSC111										SSC112										SSC113										SSC114										SSC115										SSC116										SSC117										SSC118										SSC119										SSC120										SSC121										SSC122										SSC123										SSC124										SSC125										SSC126										SSC127										SSC128										SSC129										SSC130										SSC131										SSC132										SSC133										SSC134										SSC135										SSC136										SSC137										SSC138										SSC139										SSC140										SSC141										SSC142										SSC143										SSC144										SSC145										SSC146										SSC147										SSC148										SSC149										SSC150										SSC151										SSC152										SSC153										SSC154										SSC155										SSC156										SSC157										SSC158										SSC159										SSC160										SSC161										SSC162										SSC163										SSC164										SSC165										SSC166										SSC167										SSC168										SSC169										SSC170										SSC171										SSC172										SSC173										SSC174										SSC175										SSC176										SSC177										SSC178										SSC179										SSC180										SSC181										SSC182										SSC183										SSC184										SSC185										SSC186										SSC187										SSC188										SSC189										SSC190										SSC191										SSC192										SSC193										SSC194										SSC195										SSC196										SSC197										SSC198										SSC199										SSC200										SSC201										SSC202										SSC203										SSC204										SSC205										SSC206										SSC207										SSC208										SSC209										SSC210										SSC211										SSC212										SSC213										SSC214										SSC215										SSC216										SSC217										SSC218										SSC219										SSC220										SSC221										SSC222										SSC223										SSC224										SSC225										SSC226										SSC227										SSC228										SSC229										SSC230										SSC231										SSC232										SSC233										SSC234										SSC235										SSC236										SSC237										SSC238										SSC239										SSC240										SSC241										SSC242										SSC243										SSC244										SSC245										SSC246										SSC247										SSC248										SSC249										SSC250										SSC251										SSC252										SSC253										SSC254										SSC255										SSC256										SSC257										SSC258										SSC259										SSC260										SSC261										SSC262										SSC263										SSC264										SSC265										SSC266										SSC267										SSC268										SSC269										SSC270										SSC271										SSC272										SSC273										SSC274										SSC275										SSC276										SSC277										SSC278										SSC279										SSC280										SSC281										SSC282										SSC283										SSC284										SSC285										SSC286										SSC287										SSC288										SSC289										SSC290										SSC291										SSC292										SSC293										SSC294										SSC295										SSC296										SSC297										SSC298										SSC299										SSC300										SSC301										SSC302										SSC303										SSC304										SSC305										SSC306										SSC307										SSC308										SSC309										SSC310										SSC311										SSC312										SSC313										SSC314										SSC315										SSC316										SSC317										SSC318										SSC319										SSC320										SSC321										SSC322										SSC323										SSC324										SSC325										SSC326										SSC327										SSC328										SSC329										SSC330										SSC331										SSC332										SSC333										SSC334										SSC335										SSC336										SSC337										SSC338										SSC339										SSC340										SSC341										SSC342										SSC343										SSC344										SSC345										SSC346										SSC347										SSC348										SSC349										SSC350										SSC351										SSC352										SSC353										SSC354										SSC355										SSC356										SSC357										SSC358										SSC359										SSC360										SSC361										SSC362										SSC363										SSC364										SSC365										SSC366										SSC367										SSC368										SSC369										SSC370										SSC371										SSC372										SSC373										SSC374										SSC375										SSC376										SSC377										SSC378										SSC379										SSC380										SSC381										SSC382										SSC383										SSC384										SSC385										SSC386										SSC387										SSC388										SSC389										SSC390										SSC391										SSC392										SSC393										SSC394										SSC395										SSC396										SSC397										SSC398										SSC399										SSC400										SSC401										SSC402										SSC403										SSC404										SSC405										SSC406										SSC407										SSC408										SSC409										SSC410										SSC411										SSC412										SSC413										SSC414										SSC415										SSC416										SSC417										SSC418										SSC419										SSC420										SSC421										SSC422										SSC423										SSC424										SSC425										SSC426										SSC427										SSC428										SSC429										SSC430										SSC431										SSC432										SSC433										SSC434										SSC435										SSC436										SSC437										SSC438										SSC439										SSC440										SSC441										SSC442										SSC443										SSC444										SSC445										SSC446										SSC447										SSC448										SSC449										SSC450										SSC451										SSC452										SSC453										SSC454										SSC455										SSC456										SSC457										SSC458										SSC459										SSC460										SSC461										SSC462										SSC463										SSC464										SSC465										SSC466										SSC467										SSC468										SSC469										SSC470										SSC471										SSC472										SSC473										SSC474										SSC475										SSC476										SSC477										SSC478										SSC479										SSC480										SSC481										SSC482										SSC483										SSC484										SSC485										SSC486										SSC487										SSC488										SSC489										SSC490										SSC491										SSC492										SSC493										SSC494										SSC495										SSC496										SSC497										SSC498										SSC499										SSC500										SSC501										SSC502										SSC503										SSC504										SSC505										SSC506										SSC507										SSC508										SSC509										SSC510										SSC511										SSC512										SSC513										SSC514										SSC515										SSC516										SSC517										SSC518										SSC519										SSC520										SSC521										SSC522										SSC523										SSC524										SSC525										SSC526										SSC527										SSC528										SSC529										SSC530										SSC531										SSC532										SSC533										SSC534										SSC535										SSC536										SSC537										SSC538										SSC539										SSC540										SSC541										SSC542										SSC543										SSC544										SSC545										SSC546										SSC547										SSC548										SSC549										SSC550										SSC551										SSC552										SSC553										SSC554										SSC555										SSC556										SSC557										SSC558										SSC559										SSC560										SSC561										SSC562										SSC563										SSC564										SSC565										SSC566										SSC567										SSC568										SSC569										SSC570										SSC571										SSC572										SSC573										SSC574										SSC575										SSC576										SSC577										SSC578										SSC579										SSC580										SSC581										SSC582										SSC583										SSC584										SSC585										SSC586										SSC587										SSC588										SSC589										SSC590										SSC591										SSC592										SSC593										SSC594										SSC595										SSC596										SSC597										SSC598										SSC599										SSC600										SSC601										SSC602										SSC603										SSC604										SSC605										SSC606										SSC607										SSC608										SSC609										SSC610										SSC611										SSC612										SSC613										SSC614										SSC615										SSC616										SSC617										SSC618										SSC619										SSC620										SSC621										SSC622										SSC623										SSC624										SSC625										SSC626										SSC627										SSC628										SSC629										SSC630										SSC631										SSC632										SSC633										SSC634										SSC635										SSC636										SSC637										SSC638										SSC639										SSC640										SSC641										SSC642										SSC643										SSC644										SSC645										SSC646										SSC647										SSC648										SSC649										SSC650										SSC651										SSC652										SSC653										SSC654										SSC655										SSC656										SSC657										SSC658										SSC659										SSC660										SSC661										SSC662										SSC663										SSC664										SSC665										SSC666										SSC667										SSC668										SSC669										SSC670										SSC671										SSC672										SSC673										SSC674										SSC675										SSC676										SSC677										SSC678										SSC679										SSC680										SSC681										SSC682										SSC683										SSC684										SSC685										SSC686										SSC687										SSC688										SSC689										SSC690										SSC691										SSC692										SSC693										SSC694										SSC695										SSC696										SSC697										SSC698										SSC699										SSC700										SSC701										SSC702										SSC703										SSC704										SSC705										SSC706										SSC707										SSC708										SSC709										SSC710										SSC711										SSC712										SSC713										SSC714										SSC715										SSC716										SSC717										SSC718										SSC719										SSC720										SSC721										SSC722										SSC723										SSC724										SSC725										SSC726										SSC727										SSC728										SSC729										SSC730										SSC731										SSC732										SSC733										SSC734										SSC735										SSC736										SSC737										SSC738										SSC739										SSC740										SSC741										SSC742										SSC743										SSC744										SSC745										SSC746										SSC747										SSC748										SSC749										SSC750										SSC751										SSC752										SSC753										SSC754										SSC755										SSC756										SSC757										SSC758										SSC759										SSC760										SSC761										SSC762										SSC763										SSC764										SSC765										SSC766										SSC767										SSC768										SSC769										SSC770										SSC771										SSC772										SSC773										SSC774										SSC775										SSC776										SSC777										SSC778										SSC779										SSC780										SSC781										SSC782										SSC783										SSC784										SSC785										SSC786										SSC787										SSC788										SSC789										SSC790										SSC791										SSC792										SSC793										SSC794										SSC795										SSC796										SSC797										SSC798										SSC799										SSC800										SSC801										SSC802										SSC803										SSC804										SSC805										SSC806										SSC807										SSC808										SSC809										SSC810										SSC811										SSC812										SSC813										SSC814										SSC815										SSC816										SSC817										SSC818										SSC819										SSC820										SSC821										SSC822										SSC823										SSC824										SSC825										SSC826										SSC827										SSC828										SSC829										SSC830										SSC831										SSC832										SSC833										SSC834										SSC835										SSC836										SSC837										SSC838										SSC839										SSC840										SSC841										SSC842										SSC843										SSC844										SSC845										SSC846										SSC847										SSC848										SSC849										SSC850										SSC851										SSC852										SSC853										SSC854										SSC855										SSC856										SSC857										SSC858										SSC859										SSC860										SSC861										SSC862										SSC863										SSC864										SSC865										SSC866										SSC867										SSC868										SSC869										SSC870										SSC871										SSC872										SSC873										SSC874										SSC875										SSC876										SSC877										SSC878										SSC879										SSC880										SSC881										SSC882										SSC883										SSC884										SSC885										SSC886										SSC887										SSC888										SSC889										SSC890										SS									
-------------	-----	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	-------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	--------	--	--	--	--	--	--	--	--	--	----	--	--	--	--	--	--	--	--	--

1.4.14 LTE Band 25 as PCC

Table 28
Maximum Output Powers

Combination		PCC										SEC 1				SEC 2				SEC 3				SEC 4				Power	
		PCC Band	PCC BW [MHz]	PCC [U] Freq. [MHz]	Mod.	PCC LBS RB	PCC LBS Offset	PCC [DU] Freq. [MHz]	DL Ant. Config.	SEC 1 Band	SEC 1 BW [MHz]	SEC 1 [DU] Freq. [MHz]	DL Ant. Config.	SEC 2 Band	SEC 2 BW [MHz]	SEC 2 [DU] Freq. [MHz]	DL Ant. Config.	SEC 3 Band	SEC 3 BW [MHz]	SEC 3 [DU] Freq. [MHz]	DL Ant. Config.	SEC 4 Band	SEC 4 BW [MHz]	SEC 4 [DU] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with CA Enabled (dBm)	LTE Single Carrier Tx Power (dBm)		
CA [25A,25A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B26	20	80600	876.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [25A,46A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B46	20	50665	576.5	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	
CA [25A,25A,25A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B25	20	81400	1940	2x2	L-TE B26	5	8860	876.5	2x2	-	-	-	-	-	-	-	-	
CA [25A,25A,25A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	2x2	-	-	-	-	L-TE B26	5	8860	876.5	2x2	-	-	-	-	-	-	-	-	-	
CA [25A,25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	2x2	L-TE B26	20	81400	1940	2x2	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B25	20	81400	1940	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	2x2	L-TE B26	20	81400	1940	2x2	L-TE B41	20	40620	2993	2x2	-	-	-	-	-	-	-	-	
CA [25A,25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B25	20	81400	1940	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B25	20	81400	1940	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20	40620	2993	444	-	-	-	-	-	-	-	-	
CA [25A,41A]	L-TE B25	20	26300	1882.5	QPSK	1	74	8360	1962.5	444	L-TE B41	20	40620	2993	444	L-TE B41	20</												

FCC ID: A3LSMG981U	 PCTEST PROFESIONAL COMMUNICATIONS TESTING	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX F: Page 17 of 21

1.4.15 LTE Band 30 as PCC

Table 29
Maximum Output Powers

Combination	PCB Band	PCC										SEC 1				SEC 2				SEC 3				SEC 4				Power				
		PCB Bnd [MHz]	PCC [L] Ch.	PCC [H] Freq. [MHz]	Mod.	PCC LFLR RB	PCC LR OffSet	PCC [D] Freq. [MHz]	DL Ant. Config.	SEC Bnd	SEC [D] Ch.	SEC [D] Freq. [MHz]	DL Ant. Config.	SEC Bnd	SEC [D] Ch.	SEC [D] Freq. [MHz]	DL Ant. Config.	SEC Bnd	SEC [D] Ch.	SEC [D] Freq. [MHz]	DL Ant. Config.	SEC Bnd	SEC [D] Ch.	SEC [D] Freq. [MHz]	DL Ant. Config.	SEC Bnd	SEC [D] Ch.	SEC [D] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with CA (Enb) [dBm]	LTE Single Carrier Tx Power [dBm]	
CA 2A-4A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B4	20	2175	2312.5	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 4A-5A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B4	20	2175	2312.5	262	LTE-B12	20	909	737.5	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 4A-12A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B4	20	2175	2312.5	262	LTE-B12	20	909	737.5	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20	900	1960	262	LTE-B30	20	27720	2310	QPSK	1	0	8020	2355	444	21.51	21.50
CA 2A-2A [3A]	LTE-B30	10	27720	2310	QPSK	1	0	8020	2355	444	LTE-B2	20	900	1960	262	LTE-B2	20															

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 18 of 21

1.4.16 LTE Band 7 as PCC

Table 30
Maximum Output Powers

Combination		PCC										SSC 1				SSC 2				SSC 3				SSC 4				Power				
		PCC Band	PCC BW [MHz]	PCC [DL] Freq. [MHz]	Mod.	PCC UL RB	PCC UL RB Offset	PCC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC BW [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with CC Rx (dBm)	LTE Single Carrier Tx Power (dBm)					
CA [7A]-48A [1]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B46	20	50605	59375	2x2	LTE B46	20	50605	59375	2x2	LTE B46	20	50605	59375	2x2	LTE B46	20	50605	59375	2x2	23.72	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	2x2	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	444	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820	25075	QPSK	1	7A	2825	26275	444	LTE B2	20	900	1980	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	LTE B4	20	2175	2132.5	2x2	23.65	23.72
CA [2A]-44A [7A]	LTE B7	15	20820																													

1.4.17 LTE Band 41 PC3 as PCC

Table 31
Maximum Output Powers

Combination		PCC										SSC 1			SSC 2			SSC 3			SSC 4			Power		
		PCC Band	PCC [MHz]	PCC [DL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL# Offsets	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC [MHz]	SSC [DL] Freq. [MHz]	DL Ant. Config.	SSC Band	SSC [MHz]	SSC [DL] Ch.	SSC [DL] Freq. [MHz]	DL Ant. Config.	LTE Tx Power with 100% Enab. (dBm)	LTE Single Carrier Tx Power (dBm)	
CA (4A) (4A)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	2x2	LTE B41	20	39750	2506	4x4	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	2x2	LTE B41	20	39750	2506	4x4	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	4x4	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	4x4	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	-
CA (4A) (4A) (3)	LTE B41	45	40620	2593	QPSK	1	36	40620	2593	4x4	LTE B41	20	39750	2506	2x2	-	-	-	-	-	-	-	-	-	-	

1.4.18 LTE Band 41 PC2 as PCC

Table 32
Maximum Output Powers

[illegible]

FCC ID: A3LSMG981U	 PCTEST ENGINEERING LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 19 of 21		

1.4.19 LTE Band 48 as PCC

Table 33
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC				DL Ant. Config.	SCC 1				DL Ant. Config.	SCC 2				DL Ant. Config.	SCC 3				DL Ant. Config.	SCC 4				LTE Tx Power with UL CA Enabled [dBm]	LTE Single Carrier Tx Power [dBm]	
						PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]		SCC Band	SCC BW [MHz]	SCC [DL] Ch.	SCC [DL] Freq. [MHz]			
CA 48A-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.95	22.95	
CA 48A-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	2x2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.91	22.95	
CA 48A-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.93	22.95	
CA 48A-48C1	LTE B48	10	56600	3695	QPSK	1	25	55500	3565	2x2	LTE B48	20	55500	3565	4x4	LTE B48	20	55538	3579.8	4x4	-	-	-	-	-	-	-	-	-	22.91	22.95	
CA 48C1-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.96	22.95	
CA 48A-48C2	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	22.96	22.95	
CA 48C2-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	22.96	22.95	
CA 48A-48C3	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	22.96	22.95	
CA 48C3-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	22.96	22.95	
CA 48A-48C4	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	55340	3550	4x4	LTE B48	20	55538	3579.8	4x4	LTE B48	20	55738	3599.8	4x4	-	-	-	-	22.95	22.95	
CA 48C4-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	56348	3660.8	4x4	LTE B48	20	55340	3550	2x2	-	-	-	-	22.97	22.95	
CA 48A-48C5	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	55340	3550	4x4	LTE B48	20	55538	3579.8	4x4	LTE B48	20	55738	3599.8	4x4	-	-	-	-	22.97	22.95	
CA 48C5-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	56348	3660.8	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	22.98	22.95	
CA 48A-48C6	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55538	3579.8	4x4	LTE B48	20	55738	3599.8	4x4	-	-	-	-	22.98	22.95	
CA 48C6-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55538	3579.8	4x4	LTE B48	20	55738	3599.8	4x4	-	-	-	-	22.98	22.95	
CA 48A-48C7	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55538	3579.8	4x4	-	-	-	-	22.05	22.95	
CA 48C7-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	56348	3660.8	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	22.96	22.95	
CA 48A-48C8	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55538	3579.8	4x4	-	-	-	-	22.96	22.95	
CA 48C8-48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	2x2	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55538	3579.8	4x4	-	-	-	-	22.96	22.95	
CA 48A	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22.96	22.95	
CA 48C-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	-	-	-	-	-	-	22.96	22.95
CA 48C-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	22.96	22.95	
CA 48C-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	LTE B48	20	55340	3550	4x4	-	-	-	-	22.96	22.95	
CA 48C1-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C2-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C3-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C4-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C5-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C6-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C7-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	
CA 48C8-48C	LTE B48	10	56600	3695	QPSK	1	25	56600	3695	4x4	LTE B48	20	56648	3680.8	4x4	LTE B48	20	55340	3550	3x2	LTE B48	20	55340	3550	3x2	-	-	-	-	22.94	22.95	

1.5 Downlink Carrier Aggregation with Uplink Carrier Aggregation enabled

This device supports uplink carrier aggregation (ULCA) with additional Carrier Aggregation configurations active in the downlink. Power measurements were performed with ULCA active and additional CA configurations active in the downlink for the configuration per Fall 2017 TCB Workshop Notes.

Per FCC Guidance, additional SAR measurements for these configurations were not required since their maximum output power was not more than 0.25 dB higher than the maximum output power for with only ULCA active.

1.5.1 DL Carrier Aggregation RF Conducted Powers

Table 34
Maximum Output Powers

Combination	PCC Band	PCC BW [MHz]	PCC										SCC1										SCC2										SCC3										SCC4										TxPower with 4470 CA config. active [dBm]	ULCA Tx Power [dBm]
			PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]																					
CA 41C-41A	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																			
CA 41D	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41A-41A	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41C-41C	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41E	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41D-41D	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41A-41E	LTE B41	20	40020	2593	QPSK	1	0	40020	2593	LTE B41	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
PCC																																						Power																
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	TxPower with 4470 CA config. active [dBm]	ULCA Tx Power [dBm]																			
CA 41C-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																		
CA 41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																	
CA 41A-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41C	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																	
CA 41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41A-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41E-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
SCC1																																						Power																
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	TxPower with 4470 CA config. active [dBm]	ULCA Tx Power [dBm]																			
CA 41C-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																	
CA 41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41A-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41C	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41A-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41E-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
SCC2																																						Power																
Combination	PCC Band	PCC BW [MHz]	PCC [UL] Ch.	PCC [DL] Freq. [MHz]	Mod.	PCC UL# RB	PCC UL RB Offset	PCC [DL] Ch.	PCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	SCC Band	SCC BW [MHz]	SCC [UL] Ch.	SCC [UL] RB Offset	SCC [DL] Ch.	SCC [DL] Freq. [MHz]	TxPower with 4470 CA config. active [dBm]	ULCA Tx Power [dBm]																			
CA 41C-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																	
CA 41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41A-41A	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41C	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	40018	2612.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41A-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41002	2611.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41C-41D	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41000	2600	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.50	24.50																
CA 41D-41E	LTE B41 PCC	20	40020	2593	QPSK	1	0	40020	2593	LTE B41 PCC	20	40020	2593.2	QPSK	1	0	40020	2593.2	LTE B41 PCC	20	41004	2610.4	-	-																														

1.5.2 DL Carrier Aggregation with DL 4x4 MIMO RF Conducted Powers

Note: 4x4 DL MIMO is only operating in the downlink. Uplink transmission is limited to a single output stream for each component carrier of ULCA.

Table 35
Maximum Output Powers

PCC															SCC 1															Power	
Combination	PCC Band	PCC BW [MHz]	PCC (UL) [MHz]	PCC (UL) Ch.	Mod.	PCC UL/RB	PCC UL RB Offset	PCC (DL) Ch.	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod.	SCC UL/RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	ULCA Tx with Adj'd CA config. active on DL (dBm)	ULCA Tx Power (dBm)									
CA {B6B}	LTE B66	10	132622	1775	QPSK	1	0	67086	2175	4x4	LTE B66	10	132523	1765.1	QPSK	1	49	66987	2165.1	4x4	23.73	23.60									
CA {B6C}	LTE B66	20	132572	1770	QPSK	1	0	67036	2170	4x4	LTE B66	20	132374	1750.2	QPSK	1	99	66838	2150.2	4x4	24.14	24.10									
																						Power									
Combination	PCC Band	PCC BW [MHz]	PCC (UL) Freq. [MHz]	Mod.	PCC UL/RB	PCC UL RB Offset	PCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod.	SCC UL/RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	SCC Band	SCC BW [MHz]	SCC (UL) Ch.	SCC (UL) Freq. [MHz]	Mod.	SCC UL/RB	SCC UL RB Offset	SCC (DL) Ch.	SCC (DL) Freq. [MHz]	DL Ant. Config.	Tx Power with Adj'd CA config. active on DL (dBm)	ULCA Tx Power (dBm)	
CA {B6C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3	4x4	24.00	24.00									
CA {B6C,41A,41C}	LTE B61	20	40020	2593	QPSK	1	0	40020	2593	4x4	LTE B61	20	40020	2573.3	QPSK	1	99	40020	2573.3</												

FCC ID: A3LSMG981U	 PCTEST COMMUNICATIONS LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset	APPENDIX F: Page 21 of 21		

APPENDIX G POWER REDUCTION VERIFICATION

Per the May 2017 TCBC Workshop Notes, demonstration of proper functioning of the power reduction mechanisms is required to support the corresponding SAR configurations. The verification process was divided into two parts: (1) evaluation of output power levels for individual or multiple triggering mechanisms and (2) evaluation of the triggering distances for proximity-based sensors.

G.1 Power Verification Procedure

The power verification was performed according to the following procedure:

1. A base station simulator was used to establish a conducted RF connection and the output power was monitored. The power measurements were confirmed to be within expected tolerances for all states before and after a power reduction mechanism was triggered. For licensed modes, the device state index as displayed on the device UI was recorded before and after the mechanism was triggered.
2. Step 1 was repeated for all relevant modes and frequency bands for the mechanism being investigated.
3. Steps 1 and 2 were repeated for all individual power reduction mechanisms and combinations thereof. For the licensed modes combination cases, one mechanism was switched to a 'triggered' state at a time; the device state index was confirmed to be corresponding to the 'triggered' state after each additional mechanism was activated.

G.2 Distance Verification Procedure

The distance verification procedure was performed according to the following procedure:

1. A base station simulator was used to establish an RF connection and to monitor the power levels. The device being tested was placed below the relevant section of the phantom with the relevant side or edge of the device facing toward the phantom. For licensed modes, the device state index on the device UI was monitored to determine the triggering state.
2. The device was moved toward and away from the phantom to determine the distance at which the mechanism triggers and the output power is reduced, per KDB Publication 616217 D04v01r02 and FCC Guidance. Each applicable test position was evaluated. The distances were confirmed to be the same or larger (more conservative) than the minimum distances provided by the manufacturer.
3. Steps 1 and 2 were repeated for low, mid, and high bands, as appropriate (see note below Table G-2 for more details).
4. Steps 1 through 3 were repeated for all distance-based power reduction mechanisms.

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19- 12/18/19	DUT Type: Portable Handset	APPENDIX G: Page 1 of 5

G.3 Main Antenna Verification Summary

Table G-1
Power Measurement Verification for Main Antenna

Mechanism(s)		Mode/Band	Device System Index		
1st	2nd		Un-triggered (Max)	Mechanism #1 (Reduced)	Mechanism #2 (Reduced)
Hotspot On		GPRS 1900	0	3	
Grip		GPRS 1900	0	1	
Hotspot On	Grip	GPRS 1900	0	3	3
Grip	Hotspot On	GPRS 1900	0	1	3
Hotspot On		UMTS 1750	0	3	
Grip		UMTS 1750	0	1	
Hotspot On	Grip	UMTS 1750	0	3	3
Grip	Hotspot On	UMTS 1750	0	1	3
Hotspot On		UMTS 1900	0	3	
Grip		UMTS 1900	0	1	
Hotspot On	Grip	UMTS 1900	0	3	3
Grip	Hotspot On	UMTS 1900	0	1	3
Hotspot On		PCS EVDO	0	3	
Grip		PCS EVDO	0	1	
Hotspot On	Grip	PCS EVDO	0	3	3
Grip	Hotspot On	PCS EVDO	0	1	3
Hotspot On		LTE FDD Band 4	0	3	
Grip		LTE FDD Band 4	0	1	
Hotspot On	Grip	LTE FDD Band 4	0	3	3
Grip	Hotspot On	LTE FDD Band 4	0	1	3
Hotspot On		LTE FDD Band 66	0	3	
Grip		LTE FDD Band 66	0	1	
Hotspot On	Grip	LTE FDD Band 66	0	3	3
Grip	Hotspot On	LTE FDD Band 66	0	1	3
Hotspot On		LTE FDD Band 2	0	3	
Grip		LTE FDD Band 2	0	1	
Hotspot On	Grip	LTE FDD Band 2	0	3	3
Grip	Hotspot On	LTE FDD Band 2	0	1	3
Hotspot On		LTE FDD Band 25	0	3	
Grip		LTE FDD Band 25	0	1	
Hotspot On	Grip	LTE FDD Band 25	0	3	3
Grip	Hotspot On	LTE FDD Band 25	0	1	3
Hotspot On		LTE FDD Band 30	0	3	
Grip		LTE FDD Band 30	0	1	
Hotspot On	Grip	LTE FDD Band 30	0	3	3
Grip	Hotspot On	LTE FDD Band 30	0	1	3
Hotspot On		LTE FDD Band 7	0	3	
Grip		LTE FDD Band 7	0	1	
Hotspot On	Grip	LTE FDD Band 7	0	3	3
Grip	Hotspot On	LTE FDD Band 7	0	1	3
Hotspot On		LTE TDD Band 41 (PC3)	0	3	
Grip		LTE TDD Band 41 (PC3)	0	1	
Hotspot On	Grip	LTE TDD Band 41 (PC3)	0	3	3
Grip	Hotspot On	LTE TDD Band 41 (PC3)	0	1	3
Hotspot On		LTE TDD Band 41 (PC2)	0	3	
Grip		LTE TDD Band 41 (PC2)	0	1	
Hotspot On	Grip	LTE TDD Band 41 (PC2)	0	3	3
Grip	Hotspot On	LTE TDD Band 41 (PC2)	0	1	3
Hotspot On		LTE TDD Band 38	0	3	
Grip		LTE TDD Band 38	0	1	
Hotspot On	Grip	LTE TDD Band 38	0	3	3
Grip	Hotspot On	LTE TDD Band 38	0	1	3
Held-to-Ear		LTE TDD Band 48	0	2	
Hotspot On		NR Band n66	0	3	
Grip		NR Band n66	0	1	
Hotspot On	Grip	NR Band n66	0	3	3
Grip	Hotspot On	NR Band n66	0	1	3
Hotspot On		NR Band n2	0	3	
Grip		NR Band n2	0	1	
Hotspot On	Grip	NR Band n2	0	3	3
Grip	Hotspot On	NR Band n2	0	1	3

*Note: This device uses different Device State Indices (DSI) to configure different time averaged power levels based on certain exposure scenarios. For this device, DSI = 1 represents the case when the grip sensor is active, DSI=2 represents the case where the device is held to ear, and DSI = 3 represents the case when hotspot mode is active. DSI = 0 is configured at max power when the device cannot detect the use condition.

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19- 12/18/19	DUT Type: Portable Handset	APPENDIX G: Page 2 of 5

Table G-2
Distance Measurement Verification for Main Antenna

Mechanism(s)	Test Condition	Band	Distance Measurements (mm)		Minimum Distance per Manufacturer (mm)
			Moving Toward	Moving Away	
Grip	Phablet - Back Side	Mid	11	13	9
Grip	Phablet - Back Side	High	11	13	9
Grip	Phablet - Front Side	Mid	8	9	7
Grip	Phablet - Front Side	High	8	9	7
Grip	Phablet - Bottom Edge	Mid	12	14	12
Grip	Phablet - Bottom Edge	High	12	14	12

*Note: Mid band refers to: CDMA BC1, GSM1900, UMTS B2/4, LTE B2/4/25/66, NR Band n66/n2; High band refers to: LTE B7/30/38/41 PC3/41 PC2.

G.4 WIFI Verification Summary

Table G-3
Power Measurement Verification WIFI – Antenna 1

Mechanism(s)	Mode/Band	Conducted Power (dBm)	
		Un-triggered (Max)	Mechanism #1 (Reduced)
1st			
Held-to-Ear	802.11b	20.99	16.82
Held-to-Ear	802.11g	17.90	16.98
Held-to-Ear	802.11n (2.4GHz)	18.12	17.00
Held-to-Ear	802.11a	15.02	13.82
Held-to-Ear	802.11n (5GHz, 20MHz BW)	15.42	13.99
Held-to-Ear	802.11ac (20MHz BW)	15.38	13.95
Held-to-Ear	802.11n (5GHz, 40MHz BW)	14.17	12.20
Held-to-Ear	802.11ac (40MHz BW)	14.25	12.92
Held-to-Ear	802.11ac (80MHz BW)	14.65	12.99

*Note: 802.11ax and MIMO WIFI modes were not evaluated due to equipment limitations.

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19- 12/18/19	DUT Type: Portable Handset	APPENDIX G: Page 3 of 5

Table G-4
Power Measurement Verification WIFI – Antenna 2

Mechanism(s)	Mode/Band	Conducted Power (dBm)	
1st		Un-triggered (Max)	Mechanism #1 (Reduced)
Held-to-Ear	802.11b	20.95	16.61
Held-to-Ear	802.11g	17.79	16.22
Held-to-Ear	802.11n (2.4GHz)	17.42	16.40
Held-to-Ear	802.11a	14.57	12.65
Held-to-Ear	802.11n (5GHz, 20MHz BW)	14.54	13.23
Held-to-Ear	802.11ac (20MHz BW)	14.55	13.19
Held-to-Ear	802.11n (5GHz, 40MHz BW)	15.04	13.74
Held-to-Ear	802.11ac (40MHz BW)	14.26	13.11
Held-to-Ear	802.11ac (80MHz BW)	15.66	13.38

*Note: 802.11ax and MIMO WIFI modes were not evaluated due to equipment limitations.

Table G-5
Power Measurement Verification WIFI with NR Active – Antenna 1

Mode/Band	Conducted Power (dBm)		
	Un-triggered (Max)	Mechanism #1 NR Active (Reduced)	Mechanism #2 RCV Active (Reduced)
802.11b	20.02	15.01	12.99
802.11g	18.05	15.39	13.27
802.11n (2.4GHz)	18.06	15.59	13.11
802.11a	15.59	12.14	12.31
802.11n (5GHz, 20MHz BW)	15.94	12.55	12.36
802.11ac (20MHz BW)	16.21	12.61	12.31
802.11n (5GHz, 40MHz BW)	14.99	12.78	12.81
802.11ac (40MHz BW)	15.07	12.76	12.45
802.11ac (80MHz BW)	14.35	12.94	12.19

*Note: 802.11ax and MIMO WIFI modes were not evaluated due to equipment limitations.

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19- 12/18/19	DUT Type: Portable Handset	APPENDIX G: Page 4 of 5

Table G-6
Power Measurement Verification WIFI with NR Active – Antenna 2

Mode/Band	Conducted Power (dBm)		
	Un-triggered (Max)	Mechanism #1 NR Active (Reduced)	Mechanism #2 RCV Active (Reduced)
802.11b	20.13	15.23	13.47
802.11g	17.08	15.80	13.66
802.11n (2.4GHz)	17.76	16.26	13.51
802.11a	15.27	12.51	12.62
802.11n (5GHz, 20MHz BW)	14.97	12.62	12.48
802.11ac (20MHz BW)	15.11	12.55	12.71
802.11n (5GHz, 40MHz BW)	14.35	12.17	12.20
802.11ac (40MHz BW)	14.31	12.01	12.11
802.11ac (80MHz BW)	14.24	11.86	12.01

*Note: 802.11ax and MIMO WIFI modes were not evaluated due to equipment limitations.

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT 	Reviewed by: Quality Manager
Test Dates: 10/23/19- 12/18/19	DUT Type: Portable Handset	APPENDIX G: Page 5 of 5

APPENDIX H: IEEE 802.11AX RU SAR EXCLUSION

1.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T and 996T.

Per April 2019 TCB Workshop Notes, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

1.2 IEEE 802.11ax RU Target Powers

1.2.1 Maximum 802.11ax RU WLAN Output Power

Tones	SISO (ANT1/2) /in dBm				MIMO (ALL) /in dBm			
	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz
	Ch & RU index							
26T	12.5	10.0	10.0	10.0	12.5	10.0	10.0	10.0
52T	15.0	12.0	12.0	12.0	15.0	12.0	12.0	12.0
106T	15.0	14.0	14.0	14.0	15.0	14.0	14.0	14.0
242T	15.0 ch. 1: 14.5 ch. 11: 12.0	15.0 ch. 36: 13.5 ch. 64: 14.0	15.0 ch. 62: 14.0	14.0	15.0 ch. 1: 14.5 ch. 11: 12.0	16.0 ch. 36: 13.5 ch. 64: 14.0	15.0 ch. 62: 14.0	14.0
484T			15.0 ch. 38: 11.0 ch. 62: 9.5 ch. 102: 13.0	14.0 ch. 42: 12.5 ch. 58: 11.0 ch. 106: 13.5			15.0 ch. 38: 11.0 ch. 62: 9.5 ch. 102: 13.0	14.0 ch. 42: 12.5 ch. 58: 11.0 ch. 106: 13.5
996T				14.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5				14.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5

1.2.2 Reduced 802.11ax RU WLAN Output Power – Table 1

Applicable for conditions:

- RCV Active
- Simultaneous conditions with 2.4 GHz WLAN and 5 GHz WLAN
- Simultaneous conditions with 5G NR and 2.4 GHz WLAN and/or 5 GHz WLAN

Tones	SISO (ANT1/2) /in dBm				MIMO (ALL) /in dBm			
	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz
	Ch & RU index							
26T	12.5	10.0	10.0	10.0	12.5	10.0	10.0	10.0
52T	15.0	12.0	12.0	12.0	15.0	12.0	12.0	12.0
106T	15.0	13.0	13.0	13.0	15.0	14.0	14.0	14.0
242T	15.0 ch. 1: 14.5 ch. 11: 12.0	13.0	13.0	13.0	15.0 ch. 1: 14.5 ch. 11: 12.0	16.0 ch. 36: 13.5 ch. 64: 14.0	15.0 ch. 62: 14.0	14.0
484T			13.0 ch. 38: 11.0 ch. 62: 9.5	13.0 ch. 42: 12.5 ch. 58: 11.0			15.0 ch. 38: 11.0 ch. 62: 9.5 ch. 102: 13.0	14.0 ch. 42: 12.5 ch. 58: 11.0 ch. 106: 13.5
996T				13.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5				14.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5

FCC ID: A3LSMG981U	 PCTEST TECHNOLOGICAL LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX H: Page 1 of 6

1.2.3 Reduced 802.11ax RU WLAN Output Power – Table 2

Applicable for conditions:

- RCV Active during simultaneous conditions with 2.4 GHz WLAN and 5 GHz WLAN
- RCV Active during simultaneous conditions with 5G NR and 2.4 GHz WLAN and/or 5 GHz WLAN

Tones	SISO (ANT1/2) /in dBm				MIMO (ALL) /in dBm			
	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz	2.4GHz	5GHz/20MHz	5GHz/40MHz	5GHz/80MHz
	Ch & RU index							
26T	12.5	10.0	10.0	10.0	12.5	10.0	10.0	10.0
52T	13.0	12.0	12.0	12.0	15.0	12.0	12.0	12.0
106T	13.0	13.0	13.0	13.0	15.0	14.0	14.0	14.0
242T	13.0 ch. 11: 12.0	13.0	13.0	13.0	15.0 ch. 1: 14.5 ch. 11: 12.0	16.0 ch. 36: 13.5 ch. 64: 14.0	15.0 ch. 62: 14.0	14.0
484T			13.0 ch. 38: 11.0 ch. 62: 9.5	13.0 ch. 42: 12.5 ch. 58: 11.0			15.0 ch. 38: 11.0 ch. 62: 9.5 ch. 102: 13.0	14.0 ch. 42: 12.5 ch. 58: 11.0 ch. 106: 13.5
996T				13.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5				14.0 ch. 42: 12.0 ch. 58: 10.0 ch. 106: 11.5

1.3 IEEE 802.11ax Measured Powers

Table 1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)	Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	26T	0	13.47	2412	1	52T	37	15.94
			4	13.46				38	15.62
			8	12.76				40	15.54
2437	6	26T	0	13.26	2437	6	52T	37	15.25
			4	13.34				38	15.68
			8	12.99				40	15.71
2462	11	26T	0	13.47	2462	11	52T	37	15.72
			4	12.77				38	15.07
			8	12.62				40	15.61

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	15.27
			54	15.76
2437	6	106T	53	15.72
			54	15.72
2462	11	106T	53	15.01
			54	15.72

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	242T	61	15.31
2437	6	242T	61	15.87
2462	11	242T	61	12.75

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset		APPENDIX H: Page 2 of 6

Table 2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 2

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)	Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	26T	0	12.72	2412	1	52T	37	15.77
			4	12.56				38	15.69
			8	12.68				40	15.66
2437	6	26T	0	12.85	2437	6	52T	37	15.94
			4	12.81				38	15.28
			8	13.46				40	15.71
2462	11	26T	0	13.15	2462	11	52T	37	15.13
			4	13.23				38	15.12
			8	13.42				40	15.44

Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	106T	53	15.63
			54	15.27
2437	6	106T	53	15.09
			54	15.41
2462	11	106T	53	15.11
			54	15.82
Freq [MHz]	Channel	Tones	RU Index	Avg Conducted Powers (dBm)
2412	1	242T	61	15.38
2437	6	242T	61	15.31
2462	11	242T	61	12.72

FCC ID: A3LSMG981U	 PCTEST TECHNOLOGY LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX H: Page 3 of 6

Table 3
Maximum 5 GHz 802.11ax RU Output Power – Ant 1

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	1	5180	36	26T	10.49	10.84	10.80
5200		40	26T	10.40	10.81	10.67	
5240		48	26T	10.37	10.75	10.66	
2A	5260	52	26T	10.50	10.73	10.65	
	5280	56	26T	10.52	10.78	10.64	
	5320	64	26T	10.50	10.79	10.56	
2C	5500	100	26T	10.98	10.41	10.38	
	5600	120	26T	10.07	10.31	10.13	
	5720	144	26T	10.86	10.34	10.11	
3	5745	149	26T	10.76	10.98	10.75	
	5785	157	26T	10.88	10.45	10.96	
	5825	165	26T	10.69	10.25	10.90	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	14.54	14.72	
5200		40	106T	14.50	14.65		
5240		48	106T	14.53	14.57		
2A	5260	52	106T	14.60	14.71		
	5280	56	106T	14.53	14.78		
	5320	64	106T	14.56	14.67		
2C	5500	100	106T	14.82	14.86		
	5600	120	106T	14.71	14.78		
	5720	144	106T	14.79	14.78		
3	5745	149	106T	14.67	14.70		
	5785	157	106T	14.87	14.97		
	5825	165	106T	14.84	14.80		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	13.65		
5200		40	242T	15.53			
5240		48	242T	15.50			
2A	5260	52	242T	15.60			
	5280	56	242T	15.55			
	5320	64	242T	14.57			
2C	5500	100	242T	15.77			
	5600	120	242T	15.65			
	5720	144	242T	15.53			
3	5745	149	242T	15.60			
	5785	157	242T	15.84			
	5825	165	242T	15.74			

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	10.95	10.32	10.09
5230		46	26T	10.90	10.21	10.98	
2A	5270	54	26T	10.90	10.17	10.98	
	5310	62	26T	10.89	10.11	10.74	
2C	5510	102	26T	10.52	10.71	10.65	
	5590	118	26T	10.33	10.58	10.44	
3	5710	142	26T	10.27	10.64	10.55	
	5755	151	26T	10.41	10.53	10.59	
	5795	159	26T	10.89	10.56	10.21	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	12.21	12.20	12.26
5230		46	52T	12.15	12.23	12.23	
2A	5270	54	52T	12.13	12.19	12.09	
	5310	62	52T	12.05	12.09	12.02	
2C	5510	102	52T	12.60	12.65	12.81	
	5590	118	52T	12.42	12.50	12.51	
3	5710	142	52T	12.48	12.55	12.63	
	5755	151	52T	12.62	12.55	12.73	
	5795	159	52T	12.18	12.59	12.41	

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	15.60	15.46	
5230		46	242T	15.68	15.45		
2A	5270	54	242T	15.64	15.58		
	5310	62	242T	14.67	14.44		
2C	5510	102	242T	15.82	15.95		
	5590	118	242T	15.64	15.67		
3	5710	142	242T	15.63	15.70		
	5755	151	242T	15.86	15.98		
	5795	159	242T	15.70	15.90		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	11.46		
5230		46	484T	15.17			
2A	5270	54	484T	15.03			
	5310	62	484T	10.47			
2C	5510	102	484T	13.91			
	5590	118	484T	15.25			
3	5710	142	484T	15.22			
	5755	151	484T	15.87			
	5795	159	484T	15.77			

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset		APPENDIX H: Page 4 of 6

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
80MHz BW	1	5210	42	26T	10.96	10.60	10.91
	2A	5290	58	26T	10.83	10.57	10.66
	2C	5530	106	26T	10.53	10.31	10.44
		5610	122	26T	10.26	10.01	10.23
	3	5690	138	26T	10.31	10.03	10.28
		5775	155	26T	10.23	10.11	10.56

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
80MHz BW	1	5210	42	52T	12.13	12.59	12.05
	2A	5290	58	52T	12.97	12.36	12.92
	2C	5530	106	52T	12.45	12.89	12.54
		5610	122	52T	12.27	12.72	12.27
	3	5690	138	52T	12.25	12.61	12.31
		5775	155	52T	12.21	12.91	12.63

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
80MHz BW	1	5210	42	106T	14.90	14.25	14.96
	2A	5290	58	106T	14.74	14.19	14.80
	2C	5530	106	106T	14.26	14.46	14.14
		5610	122	106T	14.97	14.32	14.97
	3	5690	138	106T	14.96	14.24	14.94
		5775	155	106T	14.57	14.99	14.76

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
80MHz BW	1	5210	42	484T	13.29	13.23	
	2A	5290	58	484T	11.24	11.22	
	2C	5530	106	484T	14.32	14.39	
		5610	122	484T	14.27	14.20	
	3	5690	138	484T	14.11	14.18	
		5775	155	484T	14.62	14.76	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
80MHz BW	1	5210	42	996T	12.29		
	2A	5290	58	996T	10.25		
	2C	5530	106	996T	11.85		
		5610	122	996T	14.97		
	3	5690	138	996T	14.89		
		5775	155	996T	14.63		

Table 4
Maximum 5 GHz 802.11ax RU Output Power – Ant 2

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	10.84	10.33	10.98
		5200	40	26T	10.86	10.33	10.21
		5240	48	26T	10.87	10.30	10.26
	2A	5260	52	26T	10.76	10.07	10.91
		5280	56	26T	10.78	10.14	10.06
		5320	64	26T	10.96	10.24	10.12
	2C	5500	100	26T	10.54	10.82	10.53
		5600	120	26T	10.94	10.03	10.78
		5720	144	26T	10.83	10.97	10.84
	3	5745	149	26T	10.36	10.70	10.18
5785		157	26T	10.32	10.56	10.23	
5825		165	26T	10.14	10.55	10.04	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	12.63	12.95	12.91
		5200	40	52T	12.81	12.98	12.99
		5240	48	52T	12.84	12.93	12.97
	2A	5260	52	52T	12.70	12.93	12.87
		5280	56	52T	12.77	12.05	12.98
		5320	64	52T	12.91	12.17	12.07
	2C	5500	100	52T	12.60	12.78	12.52
		5600	120	52T	12.79	12.90	12.81
		5720	144	52T	12.92	12.95	12.76
	3	5745	149	52T	12.96	12.26	12.90
5785		157	52T	12.13	12.40	12.05	
5825		165	52T	12.79	12.19	12.83	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	14.69	14.87	
		5200	40	106T	14.73	14.84	
		5240	48	106T	14.80	14.93	
	2A	5260	52	106T	14.55	14.69	
		5280	56	106T	14.68	14.88	
		5320	64	106T	14.87	14.86	
	2C	5500	100	106T	14.74	14.64	
		5600	120	106T	14.95	14.72	
		5720	144	106T	14.82	14.89	
	3	5745	149	106T	14.81	14.73	
5785		157	106T	14.82	14.76		
5825		165	106T	14.65	14.68		

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
20MHz BW	1	5180	36	242T	14.01		
		5200	40	242T	15.81		
		5240	48	242T	15.85		
	2A	5260	52	242T	15.66		
		5280	56	242T	15.68		
		5320	64	242T	14.75		
	2C	5500	100	242T	15.38		
		5600	120	242T	15.58		
		5720	144	242T	15.65		
	3	5745	149	242T	15.72		
5785		157	242T	15.79			
5825		165	242T	15.71			

FCC ID: A3LSMG981U	 PCTEST TECHNOLOGICAL LABORATORY, INC.	SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset			APPENDIX H: Page 5 of 6

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
40MHz BW	1	5190	38	26T	10.29	10.68	10.35
		5230	46	26T	10.28	10.71	10.36
		5270	54	26T	10.15	10.27	10.30
	2A	5310	62	26T	10.21	10.37	10.35
		5510	102	26T	10.06	10.08	10.22
		5590	118	26T	10.07	10.05	10.03
	2C	5710	142	26T	10.27	10.28	10.16
		5755	151	26T	10.59	10.81	10.68
		5795	159	26T	10.14	10.75	10.10
	3						
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
40MHz BW	1	5190	38	106T	14.65	14.52	14.57
		5230	46	106T	14.57	14.48	14.75
		5270	54	106T	14.38	14.23	14.47
	2A	5310	62	106T	14.47	14.33	14.43
		5510	102	106T	14.38	14.11	14.65
		5590	118	106T	14.53	14.06	14.48
	2C	5710	142	106T	14.61	14.09	14.63
		5755	151	106T	14.69	14.39	14.73
		5795	159	106T	14.33	14.36	14.41
	3						
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
40MHz BW	1	5190	38	484T	11.96		
		5230	46	484T	15.86		
		5270	54	484T	15.88		
	2A	5310	62	484T	9.89		
		5510	102	484T	13.63		
		5590	118	484T	15.36		
	2C	5710	142	484T	15.48		
		5755	151	484T	15.76		
		5795	159	484T	15.67		
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
80MHz BW	1	5210	42	26T	10.23	10.10	10.42
		5290	58	26T	10.10	10.97	10.26
		5530	106	26T	10.05	10.69	10.12
	2C	5610	122	26T	10.13	10.76	10.15
		5690	138	26T	10.23	10.76	10.07
		5775	155	26T	10.70	10.45	10.54
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
80MHz BW	1	5210	42	106T	14.57	14.82	14.51
		5290	58	106T	14.47	14.88	14.60
		5530	106	106T	14.30	14.54	14.30
	2C	5610	122	106T	14.32	14.48	14.27
		5690	138	106T	14.49	14.50	14.26
		5775	155	106T	14.69	14.92	14.62
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
80MHz BW	1	5210	42	484T	12.77	12.90	
		5290	58	484T	11.77	11.84	
		5530	106	484T	14.36	14.45	
	2C	5610	122	484T	14.43	14.55	
		5690	138	484T	14.47	14.52	
		5775	155	484T	14.58	14.65	
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
80MHz BW	1	5210	42	996T	12.69		
		5290	58	996T	10.27		
		5530	106	996T	12.05		
	2C	5610	122	996T	14.68		
		5690	138	996T	14.84		
		5775	155	996T	14.22		
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
80MHz BW	1	5210	42	52T	12.29	12.88	12.52
		5290	58	52T	12.13	12.74	12.43
		5530	106	52T	12.12	12.57	12.28
	2C	5610	122	52T	12.24	12.49	12.19
		5690	138	52T	12.39	12.58	12.31
		5775	155	52T	12.75	12.09	12.71
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
80MHz BW	1	5210	42	242T	14.78	14.94	14.78
		5290	58	242T	14.85	14.27	14.81
		5530	106	242T	14.41	14.68	14.61
	2C	5610	122	242T	14.51	14.72	14.56
		5690	138	242T	14.56	14.72	14.51
		5775	155	242T	14.80	14.86	14.91
	3						
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64

FCC ID: A3LSMG981U	 SAR EVALUATION REPORT		Reviewed by: Quality Manager
Test Dates: 10/23/19 – 12/18/19	DUT Type: Portable Handset		APPENDIX H: Page 6 of 6

APPENDIX I: PROBE CALIBRATION



Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D750V3-1054_Mar19/2**

CALIBRATION CERTIFICATE (Replacement of No:D750V3-1154_Mar19)

Object **D750V3 - SN:1054**

Calibration procedure(s) **QA CAL-05.v11**
Calibration Procedure for SAR Validation Sources between 0.7-3 GHz

BNV
4-29-2019

Calibration date: **March 18, 2019**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	31-Dec-18 (No. EX3-7349_Dec18)	Dec-19
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB39512475	07-Oct-15 (in house check Feb-19)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

Calibrated by: **Manu Seitz** **Laboratory Technician**

Signature

Approved by: **Katja Pokovic** **Technical Manager**

Issued: April 12, 2019

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5.0 mm	
Frequency	750 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.9	0.89 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	42.1 $\pm$ 6 %	0.89 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.07 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.29 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.37 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.48 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.5	0.96 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	54.5 $\pm$ 6 %	0.98 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.18 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	8.55 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.44 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	5.67 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	54.5 Ω - 0.3 j Ω
Return Loss	- 27.2 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	50.2 Ω - 3.0 j Ω
Return Loss	- 30.3 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.035 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
-----------------	-------

Appendix (Additional assessments outside the scope of SCS 0108)

Measurement Conditions

DASY system configuration, as far as not given on page 1 and 3.

Phantom	SAM Head Phantom	For usage with cSAR3DV2-R/L
---------	------------------	-----------------------------

SAR result with SAM Head (Top)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	1.93 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	7.72 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.31 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.23 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Mouth)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.05 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.20 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.39 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.55 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Neck)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.00 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.00 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.38 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.51 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Ear)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	1.66 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.64 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.14 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	4.55 W/kg ± 16.9 % (k=2)

DASY5 Validation Report for Head TSL

Date: 13.03.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1054

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.89 \text{ S/m}$; $\epsilon_r = 42.1$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.32, 10.32, 10.32) @ 750 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 58.96 V/m; Power Drift = 0.00 dB


Peak SAR (extrapolated) = 3.06 W/kg

SAR(1 g) = 2.07 W/kg; SAR(10 g) = 1.37 W/kg

Maximum value of SAR (measured) = 2.73 W/kg



Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 13.03.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1054

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: $f = 750 \text{ MHz}$; $\sigma = 0.98 \text{ S/m}$; $\epsilon_r = 54.5$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.29, 10.29, 10.29) @ 750 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 57.37 V/m; Power Drift = -0.01 dB

Peak SAR (extrapolated) = 3.19 W/kg


SAR(1 g) = 2.18 W/kg; SAR(10 g) = 1.44 W/kg

Maximum value of SAR (measured) = 2.87 W/kg



0 dB = 2.87 W/kg = 4.58 dBW/kg

Impedance Measurement Plot for Body TSL



DASY5 Validation Report for SAM Head

Date: 18.03.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 750 MHz; Type: D750V3; Serial: D750V3 - SN:1054

Communication System: UID 0 - CW; Frequency: 750 MHz

Medium parameters used: $f = 750$ MHz; $\sigma = 0.904$ S/m; $\epsilon_r = 44.22$; $\rho = 1000$ kg/m³

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.32, 10.32, 10.32) @ 750 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: SAM Head
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

SAM Right/Head/Top/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 55.66 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 2.80 W/kg

SAR(1 g) = 1.93 W/kg; SAR(10 g) = 1.31 W/kg

Maximum value of SAR (measured) = 2.52 W/kg

SAM Right/Head/Mouth/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 57.68 V/m; Power Drift = 0.03 dB

Peak SAR (extrapolated) = 2.98 W/kg

SAR(1 g) = 2.05 W/kg; SAR(10 g) = 1.39 W/kg

Maximum value of SAR (measured) = 2.68 W/kg

SAM Right/Head/Neck/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 56.23 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 2.82 W/kg

SAR(1 g) = 2 W/kg; SAR(10 g) = 1.38 W/kg

Maximum value of SAR (measured) = 2.56 W/kg


SAM Right/Head/Ear/Zoom Scan (8x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 50.76 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 2.32 W/kg

SAR(1 g) = 1.66 W/kg; SAR(10 g) = 1.14 W/kg

Maximum value of SAR (measured) = 2.11 W/kg





Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D835V2-4d047_Mar19**

CALIBRATION CERTIFICATE

Object **D835V2 - SN:4d047**

Calibration procedure(s) **QA CAL-05.v11
Calibration Procedure for SAR Validation Sources between 0.7-3 GHz**

Calibration date: **March 13, 2019**

BN ✓
04-12-2019

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	31-Dec-18 (No. EX3-7349_Dec18)	Dec-19
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter E4419B	SN: GB39512475	07-Oct-15 (in house check Feb-19)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

Calibrated by: **Manu Seitz** **Laboratory Technician**

Approved by: **Katja Pokovic** **Technical Manager**

Signature

Issued: March 13, 2019

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

Accreditation No.: **SCS 0108**

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	835 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	41.9 $\pm$ 6 %	0.91 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.37 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.42 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.54 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.13 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	54.3 $\pm$ 6 %	1.01 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.45 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.47 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.61 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.27 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	51.4 Ω - 2.6 j Ω
Return Loss	- 30.7 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	46.8 Ω - 6.1 j Ω
Return Loss	- 22.9 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.387 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
-----------------	-------

DASY5 Validation Report for Head TSL

Date: 13.03.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d047

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.91 \text{ S/m}$; $\epsilon_r = 41.9$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10, 10, 10) @ 835 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 62.48 V/m; Power Drift = -0.08 dB

Peak SAR (extrapolated) = 3.60 W/kg


SAR(1 g) = 2.37 W/kg; SAR(10 g) = 1.54 W/kg

Maximum value of SAR (measured) = 3.18 W/kg



0 dB = 3.18 W/kg = 5.02 dBW/kg

Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 13.03.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d047

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 1.01 \text{ S/m}$; $\epsilon_r = 54.3$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.15, 10.15, 10.15) @ 835 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 60.49 V/m; Power Drift = -0.02 dB

Peak SAR (extrapolated) = 3.58 W/kg


SAR(1 g) = 2.45 W/kg; SAR(10 g) = 1.61 W/kg

Maximum value of SAR (measured) = 3.23 W/kg



0 dB = 3.23 W/kg = 5.09 dBW/kg

Impedance Measurement Plot for Body TSL





Accredited by the Swiss Accreditation Service (SAS)

Accreditation No.: **SCS 0108**

The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Client **PC Test**

Certificate No: **D835V2-4d132_Jan19**

CALIBRATION CERTIFICATE

Object **D835V2 - SN:4d132**

Calibration procedure(s) **QA CAL-05.v11**
Calibration Procedure for SAR Validation Sources between 0.7-3 GHz

BN ✓
02/06/2019

Calibration date: **January 22, 2019**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature $(22 \pm 3)^{\circ}\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	31-Dec-18 (No. EX3-7349_Dec18)	Dec-19
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19

Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

Calibrated by: **Leif Klysner** **Laboratory Technician**

Signature

Leif Klysner

Approved by: **Katja Pokovic** **Technical Manager**

Katja Pokovic

Issued: January 22, 2019

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:* Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:* The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:* These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:* One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:* SAR measured at the stated antenna input power.
- SAR normalized:* SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:* The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5.0 mm	
Frequency	835 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	41.3 $\pm$ 6 %	0.92 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.44 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.59 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.58 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.23 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	54.6 $\pm$ 6 %	0.99 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.46 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.67 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.61 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.35 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	49.6 Ω - 3.6 j Ω
Return Loss	- 28.7 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.4 Ω - 6.2 j Ω
Return Loss	- 23.2 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.387 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
-----------------	-------

Appendix (Additional assessments outside the scope of SCS 0108)

Measurement Conditions

DASY system configuration, as far as not given on page 1 and 3.

Phantom	SAM Head Phantom	For usage with cSAR3DV2-R/L
---------	------------------	-----------------------------

SAR result with SAM Head (Top)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.35 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.38 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.57 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.26 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Mouth)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.47 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.86 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.65 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.58 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Neck)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.36 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.42 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.60 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	6.38 W/kg ± 16.9 % (k=2)

SAR result with SAM Head (Ear)

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.02 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	8.06 W/kg ± 17.5 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	1.36 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	5.42 W/kg ± 16.9 % (k=2)

DASY5 Validation Report for Head TSL

Date: 17.01.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d132

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.92 \text{ S/m}$; $\epsilon_r = 41.3$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10, 10, 10) @ 835 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (front); Type: QD 00L P49 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, $d=15\text{mm}$ /Zoom Scan (7x7x7)/Cube 0:


Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 34.24 V/m; Power Drift = -0.00 dB

Peak SAR (extrapolated) = 3.73 W/kg


SAR(1 g) = 2.44 W/kg; SAR(10 g) = 1.58 W/kg

Maximum value of SAR (measured) = 3.28 W/kg



0 dB = 3.28 W/kg = 5.16 dBW/kg

Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 17.01.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d132

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.99 \text{ S/m}$; $\epsilon_r = 54.6$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10.15, 10.15, 10.15) @ 835 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 4.9 (Back); Type: QD 00R P49 AA; Serial: 1005
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 63.32 V/m; Power Drift = -0.07 dB

Peak SAR (extrapolated) = 3.64 W/kg


SAR(1 g) = 2.46 W/kg; SAR(10 g) = 1.61 W/kg

Maximum value of SAR (measured) = 3.26 W/kg



0 dB = 3.26 W/kg = 5.13 dBW/kg

Impedance Measurement Plot for Body TSL



DASY5 Validation Report for SAM Head

Date: 22.01.2019

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN:4d132

Communication System: UID 0 - CW; Frequency: 835 MHz

Medium parameters used: $f = 835 \text{ MHz}$; $\sigma = 0.92 \text{ S/m}$; $\epsilon_r = 44.4$; $\rho = 1000 \text{ kg/m}^3$

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(10, 10, 10) @ 835 MHz; Calibrated: 31.12.2018
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: SAM Head
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

SAM/Head/Top/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 61.32 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 3.51 W/kg

SAR(1 g) = 2.35 W/kg; SAR(10 g) = 1.57 W/kg

Maximum value of SAR (measured) = 3.12 W/kg

SAM/Head/Mouth/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 62.25 V/m; Power Drift = 0.01 dB

Peak SAR (extrapolated) = 3.67 W/kg

SAR(1 g) = 2.47 W/kg; SAR(10 g) = 1.65 W/kg

Maximum value of SAR (measured) = 3.24 W/kg

SAM/Head/Neck/Zoom Scan (7x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 60.69 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 3.43 W/kg

SAR(1 g) = 2.36 W/kg; SAR(10 g) = 1.6 W/kg

Maximum value of SAR (measured) = 3.08 W/kg


SAM/Head/Ear/Zoom Scan (8x7x7)/Cube 0: Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 55.79 V/m; Power Drift = 0.05 dB

Peak SAR (extrapolated) = 2.94 W/kg

SAR(1 g) = 2.02 W/kg; SAR(10 g) = 1.36 W/kg

Maximum value of SAR (measured) = 2.62 W/kg



0 dB = 2.62 W/kg = 4.18 dBW/kg



Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D1750V2-1150_Oct18**

CALIBRATION CERTIFICATE

Object **D1750V2 - SN:1150**

Calibration procedure(s) **QA CAL-05.v10**
Calibration procedure for dipole validation kits above 700 MHz

Calibration date: **October 22, 2018**

BNV
10/30/2018
BNV
10-20-2019

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature $(22 \pm 3)^{\circ}\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	30-Dec-17 (No. EX3-7349_Dec17)	Dec-18
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

Calibrated by:	Name Michael Weber	Function Laboratory Technician	Signature <i>M. Weber</i>
Approved by:	Katja Pokovic	Technical Manager	<i>K. Pokovic</i>

Issued: October 22, 2018

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1750 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.1	1.37 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	38.8 $\pm$ 6 %	1.33 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.02 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	36.5 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	4.76 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	19.2 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.4	1.49 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	53.5 $\pm$ 6 %	1.46 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.04 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	36.6 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	4.82 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	19.4 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	50.9 Ω - 0.4 j Ω
Return Loss	- 40.1 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	46.6 Ω - 0.1 j Ω
Return Loss	- 29.2 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.217 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	April 10, 2015

DASY5 Validation Report for Head TSL

Date: 22.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1150

Communication System: UID 0 - CW; Frequency: 1750 MHz

Medium parameters used: $f = 1750$ MHz; $\sigma = 1.33$ S/m; $\epsilon_r = 38.8$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.5, 8.5, 8.5) @ 1750 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 108.1 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 16.7 W/kg


SAR(1 g) = 9.02 W/kg; SAR(10 g) = 4.76 W/kg

Maximum value of SAR (measured) = 14.0 W/kg



0 dB = 14.0 W/kg = 11.46 dBW/kg

Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 22.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1750 MHz; Type: D1750V2; Serial: D1750V2 - SN:1150

Communication System: UID 0 - CW; Frequency: 1750 MHz

Medium parameters used: $f = 1750$ MHz; $\sigma = 1.46$ S/m; $\epsilon_r = 53.5$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.35, 8.35, 8.35) @ 1750 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 102.1 V/m; Power Drift = -0.09 dB

Peak SAR (extrapolated) = 16.0 W/kg


SAR(1 g) = 9.04 W/kg; SAR(10 g) = 4.82 W/kg

Maximum value of SAR (measured) = 13.6 W/kg



0 dB = 13.6 W/kg = 11.34 dBW/kg

Impedance Measurement Plot for Body TSL



Certification of Calibration

Object D1750V2 – SN:1150

Calibration procedure(s) Procedure for Calibration Extension for SAR Dipoles.

Extended Calibration date: October 18, 2019

Description: SAR Validation Dipole at 1750 MHz.

Calibration Equipment used:

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Control Company	4040	Therm./Clock/Humidity Monitor	6/29/2019	Biennial	6/29/2021	192291470
Control Company	4352	Ultra Long Stem Thermometer	8/2/2018	Biennial	8/2/2020	181334684
Amplifier Research	15S1G6	Amplifier	CBT	N/A	CBT	433971
Narda	4772-3	Attenuator (3dB)	CBT	N/A	CBT	9406
Keysight Technologies	85033E	Standard Mechanical Calibration Kit (DC to 9GHz, 3.5mm)	7/2/2019	Annual	7/2/2020	MY53401181
Rohde & Schwarz	ZNLE6	Vector Network Analyzer	10/11/2019	Annual	10/11/2020	101307
Mini-Circuits	BW-N20W5+	DC to 18 GHz Precision Fixed 20 dB Attenuator	CBT	N/A	CBT	N/A
SPEAG	DAKS-3.5	Portable Dielectric Assessment Kit	8/13/2019	Annual	8/13/2020	1041
Anritsu	MA2411B	Pulse Power Sensor	8/14/2019	Annual	8/14/2020	1315051
Anritsu	MA2411B	Pulse Power Sensor	8/8/2019	Annual	8/8/2020	1339008
Anritsu	ML2495A	Power Meter	11/20/2018	Annual	11/20/2019	1039008
Agilent	N5182A	MXG Vector Signal Generator	8/19/2019	Annual	8/19/2020	MY47420837
Seekonk	NC-100	Torque Wrench	5/9/2018	Biennial	5/9/2020	22217
Mini-Circuits	NLP-2950+	Low Pass Filter DC to 2700 MHz	CBT	N/A	CBT	N/A
MiniCircuits	ZHDC-16-63-S+	Bidirectional Coupler	CBT	N/A	CBT	N/A
MiniCircuits	VLF-6000+	Low Pass Filter	CBT	N/A	CBT	N/A
SPEAG	EX3DV4	SAR Probe	8/16/2019	Annual	8/16/2020	7308
SPEAG	EX3DV4	SAR Probe	4/24/2019	Annual	4/24/2020	7357
SPEAG	DAE4	Dasy Data Acquisition Electronics	4/18/2019	Annual	4/18/2020	1407
SPEAG	DAE4	Dasy Data Acquisition Electronics	8/14/2019	Annual	8/14/2020	1450

Note: CBT (Calibrated Before Testing). Prior to testing, the measurement paths containing a cable, amplifier, attenuator, coupler or filter were connected to a calibrated source (i.e. a signal generator) to determine the losses of the measurement path.

Measurement Uncertainty = $\pm 23\%$ (k=2)

	Name	Function	Signature
Calibrated By:	Brodie Halfoster	Team Lead Engineer	<i>BRODIE HALFOSTER</i>
Approved By:	Kaitlin O'Keefe	Senior Technical Manager	<i>KOK</i>

DIPOLE CALIBRATION EXTENSION


Per KDB 865664 D01, calibration intervals of up to three years may be considered for reference dipoles when it is demonstrated that the SAR target, impedance and return loss of a dipole have remained stable according to the following requirements:

1. The measured SAR does not deviate more than 10% from the target on the calibration certificate.
2. The return-loss does not deviate more than 20% from the previous measurement and meets the required 20dB minimum return-loss requirement.
3. The measurement of real or imaginary parts of impedance does not deviate more than 5Ω from the previous measurement.


The following dipole was checked to pass the above 3 requirements to have 2-year calibration period from the calibration date:

Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Head (1g) W/kg @ 20.0 dBm	Measured Head SAR (1g) W/kg @ 20.0 dBm	Deviation 1g (%)	Certificate SAR Target Head (10g) W/kg @ 20.0 dBm	Measured Head SAR (10g) W/kg @ 20.0 dBm	Deviation 10g (%)	Certificate Impedance Head (Ohm) Real	Measured Impedance Head (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Head (Ohm) Imaginary	Measured Impedance Head (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Head (dB)	Measured Return Loss Head (dB)	Deviation (%)	PASS/FAIL
10/22/2018	10/18/2019	1.217	3.65	3.8	4.11%	1.92	2	4.17%	50.9	49.3	1.6	0.4	-0.7	1.1	-40.1	-40.2	-0.20%	PASS
Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Body (1g) W/kg @ 20.0 dBm	Measured Body SAR (1g) W/kg @ 20.0 dBm	Deviation 1g (%)	Certificate SAR Target Body (10g) W/kg @ 20.0 dBm	Measured Body SAR (10g) W/kg @ 20.0 dBm	Deviation 10g (%)	Certificate Impedance Body (Ohm) Real	Measured Impedance Body (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Body (Ohm) Imaginary	Measured Impedance Body (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Body (dB)	Measured Return Loss Body (dB)	Deviation (%)	PASS/FAIL
10/22/2018	10/18/2019	1.217	3.66	3.82	4.37%	1.94	2.02	4.12%	46.6	44.7	1.9	-0.1	-0.8	0.7	-29.2	-25	14.40%	PASS

Impedance & Return-Loss Measurement Plot for Head TSL



Impedance & Return-Loss Measurement Plot for Body TSL



15:19:09 18.10.2019



Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D1900V2-5d080_Oct18**

CALIBRATION CERTIFICATE

Object **D1900V2 - SN:5d080**

Calibration procedure(s) **QA CAL-05 v10**
Calibration procedure for dipole validation kits above 700 MHz

Calibration date: **October 23, 2018**

BN ✓
10-30-2018
BN ✓
10-20-2019

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	30-Dec-17 (No. EX3-7349_Dec17)	Dec-18
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19

Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

	Name	Function	Signature
Calibrated by:	Jeton Kastrati	Laboratory Technician	
Approved by:	Katja Pokovic	Technical Manager	

Issued: October 23, 2018

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	40.3 $\pm$ 6 %	1.40 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.93 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	39.8 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.18 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	20.7 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	52.9 $\pm$ 6 %	1.47 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.62 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	39.2 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.09 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.6 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	52.5 Ω + 7.9 j Ω
Return Loss	- 21.8 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.1 Ω + 8.1 j Ω
Return Loss	- 21.5 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.193 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	June 28, 2006

DASY5 Validation Report for Head TSL

Date: 23.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d080

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: $f = 1900$ MHz; $\sigma = 1.4$ S/m; $\epsilon_r = 40.3$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.18, 8.18, 8.18) @ 1900 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 110.0 V/m; Power Drift = -0.05 dB


Peak SAR (extrapolated) = 18.7 W/kg

SAR(1 g) = 9.93 W/kg; SAR(10 g) = 5.18 W/kg

Maximum value of SAR (measured) = 15.6 W/kg



Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 23.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d080

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: $f = 1900$ MHz; $\sigma = 1.47$ S/m; $\epsilon_r = 52.9$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.15, 8.15, 8.15) @ 1900 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 99.86 V/m; Power Drift = 0.00 dB

Peak SAR (extrapolated) = 17.3 W/kg


SAR(1 g) = 9.62 W/kg; SAR(10 g) = 5.09 W/kg

Maximum value of SAR (measured) = 14.1 W/kg



0 dB = 14.1 W/kg = 11.49 dBW/kg

Impedance Measurement Plot for Body TSL



Certification of Calibration

Object D1900V2 – SN:5d080

Calibration procedure(s) Procedure for Calibration Extension for SAR Dipoles.

Extended Calibration date: October 18, 2019

Description: SAR Validation Dipole at 1900 MHz.

Calibration Equipment used:

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Control Company	4040	Therm./Clock/Humidity Monitor	6/29/2019	Biennial	6/29/2021	192291470
Control Company	4352	Ultra Long Stem Thermometer	8/2/2018	Biennial	8/2/2020	181334684
Amplifier Research	15S1G6	Amplifier	CBT	N/A	CBT	433971
Narda	4772-3	Attenuator (3dB)	CBT	N/A	CBT	9406
Keysight Technologies	85033E	Standard Mechanical Calibration Kit (DC to 9GHz, 3.5mm)	7/2/2019	Annual	7/2/2020	MY53401181
Rohde & Schwarz	ZNLE6	Vector Network Analyzer	10/11/2019	Annual	10/11/2020	101307
Mini-Circuits	BW-N20W5+	DC to 18 GHz Precision Fixed 20 dB Attenuator	CBT	N/A	CBT	N/A
SPEAG	DAKS-3.5	Portable Dielectric Assessment Kit	8/13/2019	Annual	8/13/2020	1041
Anritsu	MA2411B	Pulse Power Sensor	8/14/2019	Annual	8/14/2020	1315051
Anritsu	MA2411B	Pulse Power Sensor	8/8/2019	Annual	8/8/2020	1339008
Anritsu	ML2495A	Power Meter	11/20/2018	Annual	11/20/2019	1039008
Agilent	N5182A	MXG Vector Signal Generator	8/19/2019	Annual	8/19/2020	MY47420837
Seekonk	NC-100	Torque Wrench	5/9/2018	Biennial	5/9/2020	22217
Mini-Circuits	NLP-2950+	Low Pass Filter DC to 2700 MHz	CBT	N/A	CBT	N/A
MiniCircuits	ZHDC-16-63-S+	Bidirectional Coupler	CBT	N/A	CBT	N/A
MiniCircuits	VLF-6000+	Low Pass Filter	CBT	N/A	CBT	N/A
SPEAG	EX3DV4	SAR Probe	2/19/2019	Annual	2/19/2020	3914
SPEAG	EX3DV4	SAR Probe	5/16/2019	Annual	5/16/2020	7406
SPEAG	DAE4	Dasy Data Acquisition Electronics	5/8/2019	Annual	5/8/2020	859
SPEAG	DAE4	Dasy Data Acquisition Electronics	2/14/2019	Annual	2/14/2020	1272

Note: CBT (Calibrated Before Testing). Prior to testing, the measurement paths containing a cable, amplifier, attenuator, coupler or filter were connected to a calibrated source (i.e. a signal generator) to determine the losses of the measurement path.

Measurement Uncertainty = $\pm 23\%$ (k=2)

	Name	Function	Signature
Calibrated By:	Brodie Halfoster	Team Lead Engineer	<i>BRODIE HALFOSTER</i>
Approved By:	Kaitlin O'Keefe	Senior Technical Manager	<i>KOK</i>

DIPOLE CALIBRATION EXTENSION


Per KDB 865664 D01, calibration intervals of up to three years may be considered for reference dipoles when it is demonstrated that the SAR target, impedance and return loss of a dipole have remained stable according to the following requirements:

1. The measured SAR does not deviate more than 10% from the target on the calibration certificate.
2. The return-loss does not deviate more than 20% from the previous measurement and meets the required 20dB minimum return-loss requirement.
3. The measurement of real or imaginary parts of impedance does not deviate more than 5Ω from the previous measurement.


The following dipole was checked to pass the above 3 requirements to have 2-year calibration period from the calibration date:

Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Head (1g) W/kg @ 20.0 dBm	Measured Head SAR (1g) W/kg @ 20.0 dBm	Deviation 1g (%)	Certificate SAR Target Head (10g) W/kg @ 20.0 dBm	Measured Head SAR (10g) W/kg @ 20.0 dBm	Deviation 10g (%)	Certificate Impedance Head (Ohm) Real	Measured Impedance Head (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Head (Ohm) Imaginary	Measured Impedance Head (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Head (dB)	Measured Return Loss Head (dB)	Deviation (%)	PASS/FAIL
10/23/2018	10/18/2019	1.193	3.98	4.16	4.52%	2.07	2.13	2.90%	52.5	50.4	2.1	7.9	6.2	1.7	-21.8	-24.2	-10.90%	PASS
Calibration Date	Extension Date	Certificate Electrical Delay (ns)	Certificate SAR Target Body (1g) W/kg @ 20.0 dBm	Measured Body SAR (1g) W/kg @ 20.0 dBm	Deviation 1g (%)	Certificate SAR Target Body (10g) W/kg @ 20.0 dBm	Measured Body SAR (10g) W/kg @ 20.0 dBm	Deviation 10g (%)	Certificate Impedance Body (Ohm) Real	Measured Impedance Body (Ohm) Real	Difference (Ohm) Real	Certificate Impedance Body (Ohm) Imaginary	Measured Impedance Body (Ohm) Imaginary	Difference (Ohm) Imaginary	Certificate Return Loss Body (dB)	Measured Return Loss Body (dB)	Deviation (%)	PASS/FAIL
10/23/2018	10/18/2019	1.193	3.92	4.21	7.40%	2.06	2.16	4.85%	48.1	46.5	1.6	8.1	6.6	1.5	-21.5	-22.2	-3.40%	PASS

Impedance & Return-Loss Measurement Plot for Head TSL



Impedance & Return-Loss Measurement Plot for Body TSL





Accredited by the Swiss Accreditation Service (SAS)
 The Swiss Accreditation Service is one of the signatories to the EA
 Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **PC Test**

Certificate No: **D1900V2-5d149_Oct18**

CALIBRATION CERTIFICATE

Object **D1900V2 - SN:5d149**

Calibration procedure(s) **QA CAL-05.v10**
Calibration procedure for dipole validation kits above 700 MHz

Calibration date: **October 23, 2018**

BNV
10-30-2018
BNV
10-20-2019

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI).
 The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature $(22 \pm 3)^{\circ}\text{C}$ and humidity $< 70\%$.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	04-Apr-18 (No. 217-02672/02673)	Apr-19
Power sensor NRP-Z91	SN: 103244	04-Apr-18 (No. 217-02672)	Apr-19
Power sensor NRP-Z91	SN: 103245	04-Apr-18 (No. 217-02673)	Apr-19
Reference 20 dB Attenuator	SN: 5058 (20k)	04-Apr-18 (No. 217-02682)	Apr-19
Type-N mismatch combination	SN: 5047.2 / 06327	04-Apr-18 (No. 217-02683)	Apr-19
Reference Probe EX3DV4	SN: 7349	30-Dec-17 (No. EX3-7349_Dec17)	Dec-18
DAE4	SN: 601	04-Oct-18 (No. DAE4-601_Oct18)	Oct-19
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
Power meter EPM-442A	SN: GB37480704	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: US37292783	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
Power sensor HP 8481A	SN: MY41092317	07-Oct-15 (in house check Oct-18)	In house check: Oct-20
RF generator R&S SMT-06	SN: 100972	15-Jun-15 (in house check Oct-18)	In house check: Oct-20
Network Analyzer Agilent E8358A	SN: US41080477	31-Mar-14 (in house check Oct-18)	In house check: Oct-19

	Name	Function	Signature
Calibrated by:	Jeton Kastrati	Laboratory Technician	
Approved by:	Katja Pokovic	Technical Manager	

Issued: October 23, 2018

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.



Accredited by the Swiss Accreditation Service (SAS)

The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- IEEE Std 1528-2013, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", June 2013
- IEC 62209-1, "Measurement procedure for the assessment of Specific Absorption Rate (SAR) from hand-held and body-mounted devices used next to the ear (frequency range of 300 MHz to 6 GHz)", July 2016
- IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication devices used in close proximity to the human body (frequency range of 30 MHz to 6 GHz)", March 2010
- KDB 865664, "SAR Measurement Requirements for 100 MHz to 6 GHz"

Additional Documentation:

- DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions:** Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL:** The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss:** These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay:** One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured:** SAR measured at the stated antenna input power.
- SAR normalized:** SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters:** The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor $k=2$, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.10.2
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz $\pm$ 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 $\pm$ 0.2) °C	40.3 $\pm$ 6 %	1.40 mho/m $\pm$ 6 %
Head TSL temperature change during test	< 0.5 °C	----	----

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	9.80 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	39.3 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.11 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	20.5 W/kg $\pm$ 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 $\pm$ 0.2) °C	52.9 $\pm$ 6 %	1.47 mho/m $\pm$ 6 %
Body TSL temperature change during test	< 0.5 °C	----	----

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	9.68 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	39.4 W/kg $\pm$ 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.11 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	20.7 W/kg $\pm$ 16.5 % (k=2)

Appendix (Additional assessments outside the scope of SCS 0108)

Antenna Parameters with Head TSL

Impedance, transformed to feed point	$52.9 \Omega + 6.3 j\Omega$
Return Loss	- 23.4 dB

Antenna Parameters with Body TSL

Impedance, transformed to feed point	$48.5 \Omega + 8.2 j\Omega$
Return Loss	- 21.5 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.193 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	March 11, 2011

DASY5 Validation Report for Head TSL

Date: 23.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d149

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: $f = 1900 \text{ MHz}$; $\sigma = 1.4 \text{ S/m}$; $\epsilon_r = 40.3$; $\rho = 1000 \text{ kg/m}^3$

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.18, 8.18, 8.18) @ 1900 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (front); Type: QD 000 P50 AA; Serial: 1001
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:


Measurement grid: $dx=5\text{mm}$, $dy=5\text{mm}$, $dz=5\text{mm}$

Reference Value = 110.0 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 18.5 W/kg


SAR(1 g) = 9.8 W/kg; SAR(10 g) = 5.11 W/kg

Maximum value of SAR (measured) = 15.4 W/kg



0 dB = 15.4 W/kg = 11.88 dBW/kg

Impedance Measurement Plot for Head TSL



DASY5 Validation Report for Body TSL

Date: 23.10.2018

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d149

Communication System: UID 0 - CW; Frequency: 1900 MHz

Medium parameters used: $f = 1900$ MHz; $\sigma = 1.47$ S/m; $\epsilon_r = 52.9$; $\rho = 1000$ kg/m³

Phantom section: Flat Section

Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2011)

DASY52 Configuration:

- Probe: EX3DV4 - SN7349; ConvF(8.15, 8.15, 8.15) @ 1900 MHz; Calibrated: 30.12.2017
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 04.10.2018
- Phantom: Flat Phantom 5.0 (back); Type: QD 000 P50 AA; Serial: 1002
- DASY52 52.10.2(1495); SEMCAD X 14.6.12(7450)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0:



Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 103.1 V/m; Power Drift = -0.03 dB

Peak SAR (extrapolated) = 17.5 W/kg

SAR(1 g) = 9.68 W/kg; SAR(10 g) = 5.11 W/kg

Maximum value of SAR (measured) = 14.2 W/kg



0 dB = 14.2 W/kg = 11.52 dBW/kg