



## ELEMENT WASHINGTON DC LLC

7185 Oakland Mills Road, Columbia, MD 21046 USA

Tel. 410.290.6652 / Fax 410.290.6654

<http://www.element.com>

### MEASUREMENT REPORT Bluetooth (Low Energy)

**Applicant Name:**

Samsung Electronics Co., Ltd.  
129, Samsung-ro,  
Yeongtong-gu, Suwon-si  
Gyeonggi-do, 16677, Korea

**Date of Testing:**

07/30/2024 - 06/23/2025

**Test Report Issue Date:**

06/27/2025

**Test Site/Location:**

Element lab., Columbia, MD, USA

**Test Report Serial No.:**

1M2406060046-03.A3L

**FCC ID:**

A3LSMI610

**APPLICANT:**

Samsung Electronics Co., Ltd.

**Application Type:**

Certification

**Model:**

SM-I610

**EUT Type:**

Portable Device

**Max. RF Output Power:**

59.074 mW (17.71 dBm) Peak Conducted

**Frequency Range:**

2402 – 2480MHz

**FCC Classification:**

Digital Transmission System (DTS)

**FCC Rule Part(s):**

Part 15 Subpart C (15.247)

**Test Procedure(s):**

ANSI C63.10-2013, KDB 558074 D01 v05r02

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in ANSI C63.10-2013 and KDB 558074 D01 v05r02. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez  
Executive Vice President



CERT #2041.01

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 1 of 126                     |

© 2025 ELEMENT

V11.1 08/28/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without written permission from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact [ct.info@element.com](mailto:ct.info@element.com).

# TABLE OF CONTENTS

|      |                                                             |     |
|------|-------------------------------------------------------------|-----|
| 1.0  | INTRODUCTION .....                                          | 3   |
| 1.1  | Scope .....                                                 | 3   |
| 1.2  | Element Test Location .....                                 | 3   |
| 1.3  | Test Facility / Accreditations .....                        | 3   |
| 2.0  | PRODUCT INFORMATION .....                                   | 4   |
| 2.1  | Equipment Description .....                                 | 4   |
| 2.2  | Device Capabilities .....                                   | 4   |
| 2.3  | Antenna Description .....                                   | 4   |
| 2.4  | Test Configuration .....                                    | 5   |
| 2.5  | Software and Firmware .....                                 | 5   |
| 2.6  | EMI Suppression Device(s)/Modifications .....               | 5   |
| 3.0  | DESCRIPTION OF TESTS .....                                  | 6   |
| 3.1  | Evaluation Procedure .....                                  | 6   |
| 3.2  | AC Line Conducted Emissions .....                           | 6   |
| 3.3  | Radiated Emissions .....                                    | 7   |
| 3.4  | Environmental Conditions .....                              | 7   |
| 4.0  | ANTENNA REQUIREMENTS .....                                  | 8   |
| 5.0  | MEASUREMENT UNCERTAINTY .....                               | 9   |
| 6.0  | TEST EQUIPMENT CALIBRATION DATA .....                       | 10  |
| 7.0  | TEST RESULTS .....                                          | 11  |
| 7.1  | Summary .....                                               | 11  |
| 7.2  | 6dB Bandwidth Measurement – Bluetooth (LE) .....            | 12  |
| 7.3  | Output Power Measurement – Bluetooth (LE) .....             | 35  |
| 7.4  | Power Spectral Density – Bluetooth (LE) .....               | 57  |
| 7.5  | Conducted Emissions at the Band Edge .....                  | 79  |
| 7.6  | Conducted Spurious Emissions .....                          | 88  |
| 7.7  | Radiated Spurious Emission Measurements .....               | 102 |
| 7.8  | Radiated Restricted Band Edge Measurements .....            | 114 |
| 7.9  | Radiated Spurious Emissions Measurements – Below 1GHz ..... | 116 |
| 7.10 | Line-Conducted Test Data .....                              | 122 |
| 8.0  | CONCLUSION .....                                            | 126 |

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 2 of 126                            |

## 1.0 INTRODUCTION

### 1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

### 1.2 Element Test Location

These measurement tests were conducted at the Element laboratory located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

### 1.3 Test Facility / Accreditations

**Measurements were performed at Element lab located in Columbia, MD 21046, U.S.A.**

- Element Washington DC LLC is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element Washington DC LLC facility is a registered (2451B) test laboratory with the site description on file with ISED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISED Canada as designated by NIST under U.S. and Canada Mutual Recognition Agreements (MRAs).

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 3 of 126                     |

## 2.0 PRODUCT INFORMATION

### 2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Device FCC ID: A3LSMI610**. The data found in this test report was taken with the EUT operating in Bluetooth low energy mode. While in low energy mode, the Bluetooth transmitter hops pseudo-randomly between 40 channels, three of which are “advertising channels”. When the transmitter is hopping only between the three advertising channels, the EUT does not fall under the category of a “hopper” as defined in 15.247(a)(iii) which states that a “frequency hopping systems in the 2400–2483.5 MHz band shall use at least 15 channels.” As operation on only the advertising channels does not qualify the EUT as a hopper, the EUT is certified as a DTS device in this mode. The data found in this report is representative of the device when it transmits on its advertising channels. Typical Bluetooth operation is covered under the DSS report found with this application.

**Test Device Serial No.:** 1192M, 1166M, 1266M, 06HDV, 03H9B, 06JJP

### 2.2 Device Capabilities

This device contains the following capabilities:

802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), ESB

| Ch. | Frequency (MHz) |
|-----|-----------------|
| 37  | 2402            |
| :   | :               |
| 19  | 2440            |
| :   | :               |
| 39  | 2480            |

**Table 2-1. Frequency / Channel Operations**

### 2.3 Antenna Description

Following antenna was used for the testing.

| Frequency [GHz] | Antenna-1 Gain (dBi) | Antenna-2 Gain (dBi) | Directional Antenna Gain (dBi) |
|-----------------|----------------------|----------------------|--------------------------------|
| 2.4             | -3.52                | -3.56                | -0.53                          |

**Table 2-2. Antenna Peak Gain**

**Note:** This device is capable of operating in hopping and non-hopping mode. The EUT can hop between 79 different channels in the 2400 – 2483.5MHz band.

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 4 of 126                            |

## 2.4 Test Configuration

The EUT was tested per the guidance of ANSI C63.10-2013 and KDB 558074 D01 v05r02. ANSI C63.10-2013 was used to reference the appropriate EUT setup for radiated spurious emissions testing and AC line conducted testing. See Sections 3.2 for AC line conducted emissions test setups, 3.3 for radiated emissions test setups, and 7.2, 7.3, 7.4, 7.5, and 7.6 for antenna port conducted emissions test setups.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report. The worst orientation was found to be Y-orientation (landscape).

For AC line conducted and radiated test below 1GHz, following configuration were investigated and EUT powered by AC/DC was the worst case.

- EUT powered by AC/DC adaptor via USB cable with wire charger
- EUT powered by host PC via USB cable with wire charger

## 2.5 Software and Firmware

The test was conducted with software/firmware version I610UEU0AXGP installed on the EUT.

## 2.6 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and/or no modifications were made during testing.

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 5 of 126                            |

## 3.0 DESCRIPTION OF TESTS

### 3.1 Evaluation Procedure

The measurement procedures described in the American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices (ANSI C63.10-2013) and the guidance provided in KDB 558074 D01 v05r02 were used in the measurement of the EUT.

Deviation from measurement procedure.....None

### 3.2 AC Line Conducted Emissions

The line-conducted facility is located inside a 10'x16'x9' shielded enclosure. The shielded enclosure is manufactured by ETS Lindgren RF Enclosures. The line-conducted facility is located inside a 7m x 3.66m x 2.7m shielded enclosure. The shielded enclosure is manufactured by AP Americas. The shielding effectiveness of the shielded room is in accordance with MIL-Std-285 or NSA 65-5. A 1m x 1.5m wooden table 80cm high is placed 40cm away from the vertical wall and 80cm away from the sidewall of the shielded room. Two 10kHz-30MHz, 50Ω/50μH Line-Impedance Stabilization Networks (LISNs) are bonded to the shielded room floor. Power to the LISNs is filtered by external high-current high-insertion loss power line filters. The external power line filter is an ETS Lindgren Model LPRX-4X30 (100dB Attenuation, 14kHz-18GHz) and the two EMI/RFI filters are ETS Lindgren Model LRW-2030-S1 (100dB Minimum Insertion Loss, 14kHz – 10GHz). These filters attenuate ambient signal noise from entering the measurement lines. These filters are also bonded to the shielded enclosure.

The EUT is powered from one LISN and the support equipment is powered from the second LISN. If the EUT is a DC-powered device, power will be derived from the source power supply it normally will be powered from and this supply line(s) will be connected to the second LISN. All interconnecting cables more than 1 meter were shortened to a 1 meter length by non-inductive bundling (serpentine fashion) and draped over the back edge of the test table. All cables were at least 40cm above the horizontal reference groundplane. Power cables for support equipment were routed down to the second LISN while ensuring that those cables were not draped over the second LISN.

Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The RF output of the LISN was connected to the spectrum analyzer and exploratory measurements were made to determine the frequencies producing the maximum emission from the EUT. The spectrum was scanned from 150kHz to 30MHz with a spectrum analyzer. The detector function was set to peak mode for exploratory measurements while the bandwidth of the analyzer was set to 10kHz. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Once the worst case emissions have been identified, the one EUT cable configuration/arrangement and mode of operation that produced these emissions is used for final measurements on the same test site. The analyzer is set to CISPR quasi-peak and average detectors with a 9kHz resolution bandwidth for final measurements.

Line conducted emissions test results are shown in Section 7.10. The EMI Receiver mode of the Agilent MXE was used to perform AC line conducted emissions testing.

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 6 of 126                     |

### 3.3 Radiated Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. An 80cm tall test table made of Styrodur is placed on top of the turn table. For measurements above 1GHz, an additional Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

For all measurements, the spectrum was scanned through all EUT azimuths and from 1 to 4 meter receive antenna height using a broadband antenna from 30MHz up to the upper frequency shown in 15.33 depending on the highest frequency generated or used in the device or on which the device operates or tunes. For frequencies above 1GHz, linearly polarized double ridge horn antennas were used. For frequencies below 30MHz, a calibrated loop antenna was used. When exploratory measurements were necessary, they were performed at 1 meter test distance inside the semi-anechoic chamber using broadband antennas, broadband amplifiers, and spectrum analyzers to determine the frequencies and modes producing the maximum emissions. Sufficient time for the EUT, support equipment, and test equipment was allowed in order for them to warm up to their normal operating condition. The test set-up was placed on top of the 1 x 1.5 meter table. The EUT, support equipment, and interconnecting cables were arranged and manipulated to maximize each emission. Appropriate precaution was taken to ensure that all emissions from the EUT were maximized and investigated. The system configuration, mode of operation, turntable azimuth, and receive antenna height was noted for each frequency found.

Final measurements were made in the semi-anechoic chamber using calibrated, linearly polarized broadband and horn antennas. The test setup was configured to the setup that produced the worst case emissions. The spectrum analyzer was set to investigate all frequencies required for testing to compare the highest radiated disturbances with respect to the specified limits. The turntable containing the EUT was rotated through 360 degrees and the height of the receive antenna was varied 1 to 4 meters and stopped at the azimuth and height producing the maximum emission. Each emission was maximized by changing the orientation of the EUT through three orthogonal planes and changing the polarity of the receive antenna, whichever produced the worst-case emissions.

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

### 3.4 Environmental Conditions

The temperature is controlled within range of 15°C to 35°C. The relative humidity is controlled within range of 10% to 75%. The atmospheric pressure is monitored within the range 86-106kPa (860-1060mbar).

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 7 of 126                     |

## 4.0 ANTENNA REQUIREMENTS

### Excerpt from §15.203 of the FCC Rules/Regulations:

"An intentional radiator antenna shall be designed to ensure that no antenna other than that furnished by the responsible party can be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section."

- The antenna(s) of the EUT are **permanently attached**.
- There are no provisions for connection to an external antenna.

### Conclusion:

The EUT complies with the requirement of §15.203.

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 8 of 126                     |

## 5.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.10-2013. All measurement uncertainty values are shown with a coverage factor of  $k = 2$  to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the  $U_{\text{CISPR}}$  measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

| Contribution                     | Expanded Uncertainty ( $\pm$ dB) |
|----------------------------------|----------------------------------|
| Conducted Bench Top Measurements | 1.13                             |
| Line Conducted Disturbance       | 3.09                             |
| Radiated Disturbance (<1GHz)     | 4.98                             |
| Radiated Disturbance (>1GHz)     | 5.07                             |
| Radiated Disturbance (>18GHz)    | 5.09                             |

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 9 of 126                     |

## 6.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

| Manufacturer          | Model       | Description                            | Cal Date  | Cal Interval | Cal Due   | Serial Number |
|-----------------------|-------------|----------------------------------------|-----------|--------------|-----------|---------------|
| -                     | WL25-1      | Conducted Cable Set (25GHz)            | 4/2/2024  | Annual       | 4/2/2025  | WL25-1        |
| -                     | WL25-2      | Conducted Cable Set (25GHz)            | 4/2/2024  | Annual       | 4/2/2025  | WL25-2        |
| -                     | WL40-1      | Conducted Cable Set (40GHz)            | 4/2/2024  | Annual       | 4/2/2025  | WL40-1        |
| -                     | AP1-002     | EMC Cable and Switch System            | 4/2/2024  | Annual       | 4/2/2025  | AP1-002       |
| -                     | ETS-001     | EMC Cable and Switch System            | 4/2/2024  | Annual       | 4/2/2025  | ETS-001       |
| -                     | ETS-002     | EMC Cable and Switch System            | 4/2/2024  | Annual       | 4/2/2025  | ETS-002       |
| -                     | MD 1M 18-40 | EMC Cable and Switch System            | 4/2/2024  | Annual       | 4/2/2025  | MD 1M 18-40   |
| Anritsu               | MA24408A    | Microwave Peak Power Sensor            | 5/21/2024 | Annual       | 5/21/2025 | 11675         |
| Anritsu               | MA24408A    | Microwave Peak Power Sensor            | 4/10/2024 | Annual       | 4/10/2025 | 12798         |
| ETS-Lindgren          | 3116C       | Horn Antenna (18-40GHz)                | 2/27/2023 | Biennial     | 2/27/2025 | 218893        |
| Rohde & Schwarz       | TC-TA 18    | Vivaldi Antenna                        | 2/23/2023 | Biennial     | 2/23/2025 | 26040036      |
| Rohde & Schwarz       | FSW26       | Signal and Spectrum Analyzer (26.5GHz) | 3/8/2024  | Annual       | 3/8/2025  | 103187        |
| Rohde & Schwarz       | ESU26       | EMI Test Receiver (26.5GHz)            | 9/25/2023 | Annual       | 9/25/2024 | 100342        |
| Rohde & Schwarz       | ESU40       | EMI Test Receiver (40GHz)              | 9/11/2023 | Annual       | 9/11/2024 | 100348        |
| Rohde & Schwarz       | ESW44       | EMI Test Receiver (44GHz)              | 4/5/2024  | Annual       | 4/5/2025  | 101716        |
| Pasternak             | NMLC-2      | EMI Test Receiver (2Hz to 44GHz)       | 4/2/2024  | Annual       | 4/2/2025  | NMLC-2        |
| Rohde & Schwarz       | ENV216      | Two-Line V-Network                     | 1/31/2023 | Biennial     | 1/31/2025 | 101379        |
| Keysight Technologies | N9030A      | PXA Signal Analyzer (44GHz)            | 4/9/2024  | Annual       | 4/9/2025  | MY52350166    |
| Keysight Technologies | N9020A      | MXA Signal Analyzer                    | 4/11/2024 | Annual       | 4/11/2025 | MY54500644    |
| Keysight Technologies | N9030A      | PXA Signal Analyzer                    | 2/29/2024 | Annual       | 3/1/2025  | MY55410501    |
| Keysight Technologies | N9030B      | PXA Signal Analyzer, Multi-touch       | 9/19/2024 | Annual       | 9/19/2025 | MY57141001    |
| Sunol                 | JB6         | JB6 Antenna                            | 3/2/2023  | Biennial     | 3/2/2025  | A082816       |
| Sunol                 | JB5         | Bi-Log Antenna (20M-5GHz)              | 9/11/2024 | Biennial     | 9/11/2026 | A051107       |
| Rohde & Schwarz       | SMW200A     | Vector Signal Generator                | 4/4/2024  | Annual       | 4/4/2025  | 109456        |

**Table 6-1. Annual Test Equipment Calibration Schedule**

### Note:

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 10 of 126                    |

## 7.0 TEST RESULTS

### 7.1 Summary

Company Name: Samsung Electronics Co., Ltd.  
 FCC ID: A3LSMI610  
 FCC Classification: Digital Transmission System (DTS)  
 Number of Channels: 40

| FCC Part Section(s) | Test Description                                                              | Test Limit                                                                                     | Test Condition | Test Result | Reference         |
|---------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------|-------------|-------------------|
| 15.247(a)(2)        | 6dB Bandwidth                                                                 | > 500kHz                                                                                       | CONDUCTED      | PASS        | Section 7.2       |
| 15.247(b)(3)        | Transmitter Output Power                                                      | < 1 Watt                                                                                       |                | PASS        | Sections 7.3      |
| 15.247(e)           | Transmitter Power Spectral Density                                            | < 8dBm / 3kHz Band                                                                             |                | PASS        | Section 0         |
| 15.247(d)           | Band Edge / Out-of-Band Emissions                                             | ≥ 20dBc                                                                                        |                | PASS        | Sections 7.5, 7.6 |
| 15.205<br>15.209    | General Field Strength Limits (Restricted Bands and Radiated Emission Limits) | Emissions in restricted bands must meet the radiated limits detailed in 15.209 (RSS-Gen [8.9]) | RADIATED       | PASS        | Sections 7.7, 7.8 |
| 15.207              | AC Conducted Emissions 150kHz – 30MHz                                         | < FCC 15.207 limits (RSS-Gen[8.8])                                                             | LINE CONDUCTED | PASS        | Section 7.10      |

**Table 7-1. Summary of Test Results**

#### Notes:

1. All modes of operation were investigated. The test results shown in the following sections represent the worst case emissions.
2. The analyzer plots shown in this section were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables and attenuators used as part of the system to connect the EUT to the analyzer at all frequencies of interest.
3. All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables and attenuators.
4. For conducted spurious emissions, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is “Bluetooth LE Automation,” Version 3.6.
5. For radiated band edge, automated test software was used to measure emissions and capture the corresponding plots necessary to show compliance. The measurement software utilized is “Chamber Automation,” Version 1.3.1.

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 11 of 126                    |

## 7.2 6dB Bandwidth Measurement – Bluetooth (LE)

§15.247(a.2); RSS-247 [5.2]

### Test Overview and Limit

The bandwidth at 6dB down from the highest in-band spectral density is measured with a spectrum analyzer connected to the transmitter antenna terminal of the EUT while the EUT is operating at maximum power and at the appropriate frequencies. All modes of operation were investigated and the worst case configuration results are reported in this section.

***The minimum permissible 6dB bandwidth is 500 kHz.***

### Test Procedure Used

ANSI C63.10-2013 – Section 11.8.2 Option 2

KDB 558074 D01 v05r02 – Section 8.2

### Test Settings

1. The signal analyzers' automatic bandwidth measurement capability of the spectrum analyzer was used to perform the 6dB bandwidth measurement. The "X" dB bandwidth parameter was set to  $X = 6$ . The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 100kHz
3. VBW  $\geq 3 \times$  RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-1. Test Instrument & Measurement Setup**

### Test Notes


None

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 12 of 126                    |


| Frequency [MHz] | Data Rate | Channel No. | Bluetooth Mode | Measured Bandwidth [kHz] | Minimum Bandwidth [kHz] | Pass / Fail |
|-----------------|-----------|-------------|----------------|--------------------------|-------------------------|-------------|
| 2402            | 125 kbps  | 0           | LE             | 613.6                    | 500                     | Pass        |
| 2440            | 125 kbps  | 19          | LE             | 616.0                    | 500                     | Pass        |
| 2480            | 125 kbps  | 39          | LE             | 613.9                    | 500                     | Pass        |
| 2402            | 500 kbps  | 0           | LE             | 660.1                    | 500                     | Pass        |
| 2440            | 500 kbps  | 19          | LE             | 660.0                    | 500                     | Pass        |
| 2480            | 500 kbps  | 39          | LE             | 662.1                    | 500                     | Pass        |
| 2402            | 1 Mbps    | 37          | LE             | 690.0                    | 500                     | Pass        |
| 2440            | 1 Mbps    | 17          | LE             | 696.3                    | 500                     | Pass        |
| 2480            | 1 Mbps    | 39          | LE             | 695.7                    | 500                     | Pass        |
| 2402            | 2 Mbps    | 37          | LE             | 1149.2                   | 500                     | Pass        |
| 2440            | 2 Mbps    | 17          | LE             | 1153.0                   | 500                     | Pass        |
| 2480            | 2 Mbps    | 39          | LE             | 1152.7                   | 500                     | Pass        |

**Table 7-2. Conducted Bandwidth Measurements – Ant 1**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 13 of 126                           |




Plot 7-1. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 0) – Ant 1




Plot 7-2. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 19) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 14 of 126                    |




Plot 7-3. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 39) – Ant 1



Plot 7-4. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 15 of 126                    |




Plot 7-5. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 1




Plot 7-6. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 39) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 16 of 126                    |



Plot 7-7. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Ant 1




Plot 7-8. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 17 of 126                    |



Plot 7-9. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 1




Plot 7-10. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 18 of 126                    |



Plot 7-11. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 1



Plot 7-12. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 19 of 126                    |

| Frequency [MHz] | Data Rate | Channel No. | Bluetooth Mode | Measured Bandwidth [kHz] | Minimum Bandwidth [kHz] | Pass / Fail |
|-----------------|-----------|-------------|----------------|--------------------------|-------------------------|-------------|
| 2402            | 125 kbps  | 0           | LE             | 615.6                    | 500                     | Pass        |
| 2440            | 125 kbps  | 19          | LE             | 615.7                    | 500                     | Pass        |
| 2480            | 125 kbps  | 39          | LE             | 611.6                    | 500                     | Pass        |
| 2402            | 500 kbps  | 0           | LE             | 659.9                    | 500                     | Pass        |
| 2440            | 500 kbps  | 19          | LE             | 663.6                    | 500                     | Pass        |
| 2480            | 500 kbps  | 39          | LE             | 663.8                    | 500                     | Pass        |
| 2402            | 1 Mbps    | 37          | LE             | 694.3                    | 500                     | Pass        |
| 2440            | 1 Mbps    | 17          | LE             | 700.3                    | 500                     | Pass        |
| 2480            | 1 Mbps    | 39          | LE             | 698.6                    | 500                     | Pass        |
| 2402            | 2 Mbps    | 37          | LE             | 1154.7                   | 500                     | Pass        |
| 2440            | 2 Mbps    | 17          | LE             | 1154.2                   | 500                     | Pass        |
| 2480            | 2 Mbps    | 39          | LE             | 1154.8                   | 500                     | Pass        |

**Table 7-3. Conducted Bandwidth Measurements – Ant 2**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 20 of 126                           |




Plot 7-13. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 0) – Ant 2



Plot 7-14. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 19) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 21 of 126                    |




Plot 7-15. 6dB Bandwidth Plot (Bluetooth (LE), 125kbps – Ch. 39) – Ant 2



Plot 7-16. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 22 of 126                    |



Plot 7-17. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 2




Plot 7-18. 6dB Bandwidth Plot (Bluetooth (LE), 500kbps – Ch. 39) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 23 of 126                    |




Plot 7-19. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Ant 2




Plot 7-20. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 24 of 126                    |




Plot 7-21. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 2




Plot 7-22. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 25 of 126                    |



Plot 7-23. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 2



Plot 7-24. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 26 of 126                    |


| Frequency [MHz] | Data Rate | Channel No. | Bluetooth Mode | Measured Bandwidth [kHz] | Minimum Bandwidth [kHz] | Pass / Fail |
|-----------------|-----------|-------------|----------------|--------------------------|-------------------------|-------------|
| 2402            | 1 Mbps    | 37          | LE             | 663.0                    | 500                     | Pass        |
| 2440            | 1 Mbps    | 17          | LE             | 661.1                    | 500                     | Pass        |
| 2480            | 1 Mbps    | 39          | LE             | 695.3                    | 500                     | Pass        |
| 2402            | 2 Mbps    | 37          | LE             | 1138.2                   | 500                     | Pass        |
| 2440            | 2 Mbps    | 17          | LE             | 1140.1                   | 500                     | Pass        |
| 2480            | 2 Mbps    | 39          | LE             | 1148.5                   | 500                     | Pass        |

**Table 7-4. Conducted Bandwidth Measurements – Dual Ant 1**




**Plot 7-25. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 1**

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 27 of 126                    |




Plot 7-26. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 1




Plot 7-27. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 28 of 126                    |



Plot 7-28. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Dual Ant 1



Plot 7-29. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 29 of 126                    |



Plot 7-30. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 30 of 126                    |

| Frequency [MHz] | Data Rate | Channel No. | Bluetooth Mode | Measured Bandwidth [kHz] | Minimum Bandwidth [kHz] | Pass / Fail |
|-----------------|-----------|-------------|----------------|--------------------------|-------------------------|-------------|
| 2402            | 1 Mbps    | 37          | LE             | 666.5                    | 500                     | Pass        |
| 2440            | 1 Mbps    | 17          | LE             | 682.7                    | 500                     | Pass        |
| 2480            | 1 Mbps    | 39          | LE             | 687.5                    | 500                     | Pass        |
| 2402            | 2 Mbps    | 37          | LE             | 1138.2                   | 500                     | Pass        |
| 2440            | 2 Mbps    | 17          | LE             | 1137.4                   | 500                     | Pass        |
| 2480            | 2 Mbps    | 39          | LE             | 1147.9                   | 500                     | Pass        |

**Table 7-5. Conducted Bandwidth Measurements – Dual Ant 2**



**Plot 7-31. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 2**

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 31 of 126                    |




Plot 7-32. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 2




Plot 7-33. 6dB Bandwidth Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 32 of 126                    |



Plot 7-34. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Dual Ant 2



Plot 7-35. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 33 of 126                    |



Plot 7-36. 6dB Bandwidth Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 34 of 126                    |

### 7.3 Output Power Measurement – Bluetooth (LE)

§15.247(b.3); RSS-247 [5.4(4)]

#### Test Overview and Limits

The transmitter antenna terminal of the EUT is connected to the input of a spectrum analyzer. Measurements are made while the EUT is operating at maximum power and at the appropriate frequencies.

***The maximum permissible conducted output power is 1 Watt.***

#### Test Procedure Used

ANSI C63.10-2013 – Section 11.9.1.1

KDB 558074 D01 v05r02 – Section 8.3.1.1

#### Test Settings

1. RBW = 3MHz
2. VBW = 50MHz
3. Span  $\geq 3 \times$  RBW
4. Sweep = auto couple
5. Detector = Peak
6. Trace mode = max hold
7. The trace was allowed to stabilize

#### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-2. Test Instrument & Measurement Setup**

#### Test Notes


None

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 35 of 126                    |


| Frequency<br>[MHz] | Data<br>Rate<br>[Mbps] | Channel<br>No. | Bluetooth<br>Mode | Peak Conducted<br>Power |       |
|--------------------|------------------------|----------------|-------------------|-------------------------|-------|
|                    |                        |                |                   | [dBm]                   | [mW]  |
| 2402               | 125 kbps               | 0              | LE                | 6.59                    | 4.561 |
| 2440               | 125 kbps               | 19             | LE                | 6.28                    | 4.244 |
| 2480               | 125 kbps               | 39             | LE                | 5.79                    | 3.789 |
| 2402               | 500 kbps               | 0              | LE                | 6.77                    | 4.753 |
| 2440               | 500 kbps               | 19             | LE                | 5.99                    | 3.967 |
| 2480               | 500 kbps               | 39             | LE                | 6.07                    | 4.046 |
| 2402               | 1 Mbps                 | 37             | LE                | 9.73                    | 9.397 |
| 2440               | 1 Mbps                 | 17             | LE                | 9.01                    | 7.952 |
| 2480               | 1 Mbps                 | 39             | LE                | 8.72                    | 7.452 |
| 2402               | 2 Mbps                 | 37             | LE                | 9.93                    | 9.838 |
| 2440               | 2 Mbps                 | 17             | LE                | 8.99                    | 7.921 |
| 2480               | 2 Mbps                 | 39             | LE                | 9.10                    | 8.128 |

**Table 7-6. Conducted Output Power Measurements (Bluetooth (LE)) – Ant 1**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 36 of 126                           |




Plot 7-37. Peak Power Plot (Bluetooth (LE), 125kbps – Ch. 0) – Ant 1




Plot 7-38. Peak Power Plot (Bluetooth (LE), 125kbps – Ch. 19) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 37 of 126                    |




Plot 7-39. Peak Power Plot (Bluetooth (LE), 125kbps – Ch. 37) – Ant 1




Plot 7-40. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 38 of 126                    |




Plot 7-41. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 1




Plot 7-42. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 37) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 39 of 126                    |




Plot 7-43. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Ant 1




Plot 7-44. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 40 of 126                    |




Plot 7-45. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 1




Plot 7-46. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 41 of 126                    |



Plot 7-47. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 1




Plot 7-48. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 42 of 126                    |


| Frequency<br>[MHz] | Data<br>Rate<br>[Mbps] | Channel<br>No. | Bluetooth<br>Mode | Peak Conducted<br>Power |       |
|--------------------|------------------------|----------------|-------------------|-------------------------|-------|
|                    |                        |                |                   | [dBm]                   | [mW]  |
| 2402               | 125 kbps               | 0              | LE                | 6.60                    | 4.571 |
| 2440               | 125 kbps               | 19             | LE                | 5.55                    | 3.587 |
| 2480               | 125 kbps               | 39             | LE                | 5.17                    | 3.290 |
| 2402               | 500 kbps               | 0              | LE                | 6.40                    | 4.364 |
| 2440               | 500 kbps               | 19             | LE                | 5.34                    | 3.422 |
| 2480               | 500 kbps               | 39             | LE                | 5.20                    | 3.311 |
| 2402               | 1 Mbps                 | 37             | LE                | 9.02                    | 7.971 |
| 2440               | 1 Mbps                 | 17             | LE                | 8.22                    | 6.634 |
| 2480               | 1 Mbps                 | 39             | LE                | 7.94                    | 6.226 |
| 2402               | 2 Mbps                 | 37             | LE                | 9.02                    | 7.984 |
| 2440               | 2 Mbps                 | 17             | LE                | 8.23                    | 6.651 |
| 2480               | 2 Mbps                 | 39             | LE                | 8.02                    | 6.331 |

**Table 7-7. Conducted Output Power Measurements (Bluetooth (LE)) – Ant 2**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 43 of 126                           |




Plot 7-49. Peak Power Plot (Bluetooth (LE), 125kbps - Ch. 0) - Ant 2




Plot 7-50. Peak Power Plot (Bluetooth (LE), 125kbps - Ch. 19) - Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 44 of 126                    |




Plot 7-51. Peak Power Plot (Bluetooth (LE), 125kbps – Ch. 37) – Ant 2




Plot 7-52. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 45 of 126                    |




Plot 7-53. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 2




Plot 7-54. Peak Power Plot (Bluetooth (LE), 500kbps – Ch. 37) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 46 of 126                    |




Plot 7-55. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Ant 2




Plot 7-56. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 47 of 126                    |




Plot 7-57. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 2




Plot 7-58. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 48 of 126                    |



Plot 7-59. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 2




Plot 7-60. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 49 of 126                    |


| Frequency<br>[MHz] | Data<br>Rate<br>[Mbps] | Channel<br>No. | Bluetooth<br>Mode | Peak Conducted<br>Power Ant1 |       | Peak Conducted<br>Power Ant2 |       | Peak Conducted<br>Power Dual |       |
|--------------------|------------------------|----------------|-------------------|------------------------------|-------|------------------------------|-------|------------------------------|-------|
|                    |                        |                |                   | [dBm]                        | [mW]  | [dBm]                        | [mW]  | [dBm]                        | [mW]  |
| 2402               | 1 Mbps                 | 37             | LE                | 5.79                         | 3.794 | 5.46                         | 3.519 | 8.64                         | 7.311 |
| 2440               | 1 Mbps                 | 17             | LE                | 4.88                         | 3.075 | 4.42                         | 2.764 | 7.66                         | 5.834 |
| 2480               | 1 Mbps                 | 39             | LE                | 4.45                         | 2.785 | 4.12                         | 2.585 | 7.30                         | 5.370 |
| 2402               | 2 Mbps                 | 37             | LE                | 5.93                         | 3.919 | 5.36                         | 3.435 | 8.67                         | 7.362 |
| 2440               | 2 Mbps                 | 17             | LE                | 4.78                         | 3.007 | 4.39                         | 2.748 | 7.60                         | 5.754 |
| 2480               | 2 Mbps                 | 39             | LE                | 4.18                         | 2.620 | 4.23                         | 2.649 | 7.22                         | 5.272 |

**Table 7-8. Conducted Output Power Measurements (Bluetooth (LE)) – Dual**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSM1610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 50 of 126                           |




Plot 7-61. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 1




Plot 7-62. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03-A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 51 of 126                    |




Plot 7-63. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 1




Plot 7-64. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 52 of 126                    |




Plot 7-65. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Dual Ant 1




Plot 7-66. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03-A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 53 of 126                    |




Plot 7-67. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 2




Plot 7-68. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03-A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 54 of 126                    |




Plot 7-69. Peak Power Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 2




Plot 7-70. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 55 of 126                    |



Plot 7-71. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Dual Ant 2



Plot 7-72. Peak Power Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03-A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 56 of 126                    |

## 7.4 Power Spectral Density – Bluetooth (LE)

§15.247(e); RSS-247 [5.2]

### Test Overview and Limit

The peak power density is measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power and at the appropriate frequencies.

***The maximum permissible power spectral density is 8 dBm in any 3 kHz band.***

### Test Procedure Used

ANSI C63.10-2013 – Section 11.10.2 Method PKPSD

KDB 558074 D01 v05r02 – Section 8.4 DTS Maximum Power Spectral Density level in the fundamental emission

### Test Settings

1. Analyzer was set to the center frequency of the DTS channel under investigation
2. Span = 1.5 times the DTS channel bandwidth
3. RBW = 3kHz
4. VBW = 1MHz
5. Detector = peak
6. Sweep time = auto couple
7. Trace mode = max hold
8. Trace was allowed to stabilize

### Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



**Figure 7-3. Test Instrument & Measurement Setup**

### Test Notes


None

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 57 of 126                    |


| Frequency [MHz] | Data Rate [Mbps] | Channel No. | Bluetooth Mode | Measured Power Spectral Density [dBm] | Maximum Permissible Power Density [dBm / 3kHz] | Margin [dB] |
|-----------------|------------------|-------------|----------------|---------------------------------------|------------------------------------------------|-------------|
| 2402            | 125 kbps         | 0           | LE             | -0.55                                 | 8.0                                            | -8.55       |
| 2440            | 125 kbps         | 19          | LE             | -0.38                                 | 8.0                                            | -8.38       |
| 2480            | 125 kbps         | 39          | LE             | -0.76                                 | 8.0                                            | -8.76       |
| 2402            | 500 kbps         | 0           | LE             | 0.18                                  | 8.0                                            | -7.82       |
| 2440            | 500 kbps         | 19          | LE             | -0.50                                 | 8.0                                            | -8.50       |
| 2480            | 500 kbps         | 39          | LE             | -0.47                                 | 8.0                                            | -8.47       |
| 2402            | 1 Mbps           | 37          | LE             | 2.13                                  | 8.0                                            | -5.87       |
| 2440            | 1 Mbps           | 17          | LE             | 1.23                                  | 8.0                                            | -6.77       |
| 2480            | 1 Mbps           | 39          | LE             | 1.14                                  | 8.0                                            | -6.86       |
| 2402            | 2 Mbps           | 37          | LE             | 0.09                                  | 8.0                                            | -7.91       |
| 2440            | 2 Mbps           | 17          | LE             | -1.03                                 | 8.0                                            | -9.03       |
| 2480            | 2 Mbps           | 39          | LE             | -1.09                                 | 8.0                                            | -9.09       |

**Table 7-9. Conducted Power Density Measurements – Ant 1**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 58 of 126                           |




Plot 7-73. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 0) – Ant 1




Plot 7-74. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 19) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 59 of 126                    |




Plot 7-75. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 39) – Ant 1




Plot 7-76. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 60 of 126                    |




Plot 7-77. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 1




Plot 7-78. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 39) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 61 of 126                    |




Plot 7-79. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Ant 1




Plot 7-80. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 62 of 126                    |




Plot 7-81. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 1




Plot 7-82. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 63 of 126                    |



### Plot 7-83. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 1




**Plot 7-84. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 1**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 64 of 126                           |


| Frequency [MHz] | Data Rate [Mbps] | Channel No. | Bluetooth Mode | Measured Power Spectral Density [dBm] | Maximum Permissible Power Density [dBm / 3kHz] | Margin [dB] |
|-----------------|------------------|-------------|----------------|---------------------------------------|------------------------------------------------|-------------|
| 2402            | 125 kbps         | 0           | LE             | -0.05                                 | 8.0                                            | -8.05       |
| 2440            | 125 kbps         | 19          | LE             | -0.90                                 | 8.0                                            | -8.90       |
| 2480            | 125 kbps         | 39          | LE             | -1.40                                 | 8.0                                            | -9.40       |
| 2402            | 500 kbps         | 0           | LE             | -0.45                                 | 8.0                                            | -8.45       |
| 2440            | 500 kbps         | 19          | LE             | -1.30                                 | 8.0                                            | -9.30       |
| 2480            | 500 kbps         | 39          | LE             | -1.57                                 | 8.0                                            | -9.57       |
| 2402            | 1 Mbps           | 37          | LE             | 1.94                                  | 8.0                                            | -6.06       |
| 2440            | 1 Mbps           | 17          | LE             | 1.13                                  | 8.0                                            | -6.87       |
| 2480            | 1 Mbps           | 39          | LE             | 1.15                                  | 8.0                                            | -6.85       |
| 2402            | 2 Mbps           | 37          | LE             | -0.14                                 | 8.0                                            | -8.14       |
| 2440            | 2 Mbps           | 17          | LE             | -0.84                                 | 8.0                                            | -8.84       |
| 2480            | 2 Mbps           | 39          | LE             | -0.73                                 | 8.0                                            | -8.73       |

**Table 7-10. Conducted Power Density Measurements – Ant 2**

|                                                |                                               |                                     |                                          |
|------------------------------------------------|-----------------------------------------------|-------------------------------------|------------------------------------------|
| <b>FCC ID:</b> A3LSMI610                       | <b>MEASUREMENT REPORT<br/>(CERTIFICATION)</b> |                                     | <b>Approved by:</b><br>Technical Manager |
| <b>Test Report S/N:</b><br>1M2406060046-03.A3L | <b>Test Dates:</b><br>07/30/2024 - 06/23/2025 | <b>EUT Type:</b><br>Portable Device | Page 65 of 126                           |




Plot 7-85. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 0) – Ant 2




Plot 7-86. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 19) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 66 of 126                    |




Plot 7-87. Power Spectral Density Plot (Bluetooth (LE), 125kbps – Ch. 39) – Ant 2




Plot 7-88. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 0) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 67 of 126                    |




Plot 7-89. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 19) – Ant 2




Plot 7-90. Power Spectral Density Plot (Bluetooth (LE), 500kbps – Ch. 39) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 68 of 126                    |






Plot 7-93. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Ant 2




Plot 7-94. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 70 of 126                    |



**Plot 7-95. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Ant 2**




### Plot 7-96. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 71 of 126                    |


| Frequency [MHz] | Data Rate [Mbps] | Channel No. | Bluetooth Mode | Ant1 Measured PSD [dBm/3kHz] | Ant1 Measured PSD [dBm/3kHz] | Dual PSD [dBm/3kHz] | Maximum Permissible Power Density [dBm / 3kHz] | Margin [dB] |
|-----------------|------------------|-------------|----------------|------------------------------|------------------------------|---------------------|------------------------------------------------|-------------|
| 2402            | 1 Mbps           | 37          | LE             | -1.61                        | -2.62                        | 0.92                | 8.0                                            | -7.08       |
| 2440            | 1 Mbps           | 17          | LE             | -2.33                        | -3.53                        | 0.12                | 8.0                                            | -7.88       |
| 2480            | 1 Mbps           | 39          | LE             | -2.36                        | -3.69                        | 0.04                | 8.0                                            | -7.96       |
| 2402            | 2 Mbps           | 37          | LE             | -3.72                        | -4.82                        | -1.23               | 8.0                                            | -9.23       |
| 2440            | 2 Mbps           | 17          | LE             | -4.60                        | -5.62                        | -2.07               | 8.0                                            | -10.07      |
| 2480            | 2 Mbps           | 39          | LE             | -4.50                        | -5.79                        | -2.09               | 8.0                                            | -10.09      |

**Table 7-11. Conducted Power Density Measurements – Dual**




**Plot 7-97. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 1**

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 72 of 126                    |




Plot 7-98. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 1




Plot 7-99. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 73 of 126                    |




Plot 7-100. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 37) – Dual Ant 1




Plot 7-101. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 17) – Dual Ant 1

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSM1610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 74 of 126                    |




Plot 7-102. Power Spectral Density Plot (Bluetooth (LE), 2Mbps – Ch. 39) – Dual Ant 1




Plot 7-103. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 37) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 75 of 126                    |



Plot 7-104. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 17) – Dual Ant 2



Plot 7-105. Power Spectral Density Plot (Bluetooth (LE), 1Mbps – Ch. 39) – Dual Ant 2

|                                         |                                        |                              |                                   |
|-----------------------------------------|----------------------------------------|------------------------------|-----------------------------------|
| FCC ID: A3LSMI610                       | MEASUREMENT REPORT<br>(CERTIFICATION)  |                              | Approved by:<br>Technical Manager |
| Test Report S/N:<br>1M2406060046-03.A3L | Test Dates:<br>07/30/2024 - 06/23/2025 | EUT Type:<br>Portable Device | Page 76 of 126                    |