



CERTIFICATION TEST REPORT

Report Number. : 4789497455-E2V2

Applicant : SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 16677, KOREA

Model : SM-N985F/DS, SM-N985F

FCC ID : A3LSMN985F

EUT Description : GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax,
UWB, WPT and NFC

Test Standard(s) : FCC CFR47 PART 22 SUBPART H
FCC CFR47 PART 24 SUBPART E
FCC CFR47 PART 27 SUBPART F,H,L,M
FCC CFR47 PART 90 SUBPART S

Date Of Issue:

July 08, 2020

Prepared by:

UL Korea, Ltd.

26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL Korea, Ltd. Suwon Laboratory
218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16675, Korea
TEL: (031) 337-9902
FAX: (031) 213-5433



ACCREDITED

Testing Laboratory

TL-637

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	07/02/20	Initial issue	Sungeun Lee
V2	07/08/20	Updated to address TCB's question	Sungeun Lee

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	4
1.1. INTRODUCTION OF TEST DATA REUSE	5
1.2. DIFFERENCE	5
1.3. SPOT CHECK VERIFICATION DATA.....	5
1.4. REFERENCE DETAIL.....	6
2. TEST METHODOLOGY	7
3. FACILITIES AND ACCREDITATION	7
4. CALIBRATION AND UNCERTAINTY	8
4.1. MEASURING INSTRUMENT CALIBRATION.....	8
4.2. SAMPLE CALCULATION.....	8
4.3. MEASUREMENT UNCERTAINTY	8
4.4. DECISION RULE	8
5. EQUIPMENT UNDER TEST	9
5.1. DESCRIPTION OF EUT.....	9
5.2. MAXIMUM OUTPUT POWER.....	9
5.3. DESCRIPTION OF AVAILABLE ANTENNAS	17
5.4. WORST-CASE ORIENTATION.....	18
5.5. DESCRIPTION OF TEST SETUP	19
6. TEST AND MEASUREMENT EQUIPMENT	21
7. SUMMARY TABLE	22
8. PEAK TO AVERAGE RATIO	23
8.1. CONDUCTED PEAK TO AVERAGE RESULT	24
9. LIMITS AND CONDUCTED RESULTS	38
9.1. OCCUPIED BANDWIDTH.....	38
9.1.1. OCCUPIED BANDWIDTH RESULTS	39
9.2. BAND EDGE EMISSIONS	55
9.2.1. BAND EDGE RESULT.....	58
9.2.2. EMISSION MASK RESULT	86
9.3. OUT OF BAND EMISSIONS.....	107
9.3.1. OUT OF BAND EMISSIONS RESULT	109
9.4. FREQUENCY STABILITY.....	121
9.4.1. FREQUENCY STABILITY RESULTS	122
9.5. RADIATED POWER (ERP & EIRP)	128
9.5.1. ERP/EIRP Results.....	129
9.5.2. ERP/EIRP DATA	136
9.6. FIELD STRENGTH OF SPURIOUS RADIATION.....	173
9.6.1. SPURIOUS RADIATION PLOTS	174

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.

EUT DESCRIPTION: GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax, UWB, WPT and NFC

MODEL NUMBER: SM-N985F/DS, SM-N985F

SERIAL NUMBER: R3CN40FXVJD, R3CN40FXT2L (CONDUCTED, Original);
R3CN40FXVPH, R3CN40FXWSH (RADIATED, Original);
R38N406WEPX (Spot-Check)

DATE TESTED: MAY 04, 2020 – JUN 18, 2020(Original);
JUN 03, 2020 – JUN 26, 2020(Spot-Check);

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 22H, 24E, 27 F,H,L,M, 90S	Pass

UL Korea, Ltd. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Korea, Ltd. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Korea, Ltd. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Korea, Ltd. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Korea, Ltd. By:



Junwhan Lee
Suwon Lab Engineer
UL Korea, Ltd.

Tested By:



Sungeun Lee
Suwon Lab Engineer
UL Korea, Ltd.

1.1. INTRODUCTION OF TEST DATA REUSE

This report referenced from the FCC ID: A3LSMN986B PCE WWAN (FCC CFR 47 Part 22,24,27,90). And the applicant takes full responsibility that the test data as referenced in this report represent compliance for this FCC ID.

1.2. DIFFERENCE

The FCC ID: A3LSMN985F shares the same enclosure and circuit board as FCC ID: A3LSMN986B. The WWAN antennas and surrounding circuitry and layout are identical between these two units.

After confirming through preliminary radiated emissions that the performance of the FCC ID: A3LSMN986B remains representative of FCC ID: A3LSMN985F. The test data of FCC ID: A3LSMN986B being submitted for this application to cover WWAN features.

1.3. SPOT CHECK VERIFICATION DATA (Worst case of the ERP/EIRP and radiated spurious emissions)

Band	Test Item	Worst Mode	Frequency	Test Limit	Original model	Spot-check model	Deviation	Remark
					SM-N986B/DS Results	SM-N985F/DS Results		
					FCC ID : A3LSMN986B	FCC ID : A3LSMN985F		
GSM 850	ERP	GPRS	848.8 MHz	38.50 dBm	29.86 dBm	30.05 dBm	0.19 dB	-
	RSE	GPRS	2546.4 MHz	-13.00 dBm	-47.00 dBm	-54.20 dBm	-7.20 dB	-
GSM 1900	EIRP	GPRS	1909.8 MHz	33.00 dBm	29.72 dBm	31.02 dBm	1.30 dB	-
	RSE	GPRS	7639.2 MHz	-13.00 dBm	-46.60 dBm	-46.80 dBm	-0.20 dB	-
WCDMA Band 2	EIRP	HSDPA	1907.6 MHz	33.00 dBm	23.20 dBm	21.73 dBm	-1.47 dB	-
	RSE	HSDPA	7630.4 MHz	-13.00 dBm	-47.90 dBm	-48.10 dBm	-0.20 dB	-
WCDMA Band 4	EIRP	REL99	1732.6 MHz	30.00 dBm	24.10 dBm	23.03 dBm	-1.07 dB	-
	RSE	HSDPA	7010.4 MHz	-13.00 dBm	-48.50 dBm	-48.70 dBm	-0.20 dB	-
WCDMA Band 5	ERP	REL99	836.6 MHz	38.50 dBm	19.61 dBm	18.71 dBm	-0.90 dB	-
	RSE	REL99	3386.4 MHz	-13.00 dBm	-53.20 dBm	-53.20 dBm	0.00 dB	-
LTE Band 12	ERP	3M QPSK	707.5 MHz	34.80 dBm	18.43 dBm	17.12 dBm	-1.31 dB	-
	RSE	3M QPSK	2858.0 MHz	-13.00 dBm	-50.80 dBm	-54.60 dBm	-3.80 dB	-
LTE Band 13	ERP	5M QPSK	779.5 MHz	34.80 dBm	21.99 dBm	20.81 dBm	-1.18 dB	-
	RSE	5M QPSK	1559.0 MHz	-40.00 dBm	-28.00 dBm	-29.40 dBm	-1.40 dB	-
LTE Band 25	EIRP	15M QPSK	1907.5 MHz	33.00 dBm	24.90 dBm	23.46 dBm	-1.44 dB	-
	RSE	3M QPSK	7654.0 MHz	-13.00 dBm	-48.00 dBm	-47.90 dBm	0.10 dB	-
LTE Band 26(Part 22)	ERP	15M QPSK	831.5 MHz	38.50 dBm	20.85 dBm	19.50 dBm	-1.35 dB	-
	RSE	3M QPSK	3390.0 MHz	-13.00 dBm	-53.10 dBm	-53.30 dBm	-0.20 dB	-
LTE Band 26(Part 90)	ERP	3M QPSK	815.5 MHz	50.00 dBm	19.88 dBm	19.58 dBm	-0.30 dB	-
	RSE	3M QPSK	3290.0 MHz	-13.00 dBm	-53.90 dBm	-53.80 dBm	0.10 dB	-
LTE Band 41	EIRP	5M QPSK	2593.0 MHz	33.00 dBm	27.85 dBm	26.85 dBm	-1.00 dB	-
	RSE	5M QPSK	10750.0 MHz	-25.00 dBm	-53.00 dBm	-53.00 dBm	0.00 dB	-
LTE Band 66	EIRP	15M QPSK	1717.5 MHz	30.00 dBm	24.45 dBm	23.84 dBm	-0.61 dB	-
	RSE	3M QPSK	7114.0 MHz	-13.00 dBm	-48.40 dBm	-48.60 dBm	-0.20 dB	-

Comparison of two models, upper deviation is within 3 dB range and all test results are under FCC Technical Limits.

1.4. REFERENCE DETAIL

Reference application that contains the reused reference data in the individual test reports:

Equipment Class	Reference FCC ID (Parent)	Application Type	Reference Test report number	Exhibit Type	Variant Test Report Number	Data Re-used
PCE	A3LSMN986B	Original Grant	4789468331-E2	Test Report	4789497455-E2	All
DTS	A3LSMN986B	Original Grant	4789468331-E3 (802.11b/g/n/ax)	Test Report	4789497455-E3 (802.11b/g/n/ax)	All
			4789468331-E4 Bluetooth LE	Test Report	4789497455-E4 Bluetooth LE	All
DSS	A3LSMN986B	Original Grant	4789468331-E5 (Bluetooth)	Test Report	4789497455-E5 (Bluetooth)	All
NII	A3LSMN986B	Original Grant	4789468331-E6 (802.11a/n/ac/ax)	Test Report	4789497455-E6 (802.11a/n/ac/ax)	All
DXX	A3LSMN986B	Original Grant	4789468331-E7 (NFC)	Test Report	4789497455-E7 (NFC)	All
DCD	A3LSMN986B	Original Grant	4789468331-E8 (WPT)	Test Report	4789497455-E8 (WPT)	All

For this application the data reuse is summarized below for each equipment class:

Equipment Class	Reference FCC ID (Parent)	Application Type	Test Item	Data Re-used
PCE	A3LSMN986B	Original Grant	WWAN	All except SAR (full test), HAC (full test)
DTS	A3LSMN986B	Original Grant	BLE	All
			WLAN	All except SAR (full test), HAC (full test)
			WLAN 802.11ax	All except HAC (full test)
DSS	A3LSMN986B	Original Grant	BT	All except SAR (full test)
NII	A3LSMN986B	Original Grant	WLAN	All except SAR (full test), HAC (full test)
			WLAN 802.11ax	All except HAC (full test)
DXX	A3LSMN986B	Original Grant	NFC	All
DCD	A3LSMN986B	Original Grant	WPT	All except RF exposure

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

1. FCC CFR 47 Part 2.
2. FCC CFR 47 Part 22.
3. FCC CFR 47 Part 24.
4. FCC CFR 47 Part 27.
5. FCC CFR 47 Part 90.
6. ANSI TIA-603-E, 2016
7. ANSI C63.26, 2015
8. KDB 971168 D01 Power Meas License Digital Systems v03r01
9. KDB 412172 D01 Determining ERP and EIRP v01r01.
10. KDB 484596 D01 Referencing Test Data v01

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro	
☒	Chamber 1
☒	Chamber 2
☐	Chamber 3

UL Korea, Ltd. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at <https://www.iasonline.org/wp-content/uploads/2017/05/TL-637-cert-New.pdf>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\text{EIRP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$$

$$\text{ERP} = \text{PSA reading with EUT worst orientation (dBm)} + \text{Path loss (dB)} - \text{cable loss (between the SG and substitution antenna)}$$

(Path loss = Signal generator output – PSA reading with substitution antenna)

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	2.35 dB
Radiated Disturbance, 30 MHz to 1 GHz	3.49 dB
Radiated Disturbance, 1 GHz to 18 GHz	5.82 dB
Radiated Disturbance, 18 GHz to 40 GHz	5.49 dB

Uncertainty figures are valid to a confidence level of 95%.

4.4. DECISION RULE

Decision rule for statement(s) of conformity is based on Procedure 1, Clause 4.4.2 in IEC Guide 115:2007.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax, UWB, WPT and NFC. This test report addresses the WWAN operational mode.

This report covers the Samsung models SM-N986B/DS and SM-N986B. These models are identical in hardware except SM-N986B has single SIM tray. With some pre-scan, model SM-N986B/DS was set for final test.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum average radiated ERP / EIRP output powers as follows:

Note : Conducted output power results were excerpted from RF exposure test report(4789468331-S1 FCC Report SAR).

GSM

FCC Part 22/24						
Band	Frequency Range [MHz]	Modulation	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
GSM850	824~849	GPRS	32.99	1989.63	29.86	968.28
		EGPRS	26.40	436.83	24.28	267.92
GSM1900	1850~1910	GPRS	28.59	722.53	29.72	937.56
		EGPRS	24.26	266.74	26.02	399.94

WCDMA

FCC Part 22/24/27						
Band	Frequency Range [MHz]	Modulation	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 5	824~849	Rel. 99	24.22	264.06	19.61	91.41
		HSDPA	22.55	179.95	18.20	66.07
Band 4	1710~1755	Rel. 99	22.38	173.00	24.10	257.04
		HSDPA	21.34	136.13	22.97	198.15
Band 2	1850~1910	Rel. 99	22.11	162.42	23.14	206.06
		HSDPA	22.10	162.09	23.20	208.93

LTE Band 12

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12	699 ~ 716	10	QPSK	24.20	263.33	17.99	62.95
			16QAM	23.63	230.42	16.88	48.75
			64QAM	22.38	172.93		
			256QAM	19.33	85.78		
		5	QPSK	24.23	264.72	17.82	60.53
			16QAM	23.74	236.81	16.74	47.21
			64QAM	22.66	184.41		
			256QAM	19.81	95.65		
		3	QPSK	24.48	280.72	18.43	69.66
			16QAM	23.61	229.79	17.52	56.49
			64QAM	22.44	175.53		
			256QAM	19.64	92.09		
		1.4	QPSK	24.01	251.83	18.05	63.83
			16QAM	23.37	217.34	16.98	49.89
			64QAM	22.27	168.79		
			256QAM	19.22	83.63		

LTE Band 13

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13	777 ~ 787	10	QPSK	24.09	256.33	21.63	145.55
			16QAM	23.18	208.20	20.37	108.89
			64QAM	22.39	173.28		
			256QAM	19.44	87.99		
		5	QPSK	24.29	268.43	21.99	158.12
			16QAM	23.68	233.40	20.65	116.14
			64QAM	22.54	179.59		
			256QAM	19.68	92.93		

LTE Band 25

FCC Part 24							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 25	1850 ~ 1915	20	QPSK	21.97	157.46	24.84	304.79
			16QAM	21.34	136.00	23.50	223.87
			64QAM	20.17	104.06		
			256QAM	17.14	51.70		
		15	QPSK	22.20	165.78	24.90	309.03
			16QAM	21.57	143.39	23.77	238.23
			64QAM	20.47	111.30		
			256QAM	17.28	53.40		
		10	QPSK	22.07	161.00	23.92	246.60
			16QAM	21.31	135.25	22.08	161.44
			64QAM	20.39	109.51		
			256QAM	17.17	52.08		
		5	QPSK	22.16	164.55	23.60	229.09
			16QAM	21.74	149.21	22.51	178.24
			64QAM	20.71	117.69		
			256QAM	17.49	56.17		
		3	QPSK	22.22	166.67	23.57	227.51
			16QAM	21.36	136.78	22.42	174.58
			64QAM	20.30	107.08		
			256QAM	17.20	52.47		
		1.4	QPSK	21.91	155.38	23.51	224.39
			16QAM	21.15	130.21	22.43	174.98
			64QAM	20.46	111.27		
			256QAM	17.16	51.95		

LTE Band 26

FCC Part 90							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 26	814 ~ 824	15	QPSK	24.17	261.51	19.07	80.72
			16QAM	23.45	221.06	18.02	63.39
			64QAM	22.32	170.72		
			256QAM	19.18	82.79		
		10	QPSK	24.09	256.60	18.95	78.52
			16QAM	23.25	211.19	18.08	64.27
			64QAM	22.40	173.83		
			256QAM	19.14	82.05		
		5	QPSK	24.05	254.30	19.38	86.70
			16QAM	23.61	229.76	18.36	68.55
			64QAM	22.13	163.16		
			256QAM	18.98	79.12		
		3	QPSK	24.18	261.73	19.88	97.27
			16QAM	23.34	215.73	18.41	69.34
			64QAM	22.34	171.32		
			256QAM	19.38	86.64		
		1.4	QPSK	23.79	239.60	19.82	95.94
			16QAM	22.90	195.06	18.78	75.51
			64QAM	22.24	167.40		
			256QAM	18.82	76.27		

FCC Part 22							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 26	824 ~ 849	15	QPSK	24.50	282.02	20.85	121.62
			16QAM	23.81	240.48	19.89	97.50
			64QAM	22.48	176.98		
			256QAM	19.60	91.30		
		10	QPSK	24.29	268.23	20.83	121.06
			16QAM	23.56	226.91	19.83	96.16
			64QAM	22.41	174.16		
			256QAM	19.49	88.98		
		5	QPSK	24.33	270.77	20.47	111.43
			16QAM	23.73	235.91	19.39	86.90
			64QAM	22.43	174.85		
			256QAM	19.74	94.14		
		3	QPSK	24.51	282.50	20.38	109.14
			16QAM	23.84	241.89	19.27	84.53
			64QAM	22.34	171.37		
			256QAM	19.34	85.84		
		1.4	QPSK	24.04	253.63	19.97	99.31
			16QAM	23.36	216.92	18.88	77.27
			64QAM	22.23	167.21		
			256QAM	19.17	82.69		

LTE Band 41(PC2)

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41	2496 ~ 2690	20	QPSK	24.41	275.92	26.75	473.15
			16QAM	23.64	231.47	26.39	435.51
			64QAM	23.10	204.13		
			256QAM	19.93	98.50		
		15	QPSK	24.42	276.72	26.88	487.53
			16QAM	23.96	249.08	26.28	424.62
			64QAM	22.78	189.67		
			256QAM	19.85	96.61		
		10	QPSK	24.50	281.60	27.18	522.40
			16QAM	23.82	240.81	27.66	583.45
			64QAM	22.78	189.67		
			256QAM	19.84	96.38		
		5	QPSK	24.60	288.26	27.85	609.54
			16QAM	23.97	249.44	27.52	564.94
			64QAM	22.92	195.88		
			256QAM	20.08	101.94		

LTE Band 66

FCC Part 27							
Band	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66	1710 ~ 1780	20	QPSK	22.14	163.69	24.44	277.97
			16QAM	21.30	134.79	23.59	228.56
			64QAM	20.53	112.96		
			256QAM	17.32	54.00		
		15	QPSK	22.11	162.52	24.45	278.61
			16QAM	21.36	136.73	22.75	188.36
			64QAM	20.47	111.32		
			256QAM	17.26	53.22		
		10	QPSK	22.15	164.20	24.35	272.27
			16QAM	21.31	135.25	23.23	210.38
			64QAM	20.27	106.31		
			256QAM	17.15	51.84		
		5	QPSK	22.19	165.75	24.00	251.19
			16QAM	21.73	149.02	22.97	198.15
			64QAM	20.70	117.48		
			256QAM	17.38	54.66		
		3	QPSK	22.29	169.25	24.18	261.82
			16QAM	21.49	140.97	23.00	199.53
			64QAM	20.48	111.73		
			256QAM	17.43	55.32		
		1.4	QPSK	22.01	158.85	23.64	231.21
			16QAM	21.40	138.17	22.41	174.18
			64QAM	20.57	114.15		
			256QAM	17.31	53.78		

LTE Band 2

LTE Band 2(Frequency range: 1850-1910 MHz) is covered by LTE Band 25 (Frequency range: 1850-1915 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 4

LTE Band 4 (Frequency range: 1710-1755 MHz) is covered by LTE Band 66 (Frequency range: 1710-1780 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 5

LTE Band 5 (Frequency range: 824-849 MHz) is covered by LTE Band 26 (Frequency range: 814-849 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 17

LTE Band 17 (Frequency range: 704-716 MHz) is covered by LTE Band 12 (Frequency range: 699-716 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band41(PC3)

LTE Band 41(PC3, Frequency range : 2496-2690 MHz) is covered by LTE Band 41(PC2) (Frequency range: 2496-2690 MHz) due to same frequency range, same channel bandwidth and maximum tune-up limit is higher than LTE Band41(PC3).

5.3. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a internal antenna for the [List the bands supported] with a maximum peak gain as follow:

Frequency (MHz)	Peak Gain (dBi)
GSM 850 824 ~ 849 MHz	-3.40
GSM 1900 1850 ~ 1910 MHz	-0.16
WCDMA Band4 / LTE Band 4 / LTE Band 66 1710 ~ 1780 MHz	-0.15
WCDMA Band 5 / LTE Band 5 / LTE Band 26 814 ~ 849 MHz	-3.40
WCDMA Band 2 1850 ~ 1910 MHz	-0.16
LTE Band 12 / LTE Band 17 699 ~ 716 MHz	-3.02
LTE Band 13 777 ~ 787 MHz	-3.02
LTE Band 2 / LTE Band 25 1850 ~ 1915 MHz	-0.16
LTE Band 41 2496 ~ 2690 MHz	-0.12

5.4. WORST-CASE ORIENTATION

Following modes should be considered as worst-case scenario for all other measurements.

- GSM GPRS/EGPRS
- UMTS REL 99/HSDPA

For all LTE, the worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on QPSK, 16QAM, 64QAM and 256QAM modulations. It was found that QPSK and 16QAM results were worst case. All testing was performed using QPSK and 16QAM modulations to represent the worst case. However, the out of band emissions and spurious radiation were only performed on bandwidth and RB offset(with RB size 1) with the highest conducted power in QPSK.

Highest power setting for each bands				
LTE Band	Frequency (MHz)	Bandwidth (MHz)	RB size	RB offset
12	700.5	3	1	8
	707.5		1	0
	714.5		1	8
13	779.5	5	1	24
	782.0		1	12
	784.5		1	12
25	1852.5	3	1	14
	1882.5		1	0
	1912.5		1	8
26(Part 90)	815.5	3	1	8
	822.5		1	8
26(Part 22)	825.5	3	1	14
	831.5		1	0
	847.5		1	8
41	2498.5	5	1	0
	2593.0		1	0
	2687.5		1	12
66	1711.5	3	1	14
	1745		1	0
	1788.5		1	14

The fundamental and radiated spurious emission were investigated in three orthogonal orientations X, Y and Z, it was determined that below orientation was worst-case orientation for each band.

Band	ERP/EIRP			RSE		
	X	Y	Z	X	Y	Z
GSM850	-	-	O	O	-	-
GSM1900	O	-	-	O	-	-
WCDMA B5	O	-	-	O	-	-
WCDMA B4	-	-	O	-	-	O
WCDMA B2	O	-	-	O	-	-
LTE B12	-	-	O	-	-	O
LTE B13	-	-	O	-	-	O
LTE B25	O	-	-	O	-	-
LTE B26	O	-	-	O	-	-
LTE B41	O	-	-	O	-	-
LTE B66	-	O	-	-	O	-

Note : For ERP/EIRP testing, the EUT didn't attached with travel adapter. But radiated spurious testing, the EUT attached with travel adapter for the worst case condition. The EUT is continuously communicated with the call box during the tests.

5.5. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
Charger	SAMSUNG	EP-TA800	R37N47V0G92HM3	N/A
Data Cable	SAMSUNG	EP-DG980	N/A	N/A


I/O CABLE

I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	DC Power	1	C Type	Shielded	1.0m	N/A


TEST SETUP

The EUT is continuously communicated with the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List				
Description	Manufacturer	Model	S/N	Cal Due
Antenna, Tuned Dipole 400~1000 MHz	ETS	3121D DB4	00164753	01-30-21
Antenna, Horn, 40 GHz	ETS	3116C	00166155	08-13-20
Preamplifier	ETS	3116C-PA	00168841	08-08-20
Antenna, Horn, 40 GHz	ETS	3116C	00168845	10-02-21
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	750	08-04-20
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	845	08-04-20
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	749	08-04-20
Antenna, Horn, 18 GHz	ETS	3115	00167211	08-04-20
Antenna, Horn, 18 GHz	ETS	3115	00161451	08-04-20
Antenna, Horn, 18 GHz	ETS	3117	00168724	08-04-20
Antenna, Horn, 18 GHz	ETS	3117	00205959	08-04-20
Antenna, Horn, 18 GHz	ETS	3117	00168717	08-04-20
Combiner	WEINSCHTEL	1575	2150	08-08-20
Communications Test Set	R&S	CMW500	115331	08-05-20
DC Power Supply	Agilent / HP	E3640A	MY54226395	08-06-20
Preamplifier, 1000 MHz	Sonoma	310N	341282	08-05-20
Preamplifier, 1000 MHz	Sonoma	310N	370599	08-05-20
Preamplifier, 1000 MHz	Sonoma	310N	351741	08-05-20
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1876511	08-06-20
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	2029169	08-06-20
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1896138	08-06-20
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54490312	08-06-20
EMI Test Receive, 40 GHz	R&S	ESU40	100439	08-06-20
EMI Test Receive, 40 GHz	R&S	ESU40	100457	08-06-20
Directional Antenna	Cobham	FPA3-0.8-6.0R/1329	80108-0004	N/A
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G005	08-05-20
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G006	08-05-20
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	010	08-05-20
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	011	08-05-20
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G001	08-05-20
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G002	08-05-20
Attenuator	PASTERNAK	PE7087-10	A009	08-08-20
Attenuator	PASTERNAK	PE7087-10	A001	08-08-20
Attenuator	PASTERNAK	PE7087-10	A008	08-08-20
Attenuator	PASTERNAK	PE7087-10	2	08-08-20
Attenuator	PASTERNAK	PE7395-10	A011	08-08-20
Antenna, Loop, 9kHz-30MHz	R&S	HFH2-Z2	100418	10-02-21
Temperature Chamber	ESPEC	SH-642	93001109	08-05-20
UL Software				
Description	Manufacturer	Model	Version	
Antenna port test software	UL	CLT	Ver 2.5	

7. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result
2.1049	Occupied Band width (99%)	N/A	Conducted	Pass
22.917(a) 24.238(a) 27.53(c),(g),(h) 90.691	Band Edge / Conducted Spurious Emission	-13dBm		Pass
27.53(m)	Conducted Spurious Emission	-25 dBm		Pass
27.53(m) 90.691	Emission mask	Section 9.2.2		Pass
2.1046	Conducted output power	N/A		Pass
22.355 24.235 27.54 90.213	Frequency Stability	2.5PPM		Pass
22.913(a)(5)	Effective Radiated Power	38.5 dBm	Radiated	Pass
90.635(b)		50 dBm		Pass
27.50(b)(10) 27.50(c)(10)		34.77 dBm		Pass
24.232(c) 27.50(h)(2)	Equivalent Isotropic Radiated Power	33dBm		Pass
27.50(d)(4)		30dBm		Pass
22.917(a) 24.238(a) 27.53(c),(g),(h) 90.691	Radiated Spurious Emission	-13dBm		Pass
27.53 (m)		-25dBm		Pass

8. PEAK TO AVERAGE RATIO

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03r01;

The transmitter output was connected to a CMW500 Test Set and configured to operate at maximum power. The PAR were measured on the Spectrum Analyzer.


Test Spec

In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.


RESULTS

8.1. CONDUCTED PEAK TO AVERAGE RESULT







GSM




WCDMA




LTE Band 12







LTE Band 12 10 MHz	 Average Power 23.92 dBm 46.71 % at 0dB <table><tr><td>10.0 %</td><td>2.57 dB</td></tr><tr><td>1.0 %</td><td>4.25 dB</td></tr><tr><td>0.1 %</td><td>4.65 dB</td></tr><tr><td>0.01 %</td><td>4.82 dB</td></tr><tr><td>0.001 %</td><td>4.87 dB</td></tr><tr><td>0.0001 %</td><td>4.88 dB</td></tr><tr><td>Peak</td><td>4.89 dB</td></tr><tr><td></td><td>28.81 dBm</td></tr></table> LTE B12 10MHz QPSK Mid channel	10.0 %	2.57 dB	1.0 %	4.25 dB	0.1 %	4.65 dB	0.01 %	4.82 dB	0.001 %	4.87 dB	0.0001 %	4.88 dB	Peak	4.89 dB		28.81 dBm	 Average Power 23.34 dBm 43.69 % at 0dB <table><tr><td>10.0 %</td><td>2.87 dB</td></tr><tr><td>1.0 %</td><td>4.99 dB</td></tr><tr><td>0.1 %</td><td>5.18 dB</td></tr><tr><td>0.01 %</td><td>5.26 dB</td></tr><tr><td>0.001 %</td><td>5.29 dB</td></tr><tr><td>0.0001 %</td><td>5.31 dB</td></tr><tr><td>Peak</td><td>5.35 dB</td></tr><tr><td></td><td>28.69 dBm</td></tr></table> LTE B12 10MHz 16QAM Mid channel	10.0 %	2.87 dB	1.0 %	4.99 dB	0.1 %	5.18 dB	0.01 %	5.26 dB	0.001 %	5.29 dB	0.0001 %	5.31 dB	Peak	5.35 dB		28.69 dBm
10.0 %	2.57 dB																																	
1.0 %	4.25 dB																																	
0.1 %	4.65 dB																																	
0.01 %	4.82 dB																																	
0.001 %	4.87 dB																																	
0.0001 %	4.88 dB																																	
Peak	4.89 dB																																	
	28.81 dBm																																	
10.0 %	2.87 dB																																	
1.0 %	4.99 dB																																	
0.1 %	5.18 dB																																	
0.01 %	5.26 dB																																	
0.001 %	5.29 dB																																	
0.0001 %	5.31 dB																																	
Peak	5.35 dB																																	
	28.69 dBm																																	
LTE Band 12 5 MHz	 Average Power 24.18 dBm 46.30 % at 0dB <table><tr><td>10.0 %</td><td>2.61 dB</td></tr><tr><td>1.0 %</td><td>4.18 dB</td></tr><tr><td>0.1 %</td><td>4.55 dB</td></tr><tr><td>0.01 %</td><td>4.65 dB</td></tr><tr><td>0.001 %</td><td>4.72 dB</td></tr><tr><td>0.0001 %</td><td>4.73 dB</td></tr><tr><td>Peak</td><td>4.74 dB</td></tr><tr><td></td><td>28.92 dBm</td></tr></table> LTE B12 5MHz QPSK Mid channel	10.0 %	2.61 dB	1.0 %	4.18 dB	0.1 %	4.55 dB	0.01 %	4.65 dB	0.001 %	4.72 dB	0.0001 %	4.73 dB	Peak	4.74 dB		28.92 dBm	 Average Power 23.36 dBm 43.57 % at 0dB <table><tr><td>10.0 %</td><td>2.88 dB</td></tr><tr><td>1.0 %</td><td>4.98 dB</td></tr><tr><td>0.1 %</td><td>5.17 dB</td></tr><tr><td>0.01 %</td><td>5.24 dB</td></tr><tr><td>0.001 %</td><td>5.27 dB</td></tr><tr><td>0.0001 %</td><td>5.31 dB</td></tr><tr><td>Peak</td><td>5.34 dB</td></tr><tr><td></td><td>28.70 dBm</td></tr></table> LTE B12 5MHz 16QAM Mid channel	10.0 %	2.88 dB	1.0 %	4.98 dB	0.1 %	5.17 dB	0.01 %	5.24 dB	0.001 %	5.27 dB	0.0001 %	5.31 dB	Peak	5.34 dB		28.70 dBm
10.0 %	2.61 dB																																	
1.0 %	4.18 dB																																	
0.1 %	4.55 dB																																	
0.01 %	4.65 dB																																	
0.001 %	4.72 dB																																	
0.0001 %	4.73 dB																																	
Peak	4.74 dB																																	
	28.92 dBm																																	
10.0 %	2.88 dB																																	
1.0 %	4.98 dB																																	
0.1 %	5.17 dB																																	
0.01 %	5.24 dB																																	
0.001 %	5.27 dB																																	
0.0001 %	5.31 dB																																	
Peak	5.34 dB																																	
	28.70 dBm																																	
LTE Band 12 3 MHz	 Average Power 24.14 dBm 46.96 % at 0dB <table><tr><td>10.0 %</td><td>2.60 dB</td></tr><tr><td>1.0 %</td><td>4.08 dB</td></tr><tr><td>0.1 %</td><td>4.46 dB</td></tr><tr><td>0.01 %</td><td>4.55 dB</td></tr><tr><td>0.001 %</td><td>4.59 dB</td></tr><tr><td>0.0001 %</td><td>4.60 dB</td></tr><tr><td>Peak</td><td>4.61 dB</td></tr><tr><td></td><td>28.75 dBm</td></tr></table> LTE B12 3MHz QPSK Mid channel	10.0 %	2.60 dB	1.0 %	4.08 dB	0.1 %	4.46 dB	0.01 %	4.55 dB	0.001 %	4.59 dB	0.0001 %	4.60 dB	Peak	4.61 dB		28.75 dBm	 Average Power 23.40 dBm 43.52 % at 0dB <table><tr><td>10.0 %</td><td>2.88 dB</td></tr><tr><td>1.0 %</td><td>4.90 dB</td></tr><tr><td>0.1 %</td><td>5.03 dB</td></tr><tr><td>0.01 %</td><td>5.08 dB</td></tr><tr><td>0.001 %</td><td>5.10 dB</td></tr><tr><td>0.0001 %</td><td>5.11 dB</td></tr><tr><td>Peak</td><td>5.15 dB</td></tr><tr><td></td><td>28.55 dBm</td></tr></table> LTE B12 3MHz 16QAM Mid channel	10.0 %	2.88 dB	1.0 %	4.90 dB	0.1 %	5.03 dB	0.01 %	5.08 dB	0.001 %	5.10 dB	0.0001 %	5.11 dB	Peak	5.15 dB		28.55 dBm
10.0 %	2.60 dB																																	
1.0 %	4.08 dB																																	
0.1 %	4.46 dB																																	
0.01 %	4.55 dB																																	
0.001 %	4.59 dB																																	
0.0001 %	4.60 dB																																	
Peak	4.61 dB																																	
	28.75 dBm																																	
10.0 %	2.88 dB																																	
1.0 %	4.90 dB																																	
0.1 %	5.03 dB																																	
0.01 %	5.08 dB																																	
0.001 %	5.10 dB																																	
0.0001 %	5.11 dB																																	
Peak	5.15 dB																																	
	28.55 dBm																																	








LTE Band 13













LTE Band 25

LTE Band 25 20 MHz	 Average Power 22.08 dBm 44.80 % at 0dB <table><tr><td>10.0 %</td><td>2.54 dB</td></tr><tr><td>1.0 %</td><td>4.67 dB</td></tr><tr><td>0.1 %</td><td>5.95 dB</td></tr><tr><td>0.01 %</td><td>6.13 dB</td></tr><tr><td>0.001 %</td><td>6.21 dB</td></tr><tr><td>0.0001 %</td><td>6.23 dB</td></tr><tr><td>Peak</td><td>6.23 dB</td></tr><tr><td>Peak</td><td>28.31 dBm</td></tr></table> LTE B25 20MHz QPSK Mid channel	10.0 %	2.54 dB	1.0 %	4.67 dB	0.1 %	5.95 dB	0.01 %	6.13 dB	0.001 %	6.21 dB	0.0001 %	6.23 dB	Peak	6.23 dB	Peak	28.31 dBm	 Average Power 21.61 dBm 41.47 % at 0dB <table><tr><td>10.0 %</td><td>2.87 dB</td></tr><tr><td>1.0 %</td><td>5.61 dB</td></tr><tr><td>0.1 %</td><td>5.90 dB</td></tr><tr><td>0.01 %</td><td>5.97 dB</td></tr><tr><td>0.001 %</td><td>6.00 dB</td></tr><tr><td>0.0001 %</td><td>6.02 dB</td></tr><tr><td>Peak</td><td>6.03 dB</td></tr><tr><td>Peak</td><td>27.64 dBm</td></tr></table> LTE B25 20MHz 16QAM Mid channel	10.0 %	2.87 dB	1.0 %	5.61 dB	0.1 %	5.90 dB	0.01 %	5.97 dB	0.001 %	6.00 dB	0.0001 %	6.02 dB	Peak	6.03 dB	Peak	27.64 dBm
10.0 %	2.54 dB																																	
1.0 %	4.67 dB																																	
0.1 %	5.95 dB																																	
0.01 %	6.13 dB																																	
0.001 %	6.21 dB																																	
0.0001 %	6.23 dB																																	
Peak	6.23 dB																																	
Peak	28.31 dBm																																	
10.0 %	2.87 dB																																	
1.0 %	5.61 dB																																	
0.1 %	5.90 dB																																	
0.01 %	5.97 dB																																	
0.001 %	6.00 dB																																	
0.0001 %	6.02 dB																																	
Peak	6.03 dB																																	
Peak	27.64 dBm																																	
LTE Band 25 15 MHz	 Average Power 22.17 dBm 46.73 % at 0dB <table><tr><td>10.0 %</td><td>2.50 dB</td></tr><tr><td>1.0 %</td><td>4.47 dB</td></tr><tr><td>0.1 %</td><td>5.71 dB</td></tr><tr><td>0.01 %</td><td>5.84 dB</td></tr><tr><td>0.001 %</td><td>5.87 dB</td></tr><tr><td>0.0001 %</td><td>5.92 dB</td></tr><tr><td>Peak</td><td>5.93 dB</td></tr><tr><td>Peak</td><td>28.10 dBm</td></tr></table> LTE B25 15MHz QPSK Mid channel	10.0 %	2.50 dB	1.0 %	4.47 dB	0.1 %	5.71 dB	0.01 %	5.84 dB	0.001 %	5.87 dB	0.0001 %	5.92 dB	Peak	5.93 dB	Peak	28.10 dBm	 Average Power 21.33 dBm 43.25 % at 0dB <table><tr><td>10.0 %</td><td>2.80 dB</td></tr><tr><td>1.0 %</td><td>5.44 dB</td></tr><tr><td>0.1 %</td><td>5.72 dB</td></tr><tr><td>0.01 %</td><td>5.78 dB</td></tr><tr><td>0.001 %</td><td>5.82 dB</td></tr><tr><td>0.0001 %</td><td>5.86 dB</td></tr><tr><td>Peak</td><td>5.86 dB</td></tr><tr><td>Peak</td><td>27.19 dBm</td></tr></table> LTE B25 15MHz 16QAM Mid channel	10.0 %	2.80 dB	1.0 %	5.44 dB	0.1 %	5.72 dB	0.01 %	5.78 dB	0.001 %	5.82 dB	0.0001 %	5.86 dB	Peak	5.86 dB	Peak	27.19 dBm
10.0 %	2.50 dB																																	
1.0 %	4.47 dB																																	
0.1 %	5.71 dB																																	
0.01 %	5.84 dB																																	
0.001 %	5.87 dB																																	
0.0001 %	5.92 dB																																	
Peak	5.93 dB																																	
Peak	28.10 dBm																																	
10.0 %	2.80 dB																																	
1.0 %	5.44 dB																																	
0.1 %	5.72 dB																																	
0.01 %	5.78 dB																																	
0.001 %	5.82 dB																																	
0.0001 %	5.86 dB																																	
Peak	5.86 dB																																	
Peak	27.19 dBm																																	
LTE Band 25 10 MHz	 Average Power 22.10 dBm 44.08 % at 0dB <table><tr><td>10.0 %</td><td>2.60 dB</td></tr><tr><td>1.0 %</td><td>4.60 dB</td></tr><tr><td>0.1 %</td><td>6.03 dB</td></tr><tr><td>0.01 %</td><td>6.19 dB</td></tr><tr><td>0.001 %</td><td>6.23 dB</td></tr><tr><td>0.0001 %</td><td>6.27 dB</td></tr><tr><td>Peak</td><td>6.30 dB</td></tr><tr><td>Peak</td><td>28.40 dBm</td></tr></table> LTE B25 10MHz QPSK Mid channel	10.0 %	2.60 dB	1.0 %	4.60 dB	0.1 %	6.03 dB	0.01 %	6.19 dB	0.001 %	6.23 dB	0.0001 %	6.27 dB	Peak	6.30 dB	Peak	28.40 dBm	 Average Power 21.58 dBm 42.11 % at 0dB <table><tr><td>10.0 %</td><td>2.86 dB</td></tr><tr><td>1.0 %</td><td>5.69 dB</td></tr><tr><td>0.1 %</td><td>5.98 dB</td></tr><tr><td>0.01 %</td><td>6.06 dB</td></tr><tr><td>0.001 %</td><td>6.10 dB</td></tr><tr><td>0.0001 %</td><td>6.14 dB</td></tr><tr><td>Peak</td><td>6.19 dB</td></tr><tr><td>Peak</td><td>27.77 dBm</td></tr></table> LTE B25 10MHz 16QAM Mid channel	10.0 %	2.86 dB	1.0 %	5.69 dB	0.1 %	5.98 dB	0.01 %	6.06 dB	0.001 %	6.10 dB	0.0001 %	6.14 dB	Peak	6.19 dB	Peak	27.77 dBm
10.0 %	2.60 dB																																	
1.0 %	4.60 dB																																	
0.1 %	6.03 dB																																	
0.01 %	6.19 dB																																	
0.001 %	6.23 dB																																	
0.0001 %	6.27 dB																																	
Peak	6.30 dB																																	
Peak	28.40 dBm																																	
10.0 %	2.86 dB																																	
1.0 %	5.69 dB																																	
0.1 %	5.98 dB																																	
0.01 %	6.06 dB																																	
0.001 %	6.10 dB																																	
0.0001 %	6.14 dB																																	
Peak	6.19 dB																																	
Peak	27.77 dBm																																	







LTE Band 25 5 MHz	 Average Power 22.40 dBm 45.51 % at 0dB 10.0 % 2.54 dB 1.0 % 4.53 dB 0.1 % 5.81 dB 0.01 % 6.00 dB 0.001 % 6.12 dB 0.0001 % 6.20 dB Peak 6.22 dB 28.62 dBm LTE B25 5MHz QPSK Mid channel	 Average Power 21.35 dBm 42.51 % at 0dB 10.0 % 2.80 dB 1.0 % 5.58 dB 0.1 % 5.91 dB 0.01 % 6.03 dB 0.001 % 6.09 dB 0.0001 % 6.11 dB Peak 6.12 dB 27.47 dBm LTE B25 5MHz 16QAM Mid channel
LTE Band 25 3 MHz	 Average Power 22.20 dBm 46.26 % at 0dB 10.0 % 2.53 dB 1.0 % 4.43 dB 0.1 % 5.72 dB 0.01 % 5.99 dB 0.001 % 6.13 dB 0.0001 % 6.17 dB Peak 6.18 dB 28.38 dBm LTE B25 3MHz QPSK Mid channel	 Average Power 21.45 dBm 42.58 % at 0dB 10.0 % 2.84 dB 1.0 % 5.58 dB 0.1 % 5.91 dB 0.01 % 6.02 dB 0.001 % 6.06 dB 0.0001 % 6.08 dB Peak 6.16 dB 27.61 dBm LTE B25 3MHz 16QAM Mid channel
LTE Band 25 1.4 MHz	 Average Power 22.05 dBm 47.49 % at 0dB 10.0 % 2.50 dB 1.0 % 4.47 dB 0.1 % 5.72 dB 0.01 % 5.93 dB 0.001 % 6.01 dB 0.0001 % 6.09 dB Peak 6.10 dB 28.15 dBm LTE B25 1.4MHz QPSK Mid channel	 Average Power 21.39 dBm 43.27 % at 0dB 10.0 % 2.85 dB 1.0 % 5.35 dB 0.1 % 5.82 dB 0.01 % 5.88 dB 0.001 % 5.92 dB 0.0001 % 5.99 dB Peak 6.00 dB 27.39 dBm LTE B25 1.4MHz 16QAM Mid channel


LTE Band 26

LTE Band 26 15 MHz	 LTE B26 15MHz QPSK Mid channel	 LTE B26 15MHz 16QAM Mid channel
LTE Band 26 10 MHz	 LTE B26 10MHz QPSK Mid channel	 LTE B26 10MHz 16QAM Mid channel
LTE Band 26 5 MHz	 LTE B26 5MHz QPSK Mid channel	 LTE B26 5MHz 16QAM Mid channel







LTE Band 26 3 MHz	 Average Power 24.25 dBm 47.49 % at 0dB <table><tr><td>10.0 %</td><td>2.54 dB</td></tr><tr><td>1.0 %</td><td>4.02 dB</td></tr><tr><td>0.1 %</td><td>4.30 dB</td></tr><tr><td>0.01 %</td><td>4.38 dB</td></tr><tr><td>0.001 %</td><td>4.42 dB</td></tr><tr><td>0.0001 %</td><td>4.44 dB</td></tr><tr><td>Peak</td><td>4.44 dB</td></tr><tr><td></td><td>28.69 dBm</td></tr></table> Info BW 10.000 MHz LTE B26 3MHz QPSK Mid channel	10.0 %	2.54 dB	1.0 %	4.02 dB	0.1 %	4.30 dB	0.01 %	4.38 dB	0.001 %	4.42 dB	0.0001 %	4.44 dB	Peak	4.44 dB		28.69 dBm	 Average Power 23.48 dBm 43.92 % at 0dB <table><tr><td>10.0 %</td><td>2.81 dB</td></tr><tr><td>1.0 %</td><td>4.81 dB</td></tr><tr><td>0.1 %</td><td>4.94 dB</td></tr><tr><td>0.01 %</td><td>4.97 dB</td></tr><tr><td>0.001 %</td><td>5.00 dB</td></tr><tr><td>0.0001 %</td><td>5.02 dB</td></tr><tr><td>Peak</td><td>5.04 dB</td></tr><tr><td></td><td>28.52 dBm</td></tr></table> Info BW 10.000 MHz LTE B26 3MHz 16QAM Mid channel	10.0 %	2.81 dB	1.0 %	4.81 dB	0.1 %	4.94 dB	0.01 %	4.97 dB	0.001 %	5.00 dB	0.0001 %	5.02 dB	Peak	5.04 dB		28.52 dBm
10.0 %	2.54 dB																																	
1.0 %	4.02 dB																																	
0.1 %	4.30 dB																																	
0.01 %	4.38 dB																																	
0.001 %	4.42 dB																																	
0.0001 %	4.44 dB																																	
Peak	4.44 dB																																	
	28.69 dBm																																	
10.0 %	2.81 dB																																	
1.0 %	4.81 dB																																	
0.1 %	4.94 dB																																	
0.01 %	4.97 dB																																	
0.001 %	5.00 dB																																	
0.0001 %	5.02 dB																																	
Peak	5.04 dB																																	
	28.52 dBm																																	
LTE Band 26 1.4 MHz	 Average Power 24.14 dBm 47.46 % at 0dB <table><tr><td>10.0 %</td><td>2.51 dB</td></tr><tr><td>1.0 %</td><td>4.12 dB</td></tr><tr><td>0.1 %</td><td>4.39 dB</td></tr><tr><td>0.01 %</td><td>4.51 dB</td></tr><tr><td>0.001 %</td><td>4.56 dB</td></tr><tr><td>0.0001 %</td><td>4.58 dB</td></tr><tr><td>Peak</td><td>4.58 dB</td></tr><tr><td></td><td>28.72 dBm</td></tr></table> Info BW 10.000 MHz LTE B26 1.4MHz QPSK Mid channel	10.0 %	2.51 dB	1.0 %	4.12 dB	0.1 %	4.39 dB	0.01 %	4.51 dB	0.001 %	4.56 dB	0.0001 %	4.58 dB	Peak	4.58 dB		28.72 dBm	 Average Power 23.46 dBm 44.12 % at 0dB <table><tr><td>10.0 %</td><td>2.81 dB</td></tr><tr><td>1.0 %</td><td>4.84 dB</td></tr><tr><td>0.1 %</td><td>5.03 dB</td></tr><tr><td>0.01 %</td><td>5.08 dB</td></tr><tr><td>0.001 %</td><td>5.10 dB</td></tr><tr><td>0.0001 %</td><td>5.11 dB</td></tr><tr><td>Peak</td><td>5.11 dB</td></tr><tr><td></td><td>28.57 dBm</td></tr></table> Info BW 10.000 MHz LTE B26 1.4MHz 16QAM Mid channel	10.0 %	2.81 dB	1.0 %	4.84 dB	0.1 %	5.03 dB	0.01 %	5.08 dB	0.001 %	5.10 dB	0.0001 %	5.11 dB	Peak	5.11 dB		28.57 dBm
10.0 %	2.51 dB																																	
1.0 %	4.12 dB																																	
0.1 %	4.39 dB																																	
0.01 %	4.51 dB																																	
0.001 %	4.56 dB																																	
0.0001 %	4.58 dB																																	
Peak	4.58 dB																																	
	28.72 dBm																																	
10.0 %	2.81 dB																																	
1.0 %	4.84 dB																																	
0.1 %	5.03 dB																																	
0.01 %	5.08 dB																																	
0.001 %	5.10 dB																																	
0.0001 %	5.11 dB																																	
Peak	5.11 dB																																	
	28.57 dBm																																	







LTE Band 41

LTE Band 41 20 MHz	 Average Power 24.74 dBm 50.96 % at 0dB 10.0 % 2.38 dB 1.0 % 3.27 dB 0.1 % 3.78 dB 0.01 % 4.11 dB 0.001 % 4.29 dB 0.0001 % 4.37 dB Peak 4.39 dB 29.13 dBm LTE B41 20MHz QPSK Mid channel	 Average Power 23.66 dBm 46.88 % at 0dB 10.0 % 3.05 dB 1.0 % 4.19 dB 0.1 % 4.76 dB 0.01 % 5.09 dB 0.001 % 5.27 dB 0.0001 % 5.32 dB Peak 5.33 dB 28.99 dBm LTE B41 20MHz 16QAM Mid channel
LTE Band 41 15 MHz	 Average Power 24.70 dBm 49.17 % at 0dB 10.0 % 2.54 dB 1.0 % 3.52 dB 0.1 % 3.95 dB 0.01 % 4.21 dB 0.001 % 4.48 dB 0.0001 % 4.59 dB Peak 4.61 dB 29.31 dBm LTE B41 15MHz QPSK Mid channel	 Average Power 23.52 dBm 46.26 % at 0dB 10.0 % 3.14 dB 1.0 % 4.46 dB 0.1 % 5.03 dB 0.01 % 5.33 dB 0.001 % 5.59 dB 0.0001 % 5.63 dB Peak 5.82 dB 29.34 dBm LTE B41 15MHz 16QAM Mid channel
LTE Band 41 10 MHz	 Average Power 24.75 dBm 48.69 % at 0dB 10.0 % 2.58 dB 1.0 % 3.66 dB 0.1 % 4.11 dB 0.01 % 4.34 dB 0.001 % 4.61 dB 0.0001 % 4.65 dB Peak 4.65 dB 29.40 dBm LTE B41 10MHz QPSK Mid channel	 Average Power 23.84 dBm 45.91 % at 0dB 10.0 % 2.97 dB 1.0 % 4.41 dB 0.1 % 4.98 dB 0.01 % 5.24 dB 0.001 % 5.37 dB 0.0001 % 5.47 dB Peak 5.52 dB 29.36 dBm LTE B41 10MHz 16QAM Mid channel



LTE Band 66

LTE Band 66 20 MHz	 LTE B66 20MHz QPSK Mid channel	 LTE B66 20MHz 16QAM Mid channel
LTE Band 66 15 MHz	 LTE B66 15MHz QPSK Mid channel	 LTE B66 15MHz 16QAM Mid channel
LTE Band 66 10 MHz	 LTE B66 10MHz QPSK Mid channel	 LTE B66 10MHz 16QAM Mid channel

LTE Band 66 5 MHz	 Average Power 23.04 dBm 47.28 % at 0dB <table><tr><td>10.0 %</td><td>2.63 dB</td></tr><tr><td>1.0 %</td><td>3.96 dB</td></tr><tr><td>0.1 %</td><td>4.21 dB</td></tr><tr><td>0.01 %</td><td>4.32 dB</td></tr><tr><td>0.001 %</td><td>4.40 dB</td></tr><tr><td>0.0001 %</td><td>4.44 dB</td></tr><tr><td>Peak</td><td>4.47 dB</td></tr><tr><td></td><td>27.51 dBm</td></tr></table> LTE B66 5MHz QPSK Mid channel	10.0 %	2.63 dB	1.0 %	3.96 dB	0.1 %	4.21 dB	0.01 %	4.32 dB	0.001 %	4.40 dB	0.0001 %	4.44 dB	Peak	4.47 dB		27.51 dBm	 Average Power 22.00 dBm 43.37 % at 0dB <table><tr><td>10.0 %</td><td>2.91 dB</td></tr><tr><td>1.0 %</td><td>4.58 dB</td></tr><tr><td>0.1 %</td><td>4.82 dB</td></tr><tr><td>0.01 %</td><td>4.96 dB</td></tr><tr><td>0.001 %</td><td>5.06 dB</td></tr><tr><td>0.0001 %</td><td>5.12 dB</td></tr><tr><td>Peak</td><td>5.13 dB</td></tr><tr><td></td><td>27.13 dBm</td></tr></table> LTE B66 5MHz 16QAM Mid channel	10.0 %	2.91 dB	1.0 %	4.58 dB	0.1 %	4.82 dB	0.01 %	4.96 dB	0.001 %	5.06 dB	0.0001 %	5.12 dB	Peak	5.13 dB		27.13 dBm
10.0 %	2.63 dB																																	
1.0 %	3.96 dB																																	
0.1 %	4.21 dB																																	
0.01 %	4.32 dB																																	
0.001 %	4.40 dB																																	
0.0001 %	4.44 dB																																	
Peak	4.47 dB																																	
	27.51 dBm																																	
10.0 %	2.91 dB																																	
1.0 %	4.58 dB																																	
0.1 %	4.82 dB																																	
0.01 %	4.96 dB																																	
0.001 %	5.06 dB																																	
0.0001 %	5.12 dB																																	
Peak	5.13 dB																																	
	27.13 dBm																																	
LTE Band 66 3 MHz	 Average Power 22.76 dBm 47.64 % at 0dB <table><tr><td>10.0 %</td><td>2.59 dB</td></tr><tr><td>1.0 %</td><td>4.26 dB</td></tr><tr><td>0.1 %</td><td>4.57 dB</td></tr><tr><td>0.01 %</td><td>4.66 dB</td></tr><tr><td>0.001 %</td><td>4.72 dB</td></tr><tr><td>0.0001 %</td><td>4.74 dB</td></tr><tr><td>Peak</td><td>4.74 dB</td></tr><tr><td></td><td>27.50 dBm</td></tr></table> LTE B66 3MHz QPSK Mid channel	10.0 %	2.59 dB	1.0 %	4.26 dB	0.1 %	4.57 dB	0.01 %	4.66 dB	0.001 %	4.72 dB	0.0001 %	4.74 dB	Peak	4.74 dB		27.50 dBm	 Average Power 21.99 dBm 43.27 % at 0dB <table><tr><td>10.0 %</td><td>2.92 dB</td></tr><tr><td>1.0 %</td><td>4.73 dB</td></tr><tr><td>0.1 %</td><td>4.84 dB</td></tr><tr><td>0.01 %</td><td>4.88 dB</td></tr><tr><td>0.001 %</td><td>4.90 dB</td></tr><tr><td>0.0001 %</td><td>4.92 dB</td></tr><tr><td>Peak</td><td>5.02 dB</td></tr><tr><td></td><td>27.01 dBm</td></tr></table> LTE B66 3MHz 16QAM Mid channel	10.0 %	2.92 dB	1.0 %	4.73 dB	0.1 %	4.84 dB	0.01 %	4.88 dB	0.001 %	4.90 dB	0.0001 %	4.92 dB	Peak	5.02 dB		27.01 dBm
10.0 %	2.59 dB																																	
1.0 %	4.26 dB																																	
0.1 %	4.57 dB																																	
0.01 %	4.66 dB																																	
0.001 %	4.72 dB																																	
0.0001 %	4.74 dB																																	
Peak	4.74 dB																																	
	27.50 dBm																																	
10.0 %	2.92 dB																																	
1.0 %	4.73 dB																																	
0.1 %	4.84 dB																																	
0.01 %	4.88 dB																																	
0.001 %	4.90 dB																																	
0.0001 %	4.92 dB																																	
Peak	5.02 dB																																	
	27.01 dBm																																	
LTE Band 66 1.4 MHz	 Average Power 22.79 dBm 47.69 % at 0dB <table><tr><td>10.0 %</td><td>2.59 dB</td></tr><tr><td>1.0 %</td><td>4.23 dB</td></tr><tr><td>0.1 %</td><td>4.57 dB</td></tr><tr><td>0.01 %</td><td>4.70 dB</td></tr><tr><td>0.001 %</td><td>4.76 dB</td></tr><tr><td>0.0001 %</td><td>4.79 dB</td></tr><tr><td>Peak</td><td>4.81 dB</td></tr><tr><td></td><td>27.60 dBm</td></tr></table> LTE B66 1.4MHz QPSK Mid channel	10.0 %	2.59 dB	1.0 %	4.23 dB	0.1 %	4.57 dB	0.01 %	4.70 dB	0.001 %	4.76 dB	0.0001 %	4.79 dB	Peak	4.81 dB		27.60 dBm	 Average Power 22.09 dBm 44.08 % at 0dB <table><tr><td>10.0 %</td><td>2.91 dB</td></tr><tr><td>1.0 %</td><td>4.62 dB</td></tr><tr><td>0.1 %</td><td>4.80 dB</td></tr><tr><td>0.01 %</td><td>4.87 dB</td></tr><tr><td>0.001 %</td><td>4.91 dB</td></tr><tr><td>0.0001 %</td><td>4.92 dB</td></tr><tr><td>Peak</td><td>4.99 dB</td></tr><tr><td></td><td>27.08 dBm</td></tr></table> LTE B66 1.4MHz 16QAM Mid channel	10.0 %	2.91 dB	1.0 %	4.62 dB	0.1 %	4.80 dB	0.01 %	4.87 dB	0.001 %	4.91 dB	0.0001 %	4.92 dB	Peak	4.99 dB		27.08 dBm
10.0 %	2.59 dB																																	
1.0 %	4.23 dB																																	
0.1 %	4.57 dB																																	
0.01 %	4.70 dB																																	
0.001 %	4.76 dB																																	
0.0001 %	4.79 dB																																	
Peak	4.81 dB																																	
	27.60 dBm																																	
10.0 %	2.91 dB																																	
1.0 %	4.62 dB																																	
0.1 %	4.80 dB																																	
0.01 %	4.87 dB																																	
0.001 %	4.91 dB																																	
0.0001 %	4.92 dB																																	
Peak	4.99 dB																																	
	27.08 dBm																																	

LTE Band 2

LTE Band 2(Frequency range: 1850-1910 MHz) is covered by LTE Band 25 (Frequency range: 1850-1915 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 4

LTE Band 4 (Frequency range: 1710-1755 MHz) is covered by LTE Band 66 (Frequency range: 1710-1780 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 5

LTE Band 5 (Frequency range: 824-849 MHz) is covered by LTE Band 26 (Frequency range: 814-849 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band 17

LTE Band 17 (Frequency range: 704-716 MHz) is covered by LTE Band 12 (Frequency range: 699-716 MHz) due to overlapping frequency range, same maximum tune-up limit and same channel bandwidth.

LTE Band41(PC3)

LTE Band 41(PC3, Frequency range : 2496-2690 MHz) is covered by LTE Band 41(PC2) (Frequency range: 2496-2690 MHz) due to same frequency range, same channel bandwidth and maximum tune-up limit is higher than LTE Band41(PC3).

9. LIMITS AND CONDUCTED RESULTS

9.1. OCCUPIED BANDWIDTH

RULE PART(S)

FCC: §2.1049

LIMITS

For reporting purposes only

TEST PROCEDURE

The transmitter output was connected to a calibrated coaxial cable and coupler, the other end of which was connected to a spectrum analyzer. The occupied bandwidth was measured with the spectrum analyzer at the low, middle and high channel in each band. The -26dB bandwidth was also measured and recorded.


(KDB 971168 D01 Power Meas License Digital Systems v03r01)

RESULTS


See the following pages.

9.1.1. OCCUPIED BANDWIDTH RESULTS


GSM 850




GSM 1900




WCDMA Band 5









WCDMA Band 4




WCDMA Band 2







LTE Band 12







Band 12 10MHz	 10MHz QPSK Mid channel	 10MHz 16QAM Mid channel
Band 12 5MHz	 5MHz QPSK Mid channel	 5MHz 16QAM Mid channel
Band 12 3MHz	 3MHz QPSK Mid channel	 3MHz 16QAM Mid channel









LTE Band 13







Band 13 10MHz	 10MHz QPSK Mid channel	 10MHz 16QAM Mid channel
Band 13 5MHz	 5MHz QPSK Mid channel	 5MHz 16QAM Mid channel

LTE Band 25

Band 25 20MHz	 20MHz QPSK Mid channel	 20MHz 16QAM Mid channel
Band 25 15MHz	 15MHz QPSK Mid channel	 15MHz 16QAM Mid channel
Band 25 10MHz	 10MHz QPSK Mid channel	 10MHz 16QAM Mid channel

Band 25 5MHz	 5MHz QPSK Mid channel	 5MHz 16QAM Mid channel
Band 25 3MHz	 3MHz QPSK Mid channel	 3MHz 16QAM Mid channel
Band 25 1.4MHz	 1.4MHz QPSK Mid channel	 1.4MHz 16QAM Mid channel

LTE Band 26(Part90)

Band 26 15MHz	 Center Freq: 821.500000 MHz Res BW: 220 kHz #VBW: 680 kHz Span: 22.5 MHz Sweep: 1.333 ms Occupied Bandwidth: 13.409 MHz Total Power: 30.8 dBm Transmit Freq Error: -16.504 kHz OBW Power: 99.00 % x dB Bandwidth: 15.19 MHz x dB: -26.00 dB 15MHz QPSK	 Center Freq: 821.500000 MHz Res BW: 220 kHz #VBW: 680 kHz Span: 22.5 MHz Sweep: 1.333 ms Occupied Bandwidth: 13.424 MHz Total Power: 31.0 dBm Transmit Freq Error: -13.759 kHz OBW Power: 99.00 % x dB Bandwidth: 14.94 MHz x dB: -26.00 dB 15MHz 16QAM
Band 26 10MHz	 Center Freq: 819.000000 MHz Res BW: 150 kHz #VBW: 470 kHz Span: 15 MHz Sweep: 1.333 ms Occupied Bandwidth: 8.9652 MHz Total Power: 31.3 dBm Transmit Freq Error: 868 Hz OBW Power: 99.00 % x dB Bandwidth: 10.22 MHz x dB: -26.00 dB 10MHz QPSK	 Center Freq: 819.000000 MHz Res BW: 150 kHz #VBW: 470 kHz Span: 15 MHz Sweep: 1.333 ms Occupied Bandwidth: 8.9613 MHz Total Power: 30.5 dBm Transmit Freq Error: 2.434 kHz OBW Power: 99.00 % x dB Bandwidth: 10.24 MHz x dB: -26.00 dB 10MHz 16QAM
Band 26 5MHz	 Center Freq: 816.500000 MHz Res BW: 75 kHz #VBW: 220 kHz Span: 7.5 MHz Sweep: 4 ms Occupied Bandwidth: 4.5012 MHz Total Power: 31.3 dBm Transmit Freq Error: -5.418 kHz OBW Power: 99.00 % x dB Bandwidth: 5.211 MHz x dB: -26.00 dB 5MHz QPSK	 Center Freq: 816.500000 MHz Res BW: 75 kHz #VBW: 220 kHz Span: 7.5 MHz Sweep: 4 ms Occupied Bandwidth: 4.4991 MHz Total Power: 30.4 dBm Transmit Freq Error: -4.944 kHz OBW Power: 99.00 % x dB Bandwidth: 5.185 MHz x dB: -26.00 dB 5MHz 16QAM