

Appendix K_NR Bands *P_{limit}* Conducted Power

L.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured P_{MAX}, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	24.85	24.57	0
				1	13	24.52	24.71	24.48	0
				1	23	24.60	24.85	24.57	0
				12	0	24.14	24.26	24.06	0.5
				12	7	24.62	24.75	24.59	0
				12	13	24.11	24.32	24.04	0.5
				25	0	24.09	24.25	24.04	0.5
			QPSK	1	1	24.57	24.77	24.57	0
				1	13	24.48	24.64	24.47	0
				1	23	24.60	24.84	24.55	0
				12	0	23.58	23.77	23.54	1
				12	7	24.56	24.82	24.54	0
				12	13	23.59	23.78	23.56	1
				25	0	23.59	23.78	23.56	1
			16QAM	1	1	23.46	23.68	23.61	1
			64QAM	1	1	22.02	22.36	22.06	2.5
			256QAM	1	1	20.32	20.15	20.05	4.5
		CP	QPSK	1	1	23.09	23.41	23.11	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.65	24.78	24.61	0
				1	26	24.80	24.94	24.69	0
				1	50	24.64	24.80	24.55	0
				25	0	24.17	24.29	24.15	0.5
				25	14	24.64	24.78	24.58	0
				25	27	24.13	24.34	24.12	0.5
				50	0	24.17	24.27	24.15	0.5
			QPSK	1	1	24.66	24.77	24.58	0
				1	26	24.73	24.90	24.63	0
				1	50	24.56	24.80	24.55	0
				25	0	23.69	23.80	23.62	1
				25	14	24.68	24.78	24.61	0
				25	27	23.67	23.85	23.58	1
				50	0	23.70	23.74	23.63	1
			16QAM	1	1	23.80	23.96	23.70	1
			64QAM	1	1	22.16	22.36	22.09	2.5
			256QAM	1	1	20.14	20.26	20.16	4.5
		CP	QPSK	1	1	23.12	23.33	23.15	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.79	24.61	0
				1	40	24.49	24.68	24.48	0
				1	77	24.69	24.82	24.45	0
				36	0	24.16	24.27	24.08	0.5
				36	22	24.62	24.75	24.56	0
				36	43	24.16	24.33	24.02	0.5
				75	0	24.10	24.27	24.04	0.5
			QPSK	1	1	24.64	24.75	24.63	0
				1	40	24.53	24.64	24.42	0
				1	77	24.71	24.78	24.47	0
				36	0	23.67	23.79	23.59	1
				36	22	24.63	24.79	24.58	0
				36	43	23.64	23.87	23.47	1
				75	0	23.62	23.76	23.56	1
			16QAM	1	1	23.68	23.67	23.68	1
			64QAM	1	1	22.26	22.20	22.18	2.5
			256QAM	1	1	19.89	20.30	20.22	4.5
		CP	QPSK	1	1	23.24	23.27	23.12	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.57	24.67	24.71	0
				1	53	24.82	24.95	24.65	0
				1	104	24.75	24.77	24.45	0
				50	0	24.09	24.29	24.16	0.5
				50	28	24.57	24.78	24.53	0
				50	56	24.19	24.31	24.05	0.5
				100	0	24.07	24.27	24.06	0.5
			QPSK	1	1	24.58	24.71	24.70	0
				1	53	24.62	24.88	24.60	0
				1	104	24.68	24.74	24.46	0
				50	0	23.63	23.78	23.71	1
				50	28	24.58	24.78	24.54	0
				50	56	23.70	23.82	23.54	1
				100	0	23.59	23.81	23.57	1
			16QAM	1	1	23.66	23.76	23.84	1
			64QAM	1	1	22.32	22.31	22.25	2.5
			256QAM	1	1	19.98	20.28	20.16	4.5
		CP	QPSK	1	1	23.24	23.23	23.24	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.55		24.79	0
				1	66	24.80		24.83	0
				1	131	24.75		24.50	0
				64	0	24.07		24.22	0.5
				64	35	24.65		24.66	0
				64	69	24.24		24.04	0.5
				128	0	24.18		24.12	0.5
			QPSK	1	1	24.53		24.78	0
				1	66	24.73		24.80	0
				1	131	24.68		24.44	0
				64	0	23.58		23.74	1
				64	35	24.65		24.67	0
				64	69	23.72		23.60	1
				128	0	23.67		23.62	1
			16QAM	1	1	23.71		23.82	1
			64QAM	1	1	22.19		22.35	2.5
			256QAM	1	1	20.16		20.40	4.5
		CP	QPSK	1	1	23.07		23.35	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64		24.81	0
				1	80	24.84		24.83	0
				1	158	24.76		24.53	0
				80	0	24.18		24.35	0.5
				80	40	24.72		24.71	0
				80	80	24.29		24.14	0.5
				160	0	24.24		24.18	0.5
			QPSK	1	1	24.65		24.80	0
				1	80	24.82		24.83	0
				1	158	24.81		24.52	0
				80	0	23.63		23.87	1
				80	40	24.77		24.75	0
				80	80	23.81		23.62	1
				160	0	23.75		23.70	1
			16QAM	1	1	23.54		23.79	1
			64QAM	1	1	22.20		22.29	2.5
			256QAM	1	1	20.22		20.28	4.5
		CP	QPSK	1	1	23.18		23.36	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.69		0
				1	98	24.82		0
				1	186	24.63		0
				90	0	24.22		0.5
				90	45	24.77		0
				90	90	24.34		0.5
				180	0	24.30		0.5
			QPSK	1	1	24.69		0
				1	98	24.79		0
				1	186	24.63		0
				90	0	23.70		1
				90	45	24.75		0
				90	90	23.83		1
				180	0	23.77		1
			16QAM	1	1	23.51		1
			64QAM	1	1	22.26		2.5
			256QAM	1	1	20.06		4.5
		CP	QPSK	1	1	23.19		1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.51	0
				1	108	24.96	0
				1	214	24.57	0
				108	0	24.19	0.5
				108	54	24.75	0
				108	108	24.24	0.5
				216	0	24.25	0.5
			QPSK	1	1	24.56	0
				1	108	24.89	0
				1	214	24.51	0
				108	0	23.68	1
				108	54	24.77	0
				108	108	23.70	1
				216	0	23.73	1
			16QAM	1	1	23.57	1
			64QAM	1	1	22.01	2.5
			256QAM	1	1	19.94	4.5
		CP	QPSK	1	1	23.10	1.5

NR FDD Band n2 Conducted Power_ Measured Free(RSI 0)_ MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.35	14.68	14.53	0
				1	13	14.24	14.65	14.39	0
				1	23	14.40	14.74	14.49	0
				12	0	14.38	14.69	14.50	0
				12	7	14.37	14.70	14.51	0
				12	13	14.34	14.71	14.45	0
				25	0	14.35	14.73	14.49	0
			QPSK	1	1	14.38	14.67	14.46	0
				1	13	14.27	14.64	14.37	0
				1	23	14.39	14.69	14.48	0
				12	0	14.35	14.70	14.51	0
				12	7	14.39	14.73	14.48	0
				12	13	14.39	14.73	14.46	0
				25	0	14.36	14.73	14.46	0
			16QAM	1	1	14.48	14.64	14.53	0
			64QAM	1	1	14.43	14.72	14.52	0
			256QAM	1	1	14.37	14.65	14.47	0
		CP	QPSK	1	1	14.39	14.73	14.52	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.46	14.69	14.61	0
				1	26	14.56	14.90	14.68	0
				1	50	14.53	14.67	14.49	0
				25	0	14.49	14.70	14.60	0
				25	14	14.48	14.74	14.51	0
				25	27	14.52	14.71	14.45	0
				50	0	14.50	14.73	14.50	0
			QPSK	1	1	14.48	14.66	14.57	0
				1	26	14.67	14.82	14.58	0
				1	50	14.52	14.70	14.50	0
				25	0	14.46	14.72	14.58	0
				25	14	14.51	14.75	14.52	0
				25	27	14.54	14.74	14.52	0
				50	0	14.51	14.70	14.53	0
			16QAM	1	1	14.44	14.75	14.61	0
			64QAM	1	1	14.53	14.76	14.66	0
			256QAM	1	1	14.43	14.64	14.58	0
		CP	QPSK	1	1	14.50	14.73	14.57	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.45	14.66	14.55	0
				1	40	14.43	14.65	14.37	0
				1	77	14.56	14.69	14.41	0
				36	0	14.49	14.70	14.55	0
				36	22	14.51	14.74	14.49	0
				36	43	14.53	14.72	14.45	0
				75	0	14.47	14.76	14.48	0
			QPSK	1	1	14.43	14.64	14.59	0
				1	40	14.37	14.62	14.39	0
				1	77	14.55	14.68	14.40	0
				36	0	14.42	14.71	14.55	0
				36	22	14.52	14.75	14.46	0
				36	43	14.59	14.68	14.43	0
				75	0	14.48	14.74	14.49	0
			16QAM	1	1	14.54	14.62	14.73	0
			64QAM	1	1	14.44	14.67	14.68	0
			256QAM	1	1	14.35	14.72	14.58	0
		CP	QPSK	1	1	14.42	14.61	14.63	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.38	14.60	14.58	0
				1	53	14.64	14.88	14.59	0
				1	104	14.59	14.66	14.41	0
				50	0	14.47	14.71	14.66	0
				50	28	14.49	14.75	14.56	0
				50	56	14.58	14.72	14.47	0
				100	0	14.49	14.76	14.56	0
			QPSK	1	1	14.42	14.63	14.63	0
				1	53	14.59	14.79	14.69	0
				1	104	14.61	14.61	14.40	0
				50	0	14.48	14.70	14.63	0
				50	28	14.47	14.76	14.55	0
				50	56	14.58	14.69	14.45	0
				100	0	14.48	14.74	14.54	0
			16QAM	1	1	14.47	14.77	14.65	0
			64QAM	1	1	14.38	14.64	14.65	0
			256QAM	1	1	14.45	14.59	14.67	0
		CP	QPSK	1	1	14.39	14.61	14.64	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.39		14.74	0
				1	66	14.60		14.82	0
				1	131	14.66		14.48	0
				64	0	14.44		14.68	0
				64	35	14.52		14.62	0
				64	69	14.59		14.49	0
				128	0	14.48		14.66	0
			QPSK	1	1	14.33		14.73	0
				1	66	14.54		14.69	0
				1	131	14.65		14.48	0
				64	0	14.46		14.66	0
				64	35	14.52		14.61	0
				64	69	14.59		14.52	0
				128	0	14.50		14.65	0
			16QAM	1	1	14.43		14.71	0
			64QAM	1	1	14.45		14.86	0
			256QAM	1	1	14.43		14.75	0
		CP	QPSK	1	1	14.36		14.73	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.47		14.78	0
				1	80	14.79		14.78	0
				1	158	14.78		14.48	0
				80	0	14.57		14.72	0
				80	40	14.63		14.71	0
				80	80	14.69		14.61	0
				160	0	14.63		14.73	0
			QPSK	1	1	14.48		14.84	0
				1	80	14.68		14.71	0
				1	158	14.79		14.45	0
				80	0	14.54		14.74	0
				80	40	14.60		14.70	0
				80	80	14.69		14.60	0
				160	0	14.65		14.72	0
			16QAM	1	1	14.48		14.83	0
			64QAM	1	1	14.53		14.91	0
			256QAM	1	1	14.47		14.85	0
		CP	QPSK	1	1	14.51		14.87	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.52		0
				1	98	14.72		0
				1	186	14.60		0
				90	0	14.61		0
				90	45	14.75		0
				90	90	14.69		0
				180	0	14.74		0
			QPSK	1	1	14.53		0
				1	98	14.71		0
				1	186	14.63		0
				90	0	14.60		0
				90	45	14.75		0
				90	90	14.69		0
				180	0	14.78		0
			16QAM	1	1	14.53		0
			64QAM	1	1	14.55		0
			256QAM	1	1	14.51		0
		CP	QPSK	1	1	14.51		0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.52	0
				1	108	14.85	0
				1	214	14.62	0
				108	0	14.68	0
				108	54	14.79	0
				108	108	14.69	0
				216	0	14.77	0
			QPSK	1	1	14.53	0
				1	108	14.86	0
				1	214	14.53	0
				108	0	14.65	0
				108	54	14.76	0
				108	108	14.69	0
				216	0	14.78	0
			16QAM	1	1	14.58	0
			64QAM	1	1	14.48	0
			256QAM	1	1	14.39	0
		CP	QPSK	1	1	14.51	0

NR FDD Band n5 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.89	24.83	24.40	0
				1	13	24.79	24.63	24.03	0
				1	23	24.98	24.42	23.57	0
				12	0	24.44	24.37	23.85	0.5
				12	7	24.96	24.68	24.09	0
				12	13	24.44	24.10	23.40	0.5
				25	0	24.50	24.25	23.62	0.5
			QPSK	1	1	24.92	24.75	24.30	0
				1	13	24.82	24.59	23.95	0
				1	23	24.76	24.35	23.56	0
				12	0	24.02	23.84	23.32	1
				12	7	24.86	24.57	24.01	0
				12	13	23.90	23.58	22.89	1
				25	0	23.97	23.72	23.12	1
			16QAM	1	1	24.18	23.85	23.44	1
			64QAM	1	1	22.53	22.50	21.82	2.5
			256QAM	1	1	20.28	20.31	19.76	4.5
		CP	QPSK	1	1	23.47	23.48	22.87	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.41	0
				1	26	24.05	0
				1	50	23.51	0
				25	0	23.82	0.5
				25	14	24.07	0
				25	27	23.32	0.5
				50	0	23.58	0.5
			QPSK	1	1	24.25	0
				1	26	23.91	0
				1	50	23.57	0
				25	0	23.28	1
				25	14	24.00	0
				25	27	22.79	1
				50	0	23.05	1
			16QAM	1	1	23.33	1
			64QAM	1	1	21.87	2.5
			256QAM	1	1	20.27	4.5
		CP	QPSK	1	1	23.48	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.96	0
				1	40	24.78	0
				1	77	24.16	0
				36	0	24.64	0.5
				36	22	24.84	0
				36	43	24.06	0.5
				75	0	24.38	0.5
			QPSK	1	1	25.06	0
				1	40	24.71	0
				1	77	24.11	0
				36	0	24.10	1
				36	22	24.74	0
				36	43	23.52	1
				75	0	23.80	1
			16QAM	1	1	24.20	1
			64QAM	1	1	22.66	2.5
			256QAM	1	1	20.61	4.5
		CP	QPSK	1	1	23.53	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.87	0
				1	53	25.03	0
				1	104	24.50	0
				50	0	24.92	0.5
				50	28	25.42	0
				50	56	24.60	0.5
				100	0	24.95	0.5
			QPSK	1	1	25.43	0
				1	53	25.27	0
				1	104	24.41	0
				50	0	24.41	1
				50	28	25.29	0
				50	56	24.05	1
				100	0	24.41	1
			16QAM	1	1	24.49	1
			64QAM	1	1	22.94	2.5
			256QAM	1	1	20.70	4.5
		CP	QPSK	1	1	23.44	1.5

NR FDD Band n5 Conducted Power_ Measured Free (RSI 0) _ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.23	22.38	22.32	0
				1	13	22.20	22.45	22.26	0
				1	23	22.35	22.50	22.34	0
				12	0	22.27	22.40	22.36	0
				12	7	22.32	22.38	22.37	0
				12	13	22.32	22.40	22.37	0
				25	0	22.35	22.38	22.38	0
			QPSK	1	1	22.25	22.35	22.35	0
				1	13	22.25	22.29	22.27	0
				1	23	22.33	22.35	22.35	0
				12	0	22.29	22.39	22.38	0
				12	7	22.32	22.36	22.40	0
				12	13	22.34	22.37	22.36	0
				25	0	22.32	22.41	22.35	0
			16QAM	1	1	22.14	22.39	22.37	0
			64QAM	1	1	22.37	22.41	22.32	0
			256QAM	1	1	20.57	20.67	20.79	2
		CP	QPSK	1	1	22.25	22.46	22.41	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.38	0
				1	26	22.53	0
				1	50	22.31	0
				25	0	22.38	0
				25	14	22.35	0
				25	27	22.41	0
				50	0	22.40	0
			QPSK	1	1	22.40	0
				1	26	22.48	0
				1	50	22.34	0
				25	0	22.38	0
				25	14	22.38	0
				25	27	22.35	0
				50	0	22.38	0
			16QAM	1	1	22.48	0
			64QAM	1	1	22.34	0
			256QAM	1	1	20.78	2
		CP	QPSK	1	1	22.37	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.36	0
				1	40	22.26	0
				1	77	22.26	0
				36	0	22.40	0
				36	22	22.42	0
				36	43	22.37	0
				75	0	22.36	0
			QPSK	1	1	22.36	0
				1	40	22.25	0
				1	77	22.28	0
				36	0	22.41	0
				36	22	22.40	0
				36	43	22.39	0
				75	0	22.40	0
			16QAM	1	1	22.31	0
			64QAM	1	1	22.47	0
			256QAM	1	1	20.73	2
		CP	QPSK	1	1	22.40	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.31	0
				1	53	22.56	0
				1	104	22.35	0
				50	0	22.42	0
				50	28	22.39	0
				50	56	22.33	0
				100	0	22.42	0
			QPSK	1	1	22.36	0
				1	53	22.60	0
				1	104	22.36	0
				50	0	22.41	0
				50	28	22.50	0
				50	56	22.33	0
				100	0	22.46	0
			16QAM	1	1	22.30	0
			64QAM	1	1	22.40	0
			256QAM	1	1	20.79	2
		CP	QPSK	1	1	22.32	0

NR FDD Band n25 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	24.80	24.47	0
				1	13	24.52	24.72	24.47	0
				1	23	24.62	24.77	24.48	0
				12	0	24.15	24.29	24.01	0.5
				12	7	24.61	24.83	24.54	0
				12	13	24.14	24.32	24.06	0.5
				25	0	24.13	24.31	24.01	0.5
			QPSK	1	1	24.57	24.77	24.50	0
				1	13	24.52	24.75	24.44	0
				1	23	24.61	24.75	24.48	0
				12	0	23.59	23.81	23.51	1
				12	7	24.63	24.85	24.57	0
				12	13	23.60	23.82	23.51	1
				25	0	23.62	23.83	23.54	1
			16QAM	1	1	23.61	23.75	23.57	1
			64QAM	1	1	22.21	22.34	22.01	2.5
			256QAM	1	1	20.17	20.20	20.18	4.5
		CP	QPSK	1	1	23.17	23.27	23.03	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.70	24.80	24.51	0
				1	26	24.77	24.90	24.72	0
				1	50	24.68	24.77	24.50	0
				25	0	24.22	24.24	24.03	0.5
				25	14	24.66	24.80	24.54	0
				25	27	24.17	24.30	24.07	0.5
				50	0	24.18	24.32	24.01	0.5
			QPSK	1	1	24.68	24.71	24.54	0
				1	26	24.73	24.85	24.51	0
				1	50	24.65	24.80	24.51	0
				25	0	23.68	23.75	23.57	1
				25	14	24.73	24.83	24.51	0
				25	27	23.67	23.81	23.59	1
				50	0	23.69	23.83	23.50	1
			16QAM	1	1	23.59	23.70	23.73	1
			64QAM	1	1	22.14	22.35	22.10	2.5
			256QAM	1	1	20.39	20.29	20.01	4.5
		CP	QPSK	1	1	23.17	23.26	23.04	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.75	24.60	0
				1	40	24.52	24.73	24.49	0
				1	77	24.74	24.72	24.52	0
				36	0	24.18	24.26	24.15	0.5
				36	22	24.63	24.83	24.62	0
				36	43	24.18	24.32	24.06	0.5
				75	0	24.14	24.32	24.10	0.5
			QPSK	1	1	24.65	24.75	24.58	0
				1	40	24.52	24.73	24.47	0
				1	77	24.71	24.74	24.58	0
				36	0	23.70	23.74	23.62	1
				36	22	24.65	24.83	24.57	0
				36	43	23.66	23.80	23.58	1
				75	0	23.67	23.80	23.61	1
			16QAM	1	1	23.68	23.80	23.64	1
			64QAM	1	1	22.02	22.40	21.90	2.5
			256QAM	1	1	20.22	20.30	20.23	4.5
		CP	QPSK	1	1	23.18	23.37	23.10	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.63	24.81	24.75	0
				1	53	24.79	24.93	24.71	0
				1	104	24.73	24.69	24.58	0
				50	0	24.12	24.26	24.12	0.5
				50	28	24.62	24.84	24.61	0
				50	56	24.21	24.36	24.02	0.5
				100	0	24.09	24.33	24.15	0.5
			QPSK	1	1	24.60	24.74	24.75	0
				1	53	24.66	24.89	24.66	0
				1	104	24.72	24.70	24.57	0
				50	0	23.64	23.74	23.61	1
				50	28	24.61	24.85	24.61	0
				50	56	23.73	23.80	23.51	1
				100	0	23.58	23.79	23.63	1
			16QAM	1	1	23.54	23.79	23.79	1
			64QAM	1	1	22.16	22.27	22.23	2.5
			256QAM	1	1	20.11	20.17	20.49	4.5
		CP	QPSK	1	1	23.21	23.25	23.20	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60		24.64	0
				1	66	24.81		24.69	0
				1	131	24.71		24.50	0
				64	0	24.07		24.15	0.5
				64	35	24.62		24.58	0
				64	69	24.23		24.03	0.5
			QPSK	128	0	24.11		24.07	0.5
				1	1	24.55		24.68	0
				1	66	24.78		24.66	0
				1	131	24.77		24.48	0
				64	0	23.57		23.66	1
				64	35	24.66		24.61	0
				64	69	23.72		23.49	1
				128	0	23.66		23.60	1
			16QAM	1	1	23.58		23.77	1
			64QAM	1	1	22.08		22.25	2.5
			256QAM	1	1	20.11		20.27	4.5
		CP	QPSK	1	1	23.08		23.12	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.66		24.78	0
				1	80	24.98		24.60	0
				1	158	24.86		24.53	0
				80	0	24.13		24.16	0.5
				80	40	24.76		24.55	0
				80	80	24.32		24.02	0.5
			QPSK	160	0	24.27		24.00	0.5
				1	1	24.67		24.71	0
				1	80	24.84		24.52	0
				1	158	24.77		24.49	0
				80	0	23.63		23.68	1
				80	40	24.77		24.54	0
				80	80	23.87		23.54	1
				160	0	23.77		23.48	1
			16QAM	1	1	23.64		23.79	1
			64QAM	1	1	21.93		22.22	2.5
			256QAM	1	1	20.13		20.09	4.5
		CP	QPSK	1	1	23.19		23.41	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	0
				1	98	24.84	0
				1	186	24.49	0
				90	0	24.31	0.5
				90	45	24.82	0
				90	90	24.20	0.5
				180	0	24.32	0.5
			QPSK	1	1	24.71	0
				1	98	24.82	0
				1	186	24.52	0
				90	0	23.77	1
				90	45	24.86	0
				90	90	23.74	1
				180	0	23.80	1
			16QAM	1	1	23.89	1
			64QAM	1	1	22.21	2.5
			256QAM	1	1	20.18	4.5
		CP	QPSK	1	1	23.18	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.61	0
				1	108	24.91	0
				1	214	24.55	0
				108	0	24.27	0.5
				108	54	24.83	0
				108	108	24.24	0.5
				216	0	24.30	0.5
			QPSK	1	1	24.62	0
				1	108	24.98	0
				1	214	24.53	0
				108	0	23.81	1
				108	54	24.84	0
				108	108	23.74	1
				216	0	23.82	1
			16QAM	1	1	23.79	1
			64QAM	1	1	22.13	2.5
			256QAM	1	1	20.16	4.5
		CP	QPSK	1	1	23.04	1.5

NR FDD Band n25 Conducted Power_ Measured Free(RSI 0)_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.39	14.71	14.45	0
				1	13	14.27	14.57	14.32	0
				1	23	14.41	14.62	14.41	0
				12	0	14.35	14.69	14.43	0
				12	7	14.38	14.71	14.43	0
				12	13	14.41	14.66	14.43	0
			QPSK	25	0	14.37	14.68	14.45	0
				1	1	14.37	14.68	14.42	0
				1	13	14.27	14.58	14.33	0
				1	23	14.38	14.64	14.45	0
				12	0	14.36	14.71	14.44	0
				12	7	14.36	14.69	14.43	0
				12	13	14.40	14.67	14.46	0
				25	0	14.37	14.68	14.44	0
			16QAM	1	1	14.40	14.67	14.37	0
			64QAM	1	1	14.47	14.76	14.53	0
			256QAM	1	1	14.44	14.77	14.46	0
		CP	QPSK	1	1	14.34	14.68	14.46	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.47	14.65	14.48	0
				1	26	14.59	14.80	14.67	0
				1	50	14.54	14.62	14.43	0
				25	0	14.44	14.71	14.45	0
				25	14	14.54	14.70	14.48	0
				25	27	14.52	14.66	14.49	0
			QPSK	50	0	14.53	14.69	14.49	0
				1	1	14.44	14.66	14.45	0
				1	26	14.59	14.76	14.51	0
				1	50	14.52	14.59	14.45	0
				25	0	14.46	14.69	14.45	0
				25	14	14.49	14.68	14.48	0
				25	27	14.55	14.65	14.46	0
				50	0	14.52	14.67	14.49	0
			16QAM	1	1	14.38	14.67	14.47	0
			64QAM	1	1	14.56	14.64	14.53	0
			256QAM	1	1	14.41	14.79	14.44	0
		CP	QPSK	1	1	14.53	14.67	14.51	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.44	14.67	14.59	0
				1	40	14.43	14.57	14.38	0
				1	77	14.50	14.61	14.45	0
				36	0	14.47	14.72	14.54	0
				36	22	14.51	14.69	14.47	0
				36	43	14.53	14.67	14.51	0
				75	0	14.49	14.71	14.49	0
			QPSK	1	1	14.38	14.62	14.59	0
				1	40	14.40	14.55	14.37	0
				1	77	14.53	14.64	14.49	0
				36	0	14.48	14.74	14.52	0
				36	22	14.51	14.71	14.45	0
				36	43	14.53	14.68	14.50	0
				75	0	14.53	14.68	14.49	0
			16QAM	1	1	14.46	14.71	14.56	0
			64QAM	1	1	14.58	14.72	14.67	0
			256QAM	1	1	14.41	14.59	14.60	0
		CP	QPSK	1	1	14.50	14.69	14.64	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.38	14.62	14.69	0
				1	53	14.59	14.78	14.68	0
				1	104	14.58	14.59	14.50	0
				50	0	14.45	14.69	14.63	0
				50	28	14.48	14.69	14.53	0
				50	56	14.51	14.66	14.55	0
				100	0	14.48	14.73	14.53	0
			QPSK	1	1	14.38	14.58	14.72	0
				1	53	14.54	14.71	14.60	0
				1	104	14.61	14.60	14.54	0
				50	0	14.47	14.71	14.65	0
				50	28	14.48	14.68	14.56	0
				50	56	14.57	14.65	14.58	0
				100	0	14.49	14.71	14.54	0
			16QAM	1	1	14.39	14.67	14.73	0
			64QAM	1	1	14.38	14.74	14.75	0
			256QAM	1	1	14.43	14.67	14.73	0
		CP	QPSK	1	1	14.43	14.59	14.78	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.34		14.59	0
				1	66	14.59		14.60	0
				1	131	14.65		14.42	0
				64	0	14.44		14.60	0
				64	35	14.49		14.47	0
				64	69	14.58		14.42	0
				128	0	14.53		14.51	0
			QPSK	1	1	14.36		14.59	0
				1	66	14.58		14.53	0
				1	131	14.66		14.40	0
				64	0	14.45		14.61	0
				64	35	14.52		14.45	0
				64	69	14.56		14.41	0
				128	0	14.51		14.49	0
			16QAM	1	1	14.41		14.58	0
			64QAM	1	1	14.44		14.53	0
			256QAM	1	1	14.43		14.51	0
		CP	QPSK	1	1	14.35		14.67	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.47		14.68	0
				1	80	14.80		14.67	0
				1	158	14.75		14.42	0
				80	0	14.54		14.62	0
				80	40	14.61		14.56	0
				80	80	14.68		14.46	0
				160	0	14.63		14.58	0
			QPSK	1	1	14.47		14.71	0
				1	80	14.66		14.64	0
				1	158	14.79		14.46	0
				80	0	14.54		14.64	0
				80	40	14.63		14.51	0
				80	80	14.70		14.47	0
				160	0	14.61		14.57	0
			16QAM	1	1	14.49		14.73	0
			64QAM	1	1	14.58		14.79	0
			256QAM	1	1	14.52		14.73	0
		CP	QPSK	1	1	14.46		14.75	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.57	0
				1	98	14.63	0
				1	186	14.57	0
				90	0	14.65	0
				90	45	14.72	0
				90	90	14.71	0
				180	0	14.70	0
			QPSK	1	1	14.59	0
				1	98	14.68	0
				1	186	14.56	0
				90	0	14.63	0
				90	45	14.73	0
				90	90	14.69	0
				180	0	14.72	0
			16QAM	1	1	14.63	0
			64QAM	1	1	14.63	0
			256QAM	1	1	14.61	0
		CP	QPSK	1	1	14.58	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.53	0
				1	108	14.76	0
				1	214	14.53	0
				108	0	14.63	0
				108	54	14.74	0
				108	108	14.59	0
				216	0	14.74	0
			QPSK	1	1	14.48	0
				1	108	14.88	0
				1	214	14.55	0
				108	0	14.84	0
				108	54	14.69	0
				108	108	14.59	0
				216	0	14.84	0
			16QAM	1	1	14.56	0
			64QAM	1	1	14.51	0
			256QAM	1	1	14.50	0
		CP	QPSK	1	1	14.51	0

NR TDD Band n41 (PC3) Conducted Power_ Measured Free(RSI 0), RCV(RSI

1)_ MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.43	14.26	13.77	13.65	13.37	0
				1	12	13.50	14.14	13.80	14.08	14.19	0
				1	22	13.59	14.00	13.78	14.02	14.20	0
				12	0	13.41	13.96	13.74	13.95	14.10	0
				12	6	13.43	13.99	13.74	13.94	14.15	0
				12	12	13.50	14.01	13.80	13.97	14.15	0
				24	0	13.42	14.02	13.73	13.95	14.14	0
			QPSK	1	1	13.42	13.98	13.81	13.99	14.11	0
				1	12	13.50	14.04	13.83	13.99	14.18	0
				1	22	13.54	14.00	13.82	14.04	14.20	0
				12	0	13.39	13.96	13.74	13.94	14.11	0
				12	6	13.42	14.00	13.74	13.95	14.14	0
				12	12	13.50	14.02	13.79	13.97	14.17	0
				24	0	13.42	13.99	13.73	13.96	14.14	0
			16QAM	1	1	13.45	13.94	13.74	13.93	14.10	0
			64QAM	1	1	13.39	13.99	13.88	14.02	14.09	0
			256QAM	1	1	13.40	13.71	14.02	13.90	14.03	0
		CP	QPSK	1	1	13.39	13.89	13.74	13.92	14.05	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.31	13.98	13.88	13.92	14.12	0
				1	18	13.33	14.02	13.73	13.89	14.24	0
				1	36	13.57	14.03	13.81	14.05	14.35	0
				18	0	13.28	14.01	13.82	13.95	14.25	0
				18	9	13.37	14.05	13.78	13.95	14.30	0
				18	18	13.47	14.01	13.84	13.96	14.35	0
				36	0	13.37	14.06	13.76	13.95	14.29	0
			QPSK	1	1	13.29	14.01	13.79	13.95	14.25	0
				1	18	13.31	13.99	13.69	13.90	14.22	0
				1	36	13.53	14.04	13.81	14.00	14.40	0
				18	0	13.29	14.00	13.80	13.95	14.27	0
				18	9	13.37	14.06	13.77	13.97	14.31	0
				18	18	13.46	13.99	13.83	13.97	14.35	0
				36	0	13.36	14.04	13.78	13.96	14.30	0
			16QAM	1	1	13.25	13.98	13.73	13.75	14.27	0
			64QAM	1	1	13.29	13.91	13.89	13.89	14.19	0
			256QAM	1	1	13.48	14.02	13.98	13.89	14.28	0
		CP	QPSK	1	1	13.45	13.96	13.99	13.91	14.23	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.25	14.00	13.95	13.89	14.00	0
				1	26	13.39	14.01	13.92	13.82	14.07	0
				1	49	13.60	14.02	13.96	13.91	14.22	0
				25	0	13.29	14.02	14.01	13.84	14.03	0
				25	13	13.45	14.05	13.94	13.85	14.10	0
				25	26	13.50	14.04	13.97	13.85	14.20	0
				50	0	13.43	14.07	13.95	13.86	14.09	0
			QPSK	1	1	13.21	13.97	13.94	13.85	13.94	0
				1	26	13.34	13.97	13.89	13.77	14.06	0
				1	49	13.54	13.97	13.92	13.85	14.20	0
				25	0	13.30	14.03	14.01	13.81	14.08	0
				25	13	13.45	14.07	13.95	13.86	14.11	0
				25	26	13.48	14.04	13.99	13.85	14.20	0
				50	0	13.43	14.07	13.94	13.86	14.09	0
			16QAM	1	1	13.28	14.08	14.00	13.91	14.07	0
			64QAM	1	1	13.36	14.02	13.99	13.92	13.99	0
			256QAM	1	1	13.19	13.97	14.00	13.84	13.98	0
		CP	QPSK	1	1	13.25	13.95	13.96	13.88	14.07	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.30	14.03	14.00	13.84	13.88	0
				1	32	13.64	14.10	14.00	13.89	14.08	0
				1	63	13.65	14.10	14.04	13.86	14.19	0
				32	0	13.36	14.07	14.01	13.83	13.94	0
				32	17	13.56	14.06	13.95	13.84	14.05	0
				32	33	13.61	14.06	13.98	13.86	14.15	0
				64	0	13.56	14.08	13.98	13.82	14.06	0
			QPSK	1	1	13.28	13.99	13.95	13.81	13.92	0
				1	32	13.49	14.02	13.94	13.72	13.97	0
				1	63	13.59	14.01	14.00	13.81	14.14	0
				32	0	13.40	14.07	14.04	13.82	13.95	0
				32	17	13.54	14.07	13.97	13.83	14.03	0
				32	33	13.63	14.08	13.98	13.84	14.13	0
				64	0	13.57	14.07	13.99	13.82	14.05	0
			16QAM	1	1	13.38	13.98	13.96	13.96	13.97	0
			64QAM	1	1	13.30	14.12	13.98	13.87	13.93	0
			256QAM	1	1	13.20	14.02	14.00	13.70	13.95	0
		CP	QPSK	1	1	13.35	13.95	13.74	13.87	14.02	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.44	14.08	14.02	14.16	13.97	0
				1	39	13.73	14.25	14.12	14.11	14.26	0
				1	76	13.94	14.16	14.03	14.06	14.32	0
				36	0	13.51	14.13	14.07	14.11	14.11	0
				36	21	13.65	14.11	14.02	14.07	14.20	0
				36	42	13.78	14.12	14.05	14.08	14.26	0
				75	0	13.66	14.13	14.01	14.06	14.17	0
			QPSK	1	1	13.33	14.03	14.00	14.13	14.04	0
				1	39	13.61	14.12	14.03	14.07	14.21	0
				1	76	13.92	14.08	14.07	14.04	14.33	0
				36	0	13.51	14.15	14.03	14.09	14.13	0
				36	21	13.61	14.15	14.01	14.05	14.17	0
				36	42	13.74	14.10	14.03	14.08	14.26	0
				75	0	13.65	14.16	14.01	14.06	14.17	0
			16QAM	1	1	13.43	14.16	14.01	14.11	14.04	0
			64QAM	1	1	13.42	14.09	14.09	14.22	14.16	0
			256QAM	1	1	13.40	14.02	14.06	14.16	14.11	0
		CP	QPSK	1	1	13.35	14.00	13.91	14.04	14.11	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
						MHz	MHz		MHz	MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.33	14.10		13.97	14.00	0
				1	53	13.70	14.00		14.00	14.08	0
				1	104	13.95	13.97		14.00	14.28	0
				50	0	13.47	14.02		13.93	13.91	0
				50	28	13.65	13.91		13.89	13.99	0
				50	56	13.83	13.87		13.97	14.11	0
				100	0	13.65	13.98		13.90	14.01	0
			QPSK	1	1	13.30	14.04		13.95	13.94	0
				1	53	13.63	13.85		13.86	13.96	0
				1	104	13.91	13.96		13.95	14.22	0
				50	0	13.49	14.05		13.92	13.90	0
				50	28	13.64	13.92		13.90	14.02	0
				50	56	13.83	13.87		13.98	14.11	0
				100	0	13.62	13.97		13.90	14.04	0
			16QAM	1	1	13.40	14.19		14.08	13.99	0
			64QAM	1	1	13.34	14.13		13.95	14.03	0
			256QAM	1	1	13.29	14.06		14.00	14.10	0
		CP	QPSK	1	1	13.35	13.84		13.62	14.09	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						504204		518598		
						2521.02 MHz		2592.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.48		13.94		0
				1	67	13.81		13.79		0
				1	131	14.21		13.82		0
				64	0	13.69		13.87		0
				64	35	13.85		13.82		0
				64	69	14.06		13.88		0
			QPSK	128	0	13.80		13.83		0
				1	1	13.43		13.78		0
				1	67	13.72		13.69		0
				1	131	14.13		13.70		0
				64	0	13.70		13.81		0
				64	35	13.83		13.83		0
				64	69	14.05		13.86		0
				128	0	13.80		13.82		0
			16QAM	1	1	13.56		13.98		0
			64QAM	1	1	13.44		13.85		0
			256QAM	1	1	13.44		13.91		0
		CP	QPSK	1	1	13.43		13.96		0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						505200		518598		
						2526 MHz		2592.99 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	13.40		14.26		0
				1	81	13.86		14.09		0
				1	160	14.20		14.07		0
				81	0	13.53		13.99		0
				81	41	13.81		14.00		0
				81	81	14.02		14.01		0
			QPSK	162	0	13.83		14.02		0
				1	1	13.35		14.21		0
				1	81	13.77		13.97		0
				1	160	14.14		14.02		0
				81	0	13.55		14.01		0
				81	41	13.80		14.01		0
				81	81	14.04		14.02		0
				162	0	13.85		14.01		0
			16QAM	1	1	13.38		14.23		0
			64QAM	1	1	13.43		14.24		0
			256QAM	1	1	13.34		14.29		0
		CP	QPSK	1	1	13.40		14.18		0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	13.50				14.04	0
				1	81	13.93				13.72	0
				1	160	14.24				14.36	0
				81	0	13.72				13.89	0
				81	41	13.99				13.80	0
				81	81	14.18				13.99	0
				162	0	13.96				13.93	0
			QPSK	1	1	13.47				13.99	0
				1	81	13.92				13.68	0
				1	160	14.13				14.33	0
				81	0	13.72				13.89	0
				81	41	14.00				13.78	0
				81	81	14.17				14.00	0
				162	0	13.96				13.90	0
			16QAM	1	1	13.57				14.06	0
			64QAM	1	1	13.48				14.01	0
			256QAM	1	1	13.59				14.08	0
		CP	QPSK	1	1	13.25				13.98	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	13.71				13.79	0
				1	109	13.84				13.90	0
				1	215	13.76				14.46	0
				108	0	13.72				14.04	0
				108	55	13.89				13.95	0
				108	109	14.13				14.08	0
				216	0	13.95				14.03	0
			QPSK	1	1	13.65				13.78	0
				1	109	13.81				13.89	0
				1	215	13.75				14.42	0
				108	0	13.69				14.01	0
				108	55	13.88				13.94	0
				108	109	14.09				14.09	0
				216	0	13.91				14.00	0
			16QAM	1	1	13.65				13.71	0
			64QAM	1	1	13.79				13.86	0
			256QAM	1	1	13.73				13.67	0
		CP	QPSK	1	1	13.62				13.74	0

NR TDD Band n41 _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	13.92				13.90	0
				1	123	14.03				14.02	0
				1	243	13.72				14.45	0
				120	0	13.82				14.16	0
				120	63	14.08				14.10	0
				120	125	14.18				14.13	0
				243	0	14.12				14.19	0
			QPSK	1	1	13.88				13.87	0
				1	123	13.97				14.00	0
				1	243	13.68				14.41	0
				120	0	13.83				14.17	0
				120	63	14.09				14.09	0
				120	125	14.19				14.14	0
				243	0	14.13				14.19	0
			16QAM	1	1	14.01				13.95	0
			64QAM	1	1	13.95				13.87	0
			256QAM	1	1	13.91				13.92	0
		CP	QPSK	1	1	13.91				13.73	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			14.42		0
				1	137			13.96		0
				1	271			14.26		0
				135	0			14.09		0
				135	69			13.98		0
				135	138			14.01		0
				270	0			14.05		0
			QPSK	1	1			14.35		0
				1	137			13.93		0
				1	271			14.45		0
				135	0			14.09		0
				135	69			14.00		0
				135	138			14.43		0
				270	0			14.05		0
			16QAM	1	1			14.49		0
			64QAM	1	1			14.43		0
			256QAM	1	1			14.43		0
		CP	QPSK	1	1			14.36		0

NR FDD Band n66 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.64	24.65	24.52	0
				1	13	24.62	24.54	24.41	0
				1	23	24.68	24.53	24.47	0
				12	0	24.19	24.10	24.02	0.5
				12	7	24.72	24.59	24.48	0
				12	13	24.18	24.03	23.98	0.5
				25	0	24.19	24.05	24.02	0.5
			QPSK	1	1	24.62	24.62	24.53	0
				1	13	24.59	24.50	24.39	0
				1	23	24.64	24.53	24.50	0
				12	0	23.69	23.59	23.52	1
				12	7	24.73	24.58	24.56	0
				12	13	23.67	23.56	23.50	1
				25	0	23.71	23.59	23.49	1
			16QAM	1	1	23.69	23.57	23.41	1
			64QAM	1	1	22.32	21.97	21.91	2.5
			256QAM	1	1	20.16	20.07	19.98	4.5
		CP	QPSK	1	1	23.14	23.12	23.03	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.79	24.67	24.51	0
				1	26	24.98	24.65	24.67	0
				1	50	24.80	24.54	24.50	0
				25	0	24.31	24.13	24.06	0.5
				25	14	24.76	24.65	24.55	0
				25	27	24.27	24.05	24.02	0.5
				50	0	24.27	24.13	24.08	0.5
			QPSK	1	1	24.76	24.64	24.50	0
				1	26	24.76	24.64	24.59	0
				1	50	24.81	24.54	24.51	0
				25	0	23.81	23.63	23.57	1
				25	14	24.82	24.59	24.51	0
				25	27	23.78	23.53	23.52	1
				50	0	23.77	23.61	23.54	1
			16QAM	1	1	23.71	23.68	23.66	1
			64QAM	1	1	22.29	22.20	22.04	2.5
			256QAM	1	1	20.22	20.21	19.83	4.5
		CP	QPSK	1	1	23.25	23.09	23.16	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	24.67	24.44	0
				1	40	24.66	24.51	24.36	0
				1	77	24.72	24.50	24.42	0
				36	0	24.27	24.16	23.94	0.5
				36	22	24.73	24.63	24.44	0
				36	43	24.21	24.02	23.99	0.5
				75	0	24.25	24.10	23.95	0.5
			QPSK	1	1	24.68	24.67	24.43	0
				1	40	24.67	24.46	24.36	0
				1	77	24.74	24.51	24.43	0
				36	0	23.72	23.71	23.46	1
				36	22	24.76	24.63	24.43	0
				36	43	23.73	23.55	23.50	1
				75	0	23.79	23.66	23.46	1
			16QAM	1	1	23.68	23.68	23.34	1
			64QAM	1	1	22.31	22.19	21.89	2.5
			256QAM	1	1	20.15	20.33	19.69	4.5
		CP	QPSK	1	1	23.33	23.21	23.05	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	24.73	24.49	0
				1	53	24.86	24.71	24.58	0
				1	104	24.71	24.48	24.49	0
				50	0	24.28	24.21	23.99	0.5
				50	28	24.76	24.61	24.47	0
				50	56	24.23	24.04	24.00	0.5
				100	0	24.25	24.10	23.99	0.5
			QPSK	1	1	24.69	24.72	24.49	0
				1	53	24.79	24.76	24.62	0
				1	104	24.65	24.53	24.49	0
				50	0	23.75	23.71	23.50	1
				50	28	24.76	24.61	24.46	0
				50	56	23.75	23.51	23.50	1
				100	0	23.74	23.59	23.47	1
			16QAM	1	1	23.55	23.87	23.42	1
			64QAM	1	1	22.07	22.31	21.99	2.5
			256QAM	1	1	20.26	20.20	19.94	4.5
		CP	QPSK	1	1	23.18	23.27	23.06	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	24.62	24.46	0
				1	66	24.85	24.64	24.60	0
				1	131	24.51	24.47	24.40	0
				64	0	24.10	24.14	23.91	0.5
				64	35	24.60	24.51	24.44	0
				64	69	24.06	23.89	23.95	0.5
				128	0	24.08	24.05	23.91	0.5
			QPSK	1	1	24.61	24.62	24.41	0
				1	66	24.73	24.56	24.54	0
				1	131	24.53	24.41	24.41	0
				64	0	23.63	23.63	23.43	1
				64	35	24.59	24.53	24.42	0
				64	69	23.57	23.40	23.45	1
				128	0	23.59	23.54	23.48	1
			16QAM	1	1	23.60	23.84	23.28	1
			64QAM	1	1	22.08	22.25	22.07	2.5
			256QAM	1	1	20.23	20.19	20.12	4.5
		CP	QPSK	1	1	23.03	23.21	22.98	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.67	0
				1	80	24.62	0
				1	158	24.44	0
				80	0	24.08	0.5
				80	40	24.53	0
				80	80	23.92	0.5
				160	0	23.97	0.5
			QPSK	1	1	24.64	0
				1	80	24.48	0
				1	158	24.41	0
				80	0	23.60	1
				80	40	24.51	0
				80	80	23.43	1
				160	0	23.49	1
			16QAM	1	1	23.68	1
			64QAM	1	1	22.16	2.5
			256QAM	1	1	20.10	4.5
		CP	QPSK	1	1	23.15	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.67	0
				1	98	24.52	0
				1	186	24.40	0
				90	0	24.16	0.5
				90	45	24.56	0
				90	90	23.93	0.5
				180	0	24.03	0.5
			QPSK	1	1	24.66	0
				1	98	24.53	0
				1	186	24.43	0
				90	0	23.67	1
				90	45	24.57	0
				90	90	23.41	1
				180	0	23.52	1
			16QAM	1	1	23.65	1
			64QAM	1	1	22.26	2.5
			256QAM	1	1	20.07	4.5
		CP	QPSK	1	1	23.20	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.63	0
				1	108	24.65	0
				1	214	24.46	0
				108	0	24.17	0.5
				108	54	24.55	0
				108	108	23.95	0.5
				216	0	24.02	0.5
			QPSK	1	1	24.63	0
				1	108	24.76	0
				1	214	24.46	0
				108	0	23.64	1
				108	54	24.75	0
				108	108	23.49	1
				216	0	23.51	1
			16QAM	1	1	23.59	1
			64QAM	1	1	22.06	2.5
			256QAM	1	1	20.01	4.5
		CP	QPSK	1	1	23.18	1.5

NR FDD Band n66 Conducted Power_ Measured Free(RSI 0)_ MAIN1 [Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.38	14.39	14.21	0
				1	13	14.33	14.24	14.19	0
				1	23	14.40	14.28	14.31	0
				12	0	14.43	14.40	14.26	0
				12	7	14.46	14.36	14.28	0
				12	13	14.42	14.34	14.29	0
			QPSK	25	0	14.45	14.36	14.27	0
				1	1	14.40	14.39	14.22	0
				1	13	14.33	14.27	14.17	0
				1	23	14.40	14.28	14.26	0
				12	0	14.45	14.38	14.24	0
				12	7	14.44	14.37	14.27	0
				12	13	14.39	14.32	14.30	0
				25	0	14.43	14.36	14.26	0
			16QAM	1	1	14.37	14.44	14.22	0
			64QAM	1	1	14.49	14.52	14.17	0
			256QAM	1	1	14.43	14.44	14.09	0
		CP	QPSK	1	1	14.38	14.36	14.25	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.49	14.41	14.28	0
				1	26	14.66	14.44	14.50	0
				1	50	14.45	14.27	14.31	0
				25	0	14.56	14.42	14.31	0
				25	14	14.51	14.39	14.28	0
				25	27	14.52	14.30	14.33	0
				50	0	14.50	14.39	14.29	0
			QPSK	1	1	14.49	14.42	14.33	0
				1	26	14.56	14.46	14.32	0
				1	50	14.46	14.29	14.29	0
				25	0	14.57	14.44	14.32	0
				25	14	14.49	14.37	14.28	0
				25	27	14.52	14.26	14.31	0
				50	0	14.50	14.37	14.25	0
			16QAM	1	1	14.49	14.36	14.39	0
			64QAM	1	1	14.51	14.47	14.34	0
			256QAM	1	1	14.53	14.49	14.26	0
		CP	QPSK	1	1	14.53	14.44	14.27	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.48	14.47	14.15	0
				1	40	14.38	14.27	14.12	0
				1	77	14.43	14.21	14.23	0
				36	0	14.48	14.46	14.21	0
				36	22	14.49	14.37	14.22	0
				36	43	14.50	14.28	14.19	0
				75	0	14.47	14.39	14.22	0
			QPSK	1	1	14.47	14.47	14.15	0
				1	40	14.36	14.27	14.13	0
				1	77	14.42	14.22	14.16	0
				36	0	14.49	14.41	14.15	0
				36	22	14.52	14.34	14.22	0
				36	43	14.50	14.27	14.16	0
				75	0	14.48	14.38	14.19	0
			16QAM	1	1	14.51	14.41	14.16	0
			64QAM	1	1	14.45	14.55	14.16	0
			256QAM	1	1	14.50	14.39	14.17	0
		CP	QPSK	1	1	14.43	14.45	14.15	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.45	14.41	14.20	0
				1	53	14.50	14.43	14.36	0
				1	104	14.37	14.19	14.26	0
				50	0	14.44	14.45	14.21	0
				50	28	14.38	14.38	14.25	0
				50	56	14.43	14.30	14.26	0
				100	0	14.40	14.42	14.25	0
			QPSK	1	1	14.42	14.42	14.18	0
				1	53	14.41	14.45	14.32	0
				1	104	14.41	14.16	14.25	0
				50	0	14.43	14.41	14.22	0
				50	28	14.35	14.36	14.26	0
				50	56	14.41	14.28	14.23	0
				100	0	14.41	14.36	14.27	0
			16QAM	1	1	14.38	14.53	14.20	0
			64QAM	1	1	14.41	14.48	14.25	0
			256QAM	1	1	14.33	14.35	14.16	0
		CP	QPSK	1	1	14.44	14.44	14.20	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.38	14.46	14.17	0
				1	66	14.63	14.47	14.38	0
				1	131	14.34	14.22	14.28	0
				64	0	14.39	14.48	14.25	0
				64	35	14.44	14.39	14.22	0
				64	69	14.37	14.26	14.27	0
				128	0	14.45	14.39	14.22	0
			QPSK	1	1	14.35	14.45	14.16	0
				1	66	14.55	14.50	14.34	0
				1	131	14.32	14.20	14.24	0
				64	0	14.40	14.45	14.23	0
				64	35	14.44	14.36	14.23	0
				64	69	14.37	14.25	14.25	0
				128	0	14.46	14.36	14.22	0
			16QAM	1	1	14.42	14.37	14.18	0
			64QAM	1	1	14.42	14.52	14.31	0
			256QAM	1	1	14.39	14.49	14.28	0
		CP	QPSK	1	1	14.41	14.48	14.22	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.48	0
				1	80	14.45	0
				1	158	14.24	0
				80	0	14.49	0
				80	40	14.34	0
				80	80	14.21	0
				160	0	14.38	0
			QPSK	1	1	14.45	0
				1	80	14.35	0
				1	158	14.24	0
				80	0	14.50	0
				80	40	14.36	0
				80	80	14.24	0
				160	0	14.35	0
			16QAM	1	1	14.42	0
			64QAM	1	1	14.40	0
			256QAM	1	1	14.57	0
		CP	OPSK	1	1	14.51	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.47	0
				1	98	14.35	0
				1	186	14.28	0
				90	0	14.44	0
				90	45	14.40	0
				90	90	14.23	0
				180	0	14.36	0
			QPSK	1	1	14.45	0
				1	98	14.32	0
				1	186	14.27	0
				90	0	14.42	0
				90	45	14.36	0
				90	90	14.24	0
				180	0	14.38	0
			16QAM	1	1	14.50	0
			64QAM	1	1	14.54	0
			256QAM	1	1	14.48	0
		CP	QPSK	1	1	14.42	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.46	0
				1	108	14.44	0
				1	214	14.28	0
				108	0	14.46	0
				108	54	14.38	0
				108	108	14.19	0
				216	0	14.33	0
			QPSK	1	1	14.67	0
				1	108	14.40	0
				1	214	14.28	0
				108	0	14.67	0
				108	54	14.37	0
				108	108	14.22	0
				216	0	14.36	0
			16QAM	1	1	14.56	0
			64QAM	1	1	14.48	0
			256QAM	1	1	14.49	0
		CP	QPSK	1	1	14.41	0

L.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_ SUB2

[Ant F]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.85	17.84	17.65	0
				1	13	17.85	17.64	17.62	0
				1	23	17.94	17.76	17.67	0
				12	0	17.84	17.73	17.72	0
				12	7	17.83	17.78	17.64	0
				12	13	17.93	17.71	17.68	0
			QPSK	25	0	17.86	17.77	17.65	0
				1	1	17.82	17.79	17.78	0
				1	13	17.83	17.62	17.55	0
				1	23	17.94	17.71	17.64	0
				12	0	17.85	17.78	17.65	0
				12	7	17.88	17.78	17.73	0
				12	13	17.93	17.76	17.69	0
				25	0	17.95	17.86	17.74	0
			16QAM	1	1	17.88	17.95	17.78	0
			64QAM	1	1	17.93	17.78	17.80	0
			256QAM	1	1	17.83	17.68	17.77	0
		CP	QPSK	1	1	17.83	17.76	17.69	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.78	17.77	17.69	0
				1	26	17.85	18.13	17.90	0
				1	50	17.84	17.74	17.65	0
				25	0	17.86	17.66	17.71	0
				25	14	17.86	17.76	17.72	0
				25	27	17.76	17.70	17.74	0
			QPSK	50	0	17.96	17.78	17.72	0
				1	1	17.89	17.76	17.70	0
				1	26	17.92	17.82	17.77	0
				1	50	17.89	17.63	17.56	0
				25	0	17.83	17.72	17.74	0
				25	14	17.93	17.74	17.68	0
				25	27	17.90	17.77	17.69	0
				50	0	17.87	17.88	17.70	0
			16QAM	1	1	17.89	17.92	17.61	0
			64QAM	1	1	17.87	17.71	17.84	0
			256QAM	1	1	17.85	17.73	17.68	0
		CP	QPSK	1	1	17.91	17.77	17.72	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.85	17.75	17.64	0
				1	40	17.83	17.71	17.58	0
				1	77	17.86	17.69	17.66	0
				36	0	17.87	17.78	17.76	0
				36	22	17.84	17.73	17.71	0
				36	43	17.92	17.75	17.66	0
			QPSK	75	0	17.81	17.76	17.75	0
				1	1	17.78	17.68	17.66	0
				1	40	17.76	17.68	17.59	0
				1	77	17.74	17.69	17.62	0
				36	0	17.87	17.79	17.79	0
				36	22	17.87	17.78	17.75	0
				36	43	17.88	17.73	17.78	0
				75	0	17.81	17.73	17.72	0
			16QAM	1	1	17.85	17.73	17.64	0
			64QAM	1	1	17.90	18.08	17.87	0
			256QAM	1	1	17.81	17.60	17.65	0
		CP	QPSK	1	1	17.92	17.76	17.67	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.79	17.70	17.73	0
				1	53	17.92	18.00	17.83	0
				1	104	17.85	17.66	17.69	0
				50	0	17.74	17.74	17.75	0
				50	28	17.94	17.78	17.66	0
				50	56	17.75	17.77	17.72	0
				100	0	17.90	17.76	17.71	0
			QPSK	1	1	17.83	17.75	17.72	0
				1	53	17.96	17.80	17.87	0
				1	104	17.86	17.72	17.66	0
				50	0	17.82	17.77	17.76	0
				50	28	17.86	17.79	17.73	0
				50	56	17.76	17.79	17.65	0
				100	0	17.81	17.66	17.74	0
			16QAM	1	1	17.91	17.70	17.76	0
			64QAM	1	1	17.85	17.71	17.77	0
			256QAM	1	1	17.83	17.63	17.75	0
		CP	QPSK	1	1	17.83	17.76	17.82	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.84		17.86	0
				1	66	17.99		17.93	0
				1	131	17.72		17.69	0
				64	0	17.79		17.80	0
				64	35	17.84		17.75	0
				64	69	17.78		17.65	0
				128	0	17.81		17.74	0
			QPSK	1	1	17.78		17.86	0
				1	66	17.92		17.85	0
				1	131	17.83		17.71	0
				64	0	17.82		17.75	0
				64	35	17.78		17.80	0
				64	69	17.84		17.67	0
				128	0	17.73		17.78	0
			16QAM	1	1	17.83		17.92	0
			64QAM	1	1	17.80		17.81	0
			256QAM	1	1	17.81		17.78	0
		CP	QPSK	1	1	17.84		17.90	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.79		17.87	0
				1	80	18.02		17.76	0
				1	158	17.83		17.68	0
				80	0	17.89		17.75	0
				80	40	17.83		17.76	0
				80	80	17.76		17.75	0
				160	0	17.80		17.77	0
			QPSK	1	1	17.86		17.79	0
				1	80	17.74		17.77	0
				1	158	17.82		17.68	0
				80	0	17.90		17.80	0
				80	40	17.81		17.75	0
				80	80	17.78		17.85	0
				160	0	17.78		17.85	0
			16QAM	1	1	17.98		17.81	0
			64QAM	1	1	17.85		17.95	0
			256QAM	1	1	17.85		17.85	0
		CP	QPSK	1	1	17.83		17.89	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.76	0
				1	98	17.68	0
				1	186	17.76	0
				90	0	17.72	0
				90	45	17.80	0
				90	90	17.77	0
				180	0	17.84	0
			QPSK	1	1	17.81	0
				1	98	17.84	0
				1	186	17.69	0
				90	0	17.77	0
				90	45	17.75	0
				90	90	17.67	0
				180	0	17.69	0
			16QAM	1	1	17.74	0
			64QAM	1	1	17.85	0
			256QAM	1	1	17.72	0
		CP	OPSK	1	1	17.82	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.81	0
				1	108	18.04	0
				1	214	17.74	0
				108	0	17.74	0
				108	54	17.75	0
				108	108	17.75	0
				216	0	17.80	0
			QPSK	1	1	17.86	0
				1	108	17.79	0
				1	214	17.69	0
				108	0	17.72	0
				108	54	17.72	0
				108	108	17.67	0
				216	0	17.87	0
			16QAM	1	1	17.87	0
			64QAM	1	1	17.92	0
			256QAM	1	1	17.69	0
		CP	QPSK	1	1	17.85	0

NR FDD Band n5 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.38	20.24	20.08	0
				1	13	20.29	20.13	19.98	0
				1	23	20.27	20.19	20.04	0
				12	0	20.33	20.25	20.05	0
				12	7	20.33	20.20	20.06	0
				12	13	20.27	20.20	20.09	0
				25	0	20.34	20.15	20.09	0
			QPSK	1	1	20.34	20.19	20.16	0
				1	13	20.20	20.08	19.97	0
				1	23	20.30	20.20	20.05	0
				12	0	20.31	20.23	20.10	0
				12	7	20.30	20.20	20.07	0
				12	13	20.31	20.18	20.06	0
				25	0	20.30	20.21	20.07	0
			16QAM	1	1	20.28	20.27	20.09	0
			64QAM	1	1	20.51	20.32	20.23	0
			256QAM	1	1	20.17	20.25	20.05	0
		CP	QPSK	1	1	20.29	20.30	20.15	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.27	0
				1	26	20.52	0
				1	50	20.17	0
				25	0	20.24	0
				25	14	20.23	0
				25	27	20.17	0
				50	0	20.22	0
			QPSK	1	1	20.22	0
				1	26	20.31	0
				1	50	20.16	0
				25	0	20.27	0
				25	14	20.13	0
				25	27	20.17	0
				50	0	20.20	0
			16QAM	1	1	20.53	0
			64QAM	1	1	20.29	0
			256QAM	1	1	20.27	0
		CP	QPSK	1	1	20.20	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.24	0
				1	40	20.07	0
				1	77	20.17	0
				36	0	20.25	0
				36	22	20.20	0
				36	43	20.22	0
				75	0	20.23	0
			QPSK	1	1	20.22	0
				1	40	20.12	0
				1	77	20.17	0
				36	0	20.28	0
				36	22	20.17	0
				36	43	20.19	0
				75	0	20.20	0
			16QAM	1	1	20.36	0
			64QAM	1	1	20.25	0
			256QAM	1	1	20.45	0
		CP	QPSK	1	1	20.18	0

NR FDD Band n5_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.28	0
				1	53	20.33	0
				1	104	20.09	0
				50	0	20.25	0
				50	28	20.22	0
				50	56	20.18	0
				100	0	20.22	0
			QPSK	1	1	20.30	0
				1	53	20.18	0
				1	104	20.13	0
				50	0	20.28	0
				50	28	20.20	0
				50	56	20.16	0
				100	0	20.19	0
			16QAM	1	1	20.33	0
			64QAM	1	1	20.29	0
			256QAM	1	1	20.27	0
		CP	QPSK	1	1	20.35	0

NR FDD Band n25 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_

SUB2 [Ant F]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.99	17.97	17.89	0
				1	13	18.01	17.84	17.82	0
				1	23	18.04	17.84	17.93	0
				12	0	18.00	17.93	17.88	0
				12	7	18.09	17.99	17.90	0
				12	13	18.10	17.93	17.86	0
				25	0	18.05	17.96	17.86	0
			QPSK	1	1	18.02	17.99	17.87	0
				1	13	18.04	17.92	17.81	0
				1	23	18.05	17.86	17.96	0
				12	0	18.06	17.94	17.91	0
				12	7	18.13	17.93	17.94	0
				12	13	18.17	17.95	17.93	0
				25	0	18.11	17.95	17.88	0
			16QAM	1	1	17.93	18.11	17.85	0
			64QAM	1	1	18.06	18.02	17.90	0
			256QAM	1	1	17.93	18.05	17.79	0
		CP	QPSK	1	1	18.09	18.05	17.92	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.00	17.99	17.90	0
				1	26	18.11	18.11	18.02	0
				1	50	18.04	17.86	17.90	0
				25	0	18.11	17.97	17.87	0
				25	14	18.08	17.93	17.91	0
				25	27	18.08	17.93	17.93	0
			QPSK	50	0	18.05	17.93	17.88	0
				1	1	17.98	17.92	17.88	0
				1	26	18.14	18.05	17.84	0
				1	50	18.02	17.91	17.93	0
				25	0	18.07	17.95	17.89	0
				25	14	18.05	17.98	17.85	0
				25	27	18.08	17.94	17.95	0
				50	0	18.09	17.92	17.87	0
			16QAM	1	1	17.88	18.06	17.96	0
			64QAM	1	1	18.07	18.02	18.02	0
			256QAM	1	1	18.22	18.07	17.86	0
		CP	QPSK	1	1	17.98	17.99	17.97	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.93	17.88	17.84	0
				1	40	17.94	17.84	17.82	0
				1	77	17.93	17.87	17.90	0
				36	0	18.07	17.98	17.85	0
				36	22	18.03	17.94	17.82	0
				36	43	18.07	17.97	17.90	0
			QPSK	75	0	18.04	17.98	17.88	0
				1	1	17.92	17.92	17.83	0
				1	40	17.95	17.87	17.83	0
				1	77	17.89	17.92	17.89	0
				36	0	18.10	17.97	17.90	0
				36	22	18.03	17.95	17.84	0
				36	43	18.01	17.97	17.90	0
				75	0	18.10	18.00	17.90	0
			16QAM	1	1	17.88	17.86	17.79	0
			64QAM	1	1	17.94	17.96	17.87	0
			256QAM	1	1	18.02	17.81	17.81	0
		CP	QPSK	1	1	17.89	17.87	17.89	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.96	17.90	17.89	0
				1	53	18.15	18.06	18.12	0
				1	104	17.95	17.85	17.89	0
				50	0	17.99	17.95	17.90	0
				50	28	17.99	17.91	17.93	0
				50	56	17.98	17.93	17.86	0
				100	0	18.04	17.94	17.92	0
			QPSK	1	1	17.94	17.85	17.88	0
				1	53	18.10	18.02	17.94	0
				1	104	17.99	17.81	17.88	0
				50	0	18.05	17.99	17.90	0
				50	28	18.00	17.95	17.93	0
				50	56	17.93	17.85	17.88	0
				100	0	18.06	18.00	17.88	0
			16QAM	1	1	18.04	17.87	17.94	0
			64QAM	1	1	17.92	18.06	17.86	0
			256QAM	1	1	18.03	18.03	17.83	0
		CP	QPSK	1	1	17.98	17.91	17.90	0

NR FDD Band n25 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.04		17.95	0
				1	66	18.02		18.02	0
				1	131	17.96		17.87	0
				64	0	17.98		17.89	0
				64	35	17.98		17.89	0
				64	69	17.95		17.85	0
				128	0	17.97		17.91	0
			QPSK	1	1	18.02		18.01	0
				1	66	18.11		18.01	0
				1	131	17.97		17.89	0
				64	0	17.97		17.88	0
				64	35	18.05		17.90	0
				64	69	17.93		17.89	0
				128	0	17.97		17.89	0
			16QAM	1	1	17.95		18.01	0
			64QAM	1	1	18.05		18.02	0
			256QAM	1	1	17.98		17.93	0
		CP	QPSK	1	1	18.01		17.93	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.01		18.04	0
				1	80	18.06		18.17	0
				1	158	17.97		17.98	0
				80	0	18.02		17.94	0
				80	40	17.99		17.89	0
				80	80	17.93		17.85	0
				160	0	18.05		17.93	0
			QPSK	1	1	18.03		18.04	0
				1	80	17.98		17.93	0
				1	158	17.98		17.90	0
				80	0	18.12		17.97	0
				80	40	17.99		17.88	0
				80	80	17.94		17.85	0
				160	0	17.97		17.92	0
			16QAM	1	1	18.01		17.99	0
			64QAM	1	1	18.02		18.07	0
			256QAM	1	1	18.20		17.86	0
		CP	QPSK	1	1	18.05		18.04	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.95	0
				1	98	17.94	0
				1	186	17.94	0
				90	0	17.93	0
				90	45	18.00	0
				90	90	17.88	0
				180	0	17.95	0
			QPSK	1	1	18.03	0
				1	98	18.00	0
				1	186	17.90	0
				90	0	17.91	0
				90	45	17.99	0
				90	90	17.87	0
				180	0	17.98	0
			16QAM	1	1	18.04	0
			64QAM	1	1	18.07	0
			256QAM	1	1	17.92	0
		CP	OPSK	1	1	18.00	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.91	0
				1	108	18.09	0
				1	214	17.87	0
				108	0	17.89	0
				108	54	17.94	0
				108	108	17.88	0
				216	0	17.94	0
			QPSK	1	1	17.92	0
				1	108	18.09	0
				1	214	17.87	0
				108	0	17.94	0
				108	54	17.93	0
				108	108	17.95	0
				216	0	17.92	0
			16QAM	1	1	17.94	0
			64QAM	1	1	18.04	0
			256QAM	1	1	17.81	0
		CP	QPSK	1	1	17.93	0

NR TDD Band n41(PC3) Conducted Power_ Measured Free(RSI 0), RCV(RSI

1)_SUB2 [Ant F]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.84	17.81	17.81	17.51	17.93	0
				1	12	17.97	17.82	17.80	17.47	17.81	0
				1	22	17.96	17.76	17.91	17.47	17.80	0
				12	0	17.97	17.72	17.82	17.42	17.92	0
				12	6	17.92	17.69	17.90	17.41	17.96	0
				12	12	17.94	17.69	17.90	17.44	17.95	0
				24	0	17.95	17.69	17.88	17.42	17.93	0
			QPSK	1	1	17.80	17.76	17.84	17.48	17.95	0
				1	12	17.97	17.75	17.93	17.47	17.86	0
				1	22	17.95	17.74	17.95	17.52	17.80	0
				12	0	17.90	17.73	17.81	17.43	17.94	0
				12	6	17.92	17.68	17.85	17.45	17.94	0
				12	12	17.93	17.69	17.90	17.44	17.95	0
				24	0	17.89	17.69	17.89	17.44	17.94	0
			16QAM	1	1	17.84	17.68	17.77	17.71	17.92	0
			64QAM	1	1	17.99	17.78	17.78	17.69	17.87	0
			256QAM	1	1	17.93	17.82	17.77	17.73	17.46	0
		CP	QPSK	1	1	17.99	17.76	17.82	17.69	17.64	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.83	17.77	17.68	17.65	17.83	0
				1	18	17.90	17.62	17.84	17.66	17.85	0
				1	36	17.85	17.73	17.89	17.77	17.94	0
				18	0	17.94	17.74	17.76	17.67	17.87	0
				18	9	17.93	17.66	17.88	17.71	17.88	0
				18	18	17.87	17.72	17.92	17.74	17.91	0
				36	0	17.95	17.67	17.86	17.69	17.87	0
			QPSK	1	1	17.85	17.76	17.78	17.64	17.84	0
				1	18	17.89	17.62	17.85	17.67	17.84	0
				1	36	17.87	17.73	17.92	17.78	17.90	0
				18	0	17.92	17.74	17.77	17.71	17.85	0
				18	9	17.93	17.67	17.88	17.70	17.89	0
				18	18	17.88	17.71	17.94	17.73	17.89	0
				36	0	17.94	17.68	17.89	17.73	17.89	0
			16QAM	1	1	17.83	17.77	17.65	17.65	17.82	0
			64QAM	1	1	17.88	17.75	17.67	17.71	17.90	0
			256QAM	1	1	17.95	17.76	17.65	17.69	17.89	0
		CP	QPSK	1	1	17.75	17.76	17.72	17.70	17.77	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.97	17.76	17.74	17.60	17.77	0
				1	26	17.85	17.71	17.88	17.76	17.90	0
				1	49	17.86	17.72	17.93	17.80	17.81	0
				25	0	17.96	17.76	17.74	17.79	17.89	0
				25	13	17.94	17.70	17.89	17.75	17.91	0
				25	26	17.86	17.75	17.92	17.77	17.98	0
				50	0	17.92	17.72	17.88	17.74	17.92	0
			QPSK	1	1	17.98	17.78	17.79	17.57	17.79	0
				1	26	17.84	17.70	17.88	17.73	17.90	0
				1	49	17.81	17.71	17.93	17.82	17.97	0
				25	0	17.93	17.70	17.75	17.70	17.85	0
				25	13	17.93	17.68	17.88	17.73	17.91	0
				25	26	17.85	17.77	17.91	17.78	17.99	0
				50	0	17.93	17.74	17.89	17.75	17.88	0
			16QAM	1	1	17.86	17.73	17.80	17.60	17.83	0
			64QAM	1	1	17.80	17.76	17.69	17.56	17.80	0
			256QAM	1	1	17.80	17.79	17.79	17.58	17.78	0
		CP	QPSK	1	1	17.82	17.76	17.75	17.56	17.76	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.89	17.83	17.76	17.63	17.73	0
				1	32	17.86	17.78	17.91	17.79	17.80	0
				1	63	17.95	17.80	17.95	17.84	17.87	0
				32	0	17.99	17.81	17.75	17.63	17.85	0
				32	17	17.90	17.74	17.91	17.76	17.95	0
				32	33	17.89	17.75	17.93	17.79	17.99	0
				64	0	17.91	17.78	17.89	17.73	17.92	0
			QPSK	1	1	17.92	17.84	17.73	17.67	17.74	0
				1	32	17.89	17.80	17.98	17.81	17.92	0
				1	63	17.85	17.79	17.99	17.83	17.82	0
				32	0	17.99	17.73	17.76	17.63	17.83	0
				32	17	17.89	17.76	17.91	17.77	17.93	0
				32	33	17.85	17.75	17.91	17.78	17.81	0
				64	0	17.90	17.79	17.92	17.78	17.95	0
			16QAM	1	1	17.81	17.83	17.74	17.55	17.69	0
			64QAM	1	1	17.83	17.81	17.78	17.66	17.79	0
			256QAM	1	1	17.84	17.76	17.75	17.68	17.77	0
		CP	QPSK	1	1	17.81	17.78	17.70	17.65	17.73	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.86	17.84	17.69	17.59	17.81	0
				1	39	17.93	17.80	17.95	17.91	17.83	0
				1	76	17.88	17.74	17.90	17.81	17.88	0
				36	0	17.98	17.76	17.74	17.60	17.92	0
				36	21	17.85	17.77	17.92	17.72	17.81	0
				36	42	17.84	17.69	17.92	17.75	17.89	0
				75	0	17.85	17.74	17.89	17.69	17.99	0
			QPSK	1	1	17.87	17.86	17.66	17.61	17.72	0
				1	39	17.93	17.76	17.90	17.82	17.93	0
				1	76	17.89	17.77	17.89	17.81	17.89	0
				36	0	17.96	17.77	17.74	17.58	17.77	0
				36	21	17.87	17.75	17.90	17.71	17.96	0
				36	42	17.85	17.71	17.94	17.76	17.83	0
				75	0	17.85	17.76	17.90	17.69	17.94	0
			16QAM	1	1	17.88	17.74	17.67	17.59	17.72	0
			64QAM	1	1	17.99	17.84	17.56	17.62	17.69	0
			256QAM	1	1	17.97	17.76	17.67	17.82	17.59	0
		CP	QPSK	1	1	17.85	17.79	17.70	17.58	17.64	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.80	17.62		17.82	17.62	0
				1	53	17.83	17.68		17.76	17.87	0
				1	104	17.85	17.84		17.88	17.81	0
				50	0	17.87	17.63		17.75	17.67	0
				50	28	17.81	17.63		17.71	17.80	0
				50	56	17.83	17.76		17.73	17.98	0
				100	0	17.81	17.68		17.74	17.78	0
			QPSK	1	1	17.83	17.62		17.80	17.64	0
				1	53	17.86	17.67		17.78	17.89	0
				1	104	17.87	17.82		17.90	17.88	0
				50	0	17.88	17.65		17.79	17.67	0
				50	28	17.80	17.65		17.70	17.81	0
				50	56	17.83	17.75		17.71	17.81	0
				100	0	17.80	17.67		17.74	17.77	0
			16QAM	1	1	17.84	17.65		17.79	17.67	0
			64QAM	1	1	17.81	17.70		17.78	17.50	0
			256QAM	1	1	17.99	17.64		17.84	17.57	0
		CP	QPSK	1	1	17.99	17.68		17.86	17.63	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.81		17.55		17.62	0
				1	67	17.79		17.85		17.70	0
				1	131	17.83		17.85		17.87	0
				64	0	17.83		17.68		17.64	0
				64	35	17.81		17.89		17.73	0
				64	69	17.79		17.94		17.96	0
				128	0	17.79		17.89		17.73	0
			QPSK	1	1	17.81		17.56		17.66	0
				1	67	17.82		17.90		17.75	0
				1	131	17.87		17.87		17.86	0
				64	0	17.83		17.69		17.62	0
				64	35	17.81		17.91		17.73	0
				64	69	17.81		17.93		17.98	0
				128	0	17.78		17.88		17.72	0
			16QAM	1	1	17.82		17.51		17.57	0
			64QAM	1	1	17.94		17.51		17.59	0
			256QAM	1	1	17.81		17.54		17.72	0
		CP	QPSK	1	1	17.83		17.58		17.59	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.85		17.57		17.58	0
				1	81	17.90		17.94		17.85	0
				1	160	17.82		17.86		17.97	0
				81	0	17.84		17.65		17.71	0
				81	41	17.80		17.86		17.72	0
				81	81	17.83		17.93		17.82	0
				162	0	17.81		17.94		17.76	0
			QPSK	1	1	17.99		17.56		17.57	0
				1	81	17.80		17.91		17.75	0
				1	160	17.77		17.85		17.87	0
				81	0	17.82		17.68		17.70	0
				81	41	17.79		17.92		17.76	0
				81	81	17.85		17.90		17.80	0
				162	0	17.81		17.93		17.75	0
			16QAM	1	1	17.94		17.59		17.65	0
			64QAM	1	1	17.87		17.60		17.58	0
			256QAM	1	1	17.82		17.60		17.52	0
		CP	QPSK	1	1	17.84		17.60		17.60	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	17.77				17.61	0
				1	81	17.81				17.82	0
				1	160	17.85				17.92	0
				81	0	17.84				17.72	0
				81	41	17.77				17.83	0
				81	81	17.78				17.93	0
				162	0	17.80				17.79	0
			QPSK	1	1	17.86				17.63	0
				1	81	17.77				17.74	0
				1	160	17.82				17.99	0
				81	0	17.84				17.72	0
				81	41	17.78				17.80	0
				81	81	17.76				17.84	0
				162	0	17.79				17.82	0
			16QAM	1	1	17.85				17.63	0
			64QAM	1	1	17.93				17.68	0
			256QAM	1	1	17.82				17.64	0
		CP	QPSK	1	1	17.81				17.60	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.85				17.11	0
				1	109	17.80				17.32	0
				1	215	17.55				17.74	0
				108	0	17.80				17.59	0
				108	55	17.83				17.71	0
				108	109	17.81				17.93	0
				216	0	17.85				17.73	0
			QPSK	1	1	17.83				17.20	0
				1	109	17.80				17.73	0
				1	215	17.55				17.93	0
				108	0	17.79				17.60	0
				108	55	17.82				17.76	0
				108	109	17.79				17.92	0
				216	0	17.82				17.74	0
			16QAM	1	1	17.98				17.41	0
			64QAM	1	1	17.96				17.17	0
			256QAM	1	1	17.94				17.16	0
		CP	QPSK	1	1	17.84				17.25	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						508200					528996	
						2541 MHz					2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.85				17.38	0	
				1	123	17.75				17.75	0	
				1	243	17.60				17.41	0	
				120	0	17.84				17.58	0	
				120	63	17.82				17.75	0	
				120	125	17.80				17.88	0	
			QPSK	243	0	17.85				17.73	0	
				1	1	17.88				17.34	0	
				1	123	17.76				17.72	0	
				1	243	17.60				17.56	0	
				120	0	17.78				17.61	0	
				120	63	17.82				17.75	0	
			16QAM	120	125	17.78				17.88	0	
				243	0	17.87				17.79	0	
				1	1	17.96				17.35	0	
				64QAM	1	1	17.94				17.27	0
				256QAM	1	1	17.97				17.45	0
		CP	QPSK	1	1	17.73				17.29	0	

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.80		0
				1	137			17.87		0
				1	271			17.85		0
				135	0			17.64		0
				135	69			17.86		0
				135	138			17.91		0
				270	0			17.80		0
			QPSK	1	1			17.83		0
				1	137			17.95		0
				1	271			17.96		0
				135	0			17.61		0
				135	69			17.96		0
				135	138			17.91		0
				270	0			17.91		0
			16QAM	1	1			17.78		0
			64QAM	1	1			17.84		0
			256QAM	1	1			17.78		0
		CP	QPSK	1	1			17.84		0

NR FDD Band n66 Conducted Power_ Measured Free (RSI 0), RCV(RSI 1)_

SUB2 [Ant F]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.74	17.43	17.07	0
				1	13	17.53	17.39	16.90	0
				1	23	17.78	17.39	16.96	0
				12	0	17.75	17.39	17.07	0
				12	7	17.66	17.47	17.00	0
				12	13	17.72	17.34	16.97	0
				25	0	17.71	17.42	16.99	0
			QPSK	1	1	17.69	17.44	17.04	0
				1	13	17.61	17.34	16.97	0
				1	23	17.80	17.37	16.97	0
				12	0	17.76	17.45	17.09	0
				12	7	17.73	17.44	17.03	0
				12	13	17.71	17.39	17.05	0
				25	0	17.70	17.43	17.02	0
			16QAM	1	1	17.73	17.32	16.99	0
			64QAM	1	1	17.72	17.50	17.20	0
			256QAM	1	1	17.66	17.27	17.09	0
		CP	QPSK	1	1	17.75	17.44	16.99	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.68	17.41	17.04	0
				1	26	17.96	17.51	17.35	0
				1	50	17.64	17.37	16.97	0
				25	0	17.78	17.52	17.09	0
				25	14	17.75	17.43	17.03	0
				25	27	17.76	17.37	16.98	0
				50	0	17.75	17.43	17.05	0
			QPSK	1	1	17.71	17.45	17.02	0
				1	26	17.85	17.56	17.15	0
				1	50	17.59	17.39	16.99	0
				25	0	17.74	17.45	17.02	0
				25	14	17.82	17.43	17.04	0
				25	27	17.70	17.41	17.00	0
				50	0	17.75	17.45	17.08	0
			16QAM	1	1	17.81	17.53	17.19	0
			64QAM	1	1	17.64	17.47	17.22	0
			256QAM	1	1	17.65	17.41	17.00	0
		CP	QPSK	1	1	17.73	17.46	17.07	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.65	17.51	17.12	0
				1	40	17.67	17.38	17.02	0
				1	77	17.69	17.28	16.95	0
				36	0	17.71	17.44	17.07	0
				36	22	17.67	17.39	17.12	0
				36	43	17.73	17.40	16.99	0
				75	0	17.72	17.43	17.09	0
			QPSK	1	1	17.71	17.46	17.06	0
				1	40	17.68	17.39	16.96	0
				1	77	17.74	17.33	16.99	0
				36	0	17.70	17.46	17.06	0
				36	22	17.72	17.40	17.06	0
				36	43	17.79	17.39	17.08	0
				75	0	17.73	17.45	17.09	0
			16QAM	1	1	17.73	17.63	17.09	0
			64QAM	1	1	17.53	17.53	17.23	0
			256QAM	1	1	17.69	17.52	17.08	0
		CP	QPSK	1	1	17.71	17.48	17.10	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.73	17.57	17.20	0
				1	53	17.77	17.51	17.25	0
				1	104	17.58	17.36	16.89	0
				50	0	17.73	17.46	17.15	0
				50	28	17.73	17.45	17.13	0
				50	56	17.73	17.41	17.06	0
				100	0	17.70	17.45	17.06	0
			QPSK	1	1	17.71	17.56	17.27	0
				1	53	17.82	17.46	17.14	0
				1	104	17.53	17.37	17.01	0
				50	0	17.77	17.48	17.16	0
				50	28	17.71	17.43	17.15	0
				50	56	17.65	17.43	17.06	0
				100	0	17.70	17.45	17.13	0
			16QAM	1	1	17.70	17.58	17.30	0
			64QAM	1	1	17.84	17.67	17.27	0
			256QAM	1	1	17.66	17.52	17.19	0
		CP	QPSK	1	1	17.73	17.49	17.15	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.68	17.61	17.32	0
				1	66	17.87	17.66	17.31	0
				1	131	17.56	17.47	16.98	0
				64	0	17.75	17.54	17.24	0
				64	35	17.75	17.41	17.12	0
				64	69	17.65	17.38	17.11	0
			QPSK	128	0	17.75	17.44	17.12	0
				1	1	17.69	17.55	17.30	0
				1	66	17.78	17.53	17.28	0
				1	131	17.58	17.42	17.00	0
				64	0	17.75	17.55	17.23	0
				64	35	17.73	17.48	17.13	0
				64	69	17.65	17.39	17.12	0
				128	0	17.74	17.44	17.15	0
			16QAM	1	1	17.95	17.50	17.35	0
			64QAM	1	1	17.75	17.54	17.44	0
			256QAM	1	1	17.66	17.59	17.35	0
		CP	QPSK	1	1	17.71	17.56	17.31	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.64	0
				1	80	17.52	0
				1	158	17.24	0
				80	0	17.50	0
				80	40	17.40	0
				80	80	17.34	0
			QPSK	160	0	17.45	0
				1	1	17.65	0
				1	80	17.62	0
				1	158	17.32	0
				80	0	17.49	0
				80	40	17.49	0
				80	80	17.33	0
				160	0	17.45	0
			16QAM	1	1	17.64	0
			64QAM	1	1	17.78	0
			256QAM	1	1	17.53	0
		CP	QPSK	1	1	17.74	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.58	0
				1	98	17.38	0
				1	186	17.35	0
				90	0	17.61	0
				90	45	17.46	0
				90	90	17.39	0
			QPSK	180	0	17.46	0
				1	1	17.65	0
				1	98	17.38	0
				1	186	17.32	0
				90	0	17.59	0
				90	45	17.47	0
				90	90	17.33	0
				180	0	17.45	0
			16QAM	1	1	17.78	0
			64QAM	1	1	17.55	0
			256QAM	1	1	17.63	0
		CP	QPSK	1	1	17.60	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.50	0
				1	108	17.59	0
				1	214	17.27	0
				108	0	17.58	0
				108	54	17.43	0
				108	108	17.45	0
			QPSK	216	0	17.46	0
				1	1	17.62	0
				1	108	17.47	0
				1	214	17.30	0
				108	0	17.64	0
				108	54	17.46	0
				108	108	17.42	0
				216	0	17.47	0
			16QAM	1	1	17.54	0
			64QAM	1	1	17.75	0
			256QAM	1	1	17.68	0
		CP	QPSK	1	1	17.53	0

NR TDD Band n77(PC3,PC2) Conducted Power_ Measured Free (RSI 0) _ SUB2

[Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.19	14.27	14.70	14.62	14.73	14.42	0
				1	12	14.23	14.44	14.75	14.57	14.70	14.51	0
				1	22	14.19	14.44	14.77	14.50	14.74	14.53	0
				12	0	14.13	14.27	14.70	14.59	14.69	14.41	0
				12	6	14.16	14.31	14.69	14.54	14.72	14.37	0
				12	12	14.15	14.42	14.71	14.51	14.72	14.40	0
				24	0	14.14	14.37	14.71	14.53	14.69	14.40	0
			QPSK	1	1	14.16	14.27	14.69	14.64	14.76	14.38	0
				1	12	14.16	14.41	14.74	14.61	14.74	14.40	0
				1	22	14.18	14.40	14.70	14.50	14.73	14.41	0
				12	0	14.11	14.26	14.67	14.60	14.71	14.39	0
				12	6	14.18	14.35	14.69	14.55	14.70	14.39	0
				12	12	14.16	14.37	14.75	14.49	14.72	14.43	0
				24	0	14.17	14.35	14.72	14.56	14.71	14.41	0
			16QAM	1	1	14.19	14.27	14.68	14.64	14.90	14.50	0
			64QAM	1	1	14.21	14.23	14.67	14.58	14.74	14.38	0
			256QAM	1	1	14.13	14.22	14.69	14.67	14.77	14.42	0
		CP	QPSK	1	1	14.16	14.23	14.71	14.65	14.74	14.39	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.93	14.22	14.70	14.45	14.92	14.95	0
				1	18	13.87	14.36	14.70	14.35	14.81	14.78	0
				1	36	13.90	14.38	14.76	14.34	14.91	14.86	0
				18	0	13.91	14.33	14.76	14.46	14.90	14.92	0
				18	9	13.91	14.41	14.73	14.40	14.82	14.92	0
				18	18	13.92	14.38	14.75	14.33	14.84	14.91	0
				36	0	13.90	14.41	14.75	14.42	14.82	14.90	0
			QPSK	1	1	13.87	14.16	14.67	14.53	14.84	14.99	0
				1	18	13.81	14.29	14.68	14.29	14.78	14.82	0
				1	36	13.94	14.40	14.68	14.34	14.89	14.90	0
				18	0	13.86	14.35	14.76	14.46	14.85	14.92	0
				18	9	13.91	14.42	14.76	14.40	14.82	14.90	0
				18	18	13.91	14.41	14.76	14.31	14.84	14.92	0
				36	0	13.91	14.41	14.75	14.37	14.83	14.89	0
			16QAM	1	1	14.05	14.18	14.83	14.55	14.97	15.06	0
			64QAM	1	1	13.94	14.18	14.72	14.47	14.88	14.98	0
			256QAM	1	1	14.20	14.26	14.70	14.51	14.90	14.97	0
		CP	QPSK	1	1	13.60	13.41	13.51	14.15	14.92	15.02	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.97	14.22	14.61	14.55	14.87	15.04	0
				1	26	14.20	14.42	14.68	14.32	14.76	14.81	0
				1	49	13.67	14.39	14.70	14.34	14.90	14.90	0
				25	0	14.24	14.36	14.70	14.46	14.81	14.95	0
				25	13	14.22	14.44	14.73	14.38	14.78	14.83	0
				25	26	14.19	14.41	14.72	14.29	14.79	14.87	0
			QPSK	50	0	14.21	14.44	14.73	14.38	14.79	14.83	0
				1	1	14.20	14.15	14.57	14.47	14.83	15.09	0
				1	26	14.15	14.35	14.65	14.35	14.73	14.86	0
				1	49	14.15	14.36	14.71	14.31	14.82	14.93	0
				25	0	14.21	14.33	14.69	14.46	14.86	14.96	0
				25	13	14.20	14.43	14.74	14.38	14.79	14.84	0
				25	26	14.17	14.39	14.73	14.27	14.78	14.85	0
				50	0	14.18	14.43	14.75	14.37	14.79	14.84	0
			16QAM	1	1	14.15	14.12	14.63	14.42	14.82	15.06	0
			64QAM	1	1	14.20	14.25	14.55	14.48	14.82	15.03	0
			256QAM	1	1	14.31	14.25	14.56	14.55	14.89	15.00	0
		CP	QPSK	1	1	14.23	14.22	14.61	14.11	14.33	13.46	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.27	14.24	14.59	14.51	14.79	15.00	0
				1	32	14.30	14.48	14.78	14.40	14.78	14.91	0
				1	63	14.18	14.37	14.72	14.37	14.82	14.89	0
				32	0	14.28	14.39	14.70	14.46	14.80	14.95	0
				32	17	14.26	14.43	14.73	14.33	14.72	14.85	0
				32	33	14.21	14.43	14.73	14.25	14.74	14.78	0
			QPSK	64	0	14.26	14.46	14.74	14.34	14.73	14.81	0
				1	1	14.33	14.16	14.62	14.43	14.73	15.01	0
				1	32	14.26	14.49	14.77	14.34	14.72	14.85	0
				1	63	14.14	14.34	14.68	14.33	14.72	14.88	0
				32	0	14.30	14.40	14.71	14.42	14.82	14.95	0
				32	17	14.27	14.44	14.72	14.32	14.74	14.83	0
				32	33	14.18	14.39	14.73	14.26	14.75	14.78	0
				64	0	14.25	14.45	14.73	14.33	14.75	14.84	0
			16QAM	1	1	14.37	14.18	14.66	14.44	14.74	15.02	0
			64QAM	1	1	14.28	14.20	14.60	14.48	14.80	14.98	0
			256QAM	1	1	14.33	14.26	14.57	14.50	14.88	14.88	0
		CP	QPSK	1	1	14.34	14.21	14.60	14.43	14.81	14.96	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	13.96	14.08	14.63	14.77	15.16	0
				1	39	14.11	14.31	14.23	14.53	14.81	14.99	0
				1	76	14.00	14.25	14.28	14.42	14.88	14.91	0
				36	0	14.11	14.19	14.17	14.68	14.74	15.16	0
				36	21	14.08	14.26	14.29	14.55	14.76	15.04	0
				36	42	14.05	14.23	14.28	14.41	14.75	14.89	0
			QPSK	75	0	14.08	14.29	14.26	14.54	14.78	15.03	0
				1	1	14.05	13.94	14.04	14.63	14.76	15.14	0
				1	39	14.11	14.27	14.34	14.57	14.80	15.02	0
				1	76	14.04	14.15	14.30	14.49	14.81	14.85	0
				36	0	14.12	14.18	14.18	14.65	14.76	15.16	0
				36	21	14.08	14.28	14.26	14.52	14.76	15.01	0
				36	42	14.04	14.25	14.30	14.40	14.73	14.89	0
				75	0	14.09	14.26	14.28	14.53	14.75	15.04	0
			16QAM	1	1	13.96	14.02	14.05	14.70	14.72	15.17	0
			64QAM	1	1	14.03	14.00	13.96	14.67	14.78	15.15	0
			256QAM	1	1	14.05	14.00	14.23	14.70	14.78	15.13	0
		CP	QPSK	1	1	14.13	14.02	14.32	14.67	14.83	15.17	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.21	14.02	13.63	14.71	14.85	14.82	0
				1	53	14.18	14.42	14.64	14.59	14.97	15.06	0
				1	104	14.03	14.29	14.67	14.53	14.98	14.87	0
				50	0	14.25	14.32	14.48	14.69	14.97	15.04	0
				50	28	14.17	14.37	14.62	14.55	14.96	15.02	0
				50	56	14.06	14.33	14.62	14.42	14.86	14.80	0
			QPSK	100	0	14.18	14.37	14.58	14.59	14.96	15.03	0
				1	1	14.25	14.05	14.27	14.68	14.88	15.04	0
				1	53	14.20	14.37	14.66	14.52	14.93	15.04	0
				1	104	14.03	14.32	14.60	14.46	14.92	14.89	0
				50	0	14.26	14.30	14.46	14.65	14.95	15.06	0
				50	28	14.19	14.38	14.62	14.53	14.96	15.04	0
				50	56	14.08	14.31	14.60	14.42	14.83	14.78	0
				100	0	14.18	14.39	14.58	14.57	14.96	15.01	0
			16QAM	1	1	14.17	13.85	14.36	14.86	14.92	15.27	0
			64QAM	1	1	14.24	14.10	14.19	14.67	14.86	15.04	0
			256QAM	1	1	14.24	13.99	14.29	15.11	14.81	15.33	0
		CP	QPSK	1	1	14.34	13.99	14.33	14.72	14.81	14.81	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.18	14.48	14.68		14.36	15.11	0
				1	67	14.02	14.26	14.54		14.78	15.10	0
				1	131	14.12	14.56	14.54		14.87	14.85	0
				64	0	14.15	14.43	14.62		14.55	15.16	0
				64	35	14.07	14.30	14.63		14.84	15.12	0
				64	69	14.05	14.30	14.57		14.92	14.89	0
			QPSK	128	0	14.06	14.31	14.60		14.83	15.09	0
				1	1	14.25	14.45	14.69		14.39	15.04	0
				1	67	14.00	14.21	14.60		14.77	15.00	0
				1	131	14.07	14.56	14.57		14.83	14.84	0
				64	0	14.14	14.42	14.61		14.54	15.13	0
				64	35	14.06	14.31	14.62		14.85	15.12	0
				64	69	14.04	14.34	14.59		14.91	14.89	0
				128	0	14.05	14.31	14.64		14.81	15.12	0
			16QAM	1	1	14.03	14.25	14.64		14.56	15.01	0
			64QAM	1	1	14.38	14.21	14.82		14.47	15.18	0
			256QAM	1	1	14.11	14.60	14.63		14.23	15.13	0
		CP	QPSK	1	1	14.21	14.46	14.71		14.39	15.13	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.25	14.53			14.55	14.87	0
				1	81	14.13	14.61			14.37	15.10	0
				1	160	14.50	14.74			15.05	14.89	0
				81	0	14.23	14.38			14.47	14.95	0
				81	41	14.05	14.62			14.40	15.01	0
				81	81	14.06	14.76			14.74	14.94	0
			QPSK	162	0	14.09	14.63			14.39	15.08	0
				1	1	14.29	14.49			14.65	14.86	0
				1	81	14.10	14.65			14.43	15.08	0
				1	160	14.41	14.71			15.11	14.87	0
				81	0	14.22	14.34			14.48	15.02	0
				81	41	14.12	14.55			14.42	15.07	0
				81	81	14.04	14.73			14.77	14.99	0
				162	0	14.09	14.60			14.40	15.09	0
			16QAM	1	1	14.43	14.46			14.59	14.81	0
			64QAM	1	1	14.10	14.49			14.59	14.85	0
			256QAM	1	1	14.43	14.60			14.66	14.78	0
		CP	QPSK	1	1	14.32	14.50			14.52	14.80	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.26	14.61			14.61	14.91	0
				1	95	14.00	14.64			14.31	14.93	0
				1	187	14.61	14.67			15.09	15.08	0
				90	0	14.08	14.41			14.49	14.79	0
				90	50	13.97	14.62			14.30	14.99	0
				90	99	14.20	14.73			14.81	15.04	0
			QPSK	180	0	14.00	14.64			14.38	15.00	0
				1	1	14.29	14.59			14.64	14.91	0
				1	95	14.00	14.58			14.30	14.93	0
				1	187	14.62	14.67			15.07	15.04	0
				90	0	14.07	14.41			14.50	14.82	0
				90	50	13.95	14.65			14.33	15.03	0
				90	99	14.19	14.71			14.81	15.06	0
				180	0	13.97	14.61			14.38	15.04	0
				16QAM	1	1	14.32	14.73		14.58	14.79	0
				64QAM	1	1	14.14	14.48		14.64	14.98	0
				256QAM	1	1	13.86	13.49		14.68	14.89	0
		CP	QPSK	1	1	14.28	14.28			14.59	15.01	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.82		14.01		14.85		0
				1	109	13.98		14.61		15.06		0
				1	215	14.21		14.28		15.13		0
				108	0	14.20		14.78		14.88		0
				108	55	14.01		14.62		15.09		0
				108	109	14.47		14.64		15.11		0
			QPSK	216	0	14.08		14.71		15.12		0
				1	1	13.80		14.02		14.78		0
				1	109	13.99		14.59		15.01		0
				1	215	14.18		14.30		15.04		0
				108	0	14.22		14.75		14.84		0
				108	55	14.02		14.61		15.06		0
				108	109	14.51		14.65		15.11		0
				216	0	14.04		14.68		15.14		0
				16QAM	1	1	13.97	14.07		14.65		0
				64QAM	1	1	13.79	14.05		14.78		0
				256QAM	1	1	13.72	13.77		14.86		0
		CP	QPSK	1	1	13.88		14.04		14.91		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.84		14.01		14.48	0
				1	123	13.93		14.60		14.78	0
				1	243	14.28		14.40		14.76	0
				120	0	14.10		14.72		14.81	0
				120	63	13.96		14.61		14.77	0
				120	125	14.46		14.53		14.82	0
			QPSK	243	0	14.08		14.69		14.79	0
				1	1	13.86		14.00		14.57	0
				1	123	13.92		14.63		14.76	0
				1	243	14.30		14.51		14.71	0
				120	0	14.09		14.72		14.80	0
				120	63	13.98		14.62		14.78	0
				120	125	14.48		14.55		14.81	0
				243	0	14.05		14.73		14.80	0
			16QAM	1	1	13.65		14.12		14.68	0
			64QAM	1	1	13.75		14.07		14.46	0
			256QAM	1	1	13.90		14.04		14.97	0
		CP	QPSK	1	1	13.81		13.99		14.84	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.99				14.40	0
				1	137	14.05				14.85	0
				1	271	14.08				15.16	0
				135	0	14.19				14.96	0
				135	69	14.06				14.89	0
				135	138	14.35				15.13	0
			QPSK	270	0	14.11				14.93	0
				1	1	13.98				14.38	0
				1	137	14.00				15.45	0
				1	271	14.12				15.13	0
				135	0	14.17				15.01	0
				135	69	14.03				15.45	0
				135	138	14.41				15.12	0
				270	0	14.07				14.93	0
			16QAM	1	1	13.94				14.38	0
			64QAM	1	1	14.03				14.36	0
			256QAM	1	1	13.98				14.36	0
		CP	QPSK	1	1	13.97				14.94	0

NR TDD Band n77(PC3,PC2) Conducted Power_ Measured RCV (RSI 1) _ SUB2

[Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	12.78	12.50	13.42	13.20	13.76	13.39	0
				1	12	12.94	12.89	13.90	13.16	13.67	13.45	0
				1	22	12.86	12.86	13.87	13.04	13.71	13.51	0
				12	0	12.78	12.70	13.81	13.17	13.69	13.36	0
				12	6	12.81	12.79	13.83	13.11	13.69	13.38	0
				12	12	12.80	12.86	13.85	13.07	13.68	13.41	0
			24	0	12.80	12.82	13.81	13.10	13.68	13.36	0	
			QPSK	1	1	12.76	12.68	13.80	13.17	13.76	13.36	0
				1	12	12.84	12.94	13.87	13.11	13.74	13.40	0
				1	22	12.79	12.91	13.85	13.03	13.72	13.42	0
				12	0	12.77	12.71	13.80	13.16	13.69	13.37	0
				12	6	12.81	12.68	13.80	13.12	13.67	13.37	0
				12	12	12.80	12.84	13.84	13.06	13.69	13.39	0
			24	0	12.79	12.80	13.84	13.11	13.65	13.37	0	
			16QAM	1	1	12.77	12.70	13.82	13.23	13.72	13.34	0
			64QAM	1	1	12.85	12.63	13.85	13.23	13.76	13.37	0
			256QAM	1	1	12.77	13.06	13.80	13.19	13.71	13.37	0
		CP	QPSK	1	1	13.82	13.93	14.43	13.81	14.05	14.13	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	12.85	13.01	13.85	13.70	13.77	13.61	0	
				1	18	12.71	13.20	13.76	13.48	13.59	13.43	0	
				1	36	12.64	13.25	13.89	13.47	13.67	13.51	0	
				18	0	12.80	13.12	13.81	13.62	13.69	13.51	0	
				18	9	12.83	13.24	13.85	13.54	13.65	13.48	0	
				18	18	12.82	13.25	13.86	13.46	13.65	13.49	0	
			QPSK	36	0	12.79	13.23	13.83	13.54	13.64	13.48	0	
				1	1	12.80	13.00	13.72	13.67	13.75	13.54	0	
				1	18	12.77	13.19	13.73	13.47	13.59	13.43	0	
				1	36	12.82	13.23	13.87	13.45	13.67	13.45	0	
				18	0	12.78	13.11	13.82	13.61	13.72	13.53	0	
				18	9	12.79	13.23	13.85	13.56	13.65	13.49	0	
				18	18	12.83	13.25	13.85	13.48	13.66	13.48	0	
				36	0	12.82	13.24	13.84	13.53	13.65	13.49	0	
				16QAM	1	1	12.80	12.99	13.72	13.71	13.75	13.63	0
				64QAM	1	1	12.74	12.97	13.71	13.65	13.73	13.58	0
				256QAM	1	1	12.87	13.03	13.83	13.70	13.81	13.60	0
		CP	QPSK	1	1	14.01	14.05	13.76	13.63	14.13	14.17	0	

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.99	13.15	13.88	13.64	13.83	13.68	0
				1	26	13.00	13.41	13.95	13.50	13.62	13.43	0
				1	49	12.94	13.43	14.01	13.48	13.63	13.54	0
				25	0	13.00	13.32	13.96	13.63	13.73	13.60	0
				25	13	12.98	13.41	14.00	13.53	13.66	13.48	0
				25	26	12.97	13.44	13.99	13.41	13.64	13.48	0
			QPSK	50	0	13.00	13.44	13.98	13.54	13.66	13.48	0
				1	1	13.01	13.13	13.81	13.63	13.80	13.63	0
				1	26	12.97	13.40	13.93	13.47	13.64	13.41	0
				1	49	12.92	13.41	13.97	13.43	13.69	13.52	0
				25	0	13.02	13.31	13.95	13.63	13.76	13.56	0
				25	13	13.03	13.41	13.99	13.53	13.67	13.49	0
				25	26	13.01	13.41	14.00	13.44	13.63	13.49	0
				50	0	13.02	13.41	13.98	13.54	13.67	13.48	0
			16QAM	1	1	13.03	13.13	13.72	13.66	13.80	13.72	0
			64QAM	1	1	13.05	13.21	13.91	13.65	13.78	13.84	0
			256QAM	1	1	13.10	13.19	13.83	13.67	13.80	13.69	0
		CP	QPSK	1	1	13.62	13.61	14.30	13.93	14.47	14.43	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.10	12.73	13.83	13.80	13.91	13.83	0
				1	32	13.07	13.09	14.05	13.70	13.85	13.66	0
				1	63	12.98	13.04	14.00	13.61	13.83	13.63	0
				32	0	13.06	12.94	13.91	13.78	13.89	13.76	0
				32	17	13.04	13.05	14.01	13.67	13.78	13.62	0
				32	33	12.96	13.04	14.02	13.56	13.76	13.57	0
			QPSK	64	0	13.03	13.04	13.99	13.67	13.81	13.63	0
				1	1	13.09	12.72	13.79	13.77	13.90	13.80	0
				1	32	13.03	13.06	13.94	13.65	13.76	13.61	0
				1	63	12.91	13.03	13.95	13.61	13.78	13.59	0
				32	0	13.08	12.97	13.94	13.79	13.93	13.77	0
				32	17	13.05	13.06	13.99	13.67	13.81	13.61	0
				32	33	13.00	13.05	14.04	13.59	13.79	13.59	0
				64	0	13.03	13.06	14.02	13.65	13.83	13.63	0
			16QAM	1	1	13.06	12.74	13.73	13.71	13.88	13.76	0
			64QAM	1	1	13.15	12.96	13.84	13.86	14.10	13.92	0
			256QAM	1	1	13.12	13.12	13.85	13.77	13.99	13.85	0
		CP	QPSK	1	1	14.11	14.06	14.12	13.78	14.45	13.93	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	12.95	12.94	13.53	14.02	13.95	14.06	0
				1	39	12.96	13.43	13.99	13.87	13.87	13.86	0
				1	76	12.89	13.35	13.90	13.72	13.87	13.72	0
				36	0	12.93	13.18	13.71	14.00	13.90	14.00	0
				36	21	12.92	13.30	13.84	13.84	13.84	13.82	0
				36	42	12.91	13.35	13.91	13.68	13.79	13.68	0
			QPSK	75	0	12.93	13.33	13.89	13.87	13.84	13.85	0
				1	1	12.92	12.97	13.53	14.02	13.94	14.00	0
				1	39	12.94	13.32	13.90	13.86	13.82	13.79	0
				1	76	12.88	13.34	13.90	13.66	13.81	13.65	0
				36	0	12.93	13.20	13.72	13.97	13.91	14.00	0
				36	21	12.91	13.31	13.88	13.84	13.82	13.81	0
				36	42	12.88	13.35	13.95	13.68	13.80	13.67	0
				75	0	12.89	13.33	13.88	13.83	13.82	13.86	0
			16QAM	1	1	12.87	13.00	13.45	13.97	13.89	13.98	0
			64QAM	1	1	12.95	12.98	13.61	14.02	13.97	14.10	0
			256QAM	1	1	13.09	13.03	13.51	14.14	13.90	14.11	0
		CP	QPSK	1	1	13.98	13.63	14.46	13.82	13.99	14.36	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.04	12.55	13.53	14.08	14.04	13.98	0
				1	53	13.10	13.11	13.92	13.95	14.06	13.95	0
				1	104	12.94	13.04	14.00	13.76	13.90	13.73	0
				50	0	13.06	12.91	13.72	14.01	14.09	13.93	0
				50	28	13.00	13.01	13.92	13.84	14.01	13.91	0
				50	56	12.92	13.01	13.92	13.69	13.85	13.67	0
			QPSK	100	0	13.02	12.99	13.87	13.91	14.03	13.89	0
				1	1	13.09	12.52	13.46	14.02	14.01	13.98	0
				1	53	12.99	12.95	13.92	13.87	13.97	13.90	0
				1	104	12.92	13.00	14.01	13.72	13.87	13.69	0
				50	0	13.06	12.90	13.72	14.01	14.07	13.96	0
				50	28	12.99	13.00	13.88	13.83	14.02	13.87	0
				50	56	12.93	12.98	13.94	13.72	13.86	13.64	0
				100	0	12.99	13.00	13.89	13.90	14.02	13.89	0
			16QAM	1	1	13.15	12.65	13.33	14.16	14.07	13.93	0
			64QAM	1	1	13.12	12.65	13.39	14.03	14.02	13.97	0
			256QAM	1	1	13.05	12.98	13.54	14.00	13.96	14.09	0
		CP	QPSK	1	1	13.93	13.81	14.37	13.97	14.00	14.48	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01	3782.49	3840		3897.51		3954.99
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.01	13.49	14.01		13.66	14.02	0
				1	67	12.84	13.41	13.89		13.96	13.93	0
				1	131	13.08	13.87	13.82		13.90	13.63	0
				64	0	12.98	13.48	13.96		13.79	14.06	0
				64	35	12.89	13.46	13.93		13.96	13.93	0
				64	69	12.88	13.53	13.93		14.01	13.71	0
			QPSK	128	0	12.90	13.44	13.94		13.98	13.99	0
				1	1	12.97	13.48	14.00		13.67	14.00	0
				1	67	12.85	13.38	13.87		13.93	13.96	0
				1	131	13.01	13.84	13.88		13.87	13.69	0
				64	0	12.97	13.49	13.94		13.74	14.05	0
				64	35	12.91	13.41	13.95		13.99	13.96	0
				64	69	12.90	13.57	13.91		13.99	13.71	0
				128	0	12.92	13.43	13.95		14.01	13.96	0
			16QAM	1	1	13.12	13.59	14.07		13.72	14.10	0
			64QAM	1	1	12.98	13.44	14.03		13.63	14.06	0
			256QAM	1	1	13.03	13.22	14.04		13.75	14.01	0
		CP	QPSK	1	1	13.48	13.86	14.00		13.58	13.85	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.10	13.51			13.91	13.45	0
				1	81	13.02	13.87			13.67	13.58	0
				1	160	13.42	14.03			14.11	13.28	0
				81	0	13.06	13.52			13.77	13.53	0
				81	41	12.95	13.86			13.62	13.46	0
				81	81	12.94	14.04			13.94	13.31	0
			162	0	12.92	13.82			13.60	13.51	0	
			QPSK	1	1	13.11	13.54			13.86	13.47	0
				1	81	12.92	13.82			13.65	13.49	0
				1	160	13.42	13.97			14.08	13.25	0
				81	0	13.03	13.50			13.76	13.52	0
				81	41	12.92	13.77			13.60	13.50	0
				81	81	12.95	14.04			13.92	13.35	0
			162	0	12.92	13.80			13.63	13.56	0	
			16QAM	1	1	13.21	13.49			13.79	13.67	0
			64QAM	1	1	13.20	13.54			13.88	13.49	0
			256QAM	1	1	13.14	12.89			13.91	13.87	0
		CP	QPSK	1	1	13.95	12.54			13.93	14.44	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.03	13.66			13.97	13.95	0
				1	95	12.85	13.92			13.64	13.87	0
				1	187	13.65	14.04			14.21	13.92	0
				90	0	12.93	13.58			13.83	13.79	0
				90	50	12.83	13.90			13.61	13.89	0
				90	99	13.14	14.05			14.00	13.83	0
			QPSK	180	0	12.86	13.86			13.63	13.93	0
				1	1	13.04	13.65			13.99	13.99	0
				1	95	12.79	13.83			13.62	13.78	0
				1	187	13.64	13.99			14.21	13.82	0
				90	0	12.90	13.58			13.84	13.79	0
				90	50	12.83	13.91			13.62	13.88	0
				90	99	13.16	14.06			14.01	13.83	0
				180	0	12.92	13.86			13.64	13.92	0
			16QAM	1	1	13.17	13.62			13.91	14.03	0
			64QAM	1	1	12.98	13.60			14.01	13.70	0
			256QAM	1	1	13.48	13.73			14.08	13.95	0
		CP	QPSK	1	1	13.81	13.23			13.87	14.48	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.65		14.27		13.87		0
				1	109	12.89		13.98		13.89		0
				1	215	13.29		13.52		13.83		0
				108	0	13.07		13.99		13.86		0
				108	55	12.93		13.94		13.98		0
				108	109	13.47		13.88		13.95		0
			QPSK	216	0	13.00		13.93		14.03		0
				1	1	12.62		13.22		13.91		0
				1	109	12.91		13.91		13.94		0
				1	215	13.31		13.52		13.75		0
				108	0	13.09		13.99		13.89		0
				108	55	12.94		13.94		14.00		0
				108	109	13.47		13.86		13.91		0
				216	0	12.99		13.92		13.98		0
				16QAM	1	1	12.59	13.10		13.91		0
				64QAM	1	1	12.61	13.25		13.97		0
				256QAM	1	1	12.58	13.34		13.92		0
		CP	QPSK	1	1	14.41		13.98		14.46		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.68		13.24		14.03		0
				1	123	12.90		13.97		13.94		0
				1	243	13.49		13.70		13.78		0
				120	0	12.99		14.07		14.14		0
				120	63	12.94		14.01		13.98		0
				120	125	13.57		13.94		13.95		0
			QPSK	243	0	13.05		14.04		14.04		0
				1	1	12.68		13.28		13.98		0
				1	123	12.93		13.97		13.93		0
				1	243	13.58		13.76		13.79		0
				120	0	13.01		14.05		14.15		0
				120	63	12.96		14.02		13.98		0
				120	125	13.56		13.95		13.91		0
				243	0	13.03		14.02		14.07		0
			16QAM	1	1	12.71		13.17		14.01		0
			64QAM	1	1	12.62		13.15		14.01		0
			256QAM	1	1	12.69		12.79		13.91		0
		CP	QPSK	1	1	13.90		14.07		14.09		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.88				13.27		0
				1	137	13.06				13.46		0
				1	271	13.40				13.54		0
				135	0	13.14				13.77		0
				135	69	13.09				13.51		0
				135	138	13.54				13.62		0
				270	0	13.14				13.58		0
			QPSK	1	1	12.88				13.35		0
				1	137	13.45				14.05		0
				1	271	13.42				13.56		0
				135	0	13.12				13.73		0
				135	69	14.01				14.13		0
				135	138	13.56				13.61		0
				270	0	13.16				14.09		0
			16QAM	1	1	12.82				13.26		0
			64QAM	1	1	12.92				13.34		0
			256QAM	1	1	12.88				13.70		0
		CP	QPSK	1	1	12.90				14.16		0

NR TDD Band n77 DoD(PC3,PC2) Conducted Power_ Measured Free (RSI 0)_

SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.84	15.09	14.92	0
				1	12	14.89	15.19	14.83	0
				1	22	14.89	15.07	14.66	0
				12	0	14.85	15.07	14.85	0
				12	6	14.85	15.06	14.79	0
				12	12	14.84	15.07	14.68	0
				24	0	14.85	15.08	14.78	0
			QPSK	1	1	14.85	15.06	14.91	0
				1	12	14.89	15.06	14.76	0
				1	22	14.87	15.05	14.65	0
				12	0	14.83	15.07	14.84	0
				12	6	14.86	15.08	14.79	0
				12	12	14.86	15.07	14.73	0
				24	0	14.85	15.08	14.80	0
			16QAM	1	1	14.70	15.17	14.93	0
			64QAM	1	1	14.77	15.11	14.91	0
			256QAM	1	1	14.76	15.08	14.95	0
		CP	QPSK	1	1	14.98	15.08	14.92	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	14.88	14.83	14.98	0
				1	18	14.89	14.80	14.78	0
				1	36	14.92	14.75	14.60	0
				18	0	14.91	14.79	14.93	0
				18	9	14.92	14.78	14.83	0
				18	18	14.95	14.76	14.74	0
				36	0	14.94	14.80	14.83	0
			QPSK	1	1	14.92	14.82	15.01	0
				1	18	14.90	14.76	14.80	0
				1	36	14.91	14.75	14.64	0
				18	0	14.91	14.78	14.94	0
				18	9	14.92	14.81	14.84	0
				18	18	14.95	14.76	14.73	0
				36	0	14.93	14.79	14.84	0
			16QAM	1	1	14.80	14.76	14.90	0
			64QAM	1	1	14.98	14.90	14.96	0
			256QAM	1	1	14.96	15.13	14.96	0
		CP	QPSK	1	1	14.91	14.33	14.92	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.95	14.99	14.99	0
				1	26	14.93	15.00	14.80	0
				1	49	14.77	14.95	14.59	0
				25	0	14.89	15.00	14.90	0
				25	13	14.92	15.01	14.82	0
				25	26	14.84	14.95	14.66	0
				50	0	14.89	15.01	14.81	0
			QPSK	1	1	14.84	14.95	14.92	0
				1	26	14.86	14.96	14.76	0
				1	49	14.75	14.88	14.51	0
				25	0	14.89	14.99	14.89	0
				25	13	14.90	15.01	14.81	0
				25	26	14.84	14.95	14.65	0
				50	0	14.90	15.00	14.82	0
			16QAM	1	1	14.82	14.92	14.84	0
			64QAM	1	1	14.94	15.04	15.05	0
			256QAM	1	1	14.98	14.98	15.01	0
		CP	QPSK	1	1	14.98	15.09	14.99	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.97	14.94	14.83	0
				1	26	14.99	15.03	14.75	0
				1	49	14.86	14.93	14.45	0
				25	0	14.99	14.98	14.82	0
				25	13	14.94	14.99	14.72	0
				25	26	14.85	14.93	14.58	0
				50	0	14.95	14.99	14.72	0
			QPSK	1	1	14.94	14.94	14.78	0
				1	26	14.92	14.98	14.68	0
				1	49	14.81	14.87	14.40	0
				25	0	14.99	15.00	14.79	0
				25	13	14.95	15.00	14.70	0
				25	26	14.85	14.94	14.57	0
				50	0	14.96	15.01	14.71	0
			16QAM	1	1	14.82	14.90	14.78	0
			64QAM	1	1	15.02	15.15	14.94	0
			256QAM	1	1	14.85	14.99	14.81	0
		CP	QPSK	1	1	15.02	15.07	14.93	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.86	14.94	15.04	0
				1	39	14.82	15.07	15.04	0
				1	76	14.77	14.90	14.61	0
				36	0	14.83	14.98	15.03	0
				36	21	14.77	14.99	14.94	0
				36	42	14.68	14.92	14.80	0
				75	0	14.76	14.99	14.96	0
			QPSK	1	1	14.78	14.93	15.03	0
				1	39	14.77	15.01	14.96	0
				1	76	14.71	14.87	14.57	0
				36	0	14.83	14.98	15.02	0
				36	21	14.76	15.01	14.94	0
				36	42	14.67	14.93	14.79	0
				75	0	14.75	14.99	14.96	0
			16QAM	1	1	14.69	14.81	14.93	0
			64QAM	1	1	14.90	14.94	15.11	0
			256QAM	1	1	14.83	15.02	15.11	0
		CP	QPSK	1	1	13.98	14.18	15.10	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.08		15.26	0
				1	53	14.94		15.20	0
				1	104	15.16		15.24	0
				50	0	15.08		15.25	0
				50	28	14.92		15.25	0
				50	56	14.95		14.82	0
				100	0	14.91		14.97	0
			QPSK	1	1	15.02		15.07	0
				1	53	14.95		15.04	0
				1	104	15.14		14.58	0
				50	0	15.06		14.96	0
				50	28	14.89		14.96	0
				50	56	14.92		14.80	0
				100	0	14.93		14.95	0
			16QAM	1	1	14.93		14.97	0
			64QAM	1	1	15.11		15.03	0
			256QAM	1	1	15.11		14.99	0
		CP	QPSK	1	1	13.75		14.81	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.98		15.10	0
				1	67	14.78		14.92	0
				1	131	15.14		14.53	0
				64	0	14.91		14.94	0
				64	35	14.77		14.91	0
				64	69	14.97		14.84	0
				128	0	14.81		14.92	0
			QPSK	1	1	14.94		15.11	0
				1	67	14.73		14.87	0
				1	131	15.08		14.61	0
				64	0	14.90		14.94	0
				64	35	14.80		14.91	0
				64	69	14.97		14.83	0
				128	0	14.80		14.91	0
			16QAM	1	1	14.88		15.10	0
			64QAM	1	1	15.04		15.10	0
			256QAM	1	1	14.97		15.14	0
		CP	QPSK	1	1	13.98		14.81	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.99		0
				1	81		15.24		0
				1	160		15.11		0
				81	0		15.04		0
				81	41		15.14		0
				81	81		15.02		0
				162	0		15.14		0
			QPSK	1	1		14.99		0
				1	81		15.15		0
				1	160		15.10		0
				81	0		15.04		0
				81	41		15.16		0
				81	81		15.01		0
				162	0		15.17		0
			16QAM	1	1		15.06		0
			64QAM	1	1		15.10		0
			256QAM	1	1		14.99		0
		CP	QPSK	1	1		14.31		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		15.18	0
				1	95		15.10	0
				1	187		15.10	0
				90	0		15.01	0
				90	50		15.14	0
				90	99		15.02	0
				180	0		15.14	0
			QPSK	1	1		15.05	0
				1	95		15.10	0
				1	187		15.11	0
				90	0		14.97	0
				90	50		15.13	0
				90	99		15.02	0
				180	0		15.14	0
			16QAM	1	1		15.14	0
			64QAM	1	1		15.14	0
			256QAM	1	1		15.04	0
		CP	QPSK	1	1		14.05	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		15.36	0
				1	109		15.10	0
				1	215		14.96	0
				108	0		14.97	0
				108	55		15.13	0
				108	109		15.02	0
				216	0		15.18	0
			QPSK	1	1		15.02	0
				1	109		15.14	0
				1	215		14.96	0
				108	0		14.96	0
				108	55		15.14	0
				108	109		15.02	0
				216	0		15.16	0
			16QAM	1	1		15.04	0
			64QAM	1	1		15.04	0
			256QAM	1	1		14.94	0
		CP	QPSK	1	1		14.15	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		15.38		0
				1	123		15.09		0
				1	243		14.79		0
				120	0		14.96		0
				120	63		15.12		0
				120	125		15.05		0
				243	0		15.18		0
			QPSK	1	1		14.94		0
				1	123		15.11		0
				1	243		14.83		0
				120	0		14.97		0
				120	63		15.13		0
				120	125		15.05		0
				243	0		15.19		0
			16QAM	1	1		15.00		0
			64QAM	1	1		15.00		0
			256QAM	1	1		14.94		0
		CP	QPSK	1	1		14.66		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		15.08		0
				1	137		15.11		0
				1	271		14.72		0
				135	0		14.97		0
				135	69		15.13		0
				135	138		15.07		0
				270	0		15.19		0
			QPSK	1	1		15.10		0
				1	137		15.31		0
				1	271		14.71		0
				135	0		15.00		0
				135	69		15.15		0
				135	138		15.07		0
				270	0		15.18		0
			16QAM	1	1		15.12		0
			64QAM	1	1		15.11		0
			256QAM	1	1		15.08		0
		CP	QPSK	1	1		14.48		0

NR TDD Band n77 DoD(PC3,PC2) Conducted Power_ Measured RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.00	13.94	13.97	0
				1	12	14.10	13.94	14.08	0
				1	22	14.07	13.86	13.89	0
				12	0	14.02	13.90	14.04	0
				12	6	14.05	13.90	14.00	0
				12	12	14.06	13.88	13.92	0
				24	0	14.03	13.90	14.01	0
			QPSK	1	1	14.03	13.95	14.14	0
				1	12	14.10	14.02	13.96	0
				1	22	14.06	13.91	13.85	0
				12	0	14.02	13.90	14.08	0
				12	6	14.04	13.90	13.99	0
				12	12	14.05	13.89	13.92	0
				24	0	14.05	13.90	14.00	0
			16QAM	1	1	13.87	13.95	14.23	0
			64QAM	1	1	13.99	13.82	14.11	0
			256QAM	1	1	14.08	14.31	14.09	0
		CP	QPSK	1	1	14.05	14.31	14.14	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	12.94	12.65	0
				1	18	14.05	14.21	13.94	0
				1	36	14.07	14.21	13.79	0
				18	0	14.12	14.26	14.13	0
				18	9	14.11	14.28	13.99	0
				18	18	14.13	14.24	13.89	0
				36	0	14.10	14.29	14.02	0
			QPSK	1	1	14.11	14.29	14.12	0
				1	18	14.07	14.24	13.94	0
				1	36	14.11	14.23	13.79	0
				18	0	14.10	14.29	14.10	0
				18	9	14.09	14.30	14.02	0
				18	18	14.13	14.24	13.91	0
				36	0	14.11	14.26	14.02	0
			16QAM	1	1	14.12	14.17	14.16	0
			64QAM	1	1	14.05	14.23	14.13	0
			256QAM	1	1	14.09	14.31	14.15	0
		CP	QPSK	1	1	14.12	14.26	14.17	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.16	14.29	13.03	0
				1	26	14.16	14.28	13.96	0
				1	49	14.05	14.21	13.72	0
				25	0	14.15	14.27	14.09	0
				25	13	14.17	14.28	14.02	0
				25	26	14.12	14.25	13.87	0
				50	0	14.18	14.28	14.02	0
			QPSK	1	1	14.16	14.24	14.19	0
				1	26	14.19	14.25	14.04	0
				1	49	14.09	14.17	13.76	0
				25	0	14.17	14.28	14.11	0
				25	13	14.17	14.28	14.05	0
				25	26	14.12	14.24	13.89	0
				50	0	14.16	14.28	14.06	0
			16QAM	1	1	14.12	14.28	14.22	0
			64QAM	1	1	14.12	14.22	14.17	0
			256QAM	1	1	14.16	14.24	14.17	0
		CP	QPSK	1	1	14.16	14.28	14.19	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.23	13.87	14.16	0
				1	26	14.22	13.89	14.07	0
				1	49	14.13	13.80	13.73	0
				25	0	14.24	13.88	14.10	0
				25	13	14.23	13.88	14.01	0
				25	26	14.15	13.86	13.85	0
				50	0	14.24	13.91	14.02	0
			QPSK	1	1	14.23	13.89	14.08	0
				1	26	14.23	13.95	13.98	0
				1	49	14.16	13.83	13.68	0
				25	0	14.24	13.88	14.07	0
				25	13	14.23	13.91	14.00	0
				25	26	14.14	13.85	13.86	0
				50	0	14.25	13.91	14.00	0
			16QAM	1	1	14.11	13.94	14.08	0
			64QAM	1	1	14.22	13.82	14.15	0
			256QAM	1	1	14.17	14.20	14.09	0
		CP	QPSK	1	1	14.28	14.26	14.12	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.05	14.23	14.33	0
				1	39	14.02	14.34	14.31	0
				1	76	13.97	14.18	13.91	0
				36	0	14.03	14.25	14.29	0
				36	21	14.00	14.26	14.22	0
				36	42	13.94	14.21	14.07	0
				75	0	14.01	14.27	14.24	0
			QPSK	1	1	14.06	14.18	14.30	0
				1	39	14.03	14.28	14.27	0
				1	76	13.98	14.17	13.85	0
				36	0	14.05	14.26	14.30	0
				36	21	13.99	14.28	14.23	0
				36	42	13.92	14.20	14.07	0
				75	0	13.97	14.29	14.23	0
			16QAM	1	1	13.88	14.18	14.26	0
			64QAM	1	1	14.05	14.16	14.35	0
			256QAM	1	1	13.99	14.16	14.32	0
		CP	QPSK	1	1	14.07	14.20	13.90	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.19		13.78	0
				1	53	14.06		14.16	0
				1	104	14.28		13.78	0
				50	0	14.20		14.16	0
				50	28	14.06		14.17	0
				50	56	14.07		14.04	0
				100	0	14.07		14.19	0
			QPSK	1	1	14.22		14.18	0
				1	53	14.13		14.20	0
				1	104	14.32		13.75	0
				50	0	14.23		14.14	0
				50	28	14.07		14.18	0
				50	56	14.07		14.05	0
				100	0	14.08		14.19	0
			16QAM	1	1	14.37		14.38	0
			64QAM	1	1	14.25		14.25	0
			256QAM	1	1	14.08		14.37	0
		CP	QPSK	1	1	14.32		14.26	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07		13.93	0
				1	67	13.91		14.00	0
				1	131	14.25		13.73	0
				64	0	14.06		14.06	0
				64	35	13.93		14.05	0
				64	69	14.11		13.97	0
				128	0	13.97		14.04	0
			QPSK	1	1	14.13		14.24	0
				1	67	13.96		14.05	0
				1	131	14.28		13.73	0
				64	0	14.07		14.06	0
				64	35	13.94		14.03	0
				64	69	14.10		13.97	0
				128	0	13.96		14.06	0
			16QAM	1	1	13.90		14.12	0
			64QAM	1	1	14.13		14.15	0
			256QAM	1	1	14.28		13.88	0
		CP	QPSK	1	1	14.13		14.24	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.12		0
				1	81		14.35		0
				1	160		14.22		0
				81	0		14.20		0
				81	41		14.29		0
				81	81		14.20		0
				162	0		14.28		0
			QPSK	1	1		14.19		0
				1	81		14.29		0
				1	160		14.25		0
				81	0		14.20		0
				81	41		14.30		0
				81	81		14.18		0
				162	0		14.31		0
			16QAM	1	1		14.24		0
			64QAM	1	1		14.02		0
			256QAM	1	1		14.33		0
		CP	QPSK	1	1		14.14		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0
				1	95		14.24		0
				1	187		14.25		0
				1	187		14.28		0
				90	0		14.13		0
				90	50		14.30		0
				90	99		14.18		0
				180	0		14.31		0
			QPSK	1	1		14.23		0
				1	95		14.30		0
				1	187		14.25		0
				90	0		14.15		0
				90	50		14.30		0
				90	99		14.20		0
				180	0		14.31		0
			16QAM	1	1		14.27		0
			64QAM	1	1		14.25		0
			256QAM	1	1		14.16		0
		CP	QPSK	1	1		14.29		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz		0
				1	109		14.15		0
				1	215		14.29		0
				108	0		14.15		0
				108	55		14.12		0
				108	109		14.29		0
				108	109		14.19		0
				216	0		14.33		0
			QPSK	1	1		14.15		0
				1	109		14.30		0
				1	215		14.16		0
				108	0		14.11		0
				108	55		14.30		0
				108	109		14.17		0
				216	0		14.32		0
			16QAM	1	1		14.04		0
			64QAM	1	1		14.17		0
			256QAM	1	1		14.09		0
		CP	QPSK	1	1		14.11		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.02		0
				1	123		13.92		0
				1	243		13.61		0
				120	0		13.73		0
				120	63		13.89		0
				120	125		13.81		0
				243	0		13.94		0
			QPSK	1	1		13.71		0
				1	123		13.87		0
				1	243		13.58		0
				120	0		13.75		0
				120	63		13.91		0
				120	125		13.84		0
				243	0		13.94		0
			16QAM	1	1		13.63		0
			64QAM	1	1		13.70		0
			256QAM	1	1		14.17		0
		CP	QPSK	1	1		14.10		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		14.27		0
				1	137		14.29		0
				1	271		13.88		0
				135	0		14.15		0
				135	69		14.30		0
				135	138		14.23		0
				270	0		14.35		0
			QPSK	1	1		14.29		0
				1	137		14.35		0
				1	271		13.88		0
				135	0		14.15		0
				135	69		14.34		0
				135	138		14.25		0
				270	0		14.34		0
			16QAM	1	1		14.24		0
			64QAM	1	1		14.28		0
			256QAM	1	1		14.28		0
		CP	QPSK	1	1		14.37		0