

Appendix I. – P_{max} Conducted Power

LTE FDD Band 2 Conducted Power _ Measured P_{max} SUB2 [Ant F]

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power _ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	22.94	23.05	23.15	0	0
		1	3	22.99	22.92	23.08	0	0
		1	5	22.99	22.95	23.03	0	0
		3	0	23.00	22.88	23.00	0	0
		3	1	22.85	22.81	22.84	0	0
		3	3	22.92	22.89	22.98	0	0
		6	0	21.97	22.00	21.97	0-1	1
	16QAM	1	0	22.29	22.27	22.38	0-1	1
		1	3	22.10	22.14	22.32	0-1	1
		1	5	22.34	22.38	22.36	0-1	1
		3	0	22.10	22.02	22.20	0-1	1
		3	1	22.05	22.04	22.26	0-1	1
		3	3	22.07	21.99	22.07	0-1	1
		6	0	20.96	20.99	21.00	0-2	2
	64QAM	1	0	21.21	21.23	21.26	0-2	2
		1	3	21.04	20.97	21.16	0-2	2
		1	5	21.27	21.23	21.33	0-2	2
		3	0	21.04	21.10	21.11	0-2	2
		3	1	21.01	21.04	21.07	0-2	2
		3	3	21.04	21.00	21.07	0-2	2
		6	0	20.07	19.99	20.09	0-3	3
	256QAM	1	0	18.19	18.22	18.23	0-5	5
		1	3	18.16	18.21	18.25	0-5	5
		1	5	18.21	18.14	18.26	0-5	5
		3	0	18.13	18.15	18.24	0-5	5
		3	1	18.04	18.14	18.17	0-5	5
		3	3	18.10	18.14	18.17	0-5	5
		6	0	17.98	18.08	18.24	0-5	5

LTE FDD Band 2_ 3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	22.99	23.05	22.94	0	0
		1	7	23.16	23.08	22.80	0	0
		1	14	22.94	23.07	22.99	0	0
		8	0	21.99	22.05	22.03	0-1	1
		8	3	21.95	22.00	21.98	0-1	1
		8	7	21.97	21.99	22.04	0-1	1
		15	0	22.03	22.15	22.09	0-1	1
	16QAM	1	0	22.32	22.33	22.29	0-1	1
		1	7	22.55	22.56	22.47	0-1	1
		1	14	22.29	22.26	22.52	0-1	1
		8	0	21.03	21.11	21.10	0-2	2
		8	3	21.11	21.11	21.09	0-2	2
		8	7	21.05	21.10	21.14	0-2	2
		15	0	21.00	21.08	21.10	0-2	2
	64QAM	1	0	21.20	21.29	21.35	0-2	2
		1	7	21.37	21.32	21.35	0-2	2
		1	14	21.22	21.33	21.42	0-2	2
		8	0	20.04	20.12	20.09	0-3	3
		8	3	20.10	20.15	20.17	0-3	3
		8	7	20.05	20.11	20.14	0-3	3
		15	0	20.05	20.13	20.12	0-3	3
	256QAM	1	0	18.22	18.19	18.39	0-5	5
		1	7	18.39	18.18	18.54	0-5	5
		1	14	18.22	18.27	18.34	0-5	5
		8	0	18.13	18.20	18.26	0-5	5
		8	3	18.10	18.18	18.18	0-5	5
		8	7	18.13	18.16	18.26	0-5	5
		15	0	18.07	18.23	18.22	0-5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.08	23.01	23.00	0	0
		1	12	23.07	22.70	23.13	0	0
		1	24	22.95	22.96	23.14	0	0
		12	0	22.03	22.01	22.00	0-1	1
		12	6	22.00	22.04	22.00	0-1	1
		12	11	21.96	22.07	22.07	0-1	1
		25	0	21.89	22.09	21.98	0-1	1
	16QAM	1	0	22.31	22.32	22.36	0-1	1
		1	12	22.35	22.41	22.47	0-1	1
		1	24	22.25	22.30	22.47	0-1	1
		12	0	21.12	21.14	21.09	0-2	2
		12	6	21.07	21.17	21.12	0-2	2
		12	11	21.03	21.14	21.17	0-2	2
		25	0	20.96	21.08	21.03	0-2	2
	64QAM	1	0	21.19	21.25	21.35	0-2	2
		1	12	21.23	21.35	21.33	0-2	2
		1	24	21.18	21.31	21.41	0-2	2
		12	0	20.05	20.09	20.07	0-3	3
		12	6	20.04	20.05	20.09	0-3	3
		12	11	20.00	20.13	20.11	0-3	3
		25	0	20.00	20.13	20.10	0-3	3
	256QAM	1	0	18.17	18.24	18.30	0-5	5
		1	12	18.47	18.50	18.48	0-5	5
		1	24	18.18	18.31	18.39	0-5	5
		12	0	18.07	18.13	18.16	0-5	5
		12	6	18.10	18.19	18.18	0-5	5
		12	11	18.02	18.14	18.16	0-5	5
		25	0	18.05	18.21	18.14	0-5	5

LTE FDD Band 2 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.08	23.12	23.09	0	0
		1	24	22.88	22.99	22.96	0	0
		1	49	23.12	23.11	23.14	0	0
		25	0	21.91	21.92	21.91	0-1	1
		25	12	21.91	22.03	21.98	0-1	1
		25	24	21.90	22.03	21.95	0-1	1
		50	0	21.98	22.12	21.98	0-1	1
	16QAM	1	0	22.24	22.33	22.39	0-1	1
		1	24	22.21	22.21	22.16	0-1	1
		1	49	22.21	22.30	22.37	0-1	1
		25	0	20.94	21.01	21.01	0-2	2
		25	12	20.93	21.05	20.97	0-2	2
		25	24	20.98	21.06	21.02	0-2	2
		50	0	20.99	21.13	21.07	0-2	2
	64QAM	1	0	21.11	21.20	21.26	0-2	2
		1	24	20.67	20.68	20.72	0-2	2
		1	49	21.22	21.16	21.31	0-2	2
		25	0	19.98	19.97	20.04	0-3	3
		25	12	19.95	20.04	20.07	0-3	3
		25	24	20.00	20.11	20.03	0-3	3
		50	0	20.04	20.12	20.11	0-3	3
	256QAM	1	0	18.24	18.24	18.41	0-5	5
		1	24	18.38	18.56	18.53	0-5	5
		1	49	18.37	18.29	18.35	0-5	5
		25	0	18.09	18.16	18.17	0-5	5
		25	12	18.11	18.21	18.17	0-5	5
		25	24	18.09	18.21	18.19	0-5	5
		50	0	18.09	18.20	18.15	0-5	5

LTE FDD Band 2_ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.04	22.87	23.02	0	0
		1	36	23.08	23.10	23.09	0	0
		1	74	23.04	23.12	23.10	0	0
		36	0	21.92	22.03	22.01	0-1	1
		36	18	21.98	22.04	22.02	0-1	1
		36	39	22.01	22.09	22.06	0-1	1
		75	0	21.98	22.03	21.91	0-1	1
	16QAM	1	0	22.28	22.23	22.17	0-1	1
		1	36	22.34	22.34	22.39	0-1	1
		1	74	22.33	22.30	22.38	0-1	1
		36	0	20.95	21.04	21.10	0-2	2
		36	18	21.02	21.07	20.95	0-2	2
		36	39	21.05	21.03	21.05	0-2	2
		75	0	21.03	21.10	20.97	0-2	2
	64QAM	1	0	21.25	21.19	21.20	0-2	2
		1	36	21.36	21.17	20.74	0-2	2
		1	74	21.23	21.21	21.30	0-2	2
		36	0	19.97	20.11	20.09	0-3	3
		36	18	20.03	20.09	20.08	0-3	3
		36	39	20.12	20.15	20.12	0-3	3
		75	0	20.04	20.06	20.01	0-3	3
	256QAM	1	0	18.21	18.28	18.32	0-5	5
		1	36	18.47	18.01	18.12	0-5	5
		1	74	18.38	18.19	18.39	0-5	5
		36	0	18.08	18.15	18.26	0-5	5
		36	18	18.12	18.18	18.20	0-5	5
		36	39	18.24	18.17	18.24	0-5	5
		75	0	18.15	18.23	18.20	0-5	5

LTE FDD Band 2_ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.08	23.02	23.05	0	0
		1	49	22.94	22.97	22.94	0	0
		1	99	23.02	22.93	22.91	0	0
		50	0	21.95	21.96	21.86	0-1	1
		50	25	22.01	22.03	22.00	0-1	1
		50	49	22.00	22.01	21.98	0-1	1
		100	0	22.05	22.09	22.05	0-1	1
	16QAM	1	0	22.25	22.36	22.25	0-1	1
		1	49	22.32	22.12	22.32	0-1	1
		1	99	22.27	22.27	22.43	0-1	1
		50	0	20.97	21.02	20.98	0-2	2
		50	25	21.09	21.04	20.94	0-2	2
		50	49	21.05	21.03	21.08	0-2	2
		100	0	21.12	21.14	21.12	0-2	2
	64QAM	1	0	21.23	21.19	21.13	0-2	2
		1	49	20.80	20.63	20.67	0-2	2
		1	99	21.26	21.26	21.33	0-2	2
		50	0	20.02	20.08	20.03	0-3	3
		50	25	20.08	20.11	20.05	0-3	3
		50	49	20.09	20.04	20.03	0-3	3
		100	0	20.12	20.11	20.09	0-3	3
	256QAM	1	0	18.15	18.43	18.25	0-5	5
		1	49	18.57	18.52	18.62	0-5	5
		1	99	18.35	18.12	18.32	0-5	5
		50	0	18.10	18.25	18.12	0-5	5
		50	25	18.22	18.18	18.25	0-5	5
		50	49	18.18	18.14	18.14	0-5	5
		100	0	18.28	18.18	18.22	0-5	5

LTE FDD Band 4 Conducted Power _ Measured P_{max_SUB2} [Ant F]

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	24.17	23.94	23.38	0	0
		1	3	23.98	23.78	23.08	0	0
		1	5	24.01	23.78	23.14	0	0
		3	0	24.12	23.84	23.04	0	0
		3	1	23.93	23.64	22.96	0	0
		3	3	23.88	23.64	23.02	0	0
		6	0	23.18	22.86	22.04	0-1	1
	16QAM	1	0	23.58	23.12	22.50	0-1	1
		1	3	23.24	23.01	22.37	0-1	1
		1	5	23.31	23.10	22.46	0-1	1
		3	0	23.28	22.91	22.20	0-1	1
		3	1	23.20	22.86	22.23	0-1	1
		3	3	23.09	22.83	22.17	0-1	1
		6	0	22.24	21.74	21.06	0-2	2
	64QAM	1	0	22.35	22.01	21.47	0-2	2
		1	3	22.29	21.87	21.24	0-2	2
		1	5	22.26	22.09	21.35	0-2	2
		3	0	22.27	21.86	21.19	0-2	2
		3	1	22.29	21.85	21.18	0-2	2
		3	3	22.17	21.82	21.21	0-2	2
		6	0	21.33	20.83	20.17	0-3	3
	256QAM	1	0	19.23	18.99	18.51	0-5	5
		1	3	19.38	18.94	18.45	0-5	5
		1	5	19.44	19.04	18.56	0-5	5
		3	0	19.40	19.00	18.44	0-5	5
		3	1	19.45	18.98	18.43	0-5	5
		3	3	19.22	18.96	18.39	0-5	5
		6	0	19.26	18.89	18.39	0-5	5

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	24.15	23.77	23.49	0	0
		1	7	24.21	23.97	23.50	0	0
		1	14	24.17	23.76	23.41	0	0
		8	0	23.14	22.82	22.51	0-1	1
		8	3	23.11	22.79	22.39	0-1	1
		8	7	23.09	22.82	22.33	0-1	1
		15	0	23.17	22.87	22.39	0-1	1
	16QAM	1	0	23.30	23.02	22.88	0-1	1
		1	7	23.46	23.26	23.00	0-1	1
		1	14	23.42	23.17	22.83	0-1	1
		8	0	22.27	21.88	21.59	0-2	2
		8	3	22.30	21.97	21.61	0-2	2
		8	7	22.24	21.92	21.48	0-2	2
		15	0	22.27	21.86	21.42	0-2	2
	64QAM	1	0	22.36	22.09	21.69	0-2	2
		1	7	22.39	22.20	21.97	0-2	2
		1	14	22.18	22.20	21.71	0-2	2
		8	0	21.39	20.97	20.60	0-3	3
		8	3	21.03	20.94	20.66	0-3	3
		8	7	21.33	20.98	20.55	0-3	3
		15	0	21.37	20.88	20.52	0-3	3
	256QAM	1	0	19.43	19.25	18.87	0-5	5
		1	7	19.39	19.29	19.01	0-5	5
		1	14	19.32	19.08	18.76	0-5	5
		8	0	19.27	19.13	18.83	0-5	5
		8	3	19.44	19.00	18.71	0-5	5
		8	7	19.61	18.99	18.71	0-5	5
		15	0	19.42	19.02	18.68	0-5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	24.13	24.02	23.49	0	0
		1	12	23.95	24.01	23.62	0	0
		1	24	24.11	23.68	23.45	0	0
		12	0	23.16	22.83	22.51	0-1	1
		12	6	23.22	22.82	22.54	0-1	1
		12	11	23.23	22.84	22.44	0-1	1
		25	0	23.15	22.77	22.40	0-1	1
	16QAM	1	0	23.31	23.27	22.85	0-1	1
		1	12	23.42	23.22	22.92	0-1	1
		1	24	23.28	23.00	22.80	0-1	1
		12	0	22.32	21.95	21.60	0-2	2
		12	6	22.25	21.95	21.66	0-2	2
		12	11	22.31	21.94	21.56	0-2	2
		25	0	22.23	21.84	21.49	0-2	2
	64QAM	1	0	22.53	22.17	21.69	0-2	2
		1	12	22.36	22.21	21.90	0-2	2
		1	24	22.27	21.98	21.71	0-2	2
		12	0	21.24	21.03	20.68	0-3	3
		12	6	21.19	20.96	20.68	0-3	3
		12	11	21.28	20.98	20.60	0-3	3
		25	0	21.29	20.95	20.49	0-3	3
	256QAM	1	0	19.42	19.23	18.84	0-5	5
		1	12	19.17	19.23	19.17	0-5	5
		1	24	19.44	19.18	18.81	0-5	5
		12	0	19.40	19.05	18.71	0-5	5
		12	6	19.31	19.04	18.78	0-5	5
		12	11	19.35	19.01	18.71	0-5	5
		25	0	19.39	19.02	18.72	0-5	5

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	24.00	23.95	23.31	0	0
		1	24	24.13	23.83	23.09	0	0
		1	49	24.08	23.68	23.22	0	0
		25	0	23.18	22.89	22.14	0-1	1
		25	12	23.17	22.77	22.09	0-1	1
		25	24	23.09	22.71	22.22	0-1	1
		50	0	23.21	22.84	22.20	0-1	1
	16QAM	1	0	23.42	23.10	22.50	0-1	1
		1	24	23.28	23.14	22.36	0-1	1
		1	49	23.33	23.04	22.52	0-1	1
		25	0	22.20	21.94	21.26	0-2	2
		25	12	22.21	21.84	21.28	0-2	2
		25	24	22.16	21.80	21.27	0-2	2
		50	0	22.20	21.93	21.30	0-2	2
	64QAM	1	0	22.43	22.04	21.56	0-2	2
		1	24	22.16	21.51	20.79	0-2	2
		1	49	22.32	21.91	21.62	0-2	2
		25	0	21.26	20.98	20.35	0-3	3
		25	12	21.21	20.84	20.28	0-3	3
		25	24	21.17	20.79	20.35	0-3	3
		50	0	21.31	20.91	20.30	0-3	3
	256QAM	1	0	19.43	19.25	18.75	0-5	5
		1	24	19.64	19.29	18.85	0-5	5
		1	49	19.34	19.01	18.67	0-5	5
		25	0	19.44	19.13	18.57	0-5	5
		25	12	19.38	19.10	18.42	0-5	5
		25	24	19.27	19.03	18.52	0-5	5
		50	0	19.37	19.06	18.48	0-5	5

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	23.93	24.23	23.55	0	0
		1	36	23.79	24.01	23.46	0	0
		1	74	23.96	23.61	23.21	0	0
		36	0	23.19	22.90	22.32	0-1	1
		36	18	23.09	22.85	22.30	0-1	1
		36	39	23.17	22.67	22.27	0-1	1
		75	0	23.19	22.78	22.33	0-1	1
	16QAM	1	0	23.31	23.42	22.75	0-1	1
		1	36	23.24	23.24	22.76	0-1	1
		1	74	23.19	22.82	22.39	0-1	1
		36	0	22.21	21.99	21.45	0-2	2
		36	18	22.18	21.93	21.39	0-2	2
		36	39	22.17	21.78	21.31	0-2	2
		75	0	21.93	21.93	21.44	0-2	2
	64QAM	1	0	22.39	22.31	21.79	0-2	2
		1	36	22.19	22.15	21.63	0-2	2
		1	74	22.05	21.79	21.46	0-2	2
		36	0	21.31	21.13	20.58	0-3	3
		36	18	21.21	21.03	20.51	0-3	3
		36	39	21.22	20.90	20.41	0-3	3
		75	0	21.18	21.04	20.54	0-3	3
	256QAM	1	0	19.43	19.28	18.87	0-5	5
		1	36	19.57	19.27	18.78	0-5	5
		1	74	19.47	18.91	18.61	0-5	5
		36	0	19.21	19.15	18.67	0-5	5
		36	18	19.39	19.11	18.64	0-5	5
		36	39	19.33	19.00	18.87	0-5	5
		75	0	19.32	19.08	18.47	0-5	5

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20050 1720 MHz	20175 ch. 1732.5 MHz	20300ch. 1732.5 MHz		
20 MHz	QPSK	1	0	23.91	24.09	23.71	0	0
		1	49	24.19	23.85	23.29	0	0
		1	99	23.91	23.50	23.20	0	0
		50	0	23.20	22.96	22.45	0-1	1
		50	25	23.18	22.81	22.23	0-1	1
		50	49	23.08	22.63	22.25	0-1	1
		100	0	23.22	22.83	22.38	0-1	1
	16QAM	1	0	23.28	23.26	22.94	0-1	1
		1	49	23.28	23.01	22.56	0-1	1
		1	99	23.30	22.76	22.55	0-1	1
		50	0	22.19	21.96	21.54	0-2	2
		50	25	22.27	21.89	21.42	0-2	2
		50	49	22.12	21.72	21.35	0-2	2
		100	0	22.23	21.93	21.55	0-2	2
	64QAM	1	0	22.35	22.29	21.86	0-2	2
		1	49	22.10	21.43	21.06	0-2	2
		1	99	22.15	21.85	21.48	0-2	2
		50	0	21.20	21.08	20.62	0-3	3
		50	25	21.32	20.97	20.53	0-3	3
		50	49	21.12	20.84	20.44	0-3	3
		100	0	21.25	21.05	20.62	0-3	3
	256QAM	1	0	19.52	19.39	18.88	0-5	5
		1	49	19.63	19.29	19.02	0-5	5
		1	99	19.23	18.92	18.66	0-5	5
		50	0	19.29	19.18	18.73	0-5	5
		50	25	19.39	19.05	18.67	0-5	5
		50	49	19.23	18.90	18.53	0-5	5
		100	0	19.41	19.10	18.67	0-5	5

LTE FDD Band 5 Conducted Power _ Measured P_{max_SUB1} [Ant E]

LTE FDD Band 5 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	24.38	24.55	24.37	0	0
		1	3	24.38	24.27	24.17	0	0
		1	5	24.36	24.30	24.13	0	0
		3	0	24.41	24.32	24.14	0 - 1	0
		3	1	24.28	24.23	24.08	0 - 1	0
		3	3	24.26	24.22	24.07	0 - 1	0
		6	0	23.41	23.38	23.24	0 - 1	1
	16QAM	1	0	23.78	23.65	23.70	0 - 1	1
		1	3	23.61	23.60	23.49	0 - 1	1
		1	5	23.76	23.80	23.65	0 - 1	1
		3	0	23.46	23.47	23.30	0 - 2	1
		3	1	23.40	23.45	23.34	0 - 2	1
		3	3	23.36	23.38	23.30	0 - 2	1
		6	0	22.54	22.44	22.29	0 - 2	2
	64QAM	1	0	22.46	22.61	22.38	0 - 2	2
		1	3	22.31	22.52	22.39	0 - 2	2
		1	5	22.38	22.58	22.53	0 - 2	2
		3	0	22.41	22.42	22.21	0 - 3	2
		3	1	22.44	22.43	22.24	0 - 3	2
		3	3	22.51	22.41	22.27	0 - 3	2
		6	0	21.51	21.43	21.25	0 - 3	3
	256QAM	1	0	19.63	19.58	19.46	0 - 5	5
		1	3	19.73	19.53	19.44	0 - 5	5
		1	5	19.73	19.58	19.50	0 - 5	5
		3	0	19.63	19.57	19.45	0 - 5	5
		3	1	19.57	19.47	19.38	0 - 5	5
		3	3	19.56	19.51	19.38	0 - 5	5
		6	0	19.51	19.44	19.34	0 - 5	5

LTE FDD Band 5_3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	24.52	24.41	24.21	0	0
		1	7	24.19	24.30	24.26	0	0
		1	14	24.47	24.33	24.24	0	0
		8	0	23.53	23.45	23.33	0 - 1	1
		8	3	23.47	23.39	23.26	0 - 1	1
		8	7	23.54	23.44	23.29	0 - 1	1
		15	0	23.61	23.59	23.38	0 - 1	1
	16QAM	1	0	23.95	23.84	23.66	0 - 1	1
		1	7	23.93	23.84	23.66	0 - 1	1
		1	14	23.94	23.88	23.60	0 - 1	1
		8	0	22.50	22.48	22.36	0 - 2	2
		8	3	22.57	22.54	22.37	0 - 2	2
		8	7	22.54	22.42	22.35	0 - 2	2
		15	0	22.62	22.53	22.46	0 - 2	2
	64QAM	1	0	22.77	22.63	22.49	0 - 2	2
		1	7	22.61	22.58	22.45	0 - 2	2
		1	14	22.80	22.63	22.56	0 - 2	2
		8	0	21.58	21.49	21.33	0 - 3	3
		8	3	21.55	21.49	21.41	0 - 3	3
		8	7	21.58	21.46	21.41	0 - 3	3
		15	0	21.59	21.57	21.40	0 - 3	3
	256QAM	1	0	19.73	19.63	19.64	0 - 5	5
		1	7	19.70	19.64	19.44	0 - 5	5
		1	14	19.62	19.64	19.49	0 - 5	5
		8	0	19.59	19.55	19.27	0 - 5	5
		8	3	19.54	19.48	19.43	0 - 5	5
		8	7	19.59	19.49	19.38	0 - 5	5
		15	0	19.57	19.55	19.36	0 - 5	5

LTE FDD Band 5_5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	24.55	24.46	24.26	0	0
		1	12	24.28	24.37	24.18	0	0
		1	24	24.48	24.41	24.27	0	0
		12	0	23.56	23.40	23.31	0 - 1	1
		12	6	23.56	23.44	23.35	0 - 1	1
		12	11	23.55	23.42	23.30	0 - 1	1
		25	0	23.52	23.43	23.28	0 - 1	1
	16QAM	1	0	24.03	23.65	23.62	0 - 1	1
		1	12	23.93	23.87	23.59	0 - 1	1
		1	24	23.74	23.83	23.69	0 - 1	1
		12	0	22.54	22.52	22.31	0 - 2	2
		12	6	22.60	22.49	22.34	0 - 2	2
		12	11	22.55	22.48	22.39	0 - 2	2
		25	0	22.49	22.43	22.33	0 - 2	2
	64QAM	1	0	22.81	22.52	22.60	0 - 2	2
		1	12	22.57	22.44	22.36	0 - 2	2
		1	24	22.71	22.71	22.50	0 - 2	2
		12	0	21.57	21.48	21.33	0 - 3	3
		12	6	21.52	21.46	21.53	0 - 3	3
		12	11	21.57	21.52	21.42	0 - 3	3
		25	0	21.57	21.46	21.31	0 - 3	3
	256QAM	1	0	19.72	19.64	19.47	0 - 5	5
		1	12	19.73	19.61	19.58	0 - 5	5
		1	24	19.73	19.60	19.55	0 - 5	5
		12	0	19.53	19.54	19.34	0 - 5	5
		12	6	19.54	19.47	19.38	0 - 5	5
		12	11	19.51	19.46	19.38	0 - 5	5
		25	0	19.57	19.51	19.39	0 - 5	5

LTE FDD Band 5_ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				20525 Ch. 836.5 MHz		
10 MHz	QPSK	1	0	24.56	0	0
		1	24	24.57	0	0
		1	49	24.35	0	0
		25	0	23.48	0 - 1	1
		25	12	23.46	0 - 1	1
		25	24	23.41	0 - 1	1
		50	0	23.45	0 - 1	1
	16QAM	1	0	23.73	0 - 1	1
		1	24	23.83	0 - 1	1
		1	49	23.80	0 - 1	1
		25	0	22.47	0 - 2	2
		25	12	22.45	0 - 2	2
		25	24	22.43	0 - 2	2
		50	0	22.51	0 - 2	2
	64QAM	1	0	22.68	0 - 2	2
		1	24	22.53	0 - 2	2
		1	49	22.55	0 - 2	2
		25	0	21.52	0 - 3	3
		25	12	21.49	0 - 3	3
		25	24	21.49	0 - 3	3
		50	0	21.51	0 - 3	3
	256QAM	1	0	19.78	0 - 5	5
		1	24	19.57	0 - 5	5
		1	49	19.61	0 - 5	5
		25	0	19.40	0 - 5	5
		25	12	19.52	0 - 5	5
		25	24	19.48	0 - 5	5
		50	0	19.53	0 - 5	5

LTE FDD Band 7 Conducted Power_ Measured P_{max} SUB2 [Ant F]

LTE FDD Band 7 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20775 Ch. 2502.5 MHz	21100 Ch. 2535 MHz	21425 Ch. 2567.5 MHz		
5 MHz	QPSK	1	0	22.56	22.63	22.86	0	0
		1	12	22.73	22.83	23.15	0	0
		1	24	22.54	22.63	22.87	0	0
		12	0	21.55	21.57	21.80	0-1	1
		12	6	21.54	21.56	21.86	0-1	1
		12	11	21.55	21.58	21.86	0-1	1
		25	0	21.56	21.53	21.73	0-1	1
	16QAM	1	0	21.72	21.98	22.24	0-1	1
		1	12	21.73	22.35	22.24	0-1	1
		1	24	21.86	22.01	22.21	0-1	1
		12	0	20.54	20.76	20.97	0-2	2
		12	6	20.51	20.70	20.92	0-2	2
		12	11	20.58	20.72	20.95	0-2	2
		25	0	20.56	20.65	20.86	0-2	2
	64QAM	1	0	20.90	21.00	21.18	0-2	2
		1	12	20.91	21.11	21.37	0-2	2
		1	24	20.89	21.00	21.05	0-2	2
		12	0	19.73	19.75	19.89	0-3	3
		12	6	19.77	19.78	19.94	0-3	3
		12	11	19.70	19.80	19.96	0-3	3
		25	0	19.86	19.76	19.95	0-3	3
	256QAM	1	0	17.64	18.03	18.21	0-5	5
		1	12	17.62	18.22	18.34	0-5	5
		1	24	17.66	18.16	18.14	0-5	5
		12	0	17.52	17.89	18.03	0-5	5
		12	6	17.58	17.93	18.04	0-5	5
		12	11	17.58	17.91	17.96	0-5	5
		25	0	17.55	17.91	18.00	0-5	5

LTE FDD Band 7 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20800 Ch. 2505 MHz	21100 Ch. 2535 MHz	21400 Ch. 2565 MHz		
10 MHz	QPSK	1	0	22.57	22.69	22.92	0	0
		1	24	22.52	22.56	22.62	0	0
		1	49	22.60	22.64	22.89	0	0
		25	0	21.54	21.52	21.71	0-1	1
		25	12	21.59	21.54	21.73	0-1	1
		25	24	21.58	21.53	21.75	0-1	1
		50	0	21.53	21.59	21.82	0-1	1
	16QAM	1	0	21.68	21.96	22.14	0-1	1
		1	24	21.67	21.81	22.05	0-1	1
		1	49	21.87	21.98	22.17	0-1	1
		25	0	20.50	20.65	20.82	0-2	2
		25	12	20.50	20.64	20.88	0-2	2
		25	24	20.56	20.64	20.81	0-2	2
		50	0	20.52	20.70	20.89	0-2	2
	64QAM	1	0	20.69	20.88	21.05	0-2	2
		1	24	20.56	20.52	20.55	0-2	2
		1	49	20.85	20.96	21.08	0-2	2
		25	0	19.51	19.75	19.90	0-3	3
		25	12	19.59	19.74	19.95	0-3	3
		25	24	19.66	19.81	19.95	0-3	3
		50	0	19.59	19.84	19.96	0-3	3
	256QAM	1	0	17.70	17.99	18.16	0-5	5
		1	24	17.88	18.29	18.50	0-5	5
		1	49	17.84	18.07	18.07	0-5	5
		25	0	17.58	17.98	18.02	0-5	5
		25	12	17.60	17.98	17.98	0-5	5
		25	24	17.69	17.95	18.00	0-5	5
		50	0	17.56	17.96	17.98	0-5	5

LTE FDD Band 7 _ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20825 Ch. 2507.5 MHz	21100 Ch. 2535 MHz	21375 Ch. 2562.5 MHz		
15 MHz	QPSK	1	0	22.54	22.63	22.80	0	0
		1	36	22.61	22.65	22.84	0	0
		1	74	22.53	22.59	22.70	0	0
		36	0	21.51	21.63	21.82	0-1	1
		36	18	21.54	21.61	21.73	0-1	1
		36	39	21.61	21.59	21.74	0-1	1
		75	0	21.58	21.65	21.74	0-1	1
	16QAM	1	0	21.80	21.83	22.19	0-1	1
		1	36	21.58	21.68	22.04	0-1	1
		1	74	21.93	21.90	22.08	0-1	1
		36	0	20.54	20.66	20.93	0-2	2
		36	18	20.59	20.69	20.88	0-2	2
		36	39	20.68	20.71	20.89	0-2	2
		75	0	20.58	20.73	20.87	0-2	2
	64QAM	1	0	20.68	20.84	21.08	0-2	2
		1	36	20.98	21.13	21.16	0-2	2
		1	74	20.98	20.95	21.11	0-2	2
		36	0	19.54	19.76	19.99	0-3	3
		36	18	19.65	19.80	19.93	0-3	3
		36	39	19.77	19.82	19.95	0-3	3
		75	0	19.65	19.84	19.89	0-3	3
	256QAM	1	0	17.76	17.96	18.17	0-5	5
		1	36	18.00	17.94	18.31	0-5	5
		1	74	18.01	18.15	18.16	0-5	5
		36	0	17.62	17.91	17.83	0-5	5
		36	18	17.67	18.00	17.96	0-5	5
		36	39	17.79	18.01	17.99	0-5	5
		75	0	17.73	17.96	17.93	0-5	5

LTE FDD Band 7 _ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20850 Ch. 2510 MHz	21100 Ch. 2535 MHz	21350 Ch. 2560 MHz		
20 MHz	QPSK	1	0	22.63	22.50	22.81	0	0
		1	49	22.51	22.50	22.64	0	0
		1	99	22.67	22.53	22.83	0	0
		50	0	21.54	21.60	21.85	0-1	1
		50	25	21.58	21.59	21.87	0-1	1
		50	49	21.61	21.59	21.80	0-1	1
		100	0	21.62	21.59	21.87	0-1	1
	16QAM	1	0	21.88	21.93	22.12	0-1	1
		1	49	21.67	21.72	22.10	0-1	1
		1	99	21.85	22.06	22.16	0-1	1
		50	0	20.56	20.70	20.92	0-2	2
		50	25	20.67	20.66	20.95	0-2	2
		50	49	20.62	20.69	20.89	0-2	2
		100	0	20.70	20.71	20.95	0-2	2
	64QAM	1	0	20.72	20.89	21.09	0-2	2
		1	49	20.55	20.53	20.54	0-2	2
		1	99	20.87	21.05	21.11	0-2	2
		50	0	19.74	19.79	19.57	0-3	3
		50	25	19.78	19.83	20.05	0-3	3
		50	49	19.82	19.91	20.02	0-3	3
		100	0	19.74	19.84	20.02	0-3	3
	256QAM	1	0	17.71	17.89	18.12	0-5	5
		1	49	18.14	18.09	18.29	0-5	5
		1	99	17.80	18.21	18.09	0-5	5
		50	0	17.70	17.89	17.98	0-5	5
		50	25	17.80	17.88	18.01	0-5	5
		50	49	17.79	17.96	17.98	0-5	5
		100	0	17.73	17.97	18.03	0-5	5

LTE FDD Band 12 Conducted Power _ Measured P_{max_SUB1} [Ant E]

LTE FDD Band 12 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23017 Ch. 699.7 MHz	23095 Ch. 707.5 MHz	23173 Ch. 715.3 MHz		
1.4 MHz	QPSK	1	0	24.07	24.28	24.35	0	0
		1	3	24.09	24.25	24.26	0	0
		1	5	24.17	24.25	24.27	0	0
		3	0	24.13	24.21	24.27	0 - 1	0
		3	1	24.05	24.12	24.17	0 - 1	0
		3	3	24.05	24.14	24.17	0 - 1	0
	16QAM	6	0	23.23	23.22	23.28	0 - 1	1
		1	0	23.41	23.74	23.58	0 - 1	1
		1	3	23.32	23.48	23.53	0 - 1	1
		1	5	23.43	23.66	23.66	0 - 1	1
		3	0	23.18	23.29	23.36	0 - 2	1
		3	1	23.15	23.38	23.33	0 - 2	1
	64QAM	3	3	23.13	23.28	23.38	0 - 2	1
		6	0	22.23	22.29	22.42	0 - 2	2
		1	0	22.39	22.61	22.57	0 - 2	2
		1	3	22.27	22.48	22.48	0 - 2	2
		1	5	22.36	22.62	22.63	0 - 2	2
		3	0	22.16	22.37	22.40	0 - 3	2
	256QAM	3	1	22.11	22.37	22.33	0 - 3	2
		3	3	22.24	22.43	22.32	0 - 3	2
		6	0	21.22	21.35	21.34	0 - 3	3
		1	0	19.15	19.39	19.42	0 - 5	5
		1	3	19.15	19.37	19.36	0 - 5	5
		1	5	19.29	19.46	19.45	0 - 5	5
		3	0	19.24	19.40	19.45	0 - 5	5
		3	1	19.12	19.39	19.34	0 - 5	5
		3	3	19.16	19.41	19.31	0 - 5	5
		6	0	19.11	19.31	19.30	0 - 5	5

LTE FDD Band 12_3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23025 Ch. 700.5 MHz	23095 Ch. 707.5 MHz	23165 Ch. 714.5 MHz		
3 MHz	QPSK	1	0	24.27	24.48	24.53	0	0
		1	7	23.91	24.27	24.27	0	0
		1	14	24.19	24.32	24.30	0	0
		8	0	23.22	23.31	23.40	0 - 1	1
		8	3	23.15	23.30	23.30	0 - 1	1
		8	7	23.19	23.37	23.37	0 - 1	1
		15	0	23.38	23.38	23.52	0 - 1	1
	16QAM	1	0	23.38	23.74	23.67	0 - 1	1
		1	7	23.59	23.72	23.78	0 - 1	1
		1	14	23.49	23.61	23.57	0 - 1	1
		8	0	22.23	22.39	22.44	0 - 2	2
		8	3	22.34	22.50	22.53	0 - 2	2
		8	7	22.23	22.45	22.45	0 - 2	2
		15	0	22.35	22.42	22.45	0 - 2	2
	64QAM	1	0	22.50	22.66	22.71	0 - 2	2
		1	7	22.27	22.48	22.49	0 - 2	2
		1	14	22.53	22.68	22.59	0 - 2	2
		8	0	21.25	21.37	21.47	0 - 3	3
		8	3	21.27	21.38	21.46	0 - 3	3
		8	7	21.22	21.41	21.39	0 - 3	3
		15	0	21.36	21.43	21.52	0 - 3	3
	256QAM	1	0	19.27	19.52	19.48	0 - 5	5
		1	7	19.23	19.46	19.43	0 - 5	5
		1	14	19.34	19.49	19.49	0 - 5	5
		8	0	19.19	19.42	19.44	0 - 5	5
		8	3	19.17	19.33	19.36	0 - 5	5
		8	7	19.23	19.39	19.38	0 - 5	5
		15	0	19.29	19.39	19.43	0 - 5	5

LTE FDD Band 12_5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23035 Ch. 701.5 MHz	23095 Ch. 707.5 MHz	23155 Ch. 713.5 MHz		
5 MHz	QPSK	1	0	24.19	24.36	24.40	0	0
		1	12	23.95	24.29	24.29	0	0
		1	24	24.38	24.35	24.33	0	0
		12	0	23.20	23.31	23.31	0 - 1	1
		12	6	23.19	23.32	23.35	0 - 1	1
		12	11	23.23	23.32	23.36	0 - 1	1
		25	0	23.24	23.29	23.28	0 - 1	1
	16QAM	1	0	23.46	23.63	23.57	0 - 1	1
		1	12	23.48	23.62	23.71	0 - 1	1
		1	24	23.51	23.65	23.69	0 - 1	1
		12	0	22.24	22.39	22.46	0 - 2	2
		12	6	22.34	22.47	22.47	0 - 2	2
		12	11	22.36	22.46	22.49	0 - 2	2
		25	0	22.24	22.34	22.37	0 - 2	2
	64QAM	1	0	22.48	22.66	22.74	0 - 2	2
		1	12	22.27	22.36	22.44	0 - 2	2
		1	24	22.62	22.71	22.64	0 - 2	2
		12	0	21.23	21.36	21.36	0 - 3	3
		12	6	21.19	21.35	21.39	0 - 3	3
		12	11	21.26	21.35	21.35	0 - 3	3
		25	0	21.23	21.34	21.35	0 - 3	3
	256QAM	1	0	19.26	19.48	19.53	0 - 5	5
		1	12	19.30	19.42	19.56	0 - 5	5
		1	24	19.40	19.54	19.46	0 - 5	5
		12	0	19.15	19.33	19.33	0 - 5	5
		12	6	19.20	19.38	19.42	0 - 5	5
		12	11	19.15	19.34	19.32	0 - 5	5
		25	0	19.25	19.34	19.41	0 - 5	5

LTE FDD Band 12 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23095 Ch. 707.5 MHz		
10 MHz	QPSK	1	0	24.39	0	0
		1	24	24.52	0	0
		1	49	24.38	0	0
		25	0	23.34	0 - 1	1
		25	12	23.32	0 - 1	1
		25	24	23.31	0 - 1	1
		50	0	23.32	0 - 1	1
	16QAM	1	0	23.56	0 - 1	1
		1	24	23.69	0 - 1	1
		1	49	23.51	0 - 1	1
		25	0	22.35	0 - 2	2
		25	12	22.34	0 - 2	2
		25	24	22.36	0 - 2	2
		50	0	22.44	0 - 2	2
	64QAM	1	0	22.51	0 - 2	2
		1	24	22.64	0 - 2	2
		1	49	22.61	0 - 2	2
		25	0	21.34	0 - 3	3
		25	12	21.37	0 - 3	3
		25	24	21.38	0 - 3	3
		50	0	21.40	0 - 3	3
	256QAM	1	0	19.49	0 - 5	5
		1	24	19.41	0 - 5	5
		1	49	19.50	0 - 5	5
		25	0	19.37	0 - 5	5
		25	12	19.37	0 - 5	5
		25	24	19.41	0 - 5	5
		50	0	19.39	0 - 5	5

LTE FDD Band 13 Conducted Power _ Measured P_{max_SUB1} [Ant E]

LTE FDD Band 13 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23035 Ch. 779.5 MHz	23230 Ch. 782 MHz	23255 Ch. 784.5 MHz		
5 MHz	QPSK	1	0	24.10	24.01	24.22	0	0
		1	12	23.95	23.98	24.17	0	0
		1	24	24.06	24.19	24.18	0	0
		12	0	22.94	22.95	23.09	0 - 1	1
		12	6	22.91	22.98	23.11	0 - 1	1
		12	11	22.97	23.04	23.17	0 - 1	1
		25	0	23.08	23.07	23.15	0 - 1	1
	16QAM	1	0	23.06	23.22	23.42	0 - 1	1
		1	12	23.08	23.35	23.42	0 - 1	1
		1	24	23.27	23.42	23.31	0 - 1	1
		12	0	21.80	21.87	22.10	0 - 2	2
		12	6	21.81	22.02	22.13	0 - 2	2
		12	11	21.85	22.09	22.15	0 - 2	2
		25	0	21.90	22.04	22.13	0 - 2	2
	64QAM	1	0	22.12	21.99	22.22	0 - 2	2
		1	12	21.79	22.07	22.14	0 - 2	2
		1	24	22.14	22.29	22.26	0 - 2	2
		12	0	20.67	20.68	20.92	0 - 3	3
		12	6	20.70	20.83	20.99	0 - 3	3
		12	11	20.66	20.89	20.98	0 - 3	3
		25	0	20.86	20.97	21.06	0 - 3	3
	256QAM	1	0	18.81	18.79	19.02	0 - 5	5
		1	12	18.87	18.96	19.12	0 - 5	5
		1	24	18.91	19.10	19.11	0 - 5	5
		12	0	18.58	18.64	18.88	0 - 5	5
		12	6	18.67	18.83	18.95	0 - 5	5
		12	11	18.62	18.81	18.90	0 - 5	5
		25	0	18.83	18.96	19.03	0 - 5	5

LTE FDD Band 13_ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23230 Ch. 782 MHz		
10 MHz	QPSK	1	0	23.99	0	0
		1	24	24.08	0	0
		1	49	24.22	0	0
		25	0	23.06	0 - 1	1
		25	12	23.10	0 - 1	1
		25	24	23.14	0 - 1	1
		50	0	23.11	0 - 1	1
	16QAM	1	0	23.10	0 - 1	1
		1	24	23.27	0 - 1	1
		1	49	23.27	0 - 1	1
		25	0	21.93	0 - 2	2
		25	12	22.05	0 - 2	2
		25	24	22.09	0 - 2	2
		50	0	22.02	0 - 2	2
	64QAM	1	0	21.98	0 - 2	2
		1	24	22.02	0 - 2	2
		1	49	22.17	0 - 2	2
		25	0	20.88	0 - 3	3
		25	12	20.99	0 - 3	3
		25	24	21.06	0 - 3	3
		50	0	20.91	0 - 3	3
	256QAM	1	0	18.89	0 - 5	5
		1	24	18.82	0 - 5	5
		1	49	19.05	0 - 5	5
		25	0	18.88	0 - 5	5
		25	12	18.99	0 - 5	5
		25	24	19.03	0 - 5	5
		50	0	18.87	0 - 5	5

LTE FDD Band 14 Conducted Power _ Measured P_{max_SUB1} [Ant E]

LTE FDD Band 14 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23305 Ch. 790.5 MHz	23330 Ch. 793 MHz	23355 Ch. 795.5 MHz		
5 MHz	QPSK	1	0	24.48	24.36	24.41	0	0
		1	12	24.06	24.23	24.27	0	0
		1	24	24.32	24.29	24.25	0	0
		12	0	23.36	23.27	23.36	0 - 1	1
		12	6	23.31	23.27	23.30	0 - 1	1
		12	11	23.31	23.27	23.28	0 - 1	1
		25	0	23.35	23.29	23.35	0 - 1	1
	16QAM	1	0	23.60	23.70	23.71	0 - 1	1
		1	12	23.70	23.60	23.60	0 - 1	1
		1	24	23.56	23.52	23.38	0 - 1	1
		12	0	22.36	22.34	22.40	0 - 2	2
		12	6	22.43	22.40	22.32	0 - 2	2
		12	11	22.36	22.36	22.23	0 - 2	2
		25	0	22.34	22.35	22.34	0 - 2	2
	64QAM	1	0	22.60	22.67	22.62	0 - 2	2
		1	12	22.40	22.44	22.34	0 - 2	2
		1	24	22.50	22.48	22.33	0 - 2	2
		12	0	21.17	21.12	21.20	0 - 3	3
		12	6	21.18	21.16	21.11	0 - 3	3
		12	11	21.12	21.18	21.02	0 - 3	3
		25	0	21.27	21.26	21.20	0 - 3	3
	256QAM	1	0	19.27	19.23	19.21	0 - 5	5
		1	12	19.14	19.20	19.12	0 - 5	5
		1	24	19.18	19.10	19.06	0 - 5	5
		12	0	19.02	18.96	19.02	0 - 5	5
		12	6	19.05	19.03	18.95	0 - 5	5
		12	11	18.95	18.95	18.87	0 - 5	5
		25	0	19.15	19.14	19.15	0 - 5	5

LTE FDD Band 14 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23330 Ch. 793 MHz		
10 MHz	QPSK	1	0	24.51	0	0
		1	24	24.38	0	0
		1	49	24.29	0	0
		25	0	23.38	0 - 1	1
		25	12	23.32	0 - 1	1
		25	24	23.29	0 - 1	1
		50	0	23.36	0 - 1	1
	16QAM	1	0	23.57	0 - 1	1
		1	24	23.69	0 - 1	1
		1	49	23.39	0 - 1	1
		25	0	22.39	0 - 2	2
		25	12	22.32	0 - 2	2
		25	24	22.27	0 - 2	2
		50	0	22.30	0 - 2	2
	64QAM	1	0	22.53	0 - 2	2
		1	24	22.46	0 - 2	2
		1	49	22.32	0 - 2	2
		25	0	21.30	0 - 3	3
		25	12	21.25	0 - 3	3
		25	24	21.22	0 - 3	3
		50	0	21.26	0 - 3	3
	256QAM	1	0	19.26	0 - 5	5
		1	24	19.10	0 - 5	5
		1	49	18.99	0 - 5	5
		25	0	19.21	0 - 5	5
		25	12	19.22	0 - 5	5
		25	24	19.10	0 - 5	5
		50	0	19.07	0 - 5	5

LTE FDD Band 25 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

LTE FDD Band 25 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	22.95	23.01	23.00	0	0
		1	3	22.95	22.97	22.96	0	0
		1	5	22.98	22.92	22.97	0	0
		3	0	22.98	23.04	22.99	0	0
		3	1	22.85	22.87	22.86	0	0
		3	3	22.89	22.87	22.88	0	0
		6	0	22.01	22.05	21.98	0-1	1
	16QAM	1	0	22.34	22.25	22.37	0-1	1
		1	3	22.13	22.20	22.20	0-1	1
		1	5	22.38	22.33	22.39	0-1	1
		3	0	22.10	22.13	22.17	0-1	1
		3	1	22.12	22.05	22.12	0-1	1
		3	3	22.05	21.97	21.98	0-1	1
		6	0	20.93	20.99	20.98	0-2	2
	64QAM	1	0	21.20	21.28	21.29	0-2	2
		1	3	21.05	20.99	21.15	0-2	2
		1	5	21.30	21.20	21.22	0-2	2
		3	0	21.10	21.12	21.14	0-2	2
		3	1	21.04	21.00	21.02	0-2	2
		3	3	20.95	20.95	20.99	0-2	2
		6	0	19.98	20.15	20.00	0-3	3
	256QAM	1	0	18.14	18.28	18.23	0-5	5
		1	3	18.13	18.27	18.17	0-5	5
		1	5	18.27	18.27	18.27	0-5	5
		3	0	18.17	18.30	18.25	0-5	5
		3	1	18.11	18.23	18.20	0-5	5
		3	3	18.12	18.21	18.23	0-5	5
		6	0	18.05	18.20	18.10	0-5	5

LTE FDD Band 25 _ 3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	23.05	23.13	23.00	0	0
		1	7	23.24	23.16	23.10	0	0
		1	14	22.89	22.95	23.03	0	0
		8	0	22.04	22.05	22.00	0-1	1
		8	3	21.98	22.00	21.94	0-1	1
		8	7	21.96	21.94	21.94	0-1	1
		15	0	22.01	22.13	22.08	0-1	1
	16QAM	1	0	22.33	22.44	22.33	0-1	1
		1	7	22.48	22.50	22.57	0-1	1
		1	14	22.31	22.30	22.25	0-1	1
		8	0	21.04	21.06	21.06	0-2	2
		8	3	21.09	21.19	21.14	0-2	2
		8	7	20.99	21.00	21.03	0-2	2
		15	0	21.00	21.11	21.02	0-2	2
	64QAM	1	0	21.24	21.33	21.23	0-2	2
		1	7	21.33	21.41	21.41	0-2	2
		1	14	21.27	21.24	21.31	0-2	2
		8	0	20.02	20.10	20.11	0-3	3
		8	3	20.13	20.15	20.11	0-3	3
		8	7	20.02	20.06	20.04	0-3	3
		15	0	20.08	20.07	20.04	0-3	3
	256QAM	1	0	18.22	18.31	18.28	0-5	5
		1	7	18.50	18.48	17.96	0-5	5
		1	14	18.24	18.16	18.24	0-5	5
		8	0	18.15	18.25	18.25	0-5	5
		8	3	18.16	18.17	18.23	0-5	5
		8	7	18.15	18.17	18.21	0-5	5
		15	0	18.11	18.20	18.03	0-5	5

LTE FDD Band 25 _ 5 Mhz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 Mhz	26365 Ch. 1882.5 Mhz	26665 Ch. 1912.5 Mhz		
5 Mhz	QPSK	1	0	23.01	23.04	23.05	0	0
		1	12	23.11	23.12	23.18	0	0
		1	24	22.98	22.96	23.00	0	0
		12	0	22.00	22.05	22.04	0-1	1
		12	6	21.99	22.02	22.03	0-1	1
		12	11	21.93	21.98	22.02	0-1	1
		25	0	21.97	22.00	21.94	0-1	1
	16QAM	1	0	22.23	22.39	22.44	0-1	1
		1	12	22.34	22.42	22.45	0-1	1
		1	24	22.26	22.19	22.32	0-1	1
		12	0	21.10	21.10	21.15	0-2	2
		12	6	21.05	21.15	21.14	0-2	2
		12	11	21.04	21.08	21.16	0-2	2
		25	0	21.03	21.06	20.98	0-2	2
	64QAM	1	0	21.20	21.28	21.33	0-2	2
		1	12	21.33	21.38	21.38	0-2	2
		1	24	21.16	21.32	21.23	0-2	2
		12	0	20.05	20.09	20.14	0-3	3
		12	6	20.01	20.10	20.13	0-3	3
		12	11	19.98	20.05	20.10	0-3	3
		25	0	19.96	20.03	19.99	0-3	3
	256QAM	1	0	18.10	18.23	18.37	0-5	5
		1	12	18.48	18.48	18.56	0-5	5
		1	24	18.11	18.25	18.32	0-5	5
		12	0	18.08	18.14	18.21	0-5	5
		12	6	18.13	18.21	18.23	0-5	5
		12	11	18.06	18.13	18.22	0-5	5
		25	0	18.10	18.18	18.23	0-5	5

LTE FDD Band 25 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	23.05	23.05	23.05	0	0
		1	24	22.79	22.97	23.06	0	0
		1	49	23.06	23.06	23.05	0	0
		25	0	21.93	22.02	21.99	0-1	1
		25	12	21.87	22.01	22.00	0-1	1
		25	24	21.88	22.00	21.98	0-1	1
		50	0	21.95	22.02	22.08	0-1	1
	16QAM	1	0	22.26	22.23	22.16	0-1	1
		1	24	22.08	22.30	22.27	0-1	1
		1	49	22.36	22.26	22.22	0-1	1
		25	0	20.95	21.03	21.00	0-2	2
		25	12	20.92	21.07	21.09	0-2	2
		25	24	20.93	21.00	21.07	0-2	2
		50	0	21.00	21.07	21.12	0-2	2
	64QAM	1	0	21.16	21.11	21.09	0-2	2
		1	24	20.64	20.66	20.70	0-2	2
		1	49	21.18	21.24	21.20	0-2	2
		25	0	19.95	20.06	20.05	0-3	3
		25	12	19.93	20.06	20.12	0-3	3
		25	24	20.01	20.03	20.07	0-3	3
		50	0	19.96	20.10	20.18	0-3	3
	256QAM	1	0	18.21	18.32	18.29	0-5	5
		1	24	18.47	18.54	18.66	0-5	5
		1	49	18.31	18.30	18.31	0-5	5
		25	0	18.11	18.21	18.21	0-5	5
		25	12	18.11	18.15	18.26	0-5	5
		25	24	18.15	18.14	18.28	0-5	5
		50	0	18.12	18.18	18.28	0-5	5

LTE FDD Band 25 _ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	23.04	22.92	22.91	0	0
		1	36	23.12	22.71	22.63	0	0
		1	74	23.01	23.08	23.08	0	0
		36	0	21.89	22.05	22.03	0-1	1
		36	18	21.97	22.00	22.00	0-1	1
		36	39	21.98	22.01	22.13	0-1	1
		75	0	21.96	22.02	22.11	0-1	1
	16QAM	1	0	22.28	22.20	22.42	0-1	1
		1	36	22.34	21.94	21.99	0-1	1
		1	74	22.17	22.32	22.38	0-1	1
		36	0	20.89	21.03	21.06	0-2	2
		36	18	21.00	21.06	21.00	0-2	2
		36	39	21.04	21.00	21.04	0-2	2
		75	0	21.01	21.06	20.97	0-2	2
	64QAM	1	0	21.23	21.16	21.23	0-2	2
		1	36	21.30	21.33	21.31	0-2	2
		1	74	21.22	21.21	21.16	0-2	2
		36	0	20.00	20.07	20.11	0-3	3
		36	18	20.00	20.09	20.11	0-3	3
		36	39	20.05	20.13	20.19	0-3	3
		75	0	20.05	20.03	20.06	0-3	3
	256QAM	1	0	18.19	18.32	18.31	0-5	5
		1	36	18.45	18.12	18.54	0-5	5
		1	74	18.34	18.25	18.35	0-5	5
		36	0	18.07	18.15	18.25	0-5	5
		36	18	18.13	18.21	18.25	0-5	5
		36	39	18.21	18.20	18.29	0-5	5
		75	0	18.16	17.99	18.21	0-5	5

LTE FDD Band 25 _ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	23.09	23.00	22.95	0	0
		1	49	22.90	22.97	22.90	0	0
		1	99	23.01	22.90	23.08	0	0
		50	0	21.94	21.94	22.00	0-1	1
		50	25	22.01	22.01	21.99	0-1	1
		50	49	21.92	22.01	22.05	0-1	1
		100	0	22.03	22.04	22.02	0-1	1
	16QAM	1	0	22.16	22.17	22.31	0-1	1
		1	49	22.26	22.18	22.10	0-1	1
		1	99	22.21	22.38	22.39	0-1	1
		50	0	21.01	21.01	20.99	0-2	2
		50	25	21.07	21.08	20.93	0-2	2
		50	49	21.02	21.01	21.02	0-2	2
		100	0	21.11	21.09	20.99	0-2	2
	64QAM	1	0	21.13	21.23	21.21	0-2	2
		1	49	20.67	20.72	20.65	0-2	2
		1	99	21.18	21.15	21.25	0-2	2
		50	0	19.97	19.99	20.01	0-3	3
		50	25	20.07	20.05	20.02	0-3	3
		50	49	20.02	20.06	20.10	0-3	3
		100	0	20.11	20.12	20.12	0-3	3
	256QAM	1	0	18.25	18.39	18.36	0-5	5
		1	49	18.55	18.59	18.54	0-5	5
		1	99	18.37	18.34	18.36	0-5	5
		50	0	18.13	18.15	18.25	0-5	5
		50	25	18.22	18.18	18.17	0-5	5
		50	49	18.23	18.21	18.28	0-5	5
		100	0	18.26	18.23	18.26	0-5	5

LTE FDD Band 26 Conducted Power _ Measured P_{max_SUB1} [Ant E]

LTE FDD Band 26 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	24.73	24.61	24.21	0	0
		1	3	24.51	24.31	24.17	0	0
		1	5	24.56	24.32	24.22	0	0
		3	0	24.58	24.38	24.18	0 - 1	0
		3	1	24.46	24.24	24.01	0 - 1	0
		3	3	24.48	24.25	24.06	0 - 1	0
		6	0	23.66	23.43	23.21	0 - 1	1
	16QAM	1	0	24.09	23.81	23.69	0 - 1	1
		1	3	23.91	23.63	23.53	0 - 1	1
		1	5	23.99	23.73	23.51	0 - 1	1
		3	0	23.64	23.52	23.40	0 - 2	1
		3	1	23.68	23.46	23.38	0 - 2	1
		3	3	23.64	23.41	23.31	0 - 2	1
		6	0	22.69	22.54	22.35	0 - 2	2
	64QAM	1	0	22.89	22.59	22.51	0 - 2	2
		1	3	22.72	22.56	22.40	0 - 2	2
		1	5	22.85	22.51	22.51	0 - 2	2
		3	0	22.68	22.44	22.38	0 - 3	2
		3	1	22.67	22.47	22.44	0 - 3	2
		3	3	22.67	22.41	22.33	0 - 3	2
		6	0	21.65	21.48	21.39	0 - 3	3
	256QAM	1	0	19.83	19.59	19.54	0 - 5	5
		1	3	19.72	19.55	19.43	0 - 5	5
		1	5	19.79	19.61	19.53	0 - 5	5
		3	0	19.79	19.57	19.45	0 - 5	5
		3	1	19.70	19.53	19.36	0 - 5	5
		3	3	19.73	19.50	19.42	0 - 5	5
		6	0	19.68	19.47	19.33	0 - 5	5

LTE FDD Band 26 _ 3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	24.63	24.59	24.22	0	0
		1	7	24.39	24.52	24.24	0	0
		1	14	24.56	24.35	24.23	0	0
		8	0	23.71	23.50	23.38	0 - 1	1
		8	3	23.60	23.40	23.24	0 - 1	1
		8	7	23.64	23.46	23.29	0 - 1	1
		15	0	23.83	23.61	23.30	0 - 1	1
	16QAM	1	0	24.05	23.86	23.63	0 - 1	1
		1	7	24.07	23.91	23.73	0 - 1	1
		1	14	23.91	23.88	23.67	0 - 1	1
		8	0	22.69	22.51	22.42	0 - 2	2
		8	3	22.72	22.53	22.52	0 - 2	2
		8	7	22.67	22.52	22.39	0 - 2	2
		15	0	22.80	22.58	22.50	0 - 2	2
	64QAM	1	0	22.89	22.67	22.50	0 - 2	2
		1	7	22.71	22.58	22.37	0 - 2	2
		1	14	22.89	22.68	22.65	0 - 2	2
		8	0	21.75	21.51	21.40	0 - 3	3
		8	3	21.72	21.54	21.42	0 - 3	3
		8	7	21.76	21.56	21.44	0 - 3	3
		15	0	21.81	21.60	21.50	0 - 3	3
	256QAM	1	0	19.95	19.66	19.64	0 - 5	5
		1	7	19.83	19.63	19.48	0 - 5	5
		1	14	19.75	19.57	19.51	0 - 5	5
		8	0	19.78	19.58	19.51	0 - 5	5
		8	3	19.66	19.49	19.49	0 - 5	5
		8	7	19.69	19.51	19.42	0 - 5	5
		15	0	19.78	19.53	19.45	0 - 5	5

LTE FDD Band 26 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	24.70	24.50	24.34	0	0
		1	12	24.33	24.37	24.24	0	0
		1	24	24.57	24.47	24.27	0	0
		12	0	23.66	23.55	23.37	0 - 1	1
		12	6	23.69	23.50	23.36	0 - 1	1
		12	11	23.68	23.49	23.32	0 - 1	1
		25	0	23.65	23.48	23.29	0 - 1	1
	16QAM	1	0	24.10	23.82	23.76	0 - 1	1
		1	12	24.06	23.82	23.72	0 - 1	1
		1	24	23.91	23.74	23.71	0 - 1	1
		12	0	22.71	22.52	22.39	0 - 2	2
		12	6	22.70	22.50	22.42	0 - 2	2
		12	11	22.65	22.53	22.44	0 - 2	2
		25	0	22.68	22.46	22.33	0 - 2	2
	64QAM	1	0	22.90	22.72	22.63	0 - 2	2
		1	12	22.75	22.52	22.47	0 - 2	2
		1	24	22.82	22.70	22.57	0 - 2	2
		12	0	21.65	21.51	21.42	0 - 3	3
		12	6	21.68	21.55	21.39	0 - 3	3
		12	11	21.67	21.48	21.43	0 - 3	3
		25	0	21.70	21.54	21.35	0 - 3	3
	256QAM	1	0	19.86	19.62	19.56	0 - 5	5
		1	12	19.79	19.60	19.57	0 - 5	5
		1	24	19.83	19.67	19.61	0 - 5	5
		12	0	19.68	19.50	19.41	0 - 5	5
		12	6	19.68	19.52	19.48	0 - 5	5
		12	11	19.63	19.46	19.37	0 - 5	5
		25	0	19.68	19.52	19.42	0 - 5	5

LTE FDD Band 26 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26740 Ch. 819 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	24.68	24.59	24.53	0	0
		1	24	24.70	24.37	24.50	0	0
		1	49	24.56	24.30	24.32	0	0
		25	0	23.65	23.53	23.39	0 - 1	1
		25	12	23.65	23.47	23.34	0 - 1	1
		25	24	23.59	23.50	23.31	0 - 1	1
		50	0	23.66	23.49	23.33	0 - 1	1
	16QAM	1	0	23.93	23.84	23.80	0 - 1	1
		1	24	24.08	23.90	23.77	0 - 1	1
		1	49	23.86	23.81	23.63	0 - 1	1
		25	0	22.64	22.50	22.44	0 - 2	2
		25	12	22.64	22.47	22.35	0 - 2	2
		25	24	22.64	22.49	22.40	0 - 2	2
		50	0	22.65	22.53	22.42	0 - 2	2
	64QAM	1	0	22.73	22.68	22.61	0 - 2	2
		1	24	22.72	22.58	22.53	0 - 2	2
		1	49	22.74	22.68	22.59	0 - 2	2
		25	0	21.68	21.50	21.46	0 - 3	3
		25	12	21.66	21.51	21.37	0 - 3	3
		25	24	21.67	21.54	21.37	0 - 3	3
		50	0	21.70	21.56	21.47	0 - 3	3
	256QAM	1	0	19.92	19.81	19.71	0 - 5	5
		1	24	19.75	19.58	19.53	0 - 5	5
		1	49	19.81	19.59	19.62	0 - 5	5
		25	0	19.74	19.62	19.51	0 - 5	5
		25	12	19.71	19.58	19.43	0 - 5	5
		25	24	19.72	19.56	19.44	0 - 5	5
		50	0	19.69	19.54	19.44	0 - 5	5

LTE FDD Band 26 _ 15 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0	24.66	0	0
		1	36	24.20	0	0
		1	74	24.53	0	0
		36	0	23.60	0 - 1	1
		36	18	23.53	0 - 1	1
		36	39	23.55	0 - 1	1
		75	0	23.59	0 - 1	1
	16QAM	1	0	23.94	0 - 1	1
		1	36	23.81	0 - 1	1
		1	74	23.79	0 - 1	1
		36	0	22.57	0 - 2	2
		36	18	22.54	0 - 2	2
		36	39	22.48	0 - 2	2
		75	0	22.53	0 - 2	2
	64QAM	1	0	22.79	0 - 2	2
		1	36	22.49	0 - 2	2
		1	74	22.64	0 - 2	2
		36	0	21.59	0 - 3	3
		36	18	21.55	0 - 3	3
		36	39	21.53	0 - 3	3
		75	0	21.53	0 - 3	3
	256QAM	1	0	19.81	0 - 5	5
		1	36	19.65	0 - 5	5
		1	74	19.71	0 - 5	5
		36	0	19.59	0 - 5	5
		36	18	19.53	0 - 5	5
		36	39	19.53	0 - 5	5
		75	0	19.55	0 - 5	5

LTE FDD Band 30 Conducted Power _ Measured P_{max_SUB2} [Ant F]

LTE FDD Band 30 _ 5 MHz Bandwidth Conducted Power_Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				27685 Ch. 2307.5 MHz	27710 Ch. 2310 MHz	27735 Ch. 2312.5 MHz		
5 MHz	QPSK	1	0	22.80	22.87	22.89	0	0
		1	12	23.05	23.18	23.15	0	0
		1	24	22.81	22.82	22.90	0	0
		12	0	21.80	21.81	21.78	0 - 1	1
		12	6	21.80	21.85	21.83	0 - 1	1
		12	11	21.81	21.81	21.81	0 - 1	1
		25	0	21.79	21.81	21.84	0 - 1	1
	16QAM	1	0	22.15	22.27	22.10	0 - 1	1
		1	12	22.16	22.21	22.09	0 - 1	1
		1	24	22.12	22.04	22.27	0 - 1	1
		12	0	20.85	20.85	20.82	0 - 2	2
		12	6	20.86	20.83	20.84	0 - 2	2
		12	11	20.86	20.84	20.79	0 - 2	2
		25	0	20.79	20.81	20.82	0 - 2	2
	64QAM	1	0	21.08	21.07	21.07	0 - 2	2
		1	12	21.15	21.22	21.13	0 - 2	2
		1	24	20.94	20.94	20.99	0 - 2	2
		12	0	19.84	19.86	19.82	0 - 3	3
		12	6	19.85	19.79	19.80	0 - 3	3
		12	11	19.81	19.76	19.79	0 - 3	3
		25	0	19.79	19.83	19.80	0 - 3	3
	256QAM	1	0	18.07	18.00	17.97	0 - 5	5
		1	12	18.15	18.12	18.12	0 - 5	5
		1	24	18.01	17.99	18.00	0 - 5	5
		12	0	17.85	17.85	17.85	0 - 5	5
		12	6	17.88	17.84	17.83	0 - 5	5
		12	11	17.82	17.80	17.82	0 - 5	5
		25	0	17.84	17.80	17.82	0 - 5	5

LTE FDD Band 30 _ 10 MHz Bandwidth Conducted Power_Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				27710 Ch. 2310 MHz		
10 MHz	QPSK	1	0	22.91	0	0
		1	24	22.64	0	0
		1	49	22.81	0	0
		25	0	21.78	0-1	1
		25	12	21.78	0-1	1
		25	24	21.74	0-1	1
		50	0	21.79	0-1	1
	16QAM	1	0	22.13	0-1	1
		1	24	21.89	0-1	1
		1	49	21.96	0-1	1
		25	0	20.80	0-2	2
		25	12	20.79	0-2	2
		25	24	20.75	0-2	2
		50	0	20.82	0-2	2
	64QAM	1	0	21.03	0-2	2
		1	24	20.25	0-2	2
		1	49	20.93	0-2	2
		25	0	19.84	0-3	3
		25	12	19.81	0-3	3
		25	24	19.78	0-3	3
		50	0	19.81	0-3	3
	256QAM	1	0	18.10	0-5	5
		1	24	18.27	0-5	5
		1	49	17.96	0-5	5
		25	0	17.87	0-5	5
		25	12	17.85	0-5	5
		25	24	17.84	0-5	5
		50	0	17.88	0-5	5

LTE TDD Band 38 Conducted Power (PC 3) Measured P_{max} _ SUB2 [Ant F]

LTE TDD Band 38 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37775 Ch. 2572.5 MHz	38000 Ch. 2595 MHz	38225 Ch. 2617.5 MHz		
5 MHz	QPSK	1	0	21.79	21.77	21.58	0	0
		1	12	21.72	21.29	21.10	0	0
		1	24	21.64	21.69	21.51	0	0
		12	0	20.76	20.79	20.44	0-1	1
		12	6	20.71	20.77	20.41	0-1	1
		12	11	20.73	20.60	20.46	0-1	1
		25	0	20.82	20.67	20.52	0-1	1
	16QAM	1	0	20.83	20.78	20.58	0-1	1
		1	12	20.79	20.94	20.52	0-1	1
		1	24	20.94	20.68	20.66	0-1	1
		12	0	19.80	19.65	19.46	0-2	2
		12	6	19.73	19.67	19.42	0-2	2
		12	11	19.76	19.80	19.48	0-2	2
		25	0	19.94	19.90	19.60	0-2	2
	64QAM	1	0	19.45	19.42	19.23	0-2	2
		1	12	19.65	19.62	19.43	0-2	2
		1	24	19.48	19.41	19.25	0-2	2
		12	0	18.69	18.65	18.46	0-3	3
		12	6	18.69	18.59	18.50	0-3	3
		12	11	18.79	18.77	18.50	0-3	3
		25	0	18.87	18.85	18.54	0-3	3
	256QAM	1	0	16.75	16.71	16.45	0-5	5
		1	12	16.79	16.58	16.47	0-5	5
		1	24	16.71	16.62	16.47	0-5	5
		12	0	16.96	16.92	16.74	0-5	5
		12	6	16.95	16.82	16.66	0-5	5
		12	11	16.90	16.81	16.65	0-5	5
		25	0	16.91	16.79	16.63	0-5	5

LTE TDD Band 38 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37800 Ch. 2575 MHz	38000 Ch. 2595 MHz	38200 Ch. 2615 MHz		
10 MHz	QPSK	1	0	21.82	21.79	21.65	0	0
		1	24	21.95	21.92	21.76	0	0
		1	49	21.69	21.56	21.46	0	0
		25	0	20.91	20.86	20.44	0-1	1
		25	12	20.89	20.83	20.67	0-1	1
		25	24	20.89	20.81	20.66	0-1	1
		50	0	20.86	20.76	20.60	0-1	1
	16QAM	1	0	20.74	20.65	20.71	0-1	1
		1	24	21.01	20.92	20.74	0-1	1
		1	49	20.81	20.69	20.57	0-1	1
		25	0	19.97	19.91	19.69	0-2	2
		25	12	19.82	19.73	19.55	0-2	2
		25	24	19.60	19.88	19.56	0-2	2
		50	0	19.93	19.60	19.65	0-2	2
	64QAM	1	0	19.63	19.55	19.40	0-2	2
		1	24	19.46	19.65	19.48	0-2	2
		1	49	19.56	19.50	19.32	0-2	2
		25	0	18.91	18.86	18.55	0-3	3
		25	12	18.86	18.84	18.64	0-3	3
		25	24	18.87	18.81	18.61	0-3	3
		50	0	18.91	18.85	18.48	0-3	3
	256QAM	1	0	16.78	16.70	16.56	0-5	5
		1	24	16.41	16.82	16.59	0-5	5
		1	49	16.77	16.60	16.45	0-5	5
		25	0	17.04	16.80	16.61	0-5	5
		25	12	16.99	16.76	16.58	0-5	5
		25	24	16.85	16.73	16.56	0-5	5
		50	0	16.87	16.77	16.60	0-5	5

LTE TDD Band 38 _ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37825 Ch. 2577.5 MHz	38000 Ch. 2595 MHz	38175 Ch. 2612.5 MHz		
15 MHz	QPSK	1	0	21.75	21.69	21.58	0	0
		1	36	21.68	21.32	21.18	0	0
		1	74	21.61	21.57	21.49	0	0
		36	0	20.82	20.74	20.60	0-1	1
		36	18	20.79	20.70	20.55	0-1	1
		36	39	20.79	20.67	20.51	0-1	1
		75	0	20.74	20.65	20.51	0-1	1
	16QAM	1	0	20.89	20.81	20.68	0-1	1
		1	36	21.00	20.90	20.73	0-1	1
		1	74	20.72	20.63	20.54	0-1	1
		36	0	19.81	19.73	19.59	0-2	2
		36	18	19.78	19.70	19.54	0-2	2
		36	39	19.77	19.66	19.49	0-2	2
		75	0	19.78	19.69	19.54	0-2	2
	64QAM	1	0	19.59	19.50	19.37	0-2	2
		1	36	19.72	19.57	19.40	0-2	2
		1	74	19.46	19.36	19.26	0-2	2
		36	0	18.90	18.83	18.68	0-3	3
		36	18	18.86	18.80	18.64	0-3	3
		36	39	18.87	18.75	18.59	0-3	3
		75	0	18.81	18.72	18.57	0-3	3
	256QAM	1	0	16.80	16.71	16.58	0-5	5
		1	36	16.76	16.67	16.50	0-5	5
		1	74	16.68	16.58	16.47	0-5	5
		36	0	16.96	16.88	16.74	0-5	5
		36	18	16.93	16.86	16.70	0-5	5
		36	39	16.94	16.82	16.64	0-5	5
		75	0	16.84	16.74	16.60	0-5	5

LTE TDD Band 38 _ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				37850 Ch. 2580 MHz	38000 Ch. 2595 MHz	38150 Ch. 2610 MHz		
20 MHz	QPSK	1	0	21.85	21.84	21.76	0	0
		1	49	21.65	21.56	21.44	0	0
		1	99	21.64	21.54	21.46	0	0
		50	0	20.78	20.71	20.59	0-1	1
		50	25	20.80	20.66	20.53	0-1	1
		50	49	20.70	20.60	20.48	0-1	1
		100	0	20.81	20.68	20.55	0-1	1
	16QAM	1	0	20.88	20.80	20.70	0-1	1
		1	49	21.02	20.93	20.80	0-1	1
		1	99	20.74	20.64	20.57	0-1	1
		50	0	19.82	19.75	19.62	0-2	2
		50	25	19.83	19.69	19.55	0-2	2
		50	49	19.74	19.65	19.51	0-2	2
		100	0	19.87	19.74	19.62	0-2	2
	64QAM	1	0	19.62	19.53	19.43	0-2	2
		1	49	19.37	19.26	19.13	0-2	2
		1	99	19.42	19.32	19.24	0-2	2
		50	0	18.91	18.85	18.72	0-3	3
		50	25	18.93	18.78	18.66	0-3	3
		50	49	18.82	18.73	18.60	0-3	3
		100	0	18.86	18.73	18.59	0-3	3
	256QAM	1	0	16.83	16.74	16.65	0-5	5
		1	49	16.45	16.32	16.16	0-5	5
		1	99	16.65	16.53	16.44	0-5	5
		50	0	16.89	16.81	16.70	0-5	5
		50	25	16.92	16.78	16.65	0-5	5
		50	49	16.82	16.73	16.58	0-5	5
		100	0	16.87	16.73	16.60	0-5	5

LTE TDD Band 41 Conducted Power (PC3)_Measured P_{max} _ SUB2 [Ant F]

LTE TDD Band 41 _ 5 MHz Bandwidth Conducted Power - Power Class 3 _ Upper Antenna

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
5 MHz	QPSK	1	0	22.71	22.94	22.83	22.80	23.28	0	0
		1	12	22.83	22.66	22.53	22.77	22.98	0	0
		1	24	22.79	22.98	22.81	22.77	23.30	0	0
		12	0	21.74	22.00	21.83	21.80	22.32	0-1	1
		12	6	21.72	21.97	21.78	21.80	22.22	0-1	1
		12	11	21.80	21.98	21.95	21.83	22.27	0-1	1
		25	0	21.81	22.07	21.89	21.90	22.34	0-1	1
	16QAM	1	0	21.80	21.99	21.91	21.82	22.27	0-1	1
		1	12	21.89	22.17	22.08	22.04	22.45	0-1	1
		1	24	21.69	21.92	21.84	21.83	22.23	0-1	1
		12	0	20.68	20.94	20.83	20.77	21.21	0-2	2
		12	6	20.73	20.93	20.94	20.78	21.19	0-2	2
		12	11	20.67	20.90	20.80	20.78	21.29	0-2	2
		25	0	20.89	21.08	20.96	20.93	21.37	0-2	2
	64QAM	1	0	20.51	20.67	20.59	20.59	20.97	0-2	2
		1	12	20.60	20.87	20.78	20.73	21.17	0-2	2
		1	24	20.56	20.67	20.69	20.57	20.96	0-2	2
		12	0	19.72	19.97	19.84	19.77	20.29	0-3	3
		12	6	19.69	19.93	19.79	19.91	20.31	0-3	3
		12	11	19.74	19.96	19.86	19.83	20.31	0-3	3
		25	0	19.88	20.08	19.90	19.87	20.36	0-3	3
	256QAM	1	0	17.67	17.91	17.84	17.71	18.16	0-5	5
		1	12	17.59	17.89	17.78	17.79	18.17	0-5	5
		1	24	17.69	17.86	17.81	17.79	18.15	0-5	5
		12	0	17.92	18.15	18.03	17.96	18.39	0-5	5
		12	6	17.94	18.20	18.03	17.99	18.41	0-5	5
		12	11	17.88	18.12	18.09	17.97	18.41	0-5	5
		25	0	17.85	18.10	18.12	17.94	18.38	0-5	5

LTE TDD Band 41_ 10 MHz Bandwidth Conducted Power - Power Class 3_ Upper Antenna

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
10 MHz	QPSK	1	0	22.78	23.02	22.97	22.83	23.30	0	0
		1	24	22.78	22.87	23.13	22.74	23.17	0	0
		1	49	22.78	22.93	22.95	22.87	23.17	0	0
		25	0	21.94	22.09	22.04	21.95	22.36	0-1	1
		25	12	21.82	22.06	22.03	21.96	22.30	0-1	1
		25	24	21.85	22.06	22.02	21.98	22.28	0-1	1
		50	0	21.70	22.21	21.99	21.97	22.36	0-1	1
	16QAM	1	0	21.57	22.03	22.06	21.90	22.13	0-1	1
		1	24	21.91	22.20	22.16	22.11	22.54	0-1	1
		1	49	21.75	22.06	21.93	21.98	22.34	0-1	1
		25	0	20.87	20.90	20.86	20.73	21.37	0-2	2
		25	12	20.87	21.10	21.07	20.99	21.18	0-2	2
		25	24	20.90	21.05	21.07	21.01	21.42	0-2	2
		50	0	20.91	21.12	21.09	21.00	21.40	0-2	2
	64QAM	1	0	20.52	20.76	20.73	20.61	21.01	0-2	2
		1	24	20.51	20.89	20.84	20.79	21.17	0-2	2
		1	49	20.57	20.72	20.65	20.58	21.06	0-2	2
		25	0	19.85	20.08	20.11	19.94	20.36	0-3	3
		25	12	19.78	20.02	19.97	19.96	20.29	0-3	3
		25	24	19.78	20.00	19.93	19.88	20.27	0-3	3
		50	0	19.93	20.13	20.15	20.03	20.42	0-3	3
	256QAM	1	0	17.71	17.95	17.95	17.76	18.19	0-5	5
		1	24	17.84	18.04	17.59	17.92	18.33	0-5	5
		1	49	17.76	17.93	17.83	17.85	18.19	0-5	5
		25	0	17.82	18.08	18.02	18.04	18.35	0-5	5
		25	12	17.84	18.08	17.99	17.92	18.33	0-5	5
		25	24	17.85	18.06	17.97	17.93	18.33	0-5	5
		50	0	17.87	18.12	18.00	17.95	18.37	0-5	5

LTE TDD Band 41_ 15 MHz Bandwidth Conducted Power - Power Class 3_ Upper Antenna

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
15 MHz	QPSK	1	0	22.67	23.02	23.04	22.70	23.28	0	0
		1	36	22.64	22.65	22.59	22.79	22.90	0	0
		1	74	22.76	22.92	22.78	22.84	23.22	0	0
		36	0	21.79	22.04	21.94	21.83	22.28	0-1	1
		36	18	21.79	22.03	21.92	21.88	22.31	0-1	1
		36	39	21.82	22.02	21.87	21.90	22.28	0-1	1
		75	0	21.83	22.05	21.89	21.87	22.30	0-1	1
	16QAM	1	0	21.72	21.97	21.99	21.80	22.24	0-1	1
		1	36	21.92	22.16	22.11	22.04	22.44	0-1	1
		1	74	21.76	21.93	21.82	21.88	22.21	0-1	1
		36	0	20.75	20.99	20.92	20.79	21.23	0-2	2
		36	18	20.77	21.00	20.90	20.84	21.26	0-2	2
		36	39	20.77	20.97	20.86	20.84	21.22	0-2	2
		75	0	20.80	21.03	20.91	20.87	21.30	0-2	2
	64QAM	1	0	20.56	20.70	20.69	20.52	20.95	0-2	2
		1	36	20.65	20.90	20.83	20.74	21.18	0-2	2
		1	74	20.53	20.71	20.57	20.63	20.97	0-2	2
		36	0	19.85	20.07	20.02	19.87	20.34	0-3	3
		36	18	19.86	20.08	19.99	19.91	20.36	0-3	3
		36	39	19.88	20.06	19.96	19.93	20.32	0-3	3
		75	0	19.81	20.05	19.94	19.88	20.32	0-3	3
	256QAM	1	0	17.71	17.91	17.92	17.70	18.16	0-5	5
		1	36	17.75	17.96	17.87	17.81	18.22	0-5	5
		1	74	17.77	17.94	17.81	17.84	18.17	0-5	5
		36	0	17.88	18.12	18.07	17.92	18.37	0-5	5
		36	18	17.90	18.14	18.06	17.96	18.39	0-5	5
		36	39	17.91	18.12	18.02	17.98	18.36	0-5	5
		75	0	17.82	18.08	17.97	17.91	18.34	0-5	5

LTE TDD Band 41_20 MHz Bandwidth Conducted Power - Power Class 3_Upper Antenna

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
20 MHz	QPSK	1	0	22.60	22.93	22.91	22.65	23.29	0	0
		1	49	22.59	22.87	22.78	22.74	23.17	0	0
		1	99	22.78	22.92	22.73	22.93	23.18	0	0
		50	0	21.89	22.08	21.95	21.83	22.29	0-1	1
		50	25	21.87	22.10	21.91	21.89	22.31	0-1	1
		50	49	21.87	22.06	21.86	21.93	22.28	0-1	1
		100	0	21.89	22.10	21.93	21.90	22.33	0-1	1
	16QAM	1	0	21.66	21.94	21.96	21.77	22.22	0-1	1
		1	49	21.90	22.16	22.10	22.03	22.47	0-1	1
		1	99	21.80	21.98	21.82	21.93	22.23	0-1	1
		50	0	20.85	21.05	20.97	20.84	21.30	0-2	2
		50	25	20.84	21.06	20.92	20.89	21.31	0-2	2
		50	49	20.85	21.03	20.88	20.92	21.28	0-2	2
		100	0	20.88	21.08	20.97	20.92	21.36	0-2	2
	64QAM	1	0	20.55	20.71	20.72	20.52	20.97	0-2	2
		1	49	20.53	20.57	20.57	20.52	20.83	0-2	2
		1	99	20.53	20.71	20.52	20.64	20.94	0-2	2
		50	0	19.91	20.11	20.03	19.90	20.36	0-3	3
		50	25	19.90	20.13	20.00	19.96	20.39	0-3	3
		50	49	19.90	20.08	19.95	19.98	20.34	0-3	3
		100	0	19.83	20.05	19.95	19.89	20.32	0-3	3
	256QAM	1	0	17.70	17.93	17.95	17.72	18.17	0-5	5
		1	49	17.51	17.63	17.51	17.54	17.85	0-5	5
		1	99	17.75	17.92	17.74	17.84	18.14	0-5	5
		50	0	17.88	18.11	18.02	17.90	18.34	0-5	5
		50	25	17.87	18.12	17.99	17.94	18.37	0-5	5
		50	49	17.89	18.09	17.95	17.97	18.34	0-5	5
		100	0	17.84	18.07	17.96	17.90	18.33	0-5	5

Note; LTE Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

LTE TDD Band 48 Conducted Power_ Measured P_{max} _SUB2 [Ant F]

LTE TDD Band 48 _ 5 MHz Bandwidth Conducted Power _ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55265 Ch. 3552.5 MHz	55748 Ch. 3600.8 MHz	56232 Ch. 3649.2 MHz	56715 Ch. 3697.5 MHz		
5 MHz	QPSK	1	0	23.12	23.24	23.07	23.25	0	0
		1	12	23.52	23.04	22.81	23.74	0	0
		1	24	23.14	23.32	23.00	23.43	0	0
		12	0	22.23	22.25	22.10	22.39	0-1	1
		12	6	22.22	22.28	22.09	22.44	0-1	1
		12	11	22.22	22.29	22.09	22.44	0-1	1
		25	0	22.27	22.32	22.13	22.45	0-1	1
	16QAM	1	0	22.29	22.29	22.01	22.38	0-1	1
		1	12	22.47	22.22	22.00	22.28	0-1	1
		1	24	22.28	22.33	22.12	22.47	0-1	1
		12	0	21.22	21.20	21.02	21.32	0-2	2
		12	6	21.18	21.21	21.06	21.36	0-2	2
		12	11	21.20	21.23	21.03	21.33	0-2	2
		25	0	21.27	21.39	21.17	21.53	0-2	2
	64QAM	1	0	21.90	20.94	20.76	21.02	0-2	2
		1	12	21.12	20.86	20.73	21.08	0-2	2
		1	24	21.01	21.00	20.79	21.18	0-2	2
		12	0	20.23	20.27	20.07	20.37	0-3	3
		12	6	20.18	20.12	19.93	20.40	0-3	3
		12	11	20.23	20.25	19.96	20.34	0-3	3
		25	0	20.22	20.36	20.16	20.48	0-3	3
	256QAM	1	0	18.10	18.15	17.85	18.13	0-5	5
		1	12	18.22	18.38	18.22	18.66	0-5	5
		1	24	18.06	18.14	17.92	18.30	0-5	5
		12	0	18.30	18.35	18.22	18.48	0-5	5
		12	6	18.21	18.29	18.10	18.51	0-5	5
		12	11	18.28	18.39	18.18	18.56	0-5	5
		25	0	18.17	18.24	18.05	18.54	0-5	5

LTE TDD Band 48 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55290Ch. 3555 MHz	55757 Ch. 3601.7 MHz	56223 Ch. 3648.3 MHz	56690 Ch. 3695 MHz		
10 MHz	QPSK	1	0	23.19	23.07	23.11	23.06	0	0
		1	24	22.87	23.50	23.08	23.06	0	0
		1	49	23.17	23.36	23.13	23.11	0	0
		25	0	22.27	22.33	22.17	22.14	0-1	1
		25	12	22.26	22.35	22.16	22.10	0-1	1
		25	24	22.15	22.39	22.03	22.01	0-1	1
		50	0	22.25	22.34	22.13	22.11	0-1	1
	16QAM	1	0	22.21	22.28	22.13	22.09	0-1	1
		1	24	22.20	22.28	22.08	22.06	0-1	1
		1	49	22.19	22.39	22.14	22.07	0-1	1
		25	0	21.30	21.34	21.05	21.00	0-2	2
		25	12	21.26	21.35	21.17	21.13	0-2	2
		25	24	21.14	21.27	21.05	21.02	0-2	2
		50	0	21.26	21.36	21.17	21.13	0-2	2
	64QAM	1	0	20.95	20.78	20.84	20.82	0-2	2
		1	24	21.03	21.14	20.86	20.86	0-2	2
		1	49	20.75	20.95	20.71	20.65	0-2	2
		25	0	20.25	20.31	20.13	20.10	0-3	3
		25	12	20.25	20.32	20.11	20.09	0-3	3
		25	24	20.08	20.22	19.99	19.98	0-3	3
		50	0	20.29	20.41	20.21	20.19	0-3	3
	256QAM	1	0	18.01	18.07	17.91	17.88	0-5	5
		1	24	18.23	18.31	17.74	17.69	0-5	5
		1	49	17.94	18.14	17.90	17.89	0-5	5
		25	0	18.18	18.23	18.08	18.03	0-5	5
		25	12	18.14	18.23	18.05	18.04	0-5	5
		25	24	18.13	18.26	18.05	18.00	0-5	5
		50	0	18.16	18.25	18.06	18.04	0-5	5

LTE TDD Band 48 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55315 Ch. 3557.5 MHz	55765 Ch. 3602.5 MHz	56215 Ch. 3647.5 MHz	56665 Ch. 3692.5 MHz		
15 MHz	QPSK	1	0	23.04	23.29	23.16	23.11	0	0
		1	36	23.27	22.62	22.40	23.01	0	0
		1	74	23.01	23.30	23.05	23.06	0	0
		36	0	22.13	22.19	22.06	22.10	0-1	1
		36	18	22.11	22.22	22.04	22.11	0-1	1
		36	39	22.10	22.29	22.05	22.02	0-1	1
		75	0	22.09	22.23	22.04	22.08	0-1	1
	16QAM	1	0	22.14	22.20	22.07	22.06	0-1	1
		1	36	22.47	22.58	22.38	22.07	0-1	1
		1	74	22.06	22.30	22.05	22.10	0-1	1
		36	0	21.07	21.13	20.99	21.00	0-2	2
		36	18	21.07	21.17	20.98	21.10	0-2	2
		36	39	21.04	21.24	20.98	20.99	0-2	2
		75	0	21.11	21.24	21.03	21.11	0-2	2
	64QAM	1	0	20.85	20.88	20.74	20.80	0-2	2
		1	36	21.09	21.21	21.01	20.78	0-2	2
		1	74	20.78	21.06	20.77	20.70	0-2	2
		36	0	20.15	20.21	20.07	20.08	0-3	3
		36	18	20.14	20.26	20.06	20.05	0-3	3
		36	39	20.12	20.32	20.05	19.96	0-3	3
		75	0	20.13	20.26	20.06	20.14	0-3	3
	256QAM	1	0	18.01	18.06	17.93	17.89	0-5	5
		1	36	18.33	18.51	18.31	17.70	0-5	5
		1	74	17.97	18.22	17.96	17.83	0-5	5
		36	0	18.18	18.24	18.10	18.01	0-5	5
		36	18	18.18	18.29	18.11	17.99	0-5	5
		36	39	18.15	18.35	18.10	18.04	0-5	5
		75	0	18.14	18.26	18.06	18.03	0-5	5

LTE TDD Band 48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR Allowed Per 3GPP [dB]	MPR [dB]
				55340 Ch. 3560.0 MHz	55773 Ch. 3603.3 MHz	56207 Ch. 3646.7 MHz	56640 Ch. 3690.0 MHz		
20 MHz	QPSK	1	0	23.03	23.16	23.05	23.08	0	0
		1	49	23.25	23.23	23.07	23.04	0	0
		1	99	23.02	23.30	23.05	23.06	0	0
		50	0	22.13	22.19	22.07	22.15	0-1	1
		50	25	22.10	22.24	22.05	22.10	0-1	1
		50	49	22.10	22.31	22.04	22.00	0-1	1
		100	0	22.12	22.25	22.05	22.09	0-1	1
	16QAM	1	0	22.13	22.18	22.06	22.05	0-1	1
		1	49	22.13	22.23	22.03	22.02	0-1	1
		1	99	22.10	22.37	22.11	22.13	0-1	1
		50	0	21.14	21.20	21.06	21.04	0-2	2
		50	25	21.11	21.25	21.05	21.15	0-2	2
		50	49	21.10	21.32	21.04	21.04	0-2	2
		100	0	21.15	21.29	21.08	21.14	0-2	2
	64QAM	1	0	20.86	20.90	20.78	20.79	0-2	2
		1	49	21.09	21.24	21.06	20.85	0-2	2
		1	99	20.78	21.04	20.79	20.64	0-2	2
		50	0	20.23	20.26	20.14	20.12	0-3	3
		50	25	20.19	20.31	20.12	20.09	0-3	3
		50	49	20.18	20.37	20.11	19.94	0-3	3
		100	0	20.14	20.25	20.05	20.17	0-3	3
	256QAM	1	0	18.06	18.08	17.97	17.87	0-5	5
		1	49	17.84	17.98	17.81	17.72	0-5	5
		1	99	17.96	18.21	17.96	17.85	0-5	5
		50	0	18.21	18.25	18.13	18.01	0-5	5
		50	25	18.17	18.28	18.09	18.04	0-5	5
		50	49	18.18	18.38	18.11	18.05	0-5	5
		100	0	18.15	18.27	18.08	18.00	0-5	5

LTE FDD Band 66 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979 Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	24.24	23.31	23.11	0	0
		1	3	24.05	23.26	22.90	0	0
		1	5	24.01	23.33	22.93	0	0
		3	0	24.16	23.32	23.12	0	0
		3	1	23.96	23.35	22.92	0	0
		3	3	23.91	23.48	22.85	0	0
		6	0	23.22	22.03	22.04	0-1	1
	16QAM	1	0	23.56	22.71	22.52	0-1	1
		1	3	23.34	22.72	22.36	0-1	1
		1	5	23.40	22.89	22.28	0-1	1
		3	0	23.34	22.69	22.33	0-1	1
		3	1	23.23	22.44	22.29	0-1	1
		3	3	23.16	22.56	22.08	0-1	1
		6	0	22.17	21.36	21.11	0-2	2
	64QAM	1	0	22.50	21.47	21.32	0-2	2
		1	3	22.29	21.88	21.45	0-2	2
		1	5	22.40	21.49	21.42	0-2	2
		3	0	22.31	21.67	21.25	0-2	2
		3	1	22.28	21.30	21.33	0-2	2
		3	3	22.23	21.38	21.30	0-2	2
		6	0	21.27	20.24	20.15	0-3	3
	256QAM	1	0	18.96	19.04	18.98	0-5	5
		1	3	18.99	19.04	19.03	0-5	5
		1	5	18.97	19.09	19.02	0-5	5
		3	0	18.94	18.98	18.95	0-5	5
		3	1	18.97	18.93	18.93	0-5	5
		3	3	18.94	18.92	18.87	0-5	5
		6	0	18.93	18.85	18.92	0-5	5

LTE FDD Band 66 _3 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	24.15	23.37	23.07	0	0
		1	7	24.07	23.08	22.89	0	0
		1	14	24.16	23.27	22.95	0	0
		8	0	23.16	22.37	22.16	0-1	1
		8	3	23.10	22.30	22.10	0-1	1
		8	7	23.18	22.28	22.14	0-1	1
		15	0	23.20	22.35	22.14	0-1	1
	16QAM	1	0	23.49	22.78	22.51	0-1	1
		1	7	22.94	22.92	22.76	0-1	1
		1	14	23.46	22.66	22.47	0-1	1
		8	0	22.30	21.51	21.04	0-2	2
		8	3	22.18	21.52	21.34	0-2	2
		8	7	22.27	21.35	21.31	0-2	2
		15	0	22.19	21.38	21.16	0-2	2
	64QAM	1	0	22.44	21.72	21.51	0-2	2
		1	7	22.41	21.84	21.61	0-2	2
		1	14	22.32	21.57	21.26	0-2	2
		8	0	21.40	20.57	20.32	0-3	3
		8	3	21.29	20.57	20.23	0-3	3
		8	7	21.23	20.56	20.34	0-3	3
		15	0	21.34	20.37	20.20	0-3	3
	256QAM	1	0	18.95	18.97	18.99	0-5	5
		1	7	18.98	19.02	19.07	0-5	5
		1	14	18.96	19.03	19.01	0-5	5
		8	0	18.91	18.95	18.94	0-5	5
		8	3	18.94	18.94	18.96	0-5	5
		8	7	18.94	18.91	18.89	0-5	5
		15	0	18.94	18.84	18.95	0-5	5

LTE FDD Band 66 _ 5 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	24.21	23.39	23.29	0	0
		1	12	24.35	23.50	23.39	0	0
		1	24	24.16	23.31	23.03	0	0
		12	0	23.16	22.39	22.26	0-1	1
		12	6	23.22	22.36	22.23	0-1	1
		12	11	23.31	22.28	22.20	0-1	1
		25	0	23.12	22.22	22.14	0-1	1
	16QAM	1	0	23.53	22.77	22.53	0-1	1
		1	12	23.37	22.84	22.67	0-1	1
		1	24	23.48	22.73	22.39	0-1	1
		12	0	22.28	21.58	21.39	0-2	2
		12	6	22.25	21.57	21.33	0-2	2
		12	11	22.33	21.51	21.33	0-2	2
		25	0	22.22	21.37	21.23	0-2	2
	64QAM	1	0	22.50	21.62	21.53	0-2	2
		1	12	22.55	21.77	21.51	0-2	2
		1	24	22.34	21.58	21.49	0-2	2
		12	0	21.40	20.57	20.41	0-3	3
		12	6	21.29	20.54	20.44	0-3	3
		12	11	21.32	20.52	20.25	0-3	3
		25	0	21.25	20.39	20.33	0-3	3
	256QAM	1	0	19.00	18.99	18.98	0-5	5
		1	12	19.01	19.01	19.08	0-5	5
		1	24	19.00	19.04	18.97	0-5	5
		12	0	18.94	18.92	18.88	0-5	5
		12	6	18.96	18.91	18.94	0-5	5
		12	11	18.95	18.91	18.93	0-5	5
		25	0	18.93	18.87	18.95	0-5	5

LTE FDD Band 66 _ 10 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	24.10	23.58	23.39	0	0
		1	24	23.96	23.27	23.13	0	0
		1	49	24.26	23.17	23.13	0	0
		25	0	23.15	22.29	22.28	0-1	1
		25	12	23.18	22.07	22.24	0-1	1
		25	24	23.12	22.31	22.18	0-1	1
		50	0	23.19	22.22	22.31	0-1	1
	16QAM	1	0	23.38	22.77	22.47	0-1	1
		1	24	23.25	22.61	22.38	0-1	1
		1	49	23.35	22.50	22.52	0-1	1
		25	0	22.21	21.44	21.37	0-2	2
		25	12	22.19	21.34	21.33	0-2	2
		25	24	22.11	21.32	21.26	0-2	2
		50	0	22.19	21.44	21.43	0-2	2
	64QAM	1	0	22.42	21.65	21.50	0-2	2
		1	24	21.74	21.06	21.01	0-2	2
		1	49	22.36	21.46	21.48	0-2	2
		25	0	21.25	20.43	20.40	0-3	3
		25	12	21.27	20.38	20.41	0-3	3
		25	24	21.11	20.46	20.35	0-3	3
		50	0	21.28	20.51	20.47	0-3	3
	256QAM	1	0	19.01	19.03	18.97	0-5	5
		1	24	18.98	19.05	19.05	0-5	5
		1	49	19.02	19.08	19.03	0-5	5
		25	0	18.92	18.95	18.94	0-5	5
		25	12	18.90	18.90	18.92	0-5	5
		25	24	18.89	18.88	18.85	0-5	5
		50	0	18.94	18.88	18.93	0-5	5

LTE FDD Band 66 _ 15 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.91	23.44	23.39	0	0
		1	36	23.78	23.54	23.55	0	0
		1	74	24.20	23.33	23.22	0	0
		36	0	23.22	22.42	22.37	0-1	1
		36	18	23.08	22.37	22.33	0-1	1
		36	39	23.27	22.28	22.08	0-1	1
		75	0	23.16	22.42	22.40	0-1	1
	16QAM	1	0	23.34	22.70	22.71	0-1	1
		1	36	23.52	22.81	22.68	0-1	1
		1	74	23.19	22.61	22.59	0-1	1
		36	0	22.23	21.54	21.24	0-2	2
		36	18	22.14	21.46	21.42	0-2	2
		36	39	22.17	21.35	21.44	0-2	2
		75	0	22.22	21.49	21.34	0-2	2
	64QAM	1	0	22.40	21.70	21.51	0-2	2
		1	36	22.33	21.70	21.53	0-2	2
		1	74	22.25	21.54	21.51	0-2	2
		36	0	21.26	20.64	20.51	0-3	3
		36	18	21.21	20.58	20.53	0-3	3
		36	39	21.37	20.46	20.30	0-3	3
		75	0	21.09	20.63	20.42	0-3	3
	256QAM	1	0	18.99	19.03	19.02	0-5	5
		1	36	18.98	19.01	19.07	0-5	5
		1	74	18.97	19.01	18.98	0-5	5
		36	0	18.91	18.96	18.95	0-5	5
		36	18	18.94	18.87	18.91	0-5	5
		36	39	18.89	18.86	18.87	0-5	5
		75	0	18.92	18.84	18.92	0-5	5

LTE FDD Band 66 _ 20 MHz Bandwidth Conducted Power_ Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.99	23.71	23.31	0	0
		1	49	24.25	23.26	23.22	0	0
		1	99	23.90	23.22	23.20	0	0
		50	0	23.29	22.36	22.42	0-1	1
		50	25	23.23	22.29	22.37	0-1	1
		50	49	23.07	22.16	22.38	0-1	1
		100	0	23.23	22.28	22.35	0-1	1
	16QAM	1	0	23.36	22.95	22.65	0-1	1
		1	49	23.40	22.55	22.52	0-1	1
		1	99	23.13	22.49	22.55	0-1	1
		50	0	22.19	21.59	21.44	0-2	2
		50	25	22.24	21.44	21.39	0-2	2
		50	49	22.21	21.35	21.38	0-2	2
		100	0	22.20	21.54	21.43	0-2	2
	64QAM	1	0	22.34	21.95	21.43	0-2	2
		1	49	22.49	21.01	20.99	0-2	2
		1	99	22.26	21.46	21.54	0-2	2
		50	0	21.24	20.63	20.48	0-3	3
		50	25	21.34	20.54	20.35	0-3	3
		50	49	21.18	20.41	20.54	0-3	3
		100	0	21.27	20.61	20.53	0-3	3
	256QAM	1	0	18.99	18.98	19.03	0-5	5
		1	49	19.03	19.01	19.01	0-5	5
		1	99	19.03	19.01	19.00	0-5	5
		50	0	18.93	18.94	18.96	0-5	5
		50	25	18.92	18.88	18.90	0-5	5
		50	49	18.94	18.89	18.86	0-5	5
		100	0	18.94	18.86	18.93	0-5	5

LTE FDD Band 71 Conducted Power _ Measured P_{max} SUB1 [Ant E]

LTE FDD Band 71 _ 5 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133147 Ch. 665.5 MHz	133297 Ch. 680.5 MHz	133447 Ch. 695.5 MHz		
5 MHz	QPSK	1	0	24.42	24.14	24.12	0	0
		1	12	24.00	23.91	23.83	0	0
		1	24	24.35	23.97	23.91	0	0
		12	0	23.32	22.95	22.96	0 - 1	1
		12	6	23.31	22.93	22.93	0 - 1	1
		12	11	23.34	22.95	22.94	0 - 1	1
		25	0	23.28	22.94	22.92	0 - 1	1
	16QAM	1	0	23.50	23.31	23.27	0 - 1	1
		1	12	23.62	23.40	23.33	0 - 1	1
		1	24	23.60	23.21	23.23	0 - 1	1
		12	0	22.29	21.97	21.97	0 - 2	2
		12	6	22.35	22.02	21.99	0 - 2	2
		12	11	22.27	21.99	21.89	0 - 2	2
		25	0	22.28	21.92	21.90	0 - 2	2
	64QAM	1	0	22.47	22.28	22.20	0 - 2	2
		1	12	22.31	21.92	22.00	0 - 2	2
		1	24	22.46	22.13	22.05	0 - 2	2
		12	0	21.22	20.94	20.97	0 - 3	3
		12	6	21.23	20.92	20.94	0 - 3	3
		12	11	21.27	20.92	20.92	0 - 3	3
		25	0	21.30	20.97	21.01	0 - 3	3
	256QAM	1	0	19.23	18.92	18.97	0 - 5	5
		1	12	19.19	18.90	18.93	0 - 5	5
		1	24	19.25	18.93	18.92	0 - 5	5
		12	0	19.07	18.73	18.76	0 - 5	5
		12	6	19.10	18.77	18.75	0 - 5	5
		12	11	19.05	18.69	18.71	0 - 5	5
		25	0	19.20	18.87	18.89	0 - 5	5

LTE FDD Band 71 _ 10 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133172 Ch. 668 MHz	133297 Ch. 680.5 MHz	133422 Ch. 693 MHz		
10 MHz	QPSK	1	0	24.36	24.18	24.02	0	0
		1	24	24.38	24.12	24.19	0	0
		1	49	24.18	23.95	23.95	0	0
		25	0	23.29	22.98	22.94	0 - 1	1
		25	12	23.28	22.94	22.92	0 - 1	1
		25	24	23.18	22.91	22.90	0 - 1	1
		50	0	23.31	22.97	22.98	0 - 1	1
	16QAM	1	0	23.48	23.25	23.21	0 - 1	1
		1	24	23.60	23.32	23.30	0 - 1	1
		1	49	23.37	23.10	23.20	0 - 1	1
		25	0	22.25	21.94	21.93	0 - 2	2
		25	12	22.21	21.90	21.92	0 - 2	2
		25	24	22.18	21.90	21.91	0 - 2	2
		50	0	22.28	21.96	21.98	0 - 2	2
	64QAM	1	0	22.31	22.27	22.08	0 - 2	2
		1	24	22.37	22.06	22.06	0 - 2	2
		1	49	22.35	22.05	22.06	0 - 2	2
		25	0	21.27	21.02	20.94	0 - 3	3
		25	12	21.25	20.95	20.97	0 - 3	3
		25	24	21.18	20.95	20.95	0 - 3	3
		50	0	21.30	21.00	21.02	0 - 3	3
	256QAM	1	0	19.22	19.13	18.98	0 - 5	5
		1	24	19.05	18.74	18.83	0 - 5	5
		1	49	19.16	18.87	18.92	0 - 5	5
		25	0	19.19	18.97	18.88	0 - 5	5
		25	12	19.21	18.91	18.94	0 - 5	5
		25	24	19.15	18.90	18.90	0 - 5	5
		50	0	19.13	18.83	18.85	0 - 5	5

LTE FDD Band 71 _ 15 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				133197 Ch. 670.5 MHz	133297 Ch. 680.5 MHz	133397 Ch. 690.5 MHz		
15 MHz	QPSK	1	0	24.34	24.26	24.05	0	0
		1	36	23.97	23.86	23.87	0	0
		1	74	24.06	24.03	23.96	0	0
		36	0	23.34	23.08	23.04	0 - 1	1
		36	18	23.25	22.95	22.99	0 - 1	1
		36	39	23.11	22.92	22.98	0 - 1	1
		75	0	23.26	22.98	22.99	0 - 1	1
	16QAM	1	0	23.57	23.42	23.20	0 - 1	1
		1	36	23.52	23.18	23.24	0 - 1	1
		1	74	23.39	23.13	23.32	0 - 1	1
		36	0	22.27	22.04	21.97	0 - 2	2
		36	18	22.18	21.91	21.89	0 - 2	2
		36	39	22.10	21.91	21.94	0 - 2	2
		75	0	22.18	21.94	21.90	0 - 2	2
	64QAM	1	0	22.48	22.40	22.09	0 - 2	2
		1	36	22.25	21.88	21.94	0 - 2	2
		1	74	22.12	22.13	22.16	0 - 2	2
		36	0	21.33	21.07	21.01	0 - 3	3
		36	18	21.26	20.97	20.97	0 - 3	3
		36	39	21.19	20.94	21.04	0 - 3	3
		75	0	21.24	20.93	21.00	0 - 3	3
	256QAM	1	0	19.30	19.18	18.93	0 - 5	5
		1	36	19.14	18.89	18.91	0 - 5	5
		1	74	19.08	18.96	18.87	0 - 5	5
		36	0	19.13	18.92	18.86	0 - 5	5
		36	18	19.07	18.81	18.74	0 - 5	5
		36	39	19.00	18.75	18.78	0 - 5	5
		75	0	19.04	18.73	18.78	0 - 5	5

LTE FDD Band 71 _ 20 MHz Bandwidth Conducted Power _Upper Antenna

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				133297 Ch. 680.5 MHz		
20 MHz	QPSK	1	0	24.12	0	0
		1	49	23.98	0	0
		1	99	23.85	0	0
		50	0	22.99	0 - 1	1
		50	25	22.85	0 - 1	1
		50	49	22.82	0 - 1	1
		100	0	22.90	0 - 1	1
	16QAM	1	0	23.45	0 - 1	1
		1	49	22.95	0 - 1	1
		1	99	23.20	0 - 1	1
		50	0	21.98	0 - 2	2
		50	25	21.90	0 - 2	2
		50	49	21.81	0 - 2	2
		100	0	21.89	0 - 2	2
	64QAM	1	0	23.40	0 - 2	2
		1	49	23.06	0 - 2	2
		1	99	23.03	0 - 2	2
		50	0	22.06	0 - 3	3
		50	25	21.89	0 - 3	3
		50	49	21.88	0 - 3	3
		100	0	21.91	0 - 3	3
	256QAM	1	0	19.30	0 - 5	5
		1	49	19.32	0 - 5	5
		1	99	19.00	0 - 5	5
		50	0	19.03	0 - 5	5
		50	25	18.88	0 - 5	5
		50	49	18.82	0 - 5	5
		100	0	18.83	0 - 5	5

The EUT enables maximum power reduction in accordance with 3GPP 36.101. The MPR settings are configured during the manufacture process and are not configurable by the network, carrier, or end user.

NR FDD Band n2 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.56	22.54	22.54	0
				1	13	22.45	22.39	22.38	0
				1	23	22.41	22.46	22.49	0
				12	0	22.13	22.43	21.98	0.5
				12	7	22.58	22.42	22.50	0
				12	13	22.11	22.17	22.02	0.5
			QPSK	25	0	22.11	22.03	22.03	0.5
				1	1	22.61	22.45	22.55	0
				1	13	22.48	22.41	22.45	0
				1	23	22.56	22.50	22.54	0
				12	0	21.59	21.49	21.53	1
				12	7	22.58	22.49	22.49	0
				12	13	21.60	21.51	21.52	1
				25	0	21.63	21.51	21.53	1
			16QAM	1	1	21.54	21.62	21.62	1
			64QAM	1	1	20.08	20.07	20.05	2.5
			256QAM	1	1	17.86	17.97	18.14	4.5
		CP	QPSK	1	1	21.05	21.04	21.02	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.66	22.48	22.52	0
				1	26	22.65	22.53	22.63	0
				1	50	22.53	22.55	22.52	0
				25	0	22.14	22.02	21.95	0.5
				25	14	22.58	22.46	22.52	0
				25	27	22.06	22.01	22.05	0.5
			QPSK	50	0	22.12	22.00	22.01	0.5
				1	1	22.61	22.46	22.43	0
				1	26	22.68	22.74	22.64	0
				1	50	22.54	22.52	22.50	0
				25	0	21.66	21.53	21.51	1
				25	14	22.58	22.49	22.52	0
				25	27	21.54	21.53	21.54	1
				50	0	21.59	21.52	21.52	1
			16QAM	1	1	21.73	21.52	21.46	1
			64QAM	1	1	20.29	20.01	20.01	2.5
			256QAM	1	1	18.08	17.88	18.01	4.5
		CP	QPSK	1	1	21.11	21.07	20.97	1.5

NR FDD Band n2 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 Mhz	1880 Mhz	1902.5 Mhz	
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.64	22.50	22.35	0
				1	40	22.42	22.40	22.33	0
				1	77	22.53	22.53	22.52	0
				36	0	22.14	21.99	21.89	0.5
				36	22	22.48	22.50	22.43	0
				36	43	21.98	21.99	22.04	0.5
				75	0	22.04	21.99	21.93	0.5
			QPSK	1	1	22.63	22.45	22.37	0
				1	40	22.39	22.40	22.33	0
				1	77	22.49	22.52	22.48	0
				36	0	21.60	21.49	21.40	1
				36	22	22.52	22.49	22.47	0
				36	43	21.51	21.52	21.54	1
				75	0	21.54	21.51	21.40	1
			16QAM	1	1	21.73	21.43	21.22	1
			64QAM	1	1	20.25	20.12	20.09	2.5
			256QAM	1	1	18.72	18.16	17.94	4.5
		CP	QPSK	1	1	21.15	21.07	20.91	1.5

NR FDD Band n2 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 Mhz	1880 Mhz	1900 Mhz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.61	22.49	22.45	0
				1	53	22.69	22.85	22.53	0
				1	104	22.42	22.45	22.50	0
				50	0	22.07	22.00	21.96	0.5
				50	28	22.52	22.50	22.40	0
				50	56	22.05	22.01	22.02	0.5
				100	0	22.00	22.00	21.97	0.5
			QPSK	1	1	22.60	22.42	22.48	0
				1	53	22.53	22.54	22.59	0
				1	104	22.43	22.48	22.51	0
				50	0	21.54	21.50	21.45	1
				50	28	22.51	22.54	22.42	0
				50	56	21.52	21.53	21.52	1
				100	0	21.54	21.52	21.44	1
			16QAM	1	1	21.65	21.62	21.45	1
			64QAM	1	1	20.17	20.12	20.10	2.5
			256QAM	1	1	18.05	18.80	17.92	4.5
		CP	QPSK	1	1	21.08	20.97	21.05	1.5

NR FDD Band n2 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 Mhz		1897.5 Mhz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.60		22.56	0
				1	66	22.64		22.64	0
				1	131	22.51		22.54	0
				64	0	22.02		21.99	0.5
				64	35	22.46		22.46	0
				64	69	21.98		21.98	0.5
				128	0	21.98		21.98	0.5
			QPSK	1	1	22.61		22.52	0
				1	66	22.55		22.47	0
				1	131	22.44		22.47	0
				64	0	21.57		21.53	1
				64	35	22.46		22.45	0
				64	69	21.49		21.50	1
				128	0	21.50		21.48	1
			16QAM	1	1	21.65		21.53	1
			64QAM	1	1	20.20		20.01	2.5
			256QAM	1	1	18.06		18.07	4.5
		CP	QPSK	1	1	21.23		21.12	1.5

NR FDD Band n2 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 Mhz		1895 Mhz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.71		22.59	0
				1	80	22.75		22.55	0
				1	158	22.50		22.47	0
				80	0	22.08		22.06	0.5
				80	40	22.57		22.48	0
				80	80	22.05		22.00	0.5
				160	0	22.05		21.99	0.5
			QPSK	1	1	22.69		22.57	0
				1	80	22.60		22.43	0
				1	158	22.51		22.48	0
				80	0	21.57		21.52	1
				80	40	22.59		22.47	0
				80	80	21.57		21.51	1
				160	0	21.61		21.49	1
			16QAM	1	1	21.70		21.68	1
			64QAM	1	1	20.30		20.16	2.5
			256QAM	1	1	18.24		18.21	4.5
		CP	QPSK	1	1	21.24		21.06	1.5

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 Mhz		
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.49		0
				1	98		22.54		0
				1	186		22.37		0
				90	0		22.01		0.5
				90	45		22.47		0
				90	90		22.05		0.5
				180	0		21.99		0.5
			QPSK	1	1		22.41		0
				1	98		22.50		0
				1	186		22.38		0
				90	0		21.55		1
				90	45		22.51		0
				90	90		21.53		1
				180	0		21.52		1
			16QAM	1	1		21.44		1
			64QAM	1	1		20.11		2.5
			256QAM	1	1		18.11		4.5
		CP	QPSK	1	1		21.04		1.5

NR FDD Band n2 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376000		
							1880 Mhz		
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.46		0
				1	108		22.64		0
				1	214		22.42		0
				108	0		22.00		0.5
				108	54		22.52		0
				108	108		21.98		0.5
				216	0		21.97		0.5
			QPSK	1	1		22.47		0
				1	108		22.55		0
				1	214		22.43		0
				108	0		21.53		1
				108	54		22.50		0
				108	108		21.47		1
				216	0		21.53		1
			16QAM	1	1		21.64		1
			64QAM	1	1		20.26		2.5
			256QAM	1	1		18.07		4.5
		CP	QPSK	1	1		21.06		1.5

NR FDD Band n5 Conducted Power_ Measured P_{max} _ SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04	24.99	24.78	0
				1	13	24.93	24.82	24.66	0
				1	23	25.05	24.95	24.74	0
				12	0	24.50	24.42	24.30	0.5
				12	7	25.04	24.95	24.82	0
				12	13	24.47	24.42	24.29	0.5
				25	0	24.53	24.39	24.33	0.5
			QPSK	1	1	25.11	24.91	24.84	0
				1	13	25.01	24.85	24.68	0
				1	23	25.05	24.89	24.73	0
				12	0	24.07	23.92	23.83	1
				12	7	25.08	24.93	24.80	0
				12	13	24.01	23.90	23.82	1
				25	0	24.03	23.91	23.78	1
			16QAM	1	1	24.07	23.85	23.94	1
			64QAM	1	1	22.65	22.38	22.37	2.5
			256QAM	1	1	20.50	20.43	20.24	4.5
		CP	QPSK	1	1	23.55	23.37	23.34	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.91	0
				1	26	25.08	0
				1	50	24.90	0
				25	0	24.46	0.5
				25	14	24.92	0
				25	27	24.39	0.5
				50	0	24.43	0.5
			QPSK	1	1	24.94	0
				1	26	25.03	0
				1	50	24.85	0
				25	0	23.96	1
				25	14	24.94	0
				25	27	23.89	1
				50	0	23.95	1
			16QAM	1	1	24.02	1
			64QAM	1	1	22.49	2.5
			256QAM	1	1	20.44	4.5
		CP	OPSK	1	1	23.46	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.98	0
				1	40	24.79	0
				1	77	24.82	0
				36	0	24.42	0.5
				36	22	24.92	0
				36	43	24.41	0.5
				75	0	24.42	0.5
			QPSK	1	1	24.98	0
				1	40	24.86	0
				1	77	24.89	0
				36	0	23.97	1
				36	22	24.93	0
				36	43	23.90	1
				75	0	23.91	1
			16QAM	1	1	24.01	1
			64QAM	1	1	22.62	2.5
			256QAM	1	1	20.50	4.5
		CP	QPSK	1	1	23.55	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.99	0
				1	53	25.11	0
				1	104	24.80	0
				50	0	24.43	0.5
				50	28	24.94	0
				50	56	24.39	0.5
				100	0	24.46	0.5
			QPSK	1	1	25.00	0
				1	53	25.02	0
				1	104	24.79	0
				50	0	24.02	1
				50	28	24.93	0
				50	56	23.87	1
				100	0	23.95	1
			16QAM	1	1	24.04	1
			64QAM	1	1	22.60	2.5
			256QAM	1	1	20.46	4.5
		CP	QPSK	1	1	23.49	1.5

NR FDD Band n7 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.89	22.49	22.56	0
				1	13	22.81	22.52	22.45	0
				1	23	22.79	22.40	22.51	0
				12	0	22.37	22.02	22.04	0.5
				12	7	22.89	22.45	22.52	0
				12	13	22.38	22.23	22.03	0.5
			QPSK	25	0	22.40	22.14	22.06	0.5
				1	1	22.84	22.44	22.50	0
				1	13	22.80	22.37	22.44	0
				1	23	22.85	22.42	22.51	0
				12	0	21.89	21.51	21.51	1
				12	7	22.91	22.51	22.58	0
				12	13	21.89	21.46	21.54	1
				25	0	21.92	21.50	21.53	1
			16QAM	1	1	21.97	21.60	21.67	1
			64QAM	1	1	20.47	20.13	20.18	2.5
			256QAM	1	1	18.43	18.14	19.16	4.5
		CP	QPSK	1	1	21.40	21.10	21.04	1.5

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.69	22.56	22.47	0
				1	26	22.77	22.78	22.73	0
				1	50	22.62	22.50	22.51	0
				25	0	22.24	22.06	22.02	0.5
				25	14	22.71	22.49	22.51	0
				25	27	22.21	22.00	22.02	0.5
			QPSK	50	0	22.22	22.02	21.99	0.5
				1	1	22.68	22.53	22.47	0
				1	26	22.71	22.57	22.48	0
				1	50	22.64	22.50	22.48	0
				25	0	21.74	21.56	21.55	1
				25	14	22.70	22.55	22.54	0
				25	27	21.72	21.57	21.52	1
				50	0	21.70	21.54	21.49	1
			16QAM	1	1	21.73	21.66	21.47	1
			64QAM	1	1	20.31	20.21	20.15	2.5
			256QAM	1	1	18.15	18.14	18.11	4.5
		CP	QPSK	1	1	21.25	21.14	21.01	1.5

NR FDD Band n7 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.78	22.54	22.67	0
				1	40	22.65	22.60	22.61	0
				1	77	22.69	22.49	22.62	0
				36	0	22.27	22.03	22.24	0.5
				36	22	22.76	22.49	22.73	0
				36	43	22.29	22.00	22.20	0.5
				75	0	22.28	22.00	22.22	0.5
			QPSK	1	1	22.78	22.50	22.68	0
				1	40	22.64	22.38	22.61	0
				1	77	22.72	22.48	22.68	0
				36	0	21.79	21.58	21.75	1
				36	22	22.78	22.52	22.73	0
				36	43	21.79	21.55	21.67	1
				75	0	21.82	21.52	21.76	1
			16QAM	1	1	21.78	21.53	21.66	1
			64QAM	1	1	20.24	20.15	20.26	2.5
			256QAM	1	1	18.35	18.13	18.31	4.5
		CP	QPSK	1	1	21.28	21.07	21.24	1.5

NR FDD Band n7 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.84	22.57	22.66	0
				1	53	22.86	22.65	22.81	0
				1	104	22.73	22.50	22.60	0
				50	0	22.31	22.07	22.16	0.5
				50	28	22.80	22.52	22.63	0
				50	56	22.31	22.05	22.15	0.5
				100	0	22.32	22.06	22.16	0.5
			QPSK	1	1	22.83	22.59	22.61	0
				1	53	22.72	22.51	22.69	0
				1	104	22.74	22.50	22.62	0
				50	0	21.84	21.58	21.64	1
				50	28	22.82	22.55	22.65	0
				50	56	21.81	21.54	21.64	1
				100	0	21.83	21.56	21.68	1
			16QAM	1	1	21.90	21.65	21.72	1
			64QAM	1	1	20.51	20.15	20.37	2.5
			256QAM	1	1	18.44	18.26	18.21	4.5
		CP	QPSK	1	1	21.37	21.17	21.21	1.5

NR FDD Band n7 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.88		22.55	0
				1	67	22.80		22.77	0
				1	131	22.78		22.73	0
				64	0	22.43		22.41	0.5
				64	35	22.85		22.61	0
				64	39	22.36		22.08	0.5
				128	0	22.41		22.05	0.5
			QPSK	1	1	22.89		22.53	0
				1	67	22.78		22.47	0
				1	131	22.77		22.54	0
				64	0	21.89		21.55	1
				64	35	22.93		22.62	0
				64	69	21.89		21.60	1
				128	0	21.89		21.62	1
			16QAM	1	1	21.88		21.57	1
			64QAM	1	1	20.38		20.02	2.5
			256QAM	1	1	18.42		18.17	4.5
		CP	QPSK	1	1	21.41		21.18	1.5

NR FDD Band n7 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.70		22.45	0
				1	80	22.83		22.63	0
				1	158	22.58		22.48	0
				80	0	22.23		21.98	0.5
				80	40	22.65		22.52	0
				80	80	22.14		22.05	0.5
				160	0	22.15		22.00	0.5
			QPSK	1	1	22.72		22.47	0
				1	80	22.75		22.47	0
				1	158	22.61		22.54	0
				80	0	21.74		21.48	1
				80	40	22.67		22.54	0
				80	80	21.70		21.56	1
				160	0	21.67		21.53	1
			16QAM	1	1	21.78		21.47	1
			64QAM	1	1	20.25		20.24	2.5
			256QAM	1	1	18.30		18.12	4.5
		CP	QPSK	1	1	21.06		21.36	1.5

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							507000		
							2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.71		0
				1	98		22.49		0
				1	186		22.51		0
				90	0		22.11		0.5
				90	45		22.50		0
				90	90		22.03		0.5
				180	0		22.07		0.5
			QPSK	1	1		22.68		0
				1	98		22.48		0
				1	186		22.52		0
				90	0		21.62		1
				90	45		22.54		0
				90	90		21.58		1
				180	0		21.56		1
			16QAM	1	1		21.78		1
			64QAM	1	1		20.36		2.5
			256QAM	1	1		18.27		4.5
		CP	QPSK	1	1		21.27		1.5

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							507000		
							2535 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.71		0
				1	108		22.66		0
				1	214		22.55		0
				108	0		22.10		0.5
				108	54		22.53		0
				108	108		22.06		0.5
				216	0		22.09		0.5
			QPSK	1	1		22.65		0
				1	108		22.53		0
				1	214		22.54		0
				108	0		21.63		1
				108	54		22.53		0
				108	108		21.58		1
				216	0		21.61		1
			16QAM	1	1		21.70		1
			64QAM	1	1		20.43		2.5
			256QAM	1	1		18.34		4.5
		CP	QPSK	1	1		21.22		1.5

NR FDD Band n12 Conducted Power_ Measured P_{max} _ SUB1 [Ant E]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.62	24.48	24.45	0
				1	13	24.51	24.36	24.32	0
				1	23	24.53	24.41	24.42	0
				12	0	24.09	23.96	23.87	0.5
				12	7	24.60	24.45	24.33	0
				12	13	24.04	23.92	23.86	0.5
			QPSK	25	0	24.07	23.95	23.88	0.5
				1	1	24.60	24.50	24.35	0
				1	13	24.51	24.35	24.25	0
				1	23	24.55	24.39	24.33	0
				12	0	23.58	23.52	23.36	1
				12	7	24.58	24.48	24.38	0
				12	13	23.58	23.41	23.36	1
				25	0	23.57	23.46	23.36	1
			16QAM	1	1	23.54	23.48	23.43	1
			64QAM	1	1	22.24	22.10	21.94	2.5
			256QAM	1	1	20.13	20.00	19.98	4.5
		CP	QPSK	1	1	23.08	23.01	22.93	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.50	0
				1	26	24.54	0
				1	50	24.43	0
				25	0	24.01	0.5
				25	14	24.50	0
				25	27	23.95	0.5
			QPSK	50	0	23.95	0.5
				1	1	24.55	0
				1	26	24.54	0
				1	50	24.41	0
				25	0	23.49	1
				25	14	24.45	0
				25	27	23.42	1
				50	0	23.45	1
			16QAM	1	1	23.56	1
			64QAM	1	1	22.10	2.5
			256QAM	1	1	20.06	4.5
		CP	QPSK	1	1	23.03	1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.57	0
				1	40	24.39	0
				1	77	24.38	0
				36	0	24.04	0.5
				36	22	24.46	0
				36	43	23.94	0.5
				75	0	24.00	0.5
			QPSK	1	1	24.58	0
				1	40	24.39	0
				1	77	24.44	0
				36	0	23.54	1
				36	22	24.45	0
				36	43	23.40	1
				75	0	23.47	1
			16QAM	1	1	23.63	1
			64QAM	1	1	22.20	2.5
			256QAM	1	1	20.05	4.5
		CP	QPSK	1	1	23.13	1.5

NR FDD Band n14 Conducted Power_ Measured P_{max} _ SUB1 [Ant E]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.80	0
				1	13	24.70	0
				1	23	24.77	0
				12	0	24.25	0.5
				12	7	24.78	0
				12	13	24.30	0.5
				25	0	24.27	0.5
			QPSK	1	1	24.75	0
				1	13	24.67	0
				1	23	24.77	0
				12	0	23.76	1
				12	7	24.78	0
				12	13	23.80	1
				25	0	23.78	1
			16QAM	1	1	23.75	1
			64QAM	1	1	22.44	2.5
			256QAM	1	1	20.28	4.5
		CP	QPSK	1	1	23.31	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.78	0
				1	26	24.88	0
				1	50	24.76	0
				25	0	24.26	0.5
				25	14	24.76	0
				25	27	24.26	0.5
				50	0	24.26	0.5
			QPSK	1	1	24.82	0
				1	26	24.91	0
				1	50	24.80	0
				25	0	23.80	1
				25	14	24.78	0
				25	27	23.79	1
				50	0	23.77	1
			16QAM	1	1	23.79	1
			64QAM	1	1	22.36	2.5
			256QAM	1	1	20.29	4.5
		CP	QPSK	1	1	23.30	1.5

NR FDD Band n25 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.59	22.48	22.48	0
				1	13	22.53	22.42	22.32	0
				1	23	22.52	22.46	22.47	0
				12	0	22.09	22.02	21.98	0.5
				12	7	22.58	22.52	22.44	0
				12	13	22.10	22.01	21.96	0.5
			QPSK	25	0	22.09	22.03	21.92	0.5
				1	1	22.58	22.49	22.45	0
				1	13	22.52	22.46	22.29	0
				1	23	22.52	22.46	22.48	0
				12	0	21.59	21.52	21.47	1
				12	7	22.65	22.52	22.45	0
				12	13	21.64	21.50	21.50	1
				25	0	21.65	21.54	21.49	1
			16QAM	1	1	21.68	21.59	21.55	1
			64QAM	1	1	20.19	20.16	20.05	2.5
			256QAM	1	1	18.10	18.02	18.01	4.5
		CP	QPSK	1	1	21.12	20.97	21.01	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.68	22.51	22.53	0
				1	26	22.67	22.61	22.62	0
				1	50	22.55	22.53	22.47	0
				25	0	22.14	21.98	22.05	0.5
				25	14	22.60	22.53	22.46	0
				25	27	22.07	22.01	22.00	0.5
			QPSK	50	0	22.14	22.02	21.98	0.5
				1	1	22.63	22.47	22.47	0
				1	26	22.54	22.55	22.53	0
				1	50	22.55	22.49	22.49	0
				25	0	21.63	21.52	21.50	1
				25	14	22.58	22.52	22.51	0
				25	27	21.55	21.56	21.50	1
				50	0	21.61	21.49	21.51	1
			16QAM	1	1	21.76	21.32	21.62	1
			64QAM	1	1	20.23	20.05	20.17	2.5
			256QAM	1	1	18.13	18.11	18.03	4.5
		CP	QPSK	1	1	21.22	20.99	21.05	1.5

NR FDD Band n25 _ 15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.68	22.47	22.39	0
				1	40	22.44	22.43	22.41	0
				1	77	22.48	22.43	22.49	0
				36	0	22.14	21.99	21.98	0.5
				36	22	22.51	22.49	22.56	0
				36	43	21.99	22.06	21.99	0.5
				75	0	22.02	22.03	22.02	0.5
			QPSK	1	1	22.62	22.46	22.37	0
				1	40	22.37	22.48	22.41	0
				1	77	22.49	22.39	22.49	0
				36	0	21.64	21.48	21.49	1
				36	22	22.51	22.48	22.54	0
				36	43	21.54	21.57	21.51	1
				75	0	21.54	21.51	21.53	1
			16QAM	1	1	21.64	21.48	21.37	1
			64QAM	1	1	20.12	20.05	19.98	2.5
			256QAM	1	1	18.04	18.06	18.07	4.5
		CP	QPSK	1	1	21.18	20.99	21.00	1.5

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.62	22.56	22.46	0
				1	53	22.70	22.64	22.69	0
				1	104	22.51	22.47	22.54	0
				50	0	22.08	21.96	21.97	0.5
				50	28	22.53	22.51	22.51	0
				50	56	22.04	22.01	22.00	0.5
				100	0	22.01	22.04	22.02	0.5
			QPSK	1	1	22.61	22.48	22.35	0
				1	53	22.53	22.60	22.56	0
				1	104	22.46	22.50	22.51	0
				50	0	21.59	21.50	21.51	1
				50	28	22.55	22.54	22.51	0
				50	56	21.56	21.51	21.51	1
				100	0	21.53	21.52	21.49	1
			16QAM	1	1	21.57	21.56	21.37	1
			64QAM	1	1	20.23	20.05	19.98	2.5
			256QAM	1	1	18.02	18.10	18.06	4.5
		CP	QPSK	1	1	21.16	21.03	20.94	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.59		22.41	0
				1	66	22.58		22.38	0
				1	131	22.51		22.51	0
				64	0	22.04		21.90	0.5
				64	35	22.47		22.44	0
				64	69	21.99		22.03	0.5
				128	0	21.96		21.96	0.5
			QPSK	1	1	22.59		22.39	0
				1	66	22.57		22.49	0
				1	131	22.43		22.53	0
				64	0	21.57		21.39	1
				64	35	22.44		22.46	0
				64	69	21.48		21.54	1
				128	0	21.49		21.44	1
			16QAM	1	1	21.65		21.57	1
			64QAM	1	1	20.20		20.03	2.5
			256QAM	1	1	18.12		19.10	4.5
		CP	QPSK	1	1	21.13		20.94	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.74		22.56	0
				1	80	22.72		22.50	0
				1	158	22.55		22.47	0
				80	0	22.04		22.02	0.5
				80	40	22.58		22.42	0
				80	80	22.03		22.02	0.5
				160	0	22.07		21.96	0.5
			QPSK	1	1	22.70		22.57	0
				1	80	22.69		22.56	0
				1	158	22.48		22.57	0
				80	0	21.58		21.53	1
				80	40	22.56		22.48	0
				80	80	21.54		21.50	1
				160	0	21.60		21.47	1
			16QAM	1	1	21.67		21.59	1
			64QAM	1	1	20.20		19.98	2.5
			256QAM	1	1	18.26		18.09	4.5
		CP	QPSK	1	1	21.20		21.08	1.5

NR FDD Band n25 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 Mhz		
35 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.61		0
				1	98		22.53		0
				1	186		22.38		0
				90	0		21.97		0.5
				90	45		22.52		0
				90	90		21.96		0.5
				180	0		22.02		0.5
			QPSK	1	1		22.53		0
				1	98		22.56		0
				1	186		22.45		0
				90	0		21.52		1
				90	45		22.49		0
				90	90		21.48		1
				180	0		21.54		1
			16QAM	1	1		21.71		1
			64QAM	1	1		20.06		2.5
			256QAM	1	1		18.09		4.5
		CP	QPSK	1	1		21.11		1.5

NR FDD Band n25 _ 40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							376500		
							1882.5 Mhz		
40 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1		22.45		0
				1	108		22.63		0
				1	214		22.35		0
				108	0		21.99		0.5
				108	54		22.52		0
				108	108		21.99		0.5
				216	0		21.99		0.5
			QPSK	1	1		22.44		0
				1	108		22.63		0
				1	214		22.39		0
				108	0		21.54		1
				108	54		22.49		0
				108	108		21.51		1
				216	0		21.49		1
			16QAM	1	1		21.51		1
			64QAM	1	1		19.95		2.5
			256QAM	1	1		18.13		4.5
		CP	QPSK	1	1		20.94		1.5

NR FDD Band n26 Conducted Power_ Measured P_{max_SUB1} [Ant E]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.29	25.14	24.99	0
				1	13	25.22	25.07	24.90	0
				1	23	25.29	25.12	24.89	0
				12	0	24.80	24.60	24.48	0.5
				12	7	25.32	25.11	24.99	0
				12	13	24.76	24.58	24.48	0.5
			QPSK	25	0	24.83	24.61	24.46	0.5
				1	1	25.29	25.15	25.07	0
				1	13	25.22	25.11	24.89	0
				1	23	25.37	25.15	24.95	0
				12	0	24.35	24.12	23.99	1
				12	7	25.31	25.16	25.01	0
				12	13	24.31	24.11	23.98	1
				25	0	24.35	24.13	23.95	1
			16QAM	1	1	24.42	24.19	24.03	1
			64QAM	1	1	22.95	22.64	22.60	2.5
			256QAM	1	1	20.70	20.47	20.37	4.5
		CP	QPSK	1	1	23.76	23.56	23.50	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.27	25.12	24.93	0
				1	26	25.35	25.18	25.05	0
				1	50	25.24	25.06	24.88	0
				25	0	24.77	24.64	24.50	0.5
				25	14	25.27	25.12	24.99	0
				25	27	24.78	24.59	24.44	0.5
			QPSK	50	0	24.78	24.62	24.52	0.5
				1	1	25.38	25.16	24.99	0
				1	26	25.35	25.25	25.14	0
				1	50	25.31	25.13	24.96	0
				25	0	24.30	24.14	23.98	1
				25	14	25.33	25.13	24.98	0
				25	27	24.26	24.12	23.93	1
				50	0	24.28	24.15	23.99	1
			16QAM	1	1	24.28	24.08	24.05	1
			64QAM	1	1	22.94	22.69	22.51	2.5
			256QAM	1	1	20.79	20.56	20.48	4.5
		CP	QPSK	1	1	23.81	23.58	23.54	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.22		25.04	0
				1	40	25.08		24.89	0
				1	77	25.11		24.92	0
				36	0	24.75		24.55	0.5
				36	22	25.23		25.04	0
				36	43	24.71		24.49	0.5
				75	0	24.73		24.54	0.5
			QPSK	1	1	25.28		25.07	0
				1	40	25.23		24.90	0
				1	77	25.20		24.93	0
				36	0	24.28		24.06	1
				36	22	25.26		25.05	0
				36	43	24.23		23.98	1
				75	0	24.26		24.04	1
			16QAM	1	1	24.31		24.12	1
			64QAM	1	1	22.84		22.77	2.5
			256QAM	1	1	20.73		20.56	4.5
		CP	QPSK	1	1	23.79		23.53	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.14	0
				1	53	25.18	0
				1	104	24.98	0
				50	0	24.66	0.5
				50	28	25.11	0
				50	56	24.59	0.5
				100	0	24.62	0.5
			QPSK	1	1	25.19	0
				1	53	25.19	0
				1	104	25.04	0
				50	0	24.02	1
				50	28	25.11	0
				50	56	24.05	1
				100	0	24.13	1
			16QAM	1	1	24.17	1
			64QAM	1	1	22.72	2.5
			256QAM	1	1	20.73	4.5
		CP	OPSK	1	1	23.73	1.5

NR FDD Band n30 Conducted Power_ Measured P_{max_SUB2} [Ant F]

NR FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000	2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.02		0
				1	13	21.98		0
				1	23	22.00		0
				12	0	21.53		0.5
				12	7	22.04		0
				12	13	21.54		0.5
				25	0	21.57		0.5
			QPSK	1	1	22.02		0
				1	13	21.96		0
				1	23	22.02		0
				12	0	21.08		1
				12	7	22.05		0
				12	13	21.05		1
				25	0	21.11		1
			16QAM	1	1	21.12		1
			64QAM	1	1	19.66		2.5
			256QAM	1	1	17.54		4.5
		CP	QPSK	1	1	20.56		1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						462000	2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.05		0
				1	26	22.09		0
				1	50	21.92		0
				25	0	21.51		0.5
				25	14	22.02		0
				25	27	21.49		0.5
				50	0	21.55		0.5
			QPSK	1	1	22.00		0
				1	26	22.07		0
				1	50	21.95		0
				25	0	21.05		1
				25	14	22.04		0
				25	27	21.05		1
				50	0	21.08		1
			16QAM	1	1	21.04		1
			64QAM	1	1	19.63		2.5
			256QAM	1	1	17.60		4.5
		CP	QPSK	1	1	20.58		1.5

NR TDD Band n38 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.54	22.58	22.63	0
				1	12	22.52	22.62	22.59	0
				1	22	22.51	22.60	22.58	0
				12	0	22.03	22.05	22.02	0.5
				12	6	22.52	22.58	22.50	0
				12	12	22.02	22.12	22.03	0.5
				24	0	22.03	22.04	22.02	0.5
			QPSK	1	1	22.54	22.54	22.60	0
				1	12	22.51	22.61	22.57	0
				1	22	22.51	22.54	22.55	0
				12	0	21.51	21.55	21.54	1
				12	6	22.53	22.55	22.54	0
				12	12	21.56	21.57	21.55	1
				24	0	21.52	21.60	21.50	1
			16QAM	1	1	21.57	21.53	21.57	1
			64QAM	1	1	20.03	20.02	20.10	2.5
			256QAM	1	1	18.05	18.01	18.09	4.5
		CP	QPSK	1	1	21.03	21.01	21.02	1.5

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.70	22.56	22.74	0
				1	18	22.60	22.60	22.67	0
				1	36	22.74	22.52	22.69	0
				18	0	22.03	22.02	22.22	0.5
				18	9	22.51	22.58	22.67	0
				18	18	22.04	22.08	22.15	0.5
				36	0	22.15	22.18	22.18	0.5
			QPSK	1	1	22.63	22.67	22.76	0
				1	18	22.56	22.63	22.69	0
				1	36	22.56	22.61	22.71	0
				18	0	21.54	21.58	21.71	1
				18	9	22.63	22.66	22.68	0
				18	18	21.68	21.66	21.64	1
				36	0	21.61	21.59	21.71	1
			16QAM	1	1	21.69	21.63	21.81	1
			64QAM	1	1	20.19	20.15	20.27	2.5
			256QAM	1	1	18.18	18.10	18.24	4.5
		CP	QPSK	1	1	21.18	21.72	21.77	1.5

NR TDD Band n38 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.77	22.59	22.63	0
				1	26	22.68	22.58	22.63	0
				1	49	22.67	22.59	22.66	0
				25	0	22.20	22.06	22.20	0.5
				25	13	22.75	22.60	22.67	0
				25	26	22.24	22.03	22.18	0.5
				50	0	22.24	22.07	22.15	0.5
			QPSK	1	1	22.80	22.63	22.67	0
				1	26	22.74	22.58	22.67	0
				1	49	22.75	22.57	22.65	0
				25	0	21.73	21.57	21.67	1
				25	13	22.76	22.60	22.65	0
				25	26	21.74	21.57	21.63	1
				50	0	21.78	21.60	21.65	1
			16QAM	1	1	21.71	21.55	21.61	1
			64QAM	1	1	20.26	20.17	20.09	2.5
			256QAM	1	1	18.26	18.06	18.28	4.5
		CP	QPSK	1	1	21.94	21.80	21.83	1.5

NR TDD Band n38 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.84		22.65	0
				1	32	22.88		22.65	0
				1	63	22.76		22.55	0
				32	0	22.25		22.10	0.5
				32	17	22.81		22.58	0
				32	33	22.28		22.05	0.5
				64	0	22.32		22.07	0.5
			QPSK	1	1	22.91		22.67	0
				1	32	22.84		22.59	0
				1	63	22.80		22.58	0
				32	0	21.77		21.65	1
				32	17	22.81		22.62	0
				32	33	21.78		21.60	1
				64	0	21.82		21.60	1
			16QAM	1	1	21.83		21.75	1
			64QAM	1	1	20.32		20.10	2.5
			256QAM	1	1	18.25		18.17	4.5
		CP	QPSK	1	1	21.93		21.87	1.5

NR TDD Band n38_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.66		22.59	0
				1	39	22.68		22.63	0
				1	76	22.58		22.54	0
				36	0	22.07		22.02	0.5
				36	21	22.58		22.52	0
				36	42	22.04		22.06	0.5
				75	0	22.11		22.05	0.5
			QPSK	1	1	22.68		22.59	0
				1	39	22.62		22.59	0
				1	76	22.60		22.50	0
				36	0	21.59		21.56	1
				36	21	22.57		22.58	0
				36	42	21.58		21.50	1
				75	0	21.59		21.57	1
			16QAM	1	1	21.63		21.61	1
			64QAM	1	1	20.16		20.07	2.5
			256QAM	1	1	18.16		18.02	4.5
		CP	QPSK	1	1	21.76		21.87	1.5

NR TDD Band n38_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		22.64		0
				1	80		22.65		0
				1	158		22.56		0
				80	0		22.11		0.5
				80	40		22.59		0
				80	80		22.08		0.5
				160	0		22.09		0.5
			QPSK	1	1		22.65		0
				1	80		22.62		0
				1	158		22.55		0
				80	0		21.61		1
				80	40		22.58		0
				80	80		21.58		1
				160	0		21.61		1
			16QAM	1	1		21.52		1
			64QAM	1	1		20.35		2.5
			256QAM	1	1		18.06		4.5
		CP	QPSK	1	80		21.88		1.5

NR TDD Band n41 (PC3) Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.23	23.05	23.05	23.03	23.08	0
				1	12	23.28	23.17	23.12	23.02	23.18	0
				1	22	23.25	22.98	23.04	23.04	23.13	0
				12	0	22.68	22.51	22.47	22.50	22.58	0.5
				12	6	23.21	22.99	22.98	23.00	23.09	0
				12	12	22.73	22.51	22.53	22.54	22.61	0.5
				24	0	22.67	22.51	22.47	22.47	22.63	0.5
			QPSK	1	1	23.19	23.01	22.98	23.01	23.11	0
				1	12	23.27	22.97	23.02	22.94	23.14	0
				1	22	23.19	22.96	23.08	22.95	23.13	0
				12	0	22.20	22.03	22.00	22.03	22.11	1
				12	6	23.19	23.00	23.03	22.99	23.12	0
				12	12	22.20	21.99	22.04	21.99	22.09	1
				24	0	22.28	22.03	21.98	22.08	22.13	1
			16QAM	1	1	22.41	22.10	22.01	22.11	21.95	1
			64QAM	1	1	20.72	20.61	20.56	20.62	20.63	2.5
			256QAM	1	1	18.66	18.45	18.47	18.59	18.59	4.5
		CP	QPSK	1	1	21.88	21.85	22.17	21.88	21.82	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.26	23.08	23.04	22.94	23.22	0
				1	18	23.24	22.98	22.92	22.98	23.19	0
				1	36	23.31	23.04	23.01	23.10	23.30	0
				18	0	22.77	22.57	22.49	22.61	22.73	0.5
				18	9	23.28	22.97	22.99	22.98	23.31	0
				18	18	22.78	22.52	22.56	22.49	22.78	0.5
				36	0	22.78	22.47	22.48	22.49	22.76	0.5
			QPSK	1	1	23.25	23.05	23.00	22.86	23.35	0
				1	18	23.20	22.96	22.94	22.92	23.25	0
				1	36	23.23	23.03	22.97	23.06	23.30	0
				18	0	22.27	22.04	22.05	22.17	22.31	1
				18	9	23.25	23.01	23.03	22.97	23.32	0
				18	18	22.26	21.95	22.10	21.96	22.31	1
				36	0	22.27	22.02	22.07	22.01	22.26	1
			16QAM	1	1	22.32	21.97	22.08	21.81	22.31	1
			64QAM	1	1	20.62	20.53	20.53	20.36	20.77	2.5
			256QAM	1	1	18.77	18.62	18.53	18.38	18.82	4.5
		CP	QPSK	1	1	22.10	22.15	22.18	22.16	22.10	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.08	23.08	23.08	22.85	23.16	0
				1	26	23.12	23.01	22.99	22.93	23.19	0
				1	49	23.07	23.03	22.98	22.98	23.29	0
				25	0	22.58	22.56	22.51	22.36	22.71	0.5
				25	13	23.01	23.04	23.02	22.95	23.18	0
				25	26	22.58	22.54	22.47	22.43	22.73	0.5
				50	0	22.55	22.55	22.49	22.47	22.67	0.5
			QPSK	1	1	23.06	23.11	23.10	22.85	23.12	0
				1	26	23.08	23.04	23.00	22.92	23.18	0
				1	49	23.06	23.06	22.99	23.03	23.16	0
				25	0	22.06	22.04	21.99	21.86	22.26	1
				25	13	23.07	23.03	22.99	22.98	23.18	0
				25	26	22.05	22.05	22.04	21.98	22.27	1
				50	0	22.06	22.02	22.08	21.97	22.23	1
			16QAM	1	1	22.11	21.87	22.03	21.86	22.03	1
			64QAM	1	1	20.59	20.66	20.50	20.31	20.68	2.5
			256QAM	1	1	18.57	18.56	18.58	18.24	18.72	4.5
		CP	QPSK	1	1	21.87	21.90	22.21	21.88	21.90	1.5

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.14	23.15	23.13	22.86	23.12	0
				1	32	23.19	23.03	23.06	23.00	23.08	0
				1	63	23.10	23.11	23.04	23.06	23.21	0
				32	0	22.66	22.58	22.51	22.36	22.61	0.5
				32	17	23.16	23.02	23.03	22.97	23.18	0
				32	33	22.60	22.58	22.49	22.48	22.69	0.5
				64	0	22.67	22.54	22.44	22.47	22.65	0.5
			QPSK	1	1	23.13	23.15	23.10	22.91	23.15	0
				1	32	23.16	23.05	23.00	22.96	23.18	0
				1	63	23.16	23.05	22.99	23.10	23.25	0
				32	0	22.14	22.17	22.01	21.90	22.10	1
				32	17	23.14	23.12	23.00	22.98	23.17	0
				32	33	22.15	22.13	21.98	21.98	22.23	1
				64	0	22.15	22.06	21.99	21.97	22.15	1
			16QAM	1	1	22.19	22.15	22.09	21.82	22.10	1
			64QAM	1	1	20.58	20.68	20.60	20.36	20.67	2.5
			256QAM	1	1	18.57	18.60	18.31	18.22	18.79	4.5
		CP	QPSK	1	1	22.24	21.91	22.15	21.71	21.87	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.21	23.13	23.07	23.06	23.31	0
				1	39	23.25	23.08	23.13	23.30	23.38	0
				1	76	23.21	23.12	23.00	23.25	23.36	0
				36	0	22.71	22.65	22.52	22.53	22.85	0.5
				36	21	23.18	23.04	23.00	23.09	23.29	0
				36	42	22.63	22.56	22.49	22.63	22.83	0.5
				75	0	22.67	22.58	22.53	22.58	22.82	0.5
			QPSK	1	1	23.22	23.16	23.07	23.00	23.25	0
				1	39	23.21	23.09	23.04	23.18	23.39	0
				1	76	23.19	23.07	22.97	23.30	23.35	0
				36	0	22.21	22.15	22.05	22.07	22.27	1
				36	21	23.18	23.11	23.00	23.07	23.33	0
				36	42	22.17	22.10	21.98	22.14	22.37	1
				75	0	22.18	22.03	21.99	22.05	22.32	1
			16QAM	1	1	22.16	22.14	22.11	22.04	22.30	1
			64QAM	1	1	20.65	20.62	20.53	20.75	20.68	2.5
			256QAM	1	1	18.64	18.65	18.65	18.48	18.68	4.5
		CP	QPSK	1	1	22.31	22.02	22.16	21.80	21.88	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.10	23.02		22.93	23.11	0
				1	53	23.13	23.03		22.96	23.25	0
				1	104	22.99	22.89		23.02	23.32	0
				50	0	22.58	22.45		22.38	22.69	0.5
				50	28	23.07	22.97		22.86	23.08	0
				50	56	22.53	22.38		22.40	22.63	0.5
				100	0	22.61	22.46		22.36	22.68	0.5
			QPSK	1	1	23.09	22.93		22.86	23.07	0
				1	53	23.13	22.97		22.89	23.20	0
				1	104	22.96	22.86		23.01	23.30	0
				50	0	22.08	21.97		21.88	22.17	1
				50	28	23.04	23.00		22.84	23.16	0
				50	56	22.02	21.89		21.87	22.20	1
				100	0	22.06	21.98		21.87	22.23	1
			16QAM	1	1	22.01	21.93		21.85	22.20	1
			64QAM	1	1	20.55	20.73		20.41	20.84	2.5
			256QAM	1	1	18.79	18.62		18.30	18.80	4.5
		CP	QPSK	1	1	22.23	21.90		21.99	21.79	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.29		23.12		23.16	0
				1	67	23.17		22.98		23.32	0
				1	131	23.13		22.90		23.29	0
				64	0	22.71		22.57		22.71	0.5
				64	35	23.16		23.00		23.31	0
				64	69	22.57		22.51		22.83	0.5
				128	0	22.66		22.50		22.77	0.5
			QPSK	1	1	23.21		23.13		23.19	0
				1	67	23.16		23.00		23.19	0
				1	131	23.14		22.94		23.40	0
				64	0	22.17		22.05		22.22	1
				64	35	23.17		23.00		23.32	0
				64	69	22.06		21.98		22.36	1
				128	0	22.14		22.11		22.36	1
			16QAM	1	1	21.95		22.53		22.21	1
			64QAM	1	1	20.67		20.57		20.55	2.5
			256QAM	1	1	18.79		18.63		18.69	4.5
		CP	QPSK	1	1	22.29		22.18		21.98	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
				MHz		MHz		MHz			
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.14		23.15		23.00	0
				1	81	23.08		23.14		23.27	0
				1	160	23.09		22.99		23.39	0
				81	0	22.56		22.56		22.59	0.5
				81	41	23.06		22.97		23.19	0
				81	81	22.53		22.49		22.77	0.5
				162	0	22.58		22.48		22.68	0.5
			QPSK	1	1	23.07		23.12		23.01	0
				1	81	23.07		23.04		23.11	0
				1	160	23.01		22.94		23.18	0
				81	0	22.08		22.06		22.11	1
				81	41	23.05		23.00		23.19	0
				81	81	22.06		22.02		22.22	1
				162	0	22.04		22.02		22.21	1
			16QAM	1	1	22.16		21.81		21.82	1
			64QAM	1	1	20.51		20.50		20.73	2.5
			256QAM	1	1	18.44		18.56		18.37	4.5
		CP	QPSK	1	1	22.26		22.24		22.21	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.25				22.93	0
				1	81	23.12				22.98	0
				1	160	23.13				23.33	0
				81	0	22.69				22.46	0.5
				81	41	23.11				22.99	0
				81	81	22.57				22.63	0.5
				162	0	22.66				22.50	0.5
			QPSK	1	1	23.24				22.89	0
				1	81	23.15				22.98	0
				1	160	23.10				23.35	0
				81	0	22.21				21.97	1
				81	41	23.13				22.97	0
				81	81	22.10				22.11	1
				162	0	22.12				22.00	1
			16QAM	1	1	22.26				21.93	1
			64QAM	1	1	20.68				20.43	2.5
			256QAM	1	1	18.41				18.37	4.5
		CP	QPSK	1	1	22.36				22.40	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	23.42				22.61	0
				1	109	22.94				23.05	0
				1	215	22.65				23.37	0
				108	0	22.60				22.42	0.5
				108	55	22.93				23.12	0
				108	109	22.53				22.71	0.5
				216	0	22.43				22.66	0.5
			QPSK	1	1	23.42				22.67	0
				1	109	22.92				22.99	0
				1	215	22.68				23.28	0
				108	0	22.18				22.00	1
				108	55	22.93				23.16	0
				108	109	22.00				22.23	1
				216	0	21.93				21.98	1
			16QAM	1	1	22.49				22.31	1
			64QAM	1	1	20.84				20.05	2.5
			256QAM	1	1	18.95				18.20	4.5
		CP	QPSK	1	1	22.42				22.32	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
						MHz					MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	23.64				22.76	0
				1	123	23.10				23.22	0
				1	243	22.64				23.44	0
				120	0	22.70				22.55	0.5
				120	63	23.14				23.23	0
				120	125	22.60				22.78	0.5
				243	0	22.64				22.77	0.5
			QPSK	1	1	23.61				22.75	0
				1	123	23.14				23.24	0
				1	243	22.62				23.40	0
				120	0	22.21				22.07	1
				120	63	23.16				23.22	0
				120	125	22.10				22.30	1
				243	0	22.11				22.20	1
			16QAM	1	1	22.67				21.71	1
			64QAM	1	1	21.08				20.22	2.5
			256QAM	1	1	19.14				18.21	4.5
		CP	QPSK	1	1	22.32				22.33	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.34		0
				1	137			23.00		0
				1	271			23.16		0
				135	0			22.70		0.5
				135	69			23.06		0
				135	138			22.51		0.5
				270	0			22.59		0.5
			QPSK	1	1			23.34		0
				1	137			23.08		0
				1	271			23.24		0
				135	0			22.15		1
				135	69			23.06		0
				135	138			22.02		1
				270	0			22.08		1
			16QAM	1	1			22.33		1
			64QAM	1	1			20.86		2.5
			256QAM	1	1			18.81		4.5
		CP	QPSK	1	1			22.42		1.5

NR TDD Band n41 (PC2) Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.68	26.31	26.27	26.58	26.27	0
				1	12	26.74	26.28	26.29	26.48	26.39	0
				1	22	26.65	26.30	26.28	26.55	26.30	0
				12	0	26.16	25.80	25.76	26.04	25.79	0
				12	6	26.66	26.28	26.29	26.54	26.34	0
				12	12	26.17	25.77	25.80	26.04	25.82	0
				24	0	26.16	25.78	25.77	26.05	25.80	0
			QPSK	1	1	26.75	26.30	26.28	26.58	26.31	0
				1	12	26.77	26.29	26.34	26.56	26.31	0
				1	22	26.66	26.35	26.33	26.56	26.31	0
				12	0	25.66	25.29	25.27	25.58	25.27	0
				12	6	26.65	26.30	26.29	26.55	26.30	0
				12	12	25.69	25.27	25.29	24.57	25.33	0
				24	0	25.64	25.26	25.28	25.54	25.30	0
			16QAM	1	1	25.86	25.31	25.32	25.68	25.29	0
			64QAM	1	1	24.24	23.88	23.79	24.05	23.67	1
			256QAM	1	1	22.24	21.81	21.62	22.04	21.75	3
		CP	QPSK	1	1	24.85	24.72	24.71	24.98	24.77	1

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.86	26.35	26.24	26.56	26.53	0
				1	18	26.72	26.23	26.22	26.49	26.44	0
				1	36	26.70	26.28	26.23	26.58	26.52	0
				18	0	26.21	25.84	25.72	26.05	25.97	0
				18	9	26.73	26.30	26.28	26.54	26.46	0
				18	18	26.21	25.79	25.81	25.98	25.97	0
				36	0	26.58	25.77	25.78	26.02	25.99	0
			QPSK	1	1	26.78	26.31	26.24	26.58	26.52	0
				1	18	26.66	26.26	26.19	26.46	26.36	0
				1	36	26.66	26.27	26.32	26.56	26.46	0
				18	0	25.71	25.33	25.25	25.56	25.51	0
				18	9	26.76	26.31	26.28	26.51	26.49	0
				18	18	25.72	25.34	25.28	25.49	25.48	0
				36	0	25.74	25.28	25.28	25.52	25.48	0
			16QAM	1	1	25.69	25.36	25.21	25.48	25.46	0
			64QAM	1	1	24.30	23.79	23.61	24.11	24.09	1
			256QAM	1	1	22.22	21.81	21.68	22.01	21.95	3
		CP	QPSK	1	1	25.31	24.74	24.71	25.02	24.59	1

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.56	26.27	26.30	26.19	26.24	0
				1	26	26.50	26.25	26.28	26.44	26.40	0
				1	49	26.47	26.18	26.33	26.54	26.44	0
				25	0	26.03	25.84	25.71	26.02	25.97	0
				25	13	26.52	26.31	26.28	26.50	26.42	0
				25	26	25.99	25.81	25.81	25.95	25.93	0
				50	0	26.02	25.82	25.79	26.00	25.93	0
			QPSK	1	1	26.58	26.31	26.34	26.44	26.51	0
				1	26	26.50	26.27	26.29	26.44	26.39	0
				1	49	26.46	26.18	26.33	26.51	26.40	0
				25	0	25.55	25.34	25.24	25.53	25.50	0
				25	13	26.54	26.34	26.27	26.50	26.45	0
				25	26	25.53	25.31	25.29	25.49	25.44	0
				50	0	25.54	25.32	25.28	25.51	25.44	0
			16QAM	1	1	25.53	25.31	25.17	25.45	25.52	0
			64QAM	1	1	24.26	23.71	23.85	23.94	24.01	1
			256QAM	1	1	22.03	21.72	21.72	21.92	21.98	3
		CP	QPSK	1	1	25.08	24.80	24.77	24.86	24.97	1

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.32	26.39	26.24	26.47	26.36	0
				1	32	26.30	26.32	26.28	26.41	26.37	0
				1	63	26.33	26.23	26.32	26.48	26.39	0
				32	0	26.36	25.84	25.70	25.91	25.95	0
				32	17	26.29	26.33	26.26	26.44	26.38	0
				32	33	26.28	25.77	25.75	25.91	25.84	0
				64	0	26.23	25.63	25.77	25.93	25.89	0
			QPSK	1	1	26.31	26.36	26.31	26.50	26.47	0
				1	32	26.28	26.36	26.37	26.44	26.35	0
				1	63	26.24	26.21	26.37	26.56	26.41	0
				32	0	26.23	25.37	25.22	25.46	25.45	0
				32	17	26.29	26.37	26.28	26.48	26.39	0
				32	33	26.28	25.28	25.30	25.44	25.36	0
				64	0	26.23	25.33	25.26	25.47	25.39	0
			16QAM	1	1	26.26	25.44	25.26	25.49	25.71	0
			64QAM	1	1	26.24	23.91	23.64	24.00	24.00	1
			256QAM	1	1	21.81	21.84	21.67	21.82	21.85	3
		CP	QPSK	1	1	26.31	24.87	24.69	24.96	24.93	1

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.57	26.62	26.40	26.45	26.69	0
				1	39	26.52	26.56	26.29	26.86	26.41	0
				1	76	26.44	26.41	26.39	26.85	26.55	0
				36	0	26.24	26.03	25.81	26.28	26.16	0
				36	21	26.70	26.51	26.31	26.83	26.60	0
				36	42	26.08	25.87	25.80	26.22	26.03	0
				75	0	25.81	26.01	25.79	26.30	26.13	0
			QPSK	1	1	26.76	26.54	26.38	26.79	26.64	0
				1	39	26.77	26.55	26.32	26.62	26.61	0
				1	76	26.53	26.38	26.37	26.57	26.53	0
				36	0	25.76	25.53	25.29	25.71	25.67	0
				36	21	26.71	26.58	26.29	26.75	26.62	0
				36	42	25.58	25.37	25.31	25.68	25.56	0
				75	0	25.70	25.52	25.31	25.76	25.62	0
			16QAM	1	1	25.89	25.54	25.25	25.63	25.62	0
			64QAM	1	1	24.27	24.00	23.88	24.20	24.07	1
			256QAM	1	1	22.14	21.96	21.78	22.13	22.00	3
		CP	QPSK	1	1	25.28	25.02	25.05	25.16	25.17	1

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01	2567.34		2618.67	2670	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.70	26.42		26.52	26.42	0
				1	53	26.57	26.57		26.66	26.56	0
				1	104	26.56	26.37		26.43	26.54	0
				50	0	26.34	26.51		26.49	26.19	0
				50	28	26.69	26.40		26.57	26.65	0
				50	56	26.13	26.47		26.61	26.04	0
				100	0	26.21	26.45		26.61	26.19	0
			QPSK	1	1	26.21	26.38		26.46	26.65	0
				1	53	26.63	26.39		26.56	26.76	0
				1	104	26.65	26.46		26.50	26.57	0
				50	0	25.85	26.46		26.52	25.73	0
				50	28	26.70	26.48		26.63	26.69	0
				50	56	25.68	26.51		26.47	25.65	0
				100	0	25.75	26.48		26.59	25.75	0
			16QAM	1	1	25.31	26.22		26.62	25.63	0
			64QAM	1	1	24.00	24.18		24.60	24.13	1
			256QAM	1	1	22.47	22.69		22.54	22.25	3
		CP	QPSK	1	1	25.34	25.49		25.61	25.12	1

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						504204		518598		
						2521.02 MHz		2592.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.32		26.56		0
				1	67	26.49		26.66		0
				1	131	26.47		26.67		0
				64	0	26.27		26.61		0
				64	35	26.54		26.67		0
				64	69	26.00		26.58		0
				128	0	26.03		26.62		0
			QPSK	1	1	26.06		26.58		0
				1	67	26.54		26.59		0
				1	131	26.44		26.76		0
				64	0	25.72		26.67		0
				64	35	26.56		26.68		0
				64	69	25.55		26.65		0
				128	0	25.62		26.61		0
			16QAM	1	1	25.24		26.65		0
			64QAM	1	1	23.98		23.72		1
			256QAM	1	1	22.39		22.51		3
		CP	QPSK	1	1	24.85		26.49		1

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						505200		518598		
						2526 MHz		2592.99 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29		26.62		0
				1	81	26.46		26.61		0
				1	160	26.19		26.68		0
				81	0	26.16		26.61		0
				81	41	26.56		26.61		0
				81	81	26.05		26.58		0
				162	0	26.13		26.69		0
			QPSK	1	1	26.05		26.61		0
				1	81	26.53		26.66		0
				1	160	26.29		26.70		0
				81	0	25.72		26.68		0
				81	41	26.65		26.71		0
				81	81	25.59		26.65		0
				162	0	25.69		26.69		0
			16QAM	1	1	25.06		26.56		0
			64QAM	1	1	23.84		23.71		1
			256QAM	1	1	22.61		22.59		3
		CP	QPSK	1	1	24.48		24.48		1

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	26.36				26.28	0
				1	81	26.56				26.80	0
				1	160	26.13				26.69	0
				81	0	26.21				26.43	0
				81	41	26.60				26.89	0
				81	81	26.00				26.29	0
				162	0	26.14				26.44	0
			QPSK	1	1	26.12				26.37	0
				1	81	26.58				26.86	0
				1	160	26.17				26.47	0
				81	0	25.84				26.01	0
				81	41	26.65				26.94	0
				81	81	25.54				25.86	0
				162	0	25.66				26.00	0
			16QAM	1	1	25.33				25.57	0
			64QAM	1	1	24.05				24.04	1
			256QAM	1	1	22.87				21.87	3
		CP	QPSK	1	1	24.92				24.35	1

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	26.80				26.42	0
				1	109	26.89				26.36	0
				1	215	26.85				26.38	0
				108	0	26.73				26.46	0
				108	55	26.79				26.33	0
				108	109	26.80				26.41	0
				216	0	26.86				26.36	0
			QPSK	1	1	26.85				26.45	0
				1	109	26.82				26.45	0
				1	215	26.71				26.38	0
				108	0	26.75				25.43	0
				108	55	26.80				26.35	0
				108	109	26.81				26.33	0
				216	0	26.82				26.40	0
			16QAM	1	1	26.74				26.36	0
			64QAM	1	1	24.76				24.49	1
			256QAM	1	1	22.73				22.35	3
		CP	QPSK	1	1	24.83				24.60	1

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541					2644.98
						MHz					MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	26.79				26.35	0
				1	123	26.82				26.41	0
				1	243	26.74				26.32	0
				120	0	26.86				26.44	0
				120	63	26.82				26.45	0
				120	125	26.73				26.42	0
				243	0	26.76				26.34	0
			QPSK	1	1	26.81				26.38	0
				1	123	26.89				26.50	0
				1	243	26.77				26.42	0
				120	0	26.78				25.45	0
				120	63	26.74				26.44	0
				120	125	26.76				26.38	0
				243	0	26.83				26.35	0
			16QAM	1	1	26.74				26.44	0
			64QAM	1	1	24.86				24.40	1
			256QAM	1	1	22.73				22.33	3
		CP	QPSK	1	1	24.82				24.66	1

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99		
								MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			26.85		0
				1	137			26.53		0
				1	271			26.73		0
				135	0			26.51		0
				135	69			26.57		0
				135	138			26.61		0
			QPSK	270	0			26.68		0
				1	1			26.88		0
				1	137			26.55		0
				1	271			26.74		0
				135	0			26.50		0
				135	69			26.64		0
				135	138			26.63		0
				270	0			26.77		0
			16QAM	1	1			25.91		0
			64QAM	1	1			24.98		1
			256QAM	1	1			22.85		3
		CP	QPSK	1	1			24.90		1

NR TDD Band n48 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.21	23.42	22.52	21.74	0
				1	12	23.26	23.42	23.18	21.75	0
				1	22	23.26	23.29	23.28	21.59	0
				12	0	22.69	22.84	22.56	21.19	0.5
				12	6	23.20	23.28	23.10	21.68	0
				12	12	22.72	22.77	22.71	21.11	0.5
			QPSK	24	0	22.69	22.81	22.61	21.17	0.5
				1	1	23.21	23.32	22.99	21.70	0
				1	12	23.18	23.33	23.15	21.74	0
				1	22	23.26	23.26	23.22	21.62	0
				12	0	22.21	22.33	22.04	20.71	1
				12	6	23.18	23.31	23.12	21.71	0
				12	12	22.23	22.27	22.21	20.60	1
				24	0	22.18	22.30	22.15	20.69	1
			16QAM	1	1	22.21	22.30	21.94	20.82	1
			64QAM	1	1	20.67	20.84	20.46	19.20	2.5
			256QAM	1	1	18.68	18.89	18.50	17.24	4.5
		CP	QPSK	1	1	21.70	21.87	21.52	20.15	1.5

NR TDD Band n48 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637168	640166	643166	646166	
						3557.52 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.24	22.54	21.55	22.55	0
				1	18	23.20	23.23	23.03	21.78	0
				1	36	23.28	23.16	23.21	21.72	0
				18	0	22.73	22.85	22.47	21.44	0.5
				18	9	23.23	23.29	23.07	21.89	0
				18	18	22.77	22.75	22.70	21.31	0.5
				36	0	22.74	22.81	22.57	21.35	0.5
			QPSK	1	1	23.23	23.40	22.85	22.08	0
				1	18	23.21	23.24	23.00	21.87	0
				1	36	23.30	23.20	23.22	21.78	0
				18	0	22.26	22.35	21.96	20.96	1
				18	9	23.27	23.32	23.08	21.90	0
				18	18	22.25	22.25	22.18	20.77	1
				36	0	22.27	22.32	22.10	20.89	1
			16QAM	1	1	22.28	22.39	21.96	21.01	1
			64QAM	1	1	20.79	20.89	20.32	19.46	2.5
			256QAM	1	1	18.81	18.84	18.42	17.35	4.5
		CP	QPSK	1	1	21.74	21.91	21.38	20.21	1.5

NR TDD Band n48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.33	23.12	23.45	22.53	0
				1	26	23.32	23.31	23.04	21.88	0
				1	49	23.36	23.11	23.25	21.67	0
				25	0	22.82	22.88	22.39	21.46	0.5
				25	13	23.33	23.32	23.03	21.83	0
				25	26	22.85	22.73	22.67	21.26	0.5
				50	0	22.84	22.82	22.55	21.40	0.5
			QPSK	1	1	23.29	23.46	22.80	22.10	0
				1	26	23.28	23.32	23.07	21.77	0
				1	49	23.37	23.18	23.31	21.65	0
				25	0	22.32	22.37	21.90	20.98	1
				25	13	23.35	23.32	23.04	21.90	0
				25	26	22.36	22.24	22.21	20.81	1
				50	0	22.33	22.31	22.06	20.90	1
			16QAM	1	1	22.34	22.45	21.80	21.17	1
			64QAM	1	1	20.87	20.95	20.24	19.62	2.5
			256QAM	1	1	18.85	18.93	18.35	17.63	4.5
		CP	QPSK	1	1	21.87	21.93	21.37	20.58	1.5

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.22	23.12	21.50	22.28	0
				1	32	23.23	23.18	22.95	22.14	0
				1	63	23.27	22.91	23.24	21.87	0
				32	0	23.11	22.69	22.23	21.70	0.5
				32	17	23.23	23.10	22.87	22.11	0
				32	33	22.14	22.50	22.58	21.46	0.5
				64	0	22.73	22.61	22.36	21.60	0.5
			QPSK	1	1	23.24	23.28	22.66	22.35	0
				1	32	23.21	23.14	22.89	22.13	0
				1	63	23.23	22.88	23.24	21.86	0
				32	0	22.21	22.20	21.71	21.24	1
				32	17	23.22	23.11	22.15	22.19	0
				32	33	22.23	22.01	22.08	21.01	1
				64	0	22.25	22.12	21.87	21.13	1
			16QAM	1	1	22.06	22.31	21.58	21.30	1
			64QAM	1	1	20.57	20.82	20.14	19.86	2.5
			256QAM	1	1	18.66	18.83	18.19	17.68	4.5
		CP	QPSK	1	1	21.79	21.82	21.09	20.12	1.5

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.31	22.77		22.56	0
				1	53	23.40	22.87		22.70	0
				1	104	23.38	23.10		22.35	0
				50	0	22.85	22.55		22.26	0.5
				50	28	23.38	22.84		22.62	0
				50	56	22.87	22.42		21.89	0.5
				100	0	22.87	22.35		22.06	0.5
			QPSK	1	1	23.36	23.31		22.74	0
				1	53	23.44	22.86		22.45	0
				1	104	23.41	23.15		22.12	0
				50	0	22.36	22.07		21.58	1
				50	28	23.37	22.86		22.47	0
				50	56	22.39	21.91		21.26	1
				100	0	22.37	21.84		21.44	1
			16QAM	1	1	22.25	22.20		21.61	1
			64QAM	1	1	21.00	20.87		20.01	2.5
			256QAM	1	1	18.97	18.76		18.16	4.5
		CP	QPSK	1	1	21.88	21.86		21.03	1.5

NR FDD Band n66 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.15	23.44	23.00	0
				1	13	24.03	23.35	22.96	0
				1	23	24.04	23.33	23.02	0
				12	0	23.60	23.00	22.56	0.5
				12	7	24.14	23.51	23.05	0
				12	13	23.67	22.96	22.60	0.5
			QPSK	25	0	23.65	22.98	22.58	0.5
				1	1	24.16	23.47	23.06	0
				1	13	24.03	23.40	22.99	0
				1	23	24.11	23.40	23.08	0
				12	0	23.15	22.53	22.08	1
				12	7	24.16	23.54	23.14	0
				12	13	23.17	22.46	22.17	1
				25	0	23.17	22.51	22.15	1
			16QAM	1	1	23.23	22.42	21.98	1
			64QAM	1	1	21.63	21.13	20.53	2.5
			256QAM	1	1	19.53	19.05	18.49	4.5
		CP	QPSK	1	1	22.67	21.96	21.57	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.20	23.54	23.13	0
				1	26	24.27	23.59	23.28	0
				1	50	24.06	23.41	23.07	0
				25	0	23.67	23.06	22.65	0.5
				25	14	24.15	23.53	23.13	0
				25	27	23.68	22.97	22.63	0.5
			QPSK	50	0	23.67	23.04	22.61	0.5
				1	1	24.24	23.62	23.22	0
				1	26	24.16	23.50	23.15	0
				1	50	24.14	23.43	23.12	0
				25	0	23.22	22.64	22.18	1
				25	14	24.16	23.54	23.16	0
				25	27	23.14	22.46	22.14	1
				50	0	23.17	22.52	22.18	1
			16QAM	1	1	23.30	22.73	22.16	1
			64QAM	1	1	21.80	21.20	20.79	2.5
			256QAM	1	1	19.56	18.98	18.75	4.5
		CP	QPSK	1	1	22.80	22.11	21.64	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.18	23.70	23.15	0
				1	40	23.99	23.40	22.96	0
				1	77	23.99	23.25	23.05	0
				36	0	23.65	23.08	22.67	0.5
				36	22	24.11	23.49	23.11	0
				36	43	23.56	22.88	22.56	0.5
				75	0	23.64	23.02	22.63	0.5
			QPSK	1	1	24.19	23.71	23.20	0
				1	40	24.00	23.39	23.09	0
				1	77	24.02	23.34	23.05	0
				36	0	23.22	22.66	22.18	1
				36	22	24.15	23.56	23.13	0
				36	43	23.09	22.43	22.08	1
				75	0	23.17	22.55	22.15	1
			16QAM	1	1	23.32	22.70	22.12	1
			64QAM	1	1	21.78	21.36	20.71	2.5
			256QAM	1	1	19.57	19.10	18.69	4.5
		CP	QPSK	1	1	22.69	22.26	21.64	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.18	23.57	23.15	0
				1	53	24.14	23.57	23.26	0
				1	104	23.86	23.22	23.05	0
				50	0	23.61	23.08	22.73	0.5
				50	28	24.05	23.52	23.20	0
				50	56	23.55	22.89	22.59	0.5
				100	0	23.58	23.02	22.75	0.5
			QPSK	1	1	24.15	23.63	23.20	0
				1	53	24.15	23.51	23.16	0
				1	104	23.90	23.23	23.05	0
				50	0	23.15	22.59	22.26	1
				50	28	24.08	23.54	23.22	0
				50	56	23.04	22.42	22.16	1
				100	0	23.12	22.56	22.26	1
			16QAM	1	1	23.25	22.64	22.29	1
			64QAM	1	1	21.75	21.16	20.80	2.5
			256QAM	1	1	19.71	19.19	18.65	4.5
		CP	QPSK	1	1	22.76	22.11	21.70	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.16	23.80	23.14	0
				1	66	24.15	23.56	23.08	0
				1	131	23.72	23.29	22.97	0
				64	0	23.53	23.16	22.65	0.5
				64	35	24.04	23.51	23.13	0
				64	69	23.38	22.83	22.56	0.5
				128	0	23.57	23.02	22.66	0.5
			QPSK	1	1	24.11	23.81	23.20	0
				1	66	24.08	23.64	23.22	0
				1	131	23.79	23.25	23.05	0
				64	0	22.96	22.69	22.18	1
				64	35	23.93	23.53	23.13	0
				64	69	22.85	22.38	22.13	1
				128	0	23.00	22.52	22.16	1
			16QAM	1	1	23.04	22.84	22.17	1
			64QAM	1	1	21.76	21.36	20.76	2.5
			256QAM	1	1	19.57	19.33	20.72	4.5
		CP	QPSK	1	1	22.70	22.26	21.69	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.53		0
				1	80		23.45		0
				1	158		23.11		0
				80	0		23.14		0.5
				80	40		23.41		0
				80	80		22.70		0.5
				160	0		22.93		0.5
			QPSK	1	1		23.79		0
				1	80		23.58		0
				1	158		23.20		0
				80	0		22.70		1
				80	40		23.46		0
				80	80		22.25		1
				160	0		22.47		1
			16QAM	1	1		22.93		1
			64QAM	1	1		21.44		2.5
			256QAM	1	1		19.18		4.5
		CP	QPSK	1	1		22.31		1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.79		0
				1	98		23.36		0
				1	186		23.20		0
				90	0		23.09		0.5
				90	45		23.46		0
				90	90		22.77		0.5
				180	0		22.98		0.5
			QPSK	1	1		23.86		0
				1	98		23.48		0
				1	186		23.23		0
				90	0		22.62		1
				90	45		23.48		0
				90	90		22.28		1
				180	0		22.50		1
			16QAM	1	1		23.04		1
			64QAM	1	1		21.42		2.5
			256QAM	1	1		19.35		4.5
		CP	QPSK	1	1		22.33		1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745 MHz		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.86		0
				1	108		23.52		0
				1	214		23.24		0
				108	0		23.17		0.5
				108	54		23.43		0
				108	108		22.78		0.5
				216	0		22.95		0.5
			QPSK	1	1		23.98		0
				1	108		23.63		0
				1	214		23.31		0
				108	0		22.70		1
				108	54		23.46		0
				108	108		22.30		1
				216	0		22.46		1
			16QAM	1	1		23.03		1
			64QAM	1	1		21.54		2.5
			256QAM	1	1		19.42		4.5
		CP	QPSK	1	1		22.42		1.5

NR FDD Band n70 Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.92	23.98	24.08	0
				1	13	23.81	23.95	24.02	0
				1	23	24.00	24.04	24.08	0
				12	0	23.42	23.53	23.61	0.5
				12	7	23.94	24.02	24.13	0
				12	13	23.44	23.55	23.58	0.5
				25	0	23.47	23.53	23.61	0.5
			QPSK	1	1	23.96	23.99	24.13	0
				1	13	23.86	23.99	24.01	0
				1	23	24.12	24.08	24.12	0
				12	0	23.01	23.08	23.13	1
				12	7	23.96	24.09	24.16	0
				12	13	22.93	23.07	23.12	1
				25	0	22.99	23.04	23.12	1
			16QAM	1	1	22.99	23.12	23.06	1
			64QAM	1	1	21.42	21.65	21.59	2.5
			256QAM	1	1	19.39	19.55	19.65	4.5
		CP	QPSK	1	1	22.53	22.60	22.64	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	23.81	24.01	0
				1	26	24.10	24.27	24.28	0
				1	50	24.04	24.01	24.10	0
				25	0	23.45	23.48	23.60	0.5
				25	14	24.03	24.04	24.17	0
				25	27	23.52	23.63	23.67	0.5
				50	0	23.52	23.53	23.64	0.5
			QPSK	1	1	23.98	23.85	24.07	0
				1	26	24.14	24.16	24.19	0
				1	50	24.13	24.12	24.13	0
				25	0	23.02	23.03	23.13	1
				25	14	24.07	24.07	24.25	0
				25	27	23.09	23.12	23.19	1
				50	0	23.06	23.07	23.16	1
			16QAM	1	1	22.98	22.95	23.20	1
			64QAM	1	1	21.44	21.56	21.68	2.5
			256QAM	1	1	19.44	19.39	19.64	4.5
		CP	QPSK	1	1	22.41	22.43	22.70	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							340500		
							1702.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.87		0
				1	40		24.00		0
				1	77		24.06		0
				36	0		23.43		0.5
				36	22		24.05		0
				36	43		23.61		0.5
				75	0		23.59		0.5
			QPSK	1	1		23.96		0
				1	40		24.04		0
				1	77		24.14		0
				36	0		22.97		1
				36	22		24.11		0
				36	43		23.14		1
				75	0		23.13		1
			16QAM	1	1		22.92		1
			64QAM	1	1		21.53		2.5
			256QAM	1	1		19.44		4.5
		CP	QPSK	1	1		22.39		1.5

NR FDD Band n71 Conducted Power_ Measured P_{max} _ SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.50	24.22	24.01	0
				1	13	24.39	24.16	23.89	0
				1	23	24.45	24.23	23.92	0
				12	0	24.01	23.75	23.50	0.5
				12	7	24.48	24.24	23.98	0
				12	13	23.99	23.70	23.44	0.5
			QPSK	25	0	23.97	23.73	23.48	0.5
				1	1	24.49	24.28	24.01	0
				1	13	24.37	24.15	23.92	0
				1	23	24.42	24.23	23.93	0
				12	0	23.48	23.25	23.03	1
				12	7	24.46	24.24	23.97	0
				12	13	23.44	23.24	22.99	1
				25	0	23.48	23.26	23.01	1
			16QAM	1	1	23.55	23.19	23.00	1
			64QAM	1	1	22.08	21.90	21.60	2.5
			256QAM	1	1	20.00	19.84	19.46	4.5
		CP	QPSK	1	1	23.03	22.78	22.58	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.52	24.30	24.07	0
				1	26	24.63	24.47	24.18	0
				1	50	24.34	24.20	23.97	0
				25	0	23.98	23.76	23.52	0.5
				25	14	24.46	24.24	24.02	0
				25	27	23.90	23.74	23.46	0.5
			QPSK	50	0	23.94	23.75	23.55	0.5
				1	1	24.49	24.26	24.05	0
				1	26	24.44	24.27	24.05	0
				1	50	24.30	24.21	23.94	0
				25	0	23.48	23.29	23.07	1
				25	14	24.44	24.26	24.06	0
				25	27	23.37	23.20	22.98	1
				50	0	23.40	23.27	23.03	1
			16QAM	1	1	23.45	23.45	23.11	1
			64QAM	1	1	22.00	21.98	21.68	2.5
			256QAM	1	1	20.03	19.85	19.65	4.5
		CP	QPSK	1	1	22.99	22.76	22.58	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.33	0	
				1	40	24.12	0	
				1	77	24.15	0	
				36	0	23.82	0.5	
				36	22	24.26	0	
				36	43	23.71	0.5	
				75	0	23.74	0.5	
			QPSK	1	1	24.36	0	
				1	40	24.14	0	
				1	77	24.12	0	
				36	0	23.32	1	
				36	22	24.28	0	
				36	43	23.21	1	
				75	0	23.30	1	
			16QAM	1	1	23.36	1	
			64QAM	1	1	21.89	2.5	
			256QAM	1	1	19.95	4.5	
		CP	QPSK	1	1	22.98	1.5	

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.37	0
				1	53	24.45	0
				1	104	24.12	0
				50	0	23.83	0.5
				50	28	24.25	0
				50	56	23.70	0.5
				100	0	23.76	0.5
			QPSK	1	1	24.38	0
				1	53	24.28	0
				1	104	24.13	0
				50	0	23.32	1
				50	28	24.27	0
				50	56	23.18	1
				100	0	23.29	1
			16QAM	1	1	23.45	1
			64QAM	1	1	21.94	2.5
			256QAM	1	1	19.94	4.5
		CP	QPSK	1	1	22.81	1.5

NR TDD Band n77 (PC3) Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.46	23.49	22.90	24.26	24.44	23.37	0
				1	12	23.51	23.52	23.51	24.50	24.46	23.47	0
				1	22	23.41	23.38	23.30	24.49	24.45	23.39	0
				12	0	22.92	22.93	22.91	23.75	23.93	22.81	0.5
				12	6	22.54	23.39	23.36	24.36	24.43	23.34	0
				12	12	22.96	22.99	22.84	23.97	23.92	22.84	0.5
			QPSK	24	0	22.95	22.97	22.87	23.84	23.93	22.84	0.5
				1	1	23.42	23.51	23.46	24.24	24.45	23.36	0
				1	12	23.47	23.51	23.42	24.47	24.47	23.35	0
				1	22	23.42	23.43	23.34	24.50	24.44	23.36	0
				12	0	22.42	22.50	22.42	23.28	23.42	22.34	1
				12	6	23.40	23.50	23.38	24.39	24.40	23.33	0
				12	12	22.43	22.44	22.35	23.47	23.44	22.35	1
				24	0	22.43	22.47	22.37	23.37	23.42	22.33	1
			16QAM	1	1	22.45	22.55	22.46	23.27	23.49	22.28	1
			64QAM	1	1	20.94	20.99	20.93	21.73	21.99	20.83	2.5
			256QAM	1	1	18.80	19.00	18.91	19.72	19.96	18.90	4.5
		CP	QPSK	1	1	21.96	22.01	21.99	22.82	22.92	21.88	1.5

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.41	23.49	23.38	24.13	24.27	23.34	0
				1	18	23.36	23.33	23.29	24.26	24.34	23.33	0
				1	36	23.39	23.25	23.22	24.32	24.44	23.35	0
				18	0	22.94	22.95	22.91	23.72	23.86	22.87	0.5
				18	9	23.43	23.41	23.35	24.34	24.42	23.37	0
				18	18	22.93	22.79	23.15	22.35	23.92	22.90	0.5
			QPSK	36	0	22.91	22.89	22.88	23.12	23.89	22.89	0.5
				1	1	23.42	23.43	23.45	24.10	24.30	23.35	0
				1	18	23.38	23.29	23.30	24.23	24.38	23.31	0
				1	36	23.40	23.21	23.20	24.43	24.43	23.37	0
				18	0	22.43	22.44	22.40	23.22	23.36	22.38	1
				18	9	23.41	23.38	23.35	24.33	24.39	23.38	0
				18	18	22.43	22.31	22.33	23.45	23.45	22.39	1
				36	0	22.40	22.38	22.35	23.33	23.16	22.41	1
			16QAM	1	1	22.43	22.49	22.45	23.11	23.17	22.41	1
			64QAM	1	1	20.93	20.96	20.95	21.67	21.15	20.79	2.5
			256QAM	1	1	18.93	19.07	18.97	19.71	19.80	18.89	4.5
		CP	QPSK	1	1	21.95	21.95	21.93	22.67	22.82	21.90	1.5

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.54	23.26	23.41	23.93	24.22	23.26	0
				1	26	23.50	23.33	23.25	24.31	24.35	23.33	0
				1	49	23.46	23.13	23.17	24.42	24.37	23.37	0
				25	0	23.01	22.95	22.92	23.63	23.78	22.83	0.5
				25	13	23.51	23.35	23.34	24.31	24.36	23.47	0
				25	26	22.97	22.73	22.75	23.97	23.90	22.99	0.5
				50	0	23.01	22.87	22.87	23.82	23.87	22.98	0.5
			QPSK	1	1	23.52	23.53	23.40	23.93	24.20	23.30	0
				1	26	23.49	23.31	23.29	24.28	24.33	23.36	0
				1	49	23.43	23.17	23.19	24.39	24.42	23.41	0
				25	0	22.52	22.44	22.42	23.15	23.30	22.33	1
				25	13	23.48	23.36	23.35	24.29	24.38	23.38	0
				25	26	22.45	22.24	22.28	23.45	23.41	22.42	1
				50	0	22.51	22.37	22.36	23.31	23.37	22.48	1
			16QAM	1	1	22.53	22.69	22.40	22.98	23.29	22.28	1
			64QAM	1	1	20.94	21.00	20.83	21.41	21.65	20.82	2.5
			256QAM	1	1	19.05	19.10	19.00	19.46	19.76	18.69	4.5
		CP	QPSK	1	1	21.93	21.91	21.92	22.41	22.12	21.78	1.5

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.51	23.56	23.46	23.78	24.17	23.29	0
				1	32	23.54	23.34	23.33	24.34	24.44	23.37	0
				1	63	23.38	23.11	23.09	24.43	24.51	23.42	0
				32	0	22.98	22.97	22.93	23.54	23.79	22.73	0.5
				32	17	23.45	23.34	23.33	24.29	24.43	23.32	0
				32	33	22.89	22.68	22.73	23.96	23.98	22.86	0.5
				64	0	22.92	22.82	22.81	23.77	23.90	22.81	0.5
			QPSK	1	1	23.50	23.58	23.41	23.76	24.17	23.27	0
				1	32	23.45	23.38	23.34	24.30	24.47	23.30	0
				1	63	23.39	23.10	23.15	24.39	24.48	23.38	0
				32	0	22.47	22.45	22.43	23.03	23.31	22.22	1
				32	17	23.42	23.31	23.33	24.27	24.41	23.31	0
				32	33	22.36	22.17	22.23	23.45	23.50	22.36	1
				64	0	22.44	22.33	22.34	23.27	23.43	22.31	1
			16QAM	1	1	22.51	22.46	22.50	22.76	23.23	22.01	1
			64QAM	1	1	21.14	21.04	20.90	21.29	21.64	20.80	2.5
			256QAM	1	1	19.00	19.02	18.87	19.27	19.55	18.81	4.5
		CP	QPSK	1	1	22.03	22.05	21.94	22.20	22.60	21.78	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.38	23.42	23.29	23.72	23.95	23.44	0
				1	39	23.34	23.24	23.25	24.35	24.28	23.33	0
				1	76	23.40	23.05	23.11	24.29	24.44	23.39	0
				36	0	22.87	22.82	22.77	23.53	23.61	22.82	0.5
				36	21	23.32	23.21	23.23	24.32	24.25	23.31	0
				36	42	22.85	22.58	22.66	23.94	23.89	22.84	0.5
			QPSK	75	0	22.85	22.72	22.74	23.81	23.73	22.81	0.5
				1	1	23.33	23.39	23.17	23.71	23.94	23.43	0
				1	39	23.34	23.30	23.15	24.41	24.27	23.34	0
				1	76	23.02	23.01	23.07	24.32	24.42	23.35	0
				36	0	22.37	22.32	22.27	23.01	23.10	22.32	1
				36	21	23.35	23.22	23.23	24.33	24.29	23.31	0
				36	42	22.33	22.06	22.16	23.45	23.38	22.36	1
				75	0	22.35	22.23	22.26	23.32	23.27	22.30	1
			16QAM	1	1	22.40	22.39	22.22	22.79	22.91	22.40	1
			64QAM	1	1	20.85	20.98	20.84	21.13	21.41	20.94	2.5
			256QAM	1	1	18.95	18.89	18.79	19.20	19.40	18.78	4.5
		CP	QPSK	1	1	21.89	21.96	21.76	22.19	22.51	21.97	1.5

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.46	23.47	23.20	23.44	24.09	23.89	0
				1	53	23.41	23.20	23.24	24.31	24.34	23.24	0
				1	104	23.51	23.10	23.13	24.20	24.38	23.35	0
				50	0	22.94	22.91	22.78	23.30	23.59	22.84	0.5
				50	28	23.35	23.17	23.23	24.29	24.28	23.18	0
				50	56	22.88	22.53	22.61	23.92	23.89	22.84	0.5
			QPSK	100	0	22.88	22.69	22.76	23.75	23.76	22.72	0.5
				1	1	23.45	23.44	23.15	23.45	24.09	23.86	0
				1	53	23.39	23.15	23.21	24.30	24.29	23.20	0
				1	104	23.45	23.11	23.10	24.21	24.33	23.35	0
				50	0	22.44	22.37	22.33	22.84	23.08	22.35	1
				50	28	23.35	23.17	23.24	24.30	24.26	23.22	0
				50	56	22.38	22.02	22.12	23.41	23.41	22.36	1
				100	0	22.38	22.20	22.25	23.26	23.27	22.23	1
			16QAM	1	1	22.37	22.37	22.20	22.48	22.95	22.74	1
			64QAM	1	1	21.09	21.06	20.96	20.85	21.45	21.52	2.5
			256QAM	1	1	18.96	19.06	18.78	19.09	19.41	19.37	4.5
		CP	QPSK	1	1	21.93	22.01	21.70	22.03	22.62	22.41	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01	3782.49	3840		3897.51		3954.99
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.12	23.45	23.30		24.43	24.43	0
				1	67	23.30	22.99	23.08		23.95	23.25	0
				1	131	23.56	23.31	24.24		24.44	23.33	0
				64	0	22.86	22.67	22.62		23.68	23.38	0.5
				64	35	23.31	23.03	23.11		24.00	23.28	0
				64	69	22.93	22.72	23.15		23.75	22.78	0.5
				128	0	22.82	22.54	22.64		23.51	22.81	0.5
			QPSK	1	1	23.31	23.44	23.27		24.34	24.43	0
				1	67	23.21	22.97	23.08		23.90	23.25	0
				1	131	23.48	23.35	24.25		24.43	23.27	0
				64	0	22.34	22.19	22.12		23.21	22.87	1
				64	35	23.31	23.03	23.14		23.99	23.29	0
				64	69	22.45	22.22	22.65		23.24	22.27	1
				128	0	22.34	22.03	22.17		23.02	22.32	1
			16QAM	1	1	22.39	22.48	22.44		23.49	23.40	1
			64QAM	1	1	21.01	20.86	20.66		21.78	21.88	2.5
			256QAM	1	1	18.89	19.00	18.85		19.89	19.97	4.5
		CP	QPSK	1	1	21.84	21.95	21.81		23.02	23.11	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.12	23.21			23.54	24.49	0
				1	81	23.44	23.39			24.39	23.35	0
				1	160	23.41	23.10			24.31	23.4	0
				81	0	22.90	22.70			23.72	23.67	0.5
				81	41	23.40	23.36			24.42	23.34	0
				81	81	23.01	22.75			23.65	22.81	0.5
			162	0	22.91	22.87			23.91	22.86	0.5	
			QPSK	1	1	23.49	23.24			23.53	24.46	0
				1	81	23.38	23.38			24.42	23.36	0
				1	160	23.40	23.13			24.27	23.35	0
				81	0	22.43	22.20			23.21	23.23	1
				81	41	23.38	23.34			24.39	23.33	0
				81	81	22.50	22.26			23.15	22.32	1
				162	0	22.41	22.38			23.43	22.35	1
				16QAM	1	1	22.30	22.43			22.56	23.54
			64QAM	1	1	20.87	20.69			20.94	21.87	2.5
			256QAM	1	1	18.76	18.66			19.23	19.87	4.5
		CP	QPSK	1	1	22.03	21.69			21.88	22.99	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.45	23.34			23.29	24.27	0
				1	95	23.39	23.39			24.37	23.57	0
				1	187	23.37	23.18			24.41	23.54	0
				90	0	22.82	22.71			23.39	23.84	0.5
				90	50	23.38	23.38			24.34	23.61	0
				90	99	23.00	22.68			23.61	22.82	0.5
			QPSK	180	0	22.90	22.91			23.92	23.24	0.5
				1	1	23.45	23.36			23.24	24.27	0
				1	95	23.37	23.35			24.36	23.58	0
				1	187	23.36	23.17			24.42	23.57	0
				90	0	22.31	22.20			22.89	23.33	1
				90	50	23.38	23.39			24.38	23.61	0
				90	99	22.51	22.17			23.11	22.35	1
				180	0	22.40	22.40			23.42	22.73	1
			16QAM	1	1	22.39	22.30			22.21	23.16	1
			64QAM	1	1	20.90	20.87			20.72	21.71	2.5
			256QAM	1	1	19.06	18.87			18.75	19.78	4.5
		CP	QPSK	1	1	21.98	21.86			21.74	22.81	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.12		22.86		23.91		0
				1	109	23.46		23.16		23.94		0
				1	215	22.88		24.18		23.52		0
				108	0	22.90		22.77		23.95		0.5
				108	55	23.49		23.14		23.97		0
				108	109	22.92		23.62		22.75		0.5
			QPSK	216	0	23.03		22.70		23.50		0.5
				1	1	23.01		22.85		23.86		0
				1	109	23.46		23.11		23.97		0
				1	215	22.86		24.17		23.50		0
				108	0	22.43		22.26		23.47		1
				108	55	23.50		23.16		23.95		0
				108	109	22.44		23.12		22.27		1
				216	0	22.55		22.20		23.02		1
			16QAM	1	1	21.98		21.85		22.83		1
			64QAM	1	1	20.45		20.46		21.39		2.5
			256QAM	1	1	18.45		18.36		19.38		4.5
		CP	QPSK	1	1	21.52		21.39		22.44		1.5

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						649668		656000		662332		
						3745.02		3840		3934.98		
						MHz		MHz		MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.12		23.31		23.59		0
				1	123	23.42		22.81		23.65		0
				1	243	23.12		23.69		22.72		0
				120	0	22.83		22.50		23.42		0.5
				120	63	23.44		22.89		23.67		0
				120	125	22.81		23.46		22.16		0.5
				243	0	23.03		22.42		23.20		0.5
			QPSK	1	1	22.92		22.57		23.58		0
				1	123	23.39		22.82		23.68		0
				1	243	23.13		23.67		22.74		0
				120	0	22.33		21.99		22.92		1
				120	63	23.45		22.88		23.69		0
				120	125	22.29		22.97		21.68		1
				243	0	22.54		21.90		22.72		1
			16QAM	1	1	22.03		21.59		22.66		1
			64QAM	1	1	20.45		20.13		21.17		2.5
			256QAM	1	1	18.49		18.09		19.04		4.5
		CP	QPSK	1	1	21.42		21.04		22.10		1.5

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]		
						650000				662000			
						3750 MHz				3930 MHz			
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	22.73				23.00		0	
				1	137	23.04				23.83		0	
				1	271	22.59				22.91		0	
				135	0	22.53				23.23		0.5	
				135	69	23.09				23.86		0	
				135	138	22.25				22.28		0.5	
			QPSK	270	0	22.68				23.44		0.5	
				1	1	22.70				23.72		0	
				1	137	23.05				23.90		0	
				1	271	22.54				22.96		0	
				135	0	22.03				22.66		1	
				135	69	23.11				23.86		0	
				135	138	21.73				21.71		1	
				270	0	22.17				22.96		1	
				16QAM	1	1	21.79				22.51		1
				64QAM	1	1	20.21				21.20		2.5
			256QAM	1	1	18.22				19.21		4.5	
		CP	QPSK	1	1	21.29				22.16		1.5	

NR TDD Band n77 (PC2) Conducted Power_ Measured P_{max} _ SUB2 [Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.26	26.27	26.58	26.11	25.75	25.10	0
				1	12	26.22	26.28	26.45	26.12	25.74	25.15	0
				1	22	26.23	26.47	26.44	26.01	25.70	25.10	0
				12	0	25.77	25.87	25.42	25.55	25.20	24.56	0.5
				12	6	25.74	26.39	26.55	26.02	25.68	25.07	0
				12	12	25.80	25.93	26.05	25.51	25.19	24.59	0.5
			QPSK	24	0	25.78	25.89	26.09	25.53	25.17	24.59	0.5
				1	1	26.23	26.34	26.69	26.08	25.70	24.98	0
				1	12	26.29	26.37	26.59	26.05	25.71	25.09	0
				1	22	26.29	26.39	26.45	26.01	25.66	25.12	0
				12	0	25.26	25.37	25.56	25.06	24.74	24.08	1
				12	6	26.23	26.36	26.51	26.03	25.69	25.07	0
				12	12	25.30	25.43	25.53	25.00	24.73	24.13	1
				24	0	25.28	25.40	25.52	25.03	24.72	24.10	1
			16QAM	1	1	25.28	25.50	25.58	25.14	24.78	24.22	1
			64QAM	1	1	23.71	23.76	24.04	23.60	23.17	22.77	2.5
			256QAM	1	1	21.77	21.93	22.14	21.52	21.21	20.56	4.5
		CP	QPSK	1	1	24.80	24.81	25.10	24.63	24.24	23.61	1.5

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.27	26.22	26.64	26.15	25.77	25.18	0
				1	18	26.26	26.36	26.42	25.94	25.60	25.07	0
				1	36	26.32	26.47	26.41	25.97	25.69	25.12	0
				18	0	25.79	25.89	26.08	25.58	25.22	24.65	0.5
				18	9	26.30	26.23	26.51	26.04	25.71	25.10	0
				18	18	25.87	25.92	26.01	25.48	25.20	24.66	0.5
			QPSK	36	0	25.80	25.93	26.04	25.53	25.20	24.60	0.5
				1	1	26.29	26.31	26.59	26.13	25.80	25.21	0
				1	18	26.28	26.38	26.47	25.93	25.64	25.08	0
				1	36	26.33	26.44	26.43	25.98	25.71	25.15	0
				18	0	25.31	25.37	25.58	25.08	24.72	24.15	1
				18	9	26.31	26.41	26.51	26.01	25.72	25.12	0
				18	18	25.34	25.45	25.51	24.99	24.71	24.14	1
				36	0	25.32	25.41	25.54	25.03	24.69	24.12	1
			16QAM	1	1	25.37	25.41	25.57	25.05	24.77	24.30	1
			64QAM	1	1	23.83	23.91	24.10	23.64	23.31	22.72	2.5
			256QAM	1	1	21.73	21.90	22.18	21.66	21.29	20.75	4.5
		CP	QPSK	1	1	24.89	24.95	25.19	24.70	24.34	23.77	1.5

NR TDD Band n77_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.30	26.36	26.65	26.16	25.77	24.93	0
				1	26	26.28	26.35	26.52	26.00	25.66	25.05	0
				1	49	26.23	26.44	26.38	25.95	25.69	25.15	0
				25	0	25.84	25.88	26.11	25.59	25.22	24.67	0.5
				25	13	26.36	26.45	26.04	26.03	25.70	25.09	0
				25	26	25.82	25.97	25.96	25.48	25.18	24.63	0.5
				50	0	25.89	25.94	24.17	25.53	25.19	24.59	0.5
			QPSK	1	1	26.32	26.37	26.69	26.21	25.77	25.31	0
				1	26	26.35	26.43	26.52	26.00	25.72	25.11	0
				1	49	26.26	26.51	26.46	26.03	25.71	25.13	0
				25	0	25.37	25.41	25.61	25.12	24.75	24.23	1
				25	13	26.35	26.42	26.52	26.02	25.70	25.11	0
				25	26	25.33	25.46	25.46	25.00	24.70	24.14	1
				50	0	25.36	25.44	25.52	25.03	24.74	24.12	1
			16QAM	1	1	25.42	25.39	25.64	25.19	24.85	24.31	1
			64QAM	1	1	23.88	23.91	24.17	23.70	23.32	22.63	2.5
			256QAM	1	1	21.86	21.94	22.14	21.71	21.28	20.83	4.5
		CP	QPSK	1	1	23.84	24.84	25.18	24.74	24.18	23.83	1.5

NR TDD Band n77_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.38	26.45	26.23	25.97	25.74	25.14	0
				1	32	26.40	26.50	26.55	26.12	25.72	25.15	0
				1	63	26.31	26.56	26.44	26.04	25.72	25.20	0
				32	0	25.89	25.95	26.10	25.63	25.24	24.73	0.5
				32	17	26.38	26.49	26.53	26.05	25.70	25.12	0
				32	33	25.80	26.02	25.93	25.49	25.17	24.62	0.5
				64	0	25.84	25.98	26.02	25.54	25.22	24.62	0.5
			QPSK	1	1	26.34	26.42	26.67	26.24	25.78	25.32	0
				1	32	26.37	26.44	26.60	26.04	25.77	25.05	0
				1	63	26.24	26.54	26.39	26.00	25.71	25.15	0
				32	0	25.38	25.44	25.63	25.13	24.77	24.24	1
				32	17	26.39	26.48	26.54	26.05	25.71	25.12	0
				32	33	25.32	25.51	25.46	24.99	24.72	24.11	1
				64	0	25.39	25.48	25.52	25.05	24.72	24.16	1
			16QAM	1	1	25.41	25.41	25.68	25.20	24.75	24.34	1
			64QAM	1	1	23.89	23.90	24.16	23.69	23.28	22.83	2.5
			256QAM	1	1	21.93	21.95	22.23	21.78	21.33	20.88	4.5
		CP	QPSK	1	1	24.96	24.98	25.27	24.80	24.33	23.91	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.25	26.30	26.56	25.85	25.70	25.64	0
				1	39	26.37	26.44	26.52	26.19	25.74	25.23	0
				1	76	26.27	26.63	26.44	25.92	25.69	25.18	0
				36	0	25.77	25.82	26.00	25.80	25.25	24.93	0.5
				36	21	26.25	26.44	26.45	26.13	25.72	25.24	0
				36	42	25.74	26.01	25.90	25.51	25.19	24.61	0.5
			QPSK	75	0	25.75	25.91	25.98	25.64	25.22	24.77	0.5
				1	1	26.22	26.27	26.47	26.45	25.77	25.54	0
				1	39	26.24	26.44	26.49	26.15	25.80	25.21	0
				1	76	26.23	26.59	26.42	25.98	25.75	25.14	0
				36	0	25.30	25.34	25.50	25.31	24.76	24.42	1
				36	21	26.25	26.42	26.47	26.14	25.71	25.23	0
				36	42	25.27	25.51	25.43	25.03	24.72	24.14	1
				75	0	25.29	25.42	25.46	25.15	24.73	24.28	1
			16QAM	1	1	25.34	25.31	25.55	25.46	24.79	24.59	1
			64QAM	1	1	23.76	23.80	24.09	24.03	23.26	22.95	2.5
			256QAM	1	1	21.72	21.85	22.08	21.93	21.31	21.11	4.5
		CP	QPSK	1	1	24.77	24.87	25.13	25.05	24.27	24.11	1.5

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.34	26.63	26.57	25.47	25.74	25.65	0
				1	53	26.31	26.51	26.51	26.22	25.86	25.37	0
				1	104	26.30	26.62	26.40	25.97	25.70	25.16	0
				50	0	25.92	25.87	26.04	25.87	25.38	24.99	0.5
				50	28	26.31	26.48	26.47	26.17	25.82	25.31	0
				50	56	25.76	26.08	25.91	25.52	25.23	24.60	0.5
			QPSK	100	0	25.84	25.98	25.98	25.68	25.34	24.84	0.5
				1	1	26.38	26.38	26.53	26.44	25.92	25.59	0
				1	53	26.35	26.47	26.45	26.18	25.85	25.29	0
				1	104	26.34	26.60	26.32	25.98	25.65	25.16	0
				50	0	25.42	25.40	25.54	25.39	24.88	24.50	1
				50	28	26.29	26.48	26.45	26.16	25.82	25.32	0
				50	56	25.27	25.60	25.41	25.03	24.74	24.14	1
				100	0	25.34	25.49	25.48	25.17	24.85	24.33	1
			16QAM	1	1	25.35	25.34	25.62	25.52	24.96	24.75	1
			64QAM	1	1	23.87	23.95	24.08	23.96	23.40	23.08	2.5
			256QAM	1	1	21.90	21.94	22.24	22.03	21.57	21.33	4.5
		CP	QPSK	1	1	24.92	24.93	25.21	25.05	24.56	24.25	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]	
						648334	652166	656000		659834		663666
						3725.01	3782.49	3840		3897.51		3954.99
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.25	26.42	26.54		26.05	25.88	0
				1	67	26.22	26.59	26.29		25.88	25.39	0
				1	131	26.40	26.56	26.19		25.81	25.12	0
				64	0	25.77	26.04	25.95		25.51	25.22	0.5
				64	35	26.23	26.65	26.31		25.92	25.42	0
				64	69	25.80	26.14	25.88		25.38	24.65	0.5
				128	0	25.78	26.14	25.85		25.42	24.96	0.5
			QPSK	1	1	26.20	26.49	26.52		26.03	25.82	0
				1	67	26.15	26.57	26.27		25.84	25.33	0
				1	131	26.32	26.57	26.14		25.82	25.11	0
				64	0	25.31	25.56	25.44		25.01	24.71	1
				64	35	26.24	26.65	26.33		25.91	25.46	0
				64	69	25.30	25.65	25.37		24.88	24.17	1
				128	0	25.27	25.65	25.34		24.92	24.46	1
			16QAM	1	1	25.28	25.66	25.58		24.57	25.00	1
			64QAM	1	1	23.52	23.98	24.04		23.33	23.34	2.5
			256QAM	1	1	21.88	22.14	22.41		21.73	21.39	4.5
		CP	QPSK	1	1	24.81	25.15	25.12		24.61	24.46	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.39	26.65			26.37	25.82	0
				1	81	26.27	26.66			26.01	25.57	0
				1	160	26.46	26.41			25.97	25.26	0
				81	0	25.87	26.23			25.65	25.24	0.5
				81	41	26.28	26.63			26.02	25.50	0
				81	81	25.83	26.00			25.54	24.77	0.5
			162	0	25.77	26.16			25.50	24.99	0.5	
			QPSK	1	1	26.40	26.70			26.35	25.79	0
				1	81	26.30	26.65			25.97	25.51	0
				1	160	26.50	26.35			25.96	25.24	0
				81	0	25.39	25.71			25.19	24.77	1
				81	41	26.27	26.65			26.04	25.50	0
				81	81	25.36	25.50			25.06	24.28	1
				162	0	25.33	25.66			25.05	24.56	1
				16QAM	1	1	25.27	25.79			25.24	24.92
			64QAM	1	1	23.95	24.15			23.90	23.29	2.5
			256QAM	1	1	21.90	21.55			21.86	21.20	4.5
		CP	QPSK	1	1	24.96	25.26			24.93	24.37	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.33	26.73			26.37	25.88	0
				1	95	26.25	26.59			26.05	25.62	0
				1	187	26.68	26.30			26.08	25.43	0
				90	0	25.78	26.28			25.72	25.20	0.5
				90	50	26.28	26.67			26.04	25.58	0
				90	99	25.93	25.98			25.57	24.86	0.5
			QPSK	180	0	25.78	26.21			25.53	25.12	0.5
				1	1	26.31	26.80			26.36	25.82	0
				1	95	26.24	26.70			26.00	25.56	0
				1	187	26.67	26.35			26.06	25.41	0
				90	0	25.31	25.79			25.21	24.70	1
				90	50	26.27	26.67			26.01	25.59	0
				90	99	25.48	25.47			25.05	24.37	1
				180	0	25.32	25.72			25.04	24.64	1
			16QAM	1	1	25.54	25.73			25.39	24.83	1
			64QAM	1	1	23.83	24.19			23.80	23.35	2.5
			256QAM	1	1	21.86	22.28			21.93	21.31	4.5
		CP	QPSK	1	1	24.88	25.27			24.92	24.38	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	25.89		26.16		25.70		0
				1	109	26.34		26.35		25.71		0
				1	215	26.45		25.88		25.33		0
				108	0	25.89		26.05		25.31		0.5
				108	55	26.38		26.36		25.73		0
				108	109	26.00		25.79		24.9		0.5
			QPSK	216	0	25.90		25.88		25.25		0.5
				1	1	25.89		26.17		25.71		0
				1	109	26.36		26.32		25.73		0
				1	215	26.44		25.85		25.36		0
				108	0	25.40		25.54		24.83		1
				108	55	26.35		26.38		25.74		0
				108	109	25.52		25.29		24.41		1
				216	0	25.40		25.37		24.76		1
			16QAM	1	1	24.82		25.14		24.79		1
			64QAM	1	1	23.31		23.73		23.17		2.5
			256QAM	1	1	21.44		21.73		21.28		4.5
		CP	QPSK	1	1	24.40		24.77		24.27		1.5

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02		3840		3934.98		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	25.82		26.23		25.96		0
				1	123	26.31		26.35		25.74		0
				1	243	26.65		25.92		25.19		0
				120	0	25.78		26.09		25.48		0.5
				120	63	26.32		26.37		25.79		0
				120	125	26.13		25.72		24.89		0.5
				243	0	25.89		25.89		25.32		0.5
			QPSK	1	1	25.85		26.24		25.97		0
				1	123	26.31		26.34		25.79		0
				1	243	26.65		25.94		25.28		0
				120	0	25.29		25.59		25.01		1
				120	63	26.35		26.39		25.79		0
				120	125	25.61		25.25		24.41		1
				243	0	25.41		25.40		24.81		1
			16QAM	1	1	24.79		25.30		24.79		1
			64QAM	1	1	23.31		23.70		23.47		2.5
			256QAM	1	1	21.38		21.82		21.41		4.5
		CP	QPSK	1	1	24.30		24.81		24.53		1.5

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750				3930		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	26.01				25.81		0
				1	137	26.34				25.76		0
				1	271	26.32				25.43		0
				135	0	25.86				25.44		0.5
				135	69	26.41				25.79		0
				135	138	26.15				24.99		0.5
			QPSK	270	0	25.98				25.28		0.5
				1	1	25.94				25.87		0
				1	137	26.39				25.77		0
				1	271	26.32				25.44		0
				135	0	25.39				24.96		1
				135	69	26.40				25.75		0
				135	138	25.65				24.47		1
				270	0	25.47				24.81		1
			16QAM	1	1	24.98				24.82		1
			64QAM	1	1	23.46				23.37		2.5
			256QAM	1	1	21.53				21.33		4.5
		CP	QPSK	1	1	24.50				24.38		1.5

NR TDD Band n77 DoD(PC3) Conducted Power_Measured P_{max_SUB2} [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.36	23.12	23.14	0
				1	12	23.35	23.38	23.48	0
				1	22	23.26	23.28	23.34	0
				12	0	22.76	22.81	23.01	0.5
				12	6	23.26	23.30	23.39	0
				12	12	22.75	22.76	22.87	0.5
				24	0	22.74	22.81	22.92	0.5
			QPSK	1	1	23.29	23.32	23.58	0
				1	12	23.31	23.35	23.51	0
				1	22	23.27	23.26	23.34	0
				12	0	22.26	22.31	22.48	1
				12	6	23.27	23.32	23.43	0
				12	12	22.27	22.29	22.38	1
				24	0	22.27	22.31	22.42	1
			16QAM	1	1	22.28	22.27	22.55	1
			64QAM	1	1	20.83	20.85	20.94	2.5
			256QAM	1	1	18.73	18.93	19.08	4.5
		CP	QPSK	1	1	21.77	21.81	22.03	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	23.36	23.30	23.17	0
				1	18	23.31	23.25	23.47	0
				1	36	23.26	23.21	23.32	0
				18	0	22.85	22.85	22.54	0.5
				18	9	23.12	23.31	23.47	0
				18	18	22.86	22.77	22.84	0.5
				36	0	22.86	22.83	22.93	0.5
			QPSK	1	1	23.14	23.30	23.42	0
				1	18	23.25	23.26	23.37	0
				1	36	23.27	23.23	23.29	0
				18	0	22.37	22.32	22.48	1
				18	9	23.37	23.31	23.44	0
				18	18	22.35	22.28	22.36	1
				36	0	22.35	22.33	22.46	1
			16QAM	1	1	22.38	22.33	22.49	1
			64QAM	1	1	20.89	20.77	20.80	2.5
			256QAM	1	1	18.97	18.78	18.94	4.5
		CP	QPSK	1	1	21.89	21.83	21.94	1.5

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.42	23.30	23.25	0
				1	26	23.37	23.27	23.37	0
				1	49	23.22	23.18	23.23	0
				25	0	22.91	22.78	22.85	0.5
				25	13	23.41	23.32	23.45	0
				25	26	22.81	22.76	22.84	0.5
				50	0	22.89	22.82	22.92	0.5
			QPSK	1	1	23.46	23.30	23.28	0
				1	26	23.42	23.26	23.44	0
				1	49	23.27	23.17	23.27	0
				25	0	22.43	22.33	22.33	1
				25	13	23.42	23.32	23.43	0
				25	26	22.31	22.24	22.34	1
				50	0	22.42	22.35	22.44	1
			16QAM	1	1	22.58	22.33	22.29	1
			64QAM	1	1	20.98	20.76	20.71	2.5
			256QAM	1	1	18.89	18.97	18.78	4.5
		CP	QPSK	1	1	21.95	21.83	21.79	1.5

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.54	23.36	23.16	0
				1	26	23.47	23.39	23.33	0
				1	49	23.31	23.21	23.24	0
				25	0	23.01	22.82	22.68	0.5
				25	13	23.43	23.32	23.32	0
				25	26	22.82	22.74	22.82	0.5
				50	0	22.94	22.83	22.79	0.5
			QPSK	1	1	23.50	23.33	23.13	0
				1	26	23.43	23.33	23.32	0
				1	49	23.31	23.16	23.23	0
				25	0	22.49	22.34	22.17	1
				25	13	23.43	23.32	23.29	0
				25	26	22.29	22.25	22.29	1
				50	0	22.41	22.32	22.30	1
			16QAM	1	1	22.56	22.32	22.01	1
			64QAM	1	1	21.19	20.82	20.70	2.5
			256QAM	1	1	18.85	18.80	18.61	4.5
		CP	QPSK	1	1	22.06	21.83	21.65	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.36	23.30	23.29	0
				1	39	23.27	23.42	23.55	0
				1	76	23.15	23.17	23.37	0
				36	0	22.80	22.84	22.83	0.5
				36	21	23.16	23.29	23.44	0
				36	42	22.56	22.67	22.98	0.5
				75	0	22.68	22.80	22.92	0.5
			QPSK	1	1	23.29	23.31	23.30	0
				1	39	23.22	23.32	23.46	0
				1	76	23.12	23.15	23.39	0
				36	0	22.27	22.32	22.31	1
				36	21	23.15	23.30	23.44	0
				36	42	22.07	22.19	22.49	1
				75	0	22.18	22.30	22.42	1
			16QAM	1	1	22.24	22.26	22.14	1
			64QAM	1	1	20.71	20.86	20.92	2.5
			256QAM	1	1	18.82	18.83	18.84	4.5
		CP	QPSK	1	1	21.84	21.79	21.77	1.5

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.42		23.19	0
				1	53	23.20		23.25	0
				1	104	23.33		23.25	0
				50	0	22.94		22.63	0.5
				50	28	23.19		23.22	0
				50	56	22.71		22.93	0.5
				100	0	22.71		22.72	0.5
			QPSK	1	1	23.42		23.25	0
				1	53	23.19		23.19	0
				1	104	23.30		23.32	0
				50	0	22.41		22.12	1
				50	28	23.12		23.21	0
				50	56	22.29		22.44	1
				100	0	22.29		22.23	1
			16QAM	1	1	22.42		22.14	1
			64QAM	1	1	20.97		20.95	2.5
			256QAM	1	1	18.66		18.78	4.5
		CP	QPSK	1	1	21.89		21.76	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.35		23.34	0
				1	67	23.05		23.09	0
				1	131	23.24		23.28	0
				64	0	22.76		22.60	0.5
				64	35	23.08		23.09	0
				64	69	22.67		22.84	0.5
				128	0	22.58		22.62	0.5
			QPSK	1	1	23.37		23.33	0
				1	67	23.06		23.11	0
				1	131	23.29		23.28	0
				64	0	22.26		22.14	1
				64	35	23.09		23.09	0
				64	69	22.19		22.35	1
				128	0	22.11		22.12	1
			16QAM	1	1	22.35		22.43	1
			64QAM	1	1	21.01		20.77	2.5
			256QAM	1	1	18.78		18.54	4.5
		CP	QPSK	1	1	21.86		21.54	1.5

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.17		0
				1	81		23.16		0
				1	160		23.07		0
				81	0		23.12		0.5
				81	41		23.35		0
				81	81		22.69		0.5
				162	0		22.87		0.5
			QPSK	1	1		23.23		0
				1	81		23.36		0
				1	160		23.06		0
				81	0		22.32		1
				81	41		23.36		0
				81	81		22.16		1
				162	0		22.35		1
			16QAM	1	1		22.23		1
			64QAM	1	1		20.47		2.5
			256QAM	1	1		18.78		4.5
		CP	QPSK	1	1		21.79		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.43		0
				1	95		23.34		0
				1	187		23.44		0
				90	0		22.77		0.5
				90	50		23.33		0
				90	99		22.67		0.5
				180	0		22.83		0.5
			QPSK	1	1		23.39		0
				1	95		23.34		0
				1	187		23.41		0
				90	0		22.29		1
				90	50		23.33		0
				90	99		22.15		1
				180	0		22.35		1
			16QAM	1	1		22.43		1
			64QAM	1	1		20.93		2.5
			256QAM	1	1		18.89		4.5
		CP	QPSK	1	1		21.90		1.5

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.37		0
				1	109		23.35		0
				1	215		23.29		0
				108	0		22.77		0.5
				108	55		23.30		0
				108	109		22.65		0.5
				216	0		22.85		0.5
			QPSK	1	1		23.33		0
				1	109		23.31		0
				1	215		23.45		0
				108	0		22.25		1
				108	55		23.32		0
				108	109		22.14		1
				216	0		22.35		1
			16QAM	1	1		22.35		1
			64QAM	1	1		20.83		2.5
			256QAM	1	1		18.85		4.5
		CP	QPSK	1	1		21.83		1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		23.35		0
				1	123		23.33		0
				1	243		23.39		0
				120	0		22.77		0.5
				120	63		23.35		0
				120	125		22.70		0.5
				243	0		22.87		0.5
			QPSK	1	1		23.37		0
				1	123		23.35		0
				1	243		23.41		0
				120	0		22.26		1
				120	63		23.31		0
				120	125		22.21		1
				243	0		22.37		1
			16QAM	1	1		22.36		1
			64QAM	1	1		20.78		2.5
			256QAM	1	1		18.85		4.5
		CP	QPSK	1	1		21.80		1.5

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		23.49		0
				1	137		23.31		0
				1	271		23.32		0
				135	0		22.75		0.5
				135	69		23.33		0
				135	138		22.72		0.5
				270	0		22.85		0.5
			QPSK	1	1		23.50		0
				1	137		23.32		0
				1	271		23.36		0
				135	0		22.26		1
				135	69		23.32		0
				135	138		22.24		1
				270	0		22.37		1
			16QAM	1	1		22.46		1
			64QAM	1	1		20.98		2.5
			256QAM	1	1		19.02		4.5
		CP	QPSK	1	1		22.04		1.5

NR TDD Band n77 DoD(PC2) Conducted Power_Measured P_{max_SUB2} [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.11	25.13	26.33	0
				1	12	25.25	25.61	26.41	0
				1	22	25.22	25.57	26.49	0
				12	0	24.62	24.99	25.88	0.5
				12	6	25.13	25.53	25.95	0
				12	12	24.70	25.02	25.98	0.5
				24	0	24.66	25.02	25.93	0.5
			QPSK	1	1	25.07	25.53	26.29	0
				1	12	25.20	25.52	26.43	0
				1	22	25.21	25.55	26.50	0
				12	0	24.12	24.52	25.35	1
				12	6	25.12	25.51	26.42	0
				12	12	24.21	24.56	25.49	1
				24	0	24.19	24.51	25.43	1
			16QAM	1	1	24.05	24.43	25.30	1
			64QAM	1	1	22.65	23.02	23.37	2.5
			256QAM	1	1	20.62	21.05	21.85	4.5
		CP	QPSK	1	1	24.09	24.05	24.85	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	25.16	25.54	24.88	0
				1	18	25.20	25.44	26.19	0
				1	36	25.28	25.54	26.44	0
				18	0	24.70	25.03	25.65	0.5
				18	9	25.25	25.49	26.26	0
				18	18	24.79	25.04	25.85	0.5
				36	0	24.73	24.76	25.80	0.5
			QPSK	1	1	25.16	25.50	26.06	0
				1	18	25.24	25.43	26.24	0
				1	36	25.35	25.54	26.48	0
				18	0	24.22	24.56	25.17	1
				18	9	25.25	25.52	26.27	0
				18	18	24.31	24.54	25.42	1
				36	0	24.28	24.51	24.67	1
			16QAM	1	1	24.05	24.43	25.09	1
			64QAM	1	1	22.73	22.87	23.62	2.5
			256QAM	1	1	20.68	21.05	21.59	4.5
		CP	QPSK	1	1	23.67	24.08	24.64	1.5

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.22	25.21	24.96	0
				1	26	25.26	25.52	26.11	0
				1	49	25.31	25.59	26.42	0
				25	0	25.13	25.01	25.50	0.5
				25	13	25.41	25.51	26.16	0
				25	26	24.85	25.03	25.81	0.5
				50	0	24.85	25.05	25.67	0.5
			QPSK	1	1	25.22	25.53	25.86	0
				1	26	25.34	25.49	26.09	0
				1	49	25.38	25.61	26.29	0
				25	0	24.32	24.52	25.07	1
				25	13	25.35	25.52	26.25	0
				25	26	24.38	24.56	25.38	1
				50	0	24.36	24.53	25.23	1
			16QAM	1	1	24.15	24.60	25.01	1
			64QAM	1	1	22.82	23.05	23.46	2.5
			256QAM	1	1	20.77	21.14	21.34	4.5
		CP	QPSK	1	1	23.72	24.15	24.38	1.5

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.30	25.51	25.66	0
				1	26	25.48	25.46	25.99	0
				1	49	25.54	25.57	26.32	0
				25	0	24.87	24.57	25.26	0.5
				25	13	25.41	25.51	25.98	0
				25	26	24.92	25.15	25.70	0.5
				50	0	24.94	25.03	25.46	0.5
			QPSK	1	1	25.27	25.52	25.66	0
				1	26	25.38	25.48	26.00	0
				1	49	25.44	25.60	26.40	0
				25	0	24.39	24.56	24.79	1
				25	13	25.41	25.52	26.00	0
				25	26	24.45	24.58	25.21	1
				50	0	24.46	24.54	25.01	1
			16QAM	1	1	24.45	24.53	24.63	1
			64QAM	1	1	22.75	23.07	23.04	2.5
			256QAM	1	1	20.86	21.01	21.27	4.5
		CP	QPSK	1	1	23.83	24.06	24.23	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.21	25.47	25.76	0
				1	39	25.33	25.59	26.07	0
				1	76	25.44	25.65	26.43	0
				36	0	24.70	25.02	25.04	0.5
				36	21	25.27	25.52	25.84	0
				36	42	24.83	25.07	25.85	0.5
				75	0	24.77	25.01	25.58	0.5
			QPSK	1	1	25.11	25.51	25.79	0
				1	39	25.24	25.50	26.04	0
				1	76	25.40	25.66	26.40	0
				36	0	24.22	24.53	24.90	1
				36	21	25.21	25.50	26.09	0
				36	42	24.33	24.57	25.36	1
				75	0	24.28	24.52	25.10	1
			16QAM	1	1	24.11	24.53	24.81	1
			64QAM	1	1	22.58	23.03	23.18	2.5
			256QAM	1	1	20.74	21.11	21.31	4.5
		CP	QPSK	1	1	23.63	24.07	24.38	1.5

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.26		25.65	0
				1	53	25.34		25.78	0
				1	104	25.45		26.33	0
				50	0	24.87		25.14	0.5
				50	28	25.37		25.81	0
				50	56	24.96		25.64	0.5
				100	0	24.89		25.29	0.5
			QPSK	1	1	25.22		25.61	0
				1	53	25.36		25.83	0
				1	104	25.54		26.46	0
				50	0	24.38		24.67	1
				50	28	25.39		25.80	0
				50	56	24.52		25.20	1
				100	0	24.42		24.83	1
			16QAM	1	1	24.11		24.71	1
			64QAM	1	1	22.90		23.01	2.5
			256QAM	1	1	20.74		21.43	4.5
		CP	QPSK	1	1	23.91		24.15	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.22		25.45	0
				1	67	25.23		25.62	0
				1	131	25.39		26.38	0
				64	0	24.76		25.01	0.5
				64	35	25.30		25.62	0
				64	69	24.97		25.48	0.5
				128	0	24.83		25.12	0.5
			QPSK	1	1	25.18		25.51	0
				1	67	25.25		25.62	0
				1	131	25.51		26.50	0
				64	0	24.30		24.52	1
				64	35	25.34		25.61	0
				64	69	24.45		25.00	1
				128	0	24.37		24.64	1
			16QAM	1	1	24.46		24.54	1
			64QAM	1	1	22.55		22.93	2.5
			256QAM	1	1	20.67		20.92	4.5
		CP	QPSK	1	1	23.71		23.90	1.5

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		25.48		0
				1	81		25.47		0
				1	160		25.72		0
				81	0		25.22		0.5
				81	41		25.63		0
				81	81		25.25		0.5
				162	0		25.03		0.5
			QPSK	1	1		25.39		0
				1	81		25.45		0
				1	160		25.84		0
				81	0		24.54		1
				81	41		25.52		0
				81	81		24.69		1
				162	0		24.59		1
			16QAM	1	1		24.29		1
			64QAM	1	1		22.99		2.5
			256QAM	1	1		21.08		4.5
		CP	QPSK	1	1		23.97		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.53		0
				1	95		25.49		0
				1	187		25.99		0
				90	0		25.06		0.5
				90	50		25.52		0
				90	99		25.15		0.5
				180	0		25.02		0.5
			QPSK	1	1		25.51		0
				1	95		25.54		0
				1	187		26.02		0
				90	0		24.56		1
				90	50		25.51		0
				90	99		24.68		1
				180	0		24.59		1
			16QAM	1	1		24.53		1
			64QAM	1	1		23.00		2.5
			256QAM	1	1		20.92		4.5
		CP	QPSK	1	1		24.02		1.5

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.33		0
				1	109		25.42		0
				1	215		25.94		0
				108	0		25.04		0.5
				108	55		25.51		0
				108	109		25.16		0.5
				216	0		25.07		0.5
			QPSK	1	1		25.27		0
				1	109		25.50		0
				1	215		26.10		0
				108	0		24.56		1
				108	55		25.54		0
				108	109		24.68		1
				216	0		24.58		1
			16QAM	1	1		24.57		1
			64QAM	1	1		22.81		2.5
			256QAM	1	1		20.86		4.5
		CP	QPSK	1	1		23.79		1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.19		0
				1	123		25.45		0
				1	243		26.13		0
				120	0		25.18		0.5
				120	63		25.56		0
				120	125		25.26		0.5
				243	0		25.10		0.5
			QPSK	1	1		25.16		0
				1	123		25.43		0
				1	243		26.21		0
				120	0		24.63		1
				120	63		25.62		0
				120	125		24.81		1
				243	0		24.03		1
			16QAM	1	1		24.37		1
			64QAM	1	1		22.78		2.5
			256QAM	1	1		20.69		4.5
		CP	QPSK	1	1		23.79		1.5

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		25.29		0
				1	137		25.56		0
				1	271		26.43		0
				135	0		25.03		0.5
				135	69		25.54		0
				135	138		25.29		0.5
				270	0		25.09		0.5
			QPSK	1	1		25.29		0
				1	137		25.32		0
				1	271		26.47		0
				135	0		24.52		1
				135	69		25.58		0
				135	138		24.78		1
				270	0		24.59		1
			16QAM	1	1		24.22		1
			64QAM	1	1		22.68		2.5
			256QAM	1	1		20.83		4.5
		CP	QPSK	1	1		23.85		1.5

NR TDD Band n78 (PC3) Conducted Power_ Measured P_{max_SUB2} [Ant F]

NR TDD Band n78_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	22.96	23.12	22.64	0
				1	12	23.00	23.13	22.83	0
				1	22	23.01	23.06	22.83	0
				12	0	22.51	22.57	22.17	0.5
				12	6	23.00	23.09	22.72	0
				12	12	22.50	22.60	22.29	0.5
				24	0	22.52	22.60	22.23	0.5
			QPSK	1	1	22.98	23.09	22.71	0
				1	12	22.95	23.12	22.78	0
				1	22	23.00	23.04	22.83	0
				12	0	22.01	22.07	21.69	1
				12	6	23.00	23.11	22.70	0
				12	12	22.03	22.08	21.80	1
				24	0	22.01	22.12	21.70	1
			16QAM	1	1	22.05	22.10	21.70	1
			64QAM	1	1	20.47	20.62	20.17	2.5
			256QAM	1	1	18.35	18.57	18.13	4.5
		CP	QPSK	1	1	21.47	21.65	21.20	1.5

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.09	23.09	22.71	0
				1	18	23.04	23.04	22.74	0
				1	36	23.07	23.02	22.88	0
				18	0	22.54	22.57	22.25	0.5
				18	10	23.05	23.10	22.84	0
				18	20	22.56	22.57	22.39	0.5
				36	0	22.55	22.58	22.31	0.5
			QPSK	1	1	23.07	23.08	22.72	0
				1	18	22.99	23.02	22.75	0
				1	36	23.06	23.06	22.92	0
				18	0	22.07	22.10	21.75	1
				18	10	23.07	23.12	22.79	0
				18	20	22.07	22.08	21.88	1
				36	0	22.07	22.13	21.81	1
			16QAM	1	1	22.06	22.14	21.78	1
			64QAM	1	1	20.51	20.60	20.28	2.5
			256QAM	1	1	18.52	18.61	18.24	4.5
		CP	QPSK	1	1	21.54	21.62	21.23	1.5

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.05	23.05	22.62	0
				1	26	23.02	23.10	22.69	0
				1	49	22.99	23.03	22.89	0
				25	0	22.55	22.61	22.16	0.5
				25	13	23.05	23.12	22.74	0
				25	26	22.51	22.56	22.31	0.5
				50	0	22.55	22.63	22.21	0.5
			QPSK	1	1	23.06	23.14	22.61	0
				1	26	23.08	23.13	22.71	0
				1	49	23.00	23.09	22.84	0
				25	0	22.05	22.08	21.63	1
				25	13	23.04	23.11	22.70	0
				25	26	22.01	22.06	21.81	1
				50	0	22.05	22.13	21.72	1
			16QAM	1	1	22.05	22.11	21.58	1
			64QAM	1	1	20.50	20.51	20.04	2.5
			256QAM	1	1	18.58	18.60	18.19	4.5
		CP	QPSK	1	1	21.55	21.63	21.15	1.5

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.15	23.12	22.67	0
				1	32	23.16	22.94	22.68	0
				1	63	23.05	23.00	22.97	0
				32	0	22.60	22.60	22.15	0.5
				32	17	23.07	23.12	22.74	0
				32	33	22.51	22.59	22.34	0.5
				64	0	22.60	22.61	22.25	0.5
			QPSK	1	1	23.15	23.13	22.65	0
				1	32	23.16	23.18	22.75	0
				1	63	23.04	23.00	23.01	0
				32	0	22.10	22.10	21.59	1
				32	17	23.09	23.11	22.68	0
				32	33	22.02	22.05	21.77	1
				64	0	22.09	22.19	21.67	1
			16QAM	1	1	22.12	22.16	21.53	1
			64QAM	1	1	20.59	20.60	20.01	2.5
			256QAM	1	1	18.70	18.59	18.11	4.5
		CP	QPSK	1	1	21.87	21.63	21.11	1.5

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.23	23.12	22.89	0
				1	39	23.23	23.20	22.83	0
				1	76	23.08	23.00	22.93	0
				36	0	22.67	22.60	22.24	0.5
				36	21	23.09	23.13	22.76	0
				36	42	22.55	22.55	22.37	0.5
				75	0	22.63	22.63	22.27	0.5
			QPSK	1	1	23.26	23.07	22.89	0
				1	39	23.19	23.18	22.78	0
				1	76	23.06	22.98	22.97	0
				36	0	22.18	22.09	21.75	1
				36	21	23.13	23.14	22.74	0
				36	42	22.04	22.07	21.85	1
				75	0	22.12	22.13	21.77	1
			16QAM	1	1	22.21	21.99	21.74	1
			64QAM	1	1	20.65	20.53	20.34	2.5
			256QAM	1	1	18.71	18.55	18.39	4.5
		CP	QPSK	1	1	21.72	21.58	21.34	1.5

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	22.89		22.54	0
				1	53	23.13		22.65	0
				1	104	23.06		22.98	0
				50	0	22.52		22.28	0.5
				50	28	23.01		22.64	0
				50	56	22.49		22.26	0.5
				100	0	22.50		22.18	0.5
			QPSK	1	1	23.01		22.96	0
				1	53	23.03		22.65	0
				1	104	23.03		22.92	0
				50	0	22.04		21.80	1
				50	28	23.00		22.65	0
				50	56	22.01		21.79	1
				100	0	22.01		21.66	1
			16QAM	1	1	22.06		22.04	1
			64QAM	1	1	20.75		20.55	2.5
			256QAM	1	1	18.70		18.72	4.5
		CP	QPSK	1	1	21.58		21.49	1.5

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.07		23.30	0
				1	67	22.97		22.78	0
				1	131	23.18		22.92	0
				64	0	22.48		22.07	0.5
				64	35	22.94		22.79	0
				64	69	22.57		22.04	0.5
				128	0	22.47		22.07	0.5
			QPSK	1	1	23.12		23.27	0
				1	67	22.92		22.79	0
				1	131	23.31		23.04	0
				64	0	21.98		22.07	1
				64	35	22.95		22.81	0
				64	69	22.08		21.80	1
				128	0	21.96		21.82	1
			16QAM	1	1	21.98		22.06	1
			64QAM	1	1	20.27		20.73	2.5
			256QAM	1	1	18.45		18.88	4.5
		CP	QPSK	1	1	21.52		21.77	1.5

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.12		0
				1	81		23.20		0
				1	160		22.76		0
				81	0		22.62		0.5
				81	41		23.17		0
				81	81		22.47		0.5
				162	0		22.68		0.5
			QPSK	1	1		23.05		0
				1	81		23.16		0
				1	160		22.71		0
				81	0		22.09		1
				81	41		23.17		0
				81	81		21.97		1
				162	0		22.21		1
			16QAM	1	1		22.00		1
			64QAM	1	1		20.27		2.5
			256QAM	1	1		18.72		4.5
		CP	QPSK	1	1		21.51		1.5

NR TDD Band n78 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.11		0
				1	95		23.16		0
				1	187		22.86		0
				90	0		22.58		0.5
				90	50		23.17		0
				90	99		22.40		0.5
				180	0		22.70		0.5
			QPSK	1	1		23.18		0
				1	95		23.17		0
				1	187		22.84		0
				90	0		22.12		1
				90	50		23.17		0
				90	99		21.92		1
				180	0		22.21		1
			16QAM	1	1		22.15		1
			64QAM	1	1		20.68		2.5
			256QAM	1	1		18.70		4.5
		CP	QPSK	1	1		21.70		1.5

NR TDD Band n78 _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.25		0
				1	109		23.23		0
				1	215		22.55		0
				108	0		22.71		0.5
				108	55		23.28		0
				108	109		22.49		0.5
				216	0		22.83		0.5
			QPSK	1	1		22.89		0
				1	109		23.30		0
				1	215		22.56		0
				108	0		22.20		1
				108	55		23.25		0
				108	109		21.96		1
				216	0		22.33		1
			16QAM	1	1		21.86		1
			64QAM	1	1		20.38		2.5
			256QAM	1	1		18.33		4.5
		CP	QPSK	1	1		21.35		1.5

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		22.70		0
				1	123		23.12		0
				1	243		22.58		0
				120	0		22.61		0.5
				120	63		23.19		0
				120	125		22.36		0.5
				243	0		22.76		0.5
			QPSK	1	1		22.71		0
				1	123		23.16		0
				1	243		22.56		0
				120	0		22.11		1
				120	63		23.17		0
				120	125		21.85		1
				243	0		22.23		1
			16QAM	1	1		21.76		1
			64QAM	1	1		20.27		2.5
			256QAM	1	1		18.22		4.5
		CP	QPSK	1	1		21.24		1.5

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		22.81		0
				1	137		23.09		0
				1	271		22.53		0
				135	0		22.64		0.5
				135	69		23.16		0
				135	138		22.33		0.5
				270	0		22.77		0.5
			QPSK	1	1		22.81		0
				1	137		23.14		0
				1	271		22.53		0
				135	0		22.11		1
				135	69		23.20		0
				135	138		21.81		1
				270	0		22.27		1
			16QAM	1	1		21.68		1
			64QAM	1	1		20.38		2.5
			256QAM	1	1		18.20		4.5
		CP	QPSK	1	1		21.25		1.5

NR TDD Band n78 (PC2) Conducted Power_ Measured P_{max_SUB2} [Ant F]

NR TDD Band n78_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29	26.35	26.66	0
				1	12	26.31	26.46	26.70	0
				1	22	26.33	26.39	26.67	0
				12	0	25.82	25.91	26.14	0.5
				12	6	26.34	26.39	26.65	0
				12	12	25.87	25.95	26.16	0.5
				24	0	25.85	25.89	26.14	0.5
			QPSK	1	1	26.31	26.39	26.64	0
				1	12	26.35	26.36	26.66	0
				1	22	26.37	26.43	26.68	0
				12	0	25.34	25.40	25.63	1
				12	6	26.34	26.40	26.65	0
				12	12	25.39	25.42	25.64	1
				24	0	25.35	25.40	25.63	1
			16QAM	1	1	25.27	25.32	25.66	1
			64QAM	1	1	23.83	23.92	24.09	2.5
			256QAM	1	1	21.88	21.98	22.16	4.5
		CP	QPSK	1	1	24.91	24.96	25.19	1.5

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	26.35	26.40	26.74	0
				1	18	26.35	26.31	26.64	0
				1	36	26.40	26.36	26.69	0
				18	0	25.87	24.54	26.24	0.5
				18	10	26.36	26.41	26.74	0
				18	20	25.88	25.94	26.22	0.5
				36	0	25.87	25.90	26.24	0.5
			QPSK	1	1	26.31	26.39	26.73	0
				1	18	26.28	26.35	26.65	0
				1	36	26.36	26.45	26.74	0
				18	0	25.39	25.38	25.74	1
				18	10	26.37	26.41	26.74	0
				18	20	25.42	25.45	25.72	1
				36	0	25.40	25.42	25.72	1
			16QAM	1	1	25.42	25.42	25.75	1
			64QAM	1	1	23.84	23.92	24.19	2.5
			256QAM	1	1	21.85	21.92	22.21	4.5
		CP	QPSK	1	1	24.86	24.92	25.28	1.5

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.39	25.94	26.69	0
				1	26	26.41	26.40	26.68	0
				1	49	26.32	26.48	26.72	0
				25	0	25.90	25.88	26.17	0.5
				25	13	26.42	26.37	26.72	0
				25	26	25.86	25.92	26.20	0.5
				50	0	25.93	25.88	26.20	0.5
			QPSK	1	1	26.37	26.38	26.69	0
				1	26	26.32	26.34	26.75	0
				1	49	26.34	26.44	26.78	0
				25	0	25.42	25.39	25.68	1
				25	13	26.44	26.38	26.71	0
				25	26	25.38	25.44	25.70	1
				50	0	25.43	25.41	25.71	1
			16QAM	1	1	25.41	25.42	25.65	1
			64QAM	1	1	23.97	23.87	24.22	2.5
			256QAM	1	1	21.95	21.89	22.24	4.5
		CP	QPSK	1	1	24.79	24.89	25.26	1.5

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.41	26.31	26.67	0
				1	32	26.37	26.37	26.75	0
				1	63	26.25	26.43	26.76	0
				32	0	25.96	25.89	26.10	0.5
				32	17	26.43	26.42	26.66	0
				32	33	25.88	25.95	26.19	0.5
				64	0	25.94	25.92	26.19	0.5
			QPSK	1	1	26.41	26.37	26.58	0
				1	32	26.45	26.39	26.63	0
				1	63	26.32	26.43	26.65	0
				32	0	25.47	25.39	25.64	1
				32	17	26.43	26.39	26.66	0
				32	33	25.37	25.47	25.70	1
				64	0	25.44	25.42	25.69	1
			16QAM	1	1	25.43	25.35	25.63	1
			64QAM	1	1	23.90	23.82	24.14	2.5
			256QAM	1	1	21.96	21.85	22.11	4.5
		CP	QPSK	1	1	24.98	24.92	25.15	1.5

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.50	26.49	26.71	0
				1	39	26.54	26.45	26.75	0
				1	76	26.29	26.49	26.67	0
				36	0	25.96	25.85	26.19	0.5
				36	21	26.44	26.38	26.71	0
				36	42	25.86	25.95	26.20	0.5
				75	0	25.93	25.87	26.21	0.5
			QPSK	1	1	26.50	26.32	26.64	0
				1	39	26.44	26.37	26.74	0
				1	76	26.29	26.50	26.66	0
				36	0	25.50	25.37	25.68	1
				36	21	26.43	26.39	26.71	0
				36	42	25.36	25.45	25.69	1
				75	0	25.43	25.39	25.71	1
			16QAM	1	1	25.46	25.36	25.70	1
			64QAM	1	1	24.02	23.89	24.21	2.5
			256QAM	1	1	22.05	21.89	22.21	4.5
		CP	QPSK	1	1	24.90	24.91	25.27	1.5

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.28		26.51	0
				1	53	26.35		26.65	0
				1	104	26.36		26.71	0
				50	0	25.87		26.05	0.5
				50	28	26.35		26.64	0
				50	56	25.83		26.19	0.5
				100	0	25.87		26.14	0.5
			QPSK	1	1	26.27		26.52	0
				1	53	26.37		26.73	0
				1	104	26.33		26.76	0
				50	0	25.37		25.55	1
				50	28	26.34		26.66	0
				50	56	25.34		25.68	1
				100	0	25.38		25.62	1
			16QAM	1	1	25.43		25.46	1
			64QAM	1	1	23.77		23.98	2.5
			256QAM	1	1	21.82		22.13	4.5
		CP	QPSK	1	1	24.86		25.11	1.5

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29		26.53	0
				1	67	26.26		26.60	0
				1	131	26.46		26.67	0
				64	0	25.82		26.10	0.5
				64	35	26.31		26.67	0
				64	69	25.85		26.20	0.5
				128	0	25.82		26.16	0.5
			QPSK	1	1	26.33		26.57	0
				1	67	26.25		26.61	0
				1	131	26.46		26.64	0
				64	0	25.33		25.60	1
				64	35	26.30		26.64	0
				64	69	25.35		25.68	1
				128	0	25.30		25.65	1
			16QAM	1	1	25.41		25.61	1
			64QAM	1	1	23.87		23.99	2.5
			256QAM	1	1	21.80		22.01	4.5
		CP	QPSK	1	1	24.90		25.15	1.5

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		26.40		0
				1	81		26.43		0
				1	160		26.68		0
				81	0		25.86		0.5
				81	41		26.39		0
				81	81		26.05		0.5
				162	0		25.92		0.5
			QPSK	1	1		26.39		0
				1	81		26.55		0
				1	160		26.72		0
				81	0		25.36		1
				81	41		26.41		0
				81	81		25.53		1
				162	0		25.43		1
			16QAM	1	1		25.37		1
			64QAM	1	1		24.03		2.5
			256QAM	1	1		22.04		4.5
		CP	QPSK	1	1		24.96		1.5

NR TDD Band n78 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		26.48		0
				1	95		26.41		0
				1	187		26.80		0
				90	0		25.84		0.5
				90	50		26.41		0
				90	99		26.06		0.5
				180	0		25.93		0.5
			QPSK	1	1		26.43		0
				1	95		26.33		0
				1	187		26.70		0
				90	0		25.35		1
				90	50		26.39		0
				90	99		25.56		1
				180	0		25.42		1
			16QAM	1	1		25.39		1
			64QAM	1	1		24.07		2.5
			256QAM	1	1		21.96		4.5
		CP	QPSK	1	1		25.01		1.5

NR TDD Band n78 _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		26.03		0
				1	109		26.39		0
				1	215		26.31		0
				108	0		25.86		0.5
				108	55		26.41		0
				108	109		26.10		0.5
				216	0		25.94		0.5
			QPSK	1	1		25.96		0
				1	109		26.35		0
				1	215		26.28		0
				108	0		25.35		1
				108	55		26.39		0
				108	109		25.59		1
				216	0		25.45		1
			16QAM	1	1		25.06		1
			64QAM	1	1		23.41		2.5
			256QAM	1	1		21.48		4.5
		CP	QPSK	1	1		24.59		1.5

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.95		0
				1	123		26.36		0
				1	243		26.35		0
				120	0		25.83		0.5
				120	63		26.40		0
				120	125		26.13		0.5
				243	0		25.95		0.5
			QPSK	1	1		25.94		0
				1	123		26.37		0
				1	243		26.38		0
				120	0		25.37		1
				120	63		26.40		0
				120	125		25.60		1
				243	0		25.46		1
			16QAM	1	1		25.00		1
			64QAM	1	1		23.46		2.5
			256QAM	1	1		21.53		4.5
		CP	QPSK	1	1		24.49		1.5

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.96		0
				1	137		26.36		0
				1	271		26.19		0
				135	0		25.90		0.5
				135	69		26.43		0
				135	138		26.19		0.5
				270	0		25.98		0.5
			QPSK	1	1		25.97		0
				1	137		26.40		0
				1	271		26.24		0
				135	0		25.40		1
				135	69		26.41		0
				135	138		25.68		1
				270	0		25.50		1
			16QAM	1	1		25.07		1
			64QAM	1	1		23.48		2.5
			256QAM	1	1		21.45		4.5
		CP	QPSK	1	1		24.53		1.5

NR TDD Band n78 DoD(PC3) Conducted Power_Measured P_{max_SUB2} [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.32	23.38	23.12	0
				1	12	23.34	23.35	23.14	0
				1	22	23.38	23.32	23.18	0
				12	0	22.85	22.89	23.06	0.5
				12	6	23.32	23.40	23.52	0
				12	12	22.87	22.84	22.97	0.5
				24	0	22.83	22.87	23.00	0.5
			QPSK	1	1	23.40	23.39	23.60	0
				1	12	23.45	23.41	23.54	0
				1	22	23.39	23.31	23.47	0
				12	0	22.35	22.39	22.55	1
				12	6	23.30	23.36	23.53	0
				12	12	22.31	22.34	22.46	1
				24	0	22.34	22.38	22.52	1
			16QAM	1	1	22.35	22.51	22.63	1
			64QAM	1	1	20.84	21.27	21.07	2.5
			256QAM	1	1	18.86	19.02	19.10	4.5
		CP	QPSK	1	1	21.91	21.89	21.54	1.5

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.39	23.40	23.54	0
				1	18	23.31	23.04	23.50	0
				1	36	23.31	23.27	23.40	0
				18	0	22.89	22.90	22.51	0.5
				18	10	23.40	23.38	23.53	0
				18	20	22.89	22.83	22.54	0.5
				36	0	22.90	22.90	23.04	0.5
			QPSK	1	1	23.40	23.40	23.47	0
				1	18	23.34	23.34	23.47	0
				1	36	23.31	23.27	23.36	0
				18	0	22.39	22.42	22.53	1
				18	10	23.38	23.38	23.52	0
				18	20	22.38	22.30	22.44	1
				36	0	22.38	22.38	22.54	1
			16QAM	1	1	22.57	22.39	22.52	1
			64QAM	1	1	20.99	20.98	21.02	2.5
			256QAM	1	1	18.97	18.95	19.03	4.5
		CP	QPSK	1	1	22.10	22.15	22.02	1.5

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.47	23.40	23.39	0
				1	26	23.44	23.38	23.36	0
				1	49	23.27	23.24	23.28	0
				25	0	22.96	22.90	23.12	0.5
				25	13	23.47	23.40	23.17	0
				25	26	22.87	22.82	22.82	0.5
				50	0	22.98	22.88	22.89	0.5
			QPSK	1	1	23.48	23.43	23.45	0
				1	26	23.46	23.43	23.39	0
				1	49	23.27	23.27	23.23	0
				25	0	22.49	22.39	22.44	1
				25	13	23.48	23.40	23.39	0
				25	26	22.40	22.34	22.31	1
				50	0	22.49	22.42	22.40	1
			16QAM	1	1	22.64	22.37	22.45	1
			64QAM	1	1	21.13	20.95	20.94	2.5
			256QAM	1	1	19.13	18.91	18.97	4.5
		CP	QPSK	1	1	22.14	21.94	22.12	1.5

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.59	23.62	23.27	0
				1	32	23.46	23.48	23.44	0
				1	63	23.34	23.28	23.33	0
				32	0	23.07	23.02	22.76	0.5
				32	17	23.12	23.41	23.15	0
				32	33	22.89	22.84	22.89	0.5
				64	0	23.10	22.88	22.88	0.5
			QPSK	1	1	23.69	23.43	23.25	0
				1	32	23.56	23.42	23.41	0
				1	63	23.44	23.25	23.30	0
				32	0	22.60	22.40	22.26	1
				32	17	23.49	23.41	23.39	0
				32	33	22.35	22.29	22.40	1
				64	0	22.50	22.41	22.40	1
			16QAM	1	1	22.64	22.40	22.16	1
			64QAM	1	1	21.10	20.87	20.72	2.5
			256QAM	1	1	19.12	18.98	18.71	4.5
		CP	QPSK	1	1	21.54	21.97	21.76	1.5

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.38	23.55	23.38	0
				1	39	23.31	23.54	23.63	0
				1	76	23.18	23.31	23.44	0
				36	0	22.89	22.92	22.90	0.5
				36	21	23.27	23.42	23.56	0
				36	42	22.65	22.80	23.08	0.5
				75	0	22.76	22.90	23.04	0.5
			QPSK	1	1	23.42	23.44	23.39	0
				1	39	23.27	23.42	23.59	0
				1	76	23.21	23.24	23.50	0
				36	0	22.36	22.40	22.44	1
				36	21	23.25	23.40	23.58	0
				36	42	22.15	22.29	22.61	1
				75	0	22.28	22.39	22.54	1
			16QAM	1	1	22.34	22.38	22.31	1
			64QAM	1	1	20.95	20.97	20.86	2.5
			256QAM	1	1	18.93	18.93	18.90	4.5
		CP	QPSK	1	1	21.54	21.91	21.91	1.5

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.53		23.28	0
				1	53	23.33		23.31	0
				1	104	23.40		23.35	0
				50	0	23.02		22.80	0.5
				50	28	23.29		23.37	0
				50	56	22.83		23.09	0.5
				100	0	22.82		22.85	0.5
			QPSK	1	1	23.56		23.38	0
				1	53	23.33		23.35	0
				1	104	23.41		23.42	0
				50	0	22.53		22.31	1
				50	28	23.30		23.38	0
				50	56	22.32		22.65	1
				100	0	22.45		22.39	1
			16QAM	1	1	22.65		22.62	1
			64QAM	1	1	21.20		20.77	2.5
			256QAM	1	1	19.15		18.66	4.5
		CP	QPSK	1	1	22.15		22.87	1.5

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.45		23.36	0
				1	67	23.16		23.13	0
				1	131	23.38		23.30	0
				64	0	22.86		22.67	0.5
				64	35	23.20		23.12	0
				64	69	22.77		22.90	0.5
				128	0	22.68		22.65	0.5
			QPSK	1	1	23.53		23.25	0
				1	67	23.24		23.02	0
				1	131	23.28		23.25	0
				64	0	22.36		22.45	1
				64	35	23.14		23.14	0
				64	69	22.38		22.39	1
				128	0	22.07		22.13	1
			16QAM	1	1	22.33		22.39	1
			64QAM	1	1	20.78		20.86	2.5
			256QAM	1	1	18.82		18.89	4.5
		CP	QPSK	1	1	22.08		22.15	1.5

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		23.35		0
				1	81		23.34		0
				1	160		23.32		0
				81	0		22.91		0.5
				81	41		23.44		0
				81	81		22.73		0.5
				162	0		22.93		0.5
			QPSK	1	1		23.16		0
				1	81		23.18		0
				1	160		23.26		0
				81	0		22.38		1
				81	41		23.42		0
				81	81		22.25		1
				162	0		22.43		1
			16QAM	1	1		22.24		1
			64QAM	1	1		20.70		2.5
			256QAM	1	1		18.93		4.5
		CP	QPSK	1	1		22.12		1.5

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		23.37		0
				1	95		23.40		0
				1	187		23.55		0
				90	0		22.83		0.5
				90	50		23.15		0
				90	99		23.12		0.5
				180	0		23.14		0.5
			QPSK	1	1		23.50		0
				1	95		23.41		0
				1	187		23.51		0
				90	0		22.34		1
				90	50		23.42		0
				90	99		22.25		1
				180	0		22.44		1
			16QAM	1	1		22.46		1
			64QAM	1	1		20.96		2.5
			256QAM	1	1		18.97		4.5
		CP	QPSK	1	1		21.98		1.5

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		23.20		0
				1	109		23.31		0
				1	215		23.93		0
				108	0		22.84		0.5
				108	55		23.41		0
				108	109		22.73		0.5
				216	0		22.95		0.5
			QPSK	1	1		23.25		0
				1	109		23.46		0
				1	215		24.09		0
				108	0		22.35		1
				108	55		23.41		0
				108	109		22.25		1
				216	0		22.45		1
			16QAM	1	1		22.27		1
			64QAM	1	1		20.76		2.5
			256QAM	1	1		18.73		4.5
		CP	QPSK	1	1		21.70		1.5

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		22.57		0
				1	123		23.40		0
				1	243		24.07		0
				120	0		22.82		0.5
				120	63		23.41		0
				120	125		22.77		0.5
				243	0		22.93		0.5
			QPSK	1	1		23.14		0
				1	123		23.44		0
				1	243		24.11		0
				120	0		22.36		1
				120	63		23.42		0
				120	125		22.28		1
				243	0		22.45		1
			16QAM	1	1		22.22		1
			64QAM	1	1		20.67		2.5
			256QAM	1	1		18.69		4.5
		CP	QPSK	1	1		21.61		1.5

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		23.18		0
				1	137		23.37		0
				1	271		24.05		0
				135	0		22.87		0.5
				135	69		23.39		0
				135	138		22.84		0.5
				270	0		22.96		0.5
			QPSK	1	1		23.10		0
				1	137		23.35		0
				1	271		24.08		0
				135	0		22.37		1
				135	69		23.40		0
				135	138		22.35		1
				270	0		22.48		1
			16QAM	1	1		22.21		1
			64QAM	1	1		20.68		2.5
			256QAM	1	1		18.69		4.5
		CP	QPSK	1	1		21.56		1.5

NR TDD Band n78 DoD(PC2) Conducted Power_Measured P_{max_SUB2} [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.10	25.39	26.18	0
				1	12	25.23	25.44	26.33	0
				1	22	25.22	25.36	26.42	0
				12	0	24.64	24.84	25.70	0.5
				12	6	25.17	25.39	26.24	0
				12	12	24.75	24.90	25.80	0.5
				24	0	24.67	24.88	25.75	0.5
			QPSK	1	1	25.12	25.36	26.13	0
				1	12	25.24	25.44	26.28	0
				1	22	25.22	25.41	26.36	0
				12	0	24.13	24.44	25.23	1
				12	6	25.19	25.45	26.23	0
				12	12	24.23	24.49	25.37	1
				24	0	24.18	24.46	25.29	1
			16QAM	1	1	24.14	24.54	25.18	1
			64QAM	1	1	22.60	22.73	23.88	2.5
			256QAM	1	1	20.60	20.96	21.75	4.5
		CP	QPSK	1	1	23.63	23.89	24.72	1.5

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.00	24.97	25.89	0
				1	18	25.07	25.32	26.03	0
				1	36	25.15	25.41	26.30	0
				18	0	24.53	24.88	25.48	0.5
				18	10	25.09	25.34	26.11	0
				18	20	24.64	24.89	25.72	0.5
				36	0	24.57	24.86	25.59	0.5
			QPSK	1	1	25.02	25.38	25.91	0
				1	18	25.05	25.29	26.03	0
				1	36	25.19	25.43	26.30	0
				18	0	24.05	24.39	24.99	1
				18	10	25.09	25.35	26.11	0
				18	20	24.15	24.42	25.22	1
				36	0	24.08	24.38	25.08	1
			16QAM	1	1	24.03	24.54	24.82	1
			64QAM	1	1	22.49	22.87	23.39	2.5
			256QAM	1	1	20.54	20.93	21.42	4.5
		CP	QPSK	1	1	23.67	23.94	24.46	1.5

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.04	25.07	25.35	0
				1	26	25.17	25.34	25.32	0
				1	49	25.21	25.42	25.43	0
				25	0	24.64	24.83	24.88	0.5
				25	13	25.18	25.36	25.37	0
				25	26	24.71	24.90	24.89	0.5
				50	0	24.70	24.86	24.87	0.5
			QPSK	1	1	25.03	25.37	25.36	0
				1	26	25.14	25.34	25.33	0
				1	49	25.23	25.42	25.46	0
				25	0	24.14	24.38	24.40	1
				25	13	25.18	25.34	25.34	0
				25	26	24.20	24.40	24.42	1
				50	0	24.19	24.36	24.40	1
			16QAM	1	1	24.10	24.38	24.43	1
			64QAM	1	1	22.60	22.77	22.92	2.5
			256QAM	1	1	20.59	20.88	20.82	4.5
		CP	QPSK	1	1	23.74	23.90	23.95	1.5

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.12	25.42	25.54	0
				1	32	25.28	25.40	25.91	0
				1	63	25.35	25.45	26.24	0
				32	0	24.73	24.89	25.16	0.5
				32	17	25.24	25.37	25.82	0
				32	33	24.77	24.93	25.53	0.5
				64	0	24.75	24.91	25.34	0.5
			QPSK	1	1	25.20	25.35	25.51	0
				1	32	25.23	25.33	25.77	0
				1	63	25.36	25.42	26.22	0
				32	0	24.24	24.40	24.67	1
				32	17	25.26	25.32	25.84	0
				32	33	24.32	24.46	25.07	1
				64	0	24.27	24.39	24.87	1
			16QAM	1	1	24.16	24.37	24.52	1
			64QAM	1	1	22.65	22.88	23.01	2.5
			256QAM	1	1	20.69	20.89	21.08	4.5
		CP	QPSK	1	1	23.75	23.95	24.11	1.5

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.98	25.34	25.67	0
				1	39	25.06	25.34	25.99	0
				1	76	25.20	25.43	26.24	0
				36	0	24.55	24.86	25.31	0.5
				36	21	25.08	25.36	26.03	0
				36	42	24.66	24.93	25.76	0.5
				75	0	24.61	24.86	25.51	0.5
			QPSK	1	1	24.91	25.37	25.72	0
				1	39	25.13	25.31	25.96	0
				1	76	25.23	25.49	26.34	0
				36	0	24.06	24.41	24.74	1
				36	21	25.08	25.38	25.94	0
				36	42	24.19	24.44	25.23	1
				75	0	24.15	24.39	24.92	1
			16QAM	1	1	23.98	24.34	24.67	1
			64QAM	1	1	22.36	22.69	23.00	2.5
			256QAM	1	1	20.48	20.96	21.11	4.5
		CP	QPSK	1	1	23.54	23.49	24.22	1.5

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.17		25.53	0
				1	53	25.39		25.74	0
				1	104	25.40		26.33	0
				50	0	24.71		25.02	0.5
				50	28	25.26		25.68	0
				50	56	24.85		25.57	0.5
				100	0	24.76		25.20	0.5
			QPSK	1	1	25.09		25.52	0
				1	53	25.29		25.71	0
				1	104	25.38		26.33	0
				50	0	24.21		24.52	1
				50	28	25.23		25.71	0
				50	56	24.36		25.07	1
				100	0	24.32		24.71	1
			16QAM	1	1	24.20		24.74	1
			64QAM	1	1	22.57		22.93	2.5
			256QAM	1	1	20.53		20.95	4.5
		CP	QPSK	1	1	24.30		24.10	1.5

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.02		25.33	0
				1	67	25.19		25.50	0
				1	131	25.39		26.26	0
				64	0	24.64		24.87	0.5
				64	35	25.17		25.49	0
				64	69	24.81		25.36	0.5
				128	0	24.69		24.99	0.5
			QPSK	1	1	24.97		25.36	0
				1	67	25.18		25.52	0
				1	131	25.36		26.37	0
				64	0	24.15		24.42	1
				64	35	25.20		25.46	0
				64	69	24.30		24.87	1
				128	0	24.18		24.50	1
			16QAM	1	1	23.87		24.49	1
			64QAM	1	1	22.30		22.76	2.5
			256QAM	1	1	20.68		20.76	4.5
		CP	QPSK	1	1	23.62		23.83	1.5

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		25.35		0
				1	81		25.35		0
				1	160		25.68		0
				81	0		24.89		0.5
				81	41		25.37		0
				81	81		24.98		0.5
				162	0		24.88		0.5
			QPSK	1	1		25.12		0
				1	81		25.41		0
				1	160		25.70		0
				81	0		24.40		1
				81	41		25.38		0
				81	81		24.49		1
				162	0		24.38		1
			16QAM	1	1		24.24		1
			64QAM	1	1		22.86		2.5
			256QAM	1	1		21.19		4.5
		CP	QPSK	1	1		23.85		1.5

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.36		0
				1	95		25.34		0
				1	187		25.87		0
				90	0		24.85		0.5
				90	50		25.37		0
				90	99		24.99		0.5
				180	0		24.86		0.5
			QPSK	1	1		25.31		0
				1	95		25.37		0
				1	187		25.83		0
				90	0		24.39		1
				90	50		25.37		0
				90	99		24.50		1
				180	0		24.39		1
			16QAM	1	1		24.33		1
			64QAM	1	1		22.65		2.5
			256QAM	1	1		20.94		4.5
		CP	QPSK	1	1		23.87		1.5

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		24.89		0
				1	109		25.32		0
				1	215		26.37		0
				108	0		24.87		0.5
				108	55		25.36		0
				108	109		25.00		0.5
				216	0		24.90		0.5
			QPSK	1	1		24.90		0
				1	109		25.34		0
				1	215		26.43		0
				108	0		24.39		1
				108	55		25.36		0
				108	109		24.52		1
				216	0		24.39		1
			16QAM	1	1		24.03		1
			64QAM	1	1		22.38		2.5
			256QAM	1	1		20.41		4.5
		CP	QPSK	1	1		23.53		1.5

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		24.73		0
				1	123		25.33		0
				1	243		26.65		0
				120	0		24.85		0.5
				120	63		25.39		0
				120	125		25.04		0.5
				243	0		24.91		0.5
			QPSK	1	1		24.71		0
				1	123		25.38		0
				1	243		26.64		0
				120	0		24.37		1
				120	63		25.38		0
				120	125		24.57		1
				243	0		24.44		1
			16QAM	1	1		23.86		1
			64QAM	1	1		22.16		2.5
			256QAM	1	1		20.23		4.5
		CP	QPSK	1	1		23.28		1.5

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		24.72		0
				1	137		25.33		0
				1	271		26.85		0
				135	0		24.86		0.5
				135	69		25.38		0
				135	138		25.14		0.5
				270	0		24.96		0.5
			QPSK	1	1		24.75		0
				1	137		25.38		0
				1	271		26.91		0
				135	0		24.38		1
				135	69		25.38		0
				135	138		24.64		1
				270	0		24.42		1
			16QAM	1	1		23.71		1
			64QAM	1	1		22.22		2.5
			256QAM	1	1		20.33		4.5
		CP	QPSK	1	1		23.15		1.5

[NR TDD Band n41(PC3) SRS Conducted Power]

Measured P_{max}

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		13.70		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		13.03		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna : Sub1(Ant E), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		16.25		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Main2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		20.02		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		17.45		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna : Main4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		14.71		0

[NR TDD Band n41(PC2) SRS Conducted Power]

Measured P_{max}

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub2(Ant F), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		13.72		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Main4(Ant D), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		13.12		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna : Sub1(Ant E), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		16.32		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Main2(Ant B), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		20.06		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub1(Ant E), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		17.48		0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna : Main4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				518598		
				2592.99 MHz		
100 MHz	30	CW		14.76		0

[NR TDD Band n48 SRS Conducted Power]

Measured P_{max}

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Main3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40 MHz	30	CW	15.13	15.21		14.40	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	

40 MHz	30	CW	22.84	22.96		22.95	0
NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna: Main4(Ant D), SRS4							
Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			638000	641666		645334	
			3570 MHz	3624.99 MHz		3680.01 MHz	
40 MHz	30	CW	16.01	16.72		15.72	0

[NR TDD Band n77 (PC3) SRS Conducted Power]

Measured P_{max}

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: Main3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	19.94			19.84	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: SUB5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	23.08			23.03	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	20.07			19.01	0

[NR TDD Band n77 (PC2) SRS Conducted Power]

Measured P_{max}

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: Main3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	22.03			21.93	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]				MPR [dB]
			650000			662000	
			3750 MHz			3930 MHz	
100 MHz	30	CW	23.05			23.04	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]						MPR [dB]
			650000				662000		
			3750 MHz				3930 MHz		
100 MHz	30	CW	20.10				19.09		0

[NR TDD Band n77 (PC3) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				21.84		

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				23.06		

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				20.85		

[NR TDD Band n77 (PC2) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				23.81		

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				23.07		

NR TDD Band n77 DoD_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
100 MHz	30	CW		3500.01 MHz		0
				20.84		

[NR TDD Band n78 (PC3) SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
100 MHz	30	CW		3750 MHz		0
				20.06		

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
				3750 MHz		
100 MHz	30	CW		22.93		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
				3750 MHz		
100 MHz	30	CW		19.84		0

[NR TDD Band n78 (PC2) SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
				3750 MHz		
100 MHz	30	CW		22.07		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
				3750 MHz		
100 MHz	30	CW		23.01		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				650000		
				3750 MHz		
100 MHz	30	CW		20.02		0

[NR TDD Band n78 (PC3) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		
100 MHz	30	CW		21.90		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		
100 MHz	30	CW		23.08		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		

100 MHz	30	CW		20.83		0
---------	----	----	--	-------	--	---

[NR TDD Band n78 (PC2) DoD SRS Conducted Power]

Measured P_{max}

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN3(Ant C), SRS2

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		
100 MHz	30	CW		23.74		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: Sub5(Ant I), SRS3

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		
100 MHz	30	CW		23.06		0

NR TDD Band n78_ 100 MHz Bandwidth Conducted Power_ Antenna: MAIN4(Ant D), SRS4

Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				633334		
				3500.01 MHz		
100 MHz	30	CW		20.94		0