

Appendix K_NR Bands *P_{limit}* Conducted Power

K.1 NR Band Maximum Conducted Power (Lower Antenna)

NR FDD Band n2 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.05	24.08	23.83	0
				1	13	23.85	24.08	23.62	0
				1	23	23.96	24.09	23.82	0
				12	0	23.51	23.65	23.54	0.5
				12	7	23.97	24.11	23.67	0
				12	13	23.49	23.53	23.24	0.5
				25	0	23.49	23.65	23.29	0.5
			QPSK	1	1	24.05	24.09	23.80	0
				1	13	23.87	24.05	23.67	0
				1	23	23.99	24.03	23.81	0
				12	0	22.98	23.14	23.24	1
				12	7	24.01	24.10	23.81	0
				12	13	23.01	23.06	22.74	1
				25	0	23.00	23.12	22.78	1
			16QAM	1	1	23.06	23.28	22.83	1
			64QAM	1	1	21.63	21.77	21.56	2.5
			256QAM	1	1	19.70	19.61	19.30	4.5
		CP	QPSK	1	1	22.14	22.70	22.54	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.85	24.10	23.80	0
				1	26	24.12	23.60	23.96	0
				1	50	23.94	24.08	23.87	0
				25	0	23.48	23.65	23.30	0.5
				25	14	24.00	24.15	23.87	0
				25	27	23.49	23.55	23.26	0.5
				50	0	23.49	23.61	23.37	0.5
			QPSK	1	1	24.14	24.14	23.79	0
				1	26	24.13	24.24	23.98	0
				1	50	23.96	24.14	23.81	0
				25	0	22.99	23.16	22.83	1
				25	14	24.02	24.14	23.88	0
				25	27	22.99	23.10	22.83	1
				50	0	23.01	23.15	22.89	1
			16QAM	1	1	23.09	23.04	22.84	1
			64QAM	1	1	21.60	21.61	21.35	2.5
			256QAM	1	1	19.63	19.71	19.25	4.5
		CP	QPSK	1	1	22.59	22.65	22.34	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04	24.08	23.97	0
				1	40	23.84	24.01	23.72	0
				1	77	24.00	24.03	23.80	0
				36	0	23.54	23.61	23.39	0.5
				36	22	23.96	24.11	23.78	0
				36	43	23.43	23.59	23.32	0.5
				75	0	23.47	23.61	23.26	0.5
			QPSK	1	1	24.05	24.07	23.86	0
				1	40	23.94	24.01	23.67	0
				1	77	24.02	24.04	23.72	0
				36	0	23.01	23.10	22.90	1
				36	22	24.03	24.13	23.79	0
				36	43	22.96	23.16	22.81	1
				75	0	22.95	23.13	22.78	1
			16QAM	1	1	23.19	23.16	22.97	1
			64QAM	1	1	21.68	21.69	21.31	2.5
			256QAM	1	1	19.56	19.60	19.40	4.5
		CP	QPSK	1	1	22.62	22.58	22.14	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.03	24.09	24.02	0
				1	53	24.12	24.24	23.94	0
				1	104	24.08	24.06	23.78	0
				50	0	23.52	23.63	23.48	0.5
				50	28	23.91	24.11	23.84	0
				50	56	23.52	23.62	23.37	0.5
				100	0	23.45	23.62	23.37	0.5
			QPSK	1	1	24.01	24.07	24.01	0
				1	53	23.94	24.15	23.99	0
				1	104	24.06	24.01	23.82	0
				50	0	23.01	23.15	22.97	1
				50	28	23.95	24.10	23.84	0
				50	56	23.03	23.12	22.90	1
				100	0	22.98	23.17	22.86	1
			16QAM	1	1	23.12	23.14	22.96	1
			64QAM	1	1	21.69	21.66	21.59	2.5
			256QAM	1	1	19.54	19.57	19.56	4.5
		CP	QPSK	1	1	22.54	22.65	22.50	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02		24.10	0
				1	66	24.06		24.12	0
				1	131	24.10		23.76	0
				64	0	23.48		23.52	0.5
				64	35	23.91		23.96	0
				64	69	23.56		23.33	0.5
				128	0	23.41		23.45	0.5
			QPSK	1	1	23.99		24.08	0
				1	66	24.05		24.03	0
				1	131	24.11		23.78	0
				64	0	22.99		23.04	1
				64	35	23.95		23.98	0
				64	69	23.09		22.87	1
				128	0	22.93		22.92	1
			16QAM	1	1	23.25		23.22	1
			64QAM	1	1	21.53		21.64	2.5
			256QAM	1	1	19.54		19.64	4.5
		CP	QPSK	1	1	22.61		22.67	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.08		24.12	0
				1	80	24.21		24.07	0
				1	158	24.13		23.76	0
				80	0	23.49		23.55	0.5
				80	40	24.06		23.99	0
				80	80	23.59		23.29	0.5
				160	0	23.55		23.47	0.5
			QPSK	1	1	24.07		24.12	0
				1	80	24.17		24.04	0
				1	158	24.19		23.80	0
				80	0	23.00		23.10	1
				80	40	24.06		24.00	0
				80	80	23.08		22.86	1
				160	0	23.10		23.00	1
			16QAM	1	1	23.11		23.21	1
			64QAM	1	1	21.63		21.73	2.5
			256QAM	1	1	19.64		19.65	4.5
		CP	QPSK	1	1	22.66		22.65	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96		0
				1	98	24.07		0
				1	186	23.89		0
				90	0	23.58		0.5
				90	45	24.14		0
				90	90	23.54		0.5
				180	0	23.67		0.5
			QPSK	1	1	23.90		0
				1	98	24.05		0
				1	186	23.87		0
				90	0	23.10		1
				90	45	24.16		0
				90	90	23.04		1
				180	0	23.15		1
			16QAM	1	1	22.97		1
			64QAM	1	1	21.49		2.5
			256QAM	1	1	19.49		4.5
		CP	QPSK	1	1	22.42		1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.88	0
				1	108	24.27	0
				1	214	23.90	0
				108	0	23.65	0.5
				108	54	24.12	0
				108	108	23.57	0.5
				216	0	23.63	0.5
			QPSK	1	1	23.90	0
				1	108	24.16	0
				1	214	23.83	0
				108	0	23.13	1
				108	54	24.18	0
				108	108	23.06	1
				216	0	23.11	1
			16QAM	1	1	22.97	1
			64QAM	1	1	21.50	2.5
			256QAM	1	1	19.42	4.5
		CP	QPSK	1	1	22.42	1.5

NR FDD Band n2 Conducted Power_ Measured Free(RSI 0)_MAIN1 [Ant A]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.05	14.27	13.85	0
				1	13	14.01	14.20	13.78	0
				1	23	13.99	14.17	13.86	0
				12	0	14.08	14.22	13.90	0
				12	7	14.08	14.30	13.86	0
				12	13	14.07	14.23	13.94	0
				25	0	14.06	14.28	13.96	0
			QPSK	1	1	14.09	14.19	13.83	0
				1	13	13.96	14.19	13.79	0
				1	23	14.04	14.20	13.81	0
				12	0	14.06	14.25	13.86	0
				12	7	14.09	14.23	13.92	0
				12	13	14.07	14.19	13.86	0
				25	0	14.05	14.31	13.91	0
			16QAM	1	1	14.06	14.24	13.88	0
			64QAM	1	1	14.14	14.19	13.93	0
			256QAM	1	1	14.13	14.25	13.89	0
		CP	QPSK	1	1	14.10	14.26	13.90	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.12	14.22	14.09	0
				1	26	14.12	14.42	13.95	0
				1	50	14.06	14.13	13.93	0
				25	0	14.11	14.16	13.88	0
				25	14	14.08	14.27	13.83	0
				25	27	14.04	14.20	13.93	0
				50	0	14.09	14.25	13.86	0
			QPSK	1	1	14.09	14.26	14.01	0
				1	26	14.12	14.29	13.94	0
				1	50	14.07	14.11	13.90	0
				25	0	14.12	14.24	13.93	0
				25	14	14.06	14.33	13.90	0
				25	27	14.05	14.19	13.92	0
				50	0	14.09	14.25	13.92	0
			16QAM	1	1	14.24	14.24	14.05	0
			64QAM	1	1	14.11	14.43	14.14	0
			256QAM	1	1	14.00	14.17	13.87	0
		CP	QPSK	1	1	14.13	14.16	14.01	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.08	14.27	14.00	0
				1	40	13.97	14.25	13.83	0
				1	77	14.05	14.34	13.91	0
				36	0	14.10	14.24	13.97	0
				36	22	14.12	14.28	13.90	0
				36	43	14.10	14.12	13.85	0
				75	0	14.06	14.24	13.90	0
			QPSK	1	1	14.10	14.19	14.00	0
				1	40	13.97	14.17	13.89	0
				1	77	14.05	14.20	13.79	0
				36	0	14.07	14.26	14.01	0
				36	22	14.05	14.28	13.92	0
				36	43	14.05	14.13	13.84	0
				75	0	14.07	14.29	13.92	0
			16QAM	1	1	14.10	14.22	14.01	0
			64QAM	1	1	14.13	14.21	13.98	0
			256QAM	1	1	14.10	14.15	13.98	0
		CP	QPSK	1	1	14.00	14.18	13.97	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.06	14.22	14.12	0
				1	53	14.27	14.33	14.09	0
				1	104	14.15	14.25	13.91	0
				50	0	14.08	14.18	13.98	0
				50	28	14.08	14.32	14.01	0
				50	56	14.07	14.07	13.83	0
				100	0	14.08	14.27	14.00	0
			QPSK	1	1	14.04	14.12	14.08	0
				1	53	14.11	14.29	14.15	0
				1	104	14.09	14.22	13.86	0
				50	0	14.00	14.16	14.05	0
				50	28	14.07	14.29	14.03	0
				50	56	14.09	14.12	13.84	0
				100	0	14.08	14.26	14.05	0
			16QAM	1	1	14.22	14.20	14.09	0
			64QAM	1	1	14.14	14.08	14.20	0
			256QAM	1	1	14.06	14.12	14.16	0
		CP	QPSK	1	1	14.06	14.16	14.08	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.09		14.20	0
				1	66	14.16		14.17	0
				1	131	14.20		13.93	0
				64	0	14.08		14.15	0
				64	35	14.07		13.97	0
				64	69	14.16		13.92	0
				128	0	14.04		14.07	0
			QPSK	1	1	14.08		14.13	0
				1	66	14.12		14.13	0
				1	131	14.19		13.83	0
				64	0	14.05		14.15	0
				64	35	14.04		14.03	0
				64	69	14.15		13.88	0
				128	0	14.09		13.98	0
			16QAM	1	1	14.15		14.17	0
			64QAM	1	1	14.14		14.25	0
			256QAM	1	1	14.11		14.16	0
		CP	QPSK	1	1	14.11		14.18	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.08		14.24	0
				1	80	14.27		14.14	0
				1	158	14.30		13.88	0
				80	0	14.10		14.22	0
				80	40	14.06		14.03	0
				80	80	14.25		14.01	0
				160	0	14.13		14.08	0
			QPSK	1	1	14.05		14.31	0
				1	80	14.15		14.05	0
				1	158	14.33		13.85	0
				80	0	14.13		14.21	0
				80	40	14.08		14.07	0
				80	80	14.24		14.00	0
				160	0	14.08		14.12	0
			16QAM	1	1	14.23		14.29	0
			64QAM	1	1	14.24		14.24	0
			256QAM	1	1	14.06		14.38	0
		CP	QPSK	1	1	14.06		14.32	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						376000		
						1880 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.03		0
				1	98	14.32		0
				1	186	13.95		0
				90	0	14.13		0
				90	45	14.30		0
				90	90	14.11		0
				180	0	14.24		0
			QPSK	1	1	14.09		0
				1	98	14.24		0
				1	186	14.02		0
				90	0	14.21		0
				90	45	14.24		0
				90	90	14.12		0
				180	0	14.31		0
			16QAM	1	1	14.04		0
			64QAM	1	1	14.18		0
			256QAM	1	1	14.01		0
		CP	QPSK	1	1	14.09		0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.01	0
				1	108	14.44	0
				1	214	13.98	0
				108	0	14.20	0
				108	54	14.27	0
				108	108	14.14	0
				216	0	14.26	0
			QPSK	1	1	14.03	0
				1	108	14.37	0
				1	214	13.91	0
				108	0	14.18	0
				108	54	14.26	0
				108	108	14.07	0
				216	0	14.26	0
			16QAM	1	1	14.05	0
			64QAM	1	1	14.05	0
			256QAM	1	1	14.11	0
		CP	QPSK	1	1	14.03	0

NR FDD Band n5 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.83	24.78	24.63	0
				1	13	24.71	24.74	24.56	0
				1	23	24.80	24.79	24.40	0
				12	0	24.35	24.29	24.19	0.5
				12	7	24.84	24.82	24.67	0
				12	13	24.32	24.31	24.13	0.5
				25	0	24.32	24.34	24.19	0.5
			QPSK	1	1	24.82	24.76	24.67	0
				1	13	24.73	24.73	24.58	0
				1	23	24.82	24.77	24.37	0
				12	0	23.87	23.82	23.68	1
				12	7	24.86	24.82	24.69	0
				12	13	23.82	23.83	23.66	1
				25	0	23.84	23.86	23.67	1
			16QAM	1	1	23.88	23.84	23.78	1
			64QAM	1	1	22.33	22.34	22.31	2.5
			256QAM	1	1	20.42	20.46	20.16	4.5
		CP	QPSK	1	1	23.29	23.33	23.20	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.78	0
				1	26	24.98	0
				1	50	24.82	0
				25	0	24.28	0.5
				25	14	24.80	0
				25	27	24.28	0.5
				50	0	24.32	0.5
			QPSK	1	1	24.84	0
				1	26	24.94	0
				1	50	24.79	0
				25	0	23.81	1
				25	14	24.81	0
				25	27	23.75	1
				50	0	23.79	1
			16QAM	1	1	23.87	1
			64QAM	1	1	22.33	2.5
			256QAM	1	1	20.34	4.5
		CP	QPSK	1	1	23.28	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.86	0
				1	40	24.70	0
				1	77	24.73	0
				36	0	24.32	0.5
				36	22	24.83	0
				36	43	24.29	0.5
				75	0	24.33	0.5
			QPSK	1	1	24.81	0
				1	40	24.73	0
				1	77	24.78	0
				36	0	23.85	1
				36	22	24.82	0
				36	43	23.78	1
				75	0	23.87	1
			16QAM	1	1	23.87	1
			64QAM	1	1	22.44	2.5
			256QAM	1	1	20.36	4.5
		CP	QPSK	1	1	23.47	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.84	0
				1	53	25.02	0
				1	104	24.65	0
				50	0	24.30	0.5
				50	28	24.83	0
				50	56	24.29	0.5
				100	0	24.34	0.5
			QPSK	1	1	24.83	0
				1	53	24.86	0
				1	104	24.68	0
				50	0	23.84	1
				50	28	24.85	0
				50	56	23.84	1
				100	0	23.82	1
			16QAM	1	1	23.87	1
			64QAM	1	1	22.43	2.5
			256QAM	1	1	20.48	4.5
		CP	QPSK	1	1	23.35	1.5

NR FDD Band n5 Conducted Power_ Measured Free (RSI 0) _ MAIN1 [Ant A]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.43	21.33	21.22	0
				1	13	21.33	21.26	21.14	0
				1	23	21.34	21.34	21.16	0
				12	0	21.46	21.38	21.22	0
				12	7	21.41	21.44	21.20	0
				12	13	21.39	21.38	21.22	0
				25	0	21.47	21.36	21.24	0
			QPSK	1	1	21.47	21.35	21.22	0
				1	13	21.36	21.33	21.15	0
				1	23	21.30	21.36	21.24	0
				12	0	21.45	21.37	21.29	0
				12	7	21.46	21.41	21.27	0
				12	13	21.41	21.38	21.27	0
				25	0	21.50	21.42	21.26	0
			16QAM	1	1	21.62	21.38	21.22	0
			64QAM	1	1	21.67	21.47	21.34	0
			256QAM	1	1	19.78	19.75	19.51	0
		CP	QPSK	1	1	21.47	21.43	21.17	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.39	0
				1	26	21.46	0
				1	50	21.32	0
				25	0	21.40	0
				25	14	21.39	0
				25	27	21.32	0
				50	0	21.39	0
			QPSK	1	1	21.37	0
				1	26	21.39	0
				1	50	21.27	0
				25	0	21.38	0
				25	14	21.37	0
				25	27	21.34	0
				50	0	21.38	0
			16QAM	1	1	21.38	0
			64QAM	1	1	21.35	0
			256QAM	1	1	19.77	2
		CP	QPSK	1	1	21.34	0

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.35	0
				1	40	21.29	0
				1	77	21.22	0
				36	0	21.40	0
				36	22	21.35	0
				36	43	21.29	0
				75	0	21.42	0
			QPSK	1	1	21.38	0
				1	40	21.32	0
				1	77	21.23	0
				36	0	21.42	0
				36	22	21.38	0
				36	43	21.33	0
				75	0	21.41	0
			16QAM	1	1	21.45	0
			64QAM	1	1	21.55	0
			256QAM	1	1	19.74	2
		CP	QPSK	1	1	21.25	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.32	0
				1	53	21.45	0
				1	104	21.24	0
				50	0	21.39	0
				50	28	21.43	0
				50	56	21.28	0
				100	0	21.42	0
			QPSK	1	1	21.39	0
				1	53	21.40	0
				1	104	21.22	0
				50	0	21.43	0
				50	28	21.41	0
				50	56	21.28	0
				100	0	21.39	0
			16QAM	1	1	21.43	0
			64QAM	1	1	21.43	0
			256QAM	1	1	19.71	2
		CP	QPSK	1	1	21.43	0

NR FDD Band n7 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN2

[Ant B]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01	23.90	23.80	0
				1	13	23.98	23.72	23.65	0
				1	23	24.01	23.53	23.84	0
				12	0	23.51	23.42	23.25	0.5
				12	7	24.03	23.83	23.77	0
				12	13	23.52	23.31	23.24	0.5
				25	0	23.51	23.37	23.25	0.5
			QPSK	1	1	23.98	23.84	23.66	0
				1	13	23.93	23.69	23.61	0
				1	23	24.02	23.83	23.71	0
				12	0	23.00	22.84	22.75	1
				12	7	24.01	23.78	23.73	0
				12	13	23.06	22.78	22.71	1
				25	0	23.05	22.78	22.74	1
			16QAM	1	1	23.05	22.93	22.64	1
			64QAM	1	1	21.61	21.27	21.30	2.5
			256QAM	1	1	19.56	19.44	19.32	4.5
		CP	QPSK	1	1	22.48	22.54	22.29	1.5

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96	23.94	23.95	0
				1	26	23.97	24.05	23.98	0
				1	50	23.92	23.93	23.81	0
				25	0	23.42	23.19	23.53	0.5
				25	14	23.92	23.96	23.65	0
				25	27	23.39	23.44	23.63	0.5
				50	0	23.39	23.35	23.54	0.5
			QPSK	1	1	23.82	23.93	24.01	0
				1	26	23.83	23.90	23.97	0
				1	50	23.86	23.79	24.08	0
				25	0	22.82	22.85	22.95	1
				25	14	23.86	23.87	23.84	0
				25	27	22.87	22.83	22.89	1
				50	0	22.81	22.84	22.86	1
			16QAM	1	1	22.81	22.57	22.93	1
			64QAM	1	1	21.33	21.18	21.52	2.5
			256QAM	1	1	19.55	19.53	19.43	4.5
		CP	QPSK	1	1	22.41	22.44	22.33	1.5

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01	23.96	23.94	0
				1	40	23.90	23.73	23.85	0
				1	77	23.96	23.84	23.90	0
				36	0	23.50	23.39	23.47	0.5
				36	22	23.98	23.81	23.91	0
				36	43	23.48	23.32	23.38	0.5
				75	0	23.48	23.36	23.38	0.5
			QPSK	1	1	23.93	23.87	23.89	0
				1	40	23.91	23.71	23.74	0
				1	77	24.00	23.71	23.85	0
				36	0	22.92	22.83	22.94	1
				36	22	23.88	23.79	23.81	0
				36	43	23.03	22.81	22.90	1
				75	0	23.00	22.83	22.90	1
			16QAM	1	1	22.96	22.86	22.83	1
			64QAM	1	1	21.27	21.33	21.42	2.5
			256QAM	1	1	19.49	19.46	19.64	4.5
		CP	QPSK	1	1	22.55	22.47	22.51	1.5

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04	23.91	23.89	0
				1	53	24.19	24.10	23.86	0
				1	104	24.05	23.69	23.83	0
				50	0	23.49	23.38	23.39	0.5
				50	28	23.99	23.80	23.82	0
				50	56	23.55	23.22	23.30	0.5
				100	0	23.51	23.33	23.39	0.5
			QPSK	1	1	23.99	23.83	23.87	0
				1	53	24.25	23.85	23.76	0
				1	104	23.98	23.65	23.82	0
				50	0	22.98	22.82	22.82	1
				50	28	23.94	23.84	23.84	0
				50	56	22.96	22.80	22.77	1
				100	0	22.99	22.80	22.84	1
			16QAM	1	1	23.12	22.74	22.86	1
			64QAM	1	1	21.45	21.45	21.42	2.5
			256QAM	1	1	19.49	19.34	19.27	4.5
		CP	QPSK	1	1	22.63	22.42	22.43	1.5

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.18		23.83	0
				1	67	24.10		23.76	0
				1	131	24.14		23.72	0
				64	0	23.62		23.42	0.5
				64	35	24.13		23.87	0
				64	39	23.58		23.40	0.5
				128	0	23.64		23.39	0.5
			QPSK	1	1	24.03		23.77	0
				1	67	23.95		23.72	0
				1	131	24.03		23.74	0
				64	0	23.10		22.86	1
				64	35	24.03		23.78	0
				64	69	23.07		22.72	1
				128	0	23.05		22.80	1
			16QAM	1	1	23.08		23.04	1
			64QAM	1	1	21.53		21.43	2.5
			256QAM	1	1	19.48		19.53	4.5
		CP	QPSK	1	1	22.68		22.43	1.5

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.93		23.83	0
				1	80	24.11		23.86	0
				1	158	23.98		23.59	0
				80	0	23.50		23.22	0.5
				80	40	23.89		23.73	0
				80	80	23.42		23.21	0.5
				160	0	23.43		23.13	0.5
			QPSK	1	1	23.84		23.70	0
				1	80	23.87		23.61	0
				1	158	23.92		23.58	0
				80	0	22.90		22.66	1
				80	40	23.87		23.65	0
				80	80	22.88		22.67	1
				160	0	22.85		22.67	1
			16QAM	1	1	22.92		22.71	1
			64QAM	1	1	21.30		21.33	2.5
			256QAM	1	1	19.41		19.48	4.5
		CP	QPSK	1	1	22.32		22.36	1.5

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.97		0
				1	98	23.81		0
				1	186	23.77		0
				90	0	23.37		0.5
				90	45	23.79		0
				90	90	23.26		0.5
				180	0	23.31		0.5
			QPSK	1	1	23.82		0
				1	98	23.71		0
				1	186	23.71		0
				90	0	22.86		1
				90	45	23.80		0
				90	90	22.74		1
				180	0	22.77		1
			16QAM	1	1	22.94		1
			64QAM	1	1	21.41		2.5
			256QAM	1	1	19.34		4.5
		CP	QPSK	1	1	22.41		1.5

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.91	0
				1	108	23.99	0
				1	214	23.70	0
				108	0	23.36	0.5
				108	54	23.80	0
				108	108	23.23	0.5
				216	0	23.27	0.5
			QPSK	1	1	23.81	0
				1	108	23.78	0
				1	214	23.70	0
				108	0	22.77	1
				108	54	23.82	0
				108	108	22.70	1
				216	0	22.74	1
			16QAM	1	1	22.71	1
			64QAM	1	1	21.52	2.5
			256QAM	1	1	19.55	4.5
		CP	QPSK	1	1	22.42	1.5

NR FDD Band n7 Conducted Power_ Measured Free(RSI 0)_ MAIN2 [Ant B]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.40	18.33	18.02	0
				1	13	18.36	18.10	17.94	0
				1	23	18.45	18.17	18.07	0
				12	0	18.43	18.25	18.07	0
				12	7	18.42	18.28	18.02	0
				12	13	18.42	18.24	17.97	0
				25	0	18.43	18.27	18.03	0
			QPSK	1	1	18.41	18.22	17.97	0
				1	13	18.31	18.11	17.92	0
				1	23	18.44	18.22	18.04	0
				12	0	18.41	18.22	18.06	0
				12	7	18.43	18.24	18.05	0
				12	13	18.41	18.20	18.03	0
				25	0	18.46	18.23	18.05	0
			16QAM	1	1	18.45	18.35	18.01	0
			64QAM	1	1	18.28	18.38	18.08	0
			256QAM	1	1	18.40	18.40	17.96	0
		CP	QPSK	1	1	18.45	18.27	17.98	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.26	18.28	18.06	0
				1	26	18.32	18.46	18.16	0
				1	50	18.33	18.27	18.16	0
				25	0	18.24	18.36	18.04	0
				25	14	18.27	18.27	17.97	0
				25	27	18.32	18.25	18.03	0
				50	0	18.26	18.26	17.97	0
			QPSK	1	1	18.33	18.31	18.01	0
				1	26	18.36	18.33	18.07	0
				1	50	18.33	18.25	17.97	0
				25	0	18.28	18.31	18.04	0
				25	14	18.29	18.25	18.04	0
				25	27	18.35	18.27	17.98	0
				50	0	18.25	18.26	18.06	0
			16QAM	1	1	18.30	18.24	18.09	0
			64QAM	1	1	18.33	18.29	18.24	0
			256QAM	1	1	18.24	18.45	17.98	0
		CP	QPSK	1	1	18.29	18.30	18.01	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.37	18.33	18.27	0
				1	40	18.24	18.12	18.14	0
				1	77	18.38	18.19	18.20	0
				36	0	18.30	18.34	18.23	0
				36	22	18.39	18.21	18.17	0
				36	43	18.39	18.28	18.23	0
				75	0	18.40	18.24	18.20	0
			QPSK	1	1	18.38	18.24	18.29	0
				1	40	18.25	18.13	18.14	0
				1	77	18.34	18.19	18.17	0
				36	0	18.30	18.30	18.31	0
				36	22	18.38	18.26	18.22	0
				36	43	18.37	18.19	18.17	0
				75	0	18.34	18.28	18.29	0
			16QAM	1	1	18.24	18.07	18.44	0
			64QAM	1	1	18.28	18.23	18.13	0
			256QAM	1	1	18.36	18.24	18.35	0
		CP	QPSK	1	1	18.34	18.33	18.36	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.38	18.35	18.23	0
				1	53	18.45	18.43	18.34	0
				1	104	18.39	18.12	18.08	0
				50	0	18.40	18.32	18.16	0
				50	28	18.42	18.28	18.15	0
				50	56	18.40	18.20	18.12	0
				100	0	18.47	18.26	18.27	0
			QPSK	1	1	18.41	18.27	18.22	0
				1	53	18.47	18.47	18.15	0
				1	104	18.38	18.13	18.08	0
				50	0	18.38	18.31	18.22	0
				50	28	18.36	18.23	18.17	0
				50	56	18.39	18.18	18.19	0
				100	0	18.41	18.30	18.24	0
			16QAM	1	1	18.31	18.28	18.29	0
			64QAM	1	1	18.34	18.30	18.35	0
			256QAM	1	1	18.39	18.48	18.32	0
		CP	QPSK	1	1	18.50	18.35	18.27	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.40		18.19	0
				1	67	18.38		18.09	0
				1	131	18.38		18.02	0
				64	0	18.47		18.16	0
				64	35	18.46		18.12	0
				64	39	18.46		18.12	0
				128	0	18.45		18.10	0
			QPSK	1	1	18.40		18.10	0
				1	67	18.31		17.99	0
				1	131	18.29		18.01	0
				64	0	18.47		18.21	0
				64	35	18.46		18.15	0
				64	69	18.42		18.09	0
				128	0	18.48		18.16	0
			16QAM	1	1	18.42		18.25	0
			64QAM	1	1	18.49		18.19	0
			256QAM	1	1	18.34		18.23	0
		CP	QPSK	1	1	18.36		18.18	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.25		18.19	0
				1	80	18.33		18.14	0
				1	158	18.20		17.94	0
				80	0	18.31		18.09	0
				80	40	18.23		18.09	0
				80	80	18.25		17.99	0
				160	0	18.21		18.05	0
			QPSK	1	1	18.30		18.13	0
				1	80	18.30		18.08	0
				1	158	18.24		18.02	0
				80	0	18.31		18.09	0
				80	40	18.23		18.04	0
				80	80	18.20		18.03	0
				160	0	18.25		18.11	0
			16QAM	1	1	18.45		18.07	0
			64QAM	1	1	18.47		18.04	0
			256QAM	1	1	18.49		18.24	0
		CP	QPSK	1	1	18.32		18.13	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.26	0
				1	98	18.12	0
				1	186	18.10	0
				90	0	18.23	0
				90	45	18.26	0
				90	90	18.14	0
				180	0	18.23	0
			QPSK	1	1	18.29	0
				1	98	18.20	0
				1	186	18.11	0
				90	0	18.32	0
				90	45	18.23	0
				90	90	18.14	0
				180	0	18.25	0
			16QAM	1	1	18.33	0
			64QAM	1	1	18.38	0
			256QAM	1	1	18.34	0
		CP	OPSK	1	1	18.29	0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.24	0
				1	108	18.34	0
				1	214	18.06	0
				108	0	18.25	0
				108	54	18.19	0
				108	108	18.12	0
				216	0	18.21	0
			QPSK	1	1	18.27	0
				1	108	18.20	0
				1	214	18.03	0
				108	0	18.27	0
				108	54	18.27	0
				108	108	18.05	0
				216	0	18.20	0
			16QAM	1	1	18.37	0
			64QAM	1	1	18.32	0
			256QAM	1	1	18.20	0
		CP	QPSK	1	1	18.23	0

NR FDD Band n12 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.51	24.54	24.63	0
				1	13	24.44	24.55	24.55	0
				1	23	24.51	24.65	24.70	0
				12	0	24.04	24.06	24.15	0.5
				12	7	24.52	24.59	24.66	0
				12	13	24.03	24.14	24.17	0.5
				25	0	24.02	24.09	24.13	0.5
			QPSK	1	1	24.50	24.51	24.59	0
				1	13	24.46	24.47	24.62	0
				1	23	24.49	24.62	24.65	0
				12	0	23.51	23.53	23.66	1
				12	7	24.51	24.58	24.62	0
				12	13	23.48	23.60	23.67	1
				25	0	23.51	23.56	23.68	1
			16QAM	1	1	23.61	23.60	23.71	1
			64QAM	1	1	21.94	22.06	22.22	2.5
			256QAM	1	1	20.10	20.09	20.24	4.5
		CP	QPSK	1	1	23.08	23.11	23.12	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						141500		
						707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54		0
				1	26	24.65		0
				1	50	24.63		0
				25	0	24.03		0.5
				25	14	24.57		0
				25	27	24.12		0.5
				50	0	24.06		0.5
			QPSK	1	1	24.53		0
				1	26	24.63		0
				1	50	24.65		0
				25	0	23.55		1
				25	14	24.56		0
				25	27	23.63		1
				50	0	23.56		1
			16QAM	1	1	23.69		1
			64QAM	1	1	22.13		2.5
			256QAM	1	1	20.13		4.5
		CP	QPSK	1	1	23.21		1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	0
				1	40	24.56	0
				1	77	24.69	0
				36	0	24.05	0.5
				36	22	24.54	0
				36	43	24.18	0.5
				75	0	24.08	0.5
			QPSK	1	1	24.49	0
				1	40	24.47	0
				1	77	24.68	0
				36	0	23.56	1
				36	22	24.54	0
				36	43	23.72	1
				75	0	23.58	1
			16QAM	1	1	23.58	1
			64QAM	1	1	22.04	2.5
			256QAM	1	1	20.19	4.5
		CP	QPSK	1	1	23.03	1.5

NR FDD Band n12 Conducted Power_ Measured Free (RSI 0)_ MAIN1 [Ant A]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.14	21.25	21.27	0
				1	13	21.05	21.20	21.11	0
				1	23	21.19	21.28	21.18	0
				12	0	21.17	21.29	21.22	0
				12	7	21.15	21.33	21.27	0
				12	13	21.14	21.31	21.24	0
			QPSK	25	0	21.18	21.32	21.26	0
				1	1	21.09	21.22	21.26	0
				1	13	21.05	21.20	21.09	0
				1	23	21.18	21.25	21.19	0
				12	0	21.15	21.29	21.22	0
				12	7	21.17	21.29	21.24	0
				12	13	21.17	21.35	21.19	0
				25	0	21.16	21.31	21.26	0
			16QAM	1	1	21.14	21.43	21.31	0
			64QAM	1	1	21.23	21.40	21.42	0
			256QAM	1	1	19.46	19.62	19.55	2
		CP	QPSK	1	1	21.19	21.29	21.32	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.18	0
				1	26	21.37	0
				1	50	21.32	0
				25	0	21.30	0
				25	14	21.30	0
				25	27	21.36	0
				50	0	21.31	0
			QPSK	1	1	21.15	0
				1	26	21.30	0
				1	50	21.30	0
				25	0	21.29	0
				25	14	21.33	0
				25	27	21.33	0
				50	0	21.32	0
			16QAM	1	1	21.28	0
			64QAM	1	1	21.31	0
			256QAM	1	1	19.39	2
		CP	QPSK	1	1	21.27	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.18	0
				1	40	21.23	0
				1	77	21.28	0
				36	0	21.27	0
				36	22	21.34	0
				36	43	21.33	0
				75	0	21.31	0
			QPSK	1	1	21.15	0
				1	40	21.23	0
				1	77	21.25	0
				36	0	21.32	0
				36	22	21.36	0
				36	43	21.32	0
				75	0	21.30	0
			16QAM	1	1	21.34	0
			64QAM	1	1	21.38	0
			256QAM	1	1	19.38	2
		CP	QPSK	1	1	21.17	0

NR FDD Band n14 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.60	0
				1	13	24.50	0
				1	23	24.56	0
				12	0	24.10	0.5
				12	7	24.61	0
				12	13	24.07	0.5
				25	0	24.06	0.5
			QPSK	1	1	24.61	0
				1	13	24.48	0
				1	23	24.59	0
				12	0	23.58	1
				12	7	24.61	0
				12	13	23.58	1
				25	0	23.60	1
			16QAM	1	1	23.60	1
			64QAM	1	1	22.15	2.5
			256QAM	1	1	20.23	4.5
		CP	QPSK	1	1	23.11	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.62	0
				1	26	24.74	0
				1	50	24.55	0
				25	0	24.10	0.5
				25	14	24.61	0
				25	27	24.07	0.5
				50	0	24.10	0.5
			QPSK	1	1	24.66	0
				1	26	24.72	0
				1	50	24.58	0
				25	0	23.64	1
				25	14	24.60	0
				25	27	23.60	1
				50	0	23.62	1
			16QAM	1	1	23.73	1
			64QAM	1	1	22.15	2.5
			256QAM	1	1	20.26	4.5
		CP	QPSK	1	1	23.10	1.5

NR FDD Band n14 Conducted Power_ Measured Free (RSI 0) MAIN1 [Ant A]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.29	0
				1	13	21.16	0
				1	23	21.23	0
				12	0	21.25	0
				12	7	21.27	0
				12	13	21.22	0
			QPSK	25	0	21.25	0
				1	1	21.27	0
				1	13	21.15	0
				1	23	21.22	0
				12	0	21.22	0
				12	7	21.20	0
				12	13	21.22	0
				25	0	21.27	0
			16QAM	1	1	21.25	0
			64QAM	1	1	21.41	0
			256QAM	1	1	19.58	2
		CP	QPSK	1	1	21.23	0

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.36	0
				1	26	21.40	0
				1	50	21.17	0
				25	0	21.24	0
				25	14	21.26	0
				25	27	21.22	0
			QPSK	50	0	21.24	0
				1	1	21.35	0
				1	26	21.36	0
				1	50	21.13	0
				25	0	21.24	0
				25	14	21.29	0
				25	27	21.22	0
				50	0	21.22	0
			16QAM	1	1	21.42	0
			64QAM	1	1	21.46	0
			256QAM	1	1	19.72	2
		CP	QPSK	1	1	21.29	0

NR FDD Band n25 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.12	24.09	23.76	0
				1	13	23.90	23.54	23.60	0
				1	23	24.02	23.51	23.68	0
				12	0	23.48	23.55	23.21	0.5
				12	7	23.93	24.11	23.71	0
				12	13	23.47	23.58	23.18	0.5
				25	0	23.50	23.54	23.21	0.5
			QPSK	1	1	24.06	24.08	23.74	0
				1	13	23.90	24.00	23.59	0
				1	23	24.00	24.15	23.73	0
				12	0	23.02	23.07	22.74	1
				12	7	23.96	24.06	23.73	0
				12	13	23.00	23.13	22.68	1
				25	0	23.00	23.05	22.73	1
			16QAM	1	1	23.06	22.99	22.88	1
			64QAM	1	1	21.61	21.83	21.33	2.5
			256QAM	1	1	19.62	19.55	19.34	4.5
		CP	QPSK	1	1	22.62	22.63	22.32	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.09	24.06	23.92	0
				1	26	24.12	24.12	23.90	0
				1	50	23.95	24.06	23.73	0
				25	0	23.51	23.61	23.25	0.5
				25	14	24.01	24.04	23.81	0
				25	27	23.50	23.62	23.23	0.5
				50	0	23.57	23.56	23.30	0.5
			QPSK	1	1	24.04	24.00	23.87	0
				1	26	23.94	24.12	23.89	0
				1	50	23.92	24.04	23.75	0
				25	0	23.03	23.10	22.75	1
				25	14	24.01	24.07	23.82	0
				25	27	23.02	23.13	22.73	1
				50	0	23.05	23.10	22.79	1
			16QAM	1	1	23.16	23.09	22.93	1
			64QAM	1	1	21.65	21.63	21.47	2.5
			256QAM	1	1	19.74	19.56	19.26	4.5
		CP	QPSK	1	1	22.64	22.57	22.41	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.07	24.11	23.81	0
				1	40	23.86	23.97	23.56	0
				1	77	24.01	24.01	23.57	0
				36	0	23.51	23.63	23.35	0.5
				36	22	23.97	24.06	23.77	0
				36	43	23.43	23.56	23.27	0.5
				75	0	23.47	23.55	23.31	0.5
			QPSK	1	1	24.08	24.09	23.82	0
				1	40	23.85	23.95	23.67	0
				1	77	23.96	24.02	23.70	0
				36	0	23.01	23.14	22.85	1
				36	22	24.02	24.09	23.74	0
				36	43	22.94	23.08	22.79	1
				75	0	23.01	23.05	22.79	1
			16QAM	1	1	23.09	23.18	22.93	1
			64QAM	1	1	21.64	21.72	21.28	2.5
			256QAM	1	1	19.58	19.53	19.34	4.5
		CP	QPSK	1	1	22.62	22.65	22.37	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02	24.09	23.93	0
				1	53	24.05	24.17	24.01	0
				1	104	24.06	23.95	23.70	0
				50	0	23.46	23.59	23.39	0.5
				50	28	23.90	24.07	23.90	0
				50	56	23.51	23.50	23.34	0.5
				100	0	23.45	23.54	23.39	0.5
			QPSK	1	1	24.02	24.07	23.93	0
				1	53	23.90	24.10	23.89	0
				1	104	24.05	23.95	23.70	0
				50	0	23.02	23.15	22.90	1
				50	28	23.97	24.07	23.86	0
				50	56	23.04	23.02	22.86	1
				100	0	22.98	23.04	22.92	1
			16QAM	1	1	23.16	22.96	23.02	1
			64QAM	1	1	21.55	21.57	21.56	2.5
			256QAM	1	1	19.63	19.53	19.43	4.5
		CP	QPSK	1	1	22.54	22.62	22.46	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02		23.98	0
				1	66	24.04		23.92	0
				1	131	24.07		23.68	0
				64	0	23.51		23.41	0.5
				64	35	23.89		23.78	0
				64	69	23.59		23.28	0.5
			QPSK	128	0	23.43		23.29	0.5
				1	1	24.00		24.01	0
				1	66	24.02		23.89	0
				1	131	24.14		23.74	0
				64	0	22.97		22.92	1
				64	35	23.95		23.81	0
				64	69	23.10		22.77	1
				128	0	22.91		22.80	1
			16QAM	1	1	23.01		23.00	1
			64QAM	1	1	21.68		21.44	2.5
			256QAM	1	1	19.60		19.50	4.5
		CP	QPSK	1	1	22.58		22.50	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10		24.10	0
				1	80	24.25		23.93	0
				1	158	23.81		23.70	0
				80	0	23.52		23.47	0.5
				80	40	24.06		23.85	0
				80	80	23.57		23.31	0.5
			QPSK	160	0	23.57		23.36	0.5
				1	1	24.05		24.13	0
				1	80	24.12		23.93	0
				1	158	24.13		23.72	0
				80	0	23.02		22.97	1
				80	40	24.07		23.89	0
				80	80	23.09		22.76	1
				160	0	23.07		22.88	1
			16QAM	1	1	23.04		23.09	1
			64QAM	1	1	21.68		21.81	2.5
			256QAM	1	1	19.66		19.61	4.5
		CP	QPSK	1	1	22.62		22.63	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04	0
				1	98	24.08	0
				1	186	23.84	0
				90	0	23.60	0.5
				90	45	24.04	0
				90	90	23.56	0.5
				180	0	23.58	0.5
			QPSK	1	1	24.04	0
				1	98	24.08	0
				1	186	23.83	0
				90	0	23.13	1
				90	45	24.07	0
				90	90	23.03	1
				180	0	23.06	1
			16QAM	1	1	23.03	1
			64QAM	1	1	21.48	2.5
			256QAM	1	1	19.56	4.5
		CP	QPSK	1	1	22.53	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.94	0
				1	108	24.15	0
				1	214	23.75	0
				108	0	23.54	0.5
				108	54	24.06	0
				108	108	23.44	0.5
				216	0	23.58	0.5
			QPSK	1	1	23.97	0
				1	108	24.10	0
				1	214	23.75	0
				108	0	23.08	1
				108	54	24.09	0
				108	108	22.96	1
				216	0	23.06	1
			16QAM	1	1	23.01	1
			64QAM	1	1	21.44	2.5
			256QAM	1	1	19.60	4.5
		CP	QPSK	1	1	22.48	1.5

NR FDD Band n25 Conducted Power_ Measured Free (RSI 0)_ MAIN1 [Ant A]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.15	15.40	14.99	0
				1	13	15.14	15.20	14.89	0
				1	23	15.18	15.21	14.97	0
				12	0	15.19	15.32	14.96	0
				12	7	15.19	15.31	14.98	0
				12	13	15.12	15.27	14.96	0
			QPSK	25	0	15.13	15.29	15.00	0
				1	1	15.22	15.32	14.94	0
				1	13	15.05	15.26	14.89	0
				1	23	15.15	15.23	14.97	0
				12	0	15.18	15.37	14.95	0
				12	7	15.18	15.32	14.99	0
				12	13	15.13	15.19	14.91	0
				25	0	15.18	15.26	15.03	0
			16QAM	1	1	15.35	15.48	15.05	0
			64QAM	1	1	15.20	15.53	15.07	0
			256QAM	1	1	15.17	15.34	14.99	0
		CP	QPSK	1	1	15.24	15.30	14.98	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.18	15.33	14.92	0
				1	26	15.26	15.38	15.14	0
				1	50	15.16	15.15	14.93	0
				25	0	15.21	15.30	15.03	0
				25	14	15.13	15.27	14.98	0
				25	27	15.19	15.18	14.96	0
			QPSK	50	0	15.21	15.29	14.96	0
				1	1	15.19	15.35	15.01	0
				1	26	15.25	15.33	15.01	0
				1	50	15.12	15.18	14.93	0
				25	0	15.24	15.39	15.03	0
				25	14	15.15	15.28	14.95	0
				25	27	15.15	15.23	14.97	0
				50	0	15.19	15.25	14.93	0
			16QAM	1	1	15.14	15.28	14.95	0
			64QAM	1	1	15.24	15.16	15.04	0
			256QAM	1	1	15.32	15.38	14.85	0
		CP	QPSK	1	1	15.12	15.25	14.93	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.13	15.20	15.11	0
				1	40	15.05	15.21	14.83	0
				1	77	15.08	15.15	14.85	0
				36	0	15.13	15.28	14.96	0
				36	22	15.11	15.17	14.90	0
				36	43	15.15	15.22	14.90	0
				75	0	15.16	15.28	14.92	0
			QPSK	1	1	15.11	15.23	15.06	0
				1	40	15.04	15.24	14.82	0
				1	77	15.14	15.14	14.94	0
				36	0	15.13	15.33	14.89	0
				36	22	15.13	15.28	15.01	0
				36	43	15.16	15.24	14.98	0
				75	0	15.19	15.33	14.95	0
			16QAM	1	1	14.97	15.35	15.04	0
			64QAM	1	1	15.15	15.55	15.00	0
			256QAM	1	1	15.11	15.20	14.98	0
		CP	QPSK	1	1	15.16	15.25	15.05	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.21	15.23	15.20	0
				1	53	15.31	15.35	15.16	0
				1	104	15.18	15.20	14.93	0
				50	0	15.17	15.38	15.19	0
				50	28	15.16	15.29	14.97	0
				50	56	15.13	15.24	14.96	0
				100	0	15.16	15.33	15.00	0
			QPSK	1	1	15.20	15.25	15.17	0
				1	53	15.27	15.39	14.99	0
				1	104	15.23	15.12	14.88	0
				50	0	15.21	15.34	15.14	0
				50	28	15.17	15.34	14.97	0
				50	56	15.19	15.21	14.99	0
				100	0	15.19	15.33	14.94	0
			16QAM	1	1	15.22	15.30	15.16	0
			64QAM	1	1	15.17	15.38	15.29	0
			256QAM	1	1	15.18	15.32	15.09	0
		CP	QPSK	1	1	15.13	15.31	15.19	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.18		15.17	0
				1	66	15.21		15.14	0
				1	131	15.31		14.88	0
				64	0	15.12		15.11	0
				64	35	15.16		15.07	0
				64	69	15.29		15.00	0
				128	0	15.17		15.09	0
			QPSK	1	1	15.18		15.17	0
				1	66	15.33		15.07	0
				1	131	15.30		14.96	0
				64	0	15.08		15.15	0
				64	35	15.14		15.02	0
				64	69	15.26		15.01	0
				128	0	15.15		15.06	0
			16QAM	1	1	15.34		15.21	0
			64QAM	1	1	15.27		15.19	0
			256QAM	1	1	15.19		15.34	0
		CP	QPSK	1	1	15.25		15.20	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.15		15.24	0
				1	80	15.29		15.21	0
				1	158	15.34		15.00	0
				80	0	15.17		15.19	0
				80	40	15.16		15.16	0
				80	80	15.28		14.99	0
				160	0	15.24		15.13	0
			QPSK	1	1	15.20		15.25	0
				1	80	15.20		15.18	0
				1	158	15.34		15.00	0
				80	0	15.13		15.17	0
				80	40	15.17		15.11	0
				80	80	15.30		15.02	0
				160	0	15.20		15.18	0
			16QAM	1	1	15.32		15.19	0
			64QAM	1	1	15.35		15.29	0
			256QAM	1	1	15.31		15.27	0
		CP	QPSK	1	1	15.22		15.20	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.17	0
				1	98	15.23	0
				1	186	15.08	0
				90	0	15.31	0
				90	45	15.28	0
				90	90	15.17	0
				180	0	15.37	0
			QPSK	1	1	15.11	0
				1	98	15.21	0
				1	186	15.06	0
				90	0	15.33	0
				90	45	15.36	0
				90	90	15.25	0
				180	0	15.31	0
			16QAM	1	1	15.23	0
			64QAM	1	1	15.24	0
			256QAM	1	1	15.11	0
		CP	QPSK	1	1	15.11	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.12	0
				1	108	15.38	0
				1	214	15.00	0
				108	0	15.31	0
				108	54	15.30	0
				108	108	15.15	0
				216	0	15.29	0
			QPSK	1	1	15.09	0
				1	108	15.30	0
				1	214	15.05	0
				108	0	15.32	0
				108	54	15.37	0
				108	108	15.18	0
				216	0	15.31	0
			16QAM	1	1	15.13	0
			64QAM	1	1	15.23	0
			256QAM	1	1	15.15	0
		CP	QPSK	1	1	15.12	0

NR FDD Band n26 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.09	24.91	24.79	0
				1	13	25.03	24.89	24.51	0
				1	23	25.16	24.97	24.46	0
				12	0	24.64	24.40	24.28	0.5
				12	7	25.05	24.96	24.79	0
				12	13	24.62	24.49	24.29	0.5
				25	0	24.65	24.46	24.31	0.5
			QPSK	1	1	25.14	24.94	24.80	0
				1	13	25.08	24.89	24.76	0
				1	23	25.13	24.96	24.47	0
				12	0	24.16	23.94	23.84	1
				12	7	25.20	25.00	24.84	0
				12	13	24.12	23.99	23.82	1
				25	0	24.18	23.99	23.84	1
			16QAM	1	1	24.22	23.99	23.83	1
			64QAM	1	1	22.81	22.51	22.38	2.5
			256QAM	1	1	20.62	20.36	20.26	4.5
		CP	QPSK	1	1	23.58	23.53	23.29	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.09	24.89	24.90	0
				1	26	25.21	25.02	24.79	0
				1	50	25.03	24.96	24.47	0
				25	0	24.58	24.44	24.29	0.5
				25	14	25.06	24.94	24.79	0
				25	27	24.57	24.47	24.35	0.5
			QPSK	50	0	24.59	24.48	24.28	0.5
				1	1	25.13	24.94	24.92	0
				1	26	25.12	25.07	24.96	0
				1	50	24.99	25.04	24.49	0
				25	0	24.16	23.84	23.84	1
				25	14	25.12	24.93	24.80	0
				25	27	24.13	23.90	23.82	1
				50	0	24.08	23.93	23.84	1
			16QAM	1	1	24.24	23.96	23.87	1
			64QAM	1	1	22.69	22.42	22.28	2.5
			256QAM	1	1	20.51	20.39	20.31	4.5
		CP	QPSK	1	1	23.61	23.57	23.36	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.04		24.90	0
				1	40	24.93		24.75	0
				1	77	24.94		24.49	0
				36	0	24.56		24.39	0.5
				36	22	25.03		24.89	0
				36	43	24.47		24.31	0.5
			QPSK	75	0	24.52		24.38	0.5
				1	1	25.08		24.85	0
				1	40	24.96		24.94	0
				1	77	25.00		24.44	0
				36	0	24.09		23.76	1
				36	22	25.09		24.74	0
				36	43	23.97		23.75	1
				75	0	24.08		23.79	1
			16QAM	1	1	24.15		24.12	1
			64QAM	1	1	22.64		22.54	2.5
			256QAM	1	1	20.45		20.35	4.5
		CP	QPSK	1	1	23.63		23.37	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.88	0
				1	53	24.96	0
				1	104	24.81	0
				50	0	24.41	0.5
				50	28	24.91	0
				50	56	24.41	0.5
				100	0	24.45	0.5
			QPSK	1	1	24.99	0
				1	53	25.00	0
				1	104	24.90	0
				50	0	23.93	1
				50	28	24.97	0
				50	56	23.94	1
				100	0	23.97	1
			16QAM	1	1	24.00	1
			64QAM	1	1	22.66	2.5
			256QAM	1	1	20.45	4.5
		CP	QPSK	1	1	23.51	1.5

NR FDD Band n26 Conducted Power_ Measured Free (RSI 0)_ MAIN1 [Ant A]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.29	22.13	22.04	0
				1	13	22.22	21.95	21.95	0
				1	23	22.27	22.08	22.03	0
				12	0	22.31	22.09	22.02	0
				12	7	22.32	22.11	22.10	0
				12	13	22.32	22.06	22.06	0
				25	0	22.32	22.07	22.13	0
			QPSK	1	1	22.33	22.12	22.06	0
				1	13	22.35	22.02	21.90	0
				1	23	22.33	22.11	22.02	0
				12	0	22.35	22.14	22.06	0
				12	7	22.35	22.08	22.06	0
				12	13	22.35	22.09	22.07	0
				25	0	22.39	22.13	22.07	0
			16QAM	1	1	22.56	22.13	22.22	0
			64QAM	1	1	22.51	22.27	22.11	0
			256QAM	1	1	20.60	20.32	20.43	2
		CP	QPSK	1	1	22.31	22.13	21.96	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.27	22.17	21.95	0
				1	26	22.38	22.21	22.04	0
				1	50	22.22	22.16	21.99	0
				25	0	22.31	22.14	22.03	0
				25	14	22.26	22.07	21.99	0
				25	27	22.26	22.11	22.00	0
				50	0	22.23	22.15	22.04	0
			QPSK	1	1	22.30	22.17	22.04	0
				1	26	22.31	22.10	22.12	0
				1	50	22.22	22.07	21.97	0
				25	0	22.29	22.15	22.08	0
				25	14	22.30	22.10	22.03	0
				25	27	22.34	22.14	22.04	0
				50	0	22.31	22.08	22.03	0
			16QAM	1	1	22.48	22.28	22.16	0
			64QAM	1	1	22.29	22.11	21.94	0
			256QAM	1	1	20.64	20.60	20.45	2
		CP	QPSK	1	1	22.35	22.16	22.00	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.27		22.07	0
				1	40	22.08		21.95	0
				1	77	22.12		22.06	0
				36	0	22.22		22.07	0
				36	22	22.24		22.03	0
				36	43	22.23		22.04	0
				75	0	22.22		22.11	0
			QPSK	1	1	22.27		22.13	0
				1	40	22.16		21.93	0
				1	77	22.12		22.00	0
				36	0	22.26		22.11	0
				36	22	22.27		22.10	0
				36	43	22.25		22.05	0
				75	0	22.22		22.09	0
			16QAM	1	1	22.39		22.26	0
			64QAM	1	1	22.28		22.10	0
			256QAM	1	1	20.49		20.44	2
		CP	QPSK	1	1	22.32		22.08	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						166300		
						831.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.21		0
				1	53	22.24		0
				1	104	22.05		0
				50	0	22.19		0
				50	28	22.09		0
				50	56	22.11		0
				100	0	22.11		0
			QPSK	1	1	22.21		0
				1	53	22.23		0
				1	104	22.06		0
				50	0	22.25		0
				50	28	22.31		0
				50	56	22.20		0
				100	0	22.12		0
			16QAM	1	1	22.28		0
			64QAM	1	1	22.39		0
			256QAM	1	1	20.50		2
		CP	QPSK	1	1	22.31		0

NR FDD Band n30 Conducted Power_ Measured P_{max} , RCV(RSI 1)_MAIN1

[Ant A]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.67	0
				1	13	22.58	0
				1	23	22.69	0
				12	0	22.25	0.5
				12	7	22.70	0
				12	13	22.21	0.5
				25	0	22.20	0.5
			QPSK	1	1	22.76	0
				1	13	22.67	0
				1	23	22.76	0
				12	0	21.74	1
				12	7	22.74	0
				12	13	21.71	1
				25	0	21.70	1
			16QAM	1	1	21.79	1
			64QAM	1	1	20.26	2.5
			256QAM	1	1	18.21	4.5
		CP	QPSK	1	1	21.17	1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.63	0
				1	26	22.80	0
				1	50	22.73	0
				25	0	22.20	0.5
				25	14	22.69	0
				25	27	22.25	0.5
				50	0	22.24	0.5
			QPSK	1	1	22.90	0
				1	26	22.74	0
				1	50	22.76	0
				25	0	21.73	1
				25	14	22.77	0
				25	27	21.75	1
				50	0	21.73	1
			16QAM	1	1	21.66	1
			64QAM	1	1	20.40	2.5
			256QAM	1	1	18.23	4.5
		CP	QPSK	1	1	21.22	1.5

NR FDD Band n30 Conducted Power_ Measured Free(RSI 0)_ MAIN1 [Ant A]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.77	0
				1	13	16.66	0
				1	23	16.74	0
				12	0	16.72	0
				12	7	16.73	0
				12	13	16.67	0
			QPSK	25	0	16.76	0
				1	1	16.82	0
				1	13	16.71	0
				1	23	16.72	0
				12	0	16.80	0
				12	7	16.77	0
				12	13	16.70	0
				25	0	16.68	0
			16QAM	1	1	16.78	0
			64QAM	1	1	16.97	0
			256QAM	1	1	16.72	0
		CP	QPSK	1	1	16.74	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.82	0
				1	26	16.82	0
				1	50	16.70	0
				25	0	16.81	0
				25	14	16.71	0
				25	27	16.75	0
			QPSK	50	0	16.73	0
				1	1	16.84	0
				1	26	16.84	0
				1	50	16.72	0
				25	0	16.75	0
				25	14	16.86	0
				25	27	16.74	0
				50	0	16.77	0
			16QAM	1	1	16.90	0
			64QAM	1	1	16.92	0
			256QAM	1	1	16.83	0
		CP	QPSK	1	1	16.82	0

NR TDD Band n38 Conducted Power_ Measured P_{max} , RCV (RSI 1) _ MAIN2

[Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.70	23.74	23.54	0
				1	12	23.80	23.71	23.59	0
				1	22	23.78	23.73	23.42	0
				12	0	23.31	23.23	23.37	0.5
				12	6	23.69	23.73	23.48	0
				12	12	22.17	22.37	22.07	0.5
				24	0	23.18	23.25	23.00	0.5
			QPSK	1	1	23.68	23.77	23.54	0
				1	12	23.73	23.79	23.58	0
				1	22	23.73	23.71	23.41	0
				12	0	22.69	22.73	22.49	1
				12	6	23.70	23.73	23.49	0
				12	12	22.71	22.74	22.47	1
				24	0	21.55	21.58	22.49	1
			16QAM	1	1	22.76	22.82	22.53	1
			64QAM	1	1	21.17	21.19	21.09	2.5
			256QAM	1	1	19.14	19.20	19.03	4.5
		CP	QPSK	1	1	22.17	22.23	22.27	1.5

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.69	23.72	23.47	0
				1	18	23.74	23.69	23.55	0
				1	36	23.71	23.67	23.41	0
				18	0	23.26	23.21	23.33	0.5
				18	9	23.69	23.73	23.48	0
				18	18	22.59	22.83	22.49	0.5
				36	0	23.18	23.17	22.95	0.5
			QPSK	1	1	23.60	23.72	23.47	0
				1	18	23.71	23.74	23.52	0
				1	36	23.70	23.64	23.39	0
				18	0	22.63	22.73	22.42	1
				18	9	23.69	23.66	23.45	0
				18	18	22.66	22.70	22.44	1
				36	0	21.51	21.51	22.46	1
			16QAM	1	1	22.70	22.76	22.49	1
			64QAM	1	1	21.12	21.12	21.05	2.5
			256QAM	1	1	19.11	19.15	19.00	4.5
		CP	QPSK	1	1	22.10	22.22	22.27	1.5

NR TDD Band n38 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.86	23.80	23.80	0
				1	26	23.90	23.17	23.62	0
				1	49	23.92	23.66	23.56	0
				25	0	23.40	23.28	23.21	0.5
				25	13	23.92	23.79	23.65	0
				25	26	23.42	23.01	23.12	0.5
			QPSK	50	0	23.43	23.30	23.17	0.5
				1	1	23.90	23.79	23.79	0
				1	26	23.93	23.80	23.65	0
				1	49	23.92	23.67	23.58	0
				25	0	22.81	22.80	22.74	1
				25	13	23.93	23.83	23.68	0
				25	26	22.92	22.74	22.65	1
				50	0	22.94	22.81	22.69	1
			16QAM	1	1	23.07	22.78	22.70	1
			64QAM	1	1	21.39	21.35	21.25	2.5
			256QAM	1	1	19.41	19.37	19.27	4.5
		CP	QPSK	1	1	22.44	22.30	22.33	1.5

NR TDD Band n38 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 Mhz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.92		23.92	0
				1	32	23.95		23.71	0
				1	63	24.01		23.56	0
				32	0	23.44		23.24	0.5
				32	17	23.96		23.67	0
				32	33	23.45		23.09	0.5
			QPSK	64	0	23.46		23.17	0.5
				1	1	23.96		23.89	0
				1	32	24.03		23.68	0
				1	63	24.04		23.58	0
				32	0	22.97		22.77	1
				32	17	23.98		23.66	0
				32	33	22.96		22.60	1
				64	0	22.99		22.66	1
			16QAM	1	1	22.98		22.92	1
			64QAM	1	1	21.41		21.39	2.5
			256QAM	1	1	19.38		19.39	4.5
		CP	QPSK	1	1	22.43		22.37	1.5

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.76		23.82	0
				1	39	23.86		23.70	0
				1	76	23.81		23.51	0
				36	0	23.24		23.25	0.5
				36	21	23.78		23.59	0
				36	42	23.29		23.02	0.5
				75	0	23.27		23.11	0.5
			QPSK	1	1	23.77		23.81	0
				1	39	23.82		23.67	0
				1	76	23.80		23.50	0
				36	0	22.77		22.77	1
				36	21	23.79		23.63	0
				36	42	22.81		22.54	1
				75	0	22.79		22.61	1
			16QAM	1	1	22.72		22.86	1
			64QAM	1	1	21.09		21.28	2.5
			256QAM	1	1	19.29		19.30	4.5
		CP	QPSK	1	1	22.26		22.37	1.5

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		23.77		0
				1	80		23.85		0
				1	158		23.57		0
				80	0		23.30		0.5
				80	40		23.81		0
				80	80		23.14		0.5
				160	0		23.31		0.5
			QPSK	1	1		23.95		0
				1	80		23.83		0
				1	158		23.57		0
				80	0		22.81		1
				80	40		24.01		0
				80	80		22.66		1
				160	0		22.82		1
			16QAM	1	1		22.96		1
			64QAM	1	1		21.37		2.5
			256QAM	1	1		19.27		4.5
		CP	QPSK	1	80		22.38		1.5

NR TDD Band n38 Conducted Power_ Measured Free (RSI 0) _ MAIN2 [Ant B]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.86	17.96	18.24	0
				1	12	17.93	17.96	18.44	0
				1	22	17.92	18.00	18.39	0
				12	0	17.88	17.98	18.25	0
				12	6	17.93	18.00	18.32	0
				12	12	17.83	18.03	18.40	0
				24	0	17.93	17.94	18.35	0
			QPSK	1	1	17.85	17.98	18.23	0
				1	12	17.93	18.04	18.44	0
				1	22	17.91	18.04	18.40	0
				12	0	17.86	17.97	18.26	0
				12	6	17.92	18.01	18.35	0
				12	12	17.88	18.05	18.39	0
				24	0	17.92	17.91	18.35	0
			16QAM	1	1	17.79	17.66	18.16	0
			64QAM	1	1	17.85	17.70	18.16	0
			256QAM	1	1	17.82	17.88	18.17	0
		CP	QPSK	1	1	17.81	17.94	18.23	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.69	19.53	19.16	0
				1	18	19.61	19.43	19.23	0
				1	36	19.56	19.56	19.36	0
				18	0	19.70	19.51	19.17	0
				18	9	19.67	19.48	19.26	0
				18	18	19.62	19.52	19.30	0
				36	0	19.71	19.50	19.22	0
			QPSK	1	1	19.73	19.56	19.16	0
				1	18	19.62	19.41	19.21	0
				1	36	19.56	19.61	19.36	0
				18	0	19.68	19.52	19.20	0
				18	9	19.69	19.52	19.21	0
				18	18	19.64	19.51	19.29	0
				36	0	19.68	19.50	19.26	0
			16QAM	1	1	19.79	19.50	19.06	0
			64QAM	1	1	19.82	19.56	19.00	0
			256QAM	1	1	18.60	18.45	18.41	0.5
		CP	QPSK	1	1	19.79	19.15	19.52	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.77	19.21	19.45	0
				1	26	19.61	19.11	19.57	0
				1	49	19.54	19.28	19.73	0
				25	0	19.71	19.17	19.51	0
				25	13	19.62	19.13	19.59	0
				25	26	19.56	19.17	19.67	0
				50	0	19.65	19.09	19.58	0
			QPSK	1	1	19.75	19.18	19.44	0
				1	26	19.60	19.09	19.58	0
				1	49	19.52	19.23	19.74	0
				25	0	19.71	19.15	19.51	0
				25	13	19.63	19.12	19.58	0
				25	26	19.57	19.16	19.66	0
				50	0	19.66	19.13	19.62	0
			16QAM	1	1	19.81	19.14	19.49	0
			64QAM	1	1	19.74	19.24	19.48	0
			256QAM	1	1	18.71	18.37	18.38	0.5
		CP	QPSK	1	1	19.79	19.55	19.47	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.76		19.43	0
				1	32	19.64		19.65	0
				1	63	19.56		19.77	0
				32	0	19.69		19.46	0
				32	17	19.55		19.59	0
				32	33	19.52		19.69	0
				64	0	19.60		19.63	0
			QPSK	1	1	19.82		19.43	0
				1	32	19.60		19.67	0
				1	63	19.52		19.82	0
				32	0	19.68		19.05	0
				32	17	19.58		19.13	0
				32	33	19.50		19.68	0
				64	0	19.60		19.60	0
			16QAM	1	1	19.60		19.34	0
			64QAM	1	1	19.75		19.40	0
			256QAM	1	1	18.61		18.33	0.5
		CP	QPSK	1	1	19.80		19.45	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.83		19.50	0
				1	39	19.65		19.61	0
				1	76	19.61		19.85	0
				36	0	19.73		19.46	0
				36	21	19.66		19.58	0
				36	42	19.57		19.72	0
				75	0	19.66		19.62	0
			QPSK	1	1	19.85		19.49	0
				1	39	19.64		19.56	0
				1	76	19.63		19.81	0
				36	0	19.75		19.48	0
				36	21	19.63		19.63	0
				36	42	19.57		19.71	0
				75	0	19.65		19.57	0
			16QAM	1	1	19.97		19.53	0
			64QAM	1	1	19.82		19.46	0
			256QAM	1	1	18.75		18.36	0.5
		CP	QPSK	1	1	19.84		19.48	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		19.87		0
				1	80		19.78		0
				1	158		19.93		0
				80	0		19.71		0
				80	40		19.63		0
				80	80		19.78		0
				160	0		19.59		0
			QPSK	1	1		19.90		0
				1	80		19.64		0
				1	158		19.93		0
				80	0		19.68		0
				80	40		19.58		0
				80	80		19.75		0
				160	0		19.58		0
			16QAM	1	1		19.85		0
			64QAM	1	1		19.83		0
			256QAM	1	1		18.57		0.5
		CP	QPSK	1	80		19.81		0

NR TDD Band n41 (PC3) Conducted Power_ Measured Pmax, RCV(RSI 1) _

MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.15	23.82	24.04	23.85	23.85	0
				1	12	24.19	23.81	24.11	23.87	23.79	0
				1	22	24.14	23.75	24.08	23.76	23.76	0
				12	0	23.61	23.28	23.61	23.25	23.21	0.5
				12	6	24.11	23.77	24.14	23.76	23.72	0
				12	12	23.65	23.25	23.81	23.23	23.22	0.5
				24	0	23.59	23.27	23.62	23.23	23.19	0.5
			QPSK	1	1	24.08	23.80	24.13	23.77	23.76	0
				1	12	24.16	23.80	24.14	23.77	23.75	0
				1	22	24.16	23.77	24.09	23.76	23.76	0
				12	0	23.10	22.76	23.04	22.75	22.74	1
				12	6	24.11	23.76	24.06	23.74	23.73	0
				12	12	23.15	22.75	23.07	22.74	22.74	1
				24	0	23.10	22.75	23.06	22.75	22.73	1
			16QAM	1	1	23.10	22.75	23.21	22.79	22.76	1
			64QAM	1	1	21.69	21.13	21.73	21.20	21.18	2.5
			256QAM	1	1	19.66	19.35	19.50	19.32	19.15	4.5
		CP	QPSK	1	1	22.28	22.25	22.57	22.28	22.22	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.17	22.78	23.13	23.08	24.05	0
				1	18	24.05	23.54	23.79	23.48	23.66	0
				1	36	24.13	23.62	23.78	23.52	23.72	0
				18	0	23.53	23.11	23.35	23.03	23.24	0.5
				18	9	24.09	23.58	23.85	23.52	23.72	0
				18	18	23.61	23.07	23.36	23.02	23.24	0.5
				36	0	23.60	23.10	23.35	23.03	23.24	0.5
			QPSK	1	1	24.10	23.59	23.82	23.47	23.74	0
				1	18	24.03	23.54	23.81	23.43	23.68	0
				1	36	24.04	23.62	23.77	23.50	23.71	0
				18	0	22.98	22.65	22.84	22.53	22.71	1
				18	9	24.06	23.63	23.84	23.53	23.73	0
				18	18	23.09	22.58	22.87	22.51	22.72	1
				36	0	23.05	22.60	22.85	22.52	22.72	1
			16QAM	1	1	23.06	22.61	22.81	22.48	22.72	1
			64QAM	1	1	21.68	21.05	21.42	21.09	21.20	2.5
			256QAM	1	1	19.49	19.14	19.36	19.02	19.25	4.5
		CP	QPSK	1	1	22.30	22.35	22.38	22.36	22.30	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.87	23.59	23.72	23.40	23.61	0
				1	26	23.86	23.58	23.84	23.37	23.58	0
				1	49	23.85	23.68	23.74	23.41	23.63	0
				25	0	23.31	23.17	23.31	23.00	23.15	0.5
				25	13	23.86	23.59	23.83	23.49	23.64	0
				25	26	23.35	23.31	23.32	22.94	23.13	0.5
				50	0	23.34	23.10	23.34	22.99	23.10	0.5
			QPSK	1	1	23.86	23.60	23.85	23.45	23.57	0
				1	26	23.86	23.60	23.81	23.46	23.58	0
				1	49	23.86	23.66	23.71	23.45	23.60	0
				25	0	22.79	22.69	22.81	22.51	22.63	1
				25	13	23.85	23.65	23.85	23.47	23.61	0
				25	26	22.83	22.68	22.83	22.45	22.62	1
				50	0	22.83	22.66	22.84	22.48	22.63	1
			16QAM	1	1	23.02	22.56	23.04	22.48	22.86	1
			64QAM	1	1	21.36	21.22	21.29	20.90	21.16	2.5
			256QAM	1	1	19.39	19.02	19.37	18.93	19.13	4.5
		CP	QPSK	1	1	22.07	22.10	22.41	22.08	22.10	1.5

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.89	23.65	23.78	23.61	23.62	0
				1	32	23.94	23.66	23.78	23.48	23.57	0
				1	63	23.83	23.70	23.66	23.48	23.59	0
				32	0	23.37	23.15	23.29	22.90	23.65	0.5
				32	17	23.89	23.61	23.83	23.43	23.62	0
				32	33	23.38	23.15	23.26	22.90	23.10	0.5
				64	0	23.39	23.11	23.34	22.92	23.11	0.5
			QPSK	1	1	23.89	23.61	23.83	23.43	23.63	0
				1	32	23.91	23.65	23.87	23.46	23.54	0
				1	63	23.76	23.69	23.67	23.47	23.57	0
				32	0	22.89	22.65	22.79	22.42	23.07	1
				32	17	23.89	23.61	23.81	23.46	23.60	0
				32	33	22.88	22.67	22.76	22.42	22.63	1
				64	0	22.89	22.61	22.81	22.44	22.64	1
			16QAM	1	1	22.90	22.41	22.80	22.38	22.62	1
			64QAM	1	1	21.43	21.06	21.32	20.84	21.15	2.5
			256QAM	1	1	19.47	19.07	19.37	19.00	19.09	4.5
		CP	QPSK	1	1	22.44	22.11	22.35	21.91	22.07	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.03	23.73	23.85	23.55	23.66	0
				1	39	24.04	23.76	23.92	23.75	23.90	0
				1	76	23.88	23.78	23.69	23.65	23.70	0
				36	0	23.47	23.21	23.32	23.18	23.19	0.5
				36	21	23.99	23.67	23.82	23.71	23.76	0
				36	42	23.39	23.21	23.22	23.11	23.27	0.5
				75	0	23.46	23.16	23.30	23.14	23.28	0.5
			QPSK	1	1	23.98	23.69	23.81	23.52	23.67	0
				1	39	23.98	23.67	23.86	23.67	23.89	0
				1	76	23.83	23.73	23.68	23.64	23.79	0
				36	0	22.95	22.70	22.82	23.07	22.72	1
				36	21	23.96	23.65	23.83	23.63	23.76	0
				36	42	22.89	22.71	22.73	22.62	22.77	1
				75	0	22.97	22.64	22.82	22.61	22.75	1
			16QAM	1	1	22.91	22.64	22.89	22.53	22.59	1
			64QAM	1	1	21.49	21.17	21.32	20.96	21.11	2.5
			256QAM	1	1	19.51	19.08	19.36	19.11	19.06	4.5
		CP	QPSK	1	1	22.51	22.22	22.36	22.00	22.08	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.91	23.58		23.61	23.53	0
				1	53	23.76	23.67		23.45	23.61	0
				1	104	23.65	23.68		23.56	23.69	0
				50	0	23.37	23.06		23.02	22.99	0.5
				50	28	23.83	23.60		23.39	23.61	0
				50	56	23.18	23.15		22.99	23.15	0.5
				100	0	23.32	23.09		22.92	23.11	0.5
			QPSK	1	1	23.91	23.50		23.35	23.52	0
				1	53	23.89	23.57		23.41	23.60	0
				1	104	23.65	23.67		23.56	23.64	0
				50	0	22.88	22.58		22.55	22.50	1
				50	28	23.83	23.61		23.40	23.62	0
				50	56	22.71	22.65		22.51	22.67	1
				100	0	22.86	22.60		22.43	22.61	1
			16QAM	1	1	22.75	22.48		22.84	22.55	1
			64QAM	1	1	21.13	21.02		21.24	21.36	2.5
			256QAM	1	1	19.41	19.06		19.24	19.06	4.5
		CP	QPSK	1	1	22.43	22.10		22.19	21.99	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.97		23.83		23.69	0
				1	67	23.86		23.80		23.63	0
				1	131	23.69		23.57		23.65	0
				64	0	23.49		22.72		22.85	0.5
				64	35	23.82		23.86		23.77	0
				64	69	23.21		23.18		23.33	0.5
				128	0	23.33		23.34		23.17	0.5
			QPSK	1	1	23.95		23.75		23.62	0
				1	67	23.77		23.88		23.63	0
				1	131	23.71		23.58		23.77	0
				64	0	22.97		22.83		22.64	1
				64	35	23.85		23.85		23.72	0
				64	69	22.72		22.67		22.80	1
				128	0	22.84		22.86		22.69	1
			16QAM	1	1	23.15		22.88		22.46	1
			64QAM	1	1	21.54		21.30		21.34	2.5
			256QAM	1	1	19.58		19.32		19.20	4.5
		CP	QPSK	1	1	22.49		22.38		22.18	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526		2592.99		2659.98	
				MHz		MHz		MHz			
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.95		23.88		23.86	0
				1	81	23.76		23.85		23.85	0
				1	160	23.65		23.83		23.88	0
				81	0	23.39		23.37		23.33	0.5
				81	41	23.71		23.89		23.90	0
				81	81	23.03		23.40		23.41	0.5
				162	0	23.24		23.39		23.38	0.5
			QPSK	1	1	23.89		23.80		23.78	0
				1	81	23.73		23.86		23.84	0
				1	160	23.65		23.78		23.80	0
				81	0	22.85		22.90		22.91	1
				81	41	23.68		23.92		23.89	0
				81	81	22.48		22.90		22.87	1
				162	0	22.69		22.85		22.89	1
			16QAM	1	1	22.80		22.84		22.87	1
			64QAM	1	1	21.34		21.46		21.41	2.5
			256QAM	1	1	19.51		19.52		19.54	4.5
		CP	QPSK	1	1	22.46		22.44		22.41	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.99				24.12	0
				1	81	24.09				24.06	0
				1	160	24.11				24.14	0
				81	0	23.57				23.58	0.5
				81	41	24.14				24.02	0
				81	81	23.65				23.59	0.5
				162	0	23.60				23.57	0.5
			QPSK	1	1	24.05				24.08	0
				1	81	24.09				24.00	0
				1	160	24.17				24.14	0
				81	0	23.10				23.12	1
				81	41	24.11				24.08	0
				81	81	23.15				23.12	1
				162	0	23.13				23.09	1
			16QAM	1	1	23.12				23.05	1
			64QAM	1	1	21.55				21.56	2.5
			256QAM	1	1	19.58				19.55	4.5
		CP	QPSK	1	1	22.56				22.60	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.08				24.09	0
				1	109	24.05				24.02	0
				1	215	24.06				24.08	0
				108	0	23.66				23.51	0.5
				108	55	24.07				24.06	0
				108	109	23.55				23.62	0.5
				216	0	23.63				23.52	0.5
			QPSK	1	1	24.13				24.07	0
				1	109	24.01				24.08	0
				1	215	24.06				24.07	0
				108	0	23.15				23.05	1
				108	55	24.05				24.02	0
				108	109	23.06				23.16	1
				216	0	23.11				23.06	1
			16QAM	1	1	23.19				23.09	1
			64QAM	1	1	21.66				21.58	2.5
			256QAM	1	1	19.68				19.68	4.5
		CP	QPSK	1	1	22.62				22.52	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.00				23.97	0
				1	123	24.03				23.77	0
				1	243	23.89				24.15	0
				120	0	23.57				23.40	0.5
				120	63	24.06				23.80	0
				120	125	23.35				23.44	0.5
				243	0	23.60				23.42	0.5
			QPSK	1	1	24.00				24.01	0
				1	123	24.04				23.79	0
				1	243	23.90				24.18	0
				120	0	23.09				22.90	1
				120	63	24.10				23.84	0
				120	125	22.88				22.94	1
				243	0	23.15				22.92	1
			16QAM	1	1	23.06				23.00	1
			64QAM	1	1	21.49				21.60	2.5
			256QAM	1	1	19.54				19.51	4.5
		CP	QPSK	1	1	22.52				22.53	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			24.17		0
				1	137			24.00		0
				1	271			24.07		0
				135	0			23.54		0.5
				135	69			24.00		0
				135	138			23.52		0.5
				270	0			23.53		0.5
			QPSK	1	1			24.15		0
				1	137			24.03		0
				1	271			24.02		0
				135	0			23.10		1
				135	69			24.00		0
				135	138			23.03		1
				270	0			23.02		1
			16QAM	1	1			23.14		1
			64QAM	1	1			21.68		2.5
			256QAM	1	1			19.69		4.5
		CP	QPSK	1	1			22.62		1.5

NR TDD Band n41 (PC2) Conducted Power_ Measured Pmax, RCV(RSI 1) _

MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	26.68	26.31	26.27	26.58	26.27	0
				1	12	26.74	26.28	26.29	26.48	26.39	0
				1	22	26.65	26.30	26.28	26.55	26.30	0
				12	0	26.16	25.80	25.76	26.04	25.79	0.5
				12	6	26.14	26.28	26.29	26.54	26.34	0
				12	12	25.73	25.77	25.80	26.04	25.82	0.5
				24	0	26.16	25.78	25.77	26.05	25.80	0.5
			QPSK	1	1	26.75	26.30	26.28	26.58	26.31	0
				1	12	26.77	26.29	26.34	26.56	26.31	0
				1	22	26.66	26.35	26.33	26.56	26.31	0
				12	0	25.66	25.29	25.27	25.58	25.27	1
				12	6	26.65	26.30	26.29	26.55	26.30	0
				12	12	25.69	25.27	25.29	24.57	25.33	1
				24	0	25.64	25.26	25.28	25.54	25.30	1
			16QAM	1	1	25.86	25.31	25.32	25.68	25.29	1
			64QAM	1	1	24.24	23.88	23.79	24.05	23.67	2.5
			256QAM	1	1	22.24	21.81	21.62	22.04	21.75	4.5
		CP	QPSK	1	1	24.85	24.72	24.71	24.98	24.77	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	25.86	26.35	26.24	26.56	26.53	0
				1	18	26.72	26.23	26.22	26.49	26.44	0
				1	36	26.70	26.28	26.23	26.58	26.52	0
				18	0	26.21	25.84	25.72	26.05	25.97	0.5
				18	9	26.73	26.30	26.28	26.54	26.46	0
				18	18	26.21	25.79	25.81	25.98	25.97	0.5
				36	0	25.61	25.77	25.78	26.02	25.99	0.5
			QPSK	1	1	26.78	26.31	26.24	26.58	26.52	0
				1	18	26.66	26.26	26.19	26.46	26.36	0
				1	36	26.66	26.27	26.32	26.56	26.46	0
				18	0	25.71	25.33	25.25	25.56	25.51	1
				18	9	26.76	26.31	26.28	26.51	26.49	0
				18	18	25.72	25.34	25.28	25.49	25.48	1
				36	0	25.74	25.28	25.28	25.52	25.48	1
			16QAM	1	1	25.69	25.36	25.21	25.48	25.46	1
			64QAM	1	1	24.30	23.79	23.61	24.11	24.09	2.5
			256QAM	1	1	22.22	21.81	21.68	22.01	21.95	4.5
		CP	QPSK	1	1	25.31	24.74	24.71	25.02	23.39	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	26.56	26.27	26.30	26.19	26.11	0
				1	26	26.50	26.25	26.28	26.44	26.40	0
				1	49	26.47	26.18	26.33	26.54	26.44	0
				25	0	26.03	25.84	25.71	26.02	25.97	0.5
				25	13	26.52	26.31	26.28	26.50	26.42	0
				25	26	25.99	25.81	25.81	25.95	25.93	0.5
				50	0	26.02	25.82	25.79	26.00	25.93	0.5
			QPSK	1	1	26.58	26.31	26.34	26.44	26.51	0
				1	26	26.50	26.27	26.29	26.44	26.39	0
				1	49	26.46	26.18	26.33	26.51	26.40	0
				25	0	25.55	25.34	25.24	25.53	25.50	1
				25	13	26.54	26.34	26.27	26.50	26.45	0
				25	26	25.53	25.31	25.29	25.49	25.44	1
				50	0	25.54	25.32	25.28	25.51	25.44	1
			16QAM	1	1	25.53	25.31	25.17	25.45	25.52	1
			64QAM	1	1	24.26	23.71	23.85	23.94	24.01	2.5
			256QAM	1	1	22.03	21.72	21.72	21.92	21.98	4.5
		CP	QPSK	1	1	25.08	24.80	24.77	24.86	24.97	1.5

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	26.36	26.39	26.24	26.47	26.36	0
				1	32	26.30	26.32	26.28	26.41	26.37	0
				1	63	26.15	26.23	26.32	26.48	26.39	0
				32	0	25.81	25.84	25.70	25.91	25.95	0.5
				32	17	26.30	26.33	26.26	26.44	26.38	0
				32	33	25.75	25.77	25.75	25.91	25.84	0.5
				64	0	25.91	25.86	25.77	25.93	25.89	0.5
			QPSK	1	1	26.30	26.36	26.31	26.50	26.47	0
				1	32	26.34	26.36	26.37	26.44	26.35	0
				1	63	26.17	26.21	26.37	26.56	26.41	0
				32	0	25.35	25.37	25.22	25.46	25.45	1
				32	17	26.33	26.37	26.28	26.48	26.39	0
				32	33	25.23	25.28	25.30	25.44	25.36	1
				64	0	25.28	25.33	25.26	25.47	25.39	1
			16QAM	1	1	25.40	25.44	25.26	25.49	25.71	1
			64QAM	1	1	23.87	23.91	23.64	24.00	24.00	2.5
			256QAM	1	1	21.84	21.84	21.67	21.82	21.85	4.5
		CP	QPSK	1	1	24.81	24.87	24.69	24.96	24.93	1.5

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	26.57	26.62	26.40	26.45	26.69	0
				1	39	26.31	26.56	26.29	26.86	26.41	0
				1	76	26.44	26.41	26.39	26.85	26.55	0
				36	0	26.24	26.03	25.81	26.28	26.16	0.5
				36	21	26.70	26.51	26.31	26.83	26.60	0
				36	42	26.08	25.87	25.80	26.22	26.03	0.5
				75	0	26.00	26.01	25.79	26.30	26.13	0.5
			QPSK	1	1	26.76	26.54	26.38	26.79	26.64	0
				1	39	26.77	26.55	26.32	26.62	26.61	0
				1	76	26.53	26.38	26.37	26.57	26.53	0
				36	0	25.76	25.53	25.29	25.71	25.67	1
				36	21	26.71	26.58	26.29	26.75	26.62	0
				36	42	25.58	25.37	25.31	25.68	25.56	1
				75	0	25.70	25.52	25.31	25.76	25.62	1
			16QAM	1	1	25.89	25.54	25.25	25.63	25.62	1
			64QAM	1	1	24.27	24.00	23.88	24.20	24.07	2.5
			256QAM	1	1	22.14	21.96	21.78	22.13	22.00	4.5
		CP	QPSK	1	1	25.28	25.02	25.05	24.97	25.17	1.5

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	26.70	26.37		26.36	26.42	0
				1	53	26.57	26.53		26.51	26.56	0
				1	104	26.56	26.49		26.53	26.54	0
				50	0	26.34	26.17		26.17	26.19	0.5
				50	28	26.69	26.58		26.64	26.65	0
				50	56	26.13	26.02		25.98	26.04	0.5
				100	0	26.21	26.18		26.14	26.19	0.5
			QPSK	1	1	26.21	26.63		26.58	26.65	0
				1	53	26.63	26.73		26.71	26.76	0
				1	104	26.65	26.49		26.54	26.57	0
				50	0	25.85	25.72		25.67	25.73	1
				50	28	26.70	26.67		26.64	26.69	0
				50	56	25.68	25.58		25.64	25.65	1
				100	0	25.75	25.72		25.71	25.75	1
			16QAM	1	1	25.31	25.60		25.56	25.63	1
			64QAM	1	1	24.00	24.07		24.06	24.13	2.5
			256QAM	1	1	22.47	22.19		22.22	22.25	4.5
		CP	QPSK	1	1	25.06	25.07		25.07	25.12	1.5

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	26.32		26.32		26.59	0
				1	67	26.49		26.49		26.53	0
				1	131	26.47		26.43		26.55	0
				64	0	26.27		26.25		26.11	0.5
				64	35	26.54		26.51		26.61	0
				64	69	26.00		25.99		24.60	0.5
				128	0	26.03		26.03		26.01	0.5
			QPSK	1	1	26.06		26.01		26.65	0
				1	67	26.54		26.50		26.61	0
				1	131	26.44		26.38		26.62	0
				64	0	25.72		25.65		25.65	1
				64	35	26.56		26.52		26.64	0
				64	69	25.55		25.52		25.66	1
				128	0	25.62		25.55		25.70	1
			16QAM	1	1	25.24		25.21		25.79	1
			64QAM	1	1	23.98		23.96		24.21	2.5
			256QAM	1	1	22.39		22.31		22.16	4.5
		CP	QPSK	1	1	24.85		24.83		25.22	1.5

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
				MHz		MHz		MHz			
60 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29		26.03		26.04	0
				1	81	26.46		26.70		26.74	0
				1	160	26.19		26.67		26.74	0
				81	0	26.16		26.29		26.34	0.5
				81	41	26.56		26.30		26.36	0
				81	81	26.05		26.26		26.27	0.5
				162	0	26.13		26.31		26.33	0.5
			QPSK	1	1	26.05		26.35		26.37	0
				1	81	26.53		26.72		26.76	0
				1	160	26.29		26.47		26.55	0
				81	0	25.72		25.81		25.83	1
				81	41	26.65		26.82		26.84	0
				81	81	25.59		25.78		25.80	1
				162	0	25.69		25.82		25.90	1
			16QAM	1	1	25.06		25.48		25.51	1
			64QAM	1	1	23.84		23.89		23.89	2.5
			256QAM	1	1	21.66		21.75		21.82	4.5
		CP	QPSK	1	1	24.73		24.74		24.79	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	26.36				26.28	0
				1	81	26.56				26.80	0
				1	160	26.13				26.69	0
				81	0	26.21				26.43	0.5
				81	41	26.60				26.89	0
				81	81	26.00				26.29	0.5
				162	0	26.14				26.44	0.5
			QPSK	1	1	26.12				26.37	0
				1	81	26.58				26.86	0
				1	160	26.17				26.47	0
				81	0	25.93				25.97	1
				81	41	26.65				26.94	0
				81	81	25.54				25.86	1
				162	0	25.66				25.89	1
			16QAM	1	1	25.33				25.57	1
			64QAM	1	1	24.05				24.04	2.5
			256QAM	1	1	22.44				21.87	4.5
		CP	QPSK	1	1	24.92				24.90	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	26.33				26.29	0
				1	109	26.49				26.56	0
				1	215	26.11				26.10	0
				108	0	26.14				26.16	0.5
				108	55	26.57				26.59	0
				108	109	25.94				25.95	0.5
				216	0	26.08				26.06	0.5
			QPSK	1	1	26.11				26.09	0
				1	109	26.50				26.54	0
				1	215	26.14				26.11	0
				108	0	25.97				25.93	1
				108	55	26.58				26.59	0
				108	109	25.48				25.52	1
				216	0	25.60				25.65	1
			16QAM	1	1	25.29				25.25	1
			64QAM	1	1	24.04				24.01	2.5
			256QAM	1	1	22.41				22.36	4.5
		CP	QPSK	1	1	24.91				24.87	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	26.29				26.32	0
				1	123	26.55				26.50	0
				1	243	26.10				26.13	0
				120	0	26.14				26.20	0.5
				120	63	26.58				26.56	0
				120	125	25.98				25.98	0.5
				243	0	26.10				26.11	0.5
			QPSK	1	1	26.05				26.09	0
				1	123	26.51				26.51	0
				1	243	26.15				26.11	0
				120	0	25.95				25.93	1
				120	63	26.63				26.58	0
				120	125	25.48				25.49	1
				243	0	25.59				25.61	1
			16QAM	1	1	25.30				25.28	1
			64QAM	1	1	23.99				24.03	2.5
			256QAM	1	1	22.44				22.29	4.5
		CP	QPSK	1	1	24.85				24.86	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			26.30		0
				1	137			26.48		0
				1	271			26.06		0
				135	0			26.19		0
				135	69			26.56		0
				135	138			25.97		0
				270	0			26.08		0
			QPSK	1	1			26.06		0
				1	137			26.57		0
				1	271			26.15		0
				135	0			25.99		0
				135	69			26.58		0
				135	138			26.60		0
				270	0			25.63		0
			16QAM	1	1			25.25		0
			64QAM	1	1			24.02		0
			256QAM	1	1			22.44		0
		CP	QPSK	1	1			24.91		0

NR TDD Band n41 (PC3,PC2) Conducted Power_ Measured Free(RSI 0) _

MAIN2 [Ant B]

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	18.44	18.13	18.19	18.66	18.07	0
				1	12	18.46	18.13	18.19	18.69	18.15	0
				1	22	18.39	18.15	18.21	18.67	18.06	0
				12	0	18.38	18.12	18.17	18.66	18.10	0
				12	6	18.37	18.12	18.21	18.66	18.06	0
				12	12	18.44	18.13	18.18	18.60	18.07	0
				24	0	18.39	18.14	18.19	18.63	18.08	0
			QPSK	1	1	18.43	18.11	18.17	18.64	18.06	0
				1	12	18.45	18.25	18.30	18.62	18.06	0
				1	22	18.36	18.16	18.20	18.63	18.06	0
				12	0	18.38	18.15	18.16	18.64	18.10	0
				12	6	18.37	18.11	18.17	18.61	18.07	0
				12	12	18.40	18.17	18.17	18.64	18.08	0
				24	0	18.38	18.14	18.19	18.65	18.14	0
			16QAM	1	1	18.57	18.16	18.06	18.73	18.34	0
			64QAM	1	1	18.38	18.13	18.12	18.79	18.09	0
			256QAM	1	1	18.50	18.43	18.41	18.71	18.37	0
		CP	QPSK	1	1	17.70	17.70	18.16	18.37	17.94	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	18.51	18.47	18.14	18.41	18.60	0
				1	18	18.37	18.36	18.12	18.17	18.48	0
				1	36	18.36	18.45	18.23	18.41	18.55	0
				18	0	18.44	18.45	18.15	18.40	18.54	0
				18	9	18.45	18.45	18.18	18.34	18.52	0
				18	18	18.46	18.45	18.20	18.35	18.54	0
				36	0	18.46	18.42	18.20	18.34	18.51	0
			QPSK	1	1	18.50	18.40	18.20	18.37	18.61	0
				1	18	18.40	18.35	18.13	18.26	18.47	0
				1	36	18.41	18.45	18.25	18.33	18.54	0
				18	0	18.44	18.43	18.12	18.38	18.59	0
				18	9	18.48	18.42	18.16	18.38	18.58	0
				18	18	18.43	18.45	18.18	18.34	18.51	0
				36	0	18.47	18.42	18.19	18.33	18.50	0
			16QAM	1	1	18.45	18.41	18.21	18.39	18.68	0
			64QAM	1	1	18.54	18.43	18.25	18.53	18.53	0
			256QAM	1	1	18.73	18.11	18.50	18.53	18.54	0
		CP	QPSK	1	1	18.51	18.18	18.18	18.39	18.32	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	18.58	18.56	18.17	18.61	18.39	0
				1	26	18.54	18.58	18.13	18.61	18.23	0
				1	49	18.48	18.63	18.25	18.62	18.24	0
				25	0	18.56	18.58	18.16	18.65	18.33	0
				25	13	18.56	18.53	18.21	18.57	18.29	0
				25	26	18.52	18.52	18.26	18.57	18.22	0
				50	0	18.26	18.53	18.24	18.62	18.28	0
			QPSK	1	1	18.23	18.27	18.36	18.55	18.34	0
				1	26	18.22	18.28	18.45	18.56	18.20	0
				1	49	18.32	18.29	18.28	18.63	18.21	0
				25	0	18.27	18.26	18.17	18.43	18.32	0
				25	13	18.27	18.23	18.19	18.36	18.27	0
				25	26	18.24	18.20	18.23	18.34	18.28	0
				50	0	18.26	18.27	18.22	18.42	18.28	0
			16QAM	1	1	18.23	18.20	18.36	18.32	18.42	0
			64QAM	1	1	18.55	18.21	18.31	18.30	18.34	0
			256QAM	1	1	18.34	18.69	18.44	18.64	18.60	0
		CP	QPSK	1	1	18.60	18.46	18.20	18.32	18.42	0

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	18.54	18.22	18.16	18.27	18.16	0
				1	32	18.50	18.31	18.32	18.20	18.16	0
				1	63	18.57	18.16	18.26	18.31	18.17	0
				32	0	18.59	18.25	18.28	18.14	18.17	0
				32	17	18.50	18.21	18.45	18.19	18.19	0
				32	33	18.53	18.19	18.18	18.12	18.17	0
				64	0	18.47	18.26	18.19	18.35	18.19	0
			QPSK	1	1	18.53	18.26	18.25	18.20	18.17	0
				1	32	18.50	18.28	18.29	18.27	18.18	0
				1	63	18.48	18.17	18.19	18.34	18.20	0
				32	0	18.45	18.25	18.17	18.19	18.19	0
				32	17	18.51	18.28	18.18	18.34	18.14	0
				32	33	18.50	18.16	18.22	18.32	18.46	0
				64	0	18.48	18.25	18.14	18.34	18.32	0
			16QAM	1	1	18.50	18.18	18.28	18.45	18.18	0
			64QAM	1	1	18.47	18.13	18.36	18.41	18.22	0
			256QAM	1	1	18.45	18.53	18.42	18.46	18.36	0
		CP	QPSK	1	1	18.55	18.18	18.45	18.35	18.28	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.53	18.30	18.19	18.57	18.50	0
				1	39	18.38	18.30	18.28	18.52	18.21	0
				1	76	18.23	18.17	18.34	18.55	17.93	0
				36	0	18.47	18.26	18.19	18.55	18.49	0
				36	21	18.41	18.32	18.26	18.52	18.20	0
				36	42	18.30	18.15	18.24	18.49	18.35	0
				75	0	18.38	18.27	18.21	18.54	18.42	0
			QPSK	1	1	18.47	18.28	18.24	18.51	18.52	0
				1	39	18.35	18.34	18.23	18.52	18.46	0
				1	76	18.23	18.23	18.27	18.54	18.36	0
				36	0	18.48	18.29	18.22	18.53	18.47	0
				36	21	18.40	18.32	18.24	18.53	18.42	0
				36	42	18.31	18.16	18.25	18.49	18.33	0
				75	0	18.40	18.29	18.20	18.54	18.44	0
			16QAM	1	1	18.63	18.33	18.15	18.54	18.46	0
			64QAM	1	1	18.45	18.34	18.19	18.51	18.52	0
			256QAM	1	1	18.82	18.57	18.53	18.56	18.78	0
		CP	QPSK	1	1	18.47	18.26	18.14	18.54	18.48	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	18.61	18.16		18.23	18.58	0
				1	53	18.30	18.29		18.37	18.46	0
				1	104	18.23	18.07		18.16	18.25	0
				50	0	18.52	18.22		18.23	18.57	0
				50	28	18.31	18.15		18.29	18.51	0
				50	56	18.30	18.21		18.32	18.37	0
				100	0	18.33	18.16		18.32	18.56	0
			QPSK	1	1	18.65	18.10		18.18	18.64	0
				1	53	18.27	18.11		18.30	18.50	0
				1	104	18.25	18.20		18.22	18.38	0
				50	0	18.53	18.18		18.24	18.58	0
				50	28	18.31	18.19		18.34	18.51	0
				50	56	18.31	18.25		18.21	18.40	0
				100	0	18.34	18.20		18.32	18.52	0
			16QAM	1	1	18.63	17.93		18.32	18.66	0
			64QAM	1	1	18.54	17.89		18.30	18.55	0
			256QAM	1	1	18.98	18.42		18.29	18.85	0
		CP	QPSK	1	1	18.57	18.19		18.32	18.33	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	18.66		18.28		18.66	0
				1	67	18.31		18.38		18.54	0
				1	131	18.18		18.41		18.52	0
				64	0	18.52		18.32		18.57	0
				64	35	18.27		18.37		18.55	0
				64	69	18.21		18.28		18.54	0
				128	0	18.30		18.34		18.63	0
			QPSK	1	1	18.68		18.29		18.61	0
				1	67	18.29		18.30		18.52	0
				1	131	18.19		18.51		18.50	0
				64	0	18.51		18.41		18.61	0
				64	35	18.26		18.41		18.53	0
				64	69	18.24		18.38		18.57	0
				128	0	18.32		18.31		18.60	0
			16QAM	1	1	18.62		18.36		18.61	0
			64QAM	1	1	18.67		18.46		18.56	0
			256QAM	1	1	18.96		18.26		18.62	0
		CP	QPSK	1	1	18.66		18.22		18.39	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526		2592.99			2659.98
				MHz		MHz		MHz			
60 MHz	30	DFT-s	pi/2 BPSK	1	1	18.85		18.36		18.31	0
				1	81	18.16		18.33		18.68	0
				1	160	17.76		18.39		18.66	0
				81	0	18.37		18.32		18.75	0
				81	41	18.17		18.31		18.68	0
				81	81	18.12		18.30		18.69	0
				162	0	18.25		18.43		18.79	0
			QPSK	1	1	18.80		18.31		18.26	0
				1	81	18.15		18.39		18.64	0
				1	160	17.94		18.44		18.64	0
				81	0	18.34		18.38		18.72	0
				81	41	18.22		18.44		18.70	0
				81	81	18.09		18.39		18.67	0
				162	0	18.27		18.43		18.73	0
			16QAM	1	1	18.78		18.27		18.28	0
			64QAM	1	1	18.89		18.42		18.33	0
			256QAM	1	1	18.88		18.29		18.25	0
		CP	QPSK	1	1	18.76		18.20		18.02	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.55				17.95	0
				1	81	18.48				18.46	0
				1	160	18.03				18.36	0
				81	0	18.70				18.57	0
				81	41	18.24				18.51	0
				81	81	18.12				18.47	0
				162	0	18.26				18.57	0
			QPSK	1	1	18.82				17.97	0
				1	81	18.22				18.49	0
				1	160	17.84				18.19	0
				81	0	17.46				18.54	0
				81	41	18.25				18.56	0
				81	81	18.10				18.43	0
				162	0	18.25				18.56	0
			16QAM	1	1	18.43				17.90	0
			64QAM	1	1	18.85				18.09	0
			256QAM	1	1	18.85				18.29	0
		CP	QPSK	1	1	18.83				17.93	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
					MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	18.54				18.17	0
				1	109	18.60				18.07	0
				1	215	18.56				18.12	0
				108	0	18.48				18.17	0
				108	55	18.52				18.07	0
				108	109	18.50				18.13	0
				216	0	18.57				18.09	0
			QPSK	1	1	18.59				18.17	0
				1	109	18.56				18.16	0
				1	215	18.42				18.11	0
				108	0	18.47				18.15	0
				108	55	18.52				18.07	0
				108	109	18.55				18.05	0
				216	0	18.52				18.10	0
			16QAM	1	1	18.44				18.09	0
			64QAM	1	1	18.49				18.21	0
			256QAM	1	1	18.43				18.08	0
		CP	QPSK	1	1	18.58				18.34	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	18.54				18.08	0
				1	123	18.55				18.14	0
				1	243	18.46				18.05	0
				120	0	18.57				18.18	0
				120	63	18.54				18.18	0
				120	125	18.44				18.15	0
				243	0	18.51				18.07	0
			QPSK	1	1	18.52				18.08	0
				1	123	18.63				18.20	0
				1	243	18.50				18.17	0
				120	0	18.53				18.17	0
				120	63	18.49				18.14	0
				120	125	18.49				18.11	0
				243	0	18.56				18.05	0
			16QAM	1	1	18.47				18.14	0
			64QAM	1	1	18.60				18.15	0
			256QAM	1	1	18.45				18.08	0
		CP	QPSK	1	1	18.54				18.37	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			18.56		0
				1	137			18.27		0
				1	271			18.46		0
				135	0			18.23		0
				135	69			18.31		0
				135	138			18.34		0
				270	0			18.39		0
			QPSK	1	1			18.61		0
				1	137			18.65		0
				1	271			18.48		0
				135	0			18.22		0
				135	69			18.37		0
				135	138			18.38		0
				270	0			18.52		0
			16QAM	1	1			18.66		0
			64QAM	1	1			18.69		0
			256QAM	1	1			18.56		0
		CP	QPSK	1	1			18.65		0

NR FDD Band n66 Conducted Power_ Measured Pmax, RCV(RSI 1)_ MAIN1

[Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.07	25.04	24.96	0
				1	13	25.01	25.01	24.93	0
				1	23	25.03	25.06	24.95	0
				12	0	24.60	24.54	24.45	0.5
				12	7	25.10	25.10	24.98	0
				12	13	24.56	24.58	24.48	0.5
				25	0	24.58	24.55	24.48	0.5
			QPSK	1	1	25.13	25.13	25.03	0
				1	13	25.09	25.05	25.02	0
				1	23	25.12	25.14	25.04	0
				12	0	24.11	24.09	24.01	1
				12	7	25.11	25.16	25.02	0
				12	13	24.08	24.08	23.99	1
				25	0	24.10	24.07	23.98	1
			16QAM	1	1	24.13	24.13	23.99	1
			64QAM	1	1	22.64	22.55	22.39	2.5
			256QAM	1	1	20.56	20.45	20.51	4.5
		CP	QPSK	1	1	23.53	23.53	23.40	1.5

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.05	25.02	24.95	0
				1	26	25.16	25.04	25.09	0
				1	50	25.03	25.02	24.94	0
				25	0	24.59	24.52	24.45	0.5
				25	14	25.06	25.04	24.96	0
				25	27	24.55	24.54	24.48	0.5
				50	0	24.58	24.54	24.47	0.5
			QPSK	1	1	25.18	25.10	25.02	0
				1	26	25.13	25.10	25.02	0
				1	50	25.13	25.04	25.04	0
				25	0	24.11	24.05	23.96	1
				25	14	25.13	25.05	25.00	0
				25	27	24.09	24.06	23.99	1
				50	0	24.09	24.06	23.99	1
			16QAM	1	1	24.13	24.16	24.04	1
			64QAM	1	1	22.68	22.67	22.50	2.5
			256QAM	1	1	20.50	20.45	20.44	4.5
		CP	QPSK	1	1	23.59	23.51	23.51	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	25.00	24.98	24.81	0
				1	40	24.92	24.92	24.78	0
				1	77	24.92	24.91	24.85	0
				36	0	24.50	24.50	24.33	0.5
				36	22	24.97	25.00	24.85	0
				36	43	24.44	24.47	24.36	0.5
				75	0	24.49	24.50	24.35	0.5
			QPSK	1	1	25.05	25.02	24.90	0
				1	40	25.00	25.00	24.85	0
				1	77	24.96	24.96	24.94	0
				36	0	24.03	24.01	23.87	1
				36	22	25.03	25.04	24.88	0
				36	43	23.98	24.00	23.88	1
				75	0	24.01	23.98	23.87	1
			16QAM	1	1	24.03	24.07	23.87	1
			64QAM	1	1	22.52	22.49	22.27	2.5
			256QAM	1	1	20.48	20.39	20.27	4.5
		CP	QPSK	1	1	23.54	23.50	23.26	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.86	24.90	24.77	0
				1	53	24.95	24.96	24.89	0
				1	104	24.80	24.85	25.11	0
				50	0	24.37	24.45	24.26	0.5
				50	28	24.86	24.92	24.82	0
				50	56	24.32	24.43	24.32	0.5
				100	0	24.37	24.41	24.31	0.5
			QPSK	1	1	24.93	24.96	24.79	0
				1	53	24.96	25.03	24.91	0
				1	104	24.90	24.92	24.87	0
				50	0	23.88	23.97	23.78	1
				50	28	24.89	24.95	24.86	0
				50	56	23.82	23.94	23.83	1
				100	0	23.87	23.93	23.84	1
			16QAM	1	1	23.97	23.99	23.86	1
			64QAM	1	1	22.54	22.47	22.36	2.5
			256QAM	1	1	20.38	20.43	20.17	4.5
		CP	QPSK	1	1	23.36	23.41	23.20	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.54	24.67	24.71	0
				1	66	24.69	24.88	24.89	0
				1	131	24.55	24.48	24.79	0
				64	0	24.04	24.27	24.26	0.5
				64	35	24.54	24.77	24.80	0
				64	69	24.05	24.26	24.32	0.5
				128	0	24.07	24.27	24.32	0.5
			QPSK	1	1	24.63	24.75	24.79	0
				1	66	24.68	24.96	24.93	0
				1	131	24.65	24.79	24.89	0
				64	0	23.59	23.80	23.77	1
				64	35	24.61	24.83	24.86	0
				64	69	23.60	23.80	23.83	1
				128	0	23.59	23.83	23.83	1
			16QAM	1	1	23.67	23.73	23.76	1
			64QAM	1	1	22.06	22.35	22.25	2.5
			256QAM	1	1	20.00	20.16	20.15	4.5
		CP	QPSK	1	1	23.08	23.24	23.17	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.72	0
				1	80	24.83	0
				1	158	24.78	0
				80	0	24.30	0.5
				80	40	24.83	0
				80	80	24.29	0.5
				160	0	24.33	0.5
			QPSK	1	1	24.81	0
				1	80	24.90	0
				1	158	24.88	0
				80	0	23.84	1
				80	40	24.89	0
				80	80	23.79	1
				160	0	23.83	1
			16QAM	1	1	23.91	1
			64QAM	1	1	22.25	2.5
			256QAM	1	1	20.20	4.5
		CP	OPSK	1	1	23.35	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.73	0
				1	98	24.83	0
				1	186	24.77	0
				90	0	24.30	0.5
				90	45	24.85	0
				90	90	24.32	0.5
				180	0	24.36	0.5
			QPSK	1	1	24.82	0
				1	98	24.90	0
				1	186	24.84	0
				90	0	23.85	1
				90	45	24.87	0
				90	90	23.82	1
				180	0	23.83	1
			16QAM	1	1	23.82	1
			64QAM	1	1	22.30	2.5
			256QAM	1	1	20.24	4.5
		CP	QPSK	1	1	23.30	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.71	0
				1	108	24.86	0
				1	214	24.76	0
				108	0	24.28	0.5
				108	54	24.84	0
				108	108	24.31	0.5
				216	0	24.36	0.5
			QPSK	1	1	24.81	0
				1	108	24.95	0
				1	214	24.89	0
				108	0	23.80	1
				108	54	24.88	0
				108	108	23.81	1
				216	0	23.87	1
			16QAM	1	1	23.83	1
			64QAM	1	1	22.30	2.5
			256QAM	1	1	20.15	4.5
		CP	QPSK	1	1	23.13	1.5

NR FDD Band n66 Conducted Power_ Measured Free(RSI 0)_ MAIN1 [Ant A]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.25	14.83	14.91	0
				1	13	15.20	14.72	14.87	0
				1	23	15.17	14.75	14.89	0
				12	0	15.24	14.72	14.86	0
				12	7	15.26	14.77	14.88	0
				12	13	15.26	14.73	14.91	0
			QPSK	25	0	15.28	14.71	14.93	0
				1	1	15.21	14.69	14.84	0
				1	13	15.16	14.59	14.81	0
				1	23	15.25	14.79	14.93	0
				12	0	15.25	14.70	14.92	0
				12	7	15.23	14.73	14.90	0
				12	13	15.23	14.75	14.95	0
				25	0	15.25	14.73	14.91	0
			16QAM	1	1	15.20	14.77	14.86	0
			64QAM	1	1	15.27	14.84	15.01	0
			256QAM	1	1	15.22	14.76	14.82	0
		CP	QPSK	1	1	15.24	14.74	14.88	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.23	14.73	14.83	0
				1	26	15.36	14.79	15.08	0
				1	50	15.19	14.80	14.93	0
				25	0	15.27	14.78	14.87	0
				25	14	15.24	14.72	14.86	0
				25	27	15.23	14.72	14.93	0
				50	0	15.22	14.75	14.87	0
			QPSK	1	1	15.21	14.73	14.81	0
				1	26	15.30	14.82	14.91	0
				1	50	15.19	14.76	14.94	0
				25	0	15.26	14.76	14.88	0
				25	14	15.20	14.70	14.92	0
				25	27	15.27	14.71	14.87	0
				50	0	15.22	14.75	14.90	0
			16QAM	1	1	15.20	14.77	14.84	0
			64QAM	1	1	15.31	14.90	14.84	0
			256QAM	1	1	15.19	14.68	14.79	0
		CP	QPSK	1	1	15.25	14.72	14.85	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.19	14.80	14.83	0
				1	40	15.09	14.62	14.80	0
				1	77	15.09	14.79	14.94	0
				36	0	15.23	14.72	14.83	0
				36	22	15.24	14.71	14.88	0
				36	43	15.19	14.79	14.86	0
				75	0	15.19	14.76	14.94	0
			QPSK	1	1	15.22	14.75	14.76	0
				1	40	15.13	14.69	14.80	0
				1	77	15.13	14.70	14.94	0
				36	0	15.23	14.72	14.83	0
				36	22	15.18	14.71	14.93	0
				36	43	15.17	14.75	14.90	0
				75	0	15.24	14.75	14.88	0
			16QAM	1	1	15.25	14.78	14.81	0
			64QAM	1	1	15.18	14.86	14.86	0
			256QAM	1	1	15.15	14.77	14.67	0
		CP	QPSK	1	1	15.16	14.77	14.73	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.79	14.77	14.65	0
				1	53	15.20	14.78	14.95	0
				1	104	14.95	14.71	14.94	0
				50	0	15.18	14.73	14.74	0
				50	28	15.09	14.74	14.83	0
				50	56	15.05	14.78	14.88	0
				100	0	15.18	14.74	14.84	0
			QPSK	1	1	15.15	14.75	14.70	0
				1	53	15.16	14.74	14.94	0
				1	104	14.95	14.70	14.89	0
				50	0	15.21	14.81	14.75	0
				50	28	15.13	14.71	14.77	0
				50	56	15.09	14.76	14.91	0
				100	0	15.16	14.73	14.83	0
			16QAM	1	1	15.19	14.84	14.83	0
			64QAM	1	1	15.22	14.87	14.76	0
			256QAM	1	1	15.22	14.75	14.69	0
		CP	QPSK	1	1	15.22	14.80	14.70	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.24	14.75	14.66	0
				1	66	15.28	14.90	15.00	0
				1	131	14.77	14.78	14.97	0
				64	0	15.18	14.76	14.74	0
				64	35	15.11	14.72	14.84	0
				64	69	14.99	14.76	14.89	0
				128	0	15.14	14.75	14.83	0
			QPSK	1	1	15.18	14.83	14.64	0
				1	66	15.22	14.76	14.99	0
				1	131	14.87	14.70	14.95	0
				64	0	15.24	14.78	14.75	0
				64	35	15.14	14.72	14.85	0
				64	69	15.00	14.77	14.88	0
				128	0	15.13	14.74	14.82	0
			16QAM	1	1	15.24	14.88	14.69	0
			64QAM	1	1	15.36	14.92	14.69	0
			256QAM	1	1	15.18	14.89	14.53	0
		CP	QPSK	1	1	15.18	14.80	14.59	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]	
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	14.93	0	
				1	80	14.93	0	
				1	158	14.89	0	
				80	0	14.91	0	
				80	40	14.84	0	
				80	80	14.90	0	
			QPSK	160	0	14.86	0	
				1	1	14.98	0	
				1	80	14.97	0	
				1	158	14.91	0	
				80	0	14.88	0	
				80	40	14.85	0	
				80	80	14.86	0	
				160	0	14.83	0	
				16QAM	1	1	14.97	0
				64QAM	1	1	14.91	0
			256QAM	1	1	14.94	0	
			CP	OPSK	1	1	14.94	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.08	0
				1	98	14.81	0
				1	186	14.95	0
				90	0	14.90	0.5
				90	45	14.83	0
				90	90	14.83	0.5
				180	0	14.80	0.5
			QPSK	1	1	15.05	0
				1	98	14.80	0
				1	186	14.96	0
				90	0	14.87	1
				90	45	14.78	0
				90	90	14.87	1
				180	0	14.82	1
			16QAM	1	1	15.09	1
			64QAM	1	1	15.08	2.5
			256QAM	1	1	15.01	4.5
		CP	QPSK	1	1	15.06	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.10	0
				1	108	14.90	0
				1	214	14.93	0
				108	0	14.88	0
				108	54	14.84	0
				108	108	14.87	0
				216	0	14.86	0
			QPSK	1	1	15.06	0
				1	108	14.84	0
				1	214	14.93	0
				108	0	14.87	0
				108	54	14.84	0
				108	108	14.83	0
				216	0	14.84	0
			16QAM	1	1	15.06	0
			64QAM	1	1	15.23	0
			256QAM	1	1	15.09	0
		CP	QPSK	1	1	15.09	0

NR FDD Band n70 Conducted Power_ Measured Pmax, RCV(RSI 1)_

MAIN1[Ant A]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.75	23.78	23.83	0
				1	13	23.66	23.68	23.76	0
				1	23	23.75	23.79	23.83	0
				12	0	23.23	23.29	23.36	0.5
				12	7	23.75	23.79	23.84	0
				12	13	23.21	23.29	23.34	0.5
				25	0	23.23	23.28	23.36	0.5
			QPSK	1	1	23.73	23.74	23.81	0
				1	13	23.64	23.67	23.76	0
				1	23	23.78	23.80	23.83	0
				12	0	22.74	22.79	22.83	1
				12	7	23.74	23.78	23.86	0
				12	13	22.75	22.78	22.84	1
				25	0	22.75	22.76	22.85	1
			16QAM	1	1	22.85	22.86	22.81	1
			64QAM	1	1	21.10	21.27	21.40	2.5
			256QAM	1	1	19.19	19.29	19.35	4.5
		CP	QPSK	1	1	22.25	22.25	22.36	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.71	23.73	23.83	0
				1	26	23.84	23.96	23.97	0
				1	50	23.78	23.81	23.84	0
				25	0	23.21	23.28	23.42	0.5
				25	14	23.80	23.77	23.85	0
				25	27	23.25	23.34	23.39	0.5
				50	0	23.28	23.30	23.37	0.5
			QPSK	1	1	23.73	23.74	23.79	0
				1	26	23.79	23.77	23.96	0
				1	50	23.78	23.82	23.83	0
				25	0	22.76	22.78	22.84	1
				25	14	23.78	23.75	23.87	0
				25	27	22.78	22.83	22.85	1
				50	0	22.76	22.80	22.86	1
			16QAM	1	1	22.78	22.74	22.79	1
			64QAM	1	1	21.10	21.36	21.29	2.5
			256QAM	1	1	19.22	19.21	19.40	4.5
		CP	QPSK	1	1	22.25	22.28	22.38	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.70	0
				1	40	23.69	0
				1	77	23.82	0
				36	0	23.25	0.5
				36	22	23.80	0
				36	43	23.35	0.5
				75	0	23.29	0.5
			QPSK	1	1	23.71	0
				1	40	23.66	0
				1	77	23.83	0
				36	0	22.75	1
				36	22	23.79	0
				36	43	22.84	1
				75	0	22.80	1
			16QAM	1	1	22.70	1
			64QAM	1	1	21.24	2.5
			256QAM	1	1	19.26	4.5
		CP	QPSK	1	1	22.25	1.5

NR FDD Band n70 Conducted Power_ Measured Free(RSI 0)_ MAIN1[Ant A]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.60	15.60	15.61	0
				1	13	15.72	15.98	15.88	0
				1	23	15.79	15.88	15.88	0
				12	0	15.54	15.64	15.71	0
				12	7	15.64	15.71	15.76	0
				12	13	15.73	15.79	15.89	0
			QPSK	25	0	15.60	15.69	15.79	0
				1	1	15.58	15.56	15.62	0
				1	13	15.69	15.74	15.86	0
				1	23	15.76	15.87	15.85	0
				12	0	15.57	15.65	15.66	0
				12	7	15.65	15.70	15.76	0
				12	13	15.76	15.74	15.85	0
				25	0	15.66	15.71	15.72	0
			16QAM	1	1	15.68	15.61	15.67	0
			64QAM	1	1	15.71	15.55	15.62	0
			256QAM	1	1	15.68	15.46	15.59	0
		CP	QPSK	1	1	15.57	15.52	15.68	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.58	15.58	15.62	0
				1	26	15.73	15.94	15.90	0
				1	50	15.79	15.85	15.89	0
				25	0	15.59	15.61	15.69	0
				25	14	15.66	15.73	15.75	0
				25	27	15.73	15.76	15.90	0
			QPSK	50	0	15.61	15.70	15.80	0
				1	1	15.57	15.55	15.62	0
				1	26	15.71	15.74	15.82	0
				1	50	15.77	15.88	15.84	0
				25	0	15.61	15.65	15.66	0
				25	14	15.64	15.71	15.77	0
				25	27	15.75	15.76	15.84	0
				50	0	15.66	15.71	15.75	0
			16QAM	1	1	15.68	15.62	15.64	0
			64QAM	1	1	15.75	15.58	15.65	0
			256QAM	1	1	15.69	15.47	15.59	0
		CP	QPSK	1	1	15.56	15.56	15.65	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.57	0
				1	40	15.64	0
				1	77	15.85	0
				36	0	15.57	0
				36	22	15.68	0
				36	43	15.83	0
				75	0	15.68	0
			QPSK	1	1	15.55	0
				1	40	15.64	0
				1	77	15.87	0
				36	0	15.61	0
				36	22	15.92	0
				36	43	15.88	0
				75	0	15.69	0
			16QAM	1	1	15.58	0
			64QAM	1	1	15.64	0
			256QAM	1	1	15.51	0
		CP	QPSK	1	1	15.56	0

NR FDD Band n71 Conducted Power_ Measured Pmax, Free (RSI 0), RCV(RSI

1) _ MAIN1 [Ant A]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.71	24.34	24.12	0
				1	13	24.58	24.21	24.25	0
				1	23	24.66	24.40	24.35	0
				12	0	24.20	23.85	23.85	0.5
				12	7	24.67	24.35	24.33	0
				12	13	24.13	23.85	23.83	0.5
				25	0	24.19	23.83	23.85	0.5
			QPSK	1	1	24.68	24.34	24.33	0
				1	13	24.57	24.23	24.17	0
				1	23	24.61	24.37	24.25	0
				12	0	23.69	23.35	23.36	1
				12	7	24.69	24.29	24.33	0
				12	13	23.63	23.35	23.30	1
				25	0	23.68	23.31	23.34	1
			16QAM	1	1	23.77	23.44	23.45	1
			64QAM	1	1	22.32	21.93	21.92	2.5
			256QAM	1	1	20.27	19.86	19.97	4.5
		CP	QPSK	1	1	23.24	22.90	22.84	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.70	24.39	24.30	0
				1	26	24.77	24.50	24.56	0
				1	50	24.50	24.30	24.29	0
				25	0	24.17	23.89	23.86	0.5
				25	14	24.63	24.32	24.35	0
				25	27	24.06	23.88	23.80	0.5
				50	0	24.12	23.85	23.86	0.5
			QPSK	1	1	24.75	24.37	24.32	0
				1	26	24.68	24.34	24.32	0
				1	50	24.53	24.34	24.26	0
				25	0	23.69	23.38	23.34	1
				25	14	24.61	24.33	24.32	0
				25	27	23.56	23.39	23.34	1
				50	0	23.64	23.33	23.35	1
			16QAM	1	1	23.77	23.48	23.46	1
			64QAM	1	1	22.25	21.90	21.99	2.5
			256QAM	1	1	20.28	19.98	19.87	4.5
		CP	QPSK	1	1	23.22	23.12	22.86	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.42	0	
				1	40	23.87	0	
				1	77	24.32	0	
				36	0	23.90	0.5	
				36	22	24.32	0	
				36	43	23.85	0.5	
				75	0	23.84	0.5	
			QPSK	1	1	24.43	0	
				1	40	24.21	0	
				1	77	24.28	0	
				36	0	23.41	1	
				36	22	24.33	0	
				36	43	23.33	1	
				75	0	23.33	1	
			16QAM	1	1	23.49	1	
			64QAM	1	1	22.10	2.5	
			256QAM	1	1	20.10	4.5	
		CP	QPSK	1	1	22.93	1.5	

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.58	0
				1	53	24.52	0
				1	104	24.33	0
				50	0	23.91	0.5
				50	28	24.32	0
				50	56	23.87	0.5
				100	0	23.86	0.5
			QPSK	1	1	24.52	0
				1	53	24.37	0
				1	104	24.35	0
				50	0	23.42	1
				50	28	24.31	0
				50	56	23.33	1
				100	0	23.38	1
			16QAM	1	1	23.51	1
			64QAM	1	1	22.15	2.5
			256QAM	1	1	20.16	4.5
		CP	OPSK	1	1	23.05	1.5

K.2 NR Band Maximum Conducted Power (Upper Antenna)

NR FDD Band n2 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_ SUB2

[Ant F]

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.23	16.19	16.23	0
				1	13	16.25	16.12	16.14	0
				1	23	16.35	16.27	16.22	0
				12	0	16.29	16.25	16.23	0
				12	7	16.29	16.21	16.16	0
				12	13	16.35	16.19	16.22	0
				25	0	16.33	16.14	16.20	0
			QPSK	1	1	16.28	16.21	16.24	0
				1	13	16.25	16.20	16.17	0
				1	23	16.32	16.21	16.22	0
				12	0	16.33	16.22	16.26	0
				12	7	16.34	16.26	16.25	0
				12	13	16.26	16.21	16.22	0
				25	0	16.34	16.23	16.19	0
			16QAM	1	1	16.09	16.23	16.33	0
			64QAM	1	1	16.33	16.29	16.39	0
			256QAM	1	1	16.26	16.19	16.29	0
		CP	QPSK	1	1	16.28	16.19	16.27	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.22	16.19	16.12	0
				1	26	16.44	16.45	16.41	0
				1	50	16.23	16.26	16.19	0
				25	0	16.31	16.21	16.12	0
				25	14	16.33	16.18	16.20	0
				25	27	16.28	16.18	16.24	0
			QPSK	50	0	16.34	16.21	16.20	0
				1	1	16.34	16.18	16.13	0
				1	26	16.49	16.49	16.33	0
				1	50	16.20	16.22	16.12	0
				25	0	16.29	16.20	16.17	0
				25	14	16.29	16.24	16.16	0
				25	27	16.22	16.24	16.23	0
				50	0	16.31	16.21	16.20	0
			16QAM	1	1	16.22	16.13	16.04	0
			64QAM	1	1	16.32	16.28	16.28	0
			256QAM	1	1	16.32	16.21	16.11	0
		CP	QPSK	1	1	16.29	16.28	16.17	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.24	16.24	16.09	0
				1	40	16.11	16.16	15.96	0
				1	77	16.26	16.19	16.16	0
				36	0	16.32	16.24	16.13	0
				36	22	16.20	16.18	16.16	0
				36	43	16.21	16.19	16.22	0
			QPSK	75	0	16.26	16.18	16.11	0
				1	1	16.26	16.22	16.12	0
				1	40	16.15	16.14	15.96	0
				1	77	16.28	16.14	16.14	0
				36	0	16.28	16.23	16.13	0
				36	22	16.21	16.21	16.20	0
				36	43	16.20	16.19	16.16	0
				75	0	16.26	16.21	16.08	0
			16QAM	1	1	16.33	16.25	16.23	0
			64QAM	1	1	16.34	16.39	16.19	0
			256QAM	1	1	16.17	16.07	16.10	0
		CP	QPSK	1	1	16.28	16.19	16.14	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.27	16.18	16.19	0
				1	53	16.30	16.34	16.21	0
				1	104	16.19	16.13	16.09	0
				50	0	16.29	16.26	16.12	0
				50	28	16.17	16.17	16.16	0
				50	56	16.28	16.18	16.22	0
				100	0	16.20	16.20	16.13	0
			QPSK	1	1	16.24	16.19	16.21	0
				1	53	16.43	16.27	16.15	0
				1	104	16.22	16.10	16.09	0
				50	0	16.30	16.25	16.17	0
				50	28	16.29	16.21	16.14	0
				50	56	16.30	16.20	16.22	0
				100	0	16.23	16.26	16.18	0
			16QAM	1	1	16.18	16.20	16.27	0
			64QAM	1	1	16.33	16.26	16.14	0
			256QAM	1	1	16.28	16.15	16.15	0
		CP	QPSK	1	1	16.21	16.26	16.20	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.25		16.27	0
				1	66	16.34		16.29	0
				1	131	16.23		16.13	0
				64	0	16.21		16.24	0
				64	35	16.17		16.17	0
				64	69	16.19		16.17	0
				128	0	16.14		16.16	0
			QPSK	1	1	16.22		16.32	0
				1	66	16.29		16.14	0
				1	131	16.25		16.04	0
				64	0	16.24		16.25	0
				64	35	16.16		16.18	0
				64	69	16.17		16.22	0
				128	0	16.18		16.13	0
			16QAM	1	1	16.26		16.29	0
			64QAM	1	1	16.16		16.35	0
			256QAM	1	1	16.31		16.34	0
		CP	QPSK	1	1	16.19		16.29	0

NR FDD Band n2 _ 30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.25		16.25	0
				1	80	16.41		16.33	0
				1	158	16.15		16.21	0
				80	0	16.26		16.24	0
				80	40	16.29		16.10	0
				80	80	16.24		16.13	0
				160	0	16.26		16.23	0
			QPSK	1	1	16.28		16.18	0
				1	80	16.32		16.16	0
				1	158	16.13		16.09	0
				80	0	16.26		16.25	0
				80	40	16.33		16.16	0
				80	80	16.29		16.25	0
				160	0	16.28		16.19	0
			16QAM	1	1	16.31		16.27	0
			64QAM	1	1	16.41		16.27	0
			256QAM	1	1	16.35		16.25	0
		CP	QPSK	1	1	16.32		16.28	0

NR FDD Band n2 _ 35 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.18	0
				1	98	16.29	0
				1	186	16.10	0
				90	0	16.22	0
				90	45	16.16	0
				90	90	16.16	0
				180	0	16.21	0
			QPSK	1	1	16.19	0
				1	98	16.22	0
				1	186	16.17	0
				90	0	16.24	0
				90	45	16.18	0
				90	90	16.19	0
				180	0	16.15	0
			16QAM	1	1	16.12	0
			64QAM	1	1	16.07	0
			256QAM	1	1	16.07	0
		CP	QPSK	1	1	16.20	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.15	0
				1	108	16.39	0
				1	214	16.17	0
				108	0	16.19	0
				108	54	16.25	0
				108	108	16.19	0
				216	0	16.23	0
			QPSK	1	1	16.25	0
				1	108	16.23	0
				1	214	16.16	0
				108	0	16.23	0
				108	54	16.28	0
				108	108	16.18	0
				216	0	16.21	0
			16QAM	1	1	16.29	0
			64QAM	1	1	16.28	0
			256QAM	1	1	16.06	0
		CP	QPSK	1	1	16.24	0

NR FDD Band n5 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.13	19.96	19.92	0
				1	13	19.94	19.86	19.80	0
				1	23	20.02	19.96	19.80	0
				12	0	20.12	20.03	19.86	0
				12	7	20.09	20.00	19.81	0
				12	13	20.07	19.99	19.83	0
				25	0	20.08	19.93	19.83	0
			QPSK	1	1	20.10	19.98	19.81	0
				1	13	19.99	19.89	19.70	0
				1	23	20.09	19.98	19.78	0
				12	0	20.09	19.97	19.84	0
				12	7	20.06	19.98	19.84	0
				12	13	20.08	19.90	19.89	0
				25	0	20.07	19.98	19.83	0
			16QAM	1	1	20.10	20.12	19.80	0
			64QAM	1	1	20.20	19.97	19.86	0
			256QAM	1	1	20.08	19.81	19.79	0
		CP	QPSK	1	1	20.02	19.93	19.81	0

NR FDD Band n5_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.01	0
				1	26	20.15	0
				1	50	19.92	0
				25	0	19.98	0
				25	14	20.01	0
				25	27	19.96	0
				50	0	19.96	0
			QPSK	1	1	20.00	0
				1	26	20.01	0
				1	50	19.92	0
				25	0	19.97	0
				25	14	20.01	0
				25	27	20.02	0
				50	0	19.97	0
			16QAM	1	1	20.03	0
			64QAM	1	1	19.96	0
			256QAM	1	1	19.91	0
		CP	QPSK	1	1	19.91	0

NR FDD Band n5_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.96	0
				1	40	19.91	0
				1	77	19.93	0
				36	0	20.01	0
				36	22	19.99	0
				36	43	19.94	0
				75	0	20.00	0
			QPSK	1	1	19.97	0
				1	40	19.84	0
				1	77	19.90	0
				36	0	19.99	0
				36	22	20.04	0
				36	43	19.93	0
				75	0	19.99	0
			16QAM	1	1	20.10	0
			64QAM	1	1	20.12	0
			256QAM	1	1	20.10	0
		CP	QPSK	1	1	19.93	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.04	0
				1	53	20.27	0
				1	104	19.86	0
				50	0	20.01	0
				50	28	19.93	0
				50	56	19.96	0
				100	0	19.98	0
			QPSK	1	1	20.07	0
				1	53	20.04	0
				1	104	19.85	0
				50	0	20.07	0
				50	28	19.94	0
				50	56	19.94	0
				100	0	19.98	0
			16QAM	1	1	20.12	0
			64QAM	1	1	20.13	0
			256QAM	1	1	20.10	0
		CP	QPSK	1	1	20.00	0

NR FDD Band n7 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_ SUB2

[Ant F]

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.62	16.35	16.30	0
				1	13	16.54	16.24	16.19	0
				1	23	16.59	16.31	16.27	0
				12	0	16.63	16.37	16.36	0
				12	7	16.63	16.34	16.31	0
				12	13	16.59	16.33	16.30	0
				25	0	16.63	16.37	16.29	0
			QPSK	1	1	16.57	16.35	16.27	0
				1	13	16.56	16.21	16.16	0
				1	23	16.59	16.34	16.29	0
				12	0	16.61	16.37	16.29	0
				12	7	16.61	16.33	16.30	0
				12	13	16.63	16.37	16.30	0
				25	0	16.67	16.34	16.28	0
			16QAM	1	1	16.68	16.39	16.41	0
			64QAM	1	1	16.69	16.47	16.50	0
			256QAM	1	1	16.59	16.41	16.29	0
		CP	QPSK	1	1	16.62	16.38	16.29	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.40	16.36	16.22	0
				1	26	16.52	16.52	16.30	0
				1	50	16.43	16.31	16.26	0
				25	0	16.45	16.38	16.28	0
				25	14	16.46	16.37	16.28	0
				25	27	16.44	16.32	16.27	0
			QPSK	50	0	16.47	16.33	16.26	0
				1	1	16.41	16.35	16.26	0
				1	26	16.45	16.31	16.30	0
				1	50	16.41	16.28	16.25	0
				25	0	16.49	16.38	16.25	0
				25	14	16.44	16.36	16.27	0
				25	27	16.47	16.33	16.27	0
				50	0	16.44	16.37	16.27	0
			16QAM	1	1	16.57	16.36	16.33	0
			64QAM	1	1	16.44	16.42	16.43	0
			256QAM	1	1	16.45	16.34	16.23	0
		CP	QPSK	1	1	16.42	16.38	16.25	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.51	16.31	16.42	0
				1	40	16.44	16.25	16.33	0
				1	77	16.53	16.30	16.39	0
				36	0	16.50	16.40	16.47	0
				36	22	16.50	16.33	16.47	0
				36	43	16.51	16.34	16.47	0
				75	0	16.52	16.35	16.47	0
			QPSK	1	1	16.48	16.35	16.41	0
				1	40	16.46	16.23	16.34	0
				1	77	16.47	16.32	16.43	0
				36	0	16.53	16.41	16.48	0
				36	22	16.52	16.37	16.48	0
				36	43	16.53	16.35	16.45	0
				75	0	16.57	16.34	16.44	0
			16QAM	1	1	16.55	16.34	16.35	0
			64QAM	1	1	16.56	16.45	16.52	0
			256QAM	1	1	16.58	16.29	16.37	0
		CP	QPSK	1	1	16.52	16.32	16.49	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.56	16.37	16.35	0
				1	53	16.62	16.49	16.57	0
				1	104	16.53	16.31	16.32	0
				50	0	16.60	16.36	16.38	0
				50	28	16.54	16.38	16.40	0
				50	56	16.58	16.34	16.38	0
				100	0	16.58	16.38	16.42	0
			QPSK	1	1	16.53	16.38	16.37	0
				1	53	16.54	16.36	16.39	0
				1	104	16.50	16.33	16.35	0
				50	0	16.56	16.39	16.37	0
				50	28	16.60	16.34	16.39	0
				50	56	16.56	16.35	16.40	0
				100	0	16.58	16.37	16.45	0
			16QAM	1	1	16.60	16.52	16.50	0
			64QAM	1	1	16.57	16.40	16.45	0
			256QAM	1	1	16.61	16.51	16.43	0
		CP	QPSK	1	1	16.61	16.41	16.37	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.58		16.33	0
				1	67	16.50		16.25	0
				1	131	16.51		16.28	0
				64	0	16.63		16.33	0
				64	35	16.65		16.35	0
				64	39	16.63		16.36	0
				128	0	16.66		16.37	0
			QPSK	1	1	16.58		16.36	0
				1	67	16.56		16.26	0
				1	131	16.54		16.33	0
				64	0	16.62		16.33	0
				64	35	16.64		16.36	0
				64	69	16.62		16.34	0
				128	0	16.63		16.37	0
			16QAM	1	1	16.59		16.42	0
			64QAM	1	1	16.61		16.46	0
			256QAM	1	1	16.60		16.49	0
		CP	QPSK	1	1	16.65		16.40	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.46		16.32	0
				1	80	16.60		16.34	0
				1	158	16.33		16.23	0
				80	0	16.50		16.31	0
				80	40	16.45		16.27	0
				80	80	16.47		16.30	0
				160	0	16.42		16.29	0
			QPSK	1	1	16.42		16.30	0
				1	80	16.47		16.28	0
				1	158	16.36		16.26	0
				80	0	16.50		16.31	0
				80	40	16.43		16.25	0
				80	80	16.46		16.33	0
				160	0	16.47		16.29	0
			16QAM	1	1	16.45		16.30	0
			64QAM	1	1	16.48		16.40	0
			256QAM	1	1	16.53		16.41	0
		CP	QPSK	1	1	16.44		16.36	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						507000		
						2535 MHz		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.46		0
				1	98	16.31		0
				1	186	16.30		0
				90	0	16.39		0
				90	45	16.38		0
				90	90	16.38		0
				180	0	16.41		0
			QPSK	1	1	16.44		0
				1	98	16.29		0
				1	186	16.27		0
				90	0	16.38		0
				90	45	16.38		0
				90	90	16.39		0
				180	0	16.40		0
			16QAM	1	1	16.49		0
			64QAM	1	1	16.51		0
			256QAM	1	1	16.44		0
		CP	QPSK	1	1	16.42		0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.45	0
				1	108	16.51	0
				1	214	16.32	0
				108	0	16.38	0
				108	54	16.37	0
				108	108	16.33	0
				216	0	16.40	0
			QPSK	1	1	16.47	0
				1	108	16.48	0
				1	214	16.30	0
				108	0	16.43	0
				108	54	16.40	0
				108	108	16.38	0
				216	0	16.39	0
			16QAM	1	1	16.41	0
			64QAM	1	1	16.58	0
			256QAM	1	1	16.49	0
		CP	QPSK	1	1	16.48	0

NR FDD Band n12 Conducted Power__ Measured Free(RSI 0), RCV(RSI 1)__

SUB1 [Ant E]

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.02	19.98	19.78	0
				1	13	19.87	19.83	19.78	0
				1	23	19.93	19.85	19.74	0
				12	0	20.02	19.99	19.81	0
				12	7	20.01	19.91	19.85	0
				12	13	19.93	19.89	19.80	0
				25	0	19.97	19.84	19.80	0
			QPSK	1	1	20.07	19.91	19.77	0
				1	13	19.98	19.82	19.72	0
				1	23	19.98	19.86	19.74	0
				12	0	20.02	19.94	19.78	0
				12	7	20.01	19.89	19.79	0
				12	13	20.04	19.91	19.83	0
				25	0	20.04	19.93	19.80	0
			16QAM	1	1	20.12	19.92	19.71	0
			64QAM	1	1	20.23	20.01	19.82	0
			256QAM	1	1	20.10	19.87	19.88	0
		CP	QPSK	1	1	19.93	19.95	19.80	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.97	0
				1	26	19.97	0
				1	50	19.88	0
				25	0	19.95	0
				25	14	19.95	0
				25	27	19.88	0
				50	0	19.93	0
			QPSK	1	1	19.94	0
				1	26	19.91	0
				1	50	19.83	0
				25	0	19.91	0
				25	14	19.86	0
				25	27	19.87	0
				50	0	19.95	0
			16QAM	1	1	19.86	0
			64QAM	1	1	19.96	0
			256QAM	1	1	19.74	0
		CP	QPSK	1	1	19.99	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.02	0
				1	40	19.88	0
				1	77	19.79	0
				36	0	20.01	0
				36	22	19.89	0
				36	43	19.82	0
				75	0	19.88	0
			QPSK	1	1	19.97	0
				1	40	19.82	0
				1	77	19.82	0
				36	0	20.00	0
				36	22	19.92	0
				36	43	19.82	0
				75	0	19.84	0
			16QAM	1	1	20.19	0
			64QAM	1	1	20.24	0
			256QAM	1	1	20.00	0
		CP	QPSK	1	1	20.01	0

NR FDD Band n14 Conducted Power _ Measured Free(RSI 0), RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.83	0
				1	13	20.79	0
				1	23	20.86	0
				12	0	20.89	0
				12	7	20.89	0
				12	13	20.85	0
				25	0	20.85	0
			QPSK	1	1	20.88	0
				1	13	20.78	0
				1	23	20.87	0
				12	0	20.93	0
				12	7	20.90	0
				12	13	20.89	0
				25	0	20.87	0
			16QAM	1	1	20.89	0
			64QAM	1	1	20.88	0
			256QAM	1	1	20.99	0
		CP	QPSK	1	1	20.97	0

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.89	0
				1	26	20.99	0
				1	50	20.87	0
				25	0	20.92	0
				25	14	20.86	0
				25	27	20.85	0
				50	0	20.90	0
			QPSK	1	1	20.91	0
				1	26	20.83	0
				1	50	20.82	0
				25	0	20.87	0
				25	14	20.88	0
				25	27	20.86	0
				50	0	20.87	0
			16QAM	1	1	20.89	0
			64QAM	1	1	20.85	0
			256QAM	1	1	20.90	0
		CP	QPSK	1	1	20.88	0

NR FDD Band n25 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_

SUB2 [Ant F]

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.82	17.87	17.82	0
				1	13	17.86	17.74	17.76	0
				1	23	17.84	17.80	17.70	0
				12	0	17.87	17.80	17.86	0
				12	7	17.94	17.85	17.81	0
				12	13	17.94	17.84	17.80	0
				25	0	17.92	17.79	17.84	0
			QPSK	1	1	17.81	17.82	17.84	0
				1	13	17.90	17.80	17.71	0
				1	23	17.87	17.85	17.77	0
				12	0	17.91	17.84	17.83	0
				12	7	17.91	17.84	17.85	0
				12	13	17.92	17.85	17.79	0
				25	0	17.95	17.80	17.80	0
			16QAM	1	1	17.74	17.88	17.81	0
			64QAM	1	1	17.89	17.94	17.88	0
			256QAM	1	1	17.83	17.84	17.79	0
		CP	QPSK	1	1	17.84	17.87	17.87	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.84	17.82	17.82	0
				1	26	17.85	17.90	17.97	0
				1	50	17.84	17.81	17.70	0
				25	0	17.93	17.85	17.84	0
				25	14	17.94	17.83	17.85	0
				25	27	17.86	17.82	17.83	0
			QPSK	50	0	17.90	17.85	17.80	0
				1	1	17.85	17.78	17.81	0
				1	26	17.94	17.84	17.89	0
				1	50	17.84	17.76	17.73	0
				25	0	18.00	17.85	17.81	0
				25	14	17.93	17.84	17.83	0
				25	27	17.89	17.86	17.84	0
				50	0	17.97	17.82	17.81	0
			16QAM	1	1	17.96	17.80	17.86	0
			64QAM	1	1	17.95	17.82	17.97	0
			256QAM	1	1	17.84	17.78	17.91	0
		CP	QPSK	1	1	17.92	17.82	17.85	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.88	17.84	17.73	0
				1	40	17.71	17.77	17.76	0
				1	77	17.81	17.76	17.78	0
				36	0	17.95	17.82	17.79	0
				36	22	17.84	17.88	17.79	0
				36	43	17.85	17.89	17.80	0
			QPSK	75	0	17.88	17.90	17.85	0
				1	1	17.84	17.79	17.78	0
				1	40	17.71	17.81	17.73	0
				1	77	17.83	17.77	17.75	0
				36	0	17.98	17.80	17.78	0
				36	22	17.84	17.88	17.88	0
				36	43	17.86	17.84	17.88	0
				75	0	17.86	17.82	17.86	0
			16QAM	1	1	17.98	17.88	17.89	0
			64QAM	1	1	17.92	17.84	17.86	0
			256QAM	1	1	17.88	17.88	17.74	0
		CP	QPSK	1	1	17.87	17.86	17.73	0

NR FDD Band n25 _ 20 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.87	17.81	17.81	0
				1	53	17.93	17.99	17.95	0
				1	104	17.79	17.75	17.77	0
				50	0	17.92	17.85	17.82	0
				50	28	17.84	17.81	17.84	0
				50	56	17.87	17.85	17.84	0
			QPSK	100	0	17.81	17.81	17.85	0
				1	1	17.83	17.80	17.80	0
				1	53	17.85	17.90	17.92	0
				1	104	17.81	17.76	17.80	0
				50	0	17.91	17.80	17.83	0
				50	28	17.85	17.85	17.89	0
				50	56	17.86	17.80	17.85	0
				100	0	17.81	17.87	17.85	0
			16QAM	1	1	17.84	17.94	17.87	0
			64QAM	1	1	17.95	17.98	17.81	0
			256QAM	1	1	17.82	17.78	17.82	0
		CP	QPSK	1	1	17.92	17.80	17.89	0

NR FDD Band n25 _ 25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 Mhz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.82		17.80	0
				1	66	17.94		17.92	0
				1	131	17.88		17.73	0
				64	0	17.86		17.74	0
				64	35	17.84		17.78	0
				64	69	17.86		17.82	0
			QPSK	128	0	17.83		17.81	0
				1	1	17.83		17.81	0
				1	66	17.88		17.79	0
				1	131	17.84		17.73	0
				64	0	17.82		17.75	0
				64	35	17.86		17.78	0
				64	69	17.88		17.83	0
				128	0	17.84		17.80	0
			16QAM	1	1	17.92		17.66	0
			64QAM	1	1	17.89		17.85	0
			256QAM	1	1	17.84		17.80	0
		CP	QPSK	1	1	17.79		17.86	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.94		17.93	0
				1	80	18.04		17.84	0
				1	158	17.83		17.74	0
				80	0	17.87		17.81	0
				80	40	17.93		17.81	0
				80	80	17.91		17.83	0
				160	0	17.88		17.78	0
			QPSK	1	1	17.87		17.89	0
				1	80	17.93		17.77	0
				1	158	17.85		17.75	0
				80	0	17.91		17.80	0
				80	40	17.92		17.80	0
				80	80	17.85		17.84	0
				160	0	17.93		17.85	0
			16QAM	1	1	17.89		17.92	0
			64QAM	1	1	17.84		17.95	0
			256QAM	1	1	17.96		17.94	0
		CP	QPSK	1	1	17.94		17.91	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.80	0
				1	98	17.79	0
				1	186	17.73	0
				90	0	17.86	0
				90	45	17.85	0
				90	90	17.80	0
				180	0	17.89	0
			QPSK	1	1	17.85	0
				1	98	17.81	0
				1	186	17.77	0
				90	0	17.85	0
				90	45	17.87	0
				90	90	17.81	0
				180	0	17.85	0
			16QAM	1	1	17.88	0
			64QAM	1	1	17.93	0
			256QAM	1	1	17.90	0
		CP	OPSK	1	1	17.83	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.81	0
				1	108	17.98	0
				1	214	17.73	0
				108	0	17.88	0
				108	54	17.86	0
				108	108	17.84	0
				216	0	17.85	0
			QPSK	1	1	17.77	0
				1	108	17.89	0
				1	214	17.81	0
				108	0	17.98	0
				108	54	17.89	0
				108	108	17.86	0
				216	0	17.84	0
			16QAM	1	1	17.68	0
			64QAM	1	1	17.94	0
			256QAM	1	1	17.76	0
		CP	QPSK	1	1	17.77	0

NR FDD Band n26 Conducted Power_ Measured Free (RSI 0), RCV(RSI 1)_

SUB1 [Ant E]

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.12	19.97	19.77	0
				1	13	20.02	19.84	19.66	0
				1	23	20.08	19.94	19.78	0
				12	0	20.15	19.93	19.81	0
				12	7	20.14	19.93	19.78	0
				12	13	20.15	19.98	19.77	0
				25	0	20.14	20.02	19.84	0
			QPSK	1	1	20.15	19.96	19.84	0
				1	13	20.03	19.84	19.73	0
				1	23	20.09	19.90	19.74	0
				12	0	20.16	19.98	19.82	0
				12	7	20.14	19.92	19.77	0
				12	13	20.14	19.93	19.77	0
				25	0	20.19	20.02	19.84	0
			16QAM	1	1	20.25	20.05	19.79	0
			64QAM	1	1	20.17	20.09	19.72	0
			256QAM	1	1	20.21	19.98	19.77	0
		CP	QPSK	1	1	20.16	19.92	19.78	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	19.94	19.81	0
				1	26	20.09	20.06	19.84	0
				1	50	20.06	19.89	19.81	0
				25	0	20.12	19.93	19.87	0
				25	14	20.11	19.94	19.85	0
				25	27	20.09	19.94	19.80	0
				50	0	20.08	19.95	19.82	0
			QPSK	1	1	20.11	20.01	19.81	0
				1	26	20.18	20.06	19.94	0
				1	50	20.09	19.92	19.78	0
				25	0	20.18	19.99	19.86	0
				25	14	20.12	19.93	19.81	0
				25	27	20.15	19.93	19.83	0
				50	0	20.14	19.96	19.89	0
			16QAM	1	1	20.17	20.03	19.84	0
			64QAM	1	1	20.22	19.98	20.04	0
			256QAM	1	1	20.07	19.95	19.96	0
		CP	QPSK	1	1	20.13	19.91	19.79	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.06		19.82	0
				1	40	20.00		19.75	0
				1	77	19.99		19.76	0
				36	0	20.08		19.91	0
				36	22	20.06		19.84	0
				36	43	20.02		19.84	0
				75	0	20.09		19.86	0
			QPSK	1	1	20.09		19.87	0
				1	40	20.01		19.77	0
				1	77	19.97		19.74	0
				36	0	20.15		19.94	0
				36	22	20.09		19.85	0
				36	43	20.07		19.87	0
				75	0	20.09		19.85	0
			16QAM	1	1	20.23		19.82	0
			64QAM	1	1	20.30		19.97	0
			256QAM	1	1	20.09		19.94	0
		CP	QPSK	1	1	20.04		19.93	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.98	0
				1	53	19.99	0
				1	104	19.81	0
				50	0	20.05	0
				50	28	19.95	0
				50	56	19.91	0
				100	0	19.96	0
			QPSK	1	1	20.02	0
				1	53	19.93	0
				1	104	19.81	0
				50	0	20.02	0
				50	28	20.00	0
				50	56	19.97	0
				100	0	19.97	0
			16QAM	1	1	19.89	0
			64QAM	1	1	20.06	0
			256QAM	1	1	20.05	0
		CP	QPSK	1	1	19.99	0

NR FDD Band n30 Conducted Power_ Measured Free(RSI 0) _ SUB2 [Ant F]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.78	0
				1	13	17.70	0
				1	23	17.68	0
				12	0	17.79	0
				12	7	17.74	0
				12	13	17.81	0
			QPSK	25	0	17.83	0
				1	1	17.80	0
				1	13	17.67	0
				1	23	17.78	0
				12	0	17.77	0
				12	7	17.76	0
				12	13	17.75	0
				25	0	17.81	0
			16QAM	1	1	17.68	0
			64QAM	1	1	17.82	0
			256QAM	1	1	17.86	0
		CP	QPSK	1	1	17.80	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.79	0
				1	26	17.87	0
				1	50	17.79	0
				25	0	17.80	0
				25	14	17.82	0
				25	27	17.77	0
				50	0	17.80	0
			QPSK	1	1	17.77	0
				1	26	17.90	0
				1	50	17.72	0
				25	0	17.87	0
				25	14	17.84	0
				25	27	17.78	0
				50	0	17.82	0
			16QAM	1	1	17.91	0
			64QAM	1	1	17.84	0
			256QAM	1	1	17.79	0
		CP	QPSK	1	1	17.79	0

FDD Band n30 Conducted Power_ Measured RCV(RSI 1)_ SUB2 [Ant F]

FDD Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.26	0
				1	13	18.20	0
				1	23	18.18	0
				12	0	18.26	0
				12	7	18.21	0
				12	13	18.29	0
			QPSK	25	0	18.29	0
				1	1	18.29	0
				1	13	18.13	0
				1	23	18.24	0
				12	0	18.23	0
				12	7	18.23	0
				12	13	18.24	0
				25	0	18.27	0
			16QAM	1	1	18.17	0
			64QAM	1	1	18.28	0
			256QAM	1	1	18.33	0
		CP	QPSK	1	1	18.26	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.28	0
				1	26	18.33	0
				1	50	18.26	0
				25	0	18.29	0
				25	14	18.28	0
				25	27	18.26	0
			QPSK	50	0	18.29	0
				1	1	18.26	0
				1	26	18.37	0
				1	50	18.18	0
				25	0	18.35	0
				25	14	18.32	0
				25	27	18.27	0
				50	0	18.30	0
			16QAM	1	1	18.39	0
			64QAM	1	1	18.30	0
			256QAM	1	1	18.28	0
		CP	QPSK	1	1	18.26	0

NR TDD Band n38 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.36	16.29	16.58	0
				1	12	16.28	16.36	16.54	0
				1	22	16.26	16.27	16.49	0
				12	0	16.63	16.26	16.52	0
				12	6	16.53	16.30	16.51	0
				12	12	16.58	16.34	16.46	0
				24	0	16.55	16.35	16.45	0
			QPSK	1	1	16.62	16.31	16.57	0
				1	12	16.64	16.32	16.52	0
				1	22	16.55	16.23	16.42	0
				12	0	16.55	16.29	16.26	0
				12	6	16.54	16.34	16.20	0
				12	12	16.61	16.31	16.25	0
				24	0	16.53	16.35	16.21	0
			16QAM	1	1	16.58	16.11	16.28	0
			64QAM	1	1	16.52	16.31	16.28	0
			256QAM	1	1	16.64	16.24	16.57	0
		CP	QPSK	1	1	16.58	16.58	16.44	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.72	16.59	16.76	0
				1	18	16.64	16.54	16.69	0
				1	36	16.68	16.28	16.72	0
				18	0	16.63	16.31	16.48	0
				18	9	16.65	16.34	16.74	0
				18	18	16.73	16.33	16.61	0
				36	0	16.64	16.60	16.72	0
			QPSK	1	1	16.70	16.61	16.77	0
				1	18	16.64	16.57	16.66	0
				1	36	16.68	16.54	16.71	0
				18	0	16.65	16.55	16.72	0
				18	9	16.67	16.61	16.73	0
				18	18	16.71	16.59	16.65	0
				36	0	16.68	16.60	16.69	0
			16QAM	1	1	16.70	16.55	16.83	0
			64QAM	1	1	16.71	16.50	16.42	0
			256QAM	1	1	16.67	16.33	16.76	0
		CP	QPSK	1	1	16.40	16.37	16.46	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.75	16.64	16.69	0
				1	26	16.77	16.62	16.63	0
				1	49	16.69	16.60	16.66	0
				25	0	16.72	16.58	16.70	0
				25	13	16.72	16.60	16.41	0
				25	26	16.75	16.55	16.39	0
				50	0	16.73	16.60	16.65	0
			QPSK	1	1	16.77	16.66	16.68	0
				1	26	16.78	16.62	16.64	0
				1	49	16.72	16.59	16.64	0
				25	0	16.70	16.56	16.70	0
				25	13	16.77	16.60	16.66	0
				25	26	16.73	16.55	16.64	0
				50	0	16.76	16.58	16.66	0
			16QAM	1	1	16.76	16.56	16.61	0
			64QAM	1	1	16.72	16.65	16.68	0
			256QAM	1	1	16.77	16.54	16.52	0
		CP	QPSK	1	1	16.77	16.58	16.63	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.82		16.71	0
				1	32	16.87		16.66	0
				1	63	16.75		16.58	0
				32	0	16.76		16.63	0
				32	17	16.82		16.62	0
				32	33	16.73		16.53	0
				64	0	16.80		16.59	0
			QPSK	1	1	16.90		16.66	0
				1	32	16.87		16.72	0
				1	63	16.80		16.57	0
				32	0	16.75		16.61	0
				32	17	16.80		16.63	0
				32	33	16.74		16.57	0
				64	0	16.83		16.60	0
			16QAM	1	1	16.75		16.54	0
			64QAM	1	1	16.73		16.71	0
			256QAM	1	1	16.89		16.66	0
		CP	QPSK	1	1	16.77		16.65	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.62		16.58	0
				1	39	16.55		16.68	0
				1	76	16.50		16.51	0
				36	0	16.37		16.58	0
				36	21	16.33		16.57	0
				36	42	16.29		16.50	0
				75	0	16.33		16.57	0
			QPSK	1	1	16.38		16.53	0
				1	39	16.37		16.62	0
				1	76	16.29		16.48	0
				36	0	16.38		16.54	0
				36	21	16.34		16.58	0
				36	42	16.29		16.55	0
				75	0	16.35		16.55	0
			16QAM	1	1	16.31		16.65	0
			64QAM	1	1	16.56		16.55	0
			256QAM	1	1	16.60		16.34	0
		CP	QPSK	1	1	16.64		16.29	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							519000		
							2595 MHz		
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1		16.62		0
				1	80		16.64		0
				1	158		16.55		0
				80	0		16.63		0
				80	40		16.61		0
				80	80		16.58		0
				160	0		16.62		0
			QPSK	1	1		16.66		0
				1	80		16.64		0
				1	158		16.55		0
				80	0		16.62		0
				80	40		16.61		0
				80	80		16.59		0
				160	0		16.61		0
			16QAM	1	1		16.51		0
			64QAM	1	1		16.55		0
			256QAM	1	1		16.60		0
		CP	QPSK	1	80		16.61		0

**NR TDD Band n41(PC3,PC2) Conducted Power_ Measured Free(RSI 0),
RCV(RSI 1)_SUB2 [Ant F]**

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	17.20	17.11	17.06	17.06	17.14	0
				1	12	17.34	17.08	17.12	17.08	17.24	0
				1	22	17.26	16.96	17.05	17.08	17.11	0
				12	0	17.24	17.01	17.03	17.04	17.14	0
				12	6	17.27	17.01	17.02	16.99	17.13	0
				12	12	17.24	16.99	17.04	17.01	17.15	0
				24	0	17.25	16.98	17.00	16.73	17.16	0
			QPSK	1	1	17.20	17.05	17.05	16.73	17.13	0
				1	12	17.26	17.03	17.08	16.72	17.18	0
				1	22	17.18	16.94	17.08	16.75	17.18	0
				12	0	17.16	17.04	16.99	16.98	17.15	0
				12	6	17.25	17.01	17.00	16.97	17.14	0
				12	12	17.23	16.98	17.04	17.05	17.18	0
				24	0	17.26	17.00	17.04	17.11	17.14	0
			16QAM	1	1	17.16	17.05	17.03	17.10	17.10	0
			64QAM	1	1	17.19	16.99	16.97	17.03	17.21	0
			256QAM	1	1	17.21	17.01	16.95	16.85	17.07	0
		CP	QPSK	1	1	17.19	17.02	16.97	17.04	17.05	0

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5	2548.32	2592.99	2637.81	2682.48	
						MHz	MHz	MHz	MHz	MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	17.31	17.08	17.09	16.62	17.36	0
				1	18	17.27	16.99	17.02	16.65	17.23	0
				1	36	17.28	17.05	16.70	16.80	17.37	0
				18	0	17.29	16.82	17.03	16.67	17.05	0
				18	9	17.35	16.78	17.00	16.99	17.09	0
				18	18	17.28	16.78	16.77	16.97	17.12	0
				36	0	17.27	17.14	16.76	16.99	17.05	0
			QPSK	1	1	17.28	17.07	16.81	16.96	17.33	0
				1	18	17.23	17.00	16.72	16.96	17.28	0
				1	36	17.31	17.05	16.70	17.08	17.35	0
				18	0	17.33	17.06	17.02	16.97	17.31	0
				18	9	17.30	17.03	16.99	17.02	17.32	0
				18	18	17.32	17.02	17.05	16.97	17.37	0
				36	0	17.28	17.02	17.00	16.99	17.32	0
			16QAM	1	1	17.22	17.15	17.00	17.12	17.33	0
			64QAM	1	1	17.37	17.12	16.86	16.96	17.37	0
			256QAM	1	1	17.32	17.09	17.13	16.86	17.36	0
		CP	QPSK	1	1	17.25	17.07	17.03	16.95	17.33	0

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	17.12	17.14	16.76	16.87	16.90	0
				1	26	17.12	17.07	16.75	16.94	16.94	0
				1	49	17.10	17.08	16.98	17.06	17.31	0
				25	0	17.11	17.10	17.07	16.89	17.27	0
				25	13	16.82	17.02	17.06	16.98	17.24	0
				25	26	16.81	17.05	17.05	16.97	17.30	0
				50	0	16.87	17.05	17.03	16.99	17.23	0
			QPSK	1	1	16.82	17.17	17.08	16.84	17.21	0
				1	26	16.83	17.03	16.97	16.99	17.22	0
				1	49	16.85	17.09	17.02	17.13	17.31	0
				25	0	16.86	17.12	17.02	16.86	17.24	0
				25	13	16.81	17.04	17.02	16.96	17.23	0
				25	26	16.81	17.06	17.06	16.97	17.31	0
				50	0	16.83	17.08	17.03	16.97	17.23	0
			16QAM	1	1	16.83	17.12	17.12	16.90	17.17	0
			64QAM	1	1	16.82	17.17	17.16	16.84	17.30	0
			256QAM	1	1	17.07	16.80	17.17	16.87	17.13	0
		CP	QPSK	1	1	17.11	17.13	17.04	16.81	17.18	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501702	510150	518598	527046	535500	
						2508.51	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	17.14	17.16	17.10	16.87	17.17	0
				1	32	17.21	17.09	17.07	16.97	17.27	0
				1	63	17.16	17.09	16.78	17.07	17.28	0
				32	0	17.15	17.13	17.04	16.83	17.11	0
				32	17	17.19	17.07	17.01	16.95	17.22	0
				32	33	17.14	17.10	17.01	16.95	17.22	0
				64	0	17.17	17.05	17.01	16.92	17.17	0
			QPSK	1	1	17.10	17.18	17.16	16.87	17.17	0
				1	32	17.19	17.11	17.10	16.94	17.22	0
				1	63	17.15	17.10	17.02	17.04	17.31	0
				32	0	17.22	17.15	16.79	16.84	17.12	0
				32	17	17.17	17.12	16.77	16.93	17.19	0
				32	33	17.15	17.13	16.75	16.93	17.25	0
				64	0	17.16	17.07	16.75	16.93	17.22	0
			16QAM	1	1	17.17	17.24	16.88	16.93	17.07	0
			64QAM	1	1	17.14	17.10	16.61	16.92	16.97	0
			256QAM	1	1	17.10	17.22	17.22	16.68	17.16	0
		CP	QPSK	1	1	17.19	17.07	17.05	16.86	17.07	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.25	17.16	17.12	16.74	17.34	0
				1	39	17.33	17.18	17.15	16.90	17.51	0
				1	76	17.25	17.16	17.03	17.25	17.42	0
				36	0	17.22	17.13	17.06	17.04	17.32	0
				36	21	17.21	17.10	17.09	17.10	17.36	0
				36	42	17.19	17.12	17.02	17.13	17.37	0
				75	0	17.19	17.10	17.07	17.05	17.37	0
			QPSK	1	1	17.21	17.23	17.09	17.07	17.34	0
				1	39	17.25	17.06	17.06	17.18	17.45	0
				1	76	17.20	17.16	17.06	17.30	17.37	0
				36	0	17.24	17.17	17.08	17.06	17.11	0
				36	21	17.20	17.15	17.01	17.10	17.12	0
				36	42	17.20	17.11	16.98	17.13	17.13	0
				75	0	17.21	17.06	17.01	17.11	17.07	0
			16QAM	1	1	17.20	17.23	17.20	16.93	16.95	0
			64QAM	1	1	17.19	17.14	17.11	17.11	17.03	0
			256QAM	1	1	17.15	17.07	17.18	17.06	17.10	0
		CP	QPSK	1	1	17.24	17.21	17.17	17.01	17.31	0

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	17.12	17.05		16.92	17.16	0
				1	53	17.13	17.04		16.98	17.29	0
				1	104	16.99	16.92		17.06	17.38	0
				50	0	17.12	17.02		16.92	17.20	0
				50	28	17.08	16.96		16.88	17.22	0
				50	56	17.09	16.92		16.96	17.22	0
				100	0	17.13	17.02		16.86	17.25	0
			QPSK	1	1	17.07	17.02		16.87	17.16	0
				1	53	17.13	16.97		16.92	17.24	0
				1	104	17.03	16.92		17.04	17.28	0
				50	0	17.11	17.03		16.96	17.20	0
				50	28	17.10	16.98		16.89	17.22	0
				50	56	17.08	16.93		16.92	17.22	0
				100	0	17.06	17.00		16.98	17.19	0
			16QAM	1	1	17.08	17.04		16.61	17.08	0
			64QAM	1	1	17.43	16.79		16.75	17.10	0
			256QAM	1	1	17.03	16.69		16.85	17.02	0
		CP	QPSK	1	1	17.08	16.65		16.79	17.05	0

NR TDD Band n41 _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	17.24		17.17		17.21	0
				1	67	17.23		17.00		17.32	0
				1	131	17.15		16.94		17.41	0
				64	0	17.23		17.12		17.24	0
				64	35	17.22		17.04		17.29	0
				64	69	17.13		17.06		17.39	0
				128	0	17.19		16.99		17.33	0
			QPSK	1	1	17.26		17.07		17.22	0
				1	67	17.30		16.97		17.31	0
				1	131	17.25		16.98		17.40	0
				64	0	17.24		17.10		17.21	0
				64	35	17.24		17.01		17.33	0
				64	69	17.15		16.99		17.37	0
				128	0	17.19		17.05		17.35	0
			16QAM	1	1	17.16		16.98		17.10	0
			64QAM	1	1	16.99		17.12		17.27	0
			256QAM	1	1	17.24		17.00		16.85	0
		CP	QPSK	1	1	17.11		16.81		17.14	0

NR TDD Band n41 _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	17.21		16.88		17.01	0
				1	81	17.25		16.79		17.18	0
				1	160	17.09		16.71		17.37	0
				81	0	17.09		16.79		17.12	0
				81	41	17.11		16.76		17.21	0
				81	81	17.06		16.73		17.22	0
				162	0	17.10		16.73		17.20	0
			QPSK	1	1	17.17		16.88		17.01	0
				1	81	17.11		16.70		17.15	0
				1	160	17.09		16.67		17.33	0
				81	0	17.09		16.87		17.14	0
				81	41	17.07		16.76		17.18	0
				81	81	17.07		16.76		17.27	0
				162	0	17.05		16.74		17.14	0
			16QAM	1	1	17.04		17.12		17.20	0
			64QAM	1	1	17.15		16.93		17.22	0
			256QAM	1	1	17.13		17.13		16.92	0
		CP	QPSK	1	1	17.16		17.10		16.93	0

NR TDD Band n41 _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	16.98				16.94	0
				1	81	16.84				16.98	0
				1	160	17.15				17.33	0
				81	0	17.19				16.98	0
				81	41	17.14				16.99	0
				81	81	17.10				16.53	0
				162	0	17.17				16.61	0
			QPSK	1	1	17.25				16.95	0
				1	81	17.14				16.96	0
				1	160	17.15				17.37	0
				81	0	17.20				16.91	0
				81	41	17.17				16.99	0
				81	81	17.09				17.10	0
				162	0	17.21				16.77	0
			16QAM	1	1	17.33				16.66	0
			64QAM	1	1	17.38				16.51	0
			256QAM	1	1	17.24				16.68	0
		CP	QPSK	1	1	17.24				16.90	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
				MHz					MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1	17.46				16.66	0
				1	109	16.97				17.12	0
				1	215	16.64				17.15	0
				108	0	17.14				16.67	0
				108	55	16.98				16.61	0
				108	109	17.07				17.23	0
				216	0	16.96				17.19	0
			QPSK	1	1	17.39				16.65	0
				1	109	17.04				16.77	0
				1	215	16.71				16.92	0
				108	0	17.13				16.99	0
				108	55	17.11				17.12	0
				108	109	17.04				17.24	0
				216	0	17.00				17.21	0
			16QAM	1	1	17.35				16.65	0
			64QAM	1	1	17.46				16.59	0
			256QAM	1	1	17.48				16.56	0
		CP	QPSK	1	1	17.43				16.63	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						508200					528996	
						2541 MHz					2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	17.65				16.74	0	
				1	123	17.16				17.22	0	
				1	243	16.67				17.16	0	
				120	0	17.25				16.85	0	
				120	63	16.90				16.96	0	
				120	125	16.79				17.33	0	
			QPSK	243	0	16.88				17.24	0	
				1	1	17.35				16.76	0	
				1	123	16.89				17.22	0	
				1	243	16.59				17.40	0	
				120	0	16.92				17.08	0	
				120	63	16.90				17.25	0	
			16QAM	120	125	16.83				17.33	0	
				243	0	16.87				17.22	0	
				1	1	17.36				16.73	0	
				64QAM	1	1	17.30				16.75	0
				256QAM	1	1	17.55				16.50	0
		CP	QPSK	1	1	17.59				16.75	0	

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			17.34		0
				1	137			16.99		0
				1	271			17.20		0
				135	0			16.61		0
				135	69			17.04		0
				135	138			16.87		0
				270	0			17.08		0
			QPSK	1	1			17.35		0
				1	137			17.36		0
				1	271			17.21		0
				135	0			16.87		0
				135	69			16.88		0
				135	138			16.71		0
				270	0			16.77		0
			16QAM	1	1			17.05		0
			64QAM	1	1			17.33		0
			256QAM	1	1			17.53		0
		CP	QPSK	1	1			17.31		0

NR TDD Band n48 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1) _ SUB2

[Ant F]

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.62	15.89	15.84	15.87	0
				1	12	15.60	16.00	15.86	15.94	0
				1	22	15.54	15.98	15.81	15.95	0
				12	0	15.56	15.92	15.76	15.86	0
				12	6	15.51	15.91	15.75	15.87	0
				12	12	15.47	15.97	15.73	15.89	0
				24	0	15.52	15.94	15.79	15.94	0
			QPSK	1	1	15.61	15.86	15.79	15.83	0
				1	12	15.58	15.96	15.90	15.91	0
				1	22	15.53	16.01	15.78	15.96	0
				12	0	15.55	15.87	15.80	15.85	0
				12	6	15.54	15.93	15.82	15.85	0
				12	12	15.50	15.95	15.72	15.94	0
				24	0	15.53	15.92	15.34	15.85	0
			16QAM	1	1	15.67	15.87	15.40	15.81	0
			64QAM	1	1	15.47	15.80	15.45	15.77	0
			256QAM	1	1	15.60	15.79	15.76	15.78	0
		CP	QPSK	1	1	15.49	15.87	15.38	15.81	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.64	15.91	15.78	15.89	0
				1	18	15.51	15.91	15.69	15.99	0
				1	36	16.01	16.03	15.69	15.97	0
				18	0	15.58	15.88	15.78	15.87	0
				18	9	15.56	15.97	15.74	15.84	0
				18	18	15.52	15.99	15.78	15.95	0
				36	0	15.56	15.92	15.77	15.92	0
			QPSK	1	1	15.64	15.84	15.85	15.85	0
				1	18	15.46	15.89	15.77	15.91	0
				1	36	15.56	16.09	15.77	15.98	0
				18	0	15.61	15.88	15.76	15.81	0
				18	9	15.57	15.91	15.73	15.92	0
				18	18	15.54	15.98	15.74	15.95	0
				36	0	15.53	15.93	15.77	15.90	0
			16QAM	1	1	15.62	15.90	15.67	15.85	0
			64QAM	1	1	15.70	15.90	15.68	15.78	0
			256QAM	1	1	15.67	15.86	15.81	15.77	0
		CP	QPSK	1	1	15.66	15.87	15.78	15.87	0

NR TDD Band n48_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.70	15.92	15.29	15.87	0
				1	26	15.53	15.95	15.26	15.98	0
				1	49	15.58	16.11	15.30	15.91	0
				25	0	15.59	15.87	15.30	15.90	0
				25	13	15.57	15.98	15.25	15.85	0
				25	26	15.53	15.67	15.26	15.91	0
				50	0	15.54	15.90	15.26	15.92	0
			QPSK	1	1	15.72	15.93	15.35	15.85	0
				1	26	15.57	15.97	15.26	15.92	0
				1	49	15.59	16.13	15.28	15.93	0
				25	0	15.62	15.89	15.28	15.80	0
				25	13	15.53	15.95	15.25	15.87	0
				25	26	15.54	16.07	15.25	15.92	0
				50	0	15.55	15.96	15.28	15.87	0
			16QAM	1	1	15.74	15.82	15.32	15.83	0
			64QAM	1	1	15.70	15.87	15.42	15.78	0
			256QAM	1	1	15.65	15.81	15.93	15.71	0
		CP	QPSK	1	1	15.73	15.85	15.73	15.81	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.59	15.71	15.88	15.89	0
				1	32	15.44	15.76	15.71	16.00	0
				1	63	15.45	15.91	15.71	15.92	0
				32	0	15.46	15.67	15.76	15.88	0
				32	17	15.41	15.74	15.70	15.91	0
				32	33	15.39	15.84	15.69	15.92	0
				64	0	15.41	15.73	15.74	15.89	0
				1	1	15.55	15.66	15.91	15.81	0
			QPSK	1	32	15.43	15.74	15.74	15.95	0
				1	63	15.53	15.88	15.71	15.96	0
				32	0	15.50	15.66	15.81	15.82	0
				32	17	15.40	15.71	15.73	15.90	0
				32	33	15.40	15.81	15.67	15.90	0
				64	0	15.43	15.72	15.71	15.85	0
			16QAM	1	1	15.51	15.54	15.87	15.84	0
			64QAM	1	1	15.52	15.67	15.77	15.76	0
			256QAM	1	1	15.61	15.56	15.91	15.77	0
		CP	QPSK	1	1	15.62	15.20	15.91	15.81	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.72	16.06		15.87	0
				1	53	15.60	16.19		15.96	0
				1	104	15.74	15.95		15.96	0
				50	0	15.56	16.10		15.92	0
				50	28	15.53	16.08		15.85	0
				50	56	15.62	16.03		15.90	0
				100	0	15.56	16.10		15.92	0
			QPSK	1	1	15.78	16.05		15.82	0
				1	53	15.57	16.19		15.94	0
				1	104	15.86	15.90		16.01	0
				50	0	15.56	16.06		15.81	0
				50	28	15.55	16.09		15.90	0
				50	56	15.65	16.02		15.87	0
				100	0	15.55	16.10		15.90	0
			16QAM	1	1	15.70	15.96		15.83	0
			64QAM	1	1	16.00	15.88		15.78	0
			256QAM	1	1	15.67	16.14		15.73	0
		CP	QPSK	1	1	15.63	15.98		15.83	0

NR FDD Band n66 Conducted Power_ Measured Free (RSI 0), RCV(RSI 1)_

SUB2 [Ant F]

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.57	16.99	16.56	0
				1	13	17.46	16.74	16.49	0
				1	23	17.57	16.95	16.52	0
				12	0	17.59	17.01	16.51	0
				12	7	17.62	16.92	16.51	0
				12	13	17.60	16.95	16.56	0
				25	0	17.62	16.94	16.55	0
			QPSK	1	1	17.61	17.01	16.47	0
				1	13	17.54	16.79	16.46	0
				1	23	17.57	16.88	16.61	0
				12	0	17.54	16.98	16.54	0
				12	7	17.61	16.91	16.57	0
				12	13	17.62	16.90	16.57	0
				25	0	17.58	16.99	16.59	0
			16QAM	1	1	17.58	17.05	16.57	0
			64QAM	1	1	17.72	17.06	16.51	0
			256QAM	1	1	17.60	16.96	16.50	0
		CP	QPSK	1	1	17.61	17.00	16.49	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.58	16.93	16.61	0
				1	26	17.71	16.92	16.71	0
				1	50	17.51	16.75	16.53	0
				25	0	17.64	17.02	16.61	0
				25	14	17.55	16.97	16.55	0
				25	27	17.55	16.87	16.53	0
				50	0	17.57	16.93	16.55	0
			QPSK	1	1	17.59	17.04	16.55	0
				1	26	17.62	17.01	16.64	0
				1	50	17.53	16.76	16.48	0
				25	0	17.61	17.02	16.65	0
				25	14	17.57	16.90	16.64	0
				25	27	17.58	16.89	16.56	0
				50	0	17.61	16.98	16.56	0
			16QAM	1	1	17.67	17.04	16.59	0
			64QAM	1	1	17.77	16.89	16.77	0
			256QAM	1	1	17.47	16.91	16.63	0
		CP	QPSK	1	1	17.63	16.96	16.67	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.61	17.04	16.70	0
				1	40	17.41	16.71	16.60	0
				1	77	17.39	16.68	16.55	0
				36	0	17.67	16.97	16.63	0
				36	22	17.58	16.92	16.51	0
				36	43	17.45	16.85	16.42	0
				75	0	17.58	16.94	16.55	0
			QPSK	1	1	17.57	17.03	16.67	0
				1	40	17.46	16.72	16.48	0
				1	77	17.44	16.72	16.54	0
				36	0	17.62	16.97	16.61	0
				36	22	17.53	16.91	16.53	0
				36	43	17.50	16.87	16.45	0
				75	0	17.53	16.90	16.56	0
			16QAM	1	1	17.73	17.09	16.65	0
			64QAM	1	1	17.69	17.20	16.71	0
			256QAM	1	1	17.72	17.07	16.78	0
		CP	QPSK	1	1	17.62	17.05	16.60	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.52	17.06	16.64	0
				1	53	17.53	16.97	16.72	0
				1	104	17.35	16.71	16.47	0
				50	0	17.50	17.04	16.68	0
				50	28	17.48	16.92	16.65	0
				50	56	17.48	16.86	16.56	0
				100	0	17.49	16.92	16.63	0
			QPSK	1	1	17.62	17.08	16.63	0
				1	53	17.55	16.90	16.72	0
				1	104	17.35	16.78	16.55	0
				50	0	17.54	17.04	16.66	0
				50	28	17.44	16.95	16.71	0
				50	56	17.49	16.80	16.54	0
				100	0	17.47	16.91	16.65	0
			16QAM	1	1	17.57	17.22	16.46	0
			64QAM	1	1	17.63	17.13	16.78	0
			256QAM	1	1	17.65	17.20	16.58	0
		CP	QPSK	1	1	17.59	17.09	16.57	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.50	17.16	16.72	0
				1	66	17.73	17.20	16.70	0
				1	131	17.16	16.55	16.59	0
				64	0	17.42	17.10	16.60	0
				64	35	17.45	16.94	16.66	0
				64	69	17.35	16.78	16.62	0
			QPSK	128	0	17.47	16.92	16.65	0
				1	1	17.58	17.22	16.63	0
				1	66	17.48	16.94	16.76	0
				1	131	17.19	16.59	16.53	0
				64	0	17.43	17.11	16.70	0
				64	35	17.50	16.92	16.67	0
				64	69	17.28	16.73	16.56	0
				128	0	17.44	16.92	16.66	0
			16QAM	1	1	17.51	17.13	16.85	0
			64QAM	1	1	17.47	17.24	16.80	0
			256QAM	1	1	17.55	17.25	16.67	0
		CP	QPSK	1	1	17.57	17.25	16.65	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.17	0
				1	80	16.89	0
				1	158	16.67	0
				80	0	17.11	0
				80	40	16.92	0
				80	80	16.70	0
			QPSK	160	0	16.94	0
				1	1	17.24	0
				1	80	16.97	0
				1	158	16.75	0
				80	0	17.13	0
				80	40	16.89	0
				80	80	16.73	0
				160	0	16.87	0
			16QAM	1	1	17.22	0
			64QAM	1	1	17.28	0
			256QAM	1	1	17.12	0
		CP	QPSK	1	1	17.33	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.33	0
				1	98	16.91	0
				1	186	16.73	0
				90	0	17.10	0
				90	45	16.93	0
				90	90	16.71	0
				180	0	16.99	0
			QPSK	1	1	17.36	0
				1	98	16.87	0
				1	186	16.73	0
				90	0	17.10	0
				90	45	17.00	0
				90	90	16.72	0
				180	0	16.97	0
			16QAM	1	1	17.37	0
			64QAM	1	1	17.42	0
			256QAM	1	1	17.37	0
		CP	QPSK	1	1	17.31	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.34	0
				1	108	16.90	0
				1	214	16.71	0
				108	0	17.13	0
				108	54	16.93	0
				108	108	16.73	0
				216	0	16.90	0
			QPSK	1	1	17.44	0
				1	108	17.00	0
				1	214	17.01	0
				108	0	17.14	0
				108	54	17.02	0
				108	108	17.07	0
				216	0	17.06	0
			16QAM	1	1	17.55	0
			64QAM	1	1	17.50	0
			256QAM	1	1	17.48	0
		CP	QPSK	1	1	17.51	0

NR FDD Band n70 Conducted Power_ Measured Free(RSI 0), RCV(RSI 1) _

SUB2 [Ant F]

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.60	17.52	17.71	0
				1	13	17.77	17.98	17.97	0
				1	23	17.70	17.73	17.78	0
				12	0	17.65	17.69	17.72	0
				12	7	17.72	17.69	17.82	0
				12	13	17.70	17.77	17.81	0
				25	0	17.63	17.73	17.81	0
			QPSK	1	1	17.56	17.52	17.77	0
				1	13	17.78	17.80	17.82	0
				1	23	17.70	17.74	17.74	0
				12	0	17.66	17.72	17.77	0
				12	7	17.66	17.69	17.81	0
				12	13	17.70	17.83	17.79	0
				25	0	17.72	17.72	17.83	0
			16QAM	1	1	17.69	17.53	17.84	0
			64QAM	1	1	17.67	17.54	17.83	0
			256QAM	1	1	17.66	17.49	17.67	0
		CP	QPSK	1	1	17.71	17.64	17.73	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.59	17.52	17.70	0
				1	26	17.79	17.98	17.95	0
				1	50	17.71	17.72	17.79	0
				25	0	17.63	17.72	17.77	0
				25	14	17.68	17.70	17.82	0
				25	27	17.70	17.80	17.83	0
			QPSK	50	0	17.64	17.72	17.81	0
				1	1	17.58	17.56	17.78	0
				1	26	17.81	17.81	17.83	0
				1	50	17.73	17.75	17.76	0
				25	0	17.67	17.70	17.74	0
				25	14	17.70	17.71	17.84	0
				25	27	17.74	17.81	17.82	0
				50	0	17.71	17.72	17.84	0
			16QAM	1	1	17.67	17.54	17.82	0
			64QAM	1	1	17.66	17.54	17.85	0
			256QAM	1	1	17.63	17.49	17.65	0
		CP	QPSK	1	1	17.66	17.63	17.73	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.80	0
				1	40	17.92	0
				1	77	17.91	0
				36	0	17.82	0
				36	22	17.95	0
				36	43	17.96	0
			QPSK	75	0	17.94	0
				1	1	17.82	0
				1	40	17.90	0
				1	77	17.99	0
				36	0	17.85	0
				36	22	17.92	0
				36	43	17.98	0
				75	0	17.96	0
			16QAM	1	1	17.85	0
			64QAM	1	1	17.91	0
			256QAM	1	1	17.77	0
		CP	QPSK	1	1	17.81	0

NR FDD Band n71 Conducted Power_ Measured Free (RSI 0),RCV(RSI 1) _

SUB1 [Ant E]

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.65	20.34	20.16	0
				1	13	20.48	20.24	20.02	0
				1	23	20.62	20.30	20.02	0
				12	0	20.64	20.37	20.11	0
				12	7	20.63	20.40	20.08	0
				12	13	20.58	20.39	20.13	0
				25	0	20.63	20.33	20.14	0
			QPSK	1	1	20.58	20.38	20.15	0
				1	13	20.52	20.27	19.97	0
				1	23	20.61	20.28	20.09	0
				12	0	20.66	20.39	20.18	0
				12	7	20.62	20.39	20.16	0
				12	13	20.58	20.37	20.10	0
				25	0	20.60	20.37	20.12	0
			16QAM	1	1	20.57	20.48	20.07	0
			64QAM	1	1	20.69	20.39	20.14	0
			256QAM	1	1	20.54	20.39	20.10	0
		CP	QPSK	1	1	20.60	20.30	20.10	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.60	20.49	20.27	0
				1	26	20.74	20.49	20.27	0
				1	50	20.45	20.36	20.09	0
				25	0	20.60	20.44	20.16	0
				25	14	20.53	20.35	20.12	0
				25	27	20.58	20.30	20.12	0
				50	0	20.56	20.37	20.13	0
			QPSK	1	1	20.63	20.41	20.16	0
				1	26	20.61	20.40	20.07	0
				1	50	20.50	20.37	20.11	0
				25	0	20.58	20.43	20.15	0
				25	14	20.61	20.37	20.13	0
				25	27	20.54	20.35	20.11	0
				50	0	20.54	20.40	20.12	0
			16QAM	1	1	20.68	20.47	20.29	0
			64QAM	1	1	20.65	20.40	20.20	0
			256QAM	1	1	20.61	20.39	20.16	0
		CP	QPSK	1	1	20.53	20.42	20.21	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.47		0
				1	40	20.27		0
				1	77	20.24		0
				36	0	20.41		0
				36	22	20.35		0
				36	43	20.30		0
				75	0	20.37		0
			QPSK	1	1	20.45		0
				1	40	20.26		0
				1	77	20.27		0
				36	0	20.43		0
				36	22	20.39		0
				36	43	20.32		0
				75	0	20.42		0
			16QAM	1	1	20.56		0
			64QAM	1	1	20.66		0
			256QAM	1	1	20.45		0
		CP	QPSK	1	1	20.38		0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
						136100		
						680.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.55		0
				1	53	20.46		0
				1	104	20.26		0
				50	0	20.45		0
				50	28	20.34		0
				50	56	20.30		0
				100	0	20.41		0
			QPSK	1	1	20.52		0
				1	53	20.36		0
				1	104	20.24		0
				50	0	20.41		0
				50	28	20.39		0
				50	56	20.32		0
				100	0	20.42		0
			16QAM	1	1	20.49		0
			64QAM	1	1	20.79		0
			256QAM	1	1	20.44		0
		CP	QPSK	1	1	20.33		0

NR TDD Band n77(PC3,PC2) Conducted Power_ Measured Free (RSI 0) _ SUB2

[Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705	3759	3813	3867	3921	3975	
						MHz	MHz	MHz	MHz	MHz	MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07	14.18	14.38	14.07	14.19	14.36	0
				1	12	14.18	14.19	14.33	14.20	14.22	14.36	0
				1	22	14.04	14.17	14.32	14.11	14.18	14.32	0
				12	0	14.02	14.11	14.26	14.05	14.15	14.27	0
				12	6	14.03	14.11	14.22	14.05	14.15	14.26	0
				12	12	14.08	14.14	14.25	14.08	14.14	14.26	0
			24	0	14.06	14.17	14.27	14.07	14.20	14.29	0	
			QPSK	1	1	14.01	14.10	14.29	14.01	14.10	14.28	0
				1	12	14.14	14.10	14.31	14.17	14.14	14.38	0
				1	22	14.11	14.23	14.25	14.16	14.25	14.27	0
				12	0	14.01	14.15	14.26	13.99	14.21	14.29	0
				12	6	14.04	14.16	14.27	14.08	14.22	14.29	0
				12	12	14.04	14.13	14.28	14.10	14.09	14.29	0
				24	0	14.00	14.10	14.32	14.01	14.15	14.35	0
				16QAM	1	1	13.89	14.02	14.22	13.96	14.08	14.25
			64QAM	1	1	13.97	14.07	14.35	14.03	14.08	14.40	0
			256QAM	1	1	14.04	14.11	14.38	14.05	14.10	14.42	0
		CP	QPSK	1	1	14.03	14.10	14.31	14.03	14.16	14.30	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	14.20	14.29	14.09	14.24	14.30	0	
				1	18	13.96	14.12	14.13	13.98	14.13	14.15	0	
				1	36	14.06	14.27	14.22	14.08	14.31	14.25	0	
				18	0	14.03	14.18	14.34	14.06	14.23	14.34	0	
				18	9	14.11	14.23	14.26	14.12	14.24	14.23	0	
				18	18	14.12	14.15	14.20	14.17	14.19	14.28	0	
			QPSK	36	0	14.11	14.22	14.28	14.10	14.22	14.32	0	
				1	1	14.04	14.13	14.41	14.09	14.18	14.41	0	
				1	18	14.02	14.10	14.23	14.10	14.14	14.27	0	
				1	36	14.08	14.23	14.25	14.09	14.28	14.28	0	
				18	0	14.07	14.18	14.33	14.12	14.19	14.36	0	
				18	9	14.11	14.16	14.23	14.14	14.17	14.24	0	
				18	18	13.78	14.16	14.26	13.84	14.21	14.31	0	
				36	0	13.75	14.17	14.26	13.81	14.17	14.26	0	
				16QAM	1	1	13.74	14.23	14.41	13.74	14.24	14.45	0
				64QAM	1	1	13.79	14.12	14.56	13.78	14.19	14.56	0
			256QAM	1	1	14.10	14.14	14.32	14.10	14.16	14.33	0	
			CP	QPSK	1	1	14.07	14.18	14.38	14.09	14.21	14.38	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.10	14.11	14.39	14.12	14.14	14.42	0
				1	26	14.13	14.20	14.25	14.15	14.23	14.29	0
				1	49	14.06	14.26	14.16	14.06	14.29	14.19	0
				25	0	14.14	14.22	14.34	14.15	14.19	14.34	0
				25	13	14.15	14.19	14.30	14.21	14.21	14.30	0
				25	26	14.12	14.31	14.22	14.18	14.31	14.24	0
			QPSK	50	0	14.13	14.26	14.32	14.15	14.31	14.35	0
				1	1	14.13	14.13	14.41	14.18	14.12	14.48	0
				1	26	14.18	14.18	14.30	14.23	14.23	14.27	0
				1	49	14.12	14.34	14.21	14.16	14.34	14.25	0
				25	0	14.14	14.22	14.37	14.18	14.23	14.36	0
				25	13	14.16	14.21	14.24	14.16	14.21	14.28	0
				25	26	14.09	14.23	14.23	14.12	14.25	14.23	0
				50	0	14.22	14.22	14.37	14.23	14.22	14.39	0
			16QAM	1	1	14.14	14.21	14.42	14.18	14.24	14.44	0
			64QAM	1	1	14.16	14.13	14.40	14.15	14.19	14.45	0
			256QAM	1	1	13.71	14.18	14.32	13.73	14.16	14.37	0
		CP	QPSK	1	1	14.06	14.13	14.42	14.10	14.14	14.45	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.24	14.28	14.46	14.30	14.27	14.48	0
				1	32	14.29	14.33	14.33	14.34	14.37	14.42	0
				1	63	14.12	14.37	14.16	14.15	14.42	14.17	0
				32	0	14.26	14.25	14.44	14.25	14.27	14.43	0
				32	17	14.19	14.27	14.33	14.17	14.25	14.42	0
				32	33	14.17	14.32	14.18	14.21	14.33	14.21	0
			QPSK	64	0	14.17	14.21	14.30	14.19	14.24	14.29	0
				1	1	14.16	14.05	14.47	14.16	14.08	14.50	0
				1	32	14.22	14.17	14.34	14.24	14.21	14.39	0
				1	63	14.12	14.22	14.12	14.10	14.24	14.13	0
				32	0	14.20	14.30	14.37	14.24	14.32	14.40	0
				32	17	14.12	14.29	14.33	14.13	14.30	14.35	0
				32	33	14.10	14.30	14.15	14.13	14.31	14.21	0
				64	0	14.21	14.28	14.37	14.21	14.29	14.39	0
			16QAM	1	1	14.36	14.18	14.42	14.39	14.27	14.40	0
			64QAM	1	1	14.10	14.14	14.48	14.11	14.15	14.47	0
			256QAM	1	1	14.21	14.19	14.38	14.19	14.19	14.37	0
		CP	QPSK	1	1	14.19	14.20	14.51	14.18	14.21	14.54	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.94	13.93	13.88	13.97	13.98	13.89	0
				1	39	14.05	14.02	14.28	14.07	14.04	14.28	0
				1	76	13.89	14.31	14.07	13.94	14.32	14.13	0
				36	0	13.96	14.07	14.16	14.02	14.08	14.16	0
				36	21	13.97	14.01	14.07	13.97	14.05	14.09	0
				36	42	13.91	14.17	14.05	13.92	14.19	14.10	0
			QPSK	75	0	13.95	14.08	14.15	13.95	14.08	14.16	0
				1	1	13.87	13.92	14.16	13.94	13.96	14.18	0
				1	39	14.08	14.08	14.13	14.09	14.11	14.16	0
				1	76	13.96	14.20	14.00	13.99	14.24	14.09	0
				36	0	13.89	14.03	14.20	13.88	14.04	14.19	0
				36	21	13.92	14.07	14.11	13.98	14.10	14.10	0
				36	42	13.96	14.20	14.08	13.99	14.24	14.11	0
				75	0	14.04	14.02	14.14	14.06	14.10	14.17	0
			16QAM	1	1	13.89	13.92	14.23	13.89	13.98	14.24	0
			64QAM	1	1	13.97	13.91	14.13	13.97	13.95	14.16	0
			256QAM	1	1	13.92	13.88	14.11	13.91	13.94	14.14	0
		CP	QPSK	1	1	13.93	13.99	14.14	13.95	13.99	14.20	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.08	14.10	14.20	14.08	14.16	14.22	0
				1	53	13.91	14.07	14.12	13.96	14.11	14.14	0
				1	104	13.87	14.30	14.08	13.91	14.32	14.14	0
				50	0	14.02	13.98	14.18	14.06	13.98	14.21	0
				50	28	13.94	14.11	14.01	13.98	14.12	14.06	0
				50	56	13.86	14.19	13.97	13.88	14.20	14.02	0
			QPSK	100	0	13.95	14.05	14.08	13.96	14.11	14.08	0
				1	1	13.96	13.91	14.08	13.98	13.91	14.12	0
				1	53	13.91	14.12	14.10	13.91	14.15	14.13	0
				1	104	13.91	14.26	13.99	13.92	14.29	14.03	0
				50	0	13.68	14.06	14.10	13.72	14.03	14.15	0
				50	28	13.62	14.05	14.04	13.58	14.09	14.02	0
				50	56	13.52	14.21	13.96	13.57	14.29	13.99	0
				100	0	13.54	14.05	14.14	13.59	14.08	14.13	0
			16QAM	1	1	13.61	14.04	14.12	13.66	14.07	14.12	0
			64QAM	1	1	13.60	13.96	14.12	13.66	13.98	14.12	0
			256QAM	1	1	14.10	14.03	13.94	14.12	14.01	13.93	0
		CP	QPSK	1	1	14.00	13.91	14.25	13.96	13.92	14.27	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.88	14.06	13.95		14.07	14.01	0
				1	67	13.87	14.23	13.94		14.25	13.92	0
				1	131	14.11	14.23	13.73		14.25	13.74	0
				64	0	13.96	14.20	14.03		14.17	14.04	0
				64	35	13.92	14.27	13.92		14.29	13.95	0
				64	69	13.96	14.27	14.04		14.31	14.02	0
			QPSK	128	0	13.94	14.25	13.95		14.34	13.93	0
				1	1	13.83	14.15	14.10		14.18	14.15	0
				1	67	13.83	14.24	13.86		14.25	13.87	0
				1	131	14.00	14.30	13.76		14.33	13.80	0
				64	0	13.91	14.20	14.05		14.27	14.12	0
				64	35	13.86	14.28	13.95		14.30	13.96	0
				64	69	13.93	14.27	13.98		14.29	14.04	0
				128	0	13.87	14.26	13.93		14.31	13.94	0
			16QAM	1	1	13.79	14.13	14.36		14.13	14.38	0
			64QAM	1	1	14.01	14.02	14.13		14.04	14.11	0
			256QAM	1	1	13.81	14.28	14.23		14.31	14.20	0
		CP	QPSK	1	1	13.97	14.17	14.20		14.17	14.20	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.94	14.37			13.96	14.38	0
				1	81	13.94	14.31			13.95	14.33	0
				1	160	14.06	14.02			14.05	14.05	0
				81	0	14.03	14.30			14.05	14.34	0
				81	41	13.92	14.24			13.93	14.24	0
				81	81	13.96	14.05			13.94	14.12	0
			QPSK	162	0	13.94	14.21			13.98	14.28	0
				1	1	14.03	14.28			14.09	14.27	0
				1	81	13.94	14.39			13.94	14.40	0
				1	160	14.13	14.00			14.14	14.03	0
				81	0	14.01	14.39			14.08	14.38	0
				81	41	13.93	14.22			13.94	14.23	0
				81	81	14.03	14.09			13.99	14.11	0
				162	0	13.93	14.25			13.97	14.27	0
			16QAM	1	1	14.13	14.31			14.16	14.34	0
			64QAM	1	1	13.82	13.98			13.82	13.99	0
			256QAM	1	1	13.89	14.41			13.91	14.44	0
		CP	QPSK	1	1	14.09	14.31			14.09	14.33	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750	3804.99			3875.01	3945	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.86	14.37			13.92	14.41	0
				1	95	13.90	14.25			13.93	14.24	0
				1	187	14.23	13.93			14.28	13.96	0
				90	0	13.90	14.36			13.91	14.41	0
				90	50	13.89	14.20			13.90	14.18	0
				90	99	14.08	13.97			14.14	14.02	0
			QPSK	180	0	13.84	14.30			13.87	14.33	0
				1	1	13.94	14.27			13.98	14.30	0
				1	95	13.85	14.21			13.81	14.21	0
				1	187	14.17	13.95			14.22	13.96	0
				90	0	13.91	14.33			13.98	14.37	0
				90	50	13.87	14.22			13.91	14.26	0
				90	99	14.10	14.06			14.12	14.09	0
				180	0	13.92	14.27			13.88	14.34	0
			16QAM	1	1	13.94	14.24			13.97	14.26	0
			64QAM	1	1	13.88	14.36			13.92	14.40	0
			256QAM	1	1	13.94	14.41			13.98	14.41	0
		CP	QPSK	1	1	13.92	14.28			13.92	14.35	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01		3840		3939.99		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.96		13.72		13.71		0
				1	109	13.92		13.93		13.98		0
				1	215	13.96		13.45		13.51		0
				108	0	14.04		14.10		14.12		0
				108	55	13.97		13.94		13.97		0
				108	109	14.06		13.85		13.85		0
				216	0	13.97		13.95		13.94		0
			QPSK	1	1	13.43		13.70		13.71		0
				1	109	13.93		13.85		13.88		0
				1	215	13.98		13.32		13.39		0
				108	0	13.98		14.16		14.18		0
				108	55	13.96		13.96		13.94		0
				108	109	14.12		13.79		13.79		0
				216	0	13.95		13.94		13.99		0
			16QAM	1	1	13.47		13.75		13.81		0
			64QAM	1	1	13.50		13.83		13.89		0
			256QAM	1	1	13.44		13.67		13.69		0
		CP	QPSK	1	1	13.45		13.75		13.78		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.00		13.97		13.98	0
				1	123	13.89		13.89		13.92	0
				1	243	14.21		13.44		13.46	0
				120	0	13.89		14.15		14.19	0
				120	63	13.89		13.92		13.95	0
				120	125	14.22		13.85		13.84	0
			QPSK	243	0	13.96		13.93		13.95	0
				1	1	13.38		13.80		13.80	0
				1	123	13.93		13.88		13.91	0
				1	243	14.14		13.40		13.43	0
				120	0	13.87		14.16		14.21	0
				120	63	13.92		13.96		13.95	0
				120	125	14.25		13.81		13.84	0
				243	0	14.00		13.93		14.00	0
			16QAM	1	1	13.38		13.85		13.84	0
			64QAM	1	1	13.39		13.78		13.84	0
			256QAM	1	1	13.38		13.85		13.91	0
		CP	QPSK	1	1	13.38		13.89		13.87	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.01				13.98	0
				1	137	14.00				13.84	0
				1	271	13.84				14.02	0
				135	0	13.97				13.97	0
				135	69	14.00				14.23	0
				135	138	14.22				14.09	0
			QPSK	270	0	14.09				13.63	0
				1	1	13.61				13.98	0
				1	137	14.10				14.04	0
				1	271	13.88				14.02	0
				135	0	14.01				13.96	0
				135	69	14.14				14.10	0
				135	138	14.07				14.06	0
				270	0	14.09				14.10	0
			16QAM	1	1	13.43				13.59	0
			64QAM	1	1	13.57				13.55	0
			256QAM	1	1	13.53				13.61	0
		CP	QPSK	1	1	13.57				13.59	0

NR TDD Band n77 DoD(PC3, PC2) Conducted Power_ Measured Free(RSI 0)_

SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.72	14.12	13.90	0
				1	12	13.84	14.24	14.17	0
				1	22	13.81	14.20	14.06	0
				12	0	13.64	14.12	13.91	0
				12	6	13.72	14.11	14.04	0
				12	12	13.76	13.95	14.09	0
				24	0	13.71	14.12	13.98	0
			QPSK	1	1	13.73	14.12	13.90	0
				1	12	13.83	14.15	14.00	0
				1	22	13.82	14.07	14.08	0
				12	0	13.66	14.10	13.58	0
				12	6	13.74	14.07	13.66	0
				12	12	13.79	14.12	13.71	0
				24	0	13.74	14.09	13.71	0
			16QAM	1	1	13.62	14.15	13.62	0
			64QAM	1	1	13.59	14.10	14.00	0
			256QAM	1	1	13.63	14.14	13.89	0
		CP	QPSK	1	1	13.62	13.84	13.94	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.76	14.08	13.72	0
				1	18	13.79	14.06	13.90	0
				1	36	13.94	14.21	14.04	0
				18	0	13.81	14.11	13.76	0
				18	9	13.85	14.12	13.85	0
				18	18	13.84	14.17	14.03	0
				36	0	13.86	14.08	13.88	0
			QPSK	1	1	13.76	14.12	13.70	0
				1	18	13.79	14.06	13.83	0
				1	36	13.89	14.15	14.07	0
				18	0	13.71	14.10	13.79	0
				18	9	13.85	14.09	13.90	0
				18	18	13.89	14.13	13.97	0
				36	0	13.86	14.11	13.84	0
			16QAM	1	1	13.73	14.09	13.74	0
			64QAM	1	1	13.60	14.16	13.72	0
			256QAM	1	1	13.73	14.10	13.63	0
		CP	QPSK	1	1	13.76	14.20	13.64	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.81	14.08	13.43	0
				1	26	13.92	14.13	13.75	0
				1	49	13.93	14.19	13.95	0
				25	0	13.85	14.12	13.58	0
				25	13	13.95	14.11	13.76	0
				25	26	13.60	14.14	13.95	0
				50	0	13.60	14.10	13.76	0
			QPSK	1	1	13.55	14.15	13.46	0
				1	26	13.52	14.02	13.72	0
				1	49	13.57	14.17	14.05	0
				25	0	13.92	14.11	13.59	0
				25	13	13.95	14.15	13.75	0
				25	26	14.01	14.09	13.88	0
				50	0	13.96	14.08	13.75	0
			16QAM	1	1	13.51	14.15	13.54	0
			64QAM	1	1	13.53	14.08	13.46	0
			256QAM	1	1	13.55	13.49	13.45	0
		CP	QPSK	1	1	13.43	14.07	13.43	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.62	13.67	13.82	0
				1	26	13.69	13.75	14.21	0
				1	49	13.62	13.85	14.55	0
				25	0	13.55	13.75	13.94	0
				25	13	13.58	13.67	14.18	0
				25	26	13.64	13.77	14.42	0
				50	0	13.57	13.73	14.19	0
			QPSK	1	1	13.48	13.72	13.89	0
				1	26	13.54	13.71	14.13	0
				1	49	13.62	13.74	14.58	0
				25	0	13.61	13.71	14.02	0
				25	13	13.58	13.64	14.18	0
				25	26	13.60	13.78	14.41	0
				50	0	13.63	13.66	14.15	0
			16QAM	1	1	13.59	13.70	13.81	0
			64QAM	1	1	13.58	13.67	13.90	0
			256QAM	1	1	13.55	13.71	13.85	0
		CP	QPSK	1	1	13.44	13.74	13.91	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	14.11	14.04	0
				1	39	13.93	14.09	14.42	0
				1	76	13.98	14.21	14.77	0
				36	0	13.71	14.05	14.13	0
				36	21	13.86	14.11	14.32	0
				36	42	13.92	14.19	14.54	0
				75	0	13.87	14.08	14.33	0
			QPSK	1	1	13.67	14.09	14.15	0
				1	39	13.85	14.07	14.38	0
				1	76	14.04	14.21	14.76	0
				36	0	13.76	14.12	14.11	0
				36	21	13.87	14.04	14.31	0
				36	42	13.94	14.12	14.54	0
				75	0	13.87	14.08	14.32	0
			16QAM	1	1	13.60	14.00	14.05	0
			64QAM	1	1	13.68	14.15	14.15	0
			256QAM	1	1	13.67	14.15	14.40	0
		CP	QPSK	1	1	13.71	14.15	14.35	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	0.30	14.25	0
				1	53	13.97	0.30	14.47	0
				1	104	14.13	0.30	15.04	0
				50	0	13.94	0.30	14.22	0
				50	28	13.99	0.30	14.49	0
				50	56	14.05	0.30	14.81	0
				100	0	13.98	0.30	14.55	0
			QPSK	1	1	13.90	0.30	14.30	0
				1	53	14.02	0.30	14.54	0
				1	104	14.14	0.30	15.11	0
				50	0	13.97	0.30	14.32	0
				50	28	13.98	0.30	14.38	0
				50	56	14.10	0.30	14.79	0
				100	0	13.99	0.30	14.45	0
			16QAM	1	1	13.88	0.30	14.00	0
			64QAM	1	1	14.16	0.30	14.20	0
			256QAM	1	1	13.67	0.30	14.02	0
		CP	QPSK	1	1	13.85	0.30	14.26	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.75	-0.69	13.64	0
				1	67	13.84	-0.65	13.77	0
				1	131	14.11	-0.69	14.52	0
				64	0	13.85	-0.68	13.49	0
				64	35	13.87	-0.68	14.21	0
				64	69	14.03	-0.69	14.57	0
				128	0	13.76	-0.68	14.17	0
			QPSK	1	1	13.65	-0.67	13.99	0
				1	67	13.80	-0.69	14.24	0
				1	131	14.00	-0.66	14.96	0
				64	0	13.81	-0.70	14.09	0
				64	35	13.83	-0.68	14.16	0
				64	69	14.00	-0.66	14.54	0
				128	0	13.97	-0.69	14.18	0
			16QAM	1	1	13.67	-0.70	14.22	0
			64QAM	1	1	13.77	-0.65	14.20	0
			256QAM	1	1	13.79	-0.66	14.10	0
		CP	QPSK	1	1	13.80	-0.67	14.13	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.05		0
				1	81		14.02		0
				1	160		14.37		0
				81	0		14.09		0
				81	41		14.11		0
				81	81		14.22		0
				162	0		14.14		0
			QPSK	1	1		14.13		0
				1	81		14.20		0
				1	160		14.41		0
				81	0		14.11		0
				81	41		14.13		0
				81	81		14.24		0
				162	0		14.13		0
			16QAM	1	1		13.92		0
			64QAM	1	1		14.27		0
			256QAM	1	1		14.03		0
		CP	QPSK	1	1		14.16		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.11		0
				1	95		14.08		0
				1	187		14.67		0
				90	0		14.11		0
				90	50		14.12		0
				90	99		14.22		0
				180	0		14.10		0
			QPSK	1	1		14.09		0
				1	95		14.14		0
				1	187		14.64		0
				90	0		14.08		0
				90	50		14.08		0
				90	99		14.25		0
				180	0		14.11		0
			16QAM	1	1		14.09		0
			64QAM	1	1		14.02		0
			256QAM	1	1		13.98		0
		CP	QPSK	1	1		14.09		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.91		0
				1	109		14.11		0
				1	215		14.73		0
				108	0		14.08		0
				108	55		14.13		0
				108	109		14.24		0
				216	0		14.14		0
			QPSK	1	1		13.87		0
				1	109		14.10		0
				1	215		14.71		0
				108	0		14.11		0
				108	55		14.12		0
				108	109		14.21		0
				216	0		14.17		0
			16QAM	1	1		13.78		0
			64QAM	1	1		13.90		0
			256QAM	1	1		13.77		0
		CP	QPSK	1	1		13.90		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90MHz	30	DFT-s	pi/2 BPSK	1	1		13.75		0
				1	123		14.12		0
				1	243		14.84		0
				120	0		14.11		0
				120	63		14.14		0
				120	125		14.29		0
				243	0		14.15		0
			QPSK	1	1		13.79		0
				1	123		14.12		0
				1	243		14.79		0
				120	0		14.13		0
				120	63		14.14		0
				120	125		14.29		0
				243	0		14.12		0
			16QAM	1	1		13.78		0
			64QAM	1	1		13.71		0
			256QAM	1	1		13.72		0
		CP	QPSK	1	1		13.75		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		13.78		0
				1	137		14.14		0
				1	271		14.99		0
				135	0		14.14		0
				135	69		14.12		0
				135	138		14.39		0
				270	0		14.12		0
			QPSK	1	1		13.91		0
				1	137		14.08		0
				1	271		14.34		0
				135	0		14.06		0
				135	69		14.13		0
				135	138		14.44		0
				270	0		14.20		0
			16QAM	1	1		13.91		0
			64QAM	1	1		13.78		0
			256QAM	1	1		13.88		0
		CP	QPSK	1	1		14.05		0

NR TDD Band n77(PC3,PC2) Conducted Power_ Measured RCV(RSI 1)_ SUB2

[Ant F]

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647000	650600	654200	657800	661400	665000		
						3705	3759	3813	3867	3921	3975		
						MHz	MHz	MHz	MHz	MHz	MHz		
10 MHz	30	DFT-s	pi/2 BPSK	1	1	12.82	12.96	13.16	12.86	13.01	13.15	0	
				1	12	12.98	12.98	13.04	12.99	13.02	13.14	0	
				1	22	12.82	13.00	13.08	12.89	12.98	13.09	0	
				12	0	12.79	12.92	13.01	12.79	12.98	13.01	0	
				12	6	12.84	12.91	13.03	12.87	12.97	13.02	0	
				12	12	12.83	12.91	13.06	12.85	12.98	13.08	0	
			QPSK	24	0	12.80	12.96	13.10	12.89	12.91	13.04	0	
				1	1	12.82	12.85	13.00	12.78	12.85	13.13	0	
				1	12	12.87	12.86	13.13	12.90	12.90	13.14	0	
				1	22	12.91	12.97	12.98	12.97	13.02	13.03	0	
				12	0	12.81	12.92	13.03	12.84	12.96	13.02	0	
				12	6	12.85	12.94	13.04	12.81	12.98	13.05	0	
				12	12	12.79	12.90	12.98	12.91	12.92	13.08	0	
				24	0	12.83	12.91	13.10	12.81	12.89	13.08	0	
				16QAM	1	1	12.65	12.81	12.97	12.72	12.86	12.98	0
				64QAM	1	1	12.76	12.87	13.07	12.81	12.87	13.16	0
				256QAM	1	1	12.85	12.89	13.09	12.77	12.89	13.21	0
		CP	QPSK	1	1	12.75	12.88	13.06	12.81	12.87	13.04	0	

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]	
						647168	650700	654232	657766	661300	664832		
						3707.52	3760.5	3813.49	3866.5	3919.5	3972.48		
						MHz	MHz	MHz	MHz	MHz	MHz		
15 MHz	30	DFT-s	pi/2 BPSK	1	1	12.85	12.97	13.00	12.82	12.94	13.03	0	
				1	18	12.74	12.88	12.92	12.72	12.88	12.91	0	
				1	36	12.79	12.98	12.99	12.84	13.11	13.07	0	
				18	0	12.80	12.97	13.13	12.84	12.99	13.08	0	
				18	9	12.88	12.96	13.04	12.89	13.03	13.01	0	
				18	18	12.91	12.95	13.02	12.88	12.94	13.00	0	
			QPSK	36	0	12.91	13.00	13.03	12.88	12.95	13.04	0	
				1	1	12.84	12.97	13.17	12.84	12.97	13.15	0	
				1	18	12.79	12.88	13.01	12.89	12.87	13.02	0	
				1	36	12.87	12.97	13.07	12.86	13.00	13.04	0	
				18	0	12.81	12.93	13.07	12.87	12.95	13.10	0	
				18	9	12.89	12.96	13.03	12.82	12.94	13.04	0	
				18	18	12.58	12.97	13.04	12.55	13.01	13.12	0	
				36	0	12.54	12.92	13.09	12.58	13.04	13.01	0	
				16QAM	1	1	12.54	13.00	13.19	12.54	13.01	13.17	0
				64QAM	1	1	12.53	12.94	13.28	12.55	12.93	13.31	0
				256QAM	1	1	12.91	12.95	13.05	12.84	12.93	13.07	0
		CP	QPSK	1	1	12.87	12.98	13.12	12.93	13.01	13.17	0	

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01 MHz	3762 MHz	3813.99 MHz	3866.01 MHz	3918 MHz	3969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.88	12.89	13.19	12.92	12.96	13.19	0
				1	26	12.90	12.97	13.02	12.92	13.03	13.05	0
				1	49	12.83	13.12	12.94	12.83	13.09	12.95	0
				25	0	12.95	12.93	13.11	12.92	13.00	13.14	0
				25	13	12.93	12.96	13.08	12.96	12.97	13.16	0
				25	26	12.93	13.08	13.04	12.99	13.09	13.00	0
			QPSK	50	0	12.96	13.04	13.12	12.91	13.09	13.09	0
				1	1	12.90	12.85	13.16	12.96	12.97	13.28	0
				1	26	12.93	12.93	13.08	13.00	13.01	13.12	0
				1	49	12.91	13.13	12.99	12.96	13.18	12.96	0
				25	0	12.92	12.98	13.11	12.88	12.99	13.20	0
				25	13	12.96	13.00	13.02	12.99	13.00	13.02	0
				25	26	12.90	13.01	13.01	12.90	13.03	13.08	0
				50	0	12.93	13.00	13.08	13.03	13.06	13.13	0
			16QAM	1	1	12.87	12.97	13.20	12.97	13.02	13.28	0
			64QAM	1	1	12.96	12.91	13.24	12.89	13.00	13.16	0
			256QAM	1	1	12.51	12.97	13.10	12.53	12.98	13.11	0
		CP	QPSK	1	1	12.83	12.91	13.21	12.84	12.91	13.23	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.07	13.05	13.23	13.08	13.05	13.23	0
				1	32	13.10	13.07	13.13	13.07	13.19	13.14	0
				1	63	12.91	13.18	12.97	12.95	13.22	12.94	0
				32	0	13.00	13.00	13.17	13.00	13.03	13.27	0
				32	17	12.97	13.05	13.14	12.97	13.06	13.14	0
				32	33	12.93	13.09	12.92	13.02	13.09	13.01	0
			QPSK	64	0	12.95	12.95	13.10	12.94	13.04	13.02	0
				1	1	12.95	12.84	13.26	12.97	12.86	13.25	0
				1	32	13.04	13.02	13.14	13.01	12.95	13.16	0
				1	63	12.81	13.05	12.88	12.86	13.01	12.91	0
				32	0	12.96	13.06	13.15	13.00	13.10	13.17	0
				32	17	12.88	13.10	13.09	12.95	13.10	13.11	0
				32	33	12.87	13.07	12.99	12.94	13.13	12.96	0
				64	0	12.93	13.06	13.14	13.01	13.04	13.20	0
			16QAM	1	1	13.07	12.98	13.22	13.15	12.99	13.22	0
			64QAM	1	1	12.90	12.86	13.23	12.82	12.90	13.28	0
			256QAM	1	1	12.96	12.96	13.21	12.99	12.96	13.21	0
		CP	QPSK	1	1	12.97	12.99	13.29	12.95	12.97	13.34	0

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	12.77	12.71	12.70	12.67	12.79	12.69	0
				1	39	12.82	12.78	13.03	12.77	12.81	13.12	0
				1	76	12.66	13.10	12.83	12.70	13.08	12.92	0
				36	0	12.78	12.87	12.91	12.80	12.88	12.95	0
				36	21	12.73	12.85	12.84	12.78	12.81	12.85	0
				36	42	12.71	12.92	12.87	12.71	12.96	12.85	0
			QPSK	75	0	12.71	12.82	12.90	12.80	12.88	12.94	0
				1	1	12.67	12.71	12.91	12.68	12.70	12.96	0
				1	39	12.84	12.86	12.88	12.85	12.90	12.94	0
				1	76	12.70	12.96	12.74	12.72	12.99	12.79	0
				36	0	12.65	12.82	12.98	12.70	12.81	12.98	0
				36	21	12.75	12.78	12.88	12.73	12.88	12.90	0
				36	42	12.71	13.00	12.88	12.80	13.02	12.91	0
				75	0	12.82	12.85	12.97	12.81	12.86	12.95	0
			16QAM	1	1	12.62	12.76	13.02	12.67	12.76	13.03	0
			64QAM	1	1	12.76	12.69	12.86	12.76	12.73	12.93	0
			256QAM	1	1	12.69	12.64	12.88	12.71	12.68	12.92	0
		CP	QPSK	1	1	12.69	12.80	12.98	12.72	12.79	13.00	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.87	12.90	12.95	12.84	12.94	12.98	0
				1	53	12.68	12.86	12.92	12.73	12.89	12.86	0
				1	104	12.68	13.10	12.87	12.71	13.12	12.86	0
				50	0	12.81	12.75	12.94	12.88	12.72	12.98	0
				50	28	12.70	12.86	12.78	12.79	12.99	12.82	0
				50	56	12.58	12.93	12.76	12.68	12.96	12.88	0
			QPSK	100	0	12.74	12.80	12.87	12.76	12.87	12.91	0
				1	1	12.71	12.71	12.85	12.78	12.70	12.93	0
				1	53	12.67	12.97	12.90	12.67	12.91	12.88	0
				1	104	12.66	13.02	12.75	12.70	13.03	12.81	0
				50	0	12.50	12.79	12.87	12.48	12.86	12.97	0
				50	28	12.37	12.87	12.81	12.38	12.88	12.77	0
				50	56	12.40	13.02	12.75	12.33	13.04	12.76	0
				100	0	12.41	12.87	12.95	12.37	12.85	12.89	0
			16QAM	1	1	12.38	12.79	12.89	12.45	12.85	12.88	0
			64QAM	1	1	12.37	12.71	12.91	12.41	12.73	12.90	0
			256QAM	1	1	12.82	12.82	12.69	12.93	12.83	12.73	0
		CP	QPSK	1	1	12.75	12.65	13.03	12.81	12.73	13.03	0

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.70	12.82	12.72		12.87	12.73	0
				1	67	12.61	12.99	12.70		13.00	12.72	0
				1	131	12.91	12.96	12.49		13.01	12.55	0
				64	0	12.74	13.00	12.84		13.00	12.87	0
				64	35	12.73	13.06	12.72		13.08	12.77	0
				64	69	12.76	13.07	12.83		13.09	12.75	0
			QPSK	128	0	12.73	13.06	12.74		13.12	12.73	0
				1	1	12.59	12.96	12.87		12.95	12.88	0
				1	67	12.55	13.02	12.62		13.01	12.60	0
				1	131	12.78	13.07	12.53		13.08	12.59	0
				64	0	12.67	13.00	12.83		13.07	12.93	0
				64	35	12.64	13.00	12.75		13.07	12.74	0
				64	69	12.72	13.04	12.80		13.06	12.80	0
				128	0	12.67	13.06	12.76		13.08	12.71	0
			16QAM	1	1	12.56	12.91	13.09		12.90	13.14	0
			64QAM	1	1	12.72	12.80	12.90		12.74	12.86	0
			256QAM	1	1	12.58	13.05	13.00		13.10	13.00	0
		CP	QPSK	1	1	12.71	12.97	12.89		12.93	12.99	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.69	13.17			12.74	13.10	0
				1	81	12.77	13.10			12.75	13.11	0
				1	160	12.85	12.83			12.82	12.78	0
				81	0	12.76	13.11			12.83	13.06	0
				81	41	12.70	12.98			12.62	13.06	0
				81	81	12.75	12.85			12.72	12.90	0
			QPSK	162	0	12.72	13.01			12.79	13.06	0
				1	1	12.83	13.04			12.85	13.03	0
				1	81	12.72	13.15			12.77	13.17	0
				1	160	12.95	12.80			12.87	12.77	0
				81	0	12.84	13.13			12.77	13.13	0
				81	41	12.68	12.98			12.74	13.01	0
				81	81	12.76	12.87			12.78	12.90	0
				162	0	12.71	13.09			12.75	13.04	0
			16QAM	1	1	12.92	13.04			12.88	13.07	0
			64QAM	1	1	12.55	12.76			12.57	12.75	0
			256QAM	1	1	12.68	13.16			12.71	13.21	0
		CP	QPSK	1	1	12.85	13.06			12.85	13.05	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	12.63	13.18			12.71	13.21	0
				1	95	12.61	13.03			12.69	13.02	0
				1	187	13.00	12.75			13.03	12.73	0
				90	0	12.70	13.23			12.72	13.17	0
				90	50	12.65	13.02			12.67	12.90	0
				90	99	12.87	12.73			12.88	12.73	0
			QPSK	180	0	12.64	13.05			12.63	13.05	0
				1	1	12.65	13.09			12.80	13.06	0
				1	95	12.55	12.95			12.60	13.01	0
				1	187	12.91	12.72			13.01	12.71	0
				90	0	12.67	13.11			12.72	13.13	0
				90	50	12.64	13.02			12.65	12.97	0
				90	99	12.87	12.84			12.91	12.88	0
				180	0	12.70	13.08			12.69	13.09	0
			16QAM	1	1	12.65	13.04			12.74	13.01	0
			64QAM	1	1	12.68	13.10			12.67	13.22	0
			256QAM	1	1	12.77	13.17			12.68	13.18	0
		CP	QPSK	1	1	12.70	13.09			12.69	13.12	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.25		13.01		12.98		0
				1	109	13.18		13.25		13.22		0
				1	215	13.29		12.78		12.85		0
				108	0	13.32		13.38		13.46		0
				108	55	13.22		13.28		13.32		0
				108	109	13.34		13.13		13.18		0
			QPSK	216	0	13.22		13.19		13.22		0
				1	1	12.74		13.06		13.01		0
				1	109	13.21		13.21		13.23		0
				1	215	13.23		12.66		12.70		0
				108	0	13.26		13.44		13.46		0
				108	55	13.19		13.21		13.19		0
				108	109	13.45		13.03		13.16		0
				216	0	13.24		13.25		13.36		0
			16QAM	1	1	12.72		13.03		13.16		0
			64QAM	1	1	12.77		13.10		13.15		0
			256QAM	1	1	12.77		12.93		12.92		0
		CP	QPSK	1	1	12.74		13.03		13.10		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3745.02		3840		3934.98	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.30		13.24		13.26	0
				1	123	13.22		13.20		13.23	0
				1	243	13.50		12.73		12.78	0
				120	0	13.15		13.38		13.46	0
				120	63	13.21		13.21		13.32	0
				120	125	13.44		13.10		13.12	0
			QPSK	243	0	13.24		13.23		13.29	0
				1	1	12.75		13.07		13.12	0
				1	123	13.24		13.18		13.21	0
				1	243	13.47		12.76		12.65	0
				120	0	13.23		13.53		13.51	0
				120	63	13.22		13.23		13.26	0
				120	125	13.50		13.12		13.14	0
				243	0	13.31		13.27		13.29	0
			16QAM	1	1	12.65		13.11		13.21	0
			64QAM	1	1	12.61		13.10		13.15	0
			256QAM	1	1	12.69		13.19		13.19	0
		CP	QPSK	1	1	12.70		13.22		13.20	0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3750				3930	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	13.32				13.28	0
				1	137	13.33				13.16	0
				1	271	13.12				13.32	0
				135	0	13.25				13.27	0
				135	69	13.26				13.56	0
				135	138	13.48				13.36	0
			QPSK	270	0	13.36				12.97	0
				1	1	12.90				13.26	0
				1	137	13.35				13.32	0
				1	271	13.16				13.30	0
				135	0	13.30				13.23	0
				135	69	13.30				13.41	0
				135	138	13.54				13.42	0
				270	0	13.43				12.79	0
			16QAM	1	1	12.77				12.87	0
			64QAM	1	1	12.87				12.82	0
			256QAM	1	1	12.82				12.93	0
		CP	QPSK	1	1	12.89				12.82	0

NR TDD Band n77 DoD(PC3,PC2) Conducted Power_ Measured RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.12	13.29	13.46	0
				1	12	13.28	13.32	13.36	0
				1	22	13.12	13.25	13.38	0
				12	0	13.07	13.22	13.31	0
				12	6	13.16	13.17	13.32	0
				12	12	13.09	13.24	13.34	0
				24	0	13.09	13.23	13.35	0
			QPSK	1	1	13.13	13.14	13.33	0
				1	12	13.17	13.17	13.43	0
				1	22	13.20	13.28	13.27	0
				12	0	13.08	13.23	13.30	0
				12	6	13.16	13.25	13.32	0
				12	12	13.11	13.24	13.31	0
				24	0	13.14	13.23	13.42	0
			16QAM	1	1	12.93	13.10	13.27	0
			64QAM	1	1	13.05	13.16	13.37	0
			256QAM	1	1	13.14	13.21	13.41	0
		CP	QPSK	1	1	13.06	13.15	13.40	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.18	13.28	13.33	0
				1	18	13.01	13.19	13.20	0
				1	36	13.11	13.29	13.29	0
				18	0	13.13	13.27	13.42	0
				18	9	13.17	13.28	13.33	0
				18	18	13.23	13.27	13.32	0
				36	0	13.17	13.28	13.32	0
			QPSK	1	1	13.12	13.27	13.48	0
				1	18	13.10	13.16	13.34	0
				1	36	13.18	13.29	13.35	0
				18	0	13.15	13.24	13.33	0
				18	9	13.15	13.24	13.32	0
				18	18	12.85	13.30	13.36	0
				36	0	12.85	13.25	13.37	0
			16QAM	1	1	12.82	13.30	13.50	0
			64QAM	1	1	12.86	13.21	13.58	0
			256QAM	1	1	13.20	13.29	13.38	0
		CP	QPSK	1	1	13.19	13.26	13.42	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.18	13.20	13.47	0
				1	26	13.18	13.25	13.32	0
				1	49	13.12	13.38	13.23	0
				25	0	13.22	13.24	13.44	0
				25	13	13.22	13.26	13.38	0
				25	26	13.25	13.42	13.34	0
				50	0	13.26	13.34	13.39	0
			QPSK	1	1	13.21	13.18	13.45	0
				1	26	13.23	13.22	13.35	0
				1	49	13.21	13.44	13.28	0
				25	0	13.22	13.28	13.40	0
				25	13	13.25	13.28	13.33	0
				25	26	13.20	13.30	13.31	0
				50	0	13.26	13.28	13.43	0
			16QAM	1	1	13.17	13.30	13.50	0
			64QAM	1	1	13.21	13.17	13.53	0
			256QAM	1	1	12.80	13.26	13.41	0
		CP	QPSK	1	1	13.11	13.18	13.51	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.39	13.33	13.53	0
				1	26	13.40	13.41	13.40	0
				1	49	13.16	13.48	13.25	0
				25	0	13.27	13.32	13.46	0
				25	13	13.25	13.38	13.42	0
				25	26	13.23	13.36	13.21	0
				50	0	13.28	13.27	13.41	0
			QPSK	1	1	13.23	13.16	13.54	0
				1	26	13.34	13.30	13.45	0
				1	49	13.10	13.35	13.19	0
				25	0	13.27	13.35	13.44	0
				25	13	13.19	13.39	13.36	0
				25	26	13.17	13.41	13.29	0
				50	0	13.24	13.41	13.47	0
			16QAM	1	1	13.38	13.31	13.49	0
			64QAM	1	1	13.19	13.19	13.55	0
			256QAM	1	1	13.24	13.25	13.49	0
		CP	QPSK	1	1	13.30	13.30	13.59	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.03	13.01	13.01	0
				1	39	13.14	13.11	13.36	0
				1	76	13.00	13.41	13.15	0
				36	0	13.07	13.13	13.21	0
				36	21	13.06	13.11	13.13	0
				36	42	12.98	13.20	13.16	0
				75	0	13.00	13.11	13.21	0
			QPSK	1	1	12.98	13.03	13.22	0
				1	39	13.13	13.13	13.22	0
				1	76	12.99	13.28	13.06	0
				36	0	12.94	13.11	13.24	0
				36	21	13.03	13.06	13.17	0
				36	42	13.01	13.25	13.15	0
				75	0	13.13	13.15	13.25	0
			16QAM	1	1	12.93	13.03	13.30	0
			64QAM	1	1	13.07	12.95	13.16	0
			256QAM	1	1	13.01	12.96	13.22	0
		CP	QPSK	1	1	13.03	13.12	13.28	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.19		13.28	0
				1	53	13.00		13.17	0
				1	104	12.98		13.17	0
				50	0	13.11		13.24	0
				50	28	13.01		13.10	0
				50	56	12.91		13.05	0
				100	0	13.01		13.13	0
			QPSK	1	1	13.00		13.12	0
				1	53	12.99		13.18	0
				1	104	12.94		13.07	0
				50	0	12.81		13.16	0
				50	28	12.72		13.11	0
				50	56	12.72		13.04	0
				100	0	12.67		13.24	0
			16QAM	1	1	12.68		13.16	0
			64QAM	1	1	12.65		13.21	0
			256QAM	1	1	13.14		12.96	0
		CP	QPSK	1	1	13.05		13.32	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	12.99	13.14	13.00	0
				1	67	12.93	13.26	13.01	0
				1	131	13.22	13.25	12.81	0
				64	0	13.07	13.31	13.12	0
				64	35	13.06	13.36	13.02	0
				64	69	13.10	13.37	13.12	0
				128	0	12.99	13.34	13.05	0
			QPSK	1	1	12.92	13.25	13.20	0
				1	67	12.89	13.29	12.92	0
				1	131	13.11	13.40	12.83	0
				64	0	13.00	13.31	13.15	0
				64	35	12.95	13.30	13.02	0
				64	69	13.04	13.35	13.08	0
				128	0	12.96	13.36	13.05	0
			16QAM	1	1	12.85	13.21	13.42	0
			64QAM	1	1	13.05	13.08	13.22	0
			256QAM	1	1	12.89	13.39	13.31	0
		CP	QPSK	1	1	12.99	13.25	13.23	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.17		0
				1	81		13.10		0
				1	160		12.85		0
				81	0		13.13		0
				81	41		12.95		0
				81	81		12.87		0
				162	0		12.98		0
			QPSK	1	1		13.03		0
				1	81		13.18		0
				1	160		12.78		0
				81	0		13.15		0
				81	41		12.98		0
				81	81		12.87		0
				162	0		13.10		0
			16QAM	1	1		13.05		0
			64QAM	1	1		12.73		0
			256QAM	1	1		13.18		0
		CP	QPSK	1	1		13.06		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.17	0
				1	95		13.03	0
				1	187		12.75	0
				90	0		13.20	0
				90	50		13.02	0
				90	99		12.75	0
				180	0		13.06	0
			QPSK	1	1		13.09	0
				1	95		12.97	0
				1	187		12.74	0
				90	0		13.12	0
				90	50		13.00	0
				90	99		12.85	0
				180	0		13.09	0
			16QAM	1	1		13.06	0
			64QAM	1	1		13.10	0
			256QAM	1	1		13.17	0
		CP	QPSK	1	1		13.05	0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.02	0
				1	109		13.24	0
				1	215		12.76	0
				108	0		13.36	0
				108	55		13.29	0
				108	109		13.10	0
				216	0		13.19	0
			QPSK	1	1		13.07	0
				1	109		13.23	0
				1	215		12.66	0
				108	0		13.48	0
				108	55		13.23	0
				108	109		13.03	0
				216	0		13.26	0
			16QAM	1	1		13.03	0
			64QAM	1	1		13.09	0
			256QAM	1	1		12.93	0
		CP	QPSK	1	1		13.02	0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.25		0
				1	123		13.22		0
				1	243		12.73		0
				120	0		13.37		0
				120	63		13.20		0
				120	125		13.13		0
				243	0		13.26		0
			QPSK	1	1		13.07		0
				1	123		13.16		0
				1	243		12.79		0
				120	0		13.53		0
				120	63		13.23		0
				120	125		13.13		0
				243	0		13.29		0
			16QAM	1	1		13.10		0
			64QAM	1	1		13.10		0
			256QAM	1	1		13.19		0
		CP	QPSK	1	1		13.24		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		13.24		0
				1	137		13.18		0
				1	271		13.31		0
				135	0		13.23		0
				135	69		13.56		0
				135	138		13.40		0
				270	0		12.95		0
			QPSK	1	1		13.29		0
				1	137		13.22		0
				1	271		13.37		0
				135	0		13.23		0
				135	69		13.46		0
				135	138		13.49		0
				270	0		12.78		0
			16QAM	1	1		12.86		0
			64QAM	1	1		12.86		0
			256QAM	1	1		12.93		0
		CP	QPSK	1	1		12.85		0

NR TDD Band n78 (PC3,PC2) Conducted Power_ Measured Free (RSI 0)_ SUB2

[Ant F]

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95	14.01	13.88	0
				1	12	14.05	14.05	13.91	0
				1	22	14.07	14.06	13.86	0
				12	0	13.96	13.98	14.23	0
				12	6	13.97	14.06	13.75	0
				12	12	13.99	13.98	14.27	0
				24	0	13.95	13.99	14.24	0
			QPSK	1	1	13.90	13.99	14.26	0
				1	12	13.95	14.00	14.30	0
				1	22	14.05	14.05	14.28	0
				12	0	13.91	13.94	14.23	0
				12	6	13.96	13.96	14.21	0
				12	12	13.99	13.99	14.25	0
				24	0	13.95	13.98	14.26	0
			16QAM	1	1	13.91	14.00	14.22	0
			64QAM	1	1	14.04	13.97	14.21	0
			256QAM	1	1	14.01	13.95	14.25	0
		CP	QPSK	1	1	14.01	13.98	14.30	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.61	13.92	14.26	0
				1	18	13.61	13.84	14.24	0
				1	36	13.56	13.98	14.29	0
				18	0	13.95	13.96	14.27	0
				18	10	13.76	13.96	14.27	0
				18	20	14.03	14.01	13.92	0
				36	0	14.00	13.98	14.28	0
			QPSK	1	1	13.96	13.99	14.27	0
				1	18	13.94	13.94	14.25	0
				1	36	13.99	14.02	14.33	0
				18	0	13.94	13.95	14.29	0
				18	10	13.98	13.97	14.31	0
				18	20	13.98	13.98	14.29	0
				36	0	13.97	14.01	14.26	0
			16QAM	1	1	14.03	13.96	14.32	0
			64QAM	1	1	13.98	14.00	14.17	0
			256QAM	1	1	13.95	13.95	14.30	0
		CP	QPSK	1	1	13.99	13.96	13.88	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.01	13.96	13.94	0
				1	26	14.05	13.96	13.38	0
				1	49	13.99	14.04	14.35	0
				25	0	13.99	13.97	14.24	0
				25	13	13.99	13.43	14.33	0
				25	26	14.01	13.70	14.25	0
				50	0	14.05	14.02	14.28	0
			QPSK	1	1	14.02	13.93	14.29	0
				1	26	13.99	13.96	14.30	0
				1	49	14.02	14.06	14.34	0
				25	0	14.06	13.97	14.23	0
				25	13	14.05	13.97	14.28	0
				25	26	14.02	14.05	14.27	0
				50	0	14.02	13.97	14.30	0
			16QAM	1	1	14.01	14.08	14.32	0
			64QAM	1	1	14.03	14.02	14.03	0
			256QAM	1	1	14.00	14.05	14.35	0
		CP	QPSK	1	1	13.95	13.98	14.24	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.03	14.03	14.18	0
				1	32	14.03	14.20	14.29	0
				1	63	13.93	13.73	14.34	0
				32	0	14.02	13.95	14.22	0
				32	17	13.63	14.00	14.28	0
				32	33	13.62	14.04	14.25	0
				64	0	13.69	13.98	14.24	0
			QPSK	1	1	13.95	13.95	14.12	0
				1	32	14.07	13.94	14.22	0
				1	63	13.96	14.05	14.24	0
				32	0	14.06	13.99	14.24	0
				32	17	13.94	13.98	14.25	0
				32	33	14.01	14.04	14.30	0
				64	0	14.04	13.94	14.21	0
			16QAM	1	1	14.02	13.97	14.11	0
			64QAM	1	1	13.97	13.90	14.16	0
			256QAM	1	1	14.13	13.58	14.14	0
		CP	QPSK	1	1	14.05	13.62	13.73	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04	13.91	14.27	0
				1	39	13.97	13.99	14.29	0
				1	76	13.86	14.08	14.18	0
				36	0	14.06	14.01	14.24	0
				36	21	14.02	13.95	14.30	0
				36	42	13.90	14.08	14.26	0
				75	0	14.06	13.97	14.30	0
			QPSK	1	1	14.04	13.89	14.25	0
				1	39	14.02	14.01	14.24	0
				1	76	13.87	14.06	14.24	0
				36	0	14.09	13.94	14.28	0
				36	21	14.04	14.01	14.31	0
				36	42	13.91	14.02	14.32	0
				75	0	14.07	13.93	14.32	0
			16QAM	1	1	14.10	13.92	14.28	0
			64QAM	1	1	14.03	13.60	14.27	0
			256QAM	1	1	14.08	13.98	14.33	0
		CP	QPSK	1	1	14.18	13.93	14.29	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.87	0.30	14.15	0
				1	53	13.94	0.30	14.33	0
				1	104	13.87	0.30	14.29	0
				50	0	13.95	0.30	14.08	0
				50	28	13.90	0.30	14.01	0
				50	56	13.87	0.30	13.95	0
				100	0	13.93	0.30	14.24	0
			QPSK	1	1	13.93	0.30	14.04	0
				1	53	13.93	0.30	14.21	0
				1	104	13.87	0.30	14.23	0
				50	0	14.00	0.30	13.64	0
				50	28	13.89	0.30	13.70	0
				50	56	13.86	0.30	13.65	0
				100	0	13.97	0.30	14.01	0
			16QAM	1	1	13.96	0.30	14.00	0
			64QAM	1	1	13.81	0.30	13.60	0
			256QAM	1	1	14.01	0.30	14.07	0
		CP	QPSK	1	1	13.91	0.30	13.70	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.88	-3.63	14.20	0
				1	67	13.82	-3.66	14.16	0
				1	131	14.03	-3.65	14.19	0
				64	0	13.93	-3.69	14.23	0
				64	35	13.88	-3.65	14.17	0
				64	69	13.86	-3.66	14.26	0
				128	0	13.90	-3.65	14.22	0
			QPSK	1	1	13.85	-3.66	14.14	0
				1	67	13.88	-3.69	14.18	0
				1	131	14.01	-3.65	14.21	0
				64	0	13.96	-3.68	14.17	0
				64	35	13.87	-3.66	14.21	0
				64	69	13.96	-3.64	14.24	0
				128	0	13.90	-3.64	14.22	0
			16QAM	1	1	13.82	-3.63	14.20	0
			64QAM	1	1	13.77	-3.66	14.13	0
			256QAM	1	1	13.90	-3.64	14.12	0
		CP	QPSK	1	1	13.46	-3.65	13.69	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.98		0
				1	81		14.04		0
				1	160		14.23		0
				81	0		13.94		0
				81	41		13.98		0
				81	81		14.12		0
				162	0		14.00		0
			QPSK	1	1		13.97		0
				1	81		13.99		0
				1	160		14.22		0
				81	0		13.94		0
				81	41		14.01		0
				81	81		14.12		0
				162	0		13.99		0
			16QAM	1	1		13.98		0
			64QAM	1	1		13.96		0
			256QAM	1	1		13.88		0
		CP	QPSK	1	1		14.03		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.09		0
				1	95		13.99		0
				1	187		14.30		0
				90	0		13.97		0
				90	50		13.99		0
				90	99		14.13		0
				180	0		14.00		0
			QPSK	1	1		14.04		0
				1	95		13.93		0
				1	187		14.41		0
				90	0		13.87		0
				90	50		13.99		0
				90	99		14.17		0
				180	0		14.01		0
			16QAM	1	1		14.04		0
			64QAM	1	1		13.99		0
			256QAM	1	1		13.98		0
		CP	QPSK	1	1		14.02		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.65		0
				1	109		13.96		0
				1	215		13.89		0
				108	0		13.91		0
				108	55		13.97		0
				108	109		14.15		0
				216	0		14.04		0
			QPSK	1	1		13.57		0
				1	109		13.99		0
				1	215		13.82		0
				108	0		13.94		0
				108	55		14.02		0
				108	109		14.18		0
				216	0		14.03		0
			16QAM	1	1		13.62		0
			64QAM	1	1		13.54		0
			256QAM	1	1		13.70		0
		CP	QPSK	1	1		13.63		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.59		0
				1	123		13.96		0
				1	243		13.89		0
				120	0		13.97		0
				120	63		13.95		0
				120	125		14.21		0
				243	0		14.06		0
			QPSK	1	1		13.55		0
				1	123		13.94		0
				1	243		13.92		0
				120	0		13.92		0
				120	63		13.99		0
				120	125		14.20		0
				243	0		14.02		0
			16QAM	1	1		13.62		0
			64QAM	1	1		13.62		0
			256QAM	1	1		13.67		0
		CP	QPSK	1	1		13.41		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.49		0
				1	137		13.82		0
				1	271		13.63		0
				135	0		13.85		0
				135	69		13.94		0
				135	138		14.17		0
				270	0		13.96		0
			QPSK	1	1		13.37		0
				1	137		13.78		0
				1	271		13.68		0
				135	0		13.80		0
				135	69		13.83		0
				135	138		14.09		0
				270	0		13.92		0
			16QAM	1	1		13.49		0
			64QAM	1	1		13.39		0
			256QAM	1	1		13.48		0
		CP	QPSK	1	1		13.43		0

NR TDD Band n78 DoD (PC3,PC2) Conducted Power_ Measured Free (RSI 0)_

SUB2 [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.96	14.05	13.93	0
				1	12	14.06	14.06	13.92	0
				1	22	14.11	14.08	13.87	0
				12	0	13.98	14.00	14.27	0
				12	6	13.98	14.08	13.78	0
				12	12	13.99	14.02	14.32	0
				24	0	13.95	14.00	14.27	0
			QPSK	1	1	13.93	14.01	14.27	0
				1	12	13.98	14.02	14.31	0
				1	22	14.07	14.08	14.28	0
				12	0	13.94	13.96	14.26	0
				12	6	13.97	14.01	14.25	0
				12	12	14.00	14.01	14.28	0
				24	0	14.00	14.03	14.29	0
			16QAM	1	1	13.94	14.02	14.22	0
			64QAM	1	1	14.09	13.98	14.22	0
			256QAM	1	1	14.01	13.96	14.28	0
		CP	QPSK	1	1	14.03	13.99	14.32	0

NR TDD Band n78 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.64	13.95	14.26	0
				1	18	13.64	13.87	14.29	0
				1	36	13.61	14.02	14.33	0
				18	0	13.95	13.96	14.29	0
				18	10	13.77	13.99	14.30	0
				18	20	14.04	14.04	13.93	0
				36	0	14.00	14.03	14.32	0
			QPSK	1	1	13.97	14.02	14.27	0
				1	18	13.95	13.95	14.27	0
				1	36	13.99	14.03	14.35	0
				18	0	13.99	13.95	14.30	0
				18	10	13.98	13.98	14.35	0
				18	20	14.02	13.99	14.33	0
				36	0	14.00	14.03	14.29	0
			16QAM	1	1	14.03	14.01	14.36	0
			64QAM	1	1	14.02	14.03	14.20	0
			256QAM	1	1	13.99	13.97	14.31	0
		CP	QPSK	1	1	14.01	13.99	13.88	0

NR TDD Band n78 DoD _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.05	13.99	13.95	0
				1	26	14.08	14.01	13.41	0
				1	49	14.01	14.05	14.40	0
				25	0	14.03	13.99	14.28	0
				25	13	14.02	13.43	14.34	0
				25	26	14.06	13.74	14.26	0
				50	0	14.06	14.03	14.30	0
			QPSK	1	1	14.07	13.96	14.29	0
				1	26	14.03	13.99	14.33	0
				1	49	14.03	14.11	14.38	0
				25	0	14.08	13.98	14.25	0
				25	13	14.09	14.01	14.29	0
				25	26	14.05	14.10	14.30	0
				50	0	14.06	13.99	14.34	0
			16QAM	1	1	14.04	14.12	14.35	0
			64QAM	1	1	14.05	14.06	14.04	0
			256QAM	1	1	14.05	14.09	14.38	0
		CP	QPSK	1	1	13.98	14.03	14.28	0

NR TDD Band n78 DoD _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07	14.08	14.22	0
				1	32	14.05	14.25	14.31	0
				1	63	13.94	13.75	14.37	0
				32	0	14.05	13.99	14.25	0
				32	17	13.66	14.01	14.29	0
				32	33	13.63	14.08	14.25	0
				64	0	13.70	14.00	14.25	0
			QPSK	1	1	13.97	13.95	14.15	0
				1	32	14.11	13.99	14.22	0
				1	63	14.01	14.07	14.27	0
				32	0	14.06	14.02	14.25	0
				32	17	13.95	14.01	14.27	0
				32	33	14.06	14.09	14.31	0
				64	0	14.06	13.98	14.26	0
			16QAM	1	1	14.04	14.02	14.13	0
			64QAM	1	1	13.99	13.90	14.16	0
			256QAM	1	1	14.15	13.59	14.15	0
		CP	QPSK	1	1	14.09	13.63	13.77	0

NR TDD Band n78 DoD _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.08	13.91	14.30	0
				1	39	14.02	14.02	14.34	0
				1	76	13.87	14.11	14.21	0
				36	0	14.09	14.04	14.27	0
				36	21	14.06	13.99	14.34	0
				36	42	13.93	14.10	14.30	0
				75	0	14.08	13.98	14.32	0
			QPSK	1	1	14.09	13.91	14.28	0
				1	39	14.04	14.05	14.25	0
				1	76	13.88	14.07	14.29	0
				36	0	14.10	13.96	14.30	0
				36	21	14.09	14.02	14.32	0
				36	42	13.95	14.06	14.36	0
				75	0	14.11	13.97	14.33	0
			16QAM	1	1	14.13	13.97	14.32	0
			64QAM	1	1	14.07	13.62	14.27	0
			256QAM	1	1	14.13	13.99	14.36	0
		CP	QPSK	1	1	14.19	13.97	14.32	0

NR TDD Band n78 DoD _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.89		14.17	0
				1	53	13.96		14.35	0
				1	104	13.90		14.34	0
				50	0	13.98		14.09	0
				50	28	13.93		14.05	0
				50	56	13.92		13.98	0
				100	0	13.96		14.26	0
			QPSK	1	1	13.94		14.07	0
				1	53	13.95		14.22	0
				1	104	13.89		14.24	0
				50	0	14.02		13.67	0
				50	28	13.92		13.73	0
				50	56	13.87		13.65	0
				100	0	14.02		14.05	0
			16QAM	1	1	14.00		14.03	0
			64QAM	1	1	13.84		13.64	0
			256QAM	1	1	14.02		14.07	0
		CP	QPSK	1	1	13.94		13.71	0

NR TDD Band n78 DoD _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.93		14.24	0
				1	67	13.85		14.17	0
				1	131	14.06		14.23	0
				64	0	13.95		14.27	0
				64	35	13.90		14.20	0
				64	69	13.90		14.28	0
				128	0	13.93		14.22	0
			QPSK	1	1	13.87		14.18	0
				1	67	13.89		14.23	0
				1	131	14.01		14.23	0
				64	0	14.01		14.19	0
				64	35	13.92		14.23	0
				64	69	14.00		14.27	0
				128	0	13.92		14.25	0
			16QAM	1	1	13.84		14.23	0
			64QAM	1	1	13.82		14.18	0
			256QAM	1	1	13.92		14.15	0
		CP	QPSK	1	1	13.46		13.72	0

NR TDD Band n78 DoD _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.01		0
				1	81		14.08		0
				1	160		14.27		0
				81	0		13.96		0
				81	41		14.02		0
				81	81		14.16		0
				162	0		14.04		0
			QPSK	1	1		13.98		0
				1	81		14.02		0
				1	160		14.25		0
				81	0		13.94		0
				81	41		14.03		0
				81	81		14.13		0
				162	0		14.00		0
			16QAM	1	1		14.00		0
			64QAM	1	1		13.96		0
			256QAM	1	1		13.93		0
		CP	QPSK	1	1		14.07		0

NR TDD Band n78 DoD _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.12		0
				1	95		14.02		0
				1	187		14.33		0
				90	0		13.99		0
				90	50		14.04		0
				90	99		14.13		0
				180	0		14.00		0
			QPSK	1	1		14.09		0
				1	95		13.97		0
				1	187		14.44		0
				90	0		13.90		0
				90	50		14.00		0
				90	99		14.20		0
				180	0		14.01		0
			16QAM	1	1		14.06		0
			64QAM	1	1		14.00		0
			256QAM	1	1		14.00		0
		CP	QPSK	1	1		14.03		0

NR TDD Band n78 DoD _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		13.66		0
				1	109		13.98		0
				1	215		13.91		0
				108	0		13.91		0
				108	55		13.98		0
				108	109		14.19		0
				216	0		14.06		0
			QPSK	1	1		13.60		0
				1	109		14.01		0
				1	215		13.84		0
				108	0		13.96		0
				108	55		14.02		0
				108	109		14.19		0
				216	0		14.08		0
			16QAM	1	1		13.63		0
			64QAM	1	1		13.59		0
			256QAM	1	1		13.72		0
		CP	QPSK	1	1		13.64		0

NR TDD Band n78 DoD _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		13.60		0
				1	123		13.96		0
				1	243		13.90		0
				120	0		13.99		0
				120	63		13.97		0
				120	125		14.24		0
				243	0		14.06		0
			QPSK	1	1		13.59		0
				1	123		13.98		0
				1	243		13.96		0
				120	0		13.96		0
				120	63		14.01		0
				120	125		14.25		0
				243	0		14.03		0
			16QAM	1	1		13.63		0
			64QAM	1	1		13.64		0
			256QAM	1	1		13.67		0
		CP	QPSK	1	1		13.44		0

NR TDD Band n78 DoD _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		13.51		0
				1	137		13.82		0
				1	271		13.64		0
				135	0		13.89		0
				135	69		13.95		0
				135	138		14.21		0
				270	0		13.99		0
			QPSK	1	1		13.82		0
				1	137		13.92		0
				1	271		13.91		0
				135	0		13.85		0
				135	69		13.87		0
				135	138		14.13		0
				270	0		13.95		0
			16QAM	1	1		13.52		0
			64QAM	1	1		13.41		0
			256QAM	1	1		13.51		0
		CP	QPSK	1	1		13.47		0

NR TDD Band n78 (PC3, PC2) Conducted Power_ Measured RCV(RSI 1)_

SUB2 [Ant F]

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.10	13.19	13.04	0
				1	12	13.17	13.20	13.08	0
				1	22	13.22	13.23	13.04	0
				12	0	13.16	13.14	13.39	0
				12	6	13.15	13.21	12.95	0
				12	12	13.14	13.18	13.42	0
				24	0	13.13	13.16	13.41	0
			QPSK	1	1	13.08	13.18	13.43	0
				1	12	13.15	13.19	13.46	0
				1	22	13.20	13.23	13.45	0
				12	0	13.12	13.14	13.39	0
				12	6	13.15	13.19	13.41	0
				12	12	13.13	13.20	13.42	0
				24	0	13.13	13.21	13.42	0
			16QAM	1	1	13.05	13.16	13.43	0
			64QAM	1	1	13.24	13.12	13.40	0
			256QAM	1	1	13.21	13.13	13.44	0
		CP	QPSK	1	1	13.17	13.12	13.47	0

NR TDD Band n78_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	12.82	13.10	13.44	0
				1	18	12.80	13.02	13.44	0
				1	36	12.79	13.18	13.48	0
				18	0	13.14	13.15	13.47	0
				18	10	12.92	13.17	13.46	0
				18	20	13.18	13.18	13.12	0
				36	0	13.15	13.16	13.49	0
			QPSK	1	1	13.12	13.18	13.43	0
				1	18	13.10	13.10	13.43	0
				1	36	13.16	13.23	13.46	0
				18	0	13.14	13.14	13.48	0
				18	10	13.16	13.13	13.47	0
				18	20	13.16	13.18	13.46	0
				36	0	13.17	13.13	13.49	0
			16QAM	1	1	13.20	13.11	13.48	0
			64QAM	1	1	13.17	13.18	13.38	0
			256QAM	1	1	13.13	13.13	13.45	0
		CP	QPSK	1	1	13.19	13.16	13.02	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.21	13.13	13.11	0
				1	26	13.25	13.11	12.55	0
				1	49	13.15	13.22	13.48	0
				25	0	13.18	13.14	13.44	0
				25	13	13.21	12.58	13.49	0
				25	26	13.17	12.84	13.46	0
				50	0	13.23	13.18	13.45	0
			QPSK	1	1	13.18	13.12	13.47	0
				1	26	13.19	13.12	13.46	0
				1	49	13.21	13.26	13.53	0
				25	0	13.21	13.18	13.41	0
				25	13	13.23	13.13	13.44	0
				25	26	13.19	13.22	13.46	0
				50	0	13.25	13.14	13.48	0
			16QAM	1	1	13.14	13.23	13.46	0
			64QAM	1	1	13.18	13.15	13.20	0
			256QAM	1	1	13.18	13.22	13.54	0
		CP	QPSK	1	1	13.14	13.16	13.41	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.18	13.21	13.40	0
				1	32	13.18	13.39	13.45	0
				1	63	13.11	12.91	13.51	0
				32	0	13.20	13.14	13.39	0
				32	17	12.80	13.14	13.42	0
				32	33	12.80	13.18	13.43	0
				64	0	12.86	13.15	13.43	0
			QPSK	1	1	13.17	13.14	13.33	0
				1	32	13.25	13.16	13.40	0
				1	63	13.14	13.24	13.41	0
				32	0	13.25	13.13	13.41	0
				32	17	13.10	13.17	13.40	0
				32	33	13.20	13.22	13.46	0
				64	0	13.22	13.15	13.43	0
			16QAM	1	1	13.22	13.12	13.34	0
			64QAM	1	1	13.16	13.10	13.34	0
			256QAM	1	1	13.29	12.76	13.32	0
		CP	QPSK	1	1	13.24	12.80	12.94	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	13.23	13.13	13.43	0
				1	39	13.14	13.16	13.48	0
				1	76	13.05	13.24	13.39	0
				36	0	13.26	13.20	13.39	0
				36	21	13.20	13.09	13.45	0
				36	42	13.09	13.21	13.43	0
				75	0	13.17	13.11	13.46	0
			QPSK	1	1	13.26	13.11	13.44	0
				1	39	13.19	13.17	13.42	0
				1	76	13.03	13.21	13.37	0
				36	0	13.28	13.09	13.46	0
				36	21	13.19	13.14	13.47	0
				36	42	13.09	13.22	13.48	0
				75	0	13.19	13.12	13.45	0
			16QAM	1	1	13.29	13.12	13.47	0
			64QAM	1	1	13.21	12.80	13.45	0
			256QAM	1	1	13.23	13.16	13.46	0
		CP	QPSK	1	1	13.33	13.14	13.44	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.07		13.33	0
				1	53	13.13		13.53	0
				1	104	13.07		13.40	0
				50	0	13.11		13.23	0
				50	28	13.09		13.22	0
				50	56	13.08		13.14	0
				100	0	13.14		13.37	0
			QPSK	1	1	13.07		13.23	0
				1	53	13.11		13.42	0
				1	104	13.09		13.43	0
				50	0	13.16		12.81	0
				50	28	13.11		12.88	0
				50	56	13.05		12.80	0
				100	0	13.12		13.17	0
			16QAM	1	1	13.15		13.19	0
			64QAM	1	1	12.97		12.80	0
			256QAM	1	1	13.22		13.24	0
		CP	QPSK	1	1	13.08		12.85	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.07		13.33	0
				1	67	13.02		13.35	0
				1	131	13.22		13.37	0
				64	0	13.10		13.34	0
				64	35	13.07		13.38	0
				64	69	13.05		13.45	0
				128	0	13.04		13.40	0
			QPSK	1	1	13.06		13.31	0
				1	67	13.04		13.38	0
				1	131	13.17		13.38	0
				64	0	13.14		13.40	0
				64	35	13.07		13.37	0
				64	69	13.11		13.43	0
				128	0	13.06		13.37	0
			16QAM	1	1	13.02		13.36	0
			64QAM	1	1	12.95		13.31	0
			256QAM	1	1	13.06		13.30	0
		CP	QPSK	1	1	12.60		12.84	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.18		0
				1	81		13.19		0
				1	160		13.41		0
				81	0		13.08		0
				81	41		13.18		0
				81	81		13.29		0
				162	0		13.19		0
			QPSK	1	1		13.17		0
				1	81		13.16		0
				1	160		13.41		0
				81	0		13.12		0
				81	41		13.16		0
				81	81		13.29		0
				162	0		13.18		0
			16QAM	1	1		13.17		0
			64QAM	1	1		13.15		0
			256QAM	1	1		13.03		0
		CP	QPSK	1	1		13.15		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.20		0
				1	95		13.11		0
				1	187		13.46		0
				90	0		13.14		0
				90	50		13.15		0
				90	99		13.34		0
				180	0		13.17		0
			QPSK	1	1		13.19		0
				1	95		13.13		0
				1	187		13.57		0
				90	0		13.10		0
				90	50		13.15		0
				90	99		13.31		0
				180	0		13.17		0
			16QAM	1	1		13.20		0
			64QAM	1	1		13.14		0
			256QAM	1	1		13.18		0
		CP	QPSK	1	1		13.23		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		12.82		0
				1	109		13.14		0
				1	215		13.05		0
				108	0		13.10		0
				108	55		13.13		0
				108	109		13.31		0
				216	0		13.20		0
			QPSK	1	1		12.76		0
				1	109		13.14		0
				1	215		13.04		0
				108	0		13.11		0
				108	55		13.16		0
				108	109		13.36		0
				216	0		13.20		0
			16QAM	1	1		12.84		0
			64QAM	1	1		12.69		0
			256QAM	1	1		12.84		0
		CP	QPSK	1	1		12.77		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		12.76		0
				1	123		13.13		0
				1	243		13.04		0
				120	0		13.12		0
				120	63		13.16		0
				120	125		13.38		0
				243	0		13.22		0
			QPSK	1	1		12.72		0
				1	123		13.12		0
				1	243		13.09		0
				120	0		13.08		0
				120	63		13.15		0
				120	125		13.37		0
				243	0		13.18		0
			16QAM	1	1		12.76		0
			64QAM	1	1		12.79		0
			256QAM	1	1		12.83		0
		CP	QPSK	1	1		12.57		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		12.67		0
				1	137		13.01		0
				1	271		12.82		0
				135	0		13.06		0
				135	69		13.06		0
				135	138		13.29		0
				270	0		13.18		0
			QPSK	1	1		12.54		0
				1	137		12.94		0
				1	271		12.82		0
				135	0		12.98		0
				135	69		13.03		0
				135	138		13.31		0
				270	0		13.09		0
			16QAM	1	1		12.70		0
			64QAM	1	1		12.62		0
			256QAM	1	1		12.65		0
		CP	QPSK	1	1		12.82		0

NR TDD Band n78 DoD(PC3,PC2) Conducted Power_ Measured RCV(RSI

1)_SUB2 [Ant F]

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3455.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.08	13.15	13.03	0
				1	12	13.14	13.18	13.06	0
				1	22	13.22	13.21	13.01	0
				12	0	13.15	13.11	13.36	0
				12	6	13.14	13.20	12.91	0
				12	12	13.09	13.17	13.40	0
				24	0	13.08	13.15	13.38	0
			QPSK	1	1	13.03	13.17	13.40	0
				1	12	13.15	13.16	13.42	0
				1	22	13.16	13.22	13.43	0
				12	0	13.09	13.13	13.36	0
				12	6	13.11	13.16	13.39	0
				12	12	13.11	13.15	13.40	0
				24	0	13.10	13.20	13.38	0
			16QAM	1	1	13.04	13.12	13.38	0
			64QAM	1	1	13.24	13.10	13.36	0
			256QAM	1	1	13.17	13.13	13.42	0
		CP	QPSK	1	1	13.17	13.07	13.46	0

NR TDD Band n78 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636116	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	12.82	13.06	13.40	0
				1	18	12.77	13.01	13.42	0
				1	36	12.75	13.15	13.44	0
				18	0	13.13	13.12	13.43	0
				18	10	12.92	13.16	13.42	0
				18	20	13.16	13.14	13.10	0
				36	0	13.11	13.16	13.49	0
			QPSK	1	1	13.08	13.15	13.40	0
				1	18	13.07	13.08	13.41	0
				1	36	13.15	13.22	13.46	0
				18	0	13.14	13.10	13.44	0
				18	10	13.16	13.10	13.46	0
				18	20	13.14	13.15	13.45	0
				36	0	13.15	13.10	13.46	0
			16QAM	1	1	13.16	13.08	13.48	0
			64QAM	1	1	13.14	13.16	13.35	0
			256QAM	1	1	13.08	13.11	13.42	0
		CP	QPSK	1	1	13.18	13.12	13.02	0

NR TDD Band n78 DoD _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	63600	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.17	13.10	13.06	0
				1	26	13.24	13.11	12.54	0
				1	49	13.14	13.18	13.44	0
				25	0	13.15	13.09	13.40	0
				25	13	13.21	12.56	13.47	0
				25	26	13.16	12.80	13.45	0
				50	0	13.22	13.16	13.42	0
			QPSK	1	1	13.13	13.11	13.43	0
				1	26	13.18	13.11	13.45	0
				1	49	13.18	13.22	13.48	0
				25	0	13.17	13.14	13.39	0
				25	13	13.21	13.09	13.43	0
				25	26	13.15	13.18	13.42	0
				50	0	13.22	13.12	13.44	0
			16QAM	1	1	13.11	13.18	13.45	0
			64QAM	1	1	13.14	13.14	13.20	0
			256QAM	1	1	13.16	13.17	13.53	0
		CP	QPSK	1	1	13.11	13.15	13.39	0

NR TDD Band n78 DoD _25 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630866	633334	635800	
						3462.99 MHz	3500.01 MHz	3537 MHz	
25 Mhz	30	DFT-s	pi/2 BPSK	1	1	13.17	13.20	13.37	0
				1	32	13.14	13.36	13.43	0
				1	63	13.07	12.87	13.50	0
				32	0	13.16	13.12	13.36	0
				32	17	12.80	13.10	13.37	0
				32	33	12.76	13.16	13.42	0
				64	0	12.82	13.11	13.41	0
			QPSK	1	1	13.14	13.10	13.30	0
				1	32	13.21	13.14	13.38	0
				1	63	13.11	13.23	13.38	0
				32	0	13.22	13.12	13.39	0
				32	17	13.08	13.15	13.38	0
				32	33	13.19	13.22	13.43	0
				64	0	13.18	13.11	13.38	0
			16QAM	1	1	13.22	13.10	13.34	0
			64QAM	1	1	13.15	13.08	13.29	0
			256QAM	1	1	13.28	12.76	13.31	0
		CP	QPSK	1	1	13.23	12.79	12.92	0

NR TDD Band n78 DoD _30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 Mhz	30	DFT-s	pi/2 BPSK	1	1	13.20	13.10	13.41	0
				1	39	13.14	13.15	13.46	0
				1	76	13.04	13.21	13.36	0
				36	0	13.22	13.20	13.37	0
				36	21	13.15	13.06	13.41	0
				36	42	13.05	13.17	13.39	0
				75	0	13.15	13.11	13.44	0
			QPSK	1	1	13.22	13.10	13.41	0
				1	39	13.16	13.15	13.38	0
				1	76	13.02	13.19	13.34	0
				36	0	13.26	13.09	13.45	0
				36	21	13.19	13.10	13.44	0
				36	42	13.07	13.20	13.45	0
				75	0	13.15	13.10	13.44	0
			16QAM	1	1	13.25	13.09	13.45	0
			64QAM	1	1	13.17	12.75	13.44	0
			256QAM	1	1	13.21	13.13	13.46	0
		CP	QPSK	1	1	13.32	13.10	13.42	0

NR TDD Band n78 DoD _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.05	-4.53	13.29	0
				1	53	13.11	-4.45	13.48	0
				1	104	13.03	-4.53	13.40	0
				50	0	13.09	-4.50	13.19	0
				50	28	13.04	-4.49	13.17	0
				50	56	13.03	-4.51	13.10	0
				100	0	13.10	-4.51	13.33	0
			QPSK	1	1	13.07	-4.52	13.23	0
				1	53	13.11	-4.52	13.37	0
				1	104	13.08	-4.47	13.42	0
				50	0	13.12	-4.50	12.76	0
				50	28	13.06	-4.48	12.83	0
				50	56	13.05	-4.48	12.76	0
				100	0	13.09	-4.50	13.13	0
			16QAM	1	1	13.12	-4.47	13.14	0
			64QAM	1	1	12.94	-4.49	12.77	0
			256QAM	1	1	13.19	-4.47	13.22	0
		CP	QPSK	1	1	13.07	-4.50	12.83	0

NR TDD Band n78 DoD _50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	13.04	-4.51	13.33	0
				1	67	13.01	-4.52	13.33	0
				1	131	13.20	-4.52	13.36	0
				64	0	13.09	-4.50	13.32	0
				64	35	13.06	-4.48	13.35	0
				64	69	13.02	-4.50	13.44	0
				128	0	13.04	-4.53	13.38	0
			QPSK	1	1	13.03	-4.53	13.26	0
				1	67	13.03	-4.54	13.35	0
				1	131	13.14	-4.48	13.34	0
				64	0	13.09	-4.51	13.37	0
				64	35	13.04	-4.48	13.35	0
				64	69	13.11	-4.46	13.42	0
				128	0	13.06	-4.48	13.33	0
			16QAM	1	1	12.98	-4.53	13.34	0
			64QAM	1	1	12.91	-4.51	13.26	0
			256QAM	1	1	13.05	-4.51	13.30	0
		CP	QPSK	1	1	12.59	-4.51	12.82	0

NR TDD Band n78 DoD _60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		13.14		0
				1	81		13.14		0
				1	160		13.39		0
				81	0		13.07		0
				81	41		13.14		0
				81	81		13.29		0
				162	0		13.14		0
			QPSK	1	1		13.17		0
				1	81		13.14		0
				1	160		13.38		0
				81	0		13.08		0
				81	41		13.16		0
				81	81		13.28		0
				162	0		13.14		0
			16QAM	1	1		13.13		0
			64QAM	1	1		13.10		0
			256QAM	1	1		13.00		0
		CP	QPSK	1	1		13.12		0

NR TDD Band n78 DoD _70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		13.15		0
				1	95		13.11		0
				1	187		13.42		0
				90	0		13.14		0
				90	50		13.10		0
				90	99		13.30		0
				180	0		13.16		0
			QPSK	1	1		13.18		0
				1	95		13.10		0
				1	187		13.55		0
				90	0		13.07		0
				90	50		13.11		0
				90	99		13.29		0
				180	0		13.17		0
			16QAM	1	1		13.18		0
			64QAM	1	1		13.12		0
			256QAM	1	1		13.16		0
		CP	QPSK	1	1		13.21		0

NR TDD Band n78 DoD _80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		12.78		0
				1	109		13.10		0
				1	215		13.02		0
				108	0		13.08		0
				108	55		13.12		0
				108	109		13.28		0
				216	0		13.17		0
			QPSK	1	1		12.75		0
				1	109		13.14		0
				1	215		13.01		0
				108	0		13.06		0
				108	55		13.11		0
				108	109		13.32		0
				216	0		13.16		0
			16QAM	1	1		12.80		0
			64QAM	1	1		12.66		0
			256QAM	1	1		12.80		0
		CP	QPSK	1	1		12.77		0

NR TDD Band n78 DoD _90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		12.75		0
				1	123		13.11		0
				1	243		13.02		0
				120	0		13.08		0
				120	63		13.11		0
				120	125		13.38		0
				243	0		13.18		0
			QPSK	1	1		12.69		0
				1	123		13.12		0
				1	243		13.06		0
				120	0		13.07		0
				120	63		13.12		0
				120	125		13.34		0
				243	0		13.14		0
			16QAM	1	1		12.75		0
			64QAM	1	1		12.77		0
			256QAM	1	1		12.78		0
		CP	QPSK	1	1		12.55		0

NR TDD Band n78 DoD _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		12.64		0
				1	137		12.97		0
				1	271		12.78		0
				135	0		13.03		0
				135	69		13.05		0
				135	138		13.25		0
				270	0		13.17		0
			QPSK	1	1		12.52		0
				1	137		12.91		0
				1	271		12.81		0
				135	0		12.94		0
				135	69		12.98		0
				135	138		13.29		0
				270	0		13.06		0
			16QAM	1	1		12.68		0
			64QAM	1	1		12.58		0
			256QAM	1	1		12.62		0
		CP	QPSK	1	1		12.79		0

K.3 NR Band SRS Conducted Power

[NR TDD Band n41 (Power Class 2) SRS Conducted Power_ Antenna B / MAIN2]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna F/SUB2, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	13.79	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	13.10	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	16.22	0

[NR TDD Band n41 (Power Class 2) SRS Conducted Power_ Antenna I / SUB5]

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna B/MAIN2, SRS #1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	17.67	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna E/SUB1, SRS #2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	17.42	0

NR TDD Band n41_ 100 MHz Bandwidth Conducted Power_ Antenna D/MAIN3, SRS #3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				518598	
				2 592.99 MHz	
RSI = 0,1,2,3,4	100 MHz	30	DFT-s QPSK	14.70	0

[NR TDD Band n48 SRS Conducted Power]

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,1,2,3,4	40 MHz	30	DFT-s QPSK	15.10	15.20	14.45	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,1,2,3,4	40 MHz	30	DFT-s QPSK	15.80	15.93	15.90	0

NR TDD Band n48_ 40 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]			MPR [dB]
				638000	641666	645332	
				3 570 MHz	3 624.99 MHz	3 679.98 MHz	
RSI = 0,1,2,3,4	40 MHz	30	DFT-s QPSK	16.10	16.68	15.70	0

[NR TDD Band n77(Power Class 2) SRS Conducted Power]

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	12.06	12.04	0
RSI = 1	100 MHz	30	DFT-s QPSK	11.12	11.10	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	15.15	15.06	0
RSI = 1	100 MHz	30	DFT-s QPSK	14.12	14.03	0

NR TDD Band n77(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]		MPR [dB]
				650000	662000	
				3 750 MHz	3 930 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	11.31	10.56	0
RSI = 1	100 MHz	30	DFT-s QPSK	10.11	9.84	0

[NR TDD Band n77_DoD(Power Class 2) SRS Conducted Power]

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	12.94	0
RSI = 1	100 MHz	30	DFT-s QPSK	11.95	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	14.72	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.64	0

NR TDD Band n77_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	11.96	0
RSI = 1	100 MHz	30	DFT-s QPSK	10.95	0

[NR TDD Band n78(Power Class 2) SRS Conducted Power]

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	11.20	0
RSI = 1	100 MHz	30	DFT-s QPSK	10.54	0

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	14.62	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.68	0

NR TDD Band n78(Power Class 2)_100 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				650000	
				3 750 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	11.27	0
RSI = 1	100 MHz	30	DFT-s QPSK	10.29	0

[NR TDD Band n78_DoD(Power Class 2) SRS Conducted Power]

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna C/MAIN3, SRS#1

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	12.97	0
RSI = 1	100 MHz	30	DFT-s QPSK	11.91	0

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna I/SUB5, SRS#2

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	14.62	0
RSI = 1	100 MHz	30	DFT-s QPSK	13.65	0

NR TDD Band n78_DoD(Power Class 2)_ 100 MHz Bandwidth Conducted Power_ Antenna D/MAIN4, SRS#3

	Bandwidth	SCS(kHz)	Modulation	Max. Average Power [dBm]	MPR [dB]
				633334	
				3 500.01 MHz	
RSI = 0,2,3,4	100 MHz	30	DFT-s QPSK	11.95	0
RSI = 1	100 MHz	30	DFT-s QPSK	10.94	0