n77(3450~3550 MHz)_60 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(30 M-10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(30 M-10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_Conducted Spurious(30 M-10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_25 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_30 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_40 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_50 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_60 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_70 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_80 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(Above10 G)_Mid_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_90 M_Conducted Spurious(Above10 G)_High_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_100 M_Conducted Spurious(Above10 G)_Low_BPSK_1RB



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_1RB(1)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_Low_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_1RB(1)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_10 M_Band Edge_High_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_1RB(1)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_Low_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_1RB(1)



The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_FullRB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_15 M_Band Edge_High_BPSK_1RB(3)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Band Edge_Low_BPSK_FullRB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Band Edge_Low_BPSK_1RB(1)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Band Edge_Low_BPSK_FullRB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.

n77(3450~3550 MHz)_20 M_Band Edge_Low_BPSK_1RB(2)

The report shall not be (partly) reproduced except in full without approval of the laboratory.