7.4 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is 43 + $\log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

KDB 971168 D01 v03 – Section 6.0

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq$ 1% of the emission bandwidth
4. VBW $\geq$ 3 x RBW
5. Detector = RMS
6. Number of sweep points ≥ 2 x Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.

Figure 7-3. Test Instrument & Measurement Setup

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Test Notes

Per 22.917(b) 24.238(a) 27.53(h) in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Per 27.53(g) for operations in the 698-746 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 71



Plot 7-94. Lower Band Edge Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)

Plot 7-95. Upper Band Edge Plot (Band 71 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-96. Lower Band Edge Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

Plot 7-97. Upper Band Edge Plot (Band 71 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-98. Lower Band Edge Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)

Plot 7-99. Upper Band Edge Plot (Band 71 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-100. Lower Band Edge Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

Plot 7-101. Upper Band Edge Plot (Band 71 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 12

Plot 7-102. Lower Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)

Plot 7-103. Upper Band Edge Plot (Band 12 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-104. Lower Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

Plot 7-105. Upper Band Edge Plot (Band 12 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-106. Lower Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)

Plot 7-107. Upper Band Edge Plot (Band 12 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-108. Lower Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)

Plot 7-109. Upper Band Edge Plot (Band 12 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 5

Plot 7-110. Lower Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-111. Lower Extended Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-112. Upper Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-113. Upper Extended Band Edge Plot (Band 5 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-114. Lower Band Edge Plot (Band 5 - 3.0MHz QPSK - Full RB Configuration)

Plot 7-115. Upper Band Edge Plot (Band 5 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-116. Lower Band Edge Plot (Band 5 - 5.0MHz QPSK - Full RB Configuration)

Plot 7-117. Upper Band Edge Plot (Band 5 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-118. Lower Band Edge Plot (Band 5 - 10.0MHz QPSK - Full RB Configuration)

Plot 7-119. Upper Band Edge Plot (Band 5 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 66/4

Plot 7-120. Lower Band Edge Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-121. Lower Extended Band Edge Plot (Band 66/4 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-122. Upper Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-123. Upper Extended Band Edge Plot (Band 4 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-124. Upper Band Edge Plot (Band 66 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-125. Upper Extended Band Edge Plot (Band 66 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-126. Lower Band Edge Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-127. Lower Extended Band Edge Plot (Band 66/4 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-128. Upper Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-129. Upper Extended Band Edge Plot (Band 4 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-130. Upper Band Edge Plot (Band 66 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-131. Upper Extended Band Edge Plot (Band 66 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-132. Lower Band Edge Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-133. Lower Extended Band Edge Plot (Band 66/4 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-134. Upper Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-135. Upper Extended Band Edge Plot (Band 4 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-136. Upper Band Edge Plot (Band 66 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-137. Upper Extended Band Edge Plot (Band 66 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-138. Lower Band Edge Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-139. Lower Extended Band Edge Plot (Band 66/4 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-140. Upper Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-141. Upper Extended Band Edge Plot (Band 4 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-142. Upper Band Edge Plot (Band 66 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-143. Upper Extended Band Edge Plot (Band 66 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-144. Lower Band Edge Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-145. Lower Extended Band Edge Plot (Band 66/4 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-146. Upper Band Edge Plot (Band 4 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-147. Upper Extended Band Edge Plot (Band 4 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-148. Upper Band Edge Plot (Band 66 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-149. Upper Extended Band Edge Plot (Band 66 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-150. Lower Band Edge Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-151. Lower Extended Band Edge Plot (Band 66/4 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-152. Upper Band Edge Plot (Band 4 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-153. Upper Extended Band Edge Plot (Band 4 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-154. Upper Band Edge Plot (Band 66 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-155. Upper Extended Band Edge Plot (Band 66 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 2

Plot 7-156. Lower Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-157. Lower Extended Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-158. Upper Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-159. Upper Extended Band Edge Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-160. Lower Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-161. Lower Extended Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-162. Upper Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-163. Upper Extended Band Edge Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-164. Lower Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-165. Lower Extended Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-166. Upper Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-167. Upper Extended Band Edge Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-168. Lower Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-169. Lower Extended Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-170. Upper Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-171. Upper Extended Band Edge Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-172. Lower Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-173. Lower Extended Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-174. Upper Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-175. Upper Extended Band Edge Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-176. Lower Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-177. Lower Extended Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Plot 7-178. Upper Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-179. Upper Extended Band Edge Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.5 Peak-Average Ratio

Test Overview

A peak to average ratio measurement is performed at the conducted port of the EUT. The spectrum analyzers Complementary Cumulative Distribution Function (CCDF) measurement profile is used to determine the largest deviation between the average and the peak power of the EUT in a given bandwidth. The CCDF curve shows how much time the peak waveform spends at or above a given average power level. The percent of time the signal spends at or above the level defines the probability for that particular power level.

Test Procedure Used

KDB 971168 D01 v03 – Section 5.7.1

Test Settings

1. The signal analyzer's CCDF measurement profile is enabled
2. Frequency = carrier center frequency
3. Measurement BW > Emission bandwidth of signal
4. The signal analyzer was set to collect one million samples to generate the CCDF curve
5. The measurement interval was set depending on the type of signal analyzed. For continuous signals (>98% duty cycle), the measurement interval was set to 1ms.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.

Figure 7-4. Test Instrument & Measurement Setup

Test Notes

None.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 2



Plot 7-180. PAR Plot (Band 2 - 1.4MHz QPSK - Full RB Configuration)



Plot 7-181. PAR Plot (Band 2 - 1.4MHz 16-QAM - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-182. PAR Plot (Band 2 - 3.0MHz QPSK - Full RB Configuration)



Plot 7-183. PAR Plot (Band 2 - 3.0MHz 16-QAM - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-184. PAR Plot (Band 2 - 5.0MHz QPSK - Full RB Configuration)



Plot 7-185. PAR Plot (Band 2 - 5.0MHz 16-QAM - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-186. PAR Plot (Band 2 - 10.0MHz QPSK - Full RB Configuration)



Plot 7-187. PAR Plot (Band 2 - 10.0MHz 16-QAM - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-188. PAR Plot (Band 2 - 15.0MHz QPSK - Full RB Configuration)



Plot 7-189. PAR Plot (Band 2 - 15.0MHz 16-QAM - Full RB Configuration)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.



Plot 7-190. PAR Plot (Band 2 - 20.0MHz QPSK - Full RB Configuration)



Plot 7-191. PAR Plot (Band 2 - 20.0MHz 16-QAM - Full RB Configuration

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.6 Radiated Power (ERP/EIRP)

Test Overview

Effective Radiated Power (ERP) and Equivalent Isotropic Radiated Power (EIRP) measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.

Test Procedures Used

KDB 971168 D01 v03 – Section 5.2.1

ANSI/TIA-603-E-2016 – Section 2.2.17

Test Settings

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW ≥ 3 x RBW
4. Span = 1.5 times the OBW
5. No. of sweep points ≥ 2 x span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-5. Radiated Test Setup <1GHz



Figure 7-6. Radiated Test Setup >1GHz

Test Notes

1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.

2) This unit was tested with its standard battery.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]
665.50	5	QPSK	H	150	200	1 / 24	17.00	1.10	15.95	0.039	34.77	-18.82
680.50	5	QPSK	H	150	200	1 / 24	18.51	1.10	17.46	0.056	34.77	-17.31
695.50	5	QPSK	H	150	200	1 / 24	18.73	1.10	**17.68**	0.059	34.77	-17.09
695.50	5	16-QAM	H	150	200	1 / 24	17.56	1.10	**16.51**	0.045	34.77	-18.26
668.00	10	QPSK	H	150	196	1 / 49	18.08	1.10	17.03	0.050	34.77	-17.74
680.50	10	QPSK	H	150	196	1 / 49	18.50	1.10	17.45	0.056	34.77	-17.32
693.00	10	QPSK	H	150	196	1 / 49	18.97	1.10	**17.92**	**0.062**	34.77	-16.85
693.00	10	16-QAM	H	150	196	1 / 49	17.77	1.10	**16.72**	0.047	34.77	-18.05
670.50	15	QPSK	H	150	195	1 / 74	18.40	1.10	17.35	0.054	34.77	-17.42
680.50	15	QPSK	H	150	195	1 / 74	18.42	1.10	17.37	0.055	34.77	-17.40
690.50	15	QPSK	H	150	195	1 / 74	18.79	1.10	**17.74**	0.059	34.77	-17.03
690.50	15	16-QAM	H	150	195	1 / 74	17.62	1.10	**16.57**	0.045	34.77	-18.20
673.00	20	QPSK	H	150	191	1 / 99	18.73	1.10	17.68	0.059	34.77	-17.09
680.50	20	QPSK	H	150	191	1 / 99	18.02	1.10	16.97	0.050	34.77	-17.80
688.00	20	QPSK	H	150	191	1 / 99	18.81	1.10	**17.76**	0.060	34.77	-17.01
688.00	20	16-QAM	H	150	191	1 / 99	17.72	1.10	**16.67**	0.046	34.77	-18.10
693.00	10	QPSK	V	150	341	1 / 99	18.59	1.10	17.54	0.057	34.77	-17.23

Table 7-3. ERP Data (Band 71)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
699.70	1.4	QPSK	V	150	13	3 / 2	20.32	1.10	19.27	0.085	34.77	-15.50	21.42	0.139	36.99	-15.57
707.50	1.4	QPSK	V	150	13	3 / 2	20.64	1.13	19.62	0.092	34.77	-15.15	21.77	0.150	36.99	-15.22
715.30	1.4	QPSK	V	150	13	3 / 2	20.78	1.16	**19.79**	0.095	34.77	-14.98	**21.94**	0.156	36.99	-15.05
715.30	1.4	16-QAM	V	150	13	3 / 2	20.07	1.16	**19.08**	0.081	34.77	-15.69	**21.23**	0.133	36.99	-15.76
700.50	3	QPSK	V	150	345	1 / 14	20.39	1.10	19.34	0.086	34.77	-15.43	21.49	0.141	36.99	-15.50
707.50	3	QPSK	V	150	345	1 / 14	20.75	1.13	19.73	0.094	34.77	-15.04	21.88	0.154	36.99	-15.11
714.50	3	QPSK	V	150	345	1 / 14	20.88	1.16	**19.89**	0.097	34.77	-14.88	**22.04**	0.160	36.99	-14.95
714.50	3	16-QAM	V	150	345	1 / 14	19.86	1.16	**18.87**	0.077	34.77	-15.90	**21.02**	0.126	36.99	-15.97
701.50	5	QPSK	V	150	357	1 / 24	20.42	1.11	19.38	0.087	34.77	-15.40	21.53	0.142	36.99	-15.46
707.50	5	QPSK	V	150	357	1 / 24	20.87	1.13	19.85	0.097	34.77	-14.92	22.00	0.159	36.99	-14.99
713.50	5	QPSK	V	150	357	1 / 24	20.85	1.15	**19.85**	0.097	34.77	-14.92	**22.00**	0.159	36.99	-14.99
713.50	5	16-QAM	V	150	357	1 / 24	19.94	1.15	**18.94**	0.078	34.77	-15.83	**21.09**	0.129	36.99	-15.90
704.00	10	QPSK	V	150	17	1 / 49	20.83	1.12	19.80	0.095	34.77	-14.97	21.95	0.157	36.99	-15.04
707.50	10	QPSK	V	150	17	1 / 49	20.97	1.13	**19.95**	**0.099**	34.77	-14.82	**22.10**	**0.162**	36.99	-14.89
711.00	10	QPSK	V	150	17	1 / 49	20.75	1.14	19.74	0.094	34.77	-15.03	21.89	0.155	36.99	-15.10
711.00	10	16-QAM	V	150	17	1 / 49	19.89	1.14	**18.88**	0.077	34.77	-15.89	**21.03**	0.127	36.99	-15.96
707.50	10	QPSK	H	150	341	1 / 49	19.14	1.13	18.12	0.065	34.77	-16.65	20.27	0.106	36.99	-16.72

Table 7-4. ERP Data (Band 12)

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	ERP [dBm]	ERP [Watts]	ERP Limit [dBm]	Margin [dB]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
824.70	1.4	QPSK	H	150	11	1 / 0	20.11	1.50	19.46	0.088	38.45	-18.99	21.61	0.145	40.61	-19.00
836.50	1.4	QPSK	H	150	10	1 / 0	22.06	1.50	21.41	0.138	38.45	-17.04	23.56	0.227	40.61	-17.05
848.30	1.4	QPSK	H	150	10	1 / 0	22.93	1.50	**22.28**	**0.169**	38.45	-16.17	**24.43**	**0.277**	40.61	-16.18
848.30	1.4	16-QAM	H	150	10	1 / 0	21.72	1.50	**21.07**	0.128	38.45	-17.38	**23.22**	0.210	40.61	-17.39
825.50	3	QPSK	H	150	5	1 / 0	20.26	1.50	19.61	0.091	38.45	-18.84	21.76	0.150	40.61	-18.85
836.50	3	QPSK	H	150	5	1 / 0	21.96	1.50	21.31	0.135	38.45	-17.14	23.46	0.222	40.61	-17.15
847.50	3	QPSK	H	150	5	1 / 0	22.92	1.50	**22.27**	0.169	38.45	-16.18	**24.42**	0.277	40.61	-16.19
847.50	3	16-QAM	H	150	5	1 / 0	21.59	1.50	**20.94**	0.124	38.45	-17.51	**23.09**	0.204	40.61	-17.52
826.50	5	QPSK	H	150	3	1 / 0	19.99	1.50	19.34	0.086	38.45	-19.11	21.49	0.141	40.61	-19.12
836.50	5	QPSK	H	150	3	1 / 0	21.76	1.50	21.11	0.129	38.45	-17.34	23.26	0.212	40.61	-17.35
846.50	5	QPSK	H	15	3	1 / 0	22.45	1.50	**21.80**	0.151	38.45	-16.65	**23.95**	0.248	40.61	-16.66
846.50	5	16-QAM	H	15	3	1 / 0	21.09	1.50	**20.44**	0.111	38.45	-18.01	**22.59**	0.182	40.61	-18.02
829.00	10	QPSK	H	150	3	1 / 49	21.26	1.50	20.61	0.115	38.45	-17.84	22.76	0.189	40.61	-17.85
836.50	10	QPSK	H	150	3	1 / 49	21.84	1.50	21.19	0.132	38.45	-17.26	23.34	0.216	40.61	-17.27
844.00	10	QPSK	H	150	3	1 / 49	22.44	1.50	**21.79**	0.151	38.45	-16.66	**23.94**	0.248	40.61	-16.67
844.00	10	16-QAM	H	150	3	1 / 49	21.69	1.50	**21.04**	0.127	38.45	-17.41	**23.19**	0.208	40.61	-17.42
848.30	1.4	QPSK	V	150	359	1 / 0	19.87	1.50	19.22	0.084	38.45	-19.23	21.37	0.137	40.61	-19.24

Table 7-5. ERP Data (Band 5)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
1710.70	1.4	QPSK	V	150	92	1 / 0	19.28	5.56	24.84	0.305	30.00	-5.16
1745.00	1.4	QPSK	V	150	92	6 / 0	19.84	5.32	25.16	0.328	30.00	-4.84
1779.30	1.4	QPSK	V	150	89	1 / 0	20.56	5.09	**25.65**	0.367	30.00	-4.35
1779.30	1.4	16-QAM	V	150	89	1 / 0	20.40	5.09	**25.49**	0.354	30.00	-4.51
1711.50	3	QPSK	V	150	94	1 / 0	19.33	5.55	24.88	0.308	30.00	-5.12
1745.00	3	QPSK	V	150	94	1 / 0	20.05	5.32	25.37	0.345	30.00	-4.63
1778.50	3	QPSK	V	150	94	1 / 0	20.49	5.10	**25.59**	0.362	30.00	-4.41
1778.50	3	16-QAM	V	150	94	1 / 0	20.24	5.10	**25.34**	0.342	30.00	-4.66
1712.50	5	QPSK	V	150	85	1 / 0	18.75	5.55	24.30	0.269	30.00	-5.70
1745.00	5	QPSK	V	150	85	1 / 0	19.55	5.32	24.87	0.307	30.00	-5.13
1777.50	5	QPSK	V	150	85	1 / 0	20.38	5.10	**25.48**	0.354	30.00	-4.52
1777.50	5	16-QAM	V	150	85	1 / 0	20.01	5.10	**25.11**	0.325	30.00	-4.89
1715.00	10	QPSK	V	150	93	1 / 0	19.51	5.53	25.04	0.319	30.00	-4.96
1745.00	10	QPSK	V	150	93	1 / 0	20.10	5.32	**25.42**	0.349	30.00	-4.58
1775.00	10	QPSK	V	150	93	1 / 0	20.26	5.12	25.38	0.345	30.00	-4.62
1745.00	10	16-QAM	V	150	93	1 / 0	19.89	5.32	**25.21**	0.332	30.00	-4.79
1717.50	15	QPSK	V	150	91	1 / 0	19.37	5.51	24.88	0.308	30.00	-5.12
1745.00	15	QPSK	V	150	91	1 / 0	19.77	5.32	25.09	0.323	30.00	-4.91
1772.50	15	QPSK	V	150	91	1 / 0	20.19	5.14	**25.33**	0.341	30.00	-4.67
1772.50	15	16-QAM	V	150	91	1 / 0	19.98	5.14	**25.12**	0.325	30.00	-4.88
1720.00	20	QPSK	V	150	92	1 / 99	19.51	5.49	25.00	0.316	30.00	-5.00
1745.00	20	QPSK	V	150	92	1 / 99	19.93	5.32	25.25	0.335	30.00	-4.75
1770.00	20	QPSK	V	150	92	1 / 99	20.71	5.15	**25.86**	**0.386**	30.00	-4.14
1770.00	20	16-QAM	V	150	92	1 / 99	20.20	5.15	**25.35**	0.343	30.00	-4.65
1770.00	20	QPSK	H	150	100	100 / 0	20.69	5.15	25.84	0.384	30.00	-4.16

Table 7-6. EIRP Data (Band 66/4)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Frequency [MHz]	Channel Bandwidth [MHz]	Mod.	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	RB Size/Offset	Substitute Level [dBm]	Ant. Gain [dBi]	EIRP [dBm]	EIRP [Watts]	EIRP Limit [dBm]	Margin [dB]
1850.70	1.4	QPSK	V	150	339	1 / 5	17.44	4.82	22.26	0.168	33.01	-10.75
1880.00	1.4	QPSK	V	150	334	1 / 5	18.11	4.74	**22.85**	0.193	33.01	-10.16
1909.30	1.4	QPSK	V	150	330	1 / 5	16.45	4.68	21.13	0.130	33.01	-11.88
1850.70	1.4	16-QAM	V	150	339	1 / 0	16.55	4.82	**21.37**	0.137	33.01	-11.64
1851.50	3	QPSK	V	150	68	1 / 0	18.28	4.82	23.10	0.204	33.01	-9.91
1880.00	3	QPSK	V	150	83	1 / 0	19.16	4.74	23.90	0.245	33.01	-9.11
1908.50	3	QPSK	V	150	83	1 / 14	19.46	4.68	**24.14**	0.260	33.01	-8.87
1880.00	3	16-QAM	V	150	83	1 / 14	18.38	4.74	**23.12**	0.205	33.01	-9.89
1852.50	5	QPSK	V	150	114	1 / 24	19.80	4.81	**24.61**	**0.289**	33.01	-8.40
1880.00	5	QPSK	V	150	116	1 / 0	19.85	4.74	24.59	0.288	33.01	-8.42
1907.50	5	QPSK	V	150	115	1 / 24	19.16	4.68	23.84	0.242	33.01	-9.17
1880.00	5	16-QAM	V	150	116	1 / 0	18.41	4.74	**23.15**	0.207	33.01	-9.86
1855.00	10	QPSK	V	150	116	1 / 0	19.78	4.81	**24.59**	0.287	33.01	-8.42
1880.00	10	QPSK	V	150	114	1 / 0	19.80	4.74	24.54	0.284	33.01	-8.47
1905.00	10	QPSK	V	150	118	1 / 0	19.88	4.68	24.56	0.286	33.01	-8.45
1855.00	10	16-QAM	V	150	116	1 / 0	18.85	4.81	**23.66**	0.232	33.01	-9.35
1857.50	15	QPSK	V	150	113	1 / 0	19.30	4.80	24.10	0.257	33.01	-8.91
1880.00	15	QPSK	V	150	114	1 / 0	19.82	4.74	**24.56**	0.286	33.01	-8.45
1902.50	15	QPSK	V	150	114	1 / 0	19.50	4.69	24.19	0.262	33.01	-8.82
1857.50	15	16-QAM	V	150	113	1 / 0	19.04	4.80	**23.84**	0.242	33.01	-9.17
1860.00	20	QPSK	V	150	128	1 / 0	19.67	4.79	**24.46**	0.279	33.01	-8.55
1880.00	20	QPSK	V	150	123	1 / 0	19.44	4.74	24.18	0.262	33.01	-8.83
1900.00	20	QPSK	V	150	120	1 / 0	19.02	4.69	23.71	0.235	33.01	-9.30
1860.00	20	16-QAM	V	150	128	1 / 0	18.51	4.79	**23.30**	0.214	33.01	-9.71
1852.50	5	QPSK	H	150	185	1 / 99	19.29	4.81	24.10	0.257	33.01	-8.91

Table 7-7. EIRP Data (Band 2)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.7 Radiated Spurious Emissions Measurements

Test Overview

Radiated spurious emissions measurements are performed using the substitution method described in ANSI/TIA-603-E-2016 with the EUT transmitting into an integral antenna. Measurements on signals operating below 1GHz are performed using vertically and horizontally polarized tuned dipole antennas. Measurements on signals operating above 1GHz are performed using vertically and horizontally polarized broadband horn antennas.

Test Procedures Used

KDB 971168 D01 v03 – Section 5.8

ANSI/TIA-603-E-2016 – Section 2.2.12

Test Settings

1. RBW = 100kHz for emissions below 1GHz and 1MHz for emissions above 1GHz
2. VBW ≥ 3 x RBW
3. Span = 1.5 times the OBW
4. No. of sweep points ≥ 2 x span / RBW
5. Detector = RMS
6. Trace mode = Average (Max Hold for pulsed emissions)
7. The trace was allowed to stabilize

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.



Figure 7-7. Test Instrument & Measurement Setup

Test Notes

1) The EUT was tested in three orthogonal planes and in all possible test configurations and positioning. The worst case emissions are reported with the EUT positioning, modulations, RB sizes and offsets, and channel bandwidth configurations shown in the tables below.

2) This unit was tested with its standard battery.

3) The spectrum is measured from 9kHz to the 10th harmonic of the fundamental frequency of the transmitter. The worst-case emissions are reported.

4) Emissions below 18GHz were measured at a 3 meter test distance while emissions above 18GHz were measured at a 1 meter test distance with the application of a distance correction factor.

5) The "-" shown in the following RSE tables are used to denote a noise floor measurement.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 71



Plot 7-192. Radiated Spurious Plot above 1GHz (Band 71)

OPERATING FREQUENCY:	673.00	MHz
CHANNEL:	133222	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	20.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1346.00	H	206	50	-63.70	3.87	-59.83	-46.8
2019.00	H	395	157	-69.17	4.74	-64.43	-51.4
2692.00	H	181	22	-69.63	6.50	-63.12	-50.1
3365.00	H	-	-	-71.54	7.93	-63.61	-50.6
4038.00	H	-	-	-71.95	9.07	-62.88	-49.9

Table 7-8. Radiated Spurious Data (Band 71 – Low Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

OPERATING FREQUENCY:	680.50	MHz
CHANNEL:	133297	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	20.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1361.00	H	125	44	-64.76	4.00	-60.76	-47.8
2041.50	H	11	2	-68.95	4.89	-64.06	-51.1
2722.00	H	112	17	-70.42	6.64	-63.79	-50.8
3402.50	H	-	-	-71.06	7.99	-63.07	-50.1
4083.00	H	-	-	-72.03	9.05	-62.98	-50.0

Table 7-9. Radiated Spurious Data (Band 71 – Mid Channel)

OPERATING FREQUENCY:	688.00	MHz
CHANNEL:	133372	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	20.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1376.00	H	172	47	-67.99	8.00	-59.99	-47.0
2064.00	H	158	16	-69.69	8.75	-60.94	-47.9
2752.00	H	104	39	-75.83	9.73	-66.10	-53.1
3440.00	H	-	-	-74.06	9.48	-64.58	-51.6

Table 7-10. Radiated Spurious Data (Band 71 – High Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 12



Plot 7-193. Radiated Spurious Plot above 1GHz (Band 12)

OPERATING FREQUENCY:	704.00	MHz
CHANNEL:	23060	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	10.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1408.00	H	149	135	-62.30	8.00	-54.29	-41.3
2112.00	H	200	186	-73.96	8.89	-65.06	-52.1
2816.00	H	-	-	-77.82	10.10	-67.72	-54.7

Table 7-11. Radiated Spurious Data (Band 12 – Low Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

OPERATING FREQUENCY:	707.50	MHz
CHANNEL:	23095	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	10.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1415.00	H	153	132	-62.11	8.09	-54.02	-41.0
2122.50	H	104	221	-74.24	8.88	-65.36	-52.4
2830.00	H	173	211	-76.25	10.13	-66.12	-53.1
3537.50	H	-	-	-74.41	9.69	-64.71	-51.7

Table 7-12. Radiated Spurious Data (Band 12 – Mid Channel)

OPERATING FREQUENCY:	711.00	MHz
CHANNEL:	23130	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	10.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1422.00	H	100	129	-60.87	8.17	-52.70	-39.7
2133.00	H	188	188	-72.73	8.87	-63.86	-50.9
2844.00	H	140	203	-75.97	10.16	-65.80	-52.8
3555.00	H	-	-	-74.62	9.71	-64.91	-51.9

Table 7-13. Radiated Spurious Data (Band 12 – High Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 5



Plot 7-194. Radiated Spurious Plot above 1GHz (Band 5)

OPERATING FREQUENCY:	824.70	MHz
CHANNEL:	20407	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	1.4	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1649.40	H	120	41	-73.39	9.01	-64.38	-51.4
2474.10	H	113	50	-74.19	9.12	-65.07	-52.1
3298.80	H	-	-	-74.93	9.37	-65.56	-52.6

Table 7-14. Radiated Spurious Data (Band 5 – Low Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

OPERATING FREQUENCY:	836.50	MHz
CHANNEL:	20525	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	1.4	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1673.00	H	144	144	-73.57	8.85	-64.72	-51.7
2509.50	H	139	52	-75.98	9.17	-66.81	-53.8
3346.00	H	-	-	-75.24	9.36	-65.88	-52.9

Table 7-15. Radiated Spurious Data (Band 5 – Mid Channel)

OPERATING FREQUENCY:	848.30	MHz
CHANNEL:	20643	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	1.4	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
1696.60	H	177	147	-70.48	8.68	-61.80	-48.8
2544.90	H	149	49	-76.32	9.27	-67.05	-54.0
3393.20	H	-	-	-73.87	9.46	-64.41	-51.4

Table 7-16. Radiated Spurious Data (Band 5 – High Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 66/4



Plot 7-195. Radiated Spurious Plot above 1GHz (Band 66/4)

OPERATING FREQUENCY:	1720.00	MHz
CHANNEL:	132072	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	20.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3440.00	H	104	172	-45.52	9.54	-35.98	-23.0
5160.00	H	113	38	-55.41	10.79	-44.61	-31.6
6880.00	H	130	24	-57.45	10.86	-46.60	-33.6
8600.00	H	104	185	-68.99	11.69	-57.30	-44.3
10320.00	H	-	-	-68.38	12.49	-55.88	-42.9

Table 7-17. Radiated Spurious Data (Band 66/4 – Low Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

OPERATING FREQUENCY: 1745.00 MHz
CHANNEL: 132322
MODULATION SIGNAL: QPSK
BANDWIDTH: 20.0 MHz
DISTANCE: 3 meters
LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3490.00	H	131	172	-47.63	9.65	-37.98	-25.0
5235.00	H	100	188	-49.26	10.93	-38.33	-25.3
6980.00	H	100	22	-59.09	10.96	-48.13	-35.1
8725.00	H	-	-	-69.01	11.83	-57.18	-44.2

Table 7-18. Radiated Spurious Data (Band 66/4 – Mid Channel)

OPERATING FREQUENCY: 1770.00 MHz
CHANNEL: 132572
MODULATION SIGNAL: QPSK
BANDWIDTH: 20.0 MHz
DISTANCE: 3 meters
LIMIT: -13 dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3540.00	H	130	173	-50.54	9.69	-40.84	-27.8
5310.00	H	100	182	-44.92	10.97	-33.96	-21.0
7080.00	H	104	312	-58.07	11.01	-47.06	-34.1
8850.00	H	-	-	-68.95	11.95	-57.00	-44.0

Table 7-19. Radiated Spurious Data (Band 66/4 – High Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 2



Plot 7-196. Radiated Spurious Plot above 1GHz (Band 2)

OPERATING FREQUENCY:	1857.50	MHz
CHANNEL:	18675	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	15.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3715.00	H	120	45	-60.47	9.72	-50.75	-37.8
5572.50	H	112	127	-58.79	10.99	-47.80	-34.8
7430.00	H	-	-	-66.43	10.79	-55.64	-42.6
9287.50	H	-	-	-67.60	12.28	-55.32	-42.3

Table 7-20. Radiated Spurious Data (Band 2 – Low Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018
All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

OPERATING FREQUENCY:	1880.00	MHz
CHANNEL:	18900	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	15.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3760.00	H	113	44	-63.95	9.50	-54.45	-41.5
5640.00	H	161	110	-65.99	11.16	-54.83	-41.8
7520.00	H	-	-	-67.60	11.03	-56.57	-43.6
9400.00	H	-	-	-67.91	12.19	-55.72	-42.7

Table 7-21. Radiated Spurious Data (Band 2 – Mid Channel)

OPERATING FREQUENCY:	1902.50	MHz
CHANNEL:	19125	
MODULATION SIGNAL:	QPSK	
BANDWIDTH:	15.0	MHz
DISTANCE:	3	meters
LIMIT:	-13	dBm

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Level at Antenna Terminals [dBm]	Substitute Antenna Gain [dBi]	Spurious Emission Level [dBm]	Margin [dB]
3805.00	H	109	39	-56.81	9.31	-47.51	-34.5
5707.50	H	109	118	-53.95	11.33	-42.62	-29.6
7610.00	H	-	-	-67.43	11.26	-56.17	-43.2
9512.50	H	-	-	-67.37	12.23	-55.14	-42.1

Table 7-22. Radiated Spurious Data (Band 2 – High Channel)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

7.8 Frequency Stability / Temperature Variation

Test Overview and Limit

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-E-2016. The frequency stability of the transmitter is measured by:

a.) **Temperature:** The temperature is varied from -30°C to +50°C in 10°C increments using an environmental chamber.

b.) **Primary Supply Voltage:** The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within ±0.00025% (±2.5 ppm) of the center frequency. For Part 24, Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

Test Procedure Used

ANSI/TIA-603-E-2016

Test Settings

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -30°C to +50°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

Test Setup

The EUT was connected via an RF cable to a spectrum analyzer with the EUT placed inside an environmental chamber.

Test Notes

None

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 71 Frequency Stability Measurements

OPERATING FREQUENCY: 680,500,000 Hz

CHANNEL: 133297

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	680,499,804	-196	-0.0000288
100 %		- 30	680,500,079	79	0.0000116
100 %		- 20	680,500,444	444	0.0000652
100 %		- 10	680,500,045	45	0.0000066
100 %		0	680,499,859	-141	-0.0000207
100 %		+ 10	680,499,892	-108	-0.0000159
100 %		+ 20	680,499,756	-244	-0.0000359
100 %		+ 30	680,500,165	165	0.0000242
100 %		+ 40	680,499,926	-74	-0.0000109
100 %		+ 50	680,499,898	-102	-0.0000150
BATT. ENDPOINT	3.45	+ 20	680,499,926	-74	-0.0000109

Table 7-23. Frequency Stability Data (Band 71)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 71 Frequency Stability Measurements



Figure 7-8. Frequency Stability Graph (Band 71)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 12 Frequency Stability Measurements

OPERATING FREQUENCY: 707,500,000 Hz

CHANNEL: 23790

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	707,500,373	373	0.0000527
100 %		- 30	707,499,873	-127	-0.0000180
100 %		- 20	707,499,723	-277	-0.0000392
100 %		- 10	707,499,998	-2	-0.0000003
100 %		0	707,499,994	-6	-0.0000008
100 %		+ 10	707,499,844	-156	-0.0000220
100 %		+ 20	707,500,051	51	0.0000072
100 %		+ 30	707,499,891	-109	-0.0000154
100 %		+ 40	707,499,883	-117	-0.0000165
100 %		+ 50	707,500,130	130	0.0000184
BATT. ENDPOINT	3.45	+ 20	707,500,080	80	0.0000113

Table 7-24. Frequency Stability Data (Band 12)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 12 Frequency Stability Measurements



Figure 7-9. Frequency Stability Graph (Band 12)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 5 Frequency Stability Measurements

OPERATING FREQUENCY: 836,500,000 Hz

CHANNEL: 20525

REFERENCE VOLTAGE: 3.85 VDC

DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	836,499,733	-267	-0.0000319
100 %		- 30	836,499,871	-129	-0.0000154
100 %		- 20	836,500,316	316	0.0000378
100 %		- 10	836,500,164	164	0.0000196
100 %		0	836,499,898	-102	-0.0000122
100 %		+ 10	836,499,940	-60	-0.0000072
100 %		+ 20	836,499,957	-43	-0.0000051
100 %		+ 30	836,500,044	44	0.0000053
100 %		+ 40	836,500,371	371	0.0000444
100 %		+ 50	836,499,948	-52	-0.0000062
BATT. ENDPOINT	3.45	+ 20	836,500,177	177	0.0000212

Table 7-25. Frequency Stability Data (Band 5)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 5 Frequency Stability Measurements



Figure 7-10. Frequency Stability Graph (Band 5)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 66/4Frequency Stability Measurements

OPERATING FREQUENCY: 1,745,000,000 Hz

CHANNEL: 132322

REFERENCE VOLTAGE: 3.85 VDC

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,745,000,025	25	0.0000014
100 %		- 30	1,745,000,408	408	0.0000234
100 %		- 20	1,745,000,105	105	0.0000060
100 %		- 10	1,744,999,798	-202	-0.0000116
100 %		0	1,745,000,089	89	0.0000051
100 %		+ 10	1,745,000,407	407	0.0000233
100 %		+ 20	1,744,999,894	-106	-0.0000061
100 %		+ 30	1,744,999,867	-133	-0.0000076
100 %		+ 40	1,744,999,701	-299	-0.0000171
100 %		+ 50	1,744,999,711	-289	-0.0000166
BATT. ENDPOINT	3.45	+ 20	1,745,000,106	106	0.0000061

Table 7-26. Frequency Stability Data (Band 66/4)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 66/4Frequency Stability Measurements



Figure 7-11. Frequency Stability Graph (Band 66/4)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 2 Frequency Stability Measurements

OPERATING FREQUENCY: 1,880,000,000 Hz

CHANNEL: 18900

REFERENCE VOLTAGE: 3.85 VDC

DEVIATION LIMIT: ± 0.00025 % or 2.5 ppm

VOLTAGE (%)	POWER (VDC)	TEMP (°C)	FREQUENCY (Hz)	Freq. Dev. (Hz)	Deviation (%)
100 %	3.85	+ 20 (Ref)	1,879,999,921	-79	-0.0000042
100 %		- 30	1,879,999,934	-66	-0.0000035
100 %		- 20	1,879,999,949	-51	-0.0000027
100 %		- 10	1,879,999,972	-28	-0.0000015
100 %		0	1,879,999,999	-1	-0.0000001
100 %		+ 10	1,879,999,752	-248	-0.0000132
100 %		+ 20	1,880,000,409	409	0.0000218
100 %		+ 30	1,880,000,019	19	0.0000010
100 %		+ 40	1,880,000,310	310	0.0000165
100 %		+ 50	1,879,999,969	-31	-0.0000016
BATT. ENDPOINT	3.45	+ 20	1,880,000,076	76	0.0000040

Table 7-27. Frequency Stability Data (Band 2)

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

Band 2 Frequency Stability Measurements



Figure 7-12. Frequency Stability Graph (Band 2)

Note:

Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that the channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.

8.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Samsung Portable Handset FCC ID: A3LSMS757BL** complies with all the requirements of Part 22, 24, & 27 of the FCC Rules for LTE operation only.

© 2018 PCTEST Engineering Laboratory, Inc. V 8.0 03/13/2018

All rights reserved. Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from PCTEST Engineering Laboratory, Inc. If you have any questions about this international copyright or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact INFO@PCTEST.COM.