



NA
E1J
128
M0
E1A08EA
P.VR211006
VR1D-211004
STAINLESS STEEL



MAIN
MAIN
SUB
SM-S901U DISPLAY CTC PBA
HF DS141 R0.6 GS
SM-S901 ALL
REV 0.6C
D SY141 SY
STAINLESS STEEL



MAIN
PU
SAMSUNG
SW-S901U DISPLAY CTC PBA
HF DS141 R0.6 GS
STAINLESS STEEL



MAIN
SAMSUNG
SM-S901U DISPLAY CTC PBA
HF DS141 R0.6 GS



210914
SAMSUNG
SAMSUNG
ASSEMBLED IN VIETNAM
Model/型号/型號 : EB-XXXXXABY
Nom. Voltage / 标称电压 / 標稱電壓 / 정격 : TBD V
Typical Capacity : TBD mAh TBD Wh
Warning : Do not disassemble, crush, puncture, heat, burn or reuse. Authorized Service Provider Only
STAINLESS STEEL



SAMSUNG
ASSEMBLED IN VIETNAM
Model / 型号 / 型號 : EB-XXXXXABY
Typical Capacity : TBD mAh TBD Wh
Warning : Do not disassemble, crush, puncture,
heat, burn or reuse. Authorized Service Provider Only.
STAINLESS STEEL



100
110
120
130
140
150
160
170
180
STAINLESS STEEL



NA
E1J
12B
E1A096EA
STAINLESS STEEL



MAIN
PU
SM-S901U DISPLAY CTC PBA
HF DS141 R0.6 GS
UB
MAIN
SM-S901 ALL
REV 0.6C
D SY 141 SY
SUB
MAIN
RO_FPC_REV0.4
STAINLESS STEEL






STAINLESS STEEL
Qualcomm


STAINLESS STEEL
100
SEC 178 B0E1
KLUDG4UHDC
SD23N49BE
BHF03B10
#1


70
60
50
40
R07