





FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 62 of 160




Plot 7-85. Occupied Bandwidth Plot (NR Band n66 - 15.0MHz CP-OFDM 16QAM - Full RB – Ant 7)




Plot 7-86. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz DFT-s-OFDM BPSK - Full RB – Ant 7)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 63 of 160





Plot 7-87. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM QPSK - Full RB - Ant 7)




Plot 7-88. Occupied Bandwidth Plot (NR Band n66 - 10.0MHz CP-OFDM 16QAM - Full RB - Ant 7)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 64 of 160



FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 65 of 160



Plot 7-91. Occupied Bandwidth Plot (NR Band n66 - 5.0MHz CP-OFDM 16QAM - Full RB – Ant 7)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 66 of 160

7.4 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 18GHz (separated into at least two plots per channel)
2. RBW $\geq$ 100kHz
3. VBW $\geq$ 3 x RBW
4. Detector = RMS
5. Trace mode = max hold
6. Sweep time = auto couple
7. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

Test Notes

1. Per Part 27, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 67 of 160


Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
WCDMA-AWS	5MHz	Low	30.0 - 1705.0	-36.40	-13	-23.40
		Low	1755.0 - 10000.0	-39.86	-13	-26.86
		Low	10000.0 - 20000.0	-53.58	-13	-40.58
		Mid	30.0 - 1710.0	-48.32	-13	-35.32
		Mid	1755.0 - 10000.0	-40.07	-13	-27.07
		Mid	10000.0 - 20000.0	-53.05	-13	-40.05
		High	30.0 - 1710.0	-48.69	-13	-35.69
		High	1760.0 - 10000.0	-33.40	-13	-20.40
LTE-B12-17	10MHz	Low	30.0 - 697.9	-59.28	-13	-46.28
		Low	716.0 - 1000.0	-60.40	-13	-47.40
		Low	1000.0 - 10000.0	-40.07	-13	-27.07
		Mid	30.0 - 698.0	-60.45	-13	-47.44
		Mid	716.0 - 1000.0	-60.34	-13	-47.34
		Mid	1000.0 - 10000.0	-39.93	-13	-26.93
		High	30.0 - 679.9	-60.42	-13	-47.42
		High	716.1 - 1000.0	-59.43	-13	-46.43
LTE-B13	10MHz	High	1000.0 - 10000.0	-39.90	-13	-26.90
		Mid	30.0 - 777.0	-59.84	-35	-24.84
		Mid	787.0 - 1000.0	-58.23	-13	-45.23
LTE-B66-4	20MHz	Mid	1000.0 - 10000.0	-40.23	-13	-27.23
		Low	30.0 - 1709.0	-48.18	-13	-35.18
		Low	1780.0 - 10000.0	-39.86	-13	-26.86
		Low	10000.0 - 20000.0	-53.14	-13	-40.13
		Mid	30.0 - 1710.0	-48.35	-13	-35.35
		Mid	1780.0 - 10000.0	-39.67	-13	-26.67
		Mid	10000.0 - 20000.0	-53.49	-13	-40.49
		High	30.0 - 1710.0	-48.20	-13	-35.20
NR-n66	40MHz	High	1781.0 - 10000.0	-39.66	-13	-26.66
		High	10000.0 - 20000.0	-53.22	-13	-40.22
		Low	30.0 - 1709.0	-48.22	-13	-35.22
		Low	1780.0 - 10000.0	-39.59	-13	-26.59
		Low	10000.0 - 20000.0	-53.26	-13	-40.25
		Mid	30.0 - 1710.0	-48.79	-13	-35.79
		Mid	1780.0 - 10000.0	-39.58	-13	-26.58
		Mid	10000.0 - 20000.0	-53.00	-13	-40.00
		High	30.0 - 1710.0	-48.41	-13	-35.41
		High	1781.0 - 10000.0	-39.64	-13	-26.63
		High	10000.0 - 20000.0	-53.03	-13	-40.02

Table 7-7. Conducted Spurious Emission Results – Ant 0


FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 68 of 160



LTE Band 12 – Ant 0




Plot 7-92. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - Ant 0)



Plot 7-93. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 69 of 160




Plot 7-94. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - Ant 0)


FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 70 of 160



LTE Band 13 – Ant 0




Plot 7-95. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB – Ant 0)



Plot 7-96. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB – Ant 0)



FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 71 of 160




Plot 7-97. Conducted Spurious Plot (LTE Band 13 - 10MHz QPSK - 1 RB – Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 72 of 160

WCDMA AWS – Ant 0





FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 73 of 160




Plot 7-100. Conducted Spurious Plot (WCDMA Ch. 1413- Mid Channel - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 74 of 160

LTE Band 66/4 – Ant 0




FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 75 of 160




Plot 7-103. Conducted Spurious Plot (LTE Band 66/4 - 20MHz QPSK - 1 RB - Mid Channel – Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 76 of 160

NR Band n66 – Ant 0




Plot 7-104. Conducted Spurious Plot (NR Band n66 - 40.0MHz - 1 RB - Mid Channel - Ant 0)



Plot 7-105. Conducted Spurious Plot (NR Band n66 - 40.0MHz - 1 RB - Mid Channel - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 77 of 160



Plot 7-106. Conducted Spurious Plot (NR Band n66 - 40.0MHz - 1 RB - Mid Channel - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 78 of 160

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B12-17	10MHz	Low	30.0 - 697.9	-59.24	-13	-46.24
		Low	716.0 - 1000.0	-60.11	-13	-47.11
		Low	1000.0 - 10000.0	-38.64	-13	-25.64
		Mid	30.0 - 698.0	-60.42	-13	-47.42
		Mid	716.0 - 1000.0	-60.11	-13	-47.11
		Mid	1000.0 - 10000.0	-38.69	-13	-25.69
		High	30.0 - 679.9	-60.23	-13	-47.23
		High	716.1 - 1000.0	-58.77	-13	-45.77
LTE-B13	10MHz	Mid	30.0 - 777.0	-59.15	-35	-24.15
		Mid	787.0 - 1000.0	-57.14	-13	-44.14
		Mid	1000.0 - 10000.0	-38.54	-13	-25.54



Table 7-8. Conducted Spurious Emission Results – Ant 6

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B66-4	20MHz	Low	30.0 - 1709.0	-48.09	-13	-35.09
		Low	1780.0 - 10000.0	-39.83	-13	-26.83
		Low	10000.0 - 20000.0	-53.16	-13	-40.16
		Mid	30.0 - 1710.0	-48.49	-13	-35.49
		Mid	1780.0 - 10000.0	-39.68	-13	-26.68
		Mid	10000.0 - 20000.0	-52.88	-13	-39.88
		High	30.0 - 1710.0	-48.22	-13	-35.22
		High	1781.0 - 10000.0	-39.89	-13	-26.89
NR-n66	40MHz	Low	30.0 - 1709.0	-48.23	-13	-35.23
		Low	1780.0 - 10000.0	-39.83	-13	-26.83
		Low	10000.0 - 20000.0	-52.62	-13	-39.62
		Mid	30.0 - 1710.0	-48.55	-13	-35.55
		Mid	1780.0 - 10000.0	-39.43	-13	-26.43
		Mid	10000.0 - 20000.0	-52.92	-13	-39.92
		High	30.0 - 1710.0	-48.37	-13	-35.37
		High	1781.0 - 10000.0	-39.75	-13	-26.75
		High	10000.0 - 20000.0	-52.43	-13	-39.43


Table 7-9. Conducted Spurious Emission Results – Ant 7

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 79 of 160

LTE Band 12 – Ant 6





FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 80 of 160




Plot 7-109. Conducted Spurious Plot (LTE Band 12 - 10MHz QPSK - 1 RB - Mid Channel - Ant 6)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 81 of 160

LTE Band 13 – Ant 6





FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 82 of 160




FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 83 of 160

LTE Band 66/4 – Ant 7





FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 84 of 160




FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 85 of 160

NR Band n66 – Ant 7



FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 86 of 160



Plot 7-118. Conducted Spurious Plot (NR Band n66 - 40.0MHz - 1 RB - Mid Channel - Ant 7)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 87 of 160

7.5 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.3

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. RBW $\geq 1\%$ of the emission bandwidth
4. VBW $\geq 3 \times$ RBW
5. Detector = RMS
6. Number of sweep points $\geq 2 \times$ Span/RBW
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-4. Test Instrument & Measurement Setup

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 88 of 160

Test Notes

1. Per 27.53(h) for AWS band operation, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. Per 27.53(g) for operations in the 698 – 746MHz bands, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
3. Per 27.53(c)(5) for operations in the 776-788 MHz band, in the 100 kHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least 30 kHz may be employed to demonstrate compliance with the out-of-band emissions limit.
4. For all plots showing emissions in the 763 – 775MHz and 793 – 805MHz band, the FCC limit per 27.53(c)(4) is $65 + 10 \log_{10}(P) = -35\text{dBm}$ in a 6.25kHz bandwidth.


FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 89 of 160

Table 7-10. Band Edge Test Results – Ant 0



© 2023 ELEMENT V11.0 7/6/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 91 of 160

LTE Band 13 – Ant 0



Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B13	10 MHz	Low	Band Edge	-26.25	-13	-13.25
		Low	EmMask	-43.10	-35	-8.10
		High	Band Edge	-26.34	-13	-13.34
		High	EmMask	-46.20	-35	-11.20
	5 MHz	Low	Band Edge	-21.66	-13	-8.66
		Low	EmMask	-42.20	-35	-7.20
		High	Band Edge	-19.37	-13	-6.37
		High	EmMask	-56.50	-35	-21.50

Table 7-11. Band Edge Test Results – Ant 0




Plot 7-121. Lower Band Edge Plot (LTE Band 13 - 5MHz QPSK – Full RB - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 92 of 160



FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 93 of 160



Plot 7-124. Upper Emission Mask Plot (LTE Band 13 - 5MHz QPSK – Full RB - Ant 0)

FCC ID: A3LSMS928B	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210093-03.A3L	Test Dates: 8/23/2023 - 10/18/2023	EUT Type: Portable Handset	Page 94 of 160