







Plot 7-41. Occupied Bandwidth Plot (NR Band n26/5 - 20MHz 16-QAM - Full RB Configuration – Ant E)




Plot 7-42. Occupied Bandwidth Plot (NR Band n26/5 - 15MHz $\pi/2$ BPSK - Full RB Configuration – Ant E)


FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 35 of 101



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 36 of 101





Plot 7-45. Occupied Bandwidth Plot (NR Band n26/5 - 10MHz $\pi/2$ BPSK - Full RB Configuration – Ant E)




Plot 7-46. Occupied Bandwidth Plot (NR Band n26/5 - 10MHz QPSK - Full RB Configuration – Ant E)


FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 37 of 101



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 38 of 101



Plot 7-49. Occupied Bandwidth Plot (NR Band n26/5 - 5MHz QPSK - Full RB Configuration – Ant E)



Plot 7-50. Occupied Bandwidth Plot (NR Band n26/5 - 5MHz 16-QAM - Full RB Configuration – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 39 of 101

7.3 Spurious and Harmonic Emissions at Antenna Terminal

Test Overview

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{\text{Watts}})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.4

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to 10GHz (separated into at least two plots per channel)
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes

1. Per Part 22 and RSS-132, compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth 100 kHz or greater for measurements below 1GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 40 of 101

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-Cell	250 kHz	Low	30.0 - 823.0	-33.85	-13	-20.85
		Low	849.0 - 1000.0	-50.80	-13	-37.80
		Low	1000.0 - 10000.0	-31.55	-13	-18.55
		Mid	30.0 - 824.0	-50.56	-13	-37.56
		Mid	849.0 - 1000.0	-51.17	-13	-38.17
		Mid	1000.0 - 10000.0	-31.51	-13	-18.51
		High	30.0 - 824.0	-50.39	-13	-37.39
		High	850.0 - 1000.0	-35.35	-13	-22.35
		High	1000.0 - 10000.0	-31.42	-13	-18.42
WCDMA-Cell	5 MHz	Low	30.0 - 823.0	-33.89	-13	-20.89
		Low	849.0 - 1000.0	-60.33	-13	-47.33
		Low	1000.0 - 10000.0	-39.64	-13	-26.64
		Mid	30.0 - 824.0	-54.42	-13	-41.42
		Mid	849.0 - 1000.0	-55.80	-13	-42.80
		Mid	1000.0 - 10000.0	-39.92	-13	-26.92
		High	30.0 - 824.0	-59.98	-13	-46.98
		High	850.0 - 1000.0	-34.76	-13	-21.76
		High	1000.0 - 10000.0	-39.81	-13	-26.81
LTE-B26-5	10 MHz	Low	30.0 - 823.0	-59.05	-13	-46.05
		Low	849.0 - 1000.0	-59.96	-13	-46.96
		Low	1000.0 - 10000.0	-39.61	-13	-26.61
		Mid	30.0 - 824.0	-59.22	-13	-46.22
		Mid	849.0 - 1000.0	-59.90	-13	-46.90
		Mid	1000.0 - 10000.0	-39.75	-13	-26.75
		High	30.0 - 824.0	-59.66	-13	-46.66
		High	850.0 - 1000.0	-59.44	-13	-46.44
		High	1000.0 - 10000.0	-39.43	-13	-26.43
NR-n26-5	20 MHz	Low	30.0 - 824.0	-58.24	-13	-45.24
		Low	849.0 - 1000.0	-60.17	-13	-47.16
		Low	1000.0 - 10000.0	-39.43	-13	-26.43
		Mid	30.0 - 824.0	-59.01	-13	-46.00
		Mid	849.0 - 1000.0	-59.19	-13	-46.19
		Mid	1000.0 - 10000.0	-39.38	-13	-26.38
		High	30.0 - 824.0	-59.24	-13	-46.24
		High	849.0 - 1000.0	-58.61	-13	-45.61
		High	1000.0 - 10000.0	-39.05	-13	-26.05


Table 7-4. Conducted Spurious Emission Results – Ant A

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 41 of 101

GSM/GPRS Cell – Ant A





FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 42 of 101




Plot 7-53. Conducted Spurious Plot (GPRS Ch. 190 – Ant A)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 43 of 101

WCDMA Cell – Ant A




FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 44 of 101




Plot 7-56. Conducted Spurious Plot (WCDMA Ch. 4183 – Ant A)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 45 of 101

LTE Band 26/5 – Ant A




Plot 7-57. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)



Plot 7-58. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)


FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 46 of 101




Plot 7-59. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 47 of 101

NR Band n26/5 – Ant A




Plot 7-60. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)



Plot 7-61. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 48 of 101



Plot 7-62. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant A)



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 49 of 101

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-Cell	250 kHz	Low	30.0 - 823.0	-33.08	-13	-20.08
		Low	849.0 - 1000.0	-50.84	-13	-37.84
		Low	1000.0 - 10000.0	-29.72	-13	-16.72
		Mid	30.0 - 824.0	-50.06	-13	-37.06
		Mid	849.0 - 1000.0	-50.35	-13	-37.35
		Mid	1000.0 - 10000.0	-30.49	-13	-17.49
		High	30.0 - 824.0	-49.05	-13	-36.05
		High	850.0 - 1000.0	-36.38	-13	-23.38
WCDMA-Cell	5 MHz	High	1000.0 - 10000.0	-30.33	-13	-17.33
		Low	30.0 - 823.0	-37.42	-13	-24.42
		Low	849.0 - 1000.0	-60.09	-13	-47.09
		Low	1000.0 - 10000.0	-38.67	-13	-25.67
		Mid	30.0 - 824.0	-53.39	-13	-40.39
		Mid	849.0 - 1000.0	-55.52	-13	-42.52
		Mid	1000.0 - 10000.0	-38.50	-13	-25.50
		High	30.0 - 824.0	-59.37	-13	-46.37
LTE-B26-5	10 MHz	High	850.0 - 1000.0	-38.61	-13	-25.61
		High	1000.0 - 10000.0	-38.59	-13	-25.59
		Low	30.0 - 823.0	-58.61	-13	-45.61
		Low	849.0 - 1000.0	-59.91	-13	-46.91
		Low	1000.0 - 10000.0	-38.59	-13	-25.59
		Mid	30.0 - 824.0	-59.25	-13	-46.25
		Mid	849.0 - 1000.0	-59.91	-13	-46.91
		Mid	1000.0 - 10000.0	-38.40	-13	-25.40
NR-n26-5	20 MHz	High	30.0 - 824.0	-59.28	-13	-46.28
		High	850.0 - 1000.0	-59.78	-13	-46.78
		High	1000.0 - 10000.0	-38.87	-13	-25.87
		Low	30.0 - 824.0	-58.97	-13	-45.97
		Low	849.0 - 1000.0	-59.89	-13	-46.89
		Low	1000.0 - 10000.0	-38.88	-13	-25.88
		Mid	30.0 - 824.0	-58.64	-13	-45.64
		Mid	849.0 - 1000.0	-59.80	-13	-46.80
		Mid	1000.0 - 10000.0	-38.71	-13	-25.71
		High	30.0 - 824.0	-59.40	-13	-46.40
		High	849.0 - 1000.0	-59.06	-13	-46.06
		High	1000.0 - 10000.0	-38.20	-13	-25.20


Table 7-5. Conducted Spurious Emission Results – Ant E

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 50 of 101

GSM/GPRS Cell – Ant E





FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 51 of 101




Plot 7-65. Conducted Spurious Plot (GPRS Ch. 190 – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 52 of 101

WCDMA Cell – Ant E




FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 53 of 101




Plot 7-68. Conducted Spurious Plot (WCDMA Ch. 4183 – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 54 of 101

LTE Band 26/5 – Ant E




Plot 7-69. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)



Plot 7-70. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)


FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 55 of 101




Plot 7-71. Conducted Spurious Plot (LTE Band 26/5 – 10MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 56 of 101

NR Band n26/5 – Ant E




Plot 7-72. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)



Plot 7-73. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 57 of 101



Plot 7-74. Conducted Spurious Plot (NR Band n26/5 – 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel – Ant E)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 58 of 101

7.4 Band Edge Emissions at Antenna Terminal

Test Overview

All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

The minimum permissible attenuation level of any spurious emission is $43 + 10 \log_{10}(P_{[Watts]})$, where P is the transmitter power in Watts.

Test Procedure Used

ANSI C63.26-2015 – Section 5.7.3

Test Settings

1. Start and stop frequency were set such that the band edge would be placed in the center of the plot
2. Span was set large enough so as to capture all out of band emissions near the band edge
3. $RBW \geq 1\%$ of the emission bandwidth
4. $VBW \geq 3 \times RBW$
5. Detector = RMS
6. Number of sweep points $\geq 2 \times \text{Span}/RBW$
7. Trace mode = trace average for continuous emissions, max hold for pulse emissions
8. Sweep time = auto couple
9. The trace was allowed to stabilize

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-3. Test Instrument & Measurement Setup

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 59 of 101

Test Notes

1. Per 22.917(b) and RSS-132(5.5), in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to demonstrate compliance with the out-of-band emissions limit. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.
2. For NR operation, all subcarrier spacings (SCS) and transmission schemes (e.g. CP-OFDM and DFT-s-OFDM) were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.


FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 60 of 101

Mode	Bandwidth	Channel	Test Case	Level [dBm]	Limit [dBm]	Margin [dB]
GSM-Cell	250kHz	Low	Band Edge	-19.35	-13	-6.35
		High	Band Edge	-16.93	-13	-3.93
WCDMA-Cell	5MHz	Low	Band Edge	-21.77	-13	-8.77
		High	Band Edge	-19.81	-13	-6.81
LTE-B26-5	15MHz (B26 Only)	Low	Band Edge	-29.11	-13	-16.11
		High	Band Edge	-29.08	-13	-16.08
	10MHz	Low	Band Edge	-30.03	-13	-17.03
		High	Band Edge	-31.11	-13	-18.11
	5MHz	Low	Band Edge	-20.72	-13	-7.72
		High	Band Edge	-24.32	-13	-11.32
	3MHz	Low	Band Edge	-19.20	-13	-6.20
		High	Band Edge	-20.75	-13	-7.75
	1.4MHz	Low	Band Edge	-16.21	-13	-3.21
		High	Band Edge	-20.38	-13	-7.38
NR-n26-5	20MHz	Low	Band Edge	-27.53	-13	-14.53
		High	Band Edge	-29.56	-13	-16.56
	15MHz	Low	Band Edge	-25.51	-13	-12.51
		High	Band Edge	-26.57	-13	-13.57
	10MHz	Low	Band Edge	-26.83	-13	-13.83
		High	Band Edge	-27.53	-13	-14.53
	5MHz	Low	Band Edge	-21.21	-13	-8.21
		High	Band Edge	-21.64	-13	-8.64


Table 7-6. Band Edge Test Results – Ant A

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 61 of 101

GSM/GPRS Cell – Ant A




Plot 7-75. Lower Band Edge Plot (GPRS Cell – Ch. 128 – Ant A)



Plot 7-76. Upper Band Edge Plot (GPRS Cell – Ch. 251 – Ant A)



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 62 of 101

WCDMA Cell – Ant A




FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 63 of 101

LTE Band 26/5 – Ant A



FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 64 of 101

NR Band n26/5 – Ant A



Plot 7-81. Lower Band Edge Plot (NR Band n26/5 – 5.0MHz BPSK - Full RB – Ant A)



Plot 7-82. Upper Band Edge Plot (NR Band n26/5 – 5.0MHz QPSK - Full RB – Ant A)

FCC ID: A3LSMS928U	PART 22 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-02.A3L	Test Dates: 9/11/2023 - 10/11/2023	EUT Type: Portable Handset	Page 65 of 101