



IPELEMENT WASHINGTON DC LLC

7185 Oakland Mills Road, Columbia, MD 21046 USA

Tel. 410.290.6652 / Fax 410.290.6654

<http://www.element.com>

PART 27 MEASUREMENT REPORT

Applicant Name:

Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea

Date of Testing:

9/6 – 11/7/2023

Test Report Issue Date:

11/7/2023

Test Site/Location:

Element lab., Columbia, MD, USA

Test Report Serial No.:

1M2308210092-05.A3L

FCC ID:

A3LSMS928U

Applicant Name:

Samsung Electronics Co., Ltd.

Application Type:

Certification

Model:

SM-S928U

Additional Model(s):

SM-S928U1

EUT Type:

Portable Handset

FCC Classification:

PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part:

27

Test Procedure(s):

ANSI C63.26-2015, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez
Executive Vice President



FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 1 of 283

© 2023 ELEMENT

V11.0 7/6/2023

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

TABLE OF CONTENTS

1.0	INTRODUCTION	10
1.1	Scope	10
1.2	Element Test Location.....	10
1.3	Test Facility / Accreditations.....	10
2.0	PRODUCT INFORMATION.....	11
2.1	Equipment Description	11
2.2	Device Capabilities.....	11
2.3	Test Configuration	11
2.4	Software and Firmware	11
2.5	EMI Suppression Device(s)/Modifications	11
3.0	DESCRIPTION OF TESTS	12
3.1	Evaluation Procedure	12
3.2	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS	16
7.1	Summary.....	16
7.2	Conducted Output Power Data	17
7.3	Occupied Bandwidth	27
7.4	Spurious and Harmonic Emissions at Antenna Terminal	128
7.5	Band Edge Emissions at Antenna Terminal	179
7.6	Radiated Power (EIRP).....	216
7.7	Radiated Spurious Emissions Measurements	228
7.8	Frequency Stability / Temperature Variation	276
8.0	CONCLUSION.....	283

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 2 of 283

PART 27 MEASUREMENT REPORT

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 30	10 MHz	QPSK	2310.0	0.143	21.56	9M05G7D
		16QAM	2310.0	0.120	20.80	9M03W7D
	5 MHz	QPSK	2307.5 - 2312.5	0.151	21.78	4M54G7D
		16QAM	2307.5 - 2312.5	0.124	20.93	4M54W7D
LTE Band 7	20 MHz	QPSK	2510.0 - 2560.0	0.248	23.95	17M9G7D
		16QAM	2510.0 - 2560.0	0.206	23.15	18M1W7D
	15 MHz	QPSK	2507.5 - 2562.5	0.253	24.04	13M5G7D
		16QAM	2507.5 - 2562.5	0.203	23.07	13M5W7D
	10 MHz	QPSK	2505.0 - 2565.0	0.259	24.13	9M00G7D
		16QAM	2505.0 - 2565.0	0.218	23.39	8M99W7D
	5 MHz	QPSK	2502.5 - 2567.5	0.257	24.09	4M50G7D
		16QAM	2502.5 - 2567.5	0.215	23.33	4M53W7D
LTE Band 41(PC2)	20 MHz	QPSK	2506.0 - 2680.0	0.362	25.58	18M0G7D
		16QAM	2506.0 - 2680.0	0.268	24.28	18M0W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.356	25.52	13M5G7D
		16QAM	2503.5 - 2682.5	0.266	24.25	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.352	25.47	9M01G7D
		16QAM	2501.0 - 2685.0	0.256	24.08	9M03W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.357	25.53	4M51G7D
		16QAM	2498.5 - 2687.5	0.259	24.13	4M52W7D
LTE Band 41(PC3)/38	20 MHz	QPSK	2506.0 - 2680.0	0.248	23.95	18M0G7D
		16QAM	2506.0 - 2680.0	0.202	23.05	18M0W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.237	23.75	13M5G7D
		16QAM	2503.5 - 2682.5	0.209	23.19	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.241	23.81	9M08G7D
		16QAM	2501.0 - 2685.0	0.188	22.74	9M04W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.244	23.88	4M50G7D
		16QAM	2498.5 - 2687.5	0.193	22.85	4M53W7D

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 3 of 283

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n30	10 MHz	$\pi/2$ BPSK	2310.0	0.142	21.51	9M01G7D
		QPSK	2310.0	0.141	21.49	9M35G7D
		16QAM	2310.0	0.102	20.10	9M36W7D
	5 MHz	$\pi/2$ BPSK	2307.5 - 2312.5	0.149	21.74	4M51G7D
		QPSK	2307.5 - 2312.5	0.146	21.64	4M54G7D
		16QAM	2307.5 - 2312.5	0.112	20.51	4M54W7D
NR Band n7	40MHz	$\pi/2$ BPSK	2520.0 - 2550.0	0.206	23.13	38M7G7D
		QPSK	2520.0 - 2550.0	0.173	22.39	38M7G7D
		16QAM	2520.0 - 2550.0	0.158	21.98	38M7W7D
	35MHz	$\pi/2$ BPSK	2517.5 - 2552.5	0.231	23.63	32M2G7D
		QPSK	2517.5 - 2552.5	0.229	23.59	33M6G7D
		16QAM	2517.5 - 2552.5	0.171	22.32	33M7W7D
	30MHz	$\pi/2$ BPSK	2515.0 - 2555.0	0.214	23.30	28M7G7D
		QPSK	2515.0 - 2555.0	0.206	23.14	28M7G7D
		16QAM	2515.0 - 2555.0	0.161	22.06	28M7W7D
	25MHz	$\pi/2$ BPSK	2512.5 - 2557.5	0.224	23.51	23M1G7D
		QPSK	2512.5 - 2557.5	0.209	23.20	23M9G7D
		16QAM	2512.5 - 2557.5	0.162	22.10	23M9W7D
	20MHz	$\pi/2$ BPSK	2510.0 - 2560.0	0.212	23.27	18M0G7D
		QPSK	2510.0 - 2560.0	0.202	23.05	19M0G7D
		16QAM	2510.0 - 2560.0	0.164	22.16	19M1W7D
	15 MHz	$\pi/2$ BPSK	2507.5 - 2562.5	0.209	23.20	13M5G7D
		QPSK	2507.5 - 2562.5	0.202	23.06	14M2G7D
		16QAM	2507.5 - 2562.5	0.163	22.11	14M2W7D
	10MHz	$\pi/2$ BPSK	2505.0 - 2565.0	0.210	23.22	9M01G7D
		QPSK	2505.0 - 2565.0	0.204	23.09	9M35G7D
		16QAM	2505.0 - 2565.0	0.167	22.22	9M33W7D
	5 MHz	$\pi/2$ BPSK	2502.5 - 2567.5	0.219	23.41	4M52G7D
		QPSK	2502.5 - 2567.5	0.212	23.26	4M52G7D
		16QAM	2502.5 - 2567.5	0.162	22.09	4M52W7D

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 4 of 283

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2)	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.329	25.17	97M2G7D
		QPSK	2546.0 - 2640.0	0.342	25.34	98M1G7D
		16QAM	2546.0 - 2640.0	0.257	24.09	98M2W7D
	90 MHz	$\pi/2$ BPSK	2541.0 - 2645.0	0.357	25.52	87M5G7D
		QPSK	2541.0 - 2645.0	0.346	25.39	88M0G7D
		16QAM	2541.0 - 2645.0	0.258	24.12	88M0W7D
	80 MHz	$\pi/2$ BPSK	2536.0 - 2650.0	0.348	25.41	77M5G7D
		QPSK	2536.0 - 2650.0	0.348	25.42	77M7G7D
		16QAM	2536.0 - 2650.0	0.265	24.23	77M8W7D
	70 MHz	$\pi/2$ BPSK	2531.0 - 2655.0	0.359	25.55	64M7G7D
		QPSK	2531.0 - 2655.0	0.352	25.46	67M7G7D
		16QAM	2531.0 - 2655.0	0.267	24.27	67M7W7D
	60 MHz	$\pi/2$ BPSK	2526.0 - 2660.0	0.341	25.33	58M1G7D
		QPSK	2526.0 - 2660.0	0.339	25.30	58M1G7D
		16QAM	2526.0 - 2660.0	0.257	24.10	58M2W7D
	50 MHz	$\pi/2$ BPSK	2521.0 - 2665.0	0.345	25.38	46M0G7D
		QPSK	2521.0 - 2665.0	0.338	25.29	47M7G7D
		16QAM	2521.0 - 2665.0	0.257	24.09	47M8W7D
	40 MHz	$\pi/2$ BPSK	2516.0 - 2670.0	0.336	25.26	35M9G7D
		QPSK	2516.0 - 2670.0	0.333	25.22	38M1G7D
		16QAM	2516.0 - 2670.0	0.250	23.98	38M1W7D
	30 MHz	$\pi/2$ BPSK	2511.0 - 2675.0	0.346	25.39	27M1G7D
		QPSK	2511.0 - 2675.0	0.343	25.35	28M1G7D
		16QAM	2511.0 - 2675.0	0.262	24.18	28M1W7D
	25 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.371	25.69	22M9G7D
		QPSK	2506.0 - 2680.0	0.304	24.83	23M3G7D
		16QAM	2506.0 - 2680.0	0.256	24.09	23M2W7D
	20 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.317	25.01	18M0G7D
		QPSK	2506.0 - 2680.0	0.311	24.93	18M3G7D
		16QAM	2506.0 - 2680.0	0.241	23.82	18M4W7D
	15 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.327	25.15	13M0G7D
		QPSK	2506.0 - 2680.0	0.326	25.13	13M7G7D
		16QAM	2506.0 - 2680.0	0.231	23.63	13M7W7D
	10 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.318	25.03	8M68G7D
		QPSK	2506.0 - 2680.0	0.316	24.99	8M68G7D
		16QAM	2506.0 - 2680.0	0.235	23.71	8M72W7D

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 5 of 283

Antenna-1						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.311	24.93	97M1G7D
		QPSK	2546.0 - 2640.0	0.322	25.07	98M0G7D
		16QAM	2546.0 - 2640.0	0.253	24.02	98M0W7D
	90 MHz	$\pi/2$ BPSK	2541.0 - 2645.0	0.315	24.98	87M3G7D
		QPSK	2541.0 - 2645.0	0.319	25.04	87M9G7D
		16QAM	2541.0 - 2645.0	0.246	23.91	87M9W7D
	80 MHz	$\pi/2$ BPSK	2536.0 - 2650.0	0.306	24.85	77M4G7D
		QPSK	2536.0 - 2650.0	0.311	24.93	77M8G7D
		16QAM	2536.0 - 2650.0	0.243	23.86	77M7W7D
	70 MHz	$\pi/2$ BPSK	2531.0 - 2655.0	0.311	24.93	64M6G7D
		QPSK	2531.0 - 2655.0	0.316	25.00	67M6G7D
		16QAM	2531.0 - 2655.0	0.246	23.91	67M6W7D
	60 MHz	$\pi/2$ BPSK	2526.0 - 2660.0	0.298	24.74	58M1G7D
		QPSK	2526.0 - 2660.0	0.305	24.84	58M3G7D
		16QAM	2526.0 - 2660.0	0.241	23.82	58M0W7D
	50 MHz	$\pi/2$ BPSK	2521.0 - 2665.0	0.321	25.07	46M0G7D
		QPSK	2521.0 - 2665.0	0.329	25.17	47M8G7D
		16QAM	2521.0 - 2665.0	0.257	24.09	47M8W7D
	40 MHz	$\pi/2$ BPSK	2516.0 - 2670.0	0.301	24.78	35M9G7D
		QPSK	2516.0 - 2670.0	0.307	24.87	38M0G7D
		16QAM	2516.0 - 2670.0	0.239	23.79	38M2W7D
	30 MHz	$\pi/2$ BPSK	2511.0 - 2675.0	0.308	24.89	27M0G7D
		QPSK	2511.0 - 2675.0	0.314	24.97	28M0G7D
		16QAM	2511.0 - 2675.0	0.245	23.89	28M0W7D
	25 MHz	$\pi/2$ BPSK	2511.0 - 2675.0	0.334	25.24	22M8G7D
		QPSK	2511.0 - 2675.0	0.337	25.27	23M3G7D
		16QAM	2511.0 - 2675.0	0.246	23.91	23M3W7D
	20 MHz	$\pi/2$ BPSK	2506.0 - 2680.0	0.287	24.57	18M0G7D
		QPSK	2506.0 - 2680.0	0.293	24.66	18M3G7D
		16QAM	2506.0 - 2680.0	0.237	23.74	18M4W7D
	15 MHz	$\pi/2$ BPSK	2503.5 - 2682.5	0.296	24.71	13M0G7D
		QPSK	2503.5 - 2682.5	0.301	24.78	13M7G7D
		16QAM	2503.5 - 2682.5	0.238	23.76	13M6W7D
	10 MHz	$\pi/2$ BPSK	2501.0 - 2685.0	0.283	24.52	8M68G7D
		QPSK	2501.0 - 2685.0	0.297	24.73	8M71G7D
		16QAM	2501.0 - 2685.0	0.245	23.89	8M70W7D

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 6 of 283

Antenna-2						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 30	10 MHz	QPSK	2310.0	0.131	21.16	9M04G7D
		16QAM	2310.0	0.085	19.27	9M05W7D
	5 MHz	QPSK	2307.5 - 2312.5	0.129	21.11	4M52G7D
		16QAM	2307.5 - 2312.5	0.082	19.15	4M53W7D
LTE Band 7	20 MHz	QPSK	2510.0 - 2560.0	0.182	22.61	18M0G7D
		16QAM	2510.0 - 2560.0	0.148	21.71	18M0W7D
	15 MHz	QPSK	2507.5 - 2562.5	0.183	22.62	13M6G7D
		16QAM	2507.5 - 2562.5	0.156	21.94	13M6W7D
	10 MHz	QPSK	2505.0 - 2565.0	0.193	22.86	9M00G7D
		16QAM	2505.0 - 2565.0	0.161	22.07	9M00W7D
	5 MHz	QPSK	2502.5 - 2567.5	0.192	22.83	4M52G7D
		16QAM	2502.5 - 2567.5	0.150	21.75	4M54W7D
LTE Band 41(PC2)	20 MHz	QPSK	2506.0 - 2680.0	0.289	24.60	18M0G7D
		16QAM	2506.0 - 2680.0	0.230	23.61	18M1W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.290	24.63	13M5G7D
		16QAM	2503.5 - 2682.5	0.189	22.77	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.270	24.31	9M05G7D
		16QAM	2501.0 - 2685.0	0.165	22.18	9M02W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.288	24.59	4M53G7D
		16QAM	2498.5 - 2687.5	0.250	23.98	4M53W7D
LTE Band 41(PC3)/38	20 MHz	QPSK	2506.0 - 2680.0	0.230	23.61	18M0G7D
		16QAM	2506.0 - 2680.0	0.173	22.38	18M1W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.247	23.92	13M5G7D
		16QAM	2503.5 - 2682.5	0.176	22.45	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.235	23.70	9M00G7D
		16QAM	2501.0 - 2685.0	0.165	22.18	9M03W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.216	23.34	4M53G7D
		16QAM	2498.5 - 2687.5	0.202	23.05	4M50W7D

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 7 of 283

Antenna-2						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n30	10 MHz	$\pi/2$ BPSK	2310.0	0.165	22.18	9M01G7D
		QPSK	2310.0	0.161	22.08	9M36G7D
		16QAM	2310.0	0.118	20.73	9M36W7D
	5 MHz	$\pi/2$ BPSK	2307.5 - 2312.5	0.176	22.46	4M55G7D
		QPSK	2307.5 - 2312.5	0.168	22.26	4M54G7D
		16QAM	2307.5 - 2312.5	0.117	20.70	4M53W7D
NR Band n7	40MHz	$\pi/2$ BPSK	2520.0 - 2550.0	0.143	21.54	38M7G7D
		QPSK	2520.0 - 2550.0	0.139	21.43	38M8G7D
		16QAM	2520.0 - 2550.0	0.107	20.29	38M8W7D
	35MHz	$\pi/2$ BPSK	2515.0 - 2555.0	0.143	21.54	32M3G7D
		QPSK	2515.0 - 2555.0	0.139	21.43	33M6G7D
		16QAM	2515.0 - 2555.0	0.108	20.33	33M7W7D
	30MHz	$\pi/2$ BPSK	2515.0 - 2555.0	0.141	21.49	28M7G7D
		QPSK	2515.0 - 2555.0	0.133	21.25	28M7G7D
		16QAM	2515.0 - 2555.0	0.101	20.04	28M8W7D
	25MHz	$\pi/2$ BPSK	2512.5 - 2557.5	0.141	21.49	23M0G7D
		QPSK	2512.5 - 2557.5	0.132	21.21	23M9G7D
		16QAM	2512.5 - 2557.5	0.112	20.50	23M9W7D
	20MHz	$\pi/2$ BPSK	2510.0 - 2560.0	0.138	21.40	18M0G7D
		QPSK	2510.0 - 2560.0	0.125	20.97	19M0G7D
		16QAM	2510.0 - 2560.0	0.114	20.55	19M1W7D
	15 MHz	$\pi/2$ BPSK	2507.5 - 2562.5	0.142	21.51	13M5G7D
		QPSK	2507.5 - 2562.5	0.129	21.12	14M2G7D
		16QAM	2507.5 - 2562.5	0.108	20.33	14M2W7D
	10MHz	$\pi/2$ BPSK	2505.0 - 2565.0	0.142	21.51	9M01G7D
		QPSK	2505.0 - 2565.0	0.129	21.12	9M36G7D
		16QAM	2505.0 - 2565.0	0.108	20.33	9M34W7D
	5 MHz	$\pi/2$ BPSK	2502.5 - 2567.5	0.138	21.39	4M51G7D
		QPSK	2502.5 - 2567.5	0.128	21.06	4M53G7D
		16QAM	2502.5 - 2567.5	0.106	20.27	4M58W7D
NR Band n41(PC2)	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.161	22.07	-
		QPSK	2546.0 - 2640.0	0.159	22.02	-
		16QAM	2546.0 - 2640.0	0.156	21.92	-

Antenna-2						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.091	19.58	-
		QPSK	2546.0 - 2640.0	0.088	19.45	-
		16QAM	2546.0 - 2640.0	0.074	18.69	-

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset		Page 8 of 283

Antenna-3						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2)	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.042	16.24	-
		QPSK	2546.0 - 2640.0	0.042	16.23	-
		16QAM	2546.0 - 2640.0	0.035	15.43	-

Antenna-3						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.081	19.09	-
		QPSK	2546.0 - 2640.0	0.081	19.09	-
		16QAM	2546.0 - 2640.0	0.064	18.08	-

Antenna-4						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2)	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.043	16.35	-
		QPSK	2546.0 - 2640.0	0.042	16.28	-
		16QAM	2546.0 - 2640.0	0.035	15.48	-

Antenna-4						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.013	11.07	-
		QPSK	2546.0 - 2640.0	0.012	10.84	-
		16QAM	2546.0 - 2640.0	0.010	10.07	-

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset		Page 9 of 283

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 Element Test Location

These measurement tests were conducted at the Element laboratory located at 7185 Oakland Mills Road, Columbia, MD 21046. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at Element lab located in Columbia, MD 21046, U.S.A.

- Element Washington DC LLC is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.01 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Washington DC LLC TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISSED Standards (RSS).
- Element Washington DC LLC facility is a registered (2451B) test laboratory with the site description on file with ISSED.
- Element Washington DC LLC is a Recognized U.S. Certification Assessment Body (CAB # US0110) for ISSED Canada as designated by NIST under the U.S. and Canada Mutual Recognition Agreement.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 10 of 283

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMS928U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 0088M, 0230M, 0170M, 0164M, 1267M, 0023M, 0423M, 1161M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, Multi-band 5G NR (FR1 and FR2), 802.11b/g/n/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), NFC, Wireless Power Transfer, UWB

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

Band	Ant1	Ant2	Ant3	Ant4
B30/n30	Ant F	Ant A	N/A	N/A
B7/n7	Ant B	Ant F	N/A	N/A
B41/38	Ant B	Ant F	N/A	N/A
n41	Ant F	Ant B	Ant E	Ant D
n38	Ant F	Ant B	N/A	N/A
n41 Switching	Ant B	Ant F	Ant D	Ant E

Table 2-1. Antenna Naming Convention

2.3 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version S928USQU0AWIA installed on the EUT.

2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 11 of 283

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI C63.26-2015. For emissions below 1GHz, a half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]};$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

For radiated spurious emissions measurements, the field strength conversion method is used per the formulas in Section 5.2.7 of ANSI C63.26-2015. Field Strength (EIRP) is calculated using the following formulas:

$$E_{\text{[dB}\mu\text{V/m]}} = \text{Measured amplitude level}_{\text{[dBm]}} + 107 + \text{Cable Loss}_{\text{[dB]}} + \text{Antenna Factor}_{\text{[dB/m]}}$$

And

$$\text{EIRP}_{\text{[dBm]}} = E_{\text{[dB}\mu\text{V/m]}} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 12 of 283

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 13 of 283

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
-	AP2-001	EMC Cable and Switch System	1/11/2023	Annual	1/11/2024	AP2-001
-	AP2-002	EMC Cable and Switch System	1/11/2023	Annual	1/11/2024	AP2-002
-	ETS-001	EMC Cable and Switch System	1/11/2023	Annual	1/11/2024	ETS-001
-	ETS-002	EMC Cable and Switch System	1/11/2023	Annual	1/11/2024	ETS-002
-	LTX4	Licensed Transmitter Cable Set	1/12/2023	Annual	1/12/2024	LTX4
-	LTX5	Licensed Transmitter Cable Set	1/12/2023	Annual	1/12/2024	LTX5
Anritsu	MT8821C	Radio Communication Analyzer	N/A			620152694
Com-Power	AL-130R	9kHz - 30MHz Loop Antenna	1/18/2022	Biennial	1/19/2024	121085
EMCO	3115	Horn Antenna (1-18GHz)	8/8/2022	Biennial	8/8/2024	9704-5182
EMCO	3116	Horn Antenna (18-40GHz)	7/5/2023	Biennial	7/5/2025	9203-2178
Keysight Technologies	N9030A	PXA Signal Analyzer (3Hz-26.5GHz)	8/7/2023	Annual	8/7/2024	MY54490576
Keysight Technologies	N9030A	PXA Signal Analyzer (44GHz)	3/15/2023	Annual	3/15/2024	MY52350166
Rohde & Schwarz	CMW500	Radio Communication Tester	N/A			112347
Rohde & Schwarz	TC-TA18	Cross Polarized Vivaldi Test Antenna	9/28/2022	Biennial	9/28/2024	101058
Rohde & Schwarz	ESU26	EMI Test Receiver (26.5GHz)	9/25/2023	Annual	9/25/2024	100342
Rohde & Schwarz	ESW44	EMI Test Receiver (2Hz-44GHz)	3/1/2023	Annual	3/1/2024	101716
Rohde & Schwarz	VULB9162	Bi-Log Antenna	2/21/2023	Biennial	2/21/2025	00301
Sunol	DRH-118	Horn Antenna (1-18GHz)	2/14/2022	Biennial	2/14/2024	A050307
Sunol	JB5	Bi-Log Antenna (30M - 5GHz)	8/30/2022	Biennial	8/30/2024	A051107

Table 5-1. Test Equipment

Notes:

1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 14 of 283

6.0 SAMPLE CALCULATIONS

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 15 of 283

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
 FCC ID: A3LSMS928U
 FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
 Mode(s): LTE/NR/ULCA

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Transmitter Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	PASS	Section 7.2
	Occupied Bandwidth	2.1049(h)	N/A	PASS	Section 7.3
	Conducted Band Edge / Spurious Emissions (LTE Band 30; NR Band n30)	2.1051, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1051, 27.53(m)(4)	Undesirable emissions must meet the limits detailed in 27.53(m)(4)	PASS	Sections 7.4, 7.5
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
RADIATED	Equivalent Isotropic Radiated Power (LTE Band 30; NR Band n30)	27.50(a)(3)	≤ 250mW / 5MHz max. EIRP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power (LTE Band 7, 38, 41; NR Band n7, n38, n41)	27.50(h)(2)	≤ 2 Watts max. EIRP	PASS	Section 7.6
	Radiated Spurious Emissions (LTE Band 30; NR Band n30)	2.1053, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Section 7.7
	Radiated Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1053, 27.53(m)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Section 7.7

* The only transmitter output conducted powers included in this report are those where the Pmax value, per the tune-up document, is higher than any of the DSI power levels. For the remaining conducted power measurements, see the **RF Exposure Report**.

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is EMC Software Tool v1.1.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 16 of 283

7.2 Conducted Output Power Data

Test Overview

All emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

A-MPR is implemented in this device when operating at Power Class 2 in LTE Band 41 per the A-MPR specification in 3GPP TS 36.101. The conducted powers are shown herein to cover the different A-MPR levels specified in the standard. Measurement equipment was set up with triggering/gating on the spectrum analyzer such that powers were measured only during the on-time of the signal.

Test Procedure Used

ANSI C63.26-2015 – Section 5.2

Test Settings

1. Span = 2 x OBW to 3 x OBW
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes

1. Conducted power measurements were evaluated using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
2. All other conducted power measurements are contained in the RF exposure report for this filing.
3. Conducted power was found to reduce for the higher order QAM modulations when compared to 16QAM. Due to this trend, only the worst-case QAM (16QAM) powers are included in this section.

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 17 of 283

Band	Bandwidth (PCC + SCC)	Test Case	PCC					SCC					A-MPR Measured Power [dBm]
			UL Channel	UL Frequency	Modulation	UL # RB	UL RB Offset	UL Channel	UL Frequency	Modulation	UL # RB	UL RB Offset	
LTE B41 (PC2)	20MHz + 20MHz	1	39750	2506.0	QPSK	100	0	39948	2525.8	QPSK	100	0	21.58
					16-QAM	100	0			16-QAM	100	0	21.08
					64-QAM	100	0			64-QAM	100	0	21.10
					256-QAM	100	0			256-QAM	100	0	20.11
		2	39750	2506.0	QPSK	1	99	39948	2525.8	QPSK	1	0	24.73
					16-QAM	1	99			16-QAM	1	0	23.94
					64-QAM	1	99			64-QAM	1	0	23.58
					256-QAM	1	99			256-QAM	1	0	20.36
		3	39790	2510.0	QPSK	100	0	39988	2529.8	QPSK	100	0	22.88
					16-QAM	100	0			16-QAM	100	0	21.91
					64-QAM	100	0			64-QAM	100	0	21.92
					256-QAM	100	0			256-QAM	100	0	19.96
		4	39790	2510.0	QPSK	1	99	39988	2529.8	QPSK	1	0	24.52
					16-QAM	1	99			16-QAM	1	0	23.63
					64-QAM	1	99			64-QAM	1	0	23.11
					256-QAM	1	99			256-QAM	1	0	20.20
		5	39989	2529.9	QPSK	100	0	40187	2549.7	QPSK	100	0	22.60
					16-QAM	100	0			16-QAM	100	0	21.63
					64-QAM	100	0			64-QAM	100	0	21.59
					256-QAM	100	0			256-QAM	100	0	19.64
		6	39989	2529.9	QPSK	1	99	40187	2549.7	QPSK	1	0	24.58
					16-QAM	1	99			16-QAM	1	0	23.65
					64-QAM	1	99			64-QAM	1	0	23.26
					256-QAM	1	99			256-QAM	1	0	20.11

Table 7-1. A-MPR Conducted Power Data (LTE Band 41(PC2) ULCA – Ant1)

Band	Bandwidth (PCC + SCC)	Test Case	PCC					SCC					A-MPR Measured Power [dBm]
			UL Channel	UL Frequency	Modulation	UL # RB	UL RB Offset	UL Channel	UL Frequency	Modulation	UL # RB	UL RB Offset	
LTE B41 (PC2)	20MHz + 20MHz	1	39750	2506.0	QPSK	100	0	39948	2525.8	QPSK	100	0	21.75
					16-QAM	100	0			16-QAM	100	0	21.28
					64-QAM	100	0			64-QAM	100	0	21.28
					256-QAM	100	0			256-QAM	100	0	20.33
		2	39750	2506.0	QPSK	1	99	39948	2525.8	QPSK	1	0	24.89
					16-QAM	1	99			16-QAM	1	0	24.09
					64-QAM	1	99			64-QAM	1	0	22.82
					256-QAM	1	99			256-QAM	1	0	20.71
		3	39790	2510.0	QPSK	100	0	39988	2529.8	QPSK	100	0	23.43
					16-QAM	100	0			16-QAM	100	0	22.54
					64-QAM	100	0			64-QAM	100	0	22.50
					256-QAM	100	0			256-QAM	100	0	20.53
		4	39790	2510.0	QPSK	1	99	39988	2529.8	QPSK	1	0	25.00
					16-QAM	1	99			16-QAM	1	0	24.11
					64-QAM	1	99			64-QAM	1	0	23.67
					256-QAM	1	99			256-QAM	1	0	20.61
		5	39989	2529.9	QPSK	100	0	40187	2549.7	QPSK	100	0	23.10
					16-QAM	100	0			16-QAM	100	0	22.15
					64-QAM	100	0			64-QAM	100	0	21.63
					256-QAM	100	0			256-QAM	100	0	20.18
		6	39989	2529.9	QPSK	1	99	40187	2549.7	QPSK	1	0	24.96
					16-QAM	1	99			16-QAM	1	0	24.11
					64-QAM	1	99			64-QAM	1	0	22.51
					256-QAM	1	99			256-QAM	1	0	20.57

Table 7-2. A-MPR Conducted Power Data (LTE Band 41(PC2) ULCA – Ant2)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 18 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	QPSK	27710	2310.0	1 / 25	22.54
	16-QAM	27710	2310.0	1 / 0	21.82
5 MHz	QPSK	27685	2307.5	1 / 12	22.52
		27710	2310.0	1 / 24	22.75
		27735	2312.5	1 / 0	22.59
	16-QAM	27735	2312.5	1 / 0	21.95

Table 7-2. Conducted Power Data (LTE Band 30 – Ant1)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	$\pi/2$ BPSK	27710	2310.0	1 / 1	22.72
	QPSK	27710	2310.0	1 / 1	22.62
	16-QAM	27710	2310.0	1 / 1	21.35
5 MHz	$\pi/2$ BPSK	27685	2307.5	1 / 12	22.65
		27710	2310.0	1 / 1	22.94
		27735	2312.5	1 / 1	22.44
	QPSK	27685	2307.5	1 / 12	22.71
		27710	2310.0	1 / 1	22.77
		27735	2312.5	1 / 1	22.51
	16-QAM	27710	2310.0	1 / 1	21.76

Table 7-3. Conducted Power Data (NR Band n30 – Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 19 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	1 / 271	25.46
		518598	2592.99	1 / 271	25.99
		528000	2640.00	1 / 271	25.85
	QPSK	509202	2546.01	1 / 271	25.67
		518598	2592.99	1 / 271	25.99
		528000	2640.00	1 / 271	25.87
	16-QAM	509202	2546.01	1 / 271	24.62
90 MHz	$\pi/2$ BPSK	508200	2541.00	1 / 122	25.81
		518598	2592.99	1 / 243	25.99
		528996	2644.98	1 / 122	26.04
	QPSK	508200	2541.00	1 / 122	25.72
		518598	2592.99	1 / 243	25.98
		528996	2644.98	1 / 122	26.00
	16-QAM	508200	2541.00	1 / 122	24.65
80 MHz	$\pi/2$ BPSK	507204	2536.02	1 / 215	25.70
		518598	2592.99	1 / 215	26.01
		529998	2649.99	1 / 108	25.82
	QPSK	507204	2536.02	1 / 215	25.75
		518598	2592.99	1 / 215	25.95
		529998	2649.99	1 / 108	25.89
	16-QAM	507204	2536.02	1 / 215	24.76
70 MHz	$\pi/2$ BPSK	506202	2531.01	1 / 187	25.84
		518598	2592.99	1 / 187	26.01
		531000	2655.00	1 / 187	25.73
	QPSK	506202	2531.01	1 / 187	25.79
		518598	2592.99	1 / 187	25.91
		531000	2655.00	1 / 187	25.76
	16-QAM	506202	2531.01	1 / 187	24.80
60 MHz	$\pi/2$ BPSK	505200	2526.00	1 / 160	25.62
		518598	2592.99	1 / 160	25.88
		531996	2659.98	1 / 1	25.75
	QPSK	505200	2526.00	1 / 160	25.63
		518598	2592.99	1 / 160	25.87
		531996	2659.98	1 / 1	25.71
	16-QAM	505200	2526.00	1 / 160	24.63
50 MHz	$\pi/2$ BPSK	504204	2521.02	1 / 66	25.67
		518598	2592.99	1 / 131	26.07
		532998	2664.99	1 / 1	25.98
	QPSK	504204	2521.02	1 / 66	25.62
		518598	2592.99	1 / 131	26.05
		532998	2664.99	1 / 1	25.96
	16-QAM	504204	2521.02	1 / 66	24.62
40 MHz	$\pi/2$ BPSK	503202	2516.01	1 / 104	25.55
		518598	2592.99	1 / 53	25.85
		534000	2670.00	1 / 1	25.65
	QPSK	503202	2516.01	1 / 104	25.55
		518598	2592.99	1 / 53	25.84
		534000	2670.00	1 / 1	25.67
	16-QAM	503202	2516.01	1 / 104	24.51
30 MHz	$\pi/2$ BPSK	502200	2511.00	1 / 76	25.68
		518598	2592.99	1 / 76	25.94
		534996	2674.98	1 / 1	25.91
	QPSK	502200	2511.00	1 / 76	25.68
		518598	2592.99	1 / 76	25.94
		534996	2674.98	1 / 1	25.95
	16-QAM	534996	2674.98	1 / 1	24.99
25 MHz	$\pi/2$ BPSK	501702	2508.51	1 / 1	25.98
		518598	2592.99	1 / 1	26.61
		535500	2677.50	1 / 1	25.75
	QPSK	501702	2508.51	1 / 1	25.92
		518598	2592.99	1 / 1	26.52
		535500	2677.50	1 / 1	25.69
	16-QAM	518598	2592.99	1 / 1	25.33
20 MHz	$\pi/2$ BPSK	501204	2506.02	1 / 76	25.30
		518598	2592.99	1 / 39	25.78
		535998	2679.99	1 / 1	25.61
	QPSK	501204	2506.02	1 / 76	25.26
		518598	2592.99	1 / 39	25.76
		535998	2679.99	1 / 1	25.67
	16-QAM	518598	2592.99	1 / 39	24.81
15 MHz	$\pi/2$ BPSK	500700	2503.50	1 / 76	25.44
		518598	2592.99	1 / 1	25.77
		536496	2682.48	1 / 1	25.70
	QPSK	500700	2503.50	1 / 76	25.46
		518598	2592.99	1 / 1	25.78
		536496	2682.48	1 / 1	25.67
	16-QAM	518598	2592.99	1 / 1	24.87
10 MHz	$\pi/2$ BPSK	500202	2501.01	1 / 76	25.32
		518598	2592.99	1 / 76	25.83
		537000	2685.00	1 / 1	25.49
	QPSK	500202	2501.01	1 / 76	25.32
		518598	2592.99	1 / 76	25.84
		537000	2685.00	1 / 1	25.48
	16-QAM	518598	2592.99	1 / 76	24.95

Table 7-4. Conducted Power Data (NR Band n41 – Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 20 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	1 / 271	25.62
		518598	2592.99	1 / 271	26.06
		528000	2640.00	1 / 271	26.08
	QPSK	509202	2546.01	1 / 271	25.61
		518598	2592.99	1 / 271	26.08
		528000	2640.00	1 / 271	26.07
	16-QAM	528000	2640.00	1 / 271	25.15
90 MHz	$\pi/2$ BPSK	508200	2541.00	1 / 122	25.67
		518598	2592.99	1 / 243	25.95
		528996	2644.98	1 / 122	26.11
	QPSK	508200	2541.00	1 / 122	25.60
		518598	2592.99	1 / 243	25.98
		528996	2644.98	1 / 122	26.04
	16-QAM	518598	2592.99	1 / 243	25.03
80 MHz	$\pi/2$ BPSK	507204	2536.02	1 / 215	25.54
		518598	2592.99	1 / 215	25.94
		529998	2649.99	1 / 1	25.80
	QPSK	507204	2536.02	1 / 215	25.51
		518598	2592.99	1 / 215	25.91
		529998	2649.99	1 / 1	25.87
	16-QAM	518598	2592.99	1 / 215	24.87
70 MHz	$\pi/2$ BPSK	506202	2531.01	1 / 187	25.62
		518598	2592.99	1 / 187	25.93
		531000	2655.00	1 / 1	25.71
	QPSK	506202	2531.01	1 / 187	25.58
		518598	2592.99	1 / 187	25.93
		531000	2655.00	1 / 1	25.75
	16-QAM	518598	2592.99	1 / 187	25.00
60 MHz	$\pi/2$ BPSK	505200	2526.00	1 / 160	25.43
		518598	2592.99	1 / 160	25.83
		531996	2659.98	1 / 1	25.74
	QPSK	505200	2526.00	1 / 160	25.42
		518598	2592.99	1 / 160	25.82
		531996	2659.98	1 / 1	25.77
	16-QAM	518598	2592.99	1 / 160	24.90
50 MHz	$\pi/2$ BPSK	504204	2521.02	1 / 131	25.76
		518598	2592.99	1 / 131	26.08
		532998	2664.99	1 / 1	26.04
	QPSK	504204	2521.02	1 / 131	25.75
		518598	2592.99	1 / 131	26.05
		532998	2664.99	1 / 1	26.09
	16-QAM	518598	2592.99	1 / 131	25.12
40 MHz	$\pi/2$ BPSK	503202	2516.01	1 / 104	25.47
		518598	2592.99	1 / 104	25.82
		534000	2670.00	1 / 53	25.82
	QPSK	503202	2516.01	1 / 104	25.45
		518598	2592.99	1 / 104	25.80
		534000	2670.00	1 / 53	25.78
	16-QAM	518598	2592.99	1 / 104	24.91
30 MHz	$\pi/2$ BPSK	502200	2511.00	1 / 76	25.58
		518598	2592.99	1 / 76	25.91
		534996	2674.98	1 / 1	25.95
	QPSK	502200	2511.00	1 / 76	25.55
		518598	2592.99	1 / 76	25.90
		534996	2674.98	1 / 1	25.93
	16-QAM	534996	2674.98	1 / 1	24.99
20 MHz	$\pi/2$ BPSK	501204	2506.02	1 / 49	25.26
		518598	2592.99	1 / 49	25.78
		535998	2679.99	1 / 25	25.70
	QPSK	501204	2506.02	1 / 49	25.22
		518598	2592.99	1 / 49	25.74
		535998	2679.99	1 / 25	25.66
	16-QAM	518598	2592.99	1 / 49	24.86

Table 7-5. Conducted Power Data (NR Band n41 – Ant1 - Switching)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 21 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	20850	2510.0	1 / 0	23.21
		21100	2535.0	1 / 99	23.54
		21350	2560.0	1 / 99	23.41
	16-QAM	21100	2535.0	1 / 99	22.68
15 MHz	QPSK	20825	2507.5	1 / 74	23.22
		21100	2535.0	1 / 74	23.55
		21375	2562.5	1 / 74	23.46
	16-QAM	21375	2562.5	1 / 74	22.94
10 MHz	QPSK	20800	2505.0	1 / 49	23.46
		21100	2535.0	1 / 49	23.51
		21400	2565.0	1 / 25	23.71
	16-QAM	21400	2565.0	1 / 25	22.72
5 MHz	QPSK	20775	2502.5	1 / 24	23.43
		21100	2535.0	1 / 12	23.66
		21425	2567.5	1 / 24	23.89
	16-QAM	21425	2567.5	1 / 24	22.77

Table 7-6. Conducted Power Data (LTE Band 7 – Ant2)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	39750	2506.0	1 / 99	26.29
		40620	2593.0	1 / 50	24.98
		41490	2680.0	1 / 99	25.70
	16-QAM	39750	2506.0	1 / 99	22.91
15 MHz	QPSK	39725	2503.5	1 / 74	26.32
		40620	2593.0	1 / 37	24.87
		41515	2682.5	1 / 74	24.47
	16-QAM	39725	2503.5	1 / 74	23.06
10 MHz	QPSK	39700	2501.0	1 / 25	24.43
		40620	2593.0	1 / 25	24.87
		41540	2685.0	1 / 49	25.43
	16-QAM	40620	2593.0	1 / 25	22.73
5 MHz	QPSK	39675	2498.5	1 / 24	25.45
		40620	2593.0	1 / 24	25.48
		41565	2687.5	1 / 24	25.23
	16-QAM	40620	2593.0	1 / 24	24.53

Table 7-7. Conducted Power Data (LTE Band 41 (PC2) – Ant2)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 22 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	39750	2506.0	1 / 99	24.38
		40620	2593.0	1 / 50	23.56
		41490	2680.0	1 / 99	23.92
	16-QAM	39750	2506.0	1 / 99	21.18
15 MHz	QPSK	39725	2503.5	1 / 74	24.68
		40620	2593.0	1 / 37	23.32
		41515	2682.5	1 / 74	23.89
	16-QAM	41515	2682.5	1 / 74	20.96
10 MHz	QPSK	39700	2501.0	1 / 49	24.47
		40620	2593.0	1 / 49	23.25
		41540	2685.0	1 / 49	23.86
	16-QAM	41540	2685.0	1 / 49	20.70
5 MHz	QPSK	39675	2498.5	1 / 24	23.84
		40620	2593.0	1 / 24	23.84
		41565	2687.5	1 / 24	23.51
	16-QAM	41565	2687.5	1 / 24	22.56

Table 7-8. Conducted Power Data (LTE Band 41 (PC3)– Ant2)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 23 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
40 MHz	$\pi/2$ BPSK	504000	2520.0	1 / 108	22.54
		507000	2535.0	1 / 108	22.48
		510000	2550.0	1 / 1	22.98
	QPSK	504000	2520.0	1 / 108	22.57
		507000	2535.0	1 / 108	22.53
		510000	2550.0	1 / 1	22.93
	16-QAM	510000	2550.0	1 / 1	22.09
35 MHz	$\pi/2$ BPSK	503500	2517.5	1 / 108	23.18
		507000	2535.0	1 / 1	23.08
		510500	2552.5	1 / 108	22.93
	QPSK	503500	2517.5	1 / 108	23.04
		507000	2535.0	1 / 1	22.91
		510500	2552.5	1 / 108	22.97
	16-QAM	507000	2535.0	1 / 1	22.16
30 MHz	$\pi/2$ BPSK	503000	2515.0	1 / 108	22.49
		507000	2535.0	1 / 1	22.44
		511000	2555.0	1 / 214	23.05
	QPSK	503000	2515.0	1 / 108	22.39
		507000	2535.0	1 / 1	22.41
		511000	2555.0	1 / 214	22.91
	16-QAM	511000	2555.0	1 / 214	21.83
25 MHz	$\pi/2$ BPSK	502500	2512.5	1 / 108	22.49
		507000	2535.0	1 / 108	22.57
		511500	2557.5	1 / 108	22.31
	QPSK	502500	2512.5	1 / 108	22.35
		507000	2535.0	1 / 108	22.34
		511500	2557.5	1 / 108	22.25
	16-QAM	507000	2535.0	1 / 108	21.44
20 MHz	$\pi/2$ BPSK	502000	2510.0	1 / 108	22.40
		507000	2535.0	1 / 1	22.43
		512000	2560.0	1 / 214	22.24
	QPSK	502000	2510.0	1 / 108	22.11
		507000	2535.0	1 / 1	22.27
		512000	2560.0	1 / 214	22.14
	16-QAM	507000	2535.0	1 / 1	21.48
15 MHz	$\pi/2$ BPSK	501500	2507.5	1 / 1	22.51
		507000	2535.0	1 / 214	22.47
		512500	2562.5	1 / 214	22.25
	QPSK	501500	2507.5	1 / 1	22.26
		507000	2535.0	1 / 214	22.36
		512500	2562.5	1 / 214	21.98
	16-QAM	507000	2535.0	1 / 214	21.27
10 MHz	$\pi/2$ BPSK	501000	2505.0	1 / 1	22.39
		507000	2535.0	1 / 108	22.49
		513000	2565.0	1 / 1	22.25
	QPSK	501000	2505.0	1 / 214	22.14
		507000	2535.0	1 / 108	22.43
		513000	2565.0	1 / 1	22.16
	16-QAM	501000	2505.0	1 / 214	21.32
5 MHz	$\pi/2$ BPSK	500500	2502.5	1 / 1	22.39
		507000	2535.0	1 / 214	22.44
		513500	2567.5	1 / 108	22.40
	QPSK	500500	2502.5	1 / 1	22.18
		507000	2535.0	1 / 214	22.39
		513500	2567.5	1 / 108	22.33
	16-QAM	507000	2535.0	1 / 214	21.57

Table 7-9. Conducted Power Data (NR Band n7 – Ant2)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 24 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 136	22.99
		518598	2592.99	1 / 136	22.92
		528000	2640.00	1 / 136	22.69
	QPSK	509202	2546.01	1 / 136	22.83
		518598	2592.99	1 / 136	22.78
		528000	2640.00	1 / 136	22.68
	16-QAM	518598	2592.99	1 / 136	22.63

Table 7-10. Conducted Power Data (NR Band n41 – Ant2)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 271	20.75
		518598	2592.99	1 / 136	21.42
		528000	2640.00	1 / 1	20.64
	QPSK	509202	2546.01	1 / 271	20.55
		518598	2592.99	1 / 136	21.39
		528000	2640.00	1 / 1	20.72
	16-QAM	518598	2592.99	1 / 136	20.61

Table 7-11. Conducted Power Data (NR Band n41 – Ant2 – Switching)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 136	23.17
		518598	2592.99	1 / 271	23.00
		528000	2640.00	1 / 136	23.35
	QPSK	509202	2546.01	1 / 136	23.07
		518598	2592.99	1 / 271	22.99
		528000	2640.00	1 / 136	23.24
	16-QAM	528000	2640.00	1 / 136	22.34

Table 7-12. Conducted Power Data (NR Band n41 – Ant3)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 25 of 283

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 1	22.79
		518598	2592.99	1 / 1	22.99
		528000	2640.00	1 / 136	22.82
	QPSK	509202	2546.01	1 / 1	22.92
		518598	2592.99	1 / 1	22.98
		528000	2640.00	1 / 136	22.72
	16-QAM	509202	2546.01	1 / 1	22.06

Table 7-13. Conducted Power Data (NR Band n41 – Ant3 – Switching)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 136	21.34
		518598	2592.99	1 / 136	20.76
		528000	2640.00	1 / 1	20.84
	QPSK	509202	2546.01	1 / 136	21.23
		518598	2592.99	1 / 136	20.66
		528000	2640.00	1 / 1	20.48
	16-QAM	509202	2546.01	1 / 136	20.30

Table 7-14. Conducted Power Data (NR Band n41 – Ant4)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 136	17.27
		518598	2592.99	1 / 271	17.78
		528000	2640.00	1 / 136	16.90
	QPSK	509202	2546.01	1 / 136	17.16
		518598	2592.99	1 / 271	17.93
		528000	2640.00	1 / 136	16.85
	16-QAM	518598	2592.99	1 / 271	16.71

Table 7-15. Conducted Power Data (NR Band n41 – Ant4 – Switching)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 26 of 283

7.3 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

ANSI C63.26-2015 – Section 5.4.4

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None.


FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 27 of 283

Mode	Bandwidth	Modulation	OBW [MHz]
LTE Band 30	10MHz	QPSK	9.05
		16QAM	9.03
	5 MHz	QPSK	4.54
		16QAM	4.54
LTE Band 7	20 MHz	QPSK	17.93
		16QAM	18.06
	15 MHz	QPSK	13.55
		16QAM	13.52
	10 MHz	QPSK	9.00
		16QAM	8.99
LTE Band 41(PC2)	20 MHz	QPSK	18.00
		16QAM	17.99
	15 MHz	QPSK	13.54
		16QAM	13.50
	10 MHz	QPSK	9.01
		16QAM	9.03
LTE Band 41(PC3)/38	20 MHz	QPSK	18.03
		16QAM	18.05
	15 MHz	QPSK	13.51
		16QAM	13.54
	10 MHz	QPSK	9.08
		16QAM	9.04
	5 MHz	QPSK	4.50
		16QAM	4.53

Table 7-16. Occupied Bandwidth Result – LTE – Ant1

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 28 of 283

LTE Band 30 – Ant1




Plot 7-1. Occupied Bandwidth Plot (LTE Band 30 - 10MHz QPSK - Full RB - Ant1 – Ant1)




Plot 7-2. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 29 of 283




Plot 7-3. Occupied Bandwidth Plot (LTE Band 30 - 5MHz QPSK - Full RB - Ant1)




Plot 7-4. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 30 of 283

LTE Band 7 – Ant1




Plot 7-5. Occupied Bandwidth Plot (LTE Band 7 - 20MHz QPSK - Full RB - Ant1)




Plot 7-6. Occupied Bandwidth Plot (LTE Band 7 - 20MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 31 of 283




Plot 7-7. Occupied Bandwidth Plot (LTE Band 7 - 15MHz QPSK - Full RB - Ant1)




Plot 7-8. Occupied Bandwidth Plot (LTE Band 7 - 15MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 32 of 283




Plot 7-9. Occupied Bandwidth Plot (LTE Band 7 - 10MHz QPSK - Full RB - Ant1)




Plot 7-10. Occupied Bandwidth Plot (LTE Band 7 - 10MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 33 of 283



Plot 7-11. Occupied Bandwidth Plot (LTE Band 7 - 5MHz QPSK - Full RB - Ant1)




Plot 7-12. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 34 of 283

LTE Band 41(PC2) – Ant1



Plot 7-13. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz QPSK - Full RB - Ant1)




Plot 7-14. Occupied Bandwidth Plot (LTE Band 41(PC2) - 20MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 35 of 283




Plot 7-15. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz QPSK - Full RB - Ant1)




Plot 7-16. Occupied Bandwidth Plot (LTE Band 41(PC2) - 15MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 36 of 283




Plot 7-17. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz QPSK - Full RB - Ant1)




Plot 7-18. Occupied Bandwidth Plot (LTE Band 41(PC2) - 10MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 37 of 283




Plot 7-19. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz QPSK - Full RB - Ant1)



Plot 7-20. Occupied Bandwidth Plot (LTE Band 41(PC2) - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 38 of 283

LTE Band 41(PC3)/38 – Ant1




Plot 7-21. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 20MHz QPSK - Full RB - Ant1)




Plot 7-22. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 20MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 39 of 283




Plot 7-23. Occupied Bandwidth Plot (LTE Band 41(PCI3)/38 - 15MHz QPSK - Full RB - Ant1)




Plot 7-24. Occupied Bandwidth Plot (LTE Band 41(PCI3)/38 - 15MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 40 of 283




Plot 7-25. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 10MHz QPSK - Full RB - Ant1)




Plot 7-26. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 10MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 41 of 283



Plot 7-27. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz QPSK - Full RB - Ant1)



Plot 7-28. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 42 of 283

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n30	10MHz	BPSK	9.01
		QPSK	9.35
		16QAM	9.36
	5MHz	BPSK	4.51
		QPSK	4.54
		16QAM	4.54
NR-n7	40MHz	BPSK	38.73
		QPSK	38.74
		16QAM	38.71
	35MHz	BPSK	32.24
		QPSK	33.63
		16QAM	33.68
	30MHz	BPSK	28.74
		QPSK	28.68
		16QAM	28.73
	25MHz	BPSK	23.08
		QPSK	23.93
		16QAM	23.86
	20MHz	BPSK	18.01
		QPSK	18.98
		16QAM	19.06
	15MHz	BPSK	13.51
		QPSK	14.19
		16QAM	14.21
	10MHz	BPSK	9.01
		QPSK	9.35
		16QAM	9.33
	5MHz	BPSK	4.52
		QPSK	4.52
		16QAM	4.52

Table 7-17. Occupied Bandwidth Results – NR – Ant1

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 43 of 283

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n41PC2	100MHz	BPSK	97.16
		QPSK	98.10
		16QAM	98.15
	90MHz	BPSK	87.46
		QPSK	88.02
		16QAM	88.03
	80MHz	BPSK	77.51
		QPSK	77.74
		16QAM	77.85
	70MHz	BPSK	64.71
		QPSK	67.72
		16QAM	67.72
	60MHz	BPSK	58.10
		QPSK	58.12
		16QAM	58.21
	50MHz	BPSK	46.04
		QPSK	47.75
		16QAM	47.81
	40MHz	BPSK	35.91
		QPSK	38.06
		16QAM	38.12
	30MHz	BPSK	27.06
		QPSK	28.07
		16QAM	28.06
	25MHz	BPSK	22.94
		QPSK	23.29
		16QAM	23.24
	20MHz	BPSK	18.00
		QPSK	18.33
		16QAM	18.37
	15MHz	BPSK	13.03
		QPSK	13.70
		16QAM	13.65
	10MHz	BPSK	8.68
		QPSK	8.68
		16QAM	8.72

Table 7-18. Occupied Bandwidth Results – NR – Ant1


FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 44 of 283

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n41PC2 Switching	100MHz	BPSK	97.05
		QPSK	98.02
		16QAM	98.04
	90MHz	BPSK	87.33
		QPSK	87.87
		16QAM	87.89
	80MHz	BPSK	77.39
		QPSK	77.75
		16QAM	77.69
	70MHz	BPSK	64.58
		QPSK	67.64
		16QAM	67.62
	60MHz	BPSK	58.10
		QPSK	58.26
		16QAM	58.00
	50MHz	BPSK	46.05
		QPSK	47.76
		16QAM	47.79
	40MHz	BPSK	35.88
		QPSK	38.04
		16QAM	38.15
	30MHz	BPSK	27.05
		QPSK	28.03
		16QAM	28.03
	25MHz	BPSK	22.83
		QPSK	23.26
		16QAM	23.30
	20MHz	BPSK	18.01
		QPSK	18.33
		16QAM	18.39
	15MHz	BPSK	13.04
		QPSK	13.72
		16QAM	13.65
	10MHz	BPSK	8.68
		QPSK	8.71
		16QAM	8.70


Table 7-19. Occupied Bandwidth Results – NR – Ant1 – Switching

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 45 of 283

NR Band n30 – Ant1




Plot 7-29. Occupied Bandwidth Plot (NR Band n30 - 10MHz $\pi/2$ BPSK - Full RB - Ant1)




Plot 7-30. Occupied Bandwidth Plot (NR Band n30 - 10MHz QPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 46 of 283




Plot 7-31. Occupied Bandwidth Plot (NR Band n30 - 10MHz 16-QAM - Full RB - Ant1)




Plot 7-32. Occupied Bandwidth Plot (NR Band n30 - 5MHz $\pi/2$ BPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 47 of 283




Plot 7-33. Occupied Bandwidth Plot (NR Band n30 - 5MHz QPSK - Full RB - Ant1)




Plot 7-34. Occupied Bandwidth Plot (NR Band n30 - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 48 of 283

NR Band n7 – Ant1




Plot 7-35. Occupied Bandwidth Plot (NR Band n7 - 40MHz $\pi/2$ BPSK - Full RB - Ant1)




Plot 7-36. Occupied Bandwidth Plot (NR Band n7 - 40MHz QPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 49 of 283




Plot 7-37. Occupied Bandwidth Plot (NR Band n7 - 40MHz 16-QAM - Full RB - Ant1)




Plot 7-38. Occupied Bandwidth Plot (NR Band n7 - 35MHz $\pi/2$ BPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 50 of 283




Plot 7-39. Occupied Bandwidth Plot (NR Band n7 - 35MHz QPSK - Full RB - Ant1)




Plot 7-40. Occupied Bandwidth Plot (NR Band n7 - 35MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 51 of 283




Plot 7-41. Occupied Bandwidth Plot (NR Band n7 - 30MHz $\pi/2$ BPSK - Full RB - Ant1)




Plot 7-42. Occupied Bandwidth Plot (NR Band n7 - 30MHz QPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 52 of 283




Plot 7-43. Occupied Bandwidth Plot (NR Band n7 - 30MHz 16-QAM - Full RB - Ant1)




Plot 7-44. Occupied Bandwidth Plot (NR Band n7 - 25MHz $\pi/2$ BPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 53 of 283




Plot 7-45. Occupied Bandwidth Plot (NR Band n7 - 25MHz QPSK - Full RB - Ant1)




Plot 7-46. Occupied Bandwidth Plot (NR Band n7 - 25MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 54 of 283




Plot 7-47. Occupied Bandwidth Plot (NR Band n7 - 20MHz $\pi/2$ BPSK - Full RB - Ant1)




Plot 7-48. Occupied Bandwidth Plot (NR Band n7 - 20MHz QPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 55 of 283




Plot 7-49. Occupied Bandwidth Plot (NR Band n7 - 20MHz 16-QAM - Full RB - Ant1)




Plot 7-50. Occupied Bandwidth Plot (NR Band n7 - 15MHz $\pi/2$ BPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 56 of 283




Plot 7-51. Occupied Bandwidth Plot (NR Band n7 - 15MHz QPSK - Full RB - Ant1)




Plot 7-52. Occupied Bandwidth Plot (NR Band n7 - 15MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 57 of 283




Plot 7-53. Occupied Bandwidth Plot (NR Band n7 - 10MHz $\pi/2$ BPSK - Full RB - Ant1)



Plot 7-54. Occupied Bandwidth Plot (NR Band n7 - 10MHz QPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 58 of 283




Plot 7-55. Occupied Bandwidth Plot (NR Band n7 - 10MHz 16-QAM - Full RB - Ant1)




Plot 7-56. Occupied Bandwidth Plot (NR Band n7 - 5MHz $\pi/2$ BPSK - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 59 of 283




Plot 7-57. Occupied Bandwidth Plot (NR Band n7 - 5MHz QPSK - Full RB - Ant1)




Plot 7-58. Occupied Bandwidth Plot (NR Band n7 - 5MHz 16-QAM - Full RB - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 60 of 283

NR Band n41 – Ant1




Plot 7-59. Occupied Bandwidth Plot (NR Band n41 - 100MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)




Plot 7-60. Occupied Bandwidth Plot (NR Band n41 - 100MHz QPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 61 of 283




Plot 7-61. Occupied Bandwidth Plot (NR Band n41 - 100MHz 16-QAM - Full RB Configuration - Ant1)




Plot 7-62. Occupied Bandwidth Plot (NR Band n41 - 90MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 62 of 283




Plot 7-63. Occupied Bandwidth Plot (NR Band n41 - 90MHz QPSK - Full RB Configuration - Ant1)




Plot 7-64. Occupied Bandwidth Plot (NR Band n41 - 90MHz 16-QAM - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 63 of 283




Plot 7-65. Occupied Bandwidth Plot (NR Band n41 - 80MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)




Plot 7-66. Occupied Bandwidth Plot (NR Band n41 - 80MHz QPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 64 of 283




Plot 7-67. Occupied Bandwidth Plot (NR Band n41 - 80MHz 16-QAM - Full RB Configuration - Ant1)




Plot 7-68. Occupied Bandwidth Plot (NR Band n41 - 70MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 65 of 283




Plot 7-69. Occupied Bandwidth Plot (NR Band n41 - 70MHz QPSK - Full RB Configuration - Ant1)




Plot 7-70. Occupied Bandwidth Plot (NR Band n41 - 70MHz 16-QAM - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 66 of 283




Plot 7-71. Occupied Bandwidth Plot (NR Band n41 - 60MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)




Plot 7-72. Occupied Bandwidth Plot (NR Band n41 - 60MHz QPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 67 of 283




Plot 7-73. Occupied Bandwidth Plot (NR Band n41 - 60MHz 16-QAM - Full RB Configuration - Ant1)




Plot 7-74. Occupied Bandwidth Plot (NR Band n41 - 50MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 68 of 283




Plot 7-75. Occupied Bandwidth Plot (NR Band n41 - 50MHz QPSK - Full RB Configuration - Ant1)




Plot 7-76. Occupied Bandwidth Plot (NR Band n41 - 50MHz 16-QAM - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 69 of 283




Plot 7-77. Occupied Bandwidth Plot (NR Band n41 - 40MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)




Plot 7-78. Occupied Bandwidth Plot (NR Band n41 - 40MHz QPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 70 of 283




Plot 7-79. Occupied Bandwidth Plot (NR Band n41 - 40MHz 16-QAM - Full RB Configuration - Ant1)




Plot 7-80. Occupied Bandwidth Plot (NR Band n41 - 30MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 71 of 283




Plot 7-81. Occupied Bandwidth Plot (NR Band n41 - 30MHz QPSK - Full RB Configuration - Ant1)




Plot 7-82. Occupied Bandwidth Plot (NR Band n41 - 30MHz 16-QAM - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 72 of 283




Plot 7-83. Occupied Bandwidth Plot (NR Band n41 - 25MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)




Plot 7-84. Occupied Bandwidth Plot (NR Band n41 - 25MHz QPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 – 11/7/2023	EUT Type: Portable Handset	Page 73 of 283



Plot 7-85. Occupied Bandwidth Plot (NR Band n41 - 25MHz 16-QAM - Full RB Configuration - Ant1)



Plot 7-86. Occupied Bandwidth Plot (NR Band n41 - 20MHz $\pi/2$ BPSK - Full RB Configuration - Ant1)

FCC ID: A3LSMS928U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2308210092-05.A3L	Test Dates: 9/6 - 11/7/2023	EUT Type: Portable Handset	Page 74 of 283