

Appendix I. – P_{max} Conducted Power

◆ LTE Band Maximum Conducted Output Power

1. LTE TDD Band 41 Maximum Conducted Output Power

LTE TDD Band 41 Conducted Power (Power Class 3) _ P_{max} _ SUB2 Antenna

LTE TDD Band 41 _ 5 Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0	40185 Ch. 2549.5	40620 Ch. 2593.0	41055 Ch. 2636.5	41490 Ch. 2680.0		
5 MHz	QPSK	1	0	23.59	23.69	23.79	23.50	23.95	0	0
		1	12	23.67	23.70	23.80	23.58	24.06	0	0
		1	24	23.54	23.62	23.65	23.47	23.95	0	0
		12	0	22.70	22.78	22.85	22.50	22.97	0-1	1
		12	6	22.70	22.77	22.80	22.52	22.99	0-1	1
		12	11	22.59	22.74	22.79	22.50	22.96	0-1	1
		25	0	22.62	22.78	22.83	22.51	22.97	0-1	1
	16QAM	1	0	22.70	22.85	22.80	22.65	23.14	0-1	1
		1	12	22.79	22.76	22.85	22.67	23.11	0-1	1
		1	24	22.66	22.76	22.70	22.66	23.03	0-1	1
		12	0	21.71	21.74	21.85	21.59	21.95	0-2	2
		12	6	21.70	21.81	21.81	21.54	21.97	0-2	2
		12	11	21.60	21.76	21.88	21.47	21.95	0-2	2
		25	0	21.62	21.75	21.82	21.54	21.97	0-2	2
	64QAM	1	0	21.63	21.70	21.73	21.55	21.98	0-2	2
		1	12	21.62	21.66	21.71	21.60	22.04	0-2	2
		1	24	21.61	21.69	21.60	21.51	22.01	0-2	2
		12	0	20.71	20.78	20.87	20.56	20.95	0-3	3
		12	6	20.71	20.83	20.81	20.55	21.00	0-3	3
		12	11	20.61	20.80	20.73	20.53	20.95	0-3	3
		25	0	20.58	20.76	20.80	20.54	20.98	0-3	3

LTE TDD Band 41 _ 10 Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0	40185 Ch. 2549.5	40620 Ch. 2593.0	41055 Ch. 2636.5	41490 Ch. 2680.0		
10 MHz	QPSK	1	0	23.64	23.60	23.78	23.34	23.90	0	0
		1	24	23.64	23.69	23.74	23.57	23.94	0	0
		1	49	23.57	23.64	23.65	23.43	23.90	0	0
		25	0	22.73	22.73	22.84	22.47	22.97	0-1	1
		25	12	22.73	22.81	22.85	22.51	23.00	0-1	1
		25	24	22.56	22.77	22.81	22.63	23.10	0-1	1
		50	0	22.60	22.78	22.82	22.51	22.96	0-1	1
	16QAM	1	0	22.75	22.59	22.81	22.58	22.95	0-1	1
		1	24	22.67	22.71	22.86	22.80	23.13	0-1	1
		1	49	22.68	22.76	22.68	22.60	23.00	0-1	1
		25	0	21.72	21.74	21.84	21.51	21.96	0-2	2
		25	12	21.72	21.78	21.79	21.57	21.95	0-2	2
		25	24	21.61	21.79	21.76	21.64	22.08	0-2	2
		50	0	21.62	21.77	21.83	21.52	21.99	0-2	2
	64QAM	1	0	21.52	21.67	21.80	21.45	21.95	0-2	2
		1	24	21.69	21.71	21.68	21.66	21.91	0-2	2
		1	49	21.52	21.65	21.61	21.64	21.91	0-2	2
		25	0	20.74	20.78	20.83	20.51	20.95	0-3	3
		25	12	20.76	20.78	20.85	20.57	20.98	0-3	3
		25	24	20.61	20.79	20.78	20.65	21.07	0-3	3
		50	0	20.61	20.77	20.81	20.57	20.94	0-3	3

LTE TDD Band 41 _ 15 Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0	40185 Ch. 2549.5	40620 Ch. 2593.0	41055 Ch. 2636.5	41490 Ch. 2680.0		
15 MHz	QPSK	1	0	23.57	23.48	23.67	23.37	23.81	0	0
		1	36	23.54	23.60	23.66	23.48	23.90	0	0
		1	74	23.49	23.73	23.59	23.43	23.85	0	0
		36	0	22.73	22.64	22.82	22.45	22.95	0-1	1
		36	18	22.74	22.79	22.81	22.52	23.02	0-1	1
		36	39	22.57	22.77	22.76	22.59	23.08	0-1	1
		75	0	22.61	22.63	22.80	22.49	23.00	0-1	1
	16QAM	1	0	22.75	22.66	22.81	22.50	23.07	0-1	1
		1	36	22.60	22.74	22.90	22.73	23.15	0-1	1
		1	74	22.62	22.90	22.70	22.43	23.11	0-1	1
		36	0	21.77	21.64	21.80	21.51	21.96	0-2	2
		36	18	21.73	21.76	21.80	21.55	22.01	0-2	2
		36	39	21.59	21.76	21.74	21.63	22.07	0-2	2
		75	0	21.58	21.66	21.78	21.50	21.96	0-2	2
	64QAM	1	0	21.64	21.52	21.79	21.49	21.93	0-2	2
		1	36	21.73	21.72	21.75	21.68	22.08	0-2	2
		1	74	21.55	21.78	21.65	21.46	21.96	0-2	2
		36	0	20.75	20.58	20.77	20.50	20.95	0-3	3
		36	18	20.70	20.77	20.80	20.54	21.00	0-3	3
		36	39	20.58	20.81	20.76	20.61	21.05	0-3	3
		75	0	20.61	20.66	20.77	20.51	20.98	0-3	3

LTE TDD Band 41 _ 20 Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0	40185 Ch. 2549.5	40620 Ch. 2593.0	41055 Ch. 2636.5	41490 Ch. 2680.0		
20 MHz	QPSK	1	0	23.60	23.51	23.72	23.35	23.79	0	0
		1	49	23.59	23.63	23.72	23.46	23.93	0	0
		1	99	23.53	23.71	23.52	23.40	23.81	0	0
		50	0	22.69	22.64	22.82	22.50	22.97	0-1	1
		50	25	22.60	22.76	22.83	22.52	23.00	0-1	1
		50	49	22.62	22.77	22.73	22.59	23.03	0-1	1
		100	0	22.62	22.68	22.79	22.51	22.99	0-1	1
	16QAM	1	0	22.83	22.71	22.85	22.55	23.03	0-1	1
		1	49	22.67	22.80	22.85	22.71	23.04	0-1	1
		1	99	22.69	22.85	22.63	22.63	22.97	0-1	1
		50	0	21.76	21.67	21.79	21.55	21.93	0-2	2
		50	25	21.63	21.78	21.82	21.59	21.97	0-2	2
		50	49	21.60	21.79	21.77	21.62	22.08	0-2	2
		100	0	21.59	21.66	21.78	21.50	21.97	0-2	2
	64QAM	1	0	21.76	21.60	21.69	21.39	21.97	0-2	2
		1	49	21.62	21.68	21.78	21.59	21.84	0-2	2
		1	99	21.60	21.76	21.58	21.48	21.98	0-2	2
		50	0	20.71	20.62	20.81	20.55	20.95	0-3	3
		50	25	20.62	20.79	20.79	20.56	21.01	0-3	3
		50	49	20.59	20.78	20.75	20.61	21.07	0-3	3
		100	0	20.62	20.69	20.75	20.55	20.98	0-3	3

Note; LTE TDD Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

◆ NR Band Maximum Conducted Output Power

1. NR TDD Band n41 Conducted Power

NR TDD Band n41 (PC3) _ Conducted Power_ P_{max} _ MAIN2 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2 501.01 MHz	2 547 MHz	2 592.99 MHz	2 639.01 MHz	2 685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	23.47	23.53	23.92	23.68	23.59	0
				1	12	23.44	23.57	23.89	23.67	23.59	0
				1	22	23.55	23.68	23.96	23.68	23.60	0
				12	0	22.98	23.02	23.48	23.22	23.11	0.5
				12	6	23.51	23.59	23.90	23.69	23.58	0
				12	12	23.03	23.19	23.35	23.18	23.08	0.5
				24	0	23.05	23.10	23.35	23.22	23.11	0.5
			QPSK	1	1	23.43	23.53	23.94	23.66	23.54	0
				1	12	23.39	23.51	23.82	23.61	23.46	0
				1	22	23.51	23.69	23.74	23.66	23.52	0
				12	0	22.52	22.50	22.89	22.66	22.63	1
				12	6	23.41	23.47	23.86	23.59	23.51	0
				12	12	22.48	22.68	22.90	22.66	22.57	1
				24	0	22.46	22.52	22.88	22.69	22.59	1
			16QAM	1	1	22.17	22.23	22.60	22.39	22.35	1
			64QAM	1	1	20.80	20.80	21.34	20.98	20.99	2.5
			256QAM	1	1	18.46	18.53	18.89	18.71	18.55	4.5
		CP	QPSK	1	1	22.04	22.11	22.41	22.24	22.08	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2 503.5 MHz	2 548.32 MHz	2 592.99 MHz	2 637.81 MHz	2 682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	23.61	23.58	23.74	23.70	23.71	0
				1	18	23.55	23.58	23.77	23.73	23.80	0
				1	36	23.64	23.69	23.82	23.66	23.80	0
				18	0	23.05	23.04	23.34	23.22	23.20	0.5
				18	9	23.60	23.66	23.87	23.75	23.82	0
				18	18	23.04	23.07	23.33	23.16	23.20	0.5
				36	0	23.04	23.11	23.35	23.19	23.18	0.5
			QPSK	1	1	23.43	23.40	23.80	23.68	23.63	0
				1	18	23.43	23.43	23.79	23.57	23.58	0
				1	36	23.39	23.57	23.78	23.57	23.72	0
				18	0	22.50	22.55	22.82	22.68	22.65	1
				18	9	23.47	23.51	23.81	23.61	23.73	0
				18	18	22.52	22.54	22.84	22.65	22.72	1
				36	0	22.53	22.57	22.77	22.61	22.65	1
			16QAM	1	1	22.14	22.20	22.47	22.37	22.36	1
			64QAM	1	1	20.80	20.85	21.09	20.97	20.91	2.5
			256QAM	1	1	18.66	18.52	18.81	18.69	18.64	4.5
		CP	QPSK	1	1	22.05	22.07	22.16	22.11	22.09	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2 506.02 MHz	2 549.49 MHz	2 592.99 MHz	2 636.49 MHz	2 679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	23.38	23.51	23.85	23.59	23.69	0
				1	26	23.40	23.67	23.94	23.65	23.72	0
				1	49	23.32	23.68	23.86	23.59	23.61	0
				25	0	22.90	23.06	23.37	23.07	23.20	0.5
				25	13	23.54	23.74	23.90	23.72	23.83	0
				25	26	22.83	23.15	23.33	23.16	23.23	0.5
				50	0	22.82	23.17	23.34	23.19	23.19	0.5
			QPSK	1	1	23.30	23.42	23.76	23.55	23.60	0
				1	26	23.32	23.52	23.76	23.53	23.57	0
				1	49	23.24	23.59	23.73	23.53	23.57	0
				25	0	22.37	22.43	22.85	22.56	22.73	1
				25	13	23.44	23.65	23.89	23.67	23.68	0
				25	26	22.34	22.63	22.86	22.66	22.71	1
				50	0	22.27	22.61	22.79	22.66	22.66	1
			16QAM	1	1	21.98	22.11	22.46	22.17	22.28	1
			64QAM	1	1	20.63	20.84	21.00	20.82	20.95	2.5
			256QAM	1	1	18.30	18.43	18.77	18.51	18.64	4.5
		CP	QPSK	1	1	21.90	22.07	22.31	22.12	22.09	1.5

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502500	510150	518598	527046	535500	
						2512.5 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	23.61	23.76	24.09	23.88	23.85	0
				1	32	23.67	23.83	24.13	23.91	23.85	0
				1	63	23.57	23.72	24.02	23.80	23.90	0
				32	0	23.13	23.31	23.54	23.42	23.38	0.5
				32	17	23.71	23.86	24.13	23.91	23.96	0
				32	33	23.16	23.29	23.57	23.27	23.45	0.5
				64	0	23.14	23.28	23.59	23.38	23.35	0.5
			QPSK	1	1	23.47	23.65	23.98	23.83	23.82	0
				1	32	23.42	23.69	24.03	23.75	23.72	0
				1	63	23.40	23.69	23.95	23.68	23.80	0
				32	0	22.56	22.72	23.02	22.84	22.86	1
				32	17	23.58	23.71	24.01	23.78	23.79	0
				32	33	22.68	22.83	23.03	22.80	22.90	1
				64	0	22.60	22.78	23.01	22.82	22.83	1
			16QAM	1	1	22.40	22.47	22.73	22.66	22.61	1
			64QAM	1	1	20.96	21.17	21.42	21.22	21.44	2.5
			256QAM	1	1	18.62	18.68	19.09	18.87	18.84	4.5
		CP	QPSK	1	1	22.17	22.24	22.64	22.44	22.44	1.5

NR TDD Band n41 _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2 511 MHz	2 552.01 MHz	2 592.99 MHz	2 634 MHz	2 674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	23.63	23.68	24.11	24.05	24.09	0
				1	39	23.69	23.84	24.10	23.98	24.06	0
				1	76	23.64	24.09	24.14	24.04	24.03	0
				36	0	23.17	23.26	23.69	23.57	23.59	0.5
				36	21	23.67	24.01	24.21	24.11	24.13	0
				36	42	23.22	23.47	23.65	23.51	23.65	0.5
				75	0	23.21	23.40	23.62	23.53	23.59	0.5
			QPSK	1	1	23.57	23.69	24.07	24.04	24.00	0
				1	39	23.54	23.85	24.01	23.89	23.94	0
				1	76	23.60	23.95	24.04	23.98	24.01	0
				36	0	22.65	22.80	23.12	23.05	23.03	1
				36	21	23.70	23.94	24.12	23.99	24.12	0
				36	42	22.70	22.97	23.11	23.02	23.11	1
				75	0	22.65	22.86	23.15	23.02	23.13	1
			16QAM	1	1	22.43	22.50	22.69	22.89	22.83	1
			64QAM	1	1	21.04	21.11	21.50	21.39	21.54	2.5
			256QAM	1	1	18.72	18.62	18.99	19.03	19.06	4.5
		CP	QPSK	1	1	22.22	22.20	22.69	22.61	22.62	1.5

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2 516.01 MHz	2 567.34 MHz		2 618.67 MHz	2 670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	23.54	23.88		23.95	23.84	0
				1	53	23.58	23.91		23.99	23.88	0
				1	104	23.49	23.91		23.81	23.84	0
				50	0	23.10	23.49		23.56	23.48	0.5
				50	28	23.76	24.13		24.06	24.13	0
				50	56	23.10	24.11		23.47	23.51	0.5
				100	0	23.19	24.15		23.47	23.47	0.5
			QPSK	1	1	23.46	23.41		23.84	23.73	0
				1	53	23.49	23.45		23.76	23.74	0
				1	104	23.43	23.68		23.67	23.74	0
				50	0	22.55	23.02		23.01	22.95	1
				50	28	23.54	23.96		23.95	23.89	0
				50	56	23.01	23.02		22.92	22.96	1
				100	0	22.99	22.96		22.97	22.95	1
			16QAM	1	1	22.35	22.43		22.62	22.72	1
			64QAM	1	1	20.95	21.43		21.49	21.05	2.5
			256QAM	1	1	18.53	18.73		18.97	18.79	4.5
		CP	QPSK	1	1	22.28	22.42		22.46	22.37	1.5

NR TDD Band n41 _50 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						504204		518598			
						2 521.02 Mhz		2 592.99 Mhz			
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.75		24.21		24.13	0
				1	67	23.65		24.21		24.08	0
				1	131	23.85		24.22		24.15	0
				64	0	23.32		23.72		23.77	0.5
				64	35	23.88		24.35		24.27	0
				64	69	23.62		23.72		23.70	0.5
				128	0	23.65		23.66		23.61	0.5
			QPSK	1	1	24.05		24.08		24.04	0
				1	67	24.11		24.14		23.99	0
				1	131	24.05		24.08		24.07	0
				64	0	23.15		23.18		23.98	1
				64	35	23.75		24.25		24.01	0
				64	69	22.79		23.21		23.18	1
				128	0	22.72		23.21		23.15	1
			16QAM	1	1	22.78		22.89		22.84	1
			64QAM	1	1	21.18		21.59		21.35	2.5
			256QAM	1	1	18.82		19.13		19.08	4.5
		CP	QPSK	1	1	22.46		22.66		22.64	1.5

NR TDD Band n41 _60 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2 526 MHz		2 592.99 MHz			2 659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.50		24.07		23.96	0
				1	81	23.52		24.12		23.78	0
				1	160	23.82		23.92		23.88	0
				81	0	23.01		23.64		23.38	0.5
				81	41	23.55		24.12		23.89	0
				81	81	23.11		23.56		23.43	0.5
				162	0	23.08		23.62		23.44	0.5
			QPSK	1	1	23.39		23.92		23.81	0
				1	81	23.37		24.06		23.66	0
				1	160	23.68		23.95		23.80	0
				81	0	22.47		23.12		22.89	1
				81	41	23.43		24.07		23.84	0
				81	81	22.59		23.03		22.91	1
				162	0	22.60		23.12		22.87	1
			16QAM	1	1	22.16		23.11		22.53	1
			64QAM	1	1	20.78		21.44		21.45	2.5
			256QAM	1	1	18.54		18.99		18.82	4.5
		CP	QPSK	1	1	22.19		22.61		22.48	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2 531.04 MHz					2 654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.65				24.00	0
				1	81	23.61				23.91	0
				1	160	23.96				23.87	0
				81	0	23.18				23.52	0.5
				81	41	23.88				24.08	0
				81	81	23.53				23.38	0.5
				162	0	23.39				23.53	0.5
			QPSK	1	1	23.72				23.84	0
				1	81	23.61				23.76	0
				1	160	23.93				23.78	0
				81	0	22.60				23.03	1
				81	41	23.62				23.97	0
				81	81	22.99				22.93	1
				162	0	22.89				23.03	1
			16QAM	1	1	22.27				22.64	1
			64QAM	1	1	20.94				21.51	2.5
			256QAM	1	1	18.68				18.87	4.5
		CP	QPSK	1	1	22.29				22.57	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	23.68				24.11	0
				1	109	23.70				24.01	0
				1	215	23.93				24.07	0
				108	0	23.21				23.66	0.5
				108	55	23.78				24.19	0
				108	109	23.42				23.55	0.5
				216	0	23.33				23.61	0.5
			QPSK	1	1	23.68				23.99	0
				1	109	23.63				23.85	0
				1	215	23.93				23.78	0
				108	0	23.16				23.15	1
				108	55	24.13				24.11	0
				108	109	22.92				22.82	1
				216	0	22.86				22.84	1
			16QAM	1	1	22.51				22.83	1
			64QAM	1	1	21.07				21.52	2.5
			256QAM	1	1	18.71				19.03	4.5
		CP	QPSK	1	1	22.28				22.69	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2 541 MHz				
90 MHz	30	DFT-s	pi/2 BPSK	1	1	23.80				23.80
				1	123	23.98				23.98
				1	243	24.06				24.06
				120	0	23.28				23.28
				120	63	23.97				23.97
				120	125	23.54				23.54
				243	0	23.47				23.47
			QPSK	1	1	23.83				23.83
				1	123	23.82				23.82
				1	243	24.04				24.04
				120	0	22.82				22.82
				120	63	23.78				23.78
				120	125	23.00				23.00
				243	0	22.98				22.98
			16QAM	1	1	22.58				22.58
			64QAM	1	1	21.25				21.25
			256QAM	1	1	18.85				18.85
		CP	QPSK	1	1	22.49				22.49

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2 592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			24.27		0
				1	137			24.14		0
				1	271			24.23		0
				135	0			23.60		0.5
				135	69			24.13		0
				135	138			23.55		0.5
				270	0			23.67		0.5
			QPSK	1	1			23.96		0
				1	137			23.93		0
				1	271			23.99		0
				135	0			23.19		1
				135	69			24.02		0
				135	138			23.19		1
				270	0			23.21		1
			16QAM	1	1			23.12		1
			64QAM	1	1			21.92		2.5
			256QAM	1	1			19.19		4.5
		CP	QPSK	1	1			22.86		1.5

NR TDD Band n41 (PC3) Conducted Power_ P_{max} _ SUB2 Antenna

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2 501.01 MHz	2 547 MHz	2 592.99 MHz	2 639.01 MHz	2 685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.26	24.19	24.32	24.23	24.60	0
				1	12	24.11	24.18	24.35	24.23	24.64	0
				1	22	24.26	24.24	24.38	24.29	24.72	0
				12	0	23.59	23.62	23.77	23.76	23.98	0.5
				12	6	24.18	24.21	24.34	24.26	24.55	0
				12	12	23.57	23.67	23.84	23.73	24.10	0.5
				24	0	23.63	23.66	23.76	23.69	23.99	0.5
			QPSK	1	1	24.29	24.11	24.36	24.29	24.50	0
				1	12	24.19	24.10	24.35	24.24	24.58	0
				1	22	24.22	24.26	24.29	24.30	24.72	0
				12	0	23.12	23.07	23.26	23.37	23.45	1
				12	6	24.23	24.15	24.37	24.24	24.59	0
				12	12	23.17	23.22	23.34	23.28	23.62	1
				24	0	23.14	23.09	23.27	23.19	23.59	1
			16QAM	1	1	22.81	22.78	23.06	22.99	23.21	1
			64QAM	1	1	21.60	21.58	21.68	21.69	21.92	2.5
			256QAM	1	1	19.44	19.37	19.53	19.31	19.46	4.5
		CP	QPSK	1	1	22.80	22.77	22.97	22.87	22.93	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2 503.5 MHz	2 548.32 MHz	2 592.99 MHz	2 637.81 MHz	2 682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.39	24.07	24.32	24.33	24.50	0
				1	18	24.27	24.17	24.29	24.30	24.57	0
				1	36	24.36	24.22	24.33	24.21	24.61	0
				18	0	23.72	23.50	23.74	23.66	23.92	0.5
				18	9	24.32	24.18	24.37	24.24	24.61	0
				18	18	23.65	23.64	23.78	23.70	23.99	0.5
				36	0	23.70	23.52	23.73	23.65	23.93	0.5
			QPSK	1	1	24.30	24.11	24.25	24.05	24.41	0
				1	18	24.21	24.09	24.30	24.31	24.46	0
				1	36	24.26	24.28	24.31	24.33	24.56	0
				18	0	23.25	23.08	23.14	23.22	23.44	1
				18	9	24.32	24.32	24.45	24.34	24.53	0
				18	18	23.18	23.07	23.25	23.08	23.46	1
				36	0	23.19	23.07	23.25	23.18	23.41	1
			16QAM	1	1	22.93	22.84	22.85	23.08	23.40	1
			64QAM	1	1	21.75	21.60	21.62	21.64	21.97	2.5
			256QAM	1	1	19.54	19.38	19.54	19.07	19.33	4.5
		CP	QPSK	1	1	22.93	22.74	22.87	22.78	22.99	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2 506.02 MHz	2 549.49 MHz	2 592.99 MHz	2 636.49 MHz	2 679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.18	24.07	24.04	24.09	24.38	0
				1	26	24.21	24.21	24.33	24.30	24.57	0
				1	49	24.17	24.22	24.32	24.26	24.55	0
				25	0	23.60	23.50	23.65	23.68	23.92	0.5
				25	13	24.19	24.24	24.30	24.31	24.53	0
				25	26	23.65	23.69	23.68	23.68	23.99	0.5
				50	0	23.68	23.67	23.80	23.76	24.03	0.5
			QPSK	1	1	24.20	24.02	24.10	24.13	24.31	0
				1	26	24.19	24.11	24.20	24.23	24.51	0
				1	49	24.14	24.24	24.32	24.21	24.51	0
				25	0	23.20	23.03	23.20	23.17	23.39	1
				25	13	24.22	24.15	24.31	24.26	24.51	0
				25	26	23.13	23.20	23.22	23.31	23.47	1
				50	0	23.26	23.18	23.28	23.25	23.54	1
			16QAM	1	1	22.97	22.66	22.78	22.72	23.05	1
			64QAM	1	1	21.64	21.46	21.55	21.50	21.80	2.5
			256QAM	1	1	19.45	19.28	18.91	19.13	19.28	4.5
		CP	QPSK	1	1	22.89	22.63	22.55	22.57	22.94	1.5

NR TDD Band n41 _25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502500	510150	518598	527046	535500	
						2512.5 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.46	24.24	24.28	24.23	23.52	0
				1	32	24.24	24.18	24.36	24.32	24.62	0
				1	63	24.34	24.36	24.45	24.42	24.78	0
				32	0	23.74	23.64	23.67	23.68	23.92	0.5
				32	17	24.35	24.23	24.27	24.38	24.57	0
				32	33	23.78	23.71	23.65	23.84	24.16	0.5
				64	0	23.78	23.67	23.52	23.67	24.10	0.5
			QPSK	1	1	24.63	24.12	24.04	24.35	24.47	0
				1	32	24.24	24.18	24.11	24.29	24.58	0
				1	63	24.29	24.33	24.13	24.38	24.73	0
				32	0	23.24	23.17	23.04	23.16	23.46	1
				32	17	24.28	24.27	24.19	24.27	24.67	0
				32	33	23.31	23.23	23.15	23.34	23.63	1
				64	0	23.19	23.20	23.20	23.29	23.58	1
			16QAM	1	1	23.04	22.74	22.77	22.93	23.13	1
			64QAM	1	1	21.84	21.56	21.45	21.70	21.88	2.5
			256QAM	1	1	19.64	19.40	19.03	19.24	19.44	4.5
		CP	QPSK	1	1	23.01	22.76	22.55	22.73	23.04	1.5

NR TDD Band n41_30 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2 511 MHz	2 552.01 MHz	2 592.99 MHz	2 634 MHz	2 674.98 MHz	
30 Mhz	30	DFT-s	pi/2 BPSK	1	1	24.32	24.17	24.08	24.24	23.52	0
				1	39	24.22	24.19	24.22	24.31	24.61	0
				1	76	24.37	24.34	24.34	24.48	24.66	0
				36	0	23.64	23.62	23.56	23.67	23.85	0.5
				36	21	24.30	24.21	24.17	24.28	24.60	0
				36	42	23.71	23.77	23.63	23.83	24.07	0.5
				75	0	23.76	23.64	23.65	23.65	24.03	0.5
			QPSK	1	1	24.39	24.13	24.04	24.11	24.39	0
				1	39	24.11	24.24	24.15	24.30	24.53	0
				1	76	24.27	24.28	24.19	24.47	24.76	0
				36	0	23.21	23.16	23.05	23.15	23.42	1
				36	21	24.23	24.28	24.12	24.35	24.53	0
				36	42	23.24	23.30	23.23	23.40	23.58	1
				75	0	23.32	23.15	23.12	23.16	23.56	1
			16QAM	1	1	23.35	22.74	23.02	23.17	23.11	1
			64QAM	1	1	21.81	21.54	21.41	21.54	21.96	2.5
			256QAM	1	1	19.56	19.39	19.11	19.26	19.34	4.5
		CP	QPSK	1	1	23.06	22.80	22.62	22.71	22.96	1.5

NR TDD Band n41_40 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2 516.01 MHz	2 567.34 MHz		2 618.67 MHz	2 670 MHz	
40 Mhz	30	DFT-s	pi/2 BPSK	1	1	24.04	24.03		24.12	24.15	0
				1	53	24.02	24.31		24.27	24.44	0
				1	104	24.09	24.45		24.43	24.60	0
				50	0	23.61	23.73		23.59	23.85	0.5
				50	28	24.20	24.36		24.31	24.57	0
				50	56	23.68	23.89		23.76	24.10	0.5
				100	0	23.74	23.89		23.74	24.09	0.5
			QPSK	1	1	24.26	24.03		24.06	24.30	0
				1	53	24.06	24.18		24.21	24.41	0
				1	104	24.09	24.44		24.34	24.63	0
				50	0	23.09	23.14		23.11	23.35	1
				50	28	24.23	24.39		24.31	24.53	0
				50	56	23.22	23.35		23.28	23.60	1
				100	0	23.23	23.41		23.24	23.60	1
			16QAM	1	1	22.71	22.67		22.76	23.48	1
			64QAM	1	1	21.53	21.49		21.56	21.53	2.5
			256QAM	1	1	19.37	19.23		18.97	19.03	4.5
		CP	QPSK	1	1	22.81	22.68		22.54	22.55	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2 521.02 MHz		2 592.99 MHz		2 664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.30		24.17		24.32	0
				1	67	24.15		24.25		24.47	0
				1	131	24.30		24.49		24.87	0
				64	0	23.68		23.67		23.83	0.5
				64	35	24.24		24.28		24.65	0
				64	69	23.66		23.80		24.21	0.5
				128	0	23.64		23.75		24.11	0.5
			QPSK	1	1	24.13		24.14		24.28	0
				1	67	23.99		24.20		24.45	0
				1	131	24.29		24.48		24.84	0
				64	0	23.12		23.08		24.16	1
				64	35	24.25		24.29		24.63	0
				64	69	23.23		23.36		23.71	1
				128	0	23.22		23.19		23.62	1
			16QAM	1	1	22.99		22.78		22.95	1
			64QAM	1	1	21.69		21.38		21.63	2.5
			256QAM	1	1	19.50		19.14		18.51	4.5
		CP	QPSK	1	1	23.03		22.65		22.89	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2 526 MHz		2 592.99 MHz			2 659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	23.99		23.89		24.00	0
				1	81	23.86		23.93		24.21	0
				1	160	24.06		24.29		24.58	0
				81	0	23.43		23.44		23.60	0.5
				81	41	23.95		24.05		24.43	0
				81	81	23.43		23.60		24.05	0.5
				162	0	23.54		23.60		23.95	0.5
			QPSK	1	1	23.96		23.84		24.06	0
				1	81	23.78		23.79		24.27	0
				1	160	24.09		24.34		24.55	0
				81	0	22.92		22.94		23.07	1
				81	41	24.03		24.04		24.36	0
				81	81	23.04		23.10		23.52	1
				162	0	23.07		23.06		23.53	1
			16QAM	1	1	22.64		22.52		22.69	1
			64QAM	1	1	21.45		21.11		21.35	2.5
			256QAM	1	1	19.28		18.90		19.11	4.5
		CP	QPSK	1	1	22.65		22.44		22.48	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2 531.04 MHz					2 654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.95				24.03	0
				1	81	23.91				24.35	0
				1	160	24.14				24.89	0
				81	0	23.50				23.73	0.5
				81	41	24.02				24.48	0
				81	81	23.58				24.10	0.5
				162	0	23.52				23.24	0.5
			QPSK	1	1	24.00				23.95	0
				1	81	23.96				24.27	0
				1	160	24.26				24.70	0
				81	0	23.05				23.24	1
				81	41	24.16				24.06	0
				81	81	23.13				23.58	1
				162	0	23.15				22.51	1
			16QAM	1	1	22.72				23.03	1
			64QAM	1	1	21.55				20.74	2.5
			256QAM	1	1	19.37				19.19	4.5
		CP	QPSK	1	1	22.77				22.58	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.40				24.19	0
				1	109	24.17				24.29	0
				1	215	24.57				24.93	0
				108	0	23.75				23.85	0.5
				108	55	24.36				23.79	0
				108	109	23.82				24.11	0.5
				216	0	23.89				24.05	0.5
			QPSK	1	1	24.36				24.13	0
				1	109	24.11				24.21	0
				1	215	24.48				24.90	0
				108	0	23.23				23.22	1
				108	55	24.32				23.48	0
				108	109	23.37				23.73	1
				216	0	23.42				23.59	1
			16QAM	1	1	22.97				23.06	1
			64QAM	1	1	21.80				20.73	2.5
			256QAM	1	1	19.60				19.20	4.5
		CP	QPSK	1	1	23.07				22.83	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2 541 MHz					2 644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.45				24.29	0
				1	123	24.19				24.39	0
				1	243	24.67				24.95	0
				120	0	23.71				23.65	0.5
				120	63	24.31				23.75	0
				120	125	23.89				24.21	0.5
				243	0	23.93				24.12	0.5
			QPSK	1	1	24.42				24.24	0
				1	123	24.20				24.31	0
				1	243	24.75				24.76	0
				120	0	23.32				23.29	1
				120	63	24.34				23.48	0
				120	125	23.37				23.63	1
				243	0	23.45				23.70	1
			16QAM	1	1	23.05				23.14	1
			64QAM	1	1	21.85				21.52	2.5
			256QAM	1	1	19.68				19.26	4.5
		CP	QPSK	1	1	23.17				22.89	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2 592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			23.93		0
				1	137			24.20		0
				1	271			24.64		0
				135	0			23.53		0.5
				135	69			24.22		0
				135	138			23.79		0.5
				270	0			23.74		0.5
			QPSK	1	1			23.89		0
				1	137			24.13		0
				1	271			24.53		0
				135	0			23.04		1
				135	69			23.56		0
				135	138			23.34		1
				270	0			23.26		1
			16QAM	1	1			22.80		1
			64QAM	1	1			20.96		2.5
			256QAM	1	1			18.99		4.5
		CP	QPSK	1	1			22.62		1.5

2. NR FDD Band n66 Conducted Power

NR FDD Band n66 Conducted Power (ENDC only)_ P_{max} _ SUB2 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5	1745	1777.5	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01	23.73	23.42	0
				1	13	24.06	23.83	23.59	0
				1	23	24.00	23.60	23.36	0
				12	0	23.51	23.23	23.00	0.5
				12	7	24.09	23.89	23.63	0
				12	13	23.54	23.25	23.02	0.5
			QPSK	25	0	23.56	23.22	22.99	0.5
				1	1	24.02	23.67	23.44	0
				1	13	24.04	23.80	23.59	0
				1	23	23.99	23.52	23.29	0
				12	0	23.05	22.75	22.49	1
				12	7	24.12	23.91	23.63	0
				12	13	23.06	22.78	22.51	1
				25	0	23.04	22.65	22.49	1
			16QAM	1	1	22.70	22.89	22.64	1
			64QAM	1	1	21.77	21.35	21.06	2.5
			256QAM	1	1	19.25	18.76	18.52	4.5
		CP	QPSK	1	1	22.51	22.27	21.87	1.5

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715	1745	1775	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.99	23.14	23.07	0
				1	26	23.84	23.10	23.02	0
				1	50	23.85	22.97	22.89	0
				25	0	23.32	22.62	22.48	0.5
				25	14	23.86	23.21	23.15	0
				25	27	23.25	22.70	22.51	0.5
			QPSK	50	0	23.27	22.67	22.53	0.5
				1	1	23.93	23.21	23.01	0
				1	26	23.72	23.19	22.97	0
				1	50	23.69	23.03	22.92	0
				25	0	22.82	22.16	22.09	1
				25	14	23.90	23.31	23.15	0
				25	27	22.74	22.22	22.05	1
				50	0	22.76	22.23	22.08	1
			16QAM	1	1	22.90	22.21	21.65	1
			64QAM	1	1	21.64	20.73	20.85	2.5
			256QAM	1	1	18.99	18.05	18.15	4.5
		CP	QPSK	1	1	22.41	21.72	21.63	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5	1745	1772.5	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.10	24.06	23.90	0
				1	40	24.20	23.92	23.83	0
				1	77	24.33	24.01	23.81	0
				36	0	23.66	23.36	23.27	0.5
				36	22	24.26	23.98	23.86	0
				36	43	23.68	23.39	23.22	0.5
			QPSK	75	0	23.64	23.41	23.28	0.5
				1	1	24.10	23.98	23.79	0
				1	40	24.12	23.82	23.74	0
				1	77	24.23	23.94	23.71	0
				36	0	22.81	22.85	22.78	1
				36	22	24.17	24.04	23.87	0
				36	43	23.08	22.88	22.70	1
				75	0	23.08	22.91	22.73	1
			16QAM	1	1	23.26	23.12	22.85	1
			64QAM	1	1	21.73	21.56	21.17	2.5
			256QAM	1	1	19.30	19.23	19.03	4.5
		CP	QPSK	1	1	22.73	22.77	22.44	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720	1745	1770	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.54	23.30	23.11	0
				1	53	23.27	23.23	23.16	0
				1	104	23.26	23.25	22.99	0
				50	0	22.88	22.64	22.58	0.5
				50	28	23.47	23.21	23.04	0
				50	56	22.86	22.69	22.43	0.5
			QPSK	100	0	22.86	22.82	22.58	0.5
				1	1	23.54	23.26	23.08	0
				1	53	23.31	23.23	23.12	0
				1	104	23.32	23.18	22.91	0
				50	0	22.38	22.16	22.03	1
				50	28	23.45	23.27	23.08	0
				50	56	22.38	22.19	22.03	1
				100	0	22.48	22.28	22.16	1
			16QAM	1	1	22.12	21.72	21.63	1
			64QAM	1	1	20.61	20.72	20.59	2.5
			256QAM	1	1	18.99	18.94	18.57	4.5
		CP	QPSK	1	1	22.05	21.83	21.68	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.83	23.57	23.32	0
				1	66	23.52	23.37	23.30	0
				1	131	23.36	23.40	23.14	0
				64	0	23.13	22.80	22.62	0.5
				64	35	23.64	23.43	23.23	0
				64	69	22.96	22.77	22.63	0.5
			QPSK	128	0	23.06	22.77	22.64	0.5
				1	1	23.78	23.45	23.20	0
				1	66	23.59	23.31	23.27	0
				1	131	23.45	23.38	23.25	0
				64	0	22.64	22.31	22.12	1
				64	35	23.54	23.42	23.24	0
				64	69	22.42	22.29	22.17	1
				128	0	22.50	22.31	22.19	1
			16QAM	1	1	22.42	22.07	22.12	1
			64QAM	1	1	21.33	20.66	20.96	2.5
			256QAM	1	1	18.87	18.68	18.53	4.5
		CP	QPSK	1	1	22.49	22.06	22.03	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.45		0
				1	80		23.34		0
				1	158		23.33		0
				80	0		22.75		0.5
				80	40		23.37		0
				80	80		22.80		0.5
			QPSK	160	0		22.78		0.5
				1	1		23.46		0
				1	80		23.32		0
				1	158		23.28		0
				80	0		22.32		1
				80	40		23.30		0
				80	80		22.30		1
				160	0		22.33		1
			16QAM	1	1		22.24		1
			64QAM	1	1		20.73		2.5
			256QAM	1	1		18.75		4.5
		CP	QPSK	1	1		22.14		1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745		
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.33		0
				1	98		23.65		0
				1	186		23.69		0
				90	0		22.97		0.5
				90	45		23.52		0
				90	90		22.83		0.5
				180	0		22.71		0.5
			QPSK	1	1		23.31		0
				1	98		23.27		0
				1	186		23.13		0
				90	0		22.65		1
				90	45		23.48		0
				90	90		22.41		1
				180	0		22.63		1
			16QAM	1	1		22.57		1
			64QAM	1	1		20.86		2.5
			256QAM	1	1		18.58		4.5
		CP	QPSK	1	1		22.25		1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
							349000		
							1745		
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1		23.44		0
				1	108		23.34		0
				1	214		23.28		0
				108	0		22.84		0.5
				108	54		23.32		0
				108	108		22.81		0.5
				216	0		22.89		0.5
			QPSK	1	1		23.42		0
				1	108		23.29		0
				1	214		23.28		0
				108	0		22.35		1
				108	54		23.41		0
				108	108		22.25		1
				216	0		22.36		1
			16QAM	1	1		22.10		1
			64QAM	1	1		20.76		2.5
			256QAM	1	1		18.86		4.5
		CP	QPSK	1	1		22.03		1.5