

Appendix K_NR Bands *P_{limit}* Conducted Power

1. NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ P_{max} , DSI = 0 (free), DSI = 1 (RCV)_ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.65	23.65	23.57	0
				1	13	23.65	23.54	23.43	0
				1	23	23.59	23.64	23.43	0
				12	0	23.26	23.14	22.97	0.5
				12	7	23.75	23.59	23.50	0
				12	13	23.16	23.12	22.94	0.5
				25	0	23.20	23.13	23.03	0.5
			QPSK	1	1	23.76	23.60	23.54	0
				1	13	23.74	23.77	23.58	0
				1	23	23.62	23.68	23.53	0
				12	0	22.72	22.58	22.46	1
				12	7	23.73	23.74	23.53	0
				12	13	22.61	22.61	22.49	1
				25	0	22.76	22.68	22.51	1
			16QAM	1	1	22.66	22.53	22.44	1
			64QAM	1	1	21.42	21.36	21.25	2.5
			256QAM	1	1	18.70	18.66	18.45	4.5
		CP	QPSK	1	1	22.21	22.30	22.12	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.70		0
				1	26	23.67		0
				1	50	23.56		0
				25	0	23.01		0.5
				25	14	23.73		0
				25	27	23.01		0.5
				50	0	23.00		0.5
			QPSK	1	1	23.68		0
				1	26	23.37		0
				1	50	23.36		0
				25	0	22.46		1
				25	14	23.46		0
				25	27	22.60		1
				50	0	22.62		1
			16QAM	1	1	22.56		1
			64QAM	1	1	21.37		2.5
			256QAM	1	1	18.60		4.5
		CP	QPSK	1	1	22.22		1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.66	0
				1	40	23.65	0
				1	77	23.52	0
				36	0	23.07	0.5
				36	22	23.65	0
				36	43	22.99	0.5
				75	0	23.04	0.5
			QPSK	1	1	23.82	0
				1	40	23.65	0
				1	77	23.54	0
				36	0	22.66	1
				36	22	23.66	0
				36	43	22.55	1
				75	0	22.64	1
			16QAM	1	1	22.59	1
			64QAM	1	1	21.40	2.5
			256QAM	1	1	18.67	4.5
		CP	QPSK	1	1	22.29	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.54	0
				1	53	23.53	0
				1	104	23.41	0
				50	0	23.08	0.5
				50	28	23.58	0
				50	56	22.97	0.5
				100	0	23.10	0.5
			QPSK	1	1	23.78	0
				1	53	23.59	0
				1	104	23.51	0
				50	0	22.62	1
				50	28	23.70	0
				50	56	22.48	1
				100	0	22.72	1
			16QAM	1	1	22.55	1
			64QAM	1	1	21.30	2.5
			256QAM	1	1	18.61	4.5
		CP	QPSK	1	1	22.09	1.5

NR FDD Band n5 Conducted Power_ P_{max} , DSI = 0 (free)_ SUB1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.71	23.54	23.54	0
				1	13	23.64	23.49	23.51	0
				1	23	23.61	23.48	23.45	0
				12	0	23.19	23.05	22.90	0.5
				12	7	23.70	23.62	23.46	0
				12	13	23.16	23.02	22.86	0.5
			QPSK	25	0	23.22	23.10	22.94	0.5
				1	1	23.81	23.65	23.49	0
				1	13	23.78	23.59	23.47	0
				1	23	23.59	23.50	23.36	0
				12	0	22.74	22.47	22.51	1
				12	7	23.73	23.60	23.42	0
				12	13	22.65	22.51	22.30	1
				25	0	22.71	22.63	22.40	1
			16QAM	1	1	22.73	22.37	22.43	1
			64QAM	1	1	21.44	21.21	21.11	2.5
			256QAM	1	1	18.65	18.55	18.49	4.5
		CP	QPSK	1	1	22.27	22.18	22.08	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.63	0
				1	26	23.60	0
				1	50	23.54	0
				25	0	23.11	0.5
				25	14	23.66	0
				25	27	23.03	0.5
			QPSK	50	0	23.03	0.5
				1	1	23.57	0
				1	26	23.53	0
				1	50	23.58	0
				25	0	22.56	1
				25	14	23.66	0
				25	27	22.48	1
				50	0	22.58	1
			16QAM	1	1	22.34	1
			64QAM	1	1	21.26	2.5
			256QAM	1	1	18.49	4.5
		CP	QPSK	1	1	22.09	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.66	0
				1	40	23.55	0
				1	77	23.48	0
				36	0	22.99	0.5
				36	22	23.64	0
				36	43	23.02	0.5
				75	0	22.96	0.5
			QPSK	1	1	23.68	0
				1	40	23.46	0
				1	77	23.54	0
				36	0	22.58	1
				36	22	23.69	0
				36	43	22.55	1
				75	0	22.56	1
			16QAM	1	1	22.65	1
			64QAM	1	1	21.33	2.5
			256QAM	1	1	18.61	4.5
		CP	QPSK	1	1	22.19	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.61	0
				1	53	23.54	0
				1	104	23.37	0
				50	0	23.05	0.5
				50	28	23.54	0
				50	56	22.89	0.5
				100	0	23.07	0.5
			QPSK	1	1	23.69	0
				1	53	23.61	0
				1	104	23.45	0
				50	0	22.64	1
				50	28	23.60	0
				50	56	22.49	1
				100	0	22.65	1
			16QAM	1	1	22.58	1
			64QAM	1	1	21.46	2.5
			256QAM	1	1	18.55	4.5
		CP	QPSK	1	1	22.35	1.5

NR FDD Band n5 Conducted Power_ DSI = 1 (RCV)_ SUB1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.64	20.56	20.52	0
				1	13	20.60	20.52	20.65	0
				1	23	20.59	20.51	20.56	0
				12	0	20.61	20.61	20.59	0
				12	7	20.76	20.63	20.63	0
				12	13	20.63	20.60	20.60	0
			QPSK	25	0	20.66	20.60	20.55	0
				1	1	20.54	20.60	20.53	0
				1	13	20.60	20.61	20.51	0
				1	23	20.57	20.54	20.55	0
				12	0	20.58	20.67	20.55	0
				12	7	20.64	20.72	20.66	0
				12	13	20.69	20.60	20.51	0
				25	0	20.61	20.66	20.55	0
			16QAM	1	1	20.62	20.85	20.68	0
			64QAM	1	1	20.84	20.35	20.25	0
			256QAM	1	1	19.85	20.13	20.05	0
		CP	QPSK	1	1	20.84	20.94	20.79	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.65		0
				1	26	20.65		0
				1	50	20.65		0
				25	0	20.62		0
				25	14	20.70		0
				25	27	20.61		0
				50	0	20.65		0
			QPSK	1	1	20.65		0
				1	26	20.61		0
				1	50	20.63		0
				25	0	20.64		0
				25	14	20.70		0
				25	27	20.65		0
				50	0	20.65		0
			16QAM	1	1	20.44		0
			64QAM	1	1	20.78		0
			256QAM	1	1	20.01		0
		CP	QPSK	1	1	20.84		0

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.57	0
				1	40	20.67	0
				1	77	20.70	0
				36	0	20.58	0
				36	22	20.66	0
				36	43	20.58	0
				75	0	20.59	0
			QPSK	1	1	20.57	0
				1	40	20.60	0
				1	77	20.71	0
				36	0	20.56	0
				36	22	20.69	0
				36	43	20.60	0
				75	0	20.66	0
			16QAM	1	1	20.68	0
			64QAM	1	1	20.76	0
			256QAM	1	1	19.80	0
		CP	QPSK	1	1	20.70	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.59	0
				1	53	20.62	0
				1	104	20.64	0
				50	0	20.62	0
				50	28	20.71	0
				50	56	20.63	0
				100	0	20.66	0
			QPSK	1	1	20.57	0
				1	53	20.56	0
				1	104	20.55	0
				50	0	20.55	0
				50	28	20.74	0
				50	56	20.63	0
				100	0	20.75	0
			16QAM	1	1	20.67	0
			64QAM	1	1	20.26	0
			256QAM	1	1	19.84	0
		CP	QPSK	1	1	20.62	0

2. NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 (PC3) Conducted Power_ DSI = 0 (free), DSI = 1 (RCV) _ MAIN2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	21.21	21.35	21.53	21.26	21.41	0
				1	12	21.15	21.29	21.49	21.19	21.46	0
				1	22	21.20	21.39	21.57	21.25	21.51	0
				12	0	21.22	21.33	21.48	21.14	21.39	0
				12	6	21.18	21.35	21.37	21.24	21.45	0
				12	12	21.20	21.40	21.40	21.25	21.52	0
				24	0	21.15	21.33	21.46	21.22	21.54	0
			QPSK	1	1	21.14	21.16	21.45	21.07	21.29	0
				1	12	21.06	21.24	21.30	21.14	21.38	0
				1	22	21.12	21.24	21.48	21.17	21.45	0
				12	0	21.13	21.32	21.48	21.25	21.35	0
				12	6	21.16	21.29	21.36	21.14	21.40	0
				12	12	21.15	21.33	21.43	21.27	21.47	0
				24	0	21.15	21.31	21.37	21.19	21.42	0
			16QAM	1	1	21.03	21.07	21.41	21.09	21.20	0
			64QAM	1	1	21.18	21.35	21.27	20.99	21.15	0
			256QAM	1	1	21.20	21.40	21.37	21.19	21.42	0
		CP	QPSK	1	1	21.17	21.24	21.56	21.30	21.45	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	21.24	21.26	21.45	21.14	21.63	0
				1	18	21.22	21.39	21.42	21.18	21.61	0
				1	36	21.24	21.41	21.47	21.28	21.66	0
				18	0	21.19	21.24	21.44	21.14	21.59	0
				18	9	21.28	21.40	21.40	21.27	21.67	0
				18	18	21.16	21.34	21.35	21.17	21.55	0
				36	0	21.20	21.38	21.37	21.24	21.59	0
			QPSK	1	1	21.13	21.17	21.37	21.07	21.37	0
				1	18	21.12	21.29	21.34	21.13	21.43	0
				1	36	21.17	21.33	21.32	21.22	21.55	0
				18	0	21.20	21.34	21.38	21.14	21.61	0
				18	9	21.17	21.38	21.32	21.15	21.55	0
				18	18	21.17	21.35	21.33	21.17	21.56	0
				36	0	21.20	21.35	21.45	21.21	21.58	0
			16QAM	1	1	21.02	21.06	21.32	21.25	21.31	0
			64QAM	1	1	20.97	20.97	21.16	21.33	21.23	0
			256QAM	1	1	21.28	21.40	21.40	21.27	21.67	0
		CP	QPSK	1	1	21.22	21.35	21.41	21.16	21.47	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	21.54	21.27	21.37	20.98	21.42	0
				1	26	21.04	21.37	21.43	21.18	21.51	0
				1	49	21.10	21.37	21.34	21.16	21.55	0
				25	0	21.11	21.32	21.39	21.55	21.47	0
				25	13	21.16	21.48	21.47	21.47	21.61	0
				25	26	21.10	20.97	21.34	21.17	21.51	0
				50	0	21.06	21.37	21.42	21.17	21.55	0
			QPSK	1	1	20.90	21.11	21.29	20.96	21.31	0
				1	26	20.94	21.30	21.29	21.02	21.39	0
				1	49	20.99	21.28	21.21	21.08	21.46	0
				25	0	21.05	21.28	21.33	21.07	21.41	0
				25	13	21.10	21.39	21.31	21.14	21.54	0
				25	26	21.14	21.34	21.29	21.14	21.47	0
				50	0	21.05	21.40	21.29	21.13	21.51	0
			16QAM	1	1	20.83	21.01	21.15	20.77	21.17	0
			64QAM	1	1	20.62	20.97	21.01	21.34	21.29	0
			256QAM	1	1	21.28	21.40	21.40	21.27	21.67	0
		CP	QPSK	1	1	20.96	21.21	21.31	21.04	21.38	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	21.20	21.42	21.49	21.14	21.44	0
				1	32	21.21	21.55	21.49	21.17	21.61	0
				1	63	21.26	21.45	21.40	21.21	21.65	0
				32	0	21.08	21.31	21.43	21.02	21.46	0
				32	17	21.17	21.50	21.46	21.14	21.61	0
				32	33	21.14	21.44	21.39	21.21	21.10	0
				64	0	21.11	21.48	21.40	21.10	21.55	0
			QPSK	1	1	21.08	21.32	21.39	21.05	21.40	0
				1	32	21.03	21.41	21.38	21.09	21.49	0
				1	63	21.15	21.37	21.28	21.12	21.47	0
				32	0	21.12	21.34	21.40	21.03	21.47	0
				32	17	21.08	21.40	21.41	21.08	21.55	0
				32	33	21.13	21.43	21.39	21.17	21.51	0
				64	0	21.11	21.41	21.39	21.08	21.60	0
			16QAM	1	1	21.01	21.14	21.20	20.90	21.19	0
			64QAM	1	1	20.90	21.11	21.29	20.96	21.31	0
			256QAM	1	1	20.94	21.30	21.29	21.02	21.39	0
		CP	QPSK	1	1	20.99	21.28	21.21	21.08	21.46	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	

						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.84	21.48	21.62	21.38	21.66	0
				1	39	20.76	21.46	21.43	21.26	21.67	0
				1	76	20.90	21.48	21.39	21.41	21.77	0
				36	0	21.16	21.40	21.40	21.39	21.60	0
				36	21	21.34	21.58	21.49	21.43	21.73	0
				36	42	21.31	21.51	21.40	21.40	20.76	0
				75	0	21.21	21.50	21.36	21.41	21.72	0
			QPSK	1	1	21.18	21.35	21.28	21.26	21.53	0
				1	39	21.02	21.36	21.33	21.19	21.51	0
				1	76	21.20	21.35	21.53	21.36	21.67	0
				36	0	21.19	21.37	21.41	21.28	21.70	0
				36	21	21.20	21.51	21.46	21.33	21.76	0
				36	42	21.28	21.26	21.45	21.39	21.75	0
				75	0	21.18	21.52	21.47	21.34	21.75	0
			16QAM	1	1	21.03	21.23	21.22	21.19	21.48	0
			64QAM	1	1	21.13	21.43	21.39	21.17	21.51	0
			256QAM	1	1	21.11	21.41	21.39	21.08	21.60	0
		CP	QPSK	1	1	21.23	21.34	21.19	21.36	21.78	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	21.08	21.39		21.25	21.26	0
				1	53	21.16	21.44		21.22	21.56	0
				1	104	21.29	21.40		21.25	21.65	0
				50	0	21.09	21.42		21.27	21.40	0
				50	28	21.27	21.50		21.30	21.57	0
				50	56	20.78	21.38		21.26	21.61	0
				100	0	21.20	21.42		21.22	21.46	0
			QPSK	1	1	20.98	21.26		21.26	21.15	0
				1	53	21.03	21.23		21.30	21.37	0
				1	104	21.13	21.33		21.29	21.55	0
				50	0	21.06	21.40		21.26	21.36	0
				50	28	21.24	21.44		21.19	21.53	0
				50	56	21.22	20.50		21.24	21.59	0
				100	0	21.15	21.41		21.26	21.39	0
			16QAM	1	1	20.79	21.09		21.03	21.05	0
			64QAM	1	1	20.78	21.38		20.86	21.07	0
			256QAM	1	1	21.20	21.42		21.26	21.39	0
		CP	QPSK	1	1	20.90	21.36		21.14	21.40	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	

50 MHz	30	DFT-s	pi/2 BPSK	1	1	21.28		21.54		21.48	0
				1	67	21.38		21.52		21.65	0
				1	131	21.55		21.45		21.86	0
				64	0	21.36		21.56		21.62	0
				64	35	21.55		21.66		21.85	0
				64	69	21.53		21.48		21.79	0
				128	0	21.38		21.52		21.55	0
			QPSK	1	1	21.09		21.47		21.36	0
				1	67	21.24		21.41		21.53	0
				1	131	21.44		21.29		21.59	0
				64	0	21.33		21.55		21.39	0
				64	35	21.47		21.57		21.78	0
				64	69	21.50		21.49		21.35	0
				128	0	21.40		21.42		21.65	0
			16QAM	1	1	21.12		21.33		21.28	0
			64QAM	1	1	21.33		21.34		21.10	0
			256QAM	1	1	21.47		21.23		21.65	0
		CP	QPSK	1	1	21.50		21.54		21.51	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526		2592.99		2659.98	
						MHz		MHz		MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	21.10		21.37		21.13	0
				1	81	21.00		21.29		21.23	0
				1	160	21.32		21.20		21.48	0
				81	0	21.11		21.36		21.21	0
				81	41	21.11		21.30		21.33	0
				81	81	21.29		21.26		21.46	0
				162	0	21.11		21.31		21.38	0
			QPSK	1	1	21.04		21.33		21.11	0
				1	81	20.95		21.15		21.12	0
				1	160	21.24		21.05		21.51	0
				81	0	21.05		21.32		21.05	0
				81	41	21.00		21.20		21.32	0
				81	81	20.27		20.26		21.20	0
				162	0	21.09		21.27		20.26	0
			16QAM	1	1	20.95		21.19		20.85	0
			64QAM	1	1	20.91		21.29		20.87	0
			256QAM	1	1	20.99		21.15		21.26	0
		CP	QPSK	1	1	21.06		21.34		21.02	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
		DFT-s	pi/2 BPSK	1	1	21.25				21.27	0

70 MHz	30			1	81	21.32				21.28	0
				1	160	21.51				21.59	0
				81	0	21.34				21.24	0
				81	41	21.47				21.35	0
				81	81	21.49				21.48	0
				162	0	21.39				21.38	0
			QPSK	1	1	21.16				21.17	0
				1	81	21.21				21.15	0
				1	160	21.42				21.51	0
				81	0	21.34				21.20	0
				81	41	21.34				21.28	0
				81	81	21.33				21.51	0
				162	0	21.48				21.32	0
			16QAM	1	1	21.01				21.03	0
			64QAM	1	1	21.15				21.00	0
			256QAM	1	1	21.25				21.35	0
		CP	QPSK	1	1	21.11				21.16	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						507204					529998	
						2536.02					2649.99	
						MHz					MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	21.21				21.48	0	
				1	109	21.34				21.33	0	
				1	215	21.39				21.68	0	
				108	0	21.26				21.28	0	
				108	55	21.41				21.39	0	
				108	109	21.15				21.26	0	
			QPSK	216	0	21.36				21.34	0	
				1	1	21.16				21.37	0	
				1	109	21.24				21.21	0	
				1	215	21.34				21.61	0	
				108	0	21.28				21.25	0	
				108	55	21.37				21.33	0	
				108	109	21.35				21.58	0	
				216	0	21.37				21.36	0	
				16QAM	1	1	21.04				21.20	0
				64QAM	1	1	21.13				21.18	0
			256QAM	1	1	21.35				21.25	0	
		CP	QPSK	1	1	21.19				21.36	0	

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						508200					528996
						2541 MHz					2644.98 MHz
90 MHz	30	DFT-s	pi/2 BPSK	1	1	21.32				21.67	0
				1	123	21.49				21.56	0
				1	243	21.56				21.72	0
				120	0	21.35				21.40	0
				120	63	21.49				21.52	0
				120	125	21.45				21.62	0
			QPSK	243	0	21.44				21.47	0
				1	1	21.30				21.54	0
				1	123	21.35				21.40	0
				1	243	21.40				21.68	0
				120	0	21.29				21.34	0
				120	63	21.37				21.39	0
				120	125	21.42				21.59	0
				243	0	21.41				21.45	0
			16QAM	1	1	21.10				21.59	0
			64QAM	1	1	21.23				21.31	0
			256QAM	1	1	21.15				21.22	0
		CP	QPSK	1	1	21.24				21.46	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			21.80		0
				1	137			21.48		0
				1	271			21.38		0
				135	0			21.56		0
				135	69			21.44		0
				135	138			21.26		0
			QPSK	270	0			21.47		0
				1	1			21.45		0
				1	137			21.40		0
				1	271			21.35		0
				135	0			21.59		0
				135	69			21.45		0
				135	138			21.59		0
				270	0			21.31		0
			16QAM	1	1			21.22		0
			64QAM	1	1			21.26		0
			256QAM	1	1			19.42		0
		CP	QPSK	1	1			21.58		0

NR TDD Band n41 (PC3) Conducted Power_ DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.79	19.95	20.29	19.96	20.16	0
				1	12	19.75	19.91	20.19	20.02	20.06	0
				1	22	19.70	19.95	20.22	20.03	20.19	0
				12	0	19.68	19.81	20.12	19.93	20.02	0
				12	6	19.75	19.85	20.21	19.33	20.19	0
				12	12	19.77	19.86	20.16	19.94	20.07	0
				24	0	19.96	19.66	19.51	19.85	20.19	0
			QPSK	1	1	19.76	19.88	20.19	19.91	20.08	0
				1	12	19.68	19.85	20.17	19.95	20.07	0
				1	22	19.78	19.92	20.18	19.25	20.17	0
				12	0	19.73	19.86	20.18	19.94	20.06	0
				12	6	19.38	19.63	19.78	19.82	20.11	0
				12	12	19.71	19.82	20.14	19.92	20.07	0
				24	0	20.08	19.91	19.86	19.68	20.05	0
			16QAM	1	1	19.70	19.53	19.99	19.62	19.85	0
			64QAM	1	1	19.68	19.52	19.85	19.89	19.96	0
			256QAM	1	1	19.77	19.68	19.77	19.68	19.62	0
		CP	QPSK	1	1	19.58	19.97	20.33	20.13	20.29	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	20.07	19.89	19.86	19.94	20.29	0
				1	18	20.04	19.94	20.20	19.99	20.33	0
				1	36	20.09	19.84	20.26	19.92	20.33	0
				18	0	19.95	19.80	20.15	19.87	20.21	0
				18	9	19.73	19.75	20.30	19.67	20.07	0
				18	18	19.69	19.79	19.56	19.90	20.30	0
				36	0	19.69	19.87	19.85	19.68	20.15	0
			QPSK	1	1	19.76	19.82	20.17	19.84	20.14	0
				1	18	19.61	19.84	20.15	19.89	20.22	0
				1	36	19.84	19.80	20.20	19.85	20.43	0
				18	0	19.66	19.82	20.16	19.85	20.14	0
				18	9	19.78	19.85	19.70	19.91	20.05	0
				18	18	19.68	19.88	19.65	19.89	20.28	0
				36	0	19.73	19.68	20.05	19.88	20.11	0
			16QAM	1	1	19.75	19.55	19.94	19.58	19.92	0
			64QAM	1	1	19.60	19.68	20.07	19.68	19.75	0
			256QAM	1	1	19.85	19.99	19.78	19.66	19.99	0
		CP	QPSK	1	1	19.83	19.90	20.27	20.02	20.32	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
						MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	20.17	19.91	20.10	19.86	20.10	0
				1	26	19.64	20.03	20.21	19.75	20.28	0
				1	49	19.68	19.95	20.10	19.89	20.29	0
				25	0	19.48	19.96	19.99	19.82	20.18	0
				25	13	19.04	19.98	19.98	19.87	20.27	0
				25	26	19.54	19.69	20.10	19.83	19.56	0
				50	0	19.67	19.96	20.15	19.87	20.28	0
			QPSK	1	1	19.43	19.88	20.03	19.85	20.02	0
				1	26	19.62	19.87	20.11	19.82	20.27	0
				1	49	19.59	19.77	20.03	19.76	20.22	0
				25	0	19.61	19.86	20.14	19.80	20.06	0
				25	13	20.08	20.00	20.17	19.82	20.17	0
				25	26	19.78	19.90	20.11	19.64	20.18	0
				50	0	19.68	19.96	20.18	19.87	20.23	0
			16QAM	1	1	19.66	19.66	19.83	19.64	19.77	0
			64QAM	1	1	19.68	19.70	19.76	19.66	19.88	0
			256QAM	1	1	19.65	19.90	19.65	19.95	19.91	0
		CP	QPSK	1	1	19.60	19.92	20.27	20.01	20.16	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48	2550.75	2592.99	2635.23	2677.50	
						MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	20.08	20.07	20.36	20.04	20.17	0
				1	32	20.33	20.23	20.25	19.91	20.27	0
				1	63	19.87	20.26	20.33	19.91	20.31	0
				32	0	19.63	20.11	20.21	19.98	20.06	0
				32	17	19.74	20.13	20.27	19.93	20.15	0
				32	33	19.81	20.08	20.19	19.78	20.31	0
				64	0	19.63	20.13	20.20	19.86	20.12	0
			QPSK	1	1	19.80	20.00	20.23	19.99	20.14	0
				1	32	19.67	20.09	20.17	19.87	20.07	0
				1	63	19.88	20.21	20.25	19.90	20.33	0
				32	0	19.74	19.96	20.23	19.88	20.09	0
				32	17	19.70	20.21	20.26	19.89	20.23	0
				32	33	19.74	20.02	20.19	19.81	20.17	0
				64	0	19.70	19.78	20.20	19.99	20.14	0
			16QAM	1	1	19.78	19.66	19.98	19.76	19.75	0
			64QAM	1	1	19.57	19.76	20.09	19.96	19.96	0
			256QAM	1	1	19.95	19.75	19.67	19.93	19.95	0
		CP	QPSK	1	1	19.81	20.08	20.30	20.12	19.98	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	19.58	20.00	20.25	20.13	20.12	0
				1	39	19.46	20.19	20.21	20.11	20.28	0
				1	76	19.64	20.28	20.13	20.10	20.42	0
				36	0	19.75	19.94	20.06	19.98	20.04	0
				36	21	19.84	20.16	20.21	20.02	20.27	0
				36	42	19.87	20.16	20.17	19.93	20.25	0
				75	0	19.86	19.99	20.14	19.95	19.71	0
			QPSK	1	1	19.50	19.92	20.18	20.10	19.66	0
				1	39	19.54	19.93	20.17	20.06	19.76	0
				1	76	19.68	19.91	20.18	19.89	19.82	0
				36	0	19.73	20.01	20.17	19.94	20.02	0
				36	21	19.78	20.09	20.19	20.08	20.21	0
				36	42	19.78	20.15	20.08	19.72	20.17	0
				75	0	19.64	19.85	20.01	19.98	20.17	0
			16QAM	1	1	19.44	19.81	19.93	19.91	19.83	0
			64QAM	1	1	19.54	19.81	20.04	19.69	19.92	0
			256QAM	1	1	19.81	19.20	19.68	19.15	19.32	0
		CP	QPSK	1	1	19.80	20.04	20.31	20.20	20.27	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	20.11	19.89		19.95	19.73	0
				1	53	20.23	19.94		19.86	19.91	0
				1	104	20.26	19.96		19.79	20.03	0
				50	0	20.01	20.00		19.91	19.89	0
				50	28	19.60	20.07		19.90	20.02	0
				50	56	19.70	20.05		19.58	20.06	0
				100	0	19.59	20.10		19.86	20.10	0
			QPSK	1	1	19.38	19.87		19.86	19.66	0
				1	53	19.44	19.92		19.67	19.88	0
				1	104	19.68	19.97		19.75	20.08	0
				50	0	19.51	20.01		19.87	19.76	0
				50	28	19.62	20.06		19.83	20.10	0
				50	56	19.68	20.07		19.80	20.02	0
				100	0	19.65	20.09		19.82	20.05	0
			16QAM	1	1	19.14	19.66		19.60	19.43	0
			64QAM	1	1	19.25	19.72		19.56	19.66	0
			256QAM	1	1	19.46	19.91		19.93	19.68	0
		CP	QPSK	1	1	19.49	19.83		19.89	19.89	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02		2592.99		2664.99	

						MHz		MHz		MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.74		20.24		20.09	0
				1	67	19.74		20.12		20.08	0
				1	131	20.18		20.07		20.39	0
				64	0	19.61		20.24		20.06	0
				64	35	19.85		20.25		20.31	0
				64	69	19.98		20.19		20.32	0
				128	0	19.75		20.11		20.20	0
			QPSK	1	1	19.66		20.15		20.05	0
				1	67	19.71		19.92		20.09	0
				1	131	20.14		20.03		20.36	0
				64	0	19.68		20.18		20.07	0
				64	35	19.91		20.25		20.22	0
				64	69	19.94		19.69		19.56	0
				128	0	19.80		20.15		20.18	0
			16QAM	1	1	19.68		19.95		19.71	0
			64QAM	1	1	19.65		19.86		19.85	0
			256QAM	1	1	19.79		19.34		20.06	0
		CP	QPSK	1	1	19.85		20.45		20.16	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	19.52		20.12		19.92	0
				1	81	19.47		20.00		19.76	0
				1	160	19.95		19.99		20.26	0
				81	0	19.43		20.12		19.99	0
				81	41	19.55		20.09		19.86	0
				81	81	19.70		20.01		19.81	0
				162	0	19.72		20.06		20.06	0
			QPSK	1	1	19.43		20.06		19.86	0
				1	81	19.40		19.89		19.78	0
				1	160	19.88		19.97		20.21	0
				81	0	19.40		20.04		19.85	0
				81	41	19.67		20.07		20.02	0
				81	81	19.45		20.07		19.56	0
				162	0	19.66		20.08		20.11	0
			16QAM	1	1	19.23		19.87		19.67	0
			64QAM	1	1	19.95		19.95		19.62	0
			256QAM	1	1	19.62		19.26		19.06	0
		CP	QPSK	1	1	19.46		20.28		20.07	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						506208				530994
						2531.04				2654.97

						MHz				MHz	
70 MHz	30	DFT-s	pi/2 BPSK	1	1	19.93				19.99	0
				1	81	19.81				19.90	0
				1	160	20.13				20.17	0
				81	0	19.72				19.97	0
				81	41	20.00				20.08	0
				81	81	20.03				20.16	0
			QPSK	162	0	19.94				20.15	0
				1	1	19.54				19.97	0
				1	81	19.88				19.83	0
				1	160	20.05				20.21	0
				81	0	19.77				20.11	0
				81	41	20.00				19.82	0
				81	81	20.08				20.22	0
				162	0	19.93				20.03	0
			16QAM	1	1	19.64				19.76	0
			64QAM	1	1	19.68				19.84	0
			256QAM	1	1	19.86				19.78	0
		CP	QPSK	1	1	19.91				20.16	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						507204			529998	
						2536.02 MHz			2649.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	19.66			20.23	0
				1	109	19.87			20.08	0
				1	215	20.25			20.54	0
				108	0	20.01			20.11	0
				108	55	19.88			20.15	0
				108	109	20.10			20.21	0
			QPSK	216	0	20.00			20.48	0
				1	1	19.73			20.23	0
				1	109	19.84			19.95	0
				1	215	20.27			20.52	0
				108	0	19.71			20.20	0
				108	55	20.00			20.11	0
				108	109	20.06			20.38	0
				216	0	20.04			20.36	0
			16QAM	1	1	19.47			19.93	0
			64QAM	1	1	19.56			19.98	0
			256QAM	1	1	19.94			19.42	0
		CP	QPSK	1	1	19.90			19.56	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz				

90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.72				20.43	0
				1	123	20.07				20.22	0
				1	243	20.41				20.49	0
				120	0	19.80				20.28	0
				120	63	20.11				20.22	0
				120	125	20.26				20.36	0
				243	0	20.13				20.36	0
			QPSK	1	1	19.81				20.41	0
				1	123	20.05				20.22	0
				1	243	20.40				20.54	0
				120	0	19.83				20.26	0
				120	63	20.10				20.20	0
				120	125	20.11				20.42	0
				243	0	20.11				20.50	0
			16QAM	1	1	19.60				20.16	0
			64QAM	1	1	19.59				20.29	0
			256QAM	1	1	19.02				19.56	0
		CP	QPSK	1	1	19.97				20.50	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			20.39		0
				1	137			20.09		0
				1	271			20.08		0
				135	0			20.28		0
				135	69			20.23		0
				135	138			20.23		0
				270	0			20.25		0
			QPSK	1	1			20.28		0
				1	137			20.17		0
				1	271			20.11		0
				135	0			20.32		0
				135	69			20.30		0
				135	138			20.20		0
				270	0			20.25		0
			16QAM	1	1			20.45		0
			64QAM	1	1			19.92		0
			256QAM	1	1			19.55		0
		CP	QPSK	1	1			20.53		0

NR TDD Band n41 (PC3) Conducted Power_ DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	15.20	15.01	15.07	15.48	15.76	0
				1	12	15.09	14.99	15.07	15.51	15.71	0

				1	22	15.22	15.08	15.17	15.57	15.69	0
				12	0	14.82	14.90	15.35	15.53	15.68	0
				12	6	15.26	15.07	15.14	15.53	15.81	0
				12	12	15.14	15.05	15.13	15.59	15.79	0
				24	0	15.28	15.17	15.24	15.64	15.75	0
			QPSK	1	1	14.87	14.97	15.40	15.59	15.74	0
				1	12	14.81	15.01	15.39	15.51	15.74	0
				1	22	14.88	15.05	15.44	15.64	15.77	0
				12	0	14.89	14.91	15.33	15.49	15.69	0
				12	6	15.25	15.08	15.14	15.53	15.81	0
				12	12	15.18	15.07	15.14	15.56	15.79	0
				24	0	15.30	15.17	15.22	15.62	15.77	0
			16QAM	1	1	15.25	15.07	15.12	15.56	15.84	0
			64QAM	1	1	15.15	15.08	15.15	15.56	15.76	0
			256QAM	1	1	15.27	15.16	15.22	15.63	15.77	0
		CP	QPSK	1	1	14.90	14.99	15.44	15.58	15.75	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	15.33	15.02	15.33	15.48	15.73	0
				1	18	15.27	15.02	15.38	15.53	15.77	0
				1	36	15.22	15.03	15.40	15.54	15.98	0
				18	0	15.15	15.00	15.35	15.37	15.77	0
				18	9	14.81	15.22	15.31	14.07	14.01	0
				18	18	15.04	14.98	15.37	15.51	15.88	0
				36	0	15.28	15.09	15.16	15.56	15.84	0
			QPSK	1	1	15.14	15.06	15.14	15.60	15.80	0
				1	18	15.27	15.10	15.22	15.66	15.74	0
				1	36	14.88	14.98	15.44	15.61	15.73	0
				18	0	15.27	15.09	15.12	15.54	15.81	0
				18	9	15.14	15.08	15.16	15.60	15.79	0
				18	18	15.29	15.14	15.24	15.64	15.74	0
				36	0	14.87	14.96	15.30	15.58	15.76	0
			16QAM	1	1	15.16	15.07	15.16	15.47	15.81	0
			64QAM	1	1	15.16	15.04	15.33	15.59	15.78	0
			256QAM	1	1	15.27	15.16	15.26	15.73	15.77	0
		CP	QPSK	1	1	14.89	14.88	15.34	15.58	15.74	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	15.80	15.04	15.19	15.27	15.68	0
				1	26	15.03	15.12	15.38	15.48	15.71	0
				1	49	14.91	14.96	15.35	15.49	15.93	0
				25	0	15.03	15.03	15.31	15.39	15.71	0
				25	13	15.25	15.09	15.12	15.56	15.85	0

				25	26	15.15	15.07	15.14	15.56	15.78	0	
				50	0	15.31	15.13	15.26	15.65	15.75	0	
				QPSK	1	1	14.90	14.97	15.42	15.60	15.73	0
					1	26	15.26	15.09	15.15	15.54	15.85	0
					1	49	15.15	15.07	15.14	15.57	15.78	0
					25	0	15.30	15.13	15.26	15.64	15.74	0
					25	13	14.88	14.98	15.44	15.61	15.77	0
					25	26	15.29	15.06	15.13	15.53	15.82	0
					50	0	15.15	15.04	15.15	15.58	15.77	0
					16QAM	1	1	15.30	15.13	15.25	15.64	15.74
				64QAM	1	1	14.87	14.98	15.43	15.61	15.74	0
				256QAM	1	1	14.46	14.49	14.87	14.83	15.20	0
				CP	QPSK	1	1	14.88	14.91	15.21	15.09	15.54

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	15.65	15.20	15.38	15.46	15.79	0
				1	32	15.88	15.28	15.48	15.59	15.70	0
				1	63	15.63	15.15	15.27	15.49	15.66	0
				32	0	15.59	15.04	15.24	15.37	15.56	0
				32	17	14.96	14.97	15.25	15.42	15.73	0
				32	33	15.56	14.97	15.24	15.42	15.64	0
				64	0	15.40	14.99	15.11	15.25	15.47	0
			QPSK	1	1	15.51	14.86	15.17	15.43	15.64	0
				1	32	15.64	15.14	15.24	15.54	15.75	0
				1	63	15.54	15.02	15.19	15.42	15.54	0
				32	0	14.94	15.01	15.13	15.51	15.80	0
				32	17	15.46	14.93	15.18	15.35	15.59	0
				32	33	15.47	14.93	15.02	15.21	15.42	0
				64	0	15.52	14.90	15.16	15.49	15.64	0
			16QAM	1	1	15.54	14.96	15.17	15.38	15.60	0
			64QAM	1	1	15.43	15.18	15.07	15.40	15.65	0
			256QAM	1	1	14.66	14.74	14.91	14.97	15.27	0
		CP	QPSK	1	1	15.10	14.99	15.31	15.23	15.59	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511	2552.01	2592.99	2634	2674.98	
						MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.81	15.21	15.41	15.62	15.83	0
				1	39	15.67	15.13	15.30	15.54	15.67	0
				1	76	15.09	15.13	15.31	15.58	15.87	0
				36	0	15.64	15.05	15.30	15.51	15.71	0
				36	21	15.56	15.05	15.17	15.35	15.53	0
				36	42	15.63	15.04	15.33	15.55	15.73	0
				75	0	15.71	15.15	15.33	15.44	15.75	0
			QPSK	1	1	15.53	14.99	15.12	15.39	15.53	0

				1	39	15.00	14.95	15.17	15.43	15.81	0
				1	76	15.54	14.87	15.24	15.45	15.53	0
				36	0	15.42	14.98	14.99	15.23	15.37	0
				36	21	15.50	14.86	15.22	15.39	15.58	0
				36	42	15.69	15.07	15.25	15.48	15.67	0
				75	0	15.53	15.07	15.19	15.45	15.56	0
			16QAM	1	1	15.02	15.02	15.21	15.46	15.70	0
			64QAM	1	1	15.48	14.97	15.24	15.45	15.61	0
			256QAM	1	1	15.42	14.90	15.10	15.28	15.42	0
		CP	QPSK	1	1	15.52	14.96	15.22	15.38	15.65	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	15.96	15.08		15.26	15.56	0
				1	53	14.96	15.19		15.33	15.74	0
				1	104	15.07	15.21		15.56	15.97	0
				50	0	14.97	15.24		15.40	15.74	0
				50	28	14.93	15.33		15.26	15.47	0
				50	56	14.99	15.24		15.57	15.84	0
				100	0	15.15	15.22		15.55	15.67	0
			QPSK	1	1	15.01	15.31		15.33	15.57	0
				1	53	14.93	15.32		15.23	15.72	0
				1	104	15.10	15.40		15.23	15.94	0
				50	0	14.99	15.21		15.38	15.67	0
				50	28	15.27	15.32		15.43	15.50	0
				50	56	15.01	15.30		15.48	15.72	0
				100	0	14.79	14.98		15.65	15.55	0
			16QAM	1	1	14.72	14.90		15.92	15.72	0
			64QAM	1	1	14.86	15.19		15.69	15.93	0
			256QAM	1	1	14.50	14.65		14.49	15.73	0
		CP	QPSK	1	1	14.93	14.94		15.19	15.43	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	15.26		15.45		15.84	0
				1	67	15.12		15.43		15.55	0
				1	131	15.48		15.80		15.73	0
				64	0	15.31		15.53		15.93	0
				64	35	14.93		15.70		15.71	0
				64	69	15.00		15.96		15.49	0
				128	0	14.95		15.70		15.66	0
			QPSK	1	1	15.65		15.44		15.96	0
				1	67	14.91		15.50		15.70	0
				1	131	15.02		15.77		15.53	0
				64	0	15.87		15.51		15.72	0

				64	35	14.93		15.69		15.92	0
				64	69	14.98		15.91		15.65	0
				128	0	14.95		15.70		15.48	0
			16QAM	1	1	15.87		15.51		15.68	0
			64QAM	1	1	14.92		15.73		15.88	0
			256QAM	1	1	14.99		15.95		15.73	0
		CP	QPSK	1	1	14.95		15.68		15.70	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2526 MHz		2592.99 MHz			2659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	15.77		15.27		15.43	0
				1	81	15.54		15.26		15.53	0
				1	160	15.43		15.53		15.93	0
				81	0	14.53		15.33		15.53	0
				81	41	14.87		15.53		15.71	0
				81	81	15.19		15.53		15.90	0
				162	0	14.97		15.54		15.77	0
			QPSK	1	1	14.95		15.09		15.49	0
				1	81	14.76		15.27		15.54	0
				1	160	15.16		15.50		15.86	0
				81	0	14.92		15.33		15.53	0
				81	41	15.20		15.54		15.90	0
				81	81	15.04		15.38		15.77	0
				162	0	15.19		15.55		15.89	0
			16QAM	1	1	14.64		14.92		15.19	0
			64QAM	1	1	15.19		15.53		15.89	0
			256QAM	1	1	14.17		14.47		14.93	0
		CP	QPSK	1	1	15.18		15.43		15.39	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04 MHz					2654.97 MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	15.45				15.36	0
				1	81	15.51				15.51	0
				1	160	15.94				15.82	0
				81	0	15.14				15.47	0
				81	41	15.31				15.68	0
				81	81	15.20				15.41	0
				162	0	15.12				15.57	0
			QPSK	1	1	15.06				15.37	0
				1	81	15.05				15.51	0
				1	160	15.37				15.82	0
				81	0	15.03				15.53	0
				81	41	15.12				15.39	0
				81	81	15.13				15.66	0

			162	0	15.21				15.52	0
			16QAM	1	1	14.94			15.25	0
			64QAM	1	1	14.92			15.41	0
			256QAM	1	1	14.54			15.02	0
		CP	QPSK	1	1	14.88			15.41	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						507204				
						2536.02 MHz			2649.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	15.37			15.60	0
				1	109	15.37			15.56	0
				1	215	15.41			15.97	0
				108	0	14.97			15.55	0
				108	55	15.13			15.76	0
				108	109	15.15			15.66	0
			QPSK	216	0	15.18			15.73	0
				1	1	15.15			15.53	0
				1	109	14.94			15.60	0
				1	215	15.35			15.97	0
				108	0	14.99			15.61	0
				108	55	15.05			15.81	0
				108	109	15.19			15.83	0
				216	0	15.10			15.82	0
				16QAM	1	1	14.87		15.30	0
				64QAM	1	1	15.06		15.60	0
				256QAM	1	1	14.66		15.11	0
		CP	QPSK	1	1	15.12			15.46	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	15.58			15.67	0
				1	123	15.37			15.74	0
				1	243	15.54			15.96	0
				120	0	15.03			15.62	0
				120	63	15.25			15.83	0
				120	125	15.37			15.93	0
			QPSK	243	0	15.34			15.42	0
				1	1	15.30			15.39	0
				1	123	15.10			15.52	0
				1	243	15.49			15.74	0
				120	0	15.10			15.65	0
				120	63	15.26			15.82	0
				120	125	15.29			15.94	0
				243	0	15.30			15.88	0
			16QAM	1	1	15.03			15.26	0

			64QAM	1	1	15.28				15.34	0
			256QAM	1	1	14.74				15.25	0
		CP	QPSK	1	1	15.14				15.49	0

NR TDD Band n41 _100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			15.33		0
				1	137			15.44		0
				1	271			15.74		0
				135	0			15.41		0
				135	69			15.64		0
				135	138			15.63		0
				270	0			15.35		0
			QPSK	1	1			15.29		0
				1	137			15.45		0
				1	271			15.68		0
				135	0			15.36		0
				135	69			15.41		0
				135	138			15.65		0
				270	0			15.39		0
			16QAM	1	1			15.01		0
			64QAM	1	1			15.42		0
			256QAM	1	1			14.91		0
		CP	QPSK	1	1			15.31		0

3. NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ P_{max} , DSI = 1 (RCV)_ MAIN1 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.59	23.44	23.45	0
				1	13	22.65	23.44	23.27	0
				1	23	22.58	23.41	23.04	0
				12	0	22.08	22.75	22.83	0.5
				12	7	22.61	23.37	23.44	0
				12	13	22.11	22.74	22.81	0.5
				25	0	22.13	22.81	22.91	0.5
			QPSK	1	1	22.69	23.42	23.13	0
				1	13	22.91	23.45	22.97	0
				1	23	22.89	23.35	22.83	0
				12	0	22.33	22.27	22.36	1
				12	7	22.98	23.33	23.34	0
				12	13	22.02	22.31	22.38	1
				25	0	22.04	22.39	22.42	1
			16QAM	1	1	22.11	22.26	21.98	1
			64QAM	1	1	20.79	20.87	20.59	2.5
			256QAM	1	1	18.06	18.29	18.32	4.5
		CP	QPSK	1	1	21.77	21.95	21.75	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.18	23.44	23.51	0
				1	26	23.27	23.40	23.40	0
				1	50	23.11	23.34	22.96	0
				25	0	22.90	22.97	22.90	0.5
				25	14	23.37	23.40	23.47	0
				25	27	22.83	22.88	22.98	0.5
				50	0	22.89	22.94	22.90	0.5
			QPSK	1	1	22.82	23.38	23.44	0
				1	26	22.91	23.45	23.13	0
				1	50	22.92	23.35	22.70	0
				25	0	22.36	22.34	22.44	1
				25	14	23.30	23.28	23.39	0
				25	27	22.38	22.35	22.46	1
				50	0	22.39	22.32	22.39	1
			16QAM	1	1	21.85	22.25	22.35	1
			64QAM	1	1	20.52	20.94	20.91	2.5
			256QAM	1	1	18.20	18.21	18.26	4.5
		CP	QPSK	1	1	21.70	21.92	21.95	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.36	23.57	23.50	0
				1	40	23.34	23.45	23.33	0
				1	77	23.46	23.37	23.04	0
				36	0	22.72	22.93	22.87	0.5
				36	22	23.41	23.50	23.44	0
				36	43	22.83	22.90	22.90	0.5
			QPSK	75	0	22.89	22.90	22.84	0.5
				1	1	23.09	23.58	23.40	0
				1	40	22.87	23.38	23.18	0
				1	77	23.32	23.35	22.84	0
				36	0	22.22	22.50	22.33	1
				36	22	23.34	23.39	23.02	0
				36	43	22.31	22.39	22.32	1
				75	0	22.29	22.44	22.33	1
			16QAM	1	1	22.18	22.35	22.33	1
			64QAM	1	1	20.73	21.03	21.07	2.5
			256QAM	1	1	18.18	18.38	18.30	4.5
		CP	QPSK	1	1	21.79	22.12	22.04	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.27	23.45	23.31	0
				1	53	23.38	23.46	23.39	0
				1	104	23.40	23.44	22.99	0
				50	0	22.79	22.95	22.94	0.5
				50	28	23.40	23.49	23.44	0
				50	56	22.86	22.86	22.79	0.5
				100	0	22.79	22.94	22.85	0.5
			QPSK	1	1	23.26	23.42	23.36	0
				1	53	23.10	23.32	23.35	0
				1	104	23.33	23.26	22.80	0
				50	0	22.25	22.46	22.35	1
				50	28	23.34	23.43	23.37	0
				50	56	22.35	22.37	22.31	1
				100	0	22.26	22.45	22.43	1
			16QAM	1	1	22.07	22.34	22.32	1
			64QAM	1	1	20.59	21.03	20.95	2.5
			256QAM	1	1	18.10	18.22	18.21	4.5
		CP	QPSK	1	1	21.61	21.97	21.90	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.28	23.53	23.74	0
				1	66	23.60	23.68	23.67	0
				1	131	23.47	23.50	23.58	0
				64	0	22.86	23.12	23.13	0.5
				64	35	23.41	23.59	23.59	0
				64	69	22.92	23.08	22.99	0.5
				128	0	22.80	22.99	23.00	0.5
			QPSK	1	1	23.41	23.64	23.63	0
				1	66	23.41	23.52	23.65	0
				1	131	23.39	23.51	23.36	0
				64	0	22.30	22.51	22.48	1
				64	35	23.40	23.46	23.42	0
				64	69	22.44	22.46	22.49	1
				128	0	22.33	22.55	22.55	1
			16QAM	1	1	22.31	22.55	22.67	1
			64QAM	1	1	20.93	21.19	21.20	2.5
			256QAM	1	1	18.20	18.46	18.54	4.5
		CP	QPSK	1	1	21.91	22.18	22.27	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.56		0
				1	80	23.51		0
				1	158	23.42		0
				80	0	22.98		0.5
				80	40	23.60		0
				80	80	23.00		0.5
				160	0	23.05		0.5
			QPSK	1	1	23.44		0
				1	80	23.40		0
				1	158	23.53		0
				80	0	22.57		1
				80	40	23.48		0
				80	80	22.50		1
				160	0	22.48		1
			16QAM	1	1	22.50		1
			64QAM	1	1	21.08		2.5
			256QAM	1	1	18.42		4.5
		CP	QPSK	1	1	22.20		1.5

FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.52	0
				1	98	23.63	0
				1	186	23.46	0
				90	0	23.02	0.5
				90	45	23.62	0
				90	90	22.99	0.5
				180	0	22.94	0.5
			QPSK	1	1	23.39	0
				1	98	23.53	0
				1	186	23.49	0
				90	0	22.52	1
				90	45	23.53	0
				90	90	22.69	1
				180	0	22.56	1
			16QAM	1	1	22.46	1
			64QAM	1	1	21.06	2.5
			256QAM	1	1	18.34	4.5
		CP	QPSK	1	1	22.08	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.55	0
				1	108	23.59	0
				1	214	23.44	0
				108	0	23.01	0.5
				108	54	23.52	0
				108	108	22.97	0.5
				216	0	22.92	0.5
			QPSK	1	1	23.47	0
				1	108	23.44	0
				1	214	23.48	0
				108	0	22.52	1
				108	54	23.49	0
				108	108	22.49	1
				216	0	22.51	1
			16QAM	1	1	22.48	1
			64QAM	1	1	21.14	2.5
			256QAM	1	1	18.30	4.5
		CP	QPSK	1	1	22.20	1.5

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.94	19.05	19.03	0
				1	13	18.90	19.05	19.16	0
				1	23	18.88	19.03	19.11	0
				12	0	18.73	18.99	19.00	0
				12	7	18.93	19.10	19.07	0
				12	13	18.91	18.96	18.94	0
				25	0	18.90	19.05	19.08	0
			QPSK	1	1	19.00	19.07	19.12	0
				1	13	18.99	19.07	18.97	0
				1	23	18.94	19.02	19.03	0
				12	0	18.84	18.94	18.98	0
				12	7	18.94	18.99	19.04	0
				12	13	18.88	18.99	18.93	0
				25	0	18.97	19.07	19.03	0
			16QAM	1	1	18.85	18.90	18.92	0
			64QAM	1	1	19.07	19.15	19.15	0
			256QAM	1	1	17.99	18.08	18.06	0
		CP	QPSK	1	1	19.06	19.20	19.12	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.05	18.95	19.03	0
				1	26	19.06	19.02	19.08	0
				1	50	18.98	19.02	19.11	0
				25	0	19.04	19.03	19.09	0
				25	14	19.05	19.06	19.11	0
				25	27	19.05	19.00	19.09	0
				50	0	19.10	19.06	19.07	0
			QPSK	1	1	18.99	18.99	19.08	0
				1	26	19.11	19.07	19.00	0
				1	50	19.07	18.92	18.94	0
				25	0	19.10	19.06	19.08	0
				25	14	19.02	19.00	18.98	0
				25	27	19.10	19.04	19.05	0
				50	0	19.10	19.09	19.07	0
			16QAM	1	1	18.84	18.80	18.93	0
			64QAM	1	1	19.09	19.05	19.07	0
			256QAM	1	1	18.03	18.04	18.10	0
		CP	QPSK	1	1	19.12	19.15	19.08	0

NR FDD Band n66 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.09	19.12	19.08	0
				1	40	19.11	19.04	19.03	0
				1	77	19.01	19.11	19.05	0
				36	0	19.01	19.07	19.04	0
				36	22	19.12	19.09	19.03	0
				36	43	19.01	18.98	19.02	0
				75	0	19.12	19.04	19.00	0
			QPSK	1	1	19.08	19.10	19.12	0
				1	40	19.03	19.00	18.97	0
				1	77	19.04	19.04	19.00	0
				36	0	19.05	18.98	18.99	0
				36	22	18.98	19.05	18.98	0
				36	43	19.06	19.07	19.04	0
				75	0	18.96	19.05	18.95	0
			16QAM	1	1	18.93	18.98	18.91	0
			64QAM	1	1	19.16	19.20	19.18	0
			256QAM	1	1	18.06	18.09	18.08	0
		CP	QPSK	1	1	19.16	19.15	19.19	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.99	19.05	18.95	0
				1	53	19.09	19.07	19.00	0
				1	104	19.08	19.01	18.99	0
				50	0	18.93	19.03	19.04	0
				50	28	19.14	19.18	19.08	0
				50	56	19.04	19.03	19.08	0
				100	0	19.05	19.09	18.97	0
			QPSK	1	1	18.91	19.02	18.99	0
				1	53	18.93	19.02	18.98	0
				1	104	19.04	19.00	18.98	0
				50	0	18.92	19.02	19.04	0
				50	28	19.02	19.02	19.01	0
				50	56	18.95	19.00	18.97	0
				100	0	19.04	19.03	19.04	0
			16QAM	1	1	18.79	18.86	18.82	0
			64QAM	1	1	18.95	19.09	19.02	0
			256QAM	1	1	17.96	18.01	18.01	0
		CP	QPSK	1	1	19.02	19.08	19.01	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.12	19.16	19.28	0
				1	66	19.27	19.23	19.30	0
				1	131	19.11	19.06	19.14	0
				64	0	19.06	19.28	19.11	0
				64	35	19.17	19.28	19.29	0
				64	69	19.18	19.24	19.07	0
				128	0	19.05	19.13	19.08	0
			QPSK	1	1	19.17	19.30	19.23	0
				1	66	19.18	19.26	19.24	0
				1	131	19.16	19.06	19.15	0
				64	0	19.06	19.24	19.18	0
				64	35	19.09	19.21	19.04	0
				64	69	19.12	19.22	19.08	0
				128	0	19.13	19.18	19.08	0
			16QAM	1	1	18.86	19.14	19.10	0
			64QAM	1	1	19.10	19.38	19.37	0
			256QAM	1	1	18.04	18.25	18.28	0
		CP	QPSK	1	1	19.16	19.34	19.27	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.27	0
				1	80	19.28	0
				1	158	19.18	0
				80	0	19.27	0
				80	40	19.26	0
				80	80	19.21	0
				160	0	19.18	0
			QPSK	1	1	19.30	0
				1	80	19.15	0
				1	158	19.20	0
				80	0	19.22	0
				80	40	19.20	0
				80	80	19.25	0
				160	0	19.20	0
			16QAM	1	1	19.12	0
			64QAM	1	1	19.27	0
			256QAM	1	1	18.30	0
		CP	QPSK	1	1	19.37	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.17	0
				1	98	19.32	0
				1	186	19.10	0
				90	0	19.22	0
				90	45	19.30	0
				90	90	19.15	0
				180	0	19.19	0
			QPSK	1	1	19.21	0
				1	98	19.32	0
				1	186	19.05	0
				90	0	19.30	0
				90	45	19.22	0
				90	90	19.19	0
				180	0	19.19	0
			16QAM	1	1	19.01	0
			64QAM	1	1	19.19	0
			256QAM	1	1	18.11	0
		CP	QPSK	1	1	19.24	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.31	0
				1	108	19.29	0
				1	214	18.99	0
				108	0	19.19	0
				108	54	19.32	0
				108	108	19.05	0
				216	0	19.17	0
			QPSK	1	1	19.13	0
				1	108	19.25	0
				1	214	19.15	0
				108	0	19.27	0
				108	54	19.12	0
				108	108	19.11	0
				216	0	19.09	0
			16QAM	1	1	19.06	0
			64QAM	1	1	19.21	0
			256QAM	1	1	18.11	0
		CP	QPSK	1	1	19.20	0

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.16	20.79	20.64	0
				1	13	21.20	20.87	20.81	0
				1	23	21.18	20.84	20.75	0
				12	0	21.34	20.86	20.69	0
				12	7	21.35	20.94	20.82	0
				12	13	21.17	20.82	20.74	0
				25	0	21.32	20.88	20.72	0
			QPSK	1	1	21.17	20.76	20.69	0
				1	13	21.23	20.85	20.74	0
				1	23	21.17	20.87	20.71	0
				12	0	21.32	20.90	20.73	0
				12	7	21.26	21.02	20.91	0
				12	13	21.28	20.87	20.79	0
				25	0	21.31	20.94	20.77	0
			16QAM	1	1	21.28	20.76	20.61	0
			64QAM	1	1	20.87	20.47	20.42	0
			256QAM	1	1	18.77	18.15	18.16	1.5
		CP	QPSK	1	1	21.32	20.96	20.84	0

NR FDD Band n66 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.61	20.77	20.68	0
				1	26	21.65	20.85	20.71	0
				1	50	21.50	20.97	20.69	0
				25	0	21.47	20.89	20.75	0
				25	14	21.54	21.02	20.78	0
				25	27	21.49	20.86	20.73	0
				50	0	21.49	20.93	20.73	0
			QPSK	1	1	21.47	20.79	20.80	0
				1	26	21.57	20.87	20.76	0
				1	50	21.54	20.92	20.74	0
				25	0	21.51	20.93	20.77	0
				25	14	21.60	20.95	20.81	0
				25	27	21.50	20.98	20.74	0
				50	0	21.49	20.94	20.77	0
			16QAM	1	1	21.40	20.68	20.71	0
			64QAM	1	1	21.16	20.43	20.45	0
			256QAM	1	1	19.02	18.11	18.10	1.5
		CP	QPSK	1	1	21.46	20.84	20.86	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.23	20.98	20.96	0
				1	40	21.17	20.93	20.88	0
				1	77	21.19	21.07	20.71	0
				36	0	21.27	20.99	20.79	0
				36	22	21.28	21.04	20.86	0
				36	43	21.12	20.90	20.75	0
				75	0	21.24	20.87	20.74	0
			QPSK	1	1	21.26	20.98	20.94	0
				1	40	21.21	20.89	20.72	0
				1	77	21.26	20.90	20.78	0
				36	0	21.20	20.90	20.83	0
				36	22	21.34	20.97	20.92	0
				36	43	21.08	21.00	20.80	0
				75	0	21.13	20.94	20.76	0
			16QAM	1	1	21.14	20.85	20.78	0
			64QAM	1	1	20.98	20.58	20.48	0
			256QAM	1	1	18.73	18.50	18.16	1.5
		CP	QPSK	1	1	21.25	21.04	21.01	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.16	21.05	20.72	0
				1	53	21.30	21.02	20.83	0
				1	104	21.05	20.82	20.76	0
				50	0	21.22	20.99	20.82	0
				50	28	21.20	20.92	20.91	0
				50	56	21.01	20.87	20.72	0
				100	0	21.20	21.02	20.83	0
			QPSK	1	1	21.17	21.00	20.75	0
				1	53	21.21	20.92	20.72	0
				1	104	20.87	20.75	20.72	0
				50	0	21.13	20.95	20.75	0
				50	28	21.20	21.03	20.90	0
				50	56	21.08	20.95	20.74	0
				100	0	21.23	21.02	20.88	0
			16QAM	1	1	21.08	20.72	20.58	0
			64QAM	1	1	20.78	20.65	20.44	0
			256QAM	1	1	18.68	18.42	18.33	1.5
		CP	QPSK	1	1	21.05	21.02	20.76	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.51	21.35	21.06	0
				1	66	21.37	21.09	20.92	0
				1	131	21.08	21.15	20.90	0
				64	0	21.26	21.01	20.93	0
				64	35	21.34	21.13	20.96	0
				64	69	21.21	21.07	20.85	0
				128	0	21.30	21.08	20.82	0
			QPSK	1	1	21.51	21.24	20.97	0
				1	66	21.25	21.07	20.84	0
				1	131	21.13	21.00	20.91	0
				64	0	21.37	21.07	20.91	0
				64	35	21.38	21.01	20.96	0
				64	69	21.20	20.99	20.86	0
				128	0	21.29	21.06	20.86	0
			16QAM	1	1	21.39	20.96	21.01	0
			64QAM	1	1	21.18	20.93	20.72	0
			256QAM	1	1	18.89	18.63	18.31	1.5
		CP	QPSK	1	1	21.59	21.24	21.17	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]	
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.30	0	
				1	80	21.04	0	
				1	158	21.16	0	
				80	0	21.15	0	
				80	40	20.99	0	
				80	80	21.02	0	
				160	0	21.00	0	
			QPSK	1	1	21.26	0	
				1	80	20.91	0	
				1	158	21.12	0	
				80	0	21.04	0	
				80	40	21.08	0	
				80	80	21.03	0	
				160	0	21.05	0	
				16QAM	1	1	21.08	0
				64QAM	1	1	20.89	0
				256QAM	1	1	18.67	1.5
		CP	QPSK	1	1	21.32	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB	Max. Average Power [dBm]	MPR
-----------	----------	------	------------	---------	----	--------------------------	-----

					Offset	349000	[dB]
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.05	0
				1	98	21.31	0
				1	186	20.90	0
				90	0	21.17	0
				90	45	20.92	0
				90	90	21.24	0
				180	0	20.84	0
			QPSK	1	1	21.39	0
				1	98	21.09	0
				1	186	21.26	0
				90	0	21.42	0
				90	45	21.49	0
				90	90	21.18	0
				180	0	21.21	0
			16QAM	1	1	20.84	0
			64QAM	1	1	20.95	0
			256QAM	1	1	18.79	1.5
		CP	QPSK	1	1	21.57	0

NR FDD Bandn66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.25	0
				1	108	20.98	0
				1	214	21.07	0
				108	0	21.06	0
				108	54	21.11	0
				108	108	21.06	0
				216	0	21.18	0
			QPSK	1	1	21.23	0
				1	108	20.97	0
				1	214	21.05	0
				108	0	21.14	0
				108	54	21.20	0
				108	108	21.08	0
				216	0	21.20	0
			16QAM	1	1	21.10	0
			64QAM	1	1	20.92	0
			256QAM	1	1	18.56	1.5
		CP	QPSK	1	1	21.27	0

NR FDD Band n66 Conducted Power_ DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n66 _5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB	Max. Average Power [dBm]	MPR
-----------	----------	------	------------	---------	----	--------------------------	-----

					Offset	342500	349000	355500	[dB]
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.19	14.86	14.79	0
				1	13	15.47	15.01	14.83	0
				1	23	15.25	14.89	14.72	0
				12	0	15.25	14.97	14.74	0
				12	7	15.39	14.94	14.79	0
				12	13	15.18	14.94	14.75	0
				25	0	15.27	14.93	14.72	0
			QPSK	1	1	15.19	14.86	14.74	0
				1	13	15.35	14.98	14.75	0
				1	23	15.22	14.86	14.69	0
				12	0	15.28	14.92	14.77	0
				12	7	15.36	15.03	14.80	0
				12	13	15.18	14.96	14.75	0
				25	0	15.22	14.92	14.81	0
			16QAM	1	1	15.23	14.94	14.82	0
			64QAM	1	1	15.06	14.95	14.81	0
			256QAM	1	1	14.95	14.68	14.44	0
		CP	QPSK	1	1	15.23	15.04	15.02	0

NR FDD Band n66 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.60	14.98	14.76	0
				1	26	15.54	14.84	14.86	0
				1	50	15.47	14.85	14.73	0
				25	0	15.52	14.95	14.72	0
				25	14	15.52	14.93	14.89	0
				25	27	15.53	14.99	14.82	0
				50	0	15.56	14.92	14.73	0
			QPSK	1	1	15.49	14.85	14.78	0
				1	26	15.60	14.95	14.75	0
				1	50	15.33	14.92	14.62	0
				25	0	15.54	14.93	14.74	0
				25	14	15.61	15.04	14.78	0
				25	27	15.56	15.01	14.72	0
				50	0	15.53	14.92	14.83	0
			16QAM	1	1	15.74	14.83	14.56	0
			64QAM	1	1	15.58	15.08	14.43	0
			256QAM	1	1	15.29	14.53	14.30	0
		CP	QPSK	1	1	15.71	15.01	14.79	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	

15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.25	15.18	14.85	0
				1	40	15.01	14.92	14.82	0
				1	77	15.25	14.98	14.79	0
				36	0	15.20	14.90	14.81	0
				36	22	15.30	14.88	14.91	0
				36	43	15.14	14.90	14.75	0
				75	0	15.18	14.94	14.76	0
			QPSK	1	1	15.23	15.11	14.83	0
				1	40	15.10	14.83	14.82	0
				1	77	15.25	15.12	14.64	0
				36	0	15.20	14.95	14.83	0
				36	22	15.23	15.10	14.88	0
				36	43	15.20	14.90	14.79	0
				75	0	15.18	14.92	14.80	0
			16QAM	1	1	15.45	14.87	14.85	0
			64QAM	1	1	15.32	15.18	14.81	0
			256QAM	1	1	14.90	14.67	14.40	0
		CP	QPSK	1	1	15.42	15.28	14.86	0

NR FDD Band n66_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.12	15.01	14.70	0
				1	53	14.97	14.87	14.73	0
				1	104	15.10	14.86	14.61	0
				50	0	15.14	14.94	14.81	0
				50	28	15.12	14.91	14.85	0
				50	56	15.07	14.94	14.75	0
				100	0	15.23	15.05	14.81	0
			QPSK	1	1	15.13	14.98	14.69	0
				1	53	15.16	14.95	14.72	0
				1	104	15.10	14.94	14.55	0
				50	0	15.18	14.92	14.83	0
				50	28	15.26	14.98	14.85	0
				50	56	15.20	14.90	14.79	0
				100	0	15.23	15.04	14.88	0
			16QAM	1	1	15.32	15.20	14.91	0
			64QAM	1	1	15.21	15.03	14.85	0
			256QAM	1	1	14.64	14.58	14.28	0
		CP	QPSK	1	1	15.26	15.09	14.79	0

NR FDD Band n66_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s	pi/2 BPSK	1	1	15.53	15.18	14.98	0

		OFDM		1	66	15.27	14.98	14.82	0
				1	131	15.14	15.15	14.86	0
				64	0	15.40	14.98	14.83	0
				64	35	15.29	15.00	14.91	0
				64	69	15.24	15.04	14.89	0
				128	0	15.27	14.98	14.82	0
			QPSK	1	1	15.46	15.25	14.87	0
				1	66	15.27	14.93	14.83	0
				1	131	15.10	15.06	14.62	0
				64	0	15.40	15.06	14.98	0
				64	35	15.31	15.08	14.92	0
				64	69	15.25	15.03	14.80	0
				128	0	15.30	15.07	14.81	0
			16QAM	1	1	15.60	15.39	14.88	0
			64QAM	1	1	15.47	15.23	14.95	0
			256QAM	1	1	15.18	14.93	14.65	0
		CP	QPSK	1	1	15.42	15.25	15.07	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						349000		
						1745 MHz		
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.22	0	
				1	80	15.00	0	
				1	158	15.10	0	
				80	0	15.04	0	
				80	40	15.04	0	
				80	80	15.09	0	
			QPSK	160	0	15.07	0	
				1	1	15.21	0	
				1	80	15.13	0	
				1	158	15.16	0	
				80	0	15.08	0	
				80	40	15.04	0	
				80	80	15.01	0	
				160	0	15.12	0	
			16QAM	1	1	15.26	0	
			64QAM	1	1	15.26	0	
			256QAM	1	1	14.87	0	
		CP	QPSK	1	1	15.38	0	

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.15	0
				1	98	15.13	0

				1	186	15.35	0
				90	0	15.15	0
				90	45	15.16	0
				90	90	15.24	0
				180	0	15.18	0
				1	1	15.35	0
			QPSK	1	98	15.15	0
				1	186	15.34	0
				90	0	15.24	0
				90	45	15.20	0
				90	90	15.05	0
				180	0	15.36	0
			16QAM	1	1	15.47	0
			64QAM	1	1	15.44	0
			256QAM	1	1	14.80	0
		CP	QPSK	1	1	15.36	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.19	0
				1	108	15.05	0
				1	214	15.08	0
				108	0	15.06	0
				108	54	14.98	0
				108	108	14.99	0
				216	0	15.07	0
			QPSK	1	1	15.16	0
				1	108	14.96	0
				1	214	15.06	0
				108	0	15.10	0
				108	54	15.09	0
				108	108	14.92	0
				216	0	15.13	0
			16QAM	1	1	15.15	0
			64QAM	1	1	15.07	0
			256QAM	1	1	14.65	0
		CP	QPSK	1	1	15.15	0