

Appendix L_NR Bands *P_{limit}* Conducted Power

1. NR FDD Band n2 Maximum Conducted Power

NR FDD Band n2 Conducted Power_ Measured P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.47	23.57	23.81	0
				1	13	23.49	23.60	23.75	0
				1	23	23.48	23.59	23.85	0
				12	0	23.00	23.06	23.25	0.5
				12	7	23.55	23.67	23.75	0
				12	13	22.83	23.10	23.17	0.5
				25	0	22.96	23.16	23.25	0.5
			QPSK	1	1	23.45	23.68	23.77	0
				1	13	23.49	23.70	23.81	0
				1	23	23.48	23.69	23.96	0
				12	0	22.45	22.61	22.65	1
				12	7	23.47	23.65	23.76	0
				12	13	22.47	22.63	22.74	1
				25	0	22.50	22.59	22.78	1
			16QAM	1	1	22.60	22.65	22.84	1
			64QAM	1	1	21.30	21.38	21.45	2.5
			256QAM	1	1	18.45	18.61	18.82	4.5
		CP	QPSK	1	1	22.06	22.33	22.40	1.5

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.63	23.61	23.88	0
				1	26	23.61	23.60	23.92	0
				1	50	23.57	23.56	23.91	0
				25	0	23.05	23.09	23.29	0.5
				25	14	23.67	23.70	23.79	0
				25	27	23.13	23.12	23.30	0.5
				50	0	23.10	23.11	23.25	0.5
			QPSK	1	1	23.62	23.67	23.84	0
				1	26	23.64	23.72	23.81	0
				1	50	23.58	23.65	23.90	0
				25	0	22.53	22.64	22.76	1
				25	14	23.57	23.71	23.87	0
				25	27	22.51	22.66	22.72	1
				50	0	22.57	22.69	22.74	1
			16QAM	1	1	22.50	22.51	22.66	1
			64QAM	1	1	21.10	21.30	21.37	2.5
			256QAM	1	1	18.64	18.53	18.72	4.5
		CP	QPSK	1	1	22.23	22.21	22.23	1.5

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.76	23.88	23.90	0
				1	40	23.98	23.93	23.90	0
				1	77	23.74	24.09	23.99	0
				36	0	23.33	23.41	23.38	0.5
				36	22	23.82	24.04	24.02	0
				36	43	23.24	23.53	23.48	0.5
				75	0	23.30	23.49	23.48	0.5
			QPSK	1	1	23.92	23.98	23.91	0
				1	40	23.78	23.85	24.09	0
				1	77	23.79	24.16	24.09	0
				36	0	22.89	23.01	23.05	1
				36	22	23.89	23.99	23.91	0
				36	43	22.87	23.15	23.02	1
				75	0	22.89	23.09	22.98	1
			16QAM	1	1	22.83	22.89	22.91	1
			64QAM	1	1	21.56	21.68	21.60	2.5
			256QAM	1	1	18.94	19.08	19.04	4.5
		CP	QPSK	1	1	22.45	22.43	22.54	1.5

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.94	23.94	24.08	0
				1	53	23.90	24.02	24.10	0
				1	104	23.94	24.11	24.14	0
				50	0	23.36	23.53	23.63	0.5
				50	28	23.95	24.14	24.18	0
				50	56	23.35	23.67	23.59	0.5
				100	0	23.46	23.63	23.62	0.5
			QPSK	1	1	24.08	23.98	24.23	0
				1	53	24.04	24.18	24.16	0
				1	104	24.05	24.22	24.26	0
				50	0	22.91	23.00	23.14	1
				50	28	23.90	24.20	24.16	0
				50	56	22.97	23.22	23.04	1
				100	0	22.98	23.26	23.24	1
			16QAM	1	1	22.79	22.90	23.08	1
			64QAM	1	1	21.64	21.67	21.85	2.5
			256QAM	1	1	18.82	18.88	19.06	4.5
		CP	QPSK	1	1	22.50	22.54	22.72	1.5

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.04		24.16	0
				1	66	23.99		24.40	0
				1	131	24.02		24.23	0
				64	0	23.45		23.78	0.5
				64	35	24.04		24.36	0
				64	69	23.45		23.76	0.5
				128	0	23.42		23.79	0.5
			QPSK	1	1	23.92		24.38	0
				1	66	24.02		24.42	0
				1	131	24.00		24.26	0
				64	0	22.96		23.38	1
				64	35	24.01		24.35	0
				64	69	23.00		23.30	1
				128	0	23.08		23.36	1
			16QAM	1	1	22.95		23.15	1
			64QAM	1	1	21.67		21.94	2.5
			256QAM	1	1	19.00		19.27	4.5
		CP	QPSK	1	1	22.53		22.80	1.5

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.22		24.28	0
				1	80	24.07		24.42	0
				1	158	24.21		24.46	0
				80	0	23.60		23.79	0.5
				80	40	24.11		24.46	0
				80	80	23.67		23.83	0.5
			QPSK	160	0	23.62		23.87	0.5
				1	1	24.24		24.31	0
				1	80	24.17		24.40	0
				1	158	24.34		24.41	0
				80	0	23.09		23.35	1
				80	40	24.16		24.41	0
				80	80	23.20		23.44	1
				160	0	23.17		23.35	1
			16QAM	1	1	23.09		23.10	1
			64QAM	1	1	21.79		21.95	2.5
			256QAM	1	1	19.08		19.29	4.5
		CP	QPSK	1	1	22.65		22.86	1.5

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.94	0
				1	98	24.20	0
				1	186	24.31	0
				90	0	23.58	0.5
				90	45	24.19	0
				90	90	23.81	0.5
			QPSK	180	0	23.69	0.5
				1	1	24.05	0
				1	98	24.28	0
				1	186	24.38	0
				90	0	23.23	1
				90	45	24.23	0
				90	90	23.39	1
				180	0	23.15	1
			16QAM	1	1	23.02	1
			64QAM	1	1	21.82	2.5
			256QAM	1	1	19.02	4.5
		CP	QPSK	1	1	22.76	1.5

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.81	0
				1	108	23.94	0
				1	214	24.01	0
				108	0	23.44	0.5
				108	54	24.07	0
				108	108	23.65	0.5
				216	0	23.52	0.5
			QPSK	1	1	24.05	0
				1	108	24.19	0
				1	214	24.31	0
				108	0	22.99	1
				108	54	24.16	0
				108	108	23.14	1
				216	0	23.08	1
			16QAM	1	1	22.86	1
			64QAM	1	1	21.56	2.5
			256QAM	1	1	19.02	4.5
		CP	QPSK	1	1	22.64	1.5

NR FDD Band n2 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.59	19.67	19.75	0
				1	13	19.57	19.65	19.82	0
				1	23	19.58	19.61	19.74	0
				12	0	19.53	19.62	19.73	0
				12	7	19.58	19.62	19.79	0
				12	13	19.50	19.58	19.85	0
				25	0	19.53	19.58	19.75	0
			QPSK	1	1	19.64	19.68	19.88	0
				1	13	19.58	19.65	19.76	0
				1	23	19.51	19.64	19.85	0
				12	0	19.58	19.59	19.78	0
				12	7	19.61	19.63	19.81	0
				12	13	19.38	19.54	19.73	0
				25	0	19.40	19.54	19.82	0
			16QAM	1	1	19.50	19.66	19.86	0
			64QAM	1	1	19.85	19.81	19.83	0
			256QAM	1	1	19.06	19.05	19.29	0
		CP	QPSK	1	1	19.64	19.73	19.91	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.57	19.51	19.76	0
				1	26	19.57	19.53	19.77	0
				1	50	19.51	19.59	19.90	0
				25	0	19.53	19.47	19.78	0
				25	14	19.64	19.59	19.88	0
				25	27	19.51	19.52	19.75	0
				50	0	19.58	19.54	19.79	0
			QPSK	1	1	19.67	19.61	19.84	0
				1	26	19.68	19.61	19.86	0
				1	50	19.59	19.56	19.94	0
				25	0	19.64	19.59	19.74	0
				25	14	19.56	19.64	19.89	0
				25	27	19.56	19.59	19.82	0
				50	0	19.60	19.61	19.85	0
			16QAM	1	1	19.45	19.57	19.70	0
			64QAM	1	1	19.63	19.75	19.87	0
			256QAM	1	1	19.04	18.95	19.21	0
		CP	QPSK	1	1	19.62	19.77	19.90	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.57	19.35	19.58	0
				1	40	19.42	19.48	19.65	0
				1	77	19.33	19.52	19.68	0
				36	0	19.52	19.42	19.64	0
				36	22	19.57	19.61	19.69	0
				36	43	19.46	19.56	19.70	0
				75	0	19.59	19.59	19.68	0
			QPSK	1	1	19.66	19.50	19.68	0
				1	40	19.49	19.45	19.68	0
				1	77	19.44	19.63	19.80	0
				36	0	19.65	19.49	19.67	0
				36	22	19.53	19.55	19.69	0
				36	43	19.51	19.68	19.68	0
				75	0	19.53	19.55	19.68	0
			16QAM	1	1	19.52	19.47	19.62	0
			64QAM	1	1	19.87	19.72	19.77	0
			256QAM	1	1	19.04	19.07	19.20	0
		CP	QPSK	1	1	19.62	19.65	19.84	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.55	19.63	19.68	0
				1	53	19.57	19.64	19.72	0
				1	104	19.52	19.70	19.82	0
				50	0	19.51	19.57	19.71	0
				50	28	19.51	19.69	19.81	0
				50	56	19.41	19.76	19.79	0
				100	0	19.58	19.67	19.73	0
			QPSK	1	1	19.67	19.68	19.63	0
				1	53	19.55	19.62	19.73	0
				1	104	19.52	19.71	19.85	0
				50	0	19.56	19.61	19.66	0
				50	28	19.57	19.67	19.75	0
				50	56	19.48	19.69	19.71	0
				100	0	19.56	19.70	19.78	0
			16QAM	1	1	19.52	19.33	19.58	0
			64QAM	1	1	19.57	19.50	19.73	0
			256QAM	1	1	18.97	19.10	19.00	0
		CP	QPSK	1	1	19.70	19.65	19.86	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.63		19.78	0
				1	66	19.53		19.81	0
				1	131	19.61		19.82	0
				64	0	19.58		19.87	0
				64	35	19.65		19.84	0
				64	69	19.48		19.75	0
			QPSK	128	0	19.51		19.80	0
				1	1	19.71		19.79	0
				1	66	19.62		19.91	0
				1	131	19.69		19.86	0
				64	0	19.53		19.81	0
				64	35	19.65		19.84	0
				64	69	19.58		19.84	0
				128	0	19.60		19.82	0
			16QAM	1	1	19.57		19.81	0
			64QAM	1	1	19.80		19.92	0
			256QAM	1	1	19.07		19.32	0
		CP	QPSK	1	1	19.72		19.94	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.76		19.79	0
				1	80	19.67		19.97	0
				1	158	19.72		19.99	0
				80	0	19.64		19.84	0
				80	40	19.62		19.88	0
				80	80	19.74		19.87	0
			QPSK	160	0	19.61		19.91	0
				1	1	19.89		19.93	0
				1	80	19.72		19.88	0
				1	158	19.86		19.94	0
				80	0	19.68		19.84	0
				80	40	19.72		19.91	0
				80	80	19.62		19.92	0
				160	0	19.69		19.95	0
			16QAM	1	1	19.67		19.78	0
			64QAM	1	1	19.77		19.95	0
			256QAM	1	1	19.15		19.29	0
		CP	QPSK	1	1	19.83		19.93	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.56	0
				1	98	19.72	0
				1	186	19.73	0
				90	0	19.65	0
				90	45	19.73	0
				90	90	19.90	0
				180	0	19.65	0
			QPSK	1	1	19.59	0
				1	98	19.81	0
				1	186	19.84	0
				90	0	19.61	0
				90	45	19.73	0
				90	90	19.86	0
				180	0	19.73	0
			16QAM	1	1	19.69	0
			64QAM	1	1	19.80	0
			256QAM	1	1	19.00	0
		CP	QPSK	1	1	19.76	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.68	0
				1	108	19.72	0
				1	214	19.92	0
				108	0	19.74	0
				108	54	19.96	0
				108	108	19.89	0
				216	0	19.85	0
			QPSK	1	1	19.79	0
				1	108	19.90	0
				1	214	19.93	0
				108	0	19.72	0
				108	54	19.87	0
				108	108	19.98	0
				216	0	19.93	0
			16QAM	1	1	19.75	0
			64QAM	1	1	19.95	0
			256QAM	1	1	19.23	0
		CP	QPSK	1	1	19.89	0

NR FDD Band n2 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.32	18.48	18.13	0
				1	13	18.28	18.42	18.23	0
				1	23	18.27	18.30	18.14	0
				12	0	18.24	18.37	18.17	0
				12	7	18.24	18.46	18.29	0
				12	13	18.22	18.37	18.12	0
				25	0	18.22	18.43	18.24	0
			QPSK	1	1	18.30	18.50	18.22	0
				1	13	18.20	18.46	18.33	0
				1	23	18.29	18.36	18.14	0
				12	0	18.27	18.46	18.24	0
				12	7	18.42	18.48	18.30	0
				12	13	18.22	18.38	18.17	0
				25	0	18.29	18.38	18.18	0
			16QAM	1	1	18.33	18.46	18.23	0
			64QAM	1	1	18.47	18.54	18.36	0
			256QAM	1	1	17.85	18.43	17.76	0.5
		CP	QPSK	1	1	18.58	18.66	18.42	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.37	18.45	18.37	0
				1	26	18.44	18.52	18.16	0
				1	50	18.32	18.29	18.21	0
				25	0	18.35	18.40	18.19	0
				25	14	18.47	18.52	18.24	0
				25	27	18.36	18.40	18.22	0
				50	0	18.38	18.40	18.25	0
			QPSK	1	1	18.44	18.55	18.45	0
				1	26	18.43	18.50	18.27	0
				1	50	18.31	18.36	18.22	0
				25	0	18.41	18.44	18.21	0
				25	14	18.47	18.52	18.28	0
				25	27	18.41	18.37	18.29	0
				50	0	18.38	18.40	18.23	0
			16QAM	1	1	18.28	18.34	18.09	0
			64QAM	1	1	18.51	18.37	18.26	0
			256QAM	1	1	17.93	18.44	17.80	0.5
		CP	QPSK	1	1	18.60	18.53	18.47	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.43	18.49	18.26	0
				1	40	18.34	18.46	18.15	0
				1	77	18.51	18.49	18.15	0
				36	0	18.30	18.31	18.17	0
				36	22	18.36	18.47	18.29	0
				36	43	18.33	18.33	18.16	0
				75	0	18.33	18.42	18.15	0
			QPSK	1	1	18.52	18.43	18.16	0
				1	40	18.32	18.49	18.10	0
				1	77	18.38	18.48	18.21	0
				36	0	18.35	18.35	18.07	0
				36	22	18.45	18.36	18.36	0
				36	43	18.33	18.40	18.13	0
				75	0	18.41	18.28	18.05	0
			16QAM	1	1	18.43	18.41	18.06	0
			64QAM	1	1	18.49	18.52	18.10	0
			256QAM	1	1	17.89	17.90	18.13	0.5
		CP	QPSK	1	1	18.69	18.42	18.39	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.35	18.45	18.16	0
				1	53	18.37	18.49	18.31	0
				1	104	18.43	18.36	18.20	0
				50	0	18.30	18.43	18.14	0
				50	28	18.37	18.40	18.19	0
				50	56	18.29	18.39	18.09	0
				100	0	18.44	18.40	18.19	0
			QPSK	1	1	18.45	18.41	18.17	0
				1	53	18.34	18.48	18.21	0
				1	104	18.34	18.35	18.22	0
				50	0	18.26	18.37	18.14	0
				50	28	18.45	18.44	18.10	0
				50	56	18.34	18.39	18.08	0
				100	0	18.42	18.49	18.23	0
			16QAM	1	1	18.27	18.42	18.16	0
			64QAM	1	1	18.42	18.52	18.24	0
			256QAM	1	1	17.71	17.80	18.14	0.5
		CP	QPSK	1	1	18.52	18.55	18.32	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.54		18.54	0
				1	66	18.44		18.32	0
				1	131	18.56		18.29	0
				64	0	18.35		18.40	0
				64	35	18.40		18.34	0
				64	69	18.32		18.30	0
				128	0	18.33		18.32	0
			QPSK	1	1	18.44		18.51	0
				1	66	18.35		18.34	0
				1	131	18.46		18.38	0
				64	0	18.34		18.25	0
				64	35	18.52		18.36	0
				64	69	18.36		18.22	0
				128	0	18.39		18.31	0
			16QAM	1	1	18.39		18.42	0
			64QAM	1	1	18.54		18.62	0
			256QAM	1	1	17.84		17.86	0.5
		CP	QPSK	1	1	18.61		18.69	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.54		18.58	0
				1	80	18.62		18.45	0
				1	158	18.64		18.28	0
				80	0	18.45		18.47	0
				80	40	18.59		18.41	0
				80	80	18.50		18.32	0
				160	0	18.42		18.38	0
			QPSK	1	1	18.62		18.59	0
				1	80	18.47		18.49	0
				1	158	18.49		18.40	0
				80	0	18.52		18.33	0
				80	40	18.44		18.39	0
				80	80	18.49		18.32	0
				160	0	18.42		18.32	0
			16QAM	1	1	18.42		18.52	0
			64QAM	1	1	18.69		18.65	0
			256QAM	1	1	17.99		17.93	0.5
		CP	QPSK	1	1	18.63		18.76	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.30	0
				1	98	18.48	0
				1	186	18.14	0
				90	0	18.48	0
				90	45	18.48	0
				90	90	18.32	0
			QPSK	180	0	18.42	0
				1	1	18.43	0
				1	98	18.60	0
				1	186	18.20	0
				90	0	18.42	0
				90	45	18.55	0
				90	90	18.37	0
				180	0	18.37	0
			16QAM	1	1	18.39	0
			64QAM	1	1	18.48	0
			256QAM	1	1	18.25	0.5
		CP	QPSK	1	1	18.49	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.39	0
				1	108	18.34	0
				1	214	18.33	0
				108	0	18.28	0
				108	54	18.43	0
				108	108	18.19	0
			QPSK	216	0	18.46	0
				1	1	18.43	0
				1	108	18.34	0
				1	214	18.26	0
				108	0	18.38	0
				108	54	18.50	0
				108	108	18.24	0
				216	0	18.45	0
			16QAM	1	1	18.40	0
			64QAM	1	1	18.48	0
			256QAM	1	1	17.79	0.5
		CP	QPSK	1	1	18.70	0

NR FDD Band n2 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n2 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376000	381500	
						1852.5 MHz	1880 MHz	1907.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.64	16.62	16.63	0
				1	13	16.68	16.62	16.74	0
				1	23	16.68	16.64	16.83	0
				12	0	16.69	16.60	16.70	0
				12	7	16.81	16.70	16.75	0
				12	13	16.65	16.66	16.80	0
				25	0	16.71	16.64	16.75	0
			QPSK	1	1	16.66	16.71	16.69	0
				1	13	16.69	16.74	16.85	0
				1	23	16.61	16.72	16.96	0
				12	0	16.72	16.67	16.70	0
				12	7	16.78	16.76	16.86	0
				12	13	16.57	16.70	16.75	0
				25	0	16.70	16.73	16.80	0
			16QAM	1	1	16.81	16.75	16.78	0
			64QAM	1	1	16.88	16.86	16.82	0
			256QAM	1	1	16.16	16.11	16.24	0.5
		CP	QPSK	1	1	17.07	16.85	17.08	0

NR FDD Band n2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376000	381000	
						1855 MHz	1880 MHz	1905 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.81	16.72	16.82	0
				1	26	16.80	16.62	16.81	0
				1	50	16.77	16.52	16.88	0
				25	0	16.75	16.63	16.85	0
				25	14	16.82	16.68	16.86	0
				25	27	16.70	16.61	16.78	0
				50	0	16.77	16.60	16.87	0
			QPSK	1	1	16.85	16.80	16.81	0
				1	26	16.90	16.80	16.68	0
				1	50	16.70	16.58	17.02	0
				25	0	16.76	16.69	16.77	0
				25	14	16.81	16.79	16.81	0
				25	27	16.66	16.69	16.75	0
				50	0	16.74	16.64	16.83	0
			16QAM	1	1	16.82	16.76	16.86	0
			64QAM	1	1	16.92	16.81	16.91	0
			256QAM	1	1	16.15	16.07	16.18	0.5
		CP	QPSK	1	1	17.09	16.95	16.90	0

NR FDD Band n2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376000	380500	
						1857.5 MHz	1880 MHz	1902.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.85	16.67	16.79	0
				1	40	16.78	16.70	16.82	0
				1	77	16.78	16.77	16.81	0
				36	0	16.76	16.67	16.65	0
				36	22	16.78	16.85	16.73	0
				36	43	16.72	16.70	16.72	0
				75	0	16.75	16.69	16.67	0
			QPSK	1	1	17.00	16.87	16.83	0
				1	40	16.75	16.75	16.84	0
				1	77	16.89	16.88	16.97	0
				36	0	16.68	16.70	16.66	0
				36	22	16.75	16.81	16.77	0
				36	43	16.69	16.65	16.63	0
				75	0	16.70	16.68	16.71	0
			16QAM	1	1	16.85	16.80	16.78	0
			64QAM	1	1	17.01	16.89	16.88	0
			256QAM	1	1	16.26	16.16	16.19	0.5
		CP	QPSK	1	1	17.01	17.00	16.98	0

NR FDD Band n2 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376000	380000	
						1860 MHz	1880 MHz	1900 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.67	16.62	16.76	0
				1	53	16.69	16.73	16.69	0
				1	104	16.70	16.78	16.94	0
				50	0	16.67	16.65	16.67	0
				50	28	16.74	16.71	16.76	0
				50	56	16.74	16.76	16.74	0
				100	0	16.83	16.63	16.80	0
			QPSK	1	1	16.80	16.61	16.70	0
				1	53	16.79	16.80	16.79	0
				1	104	16.78	16.84	16.81	0
				50	0	16.79	16.68	16.75	0
				50	28	16.71	16.74	16.71	0
				50	56	16.72	16.68	16.70	0
				100	0	16.70	16.82	16.87	0
			16QAM	1	1	16.67	16.69	16.55	0
			64QAM	1	1	16.81	16.85	16.74	0
			256QAM	1	1	16.01	15.95	16.04	0.5
		CP	QPSK	1	1	16.95	16.83	16.94	0

NR FDD Band n2 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		379500	
						1862.5 MHz		1897.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.94		16.96	0
				1	66	16.81		16.94	0
				1	131	16.83		17.13	0
				64	0	16.74		16.88	0
				64	35	16.88		16.95	0
				64	69	16.75		16.94	0
			QPSK	128	0	16.63		16.88	0
				1	1	16.95		16.84	0
				1	66	16.68		16.88	0
				1	131	16.91		17.17	0
				64	0	16.70		16.76	0
				64	35	16.69		16.83	0
				64	69	16.67		16.87	0
				128	0	16.77		16.87	0
			16QAM	1	1	16.86		16.91	0
			64QAM	1	1	17.00		17.03	0
			256QAM	1	1	16.25		16.31	0.5
		CP	QPSK	1	1	17.07		17.19	0

NR FDD Band n2 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		379000	
						1865 MHz		1895 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.04		16.95	0
				1	80	17.00		17.03	0
				1	158	16.84		17.11	0
				80	0	16.89		16.77	0
				80	40	16.88		16.95	0
				80	80	16.86		16.95	0
			QPSK	160	0	16.78		16.91	0
				1	1	17.01		16.88	0
				1	80	16.95		17.07	0
				1	158	17.03		17.16	0
				80	0	16.84		16.90	0
				80	40	16.81		16.89	0
				80	80	16.87		16.88	0
				160	0	16.81		16.95	0
			16QAM	1	1	16.88		16.97	0
			64QAM	1	1	17.06		17.14	0
			256QAM	1	1	16.28		16.38	0.5
		CP	QPSK	1	1	17.18		17.28	0

NR FDD Band n2 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.71	0
				1	98	16.87	0
				1	186	16.84	0
				90	0	16.73	0
				90	45	16.84	0
				90	90	16.85	0
			QPSK	180	0	16.78	0
				1	1	16.73	0
				1	98	16.92	0
				1	186	16.81	0
				90	0	16.81	0
				90	45	16.89	0
				90	90	16.78	0
				180	0	16.83	0
			16QAM	1	1	16.80	0
			64QAM	1	1	16.89	0
			256QAM	1	1	16.13	0.5
		CP	QPSK	1	1	17.01	0

NR FDD Band n2 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376000	
						1880 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.93	0
				1	108	16.71	0
				1	214	16.96	0
				108	0	16.78	0
				108	54	16.81	0
				108	108	16.84	0
			QPSK	216	0	16.78	0
				1	1	16.84	0
				1	108	16.87	0
				1	214	16.81	0
				108	0	16.83	0
				108	54	16.90	0
				108	108	16.79	0
				216	0	16.92	0
			16QAM	1	1	16.90	0
			64QAM	1	1	16.93	0
			256QAM	1	1	16.18	0.5
		CP	QPSK	1	1	17.08	0

2. NR FDD Band n5 Maximum Conducted Power

NR FDD Band n5 Conducted Power_ Measured P_{max} , DSI = 0 (free), DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.97	23.93	23.96	0
				1	13	23.94	23.99	23.91	0
				1	23	23.91	23.90	23.85	0
				12	0	23.45	23.49	23.31	0.5
				12	7	23.98	23.97	23.82	0
				12	13	23.42	23.40	23.26	0.5
				25	0	23.44	23.33	23.27	0.5
			QPSK	1	1	23.88	23.73	23.60	0
				1	13	23.63	23.81	23.41	0
				1	23	23.56	23.53	23.26	0
				12	0	22.98	22.74	22.59	1
				12	7	23.76	23.69	23.37	0
				12	13	22.80	22.56	22.34	1
				25	0	22.73	22.61	22.46	1
			16QAM	1	1	22.85	22.68	22.45	1
			64QAM	1	1	21.56	21.31	21.28	2.5
			256QAM	1	1	18.92	18.90	18.85	4.5
		CP	QPSK	1	1	22.53	22.21	22.19	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.91	0
				1	26	23.93	0
				1	50	23.77	0
				25	0	23.42	0.5
				25	14	23.89	0
				25	27	23.4	0.5
				50	0	23.37	0.5
			QPSK	1	1	23.56	0
				1	26	23.76	0
				1	50	23.62	0
				25	0	22.84	1
				25	14	23.76	0
				25	27	22.64	1
				50	0	22.62	1
			16QAM	1	1	22.46	1
			64QAM	1	1	21.21	2.5
			256QAM	1	1	18.80	4.5
		CP	QPSK	1	1	22.12	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.91	0
				1	40	23.93	0
				1	77	23.83	0
				36	0	23.36	0.5
				36	22	23.97	0
				36	43	23.32	0.5
				75	0	23.32	0.5
			QPSK	1	1	23.86	0
				1	40	23.90	0
				1	77	23.80	0
				36	0	22.86	1
				36	22	23.95	0
				36	43	22.76	1
				75	0	22.77	1
			16QAM	1	1	22.83	1
			64QAM	1	1	21.54	2.5
			256QAM	1	1	18.78	4.5
		CP	QPSK	1	1	22.33	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.88	0
				1	53	23.80	0
				1	104	23.80	0
				50	0	23.37	0.5
				50	28	23.78	0
				50	56	23.19	0.5
				100	0	23.39	0.5
			QPSK	1	1	23.74	0
				1	53	23.89	0
				1	104	23.59	0
				50	0	22.82	1
				50	28	23.89	0
				50	56	22.82	1
				100	0	22.81	1
			16QAM	1	1	22.70	1
			64QAM	1	1	21.52	2.5
			256QAM	1	1	18.75	4.5
		CP	QPSK	1	1	22.53	1.5

NR FDD Band n5 Conducted Power_ Measured P_{max} , DSI = 0 (free)_ SUB1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.86	23.85	23.80	0
				1	13	23.93	23.63	23.83	0
				1	23	23.94	23.65	23.81	0
				12	0	23.38	23.33	23.34	0.5
				12	7	24.00	23.78	23.92	0
				12	13	23.39	23.15	23.27	0.5
				25	0	23.43	23.24	23.25	0.5
			QPSK	1	1	23.19	23.29	23.15	0
				1	13	23.39	22.99	23.04	0
				1	23	23.41	22.83	22.89	0
				12	0	22.16	22.24	22.16	1
				12	7	23.20	22.89	22.96	0
				12	13	22.35	21.89	21.93	1
				25	0	22.21	22.08	22.03	1
			16QAM	1	1	22.06	22.28	22.10	1
			64QAM	1	1	20.82	21.10	20.81	2.5
			256QAM	1	1	18.77	18.95	18.75	4.5
		CP	QPSK	1	1	21.78	21.94	21.82	1.5

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.85	0
				1	26	23.87	0
				1	50	23.83	0
				25	0	23.44	0.5
				25	14	23.85	0
				25	27	23.27	0.5
				50	0	23.30	0.5
			QPSK	1	1	23.17	0
				1	26	23.01	0
				1	50	22.79	0
				25	0	22.22	1
				25	14	22.96	0
				25	27	21.89	1
				50	0	22.08	1
			16QAM	1	1	22.13	1
			64QAM	1	1	20.96	2.5
			256QAM	1	1	18.87	4.5
		CP	QPSK	1	1	21.82	1.5

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96	0
				1	40	23.85	0
				1	77	23.84	0
				36	0	23.42	0.5
				36	22	23.94	0
				36	43	23.27	0.5
				75	0	23.32	0.5
			QPSK	1	1	23.49	0
				1	40	23.08	0
				1	77	23.17	0
				36	0	22.38	1
				36	22	23.04	0
				36	43	22.01	1
				75	0	22.24	1
			16QAM	1	1	22.41	1
			64QAM	1	1	21.13	2.5
			256QAM	1	1	18.89	4.5
		CP	QPSK	1	1	22.03	1.5

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.90	0
				1	53	23.82	0
				1	104	23.74	0
				50	0	23.30	0.5
				50	28	23.89	0
				50	56	23.24	0.5
				100	0	23.41	0.5
			QPSK	1	1	23.42	0
				1	53	23.04	0
				1	104	23.24	0
				50	0	22.33	1
				50	28	22.98	0
				50	56	21.99	1
				100	0	22.20	1
			16QAM	1	1	22.33	1
			64QAM	1	1	21.03	2.5
			256QAM	1	1	18.85	4.5
		CP	QPSK	1	1	22.02	1.5

NR FDD Band n5 Conducted Power_ Measured DSI = 1 (RCV)_ SUB1 Antenna

NR FDD Band n5_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						165300	167300	169300	
						826.5 MHz	836.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.61	20.43	20.26	0
				1	13	20.69	20.60	20.38	0
				1	23	20.46	20.58	20.39	0
				12	0	20.54	20.58	20.44	0
				12	7	20.70	20.53	20.42	0
				12	13	20.57	20.41	20.44	0
				25	0	20.57	20.55	20.17	0
			QPSK	1	1	20.49	20.44	20.35	0
				1	13	20.73	20.68	20.38	0
				1	23	20.43	20.51	20.40	0
				12	0	20.49	20.43	20.24	0
				12	7	20.61	20.65	20.39	0
				12	13	20.43	20.50	20.27	0
				25	0	20.50	20.59	20.27	0
			16QAM	1	1	20.59	20.45	20.46	0
			64QAM	1	1	20.41	20.36	20.31	0
			256QAM	1	1	17.75	17.68	17.50	2.5
		CP	QPSK	1	1	20.64	20.64	20.53	0

NR FDD Band n5_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						167300		
						836.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.41		0
				1	26	20.54		0
				1	50	20.63		0
				25	0	20.62		0
				25	14	20.46		0
				25	27	20.39		0
				50	0	20.61		0
			QPSK	1	1	20.43		0
				1	26	20.71		0
				1	50	20.46		0
				25	0	20.50		0
				25	14	20.74		0
				25	27	20.44		0
				50	0	20.63		0
			16QAM	1	1	20.39		0
			64QAM	1	1	20.38		0
			256QAM	1	1	17.58		2.5
		CP	QPSK	1	1	20.56		0

NR FDD Band n5_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.39	0
				1	40	20.57	0
				1	77	20.60	0
				36	0	20.58	0
				36	22	20.63	0
				36	43	20.47	0
				75	0	20.64	0
			QPSK	1	1	20.50	0
				1	40	20.60	0
				1	77	20.52	0
				36	0	20.39	0
				36	22	20.65	0
				36	43	20.50	0
				75	0	20.69	0
			16QAM	1	1	20.47	0
			64QAM	1	1	20.35	0
			256QAM	1	1	17.64	2.5
		CP	QPSK	1	1	20.60	0

NR FDD Band n5_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						167300	
						836.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.51	0
				1	53	20.53	0
				1	104	20.54	0
				50	0	20.56	0
				50	28	20.45	0
				50	56	20.36	0
				100	0	20.62	0
			QPSK	1	1	20.39	0
				1	53	20.70	0
				1	104	20.60	0
				50	0	20.42	0
				50	28	20.72	0
				50	56	20.47	0
				100	0	20.69	0
			16QAM	1	1	20.55	0
			64QAM	1	1	20.45	0
			256QAM	1	1	17.69	2.5
		CP	QPSK	1	1	20.60	0

3. NR FDD Band n7 Maximum Conducted Power

NR FDD Band n7 Conducted Power_ Measured $P_{maxDSI} = 1$ (RCV) _ MAIN2 Antenna

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.21	22.14	22.14	0
				1	13	22.24	22.18	22.19	0
				1	23	22.34	22.24	22.13	0
				12	0	21.75	21.69	21.63	0.5
				12	7	22.25	22.25	22.14	0
				12	13	21.79	21.75	21.65	0.5
				25	0	21.78	21.78	21.66	0.5
			QPSK	1	1	22.31	22.32	22.23	0
				1	13	22.35	22.33	22.23	0
				1	23	22.34	22.36	22.29	0
				12	0	21.39	21.27	21.20	1
				12	7	22.26	22.27	22.16	0
				12	13	21.28	21.30	21.20	1
				25	0	21.30	21.25	21.13	1
			16QAM	1	1	21.30	21.33	21.13	1
			64QAM	1	1	19.99	19.95	19.83	2.5
			256QAM	1	1	17.19	17.12	17.13	4.5
		CP	QPSK	1	1	20.91	20.86	20.70	1.5

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.05	22.17	21.88	0
				1	26	22.12	22.15	21.86	0
				1	50	22.14	22.24	21.85	0
				25	0	21.62	21.73	21.42	0.5
				25	14	22.08	22.26	21.94	0
				25	27	21.62	21.77	21.46	0.5
				50	0	21.59	21.79	21.51	0.5
			QPSK	1	1	22.11	22.20	22.01	0
				1	26	22.21	22.28	22.01	0
				1	50	22.15	22.21	21.93	0
				25	0	21.08	21.29	21.05	1
				25	14	22.09	22.25	21.93	0
				25	27	21.23	21.33	20.94	1
				50	0	21.17	21.31	21.00	1
			16QAM	1	1	21.18	21.33	20.96	1
			64QAM	1	1	19.88	19.97	19.66	2.5
			256QAM	1	1	17.03	17.13	17.05	4.5
		CP	QPSK	1	1	20.73	20.84	20.51	1.5

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.98	22.01	22.17	0
				1	40	21.95	21.97	22.10	0
				1	77	22.03	22.10	22.01	0
				36	0	21.52	21.57	21.72	0.5
				36	22	22.01	22.16	22.14	0
				36	43	21.58	21.60	21.58	0.5
				75	0	21.48	21.66	21.68	0.5
			QPSK	1	1	22.03	22.02	22.20	0
				1	40	22.03	22.08	22.15	0
				1	77	22.16	22.12	22.15	0
				36	0	21.08	21.08	21.26	1
				36	22	22.07	22.17	22.24	0
				36	43	21.07	21.11	21.10	1
				75	0	21.12	21.15	21.23	1
			16QAM	1	1	21.01	21.08	21.28	1
			64QAM	1	1	19.74	19.71	19.94	2.5
			256QAM	1	1	17.06	17.03	17.18	4.5
		CP	QPSK	1	1	20.65	20.59	20.81	1.5

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.94	21.94	22.03	0
				1	53	22.06	22.03	22.09	0
				1	104	22.13	22.07	21.90	0
				50	0	21.50	21.60	21.72	0.5
				50	28	22.28	22.16	22.20	0
				50	56	21.66	21.66	21.55	0.5
				100	0	21.59	21.55	21.63	0.5
			QPSK	1	1	21.98	22.07	22.17	0
				1	53	22.13	21.99	22.08	0
				1	104	22.17	22.10	22.14	0
				50	0	21.18	21.12	21.19	1
				50	28	22.19	22.20	22.22	0
				50	56	21.14	21.15	21.06	1
				100	0	21.14	21.16	21.17	1
			16QAM	1	1	21.13	21.09	21.24	1
			64QAM	1	1	19.80	19.70	19.90	2.5
			256QAM	1	1	17.04	17.09	17.08	4.5
		CP	QPSK	1	1	20.69	20.59	20.76	1.5

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.15		22.14	0
				1	67	22.19		22.25	0
				1	131	22.27		22.05	0
				64	0	21.71		21.74	0.5
				64	35	22.38		22.19	0
				64	39	21.82		21.66	0.5
				128	0	21.70		21.68	0.5
			QPSK	1	1	22.22		22.27	0
				1	67	22.33		22.29	0
				1	131	22.34		22.09	0
				64	0	21.21		21.22	1
				64	35	22.28		22.23	0
				64	69	21.24		21.08	1
				128	0	21.35		21.13	1
			16QAM	1	1	21.26		21.27	1
			64QAM	1	1	19.85		19.98	2.5
			256QAM	1	1	17.21		17.24	4.5
		CP	QPSK	1	1	20.92		20.90	1.5

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.07		22.20	0
				1	80	22.14		22.10	0
				1	158	22.23		22.13	0
				80	0	21.53		21.58	0.5
				80	40	22.20		22.23	0
				80	80	21.59		21.66	0.5
				160	0	21.67		21.65	0.5
			QPSK	1	1	22.14		22.29	0
				1	80	22.15		22.29	0
				1	158	22.35		22.24	0
				80	0	21.08		21.25	1
				80	40	22.15		22.23	0
				80	80	21.27		21.09	1
				160	0	21.21		21.10	1
			16QAM	1	1	21.06		21.22	1
			64QAM	1	1	19.84		19.91	2.5
			256QAM	1	1	17.01		17.13	4.5
		CP	QPSK	1	1	20.75		20.90	1.5

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.13	0
				1	98	22.20	0
				1	186	22.20	0
				90	0	21.65	0.5
				90	45	22.19	0
				90	90	21.65	0.5
				180	0	21.71	0.5
			QPSK	1	1	22.15	0
				1	98	22.23	0
				1	186	22.24	0
				90	0	21.15	1
				90	45	22.39	0
				90	90	21.33	1
				180	0	21.25	1
			16QAM	1	1	21.14	1
			64QAM	1	1	19.82	2.5
			256QAM	1	1	17.05	4.5
		CP	QPSK	1	1	20.73	1.5

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.12	0
				1	108	22.15	0
				1	214	22.28	0
				108	0	21.78	0.5
				108	54	22.33	0
				108	108	21.76	0.5
				216	0	21.78	0.5
			QPSK	1	1	22.24	0
				1	108	22.32	0
				1	214	22.45	0
				108	0	21.35	1
				108	54	22.54	0
				108	108	21.35	1
				216	0	21.35	1
			16QAM	1	1	21.26	1
			64QAM	1	1	19.97	2.5
			256QAM	1	1	17.35	4.5
		CP	QPSK	1	1	20.84	1.5

NR FDD Band n7 Conducted Power_ Measured DSI = 0 (free) _ MAIN2 Antenna

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	20.01	19.91	0
				1	13	20.01	20.07	19.89	0
				1	23	20.17	20.08	19.89	0
				12	0	20.08	20.09	19.93	0
				12	7	20.09	20.07	19.97	0
				12	13	20.16	20.10	19.93	0
				25	0	20.11	20.06	20.02	0
			QPSK	1	1	20.20	20.09	20.04	0
				1	13	20.14	20.13	20.08	0
				1	23	20.17	20.20	20.00	0
				12	0	20.18	20.05	19.98	0
				12	7	20.22	20.04	19.94	0
				12	13	20.21	20.13	19.98	0
				25	0	20.23	20.12	19.90	0
			16QAM	1	1	20.17	20.13	20.04	0
			64QAM	1	1	19.91	19.92	19.75	0.5
			256QAM	1	1	17.18	17.08	16.92	3
		CP	QPSK	1	1	20.22	20.25	19.99	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.84	19.99	19.90	0
				1	26	19.81	20.01	19.92	0
				1	50	19.93	19.99	19.78	0
				25	0	19.86	20.07	19.91	0
				25	14	19.89	20.02	19.86	0
				25	27	19.93	20.02	19.89	0
				50	0	19.90	20.04	19.95	0
			QPSK	1	1	19.89	19.94	19.96	0
				1	26	19.92	20.03	19.93	0
				1	50	19.93	20.08	19.90	0
				25	0	19.93	20.00	19.93	0
				25	14	19.94	19.97	19.89	0
				25	27	20.00	20.03	19.93	0
				50	0	19.98	20.07	19.85	0
			16QAM	1	1	19.93	20.04	20.01	0
			64QAM	1	1	19.77	19.89	19.78	0.5
			256QAM	1	1	16.93	17.06	16.87	3
		CP	QPSK	1	1	20.02	20.11	19.99	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.88	19.95	20.03	0
				1	40	19.92	19.95	19.97	0
				1	77	19.96	19.96	19.96	0
				36	0	19.87	19.98	20.12	0
				36	22	19.90	20.10	20.10	0
				36	43	19.91	20.04	19.99	0
			QPSK	75	0	19.93	19.95	20.08	0
				1	1	19.89	19.99	20.15	0
				1	40	20.00	20.02	20.06	0
				1	77	19.97	19.98	20.05	0
				36	0	19.93	20.02	20.14	0
				36	22	19.96	20.03	20.11	0
				36	43	20.03	20.04	20.05	0
				75	0	19.93	20.04	20.15	0
			16QAM	1	1	19.97	19.94	20.16	0
			64QAM	1	1	19.79	19.69	19.93	0.5
			256QAM	1	1	17.05	16.98	17.19	3
		CP	QPSK	1	1	20.04	20.02	20.33	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.85	19.77	19.92	0
				1	53	19.98	19.87	19.91	0
				1	104	20.02	19.96	19.93	0
				50	0	19.87	19.84	20.08	0
				50	28	20.10	19.83	20.15	0
				50	56	20.04	19.90	19.95	0
			QPSK	100	0	20.02	19.91	20.11	0
				1	1	19.89	19.85	20.07	0
				1	53	19.95	19.98	19.99	0
				1	104	20.05	19.98	19.89	0
				50	0	19.95	20.01	20.03	0
				50	28	20.13	20.03	20.08	0
				50	56	20.02	20.05	20.01	0
				100	0	20.04	20.04	20.03	0
			16QAM	1	1	20.02	19.94	20.15	0
			64QAM	1	1	19.80	19.69	19.81	0.5
			256QAM	1	1	16.79	16.90	17.00	3
		CP	QPSK	1	1	19.90	20.11	20.16	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.02		20.01	0
				1	67	20.12		20.14	0
				1	131	20.16		19.90	0
				64	0	20.03		20.13	0
				64	35	20.15		20.09	0
				64	39	20.13		19.99	0
				128	0	20.12		20.01	0
			QPSK	1	1	20.17		20.15	0
				1	67	20.12		20.10	0
				1	131	20.11		20.05	0
				64	0	20.19		20.08	0
				64	35	20.18		20.11	0
				64	69	20.20		20.03	0
				128	0	20.12		20.12	0
			16QAM	1	1	20.11		20.14	0
			64QAM	1	1	19.94		19.98	0.5
			256QAM	1	1	17.16		17.17	3
		CP	QPSK	1	1	20.34		20.22	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.99		20.07	0
				1	80	20.02		20.08	0
				1	158	20.07		19.98	0
				80	0	20.02		19.98	0
				80	40	19.99		20.04	0
				80	80	20.05		19.99	0
				160	0	20.05		20.05	0
			QPSK	1	1	20.00		20.08	0
				1	80	20.05		20.10	0
				1	158	20.17		20.06	0
				80	0	20.06		20.11	0
				80	40	20.07		20.11	0
				80	80	20.06		20.10	0
				160	0	20.01		20.09	0
			16QAM	1	1	19.92		20.07	0
			64QAM	1	1	19.81		19.82	0.5
			256QAM	1	1	16.98		17.12	3
		CP	QPSK	1	1	20.12		20.20	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.02	0
				1	98	20.06	0
				1	186	20.00	0
				90	0	20.05	0
				90	45	20.17	0
				90	90	20.17	0
			QPSK	180	0	20.11	0
				1	1	20.03	0
				1	98	20.11	0
				1	186	20.12	0
				90	0	20.04	0
				90	45	20.18	0
				90	90	20.14	0
				180	0	20.15	0
			16QAM	1	1	20.01	0
			64QAM	1	1	19.74	0.5
			256QAM	1	1	17.06	3
		CP	QPSK	1	1	20.16	0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.15	0
				1	108	20.23	0
				1	214	20.17	0
				108	0	20.24	0
				108	54	20.84	0
				108	108	20.23	0
			QPSK	216	0	20.42	0
				1	1	20.34	0
				1	108	20.42	0
				1	214	20.47	0
				108	0	20.35	0
				108	54	20.57	0
				108	108	20.59	0
				216	0	20.53	0
			16QAM	1	1	20.43	0
			64QAM	1	1	20.12	0.5
			256QAM	1	1	17.53	3
		CP	QPSK	1	1	20.45	0

NR FDD Band n7 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.90	17.67	17.22	0
				1	13	17.91	17.79	17.25	0
				1	23	17.87	17.70	17.23	0
				12	0	17.90	17.62	17.21	0
				12	7	18.02	17.74	17.34	0
				12	13	17.98	17.67	17.20	0
			QPSK	25	0	17.93	17.63	17.22	0
				1	1	17.94	17.69	17.29	0
				1	13	17.90	17.83	17.38	0
				1	23	17.92	17.74	17.30	0
				12	0	17.91	17.63	17.25	0
				12	7	18.06	17.81	17.39	0
				12	13	17.99	17.71	17.26	0
				25	0	17.96	17.69	17.29	0
			16QAM	1	1	18.00	17.63	17.25	0
			64QAM	1	1	18.13	17.81	17.46	0
			256QAM	1	1	17.45	17.13	17.02	0
		CP	QPSK	1	1	18.21	17.89	17.43	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.83	17.73	17.21	0
				1	26	17.78	17.77	17.28	0
				1	50	17.74	17.63	17.15	0
				25	0	17.71	17.61	17.16	0
				25	14	17.76	17.73	17.24	0
				25	27	17.68	17.68	17.17	0
			QPSK	50	0	17.66	17.63	17.25	0
				1	1	17.91	17.81	17.36	0
				1	26	17.87	17.73	17.31	0
				1	50	17.78	17.83	17.25	0
				25	0	17.85	17.69	17.27	0
				25	14	17.91	17.84	17.30	0
				25	27	17.82	17.75	17.17	0
				50	0	17.83	17.74	17.21	0
			16QAM	1	1	17.82	17.72	17.33	0
			64QAM	1	1	17.93	17.80	17.33	0
			256QAM	1	1	17.24	17.20	17.08	0
		CP	QPSK	1	1	18.02	17.96	17.54	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.85	17.66	17.43	0
				1	40	17.77	17.62	17.41	0
				1	77	17.72	17.63	17.32	0
				36	0	17.74	17.49	17.45	0
				36	22	17.75	17.65	17.38	0
				36	43	17.63	17.60	17.29	0
			QPSK	75	0	17.71	17.61	17.39	0
				1	1	17.92	17.75	17.69	0
				1	40	17.86	17.75	17.49	0
				1	77	17.81	17.67	17.33	0
				36	0	17.89	17.57	17.45	0
				36	22	18.01	17.65	17.49	0
				36	43	17.79	17.59	17.29	0
				75	0	17.78	17.61	17.47	0
			16QAM	1	1	17.77	17.63	17.55	0
			64QAM	1	1	17.96	17.76	17.66	0
			256QAM	1	1	17.38	17.21	17.00	0
		CP	QPSK	1	1	17.99	17.83	17.65	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.83	17.72	17.53	0
				1	53	17.78	17.71	17.45	0
				1	104	17.70	17.56	17.23	0
				50	0	17.84	17.69	17.55	0
				50	28	17.87	17.81	17.45	0
				50	56	17.65	17.58	17.29	0
			QPSK	100	0	17.89	17.73	17.49	0
				1	1	17.96	17.81	17.55	0
				1	53	17.85	17.76	17.51	0
				1	104	17.84	17.69	17.31	0
				50	0	17.88	17.70	17.50	0
				50	28	17.89	17.84	17.50	0
				50	56	17.83	17.61	17.34	0
				100	0	17.86	17.87	17.56	0
			16QAM	1	1	17.76	17.65	17.57	0
			64QAM	1	1	17.95	17.88	17.74	0
			256QAM	1	1	17.26	17.11	17.04	0
		CP	QPSK	1	1	18.04	17.95	17.65	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.00		17.76	0
				1	67	17.83		17.55	0
				1	131	17.99		17.33	0
				64	0	17.92		17.57	0
				64	35	17.98		17.51	0
				64	39	17.84		17.38	0
				128	0	17.94		17.42	0
			QPSK	1	1	18.17		17.74	0
				1	67	17.90		17.51	0
				1	131	18.00		17.44	0
				64	0	17.98		17.59	0
				64	35	17.92		17.55	0
				64	69	17.89		17.42	0
				128	0	17.94		17.47	0
			16QAM	1	1	18.04		17.64	0
			64QAM	1	1	18.21		17.78	0
			256QAM	1	1	17.55		17.14	0
		CP	QPSK	1	1	18.35		17.83	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.85		17.71	0
				1	80	17.66		17.52	0
				1	158	17.77		17.16	0
				80	0	17.77		17.54	0
				80	40	17.84		17.59	0
				80	80	17.72		17.37	0
				160	0	17.80		17.56	0
			QPSK	1	1	17.95		17.84	0
				1	80	17.87		17.51	0
				1	158	17.91		17.36	0
				80	0	17.82		17.59	0
				80	40	17.73		17.54	0
				80	80	17.79		17.40	0
				160	0	17.86		17.45	0
			16QAM	1	1	17.88		17.67	0
			64QAM	1	1	18.09		17.84	0
			256QAM	1	1	17.43		17.23	0
		CP	QPSK	1	1	18.24		17.92	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	17.72	0
				1	98	17.73	0
				1	186	17.35	0
				90	0	17.72	0
				90	45	17.80	0
				90	90	17.62	0
				180	0	17.75	0
			QPSK	1	1	17.76	0
				1	98	17.80	0
				1	186	17.58	0
				90	0	17.79	0
				90	45	17.85	0
				90	90	17.69	0
				180	0	17.76	0
			16QAM	1	1	17.64	0
			64QAM	1	1	17.89	0
			256QAM	1	1	17.22	0
		CP	QPSK	1	1	17.88	0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.06	0
				1	108	18.04	0
				1	214	18.03	0
				108	0	17.95	0
				108	54	17.97	0
				108	108	17.91	0
				216	0	18.08	0
			QPSK	1	1	18.10	0
				1	108	18.06	0
				1	214	17.98	0
				108	0	18.14	0
				108	54	18.26	0
				108	108	18.07	0
				216	0	18.25	0
			16QAM	1	1	18.11	0
			64QAM	1	1	18.16	0
			256QAM	1	1	17.81	0
		CP	QPSK	1	1	18.23	0

NR FDD Band n7 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n7 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						500500	507000	513500	
						2502.5 MHz	2535 MHz	2567.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.88	15.69	15.24	0
				1	13	15.94	15.79	15.19	0
				1	23	15.87	15.74	15.23	0
				12	0	15.92	15.63	15.28	0
				12	7	16.04	15.79	15.22	0
				12	13	15.98	15.68	15.23	0
				25	0	15.93	15.59	15.20	0
			QPSK	1	1	16.03	15.73	15.30	0
				1	13	16.03	15.84	15.35	0
				1	23	15.92	15.72	15.33	0
				12	0	15.95	15.64	15.29	0
				12	7	15.94	15.77	15.40	0
				12	13	15.95	15.65	15.32	0
				25	0	15.99	15.63	15.25	0
			16QAM	1	1	15.98	15.62	15.25	0
			64QAM	1	1	16.11	15.82	15.41	0
			256QAM	1	1	15.40	15.22	15.39	0.5
		CP	QPSK	1	1	16.25	15.89	15.57	0

NR FDD Band n7 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501000	507000	513000	
						2505 MHz	2535 MHz	2565 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.77	15.74	15.29	0
				1	26	15.62	15.78	15.16	0
				1	50	15.69	15.54	15.14	0
				25	0	15.67	15.68	15.25	0
				25	14	15.70	15.81	15.15	0
				25	27	15.70	15.69	15.19	0
				50	0	15.74	15.71	15.15	0
			QPSK	1	1	15.81	15.77	15.41	0
				1	26	15.90	15.83	15.32	0
				1	50	15.85	15.64	15.24	0
				25	0	15.81	15.68	15.29	0
				25	14	15.84	15.76	15.42	0
				25	27	15.78	15.73	15.18	0
				50	0	15.82	15.67	15.32	0
			16QAM	1	1	15.79	15.70	15.33	0
			64QAM	1	1	15.98	15.87	15.50	0
			256QAM	1	1	15.27	15.09	15.02	0.5
		CP	QPSK	1	1	16.12	15.83	15.63	0

NR FDD Band n7 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						501500	507000	512500	
						2507.5 MHz	2535 MHz	2562.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.87	15.64	15.49	0
				1	40	15.70	15.64	15.30	0
				1	77	15.67	15.67	15.33	0
				36	0	15.69	15.56	15.43	0
				36	22	15.71	15.66	15.38	0
				36	43	15.64	15.57	15.27	0
				75	0	15.74	15.65	15.37	0
			QPSK	1	1	15.90	15.73	15.61	0
				1	40	15.89	15.72	15.51	0
				1	77	15.74	15.69	15.31	0
				36	0	15.79	15.64	15.48	0
				36	22	15.82	15.73	15.63	0
				36	43	15.71	15.64	15.30	0
				75	0	15.76	15.67	15.44	0
			16QAM	1	1	15.81	15.62	15.42	0
			64QAM	1	1	15.96	15.81	15.61	0
			256QAM	1	1	15.34	15.19	15.06	0.5
		CP	QPSK	1	1	16.12	15.87	15.70	0

NR FDD Band n7 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502000	507000	512000	
						2510 MHz	2535 MHz	2560 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.86	15.60	15.62	0
				1	53	15.75	15.63	15.35	0
				1	104	15.67	15.60	15.16	0
				50	0	15.71	15.64	15.49	0
				50	28	15.76	15.69	15.43	0
				50	56	15.72	15.57	15.37	0
				100	0	15.78	15.74	15.51	0
			QPSK	1	1	15.97	15.70	15.55	0
				1	53	15.89	15.67	15.49	0
				1	104	15.73	15.61	15.27	0
				50	0	15.84	15.66	15.47	0
				50	28	15.88	15.78	15.50	0
				50	56	15.76	15.67	15.28	0
				100	0	15.88	15.74	15.52	0
			16QAM	1	1	15.85	15.53	15.46	0
			64QAM	1	1	15.99	15.76	15.60	0
			256QAM	1	1	15.33	15.00	15.01	0.5
		CP	QPSK	1	1	16.16	15.85	15.80	0

NR FDD Band n7 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						502500		511500	
						2512.5 MHz		2557.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.09		15.69	0
				1	67	15.99		15.40	0
				1	131	15.97		15.31	0
				64	0	15.86		15.61	0
				64	35	15.90		15.46	0
				64	39	15.90		15.46	0
			QPSK	128	0	15.92		15.52	0
				1	1	16.15		15.69	0
				1	67	15.99		15.58	0
				1	131	15.94		15.33	0
				64	0	16.03		15.51	0
				64	35	16.03		15.49	0
				64	69	15.92		15.40	0
				128	0	15.98		15.59	0
			16QAM	1	1	15.97		15.70	0
			64QAM	1	1	16.21		15.84	0
			256QAM	1	1	15.58		15.23	0.5
		CP	QPSK	1	1	16.28		15.90	0

NR FDD Band n7 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						503000		511000	
						2515 MHz		2555 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.95		15.80	0
				1	80	15.73		15.41	0
				1	158	15.83		15.32	0
				80	0	15.79		15.59	0
				80	40	15.78		15.54	0
				80	80	15.70		15.41	0
			QPSK	160	0	15.77		15.49	0
				1	1	16.04		15.66	0
				1	80	15.87		15.56	0
				1	158	15.88		15.40	0
				80	0	15.87		15.63	0
				80	40	15.90		15.54	0
				80	80	15.84		15.35	0
				160	0	15.89		15.51	0
			16QAM	1	1	15.89		15.60	0
			64QAM	1	1	16.02		15.80	0
			256QAM	1	1	15.36		15.16	0.5
		CP	QPSK	1	1	16.12		15.85	0

NR FDD Band n7 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	15.64	0
				1	98	15.69	0
				1	186	15.38	0
				90	0	15.71	0
				90	45	15.77	0
				90	90	15.64	0
				180	0	15.63	0
			QPSK	1	1	15.66	0
				1	98	15.79	0
				1	186	15.55	0
				90	0	15.73	0
				90	45	15.82	0
				90	90	15.65	0
				180	0	15.77	0
			16QAM	1	1	15.73	0
			64QAM	1	1	15.90	0
			256QAM	1	1	15.31	0.5
		CP	QPSK	1	1	15.97	0

NR FDD Band n7 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						507000	
						2535 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.17	0
				1	108	16.05	0
				1	214	16.03	0
				108	0	16.04	0
				108	54	15.91	0
				108	108	15.98	0
				216	0	16.03	0
			QPSK	1	1	16.17	0
				1	108	16.06	0
				1	214	16.05	0
				108	0	16.07	0
				108	54	16.12	0
				108	108	16.10	0
				216	0	16.04	0
			16QAM	1	1	16.07	0
			64QAM	1	1	16.14	0
			256QAM	1	1	15.55	0.5
		CP	QPSK	1	1	16.32	0

4. NR FDD Band n12 Maximum Conducted Power

NR FDD Band n12 Conducted Power_ Measured P_{max} , DSI = 0 (free), DSI = 1 (RCV) _ MAIN1

Antenna

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.68	23.75	23.61	0
				1	13	23.80	23.78	23.67	0
				1	23	23.69	23.67	23.54	0
				12	0	23.13	23.29	23.10	0.5
				12	7	23.75	23.81	23.71	0
				12	13	23.21	23.18	23.09	0.5
			QPSK	25	0	23.21	23.29	23.11	0.5
				1	1	23.63	23.69	23.70	0
				1	13	23.72	23.85	23.70	0
				1	23	23.73	23.72	23.59	0
				12	0	22.61	22.76	22.68	1
				12	7	23.66	23.72	23.73	0
				12	13	22.72	22.76	22.60	1
				25	0	22.65	22.79	22.73	1
			16QAM	1	1	22.54	22.62	22.66	1
			64QAM	1	1	21.41	21.42	21.45	2.5
			256QAM	1	1	18.70	18.73	18.56	4.5
		CP	QPSK	1	1	22.19	22.23	22.31	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						141500		
						707.5 MHz		
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.70		0
				1	26	23.57		0
				1	50	23.72		0
				25	0	23.20		0.5
				25	14	23.71		0
				25	27	23.18		0.5
			QPSK	50	0	23.19		0.5
				1	1	23.83		0
				1	26	23.92		0
				1	50	23.85		0
				25	0	22.77		1
				25	14	23.82		0
				25	27	22.69		1
				50	0	22.72		1
			16QAM	1	1	22.59		1
			64QAM	1	1	21.42		2.5
			256QAM	1	1	18.58		4.5
		CP	QPSK	1	1	22.32		1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.75	0
				1	40	23.69	0
				1	77	23.73	0
				36	0	23.11	0.5
				36	22	23.76	0
				36	43	23.21	0.5
				75	0	23.24	0.5
			QPSK	1	1	23.75	0
				1	40	23.78	0
				1	77	23.79	0
				36	0	22.71	1
				36	22	23.86	0
				36	43	22.66	1
				75	0	22.69	1
			16QAM	1	1	22.63	1
			64QAM	1	1	21.26	2.5
			256QAM	1	1	18.64	4.5
		CP	QPSK	1	1	22.15	1.5

NR FDD Band n12 Conducted Power_ Measured P_{max} , DSI = 0 (free) _ SUB1 Antenna

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.72	23.71	23.77	0
				1	13	23.83	23.83	23.90	0
				1	23	23.74	23.76	23.80	0
				12	0	23.21	23.16	23.34	0.5
				12	7	23.85	23.58	23.89	0
				12	13	23.30	23.16	23.27	0.5
				25	0	23.26	23.08	23.35	0.5
			QPSK	1	1	23.80	22.70	23.18	0
				1	13	23.11	22.76	23.67	0
				1	23	23.25	22.86	23.04	0
				12	0	22.71	21.75	22.50	1
				12	7	23.32	22.67	23.51	0
				12	13	22.30	21.81	22.41	1
				25	0	22.52	21.77	22.48	1
			16QAM	1	1	22.64	21.72	22.21	1
			64QAM	1	1	21.48	20.57	20.99	2.5
			256QAM	1	1	18.70	18.67	18.77	4.5
		CP	QPSK	1	1	22.40	21.49	21.94	1.5

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.77	0
				1	26	23.83	0
				1	50	23.86	0
				25	0	23.32	0.5
				25	14	23.61	0
				25	27	23.42	0.5
				50	0	23.26	0.5
			QPSK	1	1	23.05	0
				1	26	22.77	0
				1	50	23.35	0
				25	0	21.93	1
				25	14	22.67	0
				25	27	22.01	1
				50	0	21.90	1
			16QAM	1	1	22.17	1
			64QAM	1	1	21.05	2.5
			256QAM	1	1	18.70	4.5
		CP	QPSK	1	1	21.91	1.5

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.78	0
				1	40	23.89	0
				1	77	23.79	0
				36	0	23.32	0.5
				36	22	23.78	0
				36	43	23.37	0.5
				75	0	23.35	0.5
			QPSK	1	1	23.83	0
				1	40	22.91	0
				1	77	23.67	0
				36	0	22.30	1
				36	22	23.81	0
				36	43	22.42	1
				75	0	22.25	1
			16QAM	1	1	22.61	1
			64QAM	1	1	21.43	2.5
			256QAM	1	1	18.73	4.5
		CP	QPSK	1	1	22.26	1.5

NR FDD Band n12 Conducted Power_ Measured DSI = 1 (RCV) _ SUB1 Antenna

NR FDD Band n12_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						140300	141500	142700	
						701.5 MHz	707.5 MHz	713.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.12	20.19	19.95	0
				1	13	20.14	20.27	19.97	0
				1	23	20.12	20.15	19.97	0
				12	0	20.03	20.22	19.99	0
				12	7	20.12	20.29	19.95	0
				12	13	20.13	20.18	20.00	0
				25	0	20.08	20.23	20.00	0
			QPSK	1	1	20.12	20.15	20.04	0
				1	13	20.13	20.26	20.12	0
				1	23	20.12	20.13	20.06	0
				12	0	20.07	20.17	20.05	0
				12	7	20.04	20.20	19.98	0
				12	13	20.09	20.29	19.96	0
				25	0	20.11	20.15	20.08	0
			16QAM	1	1	20.14	20.23	20.12	0
			64QAM	1	1	20.24	20.27	20.20	0
			256QAM	1	1	18.77	18.88	18.72	1.2
		CP	QPSK	1	1	20.26	20.37	20.23	0

NR FDD Band n12_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.27	0
				1	26	20.20	0
				1	50	20.15	0
				25	0	20.25	0
				25	14	20.27	0
				25	27	20.18	0
				50	0	20.19	0
			QPSK	1	1	20.29	0
				1	26	20.30	0
				1	50	20.23	0
				25	0	20.12	0
				25	14	20.32	0
				25	27	20.22	0
				50	0	20.22	0
			16QAM	1	1	20.18	0
			64QAM	1	1	20.31	0
			256QAM	1	1	18.75	1.2
		CP	QPSK	1	1	20.29	0

NR FDD Band n12_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						141500	
						707.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.10	0
				1	40	20.13	0
				1	77	20.16	0
				36	0	20.10	0
				36	22	20.26	0
				36	43	20.04	0
				75	0	20.17	0
			QPSK	1	1	20.33	0
				1	40	20.24	0
				1	77	20.28	0
				36	0	20.15	0
				36	22	20.28	0
				36	43	20.12	0
				75	0	20.09	0
			16QAM	1	1	20.05	0
			64QAM	1	1	20.18	0
			256QAM	1	1	18.77	1.2
		CP	QPSK	1	1	20.28	0

5. NR FDD Band n14 Maximum Conducted Power

NR FDD Band n14 Conducted Power_ Measured P_{max} DSI = 0 (free), DSI = 1 (RCV) _ MAIN1

Antenna

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.68	0
				1	26	24.78	0
				1	50	24.67	0
				25	0	24.23	0.5
				25	14	24.71	0
				25	27	24.20	0.5
			QPSK	50	0	24.19	0.5
				1	1	24.38	0
				1	26	24.21	0
				1	50	24.20	0
				25	0	23.40	1
				25	14	24.22	0
				25	27	23.31	1
				50	0	23.33	1
			16QAM	1	1	23.36	1
			64QAM	1	1	22.35	2.5
			256QAM	1	1	19.68	4.5
		CP	QPSK	1	1	23.14	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.71	0
				1	26	24.59	0
				1	50	24.58	0
				25	0	24.16	0.5
				25	14	24.71	0
				25	27	24.13	0.5
			QPSK	50	0	24.15	0.5
				1	1	24.70	0
				1	26	24.44	0
				1	50	24.47	0
				25	0	23.62	1
				25	14	24.42	0
				25	27	23.41	1
				50	0	23.46	1
			16QAM	1	1	23.46	1
			64QAM	1	1	22.31	2.5
			256QAM	1	1	19.58	4.5
		CP	QPSK	1	1	23.17	1.5

NR FDD Band n14 Conducted Power_ Measured P_{max} , DSI = 0 (free) _ SUB1 Antenna

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.86	0
				1	26	24.93	0
				1	50	24.86	0
				25	0	24.20	0.5
				25	14	24.92	0
				25	27	24.28	0.5
				50	0	24.38	0.5
			QPSK	1	1	24.66	0
				1	26	24.41	0
				1	50	24.26	0
				25	0	23.78	1
				25	14	24.41	0
				25	27	23.46	1
				50	0	23.75	1
			16QAM	1	1	23.59	1
			64QAM	1	1	22.47	2.5
			256QAM	1	1	19.85	4.5
		CP	QPSK	1	1	23.47	1.5

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.77	0
				1	26	24.62	0
				1	50	24.70	0
				25	0	24.25	0.5
				25	14	24.85	0
				25	27	24.25	0.5
				50	0	24.34	0.5
			QPSK	1	1	24.96	0
				1	26	24.60	0
				1	50	24.58	0
				25	0	23.81	1
				25	14	24.68	0
				25	27	23.83	1
				50	0	23.83	1
			16QAM	1	1	23.71	1
			64QAM	1	1	22.43	2.5
			256QAM	1	1	19.78	4.5
		CP	QPSK	1	1	23.40	1.5

NR FDD Band n14 Conducted Power_ Measured DSI = 1 (RCV) _ SUB1 Antenna

NR FDD Band n14_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.24	0
				1	26	21.06	0
				1	50	21.02	0
				25	0	20.94	0
				25	14	20.92	0
				25	27	20.90	0
			QPSK	50	0	20.95	0
				1	1	21.04	0
				1	26	20.97	0
				1	50	20.95	0
				25	0	20.97	0
				25	14	20.96	0
				25	27	20.96	0
				50	0	20.99	0
			16QAM	1	1	20.92	0
			64QAM	1	1	21.28	0
			256QAM	1	1	19.73	1
		CP	QPSK	1	1	21.12	0

NR FDD Band n14_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						158600	
						793 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.08	0
				1	26	20.90	0
				1	50	21.12	0
				25	0	21.01	0
				25	14	21.04	0
				25	27	21.00	0
			QPSK	50	0	21.04	0
				1	1	21.12	0
				1	26	21.15	0
				1	50	21.08	0
				25	0	21.08	0
				25	14	21.16	0
				25	27	21.03	0
				50	0	21.07	0
			16QAM	1	1	21.17	0
			64QAM	1	1	21.30	0
			256QAM	1	1	19.77	1
		CP	QPSK	1	1	21.29	0

6. NR FDD Band n25 Maximum Conducted Power

NR FDD Band n25 Conducted Power_ Measured P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96	24.01	24.11	0
				1	13	23.87	24.04	24.20	0
				1	23	23.94	24.08	24.17	0
				12	0	23.30	23.58	23.69	0.5
				12	7	23.82	24.07	24.24	0
				12	13	23.28	23.50	23.72	0.5
				25	0	23.37	23.55	23.77	0.5
			QPSK	1	1	23.93	24.13	24.12	0
				1	13	23.89	24.11	24.29	0
				1	23	23.89	24.07	24.25	0
				12	0	22.90	23.06	23.19	1
				12	7	23.90	24.10	24.19	0
				12	13	22.85	23.09	23.11	1
				25	0	22.88	23.06	23.22	1
			16QAM	1	1	22.96	23.10	22.89	1
			64QAM	1	1	21.60	21.85	21.95	2.5
			256QAM	1	1	18.90	19.03	19.20	4.5
		CP	QPSK	1	1	22.61	22.65	22.96	1.5

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.18	24.07	24.15	0
				1	26	23.99	24.02	24.28	0
				1	50	24.05	24.13	24.28	0
				25	0	23.46	23.54	23.68	0.5
				25	14	24.09	24.18	24.23	0
				25	27	23.46	23.57	23.74	0.5
				50	0	23.54	23.59	23.70	0.5
			QPSK	1	1	24.01	24.11	24.12	0
				1	26	24.00	24.15	24.17	0
				1	50	24.04	24.20	24.24	0
				25	0	23.00	23.17	23.17	1
				25	14	24.10	24.18	24.24	0
				25	27	23.04	23.12	23.21	1
				50	0	23.04	23.08	23.28	1
			16QAM	1	1	22.98	22.92	23.05	1
			64QAM	1	1	21.60	21.66	21.76	2.5
			256QAM	1	1	18.99	19.08	19.08	4.5
		CP	QPSK	1	1	22.59	22.58	22.61	1.5

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.08	23.98	24.13	0
				1	40	23.91	24.04	24.20	0
				1	77	23.95	24.06	24.26	0
				36	0	23.47	23.58	23.68	0.5
				36	22	23.99	24.22	24.22	0
				36	43	23.49	23.59	23.73	0.5
			QPSK	75	0	23.52	23.65	23.79	0.5
				1	1	24.01	24.05	24.23	0
				1	40	23.92	23.91	24.05	0
				1	77	23.92	24.25	24.35	0
				36	0	23.00	23.13	23.18	1
				36	22	23.98	24.09	24.26	0
				36	43	22.97	23.18	23.29	1
				75	0	23.00	23.16	23.32	1
			16QAM	1	1	23.01	23.02	23.04	1
			64QAM	1	1	21.79	21.84	21.87	2.5
			256QAM	1	1	19.07	19.04	19.29	4.5
		CP	QPSK	1	1	22.61	22.56	22.77	1.5

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.93	24.00	24.25	0
				1	53	23.99	24.12	24.24	0
				1	104	24.05	24.32	24.40	0
				50	0	23.43	23.56	23.65	0.5
				50	28	24.10	24.22	24.35	0
				50	56	23.54	23.70	23.88	0.5
			QPSK	100	0	23.55	23.76	23.79	0.5
				1	1	24.04	24.02	24.43	0
				1	53	24.02	24.10	24.26	0
				1	104	24.13	24.17	24.39	0
				50	0	23.05	23.08	23.29	1
				50	28	24.02	24.13	24.22	0
				50	56	23.02	23.17	23.27	1
				100	0	23.13	23.31	23.42	1
			16QAM	1	1	22.91	22.99	23.22	1
			64QAM	1	1	21.68	21.66	21.97	2.5
			256QAM	1	1	18.95	18.97	19.23	4.5
		CP	QPSK	1	1	22.58	22.54	22.88	1.5

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01		24.28	0
				1	66	24.03		24.22	0
				1	131	24.07		24.36	0
				64	0	23.49		23.86	0.5
				64	35	24.06		24.41	0
				64	69	23.56		23.73	0.5
			QPSK	128	0	23.51		23.84	0.5
				1	1	24.02		24.30	0
				1	66	24.07		24.44	0
				1	131	24.15		24.38	0
				64	0	23.05		23.37	1
				64	35	24.00		24.27	0
				64	69	23.03		23.26	1
				128	0	23.08		23.36	1
			16QAM	1	1	22.97		23.15	1
			64QAM	1	1	21.78		21.95	2.5
			256QAM	1	1	19.05		19.31	4.5
		CP	QPSK	1	1	22.67		22.82	1.5

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.02		24.32	0
				1	80	24.11		24.29	0
				1	158	24.08		24.32	0
				80	0	23.49		23.81	0.5
				80	40	24.03		24.33	0
				80	80	23.65		23.78	0.5
			QPSK	160	0	23.51		23.88	0.5
				1	1	24.15		24.35	0
				1	80	24.12		24.40	0
				1	158	24.17		24.43	0
				80	0	23.11		23.33	1
				80	40	24.00		24.33	0
				80	80	23.18		23.28	1
				160	0	23.07		23.40	1
			16QAM	1	1	23.00		23.08	1
			64QAM	1	1	21.64		21.95	2.5
			256QAM	1	1	19.13		19.17	4.5
		CP	QPSK	1	1	22.70		22.83	1.5

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.93	0
				1	98	24.08	0
				1	186	24.01	0
				90	0	23.47	0.5
				90	45	24.15	0
				90	90	23.65	0.5
				180	0	23.55	0.5
			QPSK	1	1	24.06	0
				1	98	24.34	0
				1	186	24.25	0
				90	0	23.07	1
				90	45	24.11	0
				90	90	23.25	1
				180	0	23.18	1
			16QAM	1	1	22.95	1
			64QAM	1	1	21.67	2.5
			256QAM	1	1	18.86	4.5
		CP	QPSK	1	1	22.58	1.5

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.89	0
				1	108	23.95	0
				1	214	24.07	0
				108	0	23.45	0.5
				108	54	24.17	0
				108	108	23.65	0.5
				216	0	23.49	0.5
			QPSK	1	1	23.90	0
				1	108	24.00	0
				1	214	24.38	0
				108	0	23.04	1
				108	54	24.12	0
				108	108	23.12	1
				216	0	23.15	1
			16QAM	1	1	22.95	1
			64QAM	1	1	21.69	2.5
			256QAM	1	1	18.94	4.5
		CP	QPSK	1	1	22.54	1.5

NR FDD Band n25 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.53	19.67	19.73	0
				1	13	19.50	19.63	19.79	0
				1	23	19.54	19.69	19.86	0
				12	0	19.57	19.70	19.89	0
				12	7	19.61	19.73	19.89	0
				12	13	19.53	19.67	19.84	0
				25	0	19.53	19.73	19.92	0
			QPSK	1	1	19.61	19.77	19.77	0
				1	13	19.59	19.75	19.99	0
				1	23	19.56	19.82	19.89	0
				12	0	19.61	19.75	19.83	0
				12	7	19.62	19.74	19.89	0
				12	13	19.47	19.69	19.91	0
				25	0	19.57	19.74	19.82	0
			16QAM	1	1	19.59	19.73	19.83	0
			64QAM	1	1	19.85	19.84	19.96	0
			256QAM	1	1	19.15	19.25	19.38	0
		CP	QPSK	1	1	19.93	19.83	19.93	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.68	19.59	19.86	0
				1	26	19.60	19.67	19.95	0
				1	50	19.56	19.59	19.87	0
				25	0	19.60	19.67	19.85	0
				25	14	19.69	19.76	19.99	0
				25	27	19.66	19.69	19.91	0
				50	0	19.62	19.66	19.81	0
			QPSK	1	1	19.73	19.70	19.95	0
				1	26	19.71	19.78	19.80	0
				1	50	19.62	19.73	19.95	0
				25	0	19.71	19.65	19.87	0
				25	14	19.71	19.71	19.93	0
				25	27	19.63	19.78	19.97	0
				50	0	19.66	19.77	19.88	0
			16QAM	1	1	19.58	19.55	19.66	0
			64QAM	1	1	19.77	19.84	19.91	0
			256QAM	1	1	19.10	19.12	19.29	0
		CP	QPSK	1	1	19.88	19.75	19.90	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.69	19.59	19.80	0
				1	40	19.48	19.68	19.77	0
				1	77	19.45	19.70	19.95	0
				36	0	19.57	19.59	19.80	0
				36	22	19.58	19.76	19.93	0
				36	43	19.56	19.72	19.92	0
			QPSK	75	0	19.59	19.72	19.93	0
				1	1	19.64	19.72	19.74	0
				1	40	19.54	19.60	19.85	0
				1	77	19.50	19.79	19.85	0
				36	0	19.55	19.65	19.84	0
				36	22	19.56	19.67	19.89	0
				36	43	19.51	19.74	19.88	0
				75	0	19.62	19.65	19.82	0
			16QAM	1	1	19.57	19.71	19.82	0
			64QAM	1	1	19.87	19.87	19.97	0
			256QAM	1	1	19.23	19.15	19.27	0
		CP	QPSK	1	1	19.89	19.76	19.85	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.60	19.61	19.85	0
				1	53	19.60	19.64	19.97	0
				1	104	19.53	19.78	19.83	0
				50	0	19.64	19.60	19.82	0
				50	28	19.63	19.71	19.92	0
				50	56	19.55	19.76	19.98	0
			QPSK	100	0	19.64	19.74	19.96	0
				1	1	19.67	19.69	19.91	0
				1	53	19.67	19.71	19.86	0
				1	104	19.69	19.85	19.93	0
				50	0	19.67	19.66	19.83	0
				50	28	19.61	19.71	19.92	0
				50	56	19.61	19.75	19.96	0
				100	0	19.72	19.76	19.92	0
			16QAM	1	1	19.41	19.49	19.73	0
			64QAM	1	1	19.71	19.66	19.89	0
			256QAM	1	1	19.06	19.13	19.24	0
		CP	QPSK	1	1	19.85	19.90	19.86	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.70		19.91	0
				1	66	19.68		19.84	0
				1	131	19.71		19.97	0
				64	0	19.64		19.84	0
				64	35	19.74		19.94	0
				64	69	19.67		19.88	0
				128	0	19.69		19.91	0
			QPSK	1	1	19.67		19.89	0
				1	66	19.75		19.80	0
				1	131	19.69		19.84	0
				64	0	19.59		19.94	0
				64	35	19.69		19.92	0
				64	69	19.65		19.92	0
				128	0	19.66		19.96	0
			16QAM	1	1	19.71		19.92	0
			64QAM	1	1	19.83		19.87	0
			256QAM	1	1	19.10		19.39	0
		CP	QPSK	1	1	19.71		19.84	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.84		19.92	0
				1	80	19.71		19.96	0
				1	158	19.81		19.84	0
				80	0	19.69		19.87	0
				80	40	19.79		19.91	0
				80	80	19.82		19.98	0
				160	0	19.69		19.94	0
			QPSK	1	1	19.89		19.95	0
				1	80	19.75		19.93	0
				1	158	19.95		19.95	0
				80	0	19.82		19.96	0
				80	40	19.73		19.92	0
				80	80	19.66		19.86	0
				160	0	19.72		19.91	0
			16QAM	1	1	19.69		19.78	0
			64QAM	1	1	19.89		19.92	0
			256QAM	1	1	19.16		19.37	0
		CP	QPSK	1	1	19.90		19.98	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.57	0
				1	98	19.89	0
				1	186	19.83	0
				90	0	19.68	0
				90	45	19.91	0
				90	90	19.88	0
				180	0	19.76	0
			QPSK	1	1	19.62	0
				1	98	19.86	0
				1	186	19.95	0
				90	0	19.63	0
				90	45	19.74	0
				90	90	19.93	0
				180	0	19.75	0
			16QAM	1	1	19.63	0
			64QAM	1	1	19.88	0
			256QAM	1	1	19.08	0
		CP	QPSK	1	1	19.92	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.58	0
				1	108	19.65	0
				1	214	19.73	0
				108	0	19.63	0
				108	54	19.84	0
				108	108	19.81	0
				216	0	19.73	0
			QPSK	1	1	19.58	0
				1	108	19.66	0
				1	214	20.07	0
				108	0	19.69	0
				108	54	20.12	0
				108	108	19.80	0
				216	0	19.73	0
			16QAM	1	1	19.60	0
			64QAM	1	1	19.87	0
			256QAM	1	1	19.08	0
		CP	QPSK	1	1	19.99	0

NR FDD Band n25 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.16	18.16	17.99	0
				1	13	18.03	18.14	17.92	0
				1	23	18.10	18.08	17.90	0
				12	0	18.06	18.16	17.91	0
				12	7	18.14	18.18	18.03	0
				12	13	18.07	18.01	17.98	0
				25	0	18.10	18.03	17.97	0
			QPSK	1	1	18.14	18.14	17.88	0
				1	13	18.20	18.06	18.01	0
				1	23	18.15	18.05	17.94	0
				12	0	18.09	18.11	17.90	0
				12	7	18.20	18.14	17.93	0
				12	13	18.15	17.99	17.94	0
				25	0	18.11	18.04	17.92	0
			16QAM	1	1	18.11	18.22	17.94	0
			64QAM	1	1	18.07	18.34	17.84	0
			256QAM	1	1	18.16	17.60	18.02	0.5
		CP	QPSK	1	1	18.14	18.24	18.02	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.22	17.98	17.92	0
				1	26	18.24	18.20	18.11	0
				1	50	18.22	18.19	18.07	0
				25	0	18.24	18.07	18.00	0
				25	14	18.25	18.16	18.06	0
				25	27	18.19	18.01	18.02	0
				50	0	18.14	18.10	17.95	0
			QPSK	1	1	18.24	18.17	17.95	0
				1	26	18.18	18.13	18.05	0
				1	50	18.15	18.12	18.10	0
				25	0	18.14	18.10	17.97	0
				25	14	18.30	18.16	18.06	0
				25	27	18.19	18.10	17.92	0
				50	0	18.12	18.07	17.99	0
			16QAM	1	1	18.24	18.10	17.92	0
			64QAM	1	1	18.29	18.23	18.07	0
			256QAM	1	1	17.59	17.52	17.37	0.5
		CP	QPSK	1	1	18.43	18.13	17.90	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.30	18.21	18.17	0
				1	40	18.23	18.21	18.02	0
				1	77	18.20	18.22	18.08	0
				36	0	18.08	18.23	18.06	0
				36	22	18.13	18.30	18.12	0
				36	43	18.18	18.14	17.99	0
			QPSK	75	0	18.08	18.21	18.04	0
				1	1	18.25	18.30	18.13	0
				1	40	18.15	18.22	18.13	0
				1	77	18.16	18.14	18.16	0
				36	0	18.18	18.19	18.05	0
				36	22	18.32	18.29	18.10	0
				36	43	18.08	18.17	18.04	0
				75	0	18.13	18.09	18.05	0
			16QAM	1	1	18.23	18.18	18.22	0
			64QAM	1	1	18.43	18.38	18.29	0
			256QAM	1	1	17.64	17.63	18.03	0.5
		CP	QPSK	1	1	18.50	18.45	18.12	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.12	18.24	18.15	0
				1	53	18.17	18.29	18.11	0
				1	104	18.18	18.06	18.11	0
				50	0	18.04	18.14	18.02	0
				50	28	18.29	18.28	18.14	0
				50	56	18.13	18.17	18.09	0
			QPSK	100	0	18.21	18.22	18.06	0
				1	1	18.15	18.37	18.11	0
				1	53	18.16	18.20	18.06	0
				1	104	18.13	18.17	18.11	0
				50	0	18.14	18.22	18.10	0
				50	28	18.18	18.20	18.17	0
				50	56	18.20	18.14	18.02	0
				100	0	18.17	18.13	18.12	0
			16QAM	1	1	18.14	18.22	18.13	0
			64QAM	1	1	18.30	18.22	18.29	0
			256QAM	1	1	17.56	18.13	17.61	0.5
		CP	QPSK	1	1	18.39	18.20	18.47	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.19		18.30	0
				1	66	18.28		18.19	0
				1	131	18.35		18.31	0
				64	0	18.10		18.04	0
				64	35	18.26		18.25	0
				64	69	18.16		18.17	0
				128	0	18.10		18.05	0
			QPSK	1	1	18.29		18.23	0
				1	66	18.16		18.34	0
				1	131	18.42		18.31	0
				64	0	18.14		18.16	0
				64	35	18.25		18.10	0
				64	69	18.22		18.11	0
				128	0	18.16		18.09	0
			16QAM	1	1	18.30		18.26	0
			64QAM	1	1	18.33		18.35	0
			256QAM	1	1	17.69		17.61	0.5
		CP	QPSK	1	1	18.57		18.39	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.25		18.46	0
				1	80	18.28		18.13	0
				1	158	18.42		18.35	0
				80	0	18.26		18.26	0
				80	40	18.36		18.23	0
				80	80	18.24		18.13	0
				160	0	18.25		18.19	0
			QPSK	1	1	18.42		18.36	0
				1	80	18.46		18.31	0
				1	158	18.43		18.35	0
				80	0	18.27		18.29	0
				80	40	18.38		18.28	0
				80	80	18.27		18.17	0
				160	0	18.20		18.21	0
			16QAM	1	1	18.28		18.30	0
			64QAM	1	1	18.43		18.42	0
			256QAM	1	1	17.74		18.22	0.5
		CP	QPSK	1	1	18.56		18.45	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.23	0
				1	98	18.28	0
				1	186	18.10	0
				90	0	18.21	0
				90	45	18.38	0
				90	90	18.22	0
				180	0	18.17	0
			QPSK	1	1	18.25	0
				1	98	18.12	0
				1	186	18.11	0
				90	0	18.19	0
				90	45	18.32	0
				90	90	18.26	0
				180	0	18.23	0
			16QAM	1	1	18.18	0
			64QAM	1	1	18.27	0
			256QAM	1	1	17.59	0.5
		CP	QPSK	1	1	18.51	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.05	0
				1	108	18.23	0
				1	214	18.32	0
				108	0	18.25	0
				108	54	18.38	0
				108	108	18.18	0
				216	0	18.24	0
			QPSK	1	1	18.30	0
				1	108	18.21	0
				1	214	18.23	0
				108	0	18.23	0
				108	54	18.25	0
				108	108	18.15	0
				216	0	18.20	0
			16QAM	1	1	18.21	0
			64QAM	1	1	18.33	0
			256QAM	1	1	17.55	0.5
		CP	QPSK	1	1	18.41	0

NR FDD Band n25 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						370500	376500	382500	
						1852.5 MHz	1882.5 MHz	1912.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.70	16.76	16.78	0
				1	13	16.75	16.70	16.76	0
				1	23	16.67	16.55	16.71	0
				12	0	16.72	16.72	16.75	0
				12	7	16.83	16.75	16.72	0
				12	13	16.73	16.64	16.74	0
			QPSK	25	0	16.68	16.71	16.79	0
				1	1	16.74	16.84	16.84	0
				1	13	16.72	16.64	16.81	0
				1	23	16.74	16.56	16.85	0
				12	0	16.69	16.77	16.78	0
				12	7	16.74	16.77	16.81	0
				12	13	16.69	16.64	16.82	0
				25	0	16.66	16.71	16.77	0
			16QAM	1	1	16.80	16.83	16.75	0
			64QAM	1	1	16.89	16.99	16.87	0
			256QAM	1	1	16.24	16.23	15.77	0.5
		CP	QPSK	1	1	17.04	17.09	17.12	0

NR FDD Band n25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371000	376500	382000	
						1855 MHz	1882.5 MHz	1910 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.80	16.71	16.71	0
				1	26	16.83	16.71	16.93	0
				1	50	16.70	16.63	16.81	0
				25	0	16.80	16.74	16.75	0
				25	14	16.86	16.72	16.92	0
				25	27	16.78	16.68	16.80	0
				50	0	16.66	16.70	16.82	0
			QPSK	1	1	16.72	16.62	16.63	0
				1	26	16.84	16.76	17.00	0
				1	50	16.66	16.70	16.99	0
				25	0	16.78	16.65	16.78	0
				25	14	16.82	16.76	16.88	0
				25	27	16.76	16.68	16.80	0
				50	0	16.73	16.70	16.71	0
			16QAM	1	1	16.83	16.60	16.71	0
			64QAM	1	1	16.93	16.69	16.73	0
			256QAM	1	1	16.22	16.00	15.93	0.5
		CP	QPSK	1	1	17.07	16.92	16.91	0

NR FDD Band n25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						371500	376500	381500	
						1857.5 MHz	1882.5 MHz	1907.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.86	16.80	16.74	0
				1	40	16.73	16.75	16.94	0
				1	77	16.82	16.67	16.96	0
				36	0	16.71	16.72	16.75	0
				36	22	16.82	16.72	16.86	0
				36	43	16.76	16.65	16.74	0
			QPSK	75	0	16.64	16.71	16.71	0
				1	1	16.90	16.74	16.84	0
				1	40	16.67	16.58	16.89	0
				1	77	16.78	16.61	17.06	0
				36	0	16.66	16.63	16.80	0
				36	22	16.81	16.66	16.93	0
				36	43	16.73	16.74	16.84	0
				75	0	16.68	16.63	16.81	0
			16QAM	1	1	16.87	16.68	16.87	0
			64QAM	1	1	17.00	16.81	16.98	0
			256QAM	1	1	16.26	16.11	16.36	0.5
		CP	QPSK	1	1	17.12	16.88	17.10	0

NR FDD Band n25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372000	376500	381000	
						1860 MHz	1882.5 MHz	1905 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.76	16.61	16.77	0
				1	53	16.72	16.71	16.69	0
				1	104	16.80	16.75	16.94	0
				50	0	16.59	16.68	16.82	0
				50	28	16.57	16.66	16.89	0
				50	56	16.72	16.62	16.88	0
			QPSK	100	0	16.71	16.83	16.80	0
				1	1	16.86	16.73	16.95	0
				1	53	16.70	16.61	16.82	0
				1	104	16.66	16.61	17.04	0
				50	0	16.69	16.62	16.83	0
				50	28	16.80	16.63	16.92	0
				50	56	16.67	16.71	16.88	0
				100	0	16.82	16.75	16.92	0
			16QAM	1	1	16.75	16.64	16.91	0
			64QAM	1	1	16.83	16.75	17.06	0
			256QAM	1	1	16.15	16.10	16.30	0.5
		CP	QPSK	1	1	17.02	16.88	17.11	0

NR FDD Band n25 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						372500		380500	
						1862.5 MHz		1902.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.89		16.72	0
				1	66	16.66		16.96	0
				1	131	16.90		17.15	0
				64	0	16.66		16.80	0
				64	35	16.80		16.87	0
				64	69	16.68		16.87	0
				128	0	16.66		16.83	0
			QPSK	1	1	17.05		16.72	0
				1	66	16.72		17.06	0
				1	131	16.86		17.18	0
				64	0	16.72		16.72	0
				64	35	16.82		16.84	0
				64	69	16.73		16.95	0
				128	0	16.73		16.86	0
			16QAM	1	1	16.87		16.86	0
			64QAM	1	1	16.98		16.82	0
			256QAM	1	1	16.30		16.18	0.5
		CP	QPSK	1	1	17.21		17.01	0

NR FDD Band n25 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						373000		380000	
						1865 MHz		1900 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.96		16.92	0
				1	80	16.87		16.90	0
				1	158	16.97		17.04	0
				80	0	16.75		16.78	0
				80	40	16.79		16.99	0
				80	80	16.71		16.81	0
				160	0	16.74		16.94	0
			QPSK	1	1	16.92		16.86	0
				1	80	16.87		16.98	0
				1	158	16.97		17.16	0
				80	0	16.88		16.79	0
				80	40	16.88		16.95	0
				80	80	16.83		16.93	0
				160	0	16.87		16.91	0
			16QAM	1	1	16.80		16.76	0
			64QAM	1	1	17.00		16.87	0
			256QAM	1	1	16.40		16.16	0.5
		CP	QPSK	1	1	17.28		17.08	0

NR FDD Band n25 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.74	0
				1	98	16.74	0
				1	186	16.74	0
				90	0	16.81	0
				90	45	16.82	0
				90	90	16.74	0
				180	0	16.73	0
			QPSK	1	1	16.75	0
				1	98	16.80	0
				1	186	16.79	0
				90	0	16.76	0
				90	45	16.72	0
				90	90	16.71	0
				180	0	16.69	0
			16QAM	1	1	16.78	0
			64QAM	1	1	16.88	0
			256QAM	1	1	16.07	0.5
		CP	QPSK	1	1	17.02	0

NR FDD Band n25 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						376500	
						1882.5 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.82	0
				1	108	16.75	0
				1	214	16.99	0
				108	0	16.76	0
				108	54	16.79	0
				108	108	16.79	0
				216	0	16.73	0
			QPSK	1	1	16.95	0
				1	108	16.71	0
				1	214	16.77	0
				108	0	16.65	0
				108	54	16.70	0
				108	108	16.68	0
				216	0	16.81	0
			16QAM	1	1	16.87	0
			64QAM	1	1	16.89	0
			256QAM	1	1	16.11	0.5
		CP	QPSK	1	1	17.01	0

7. NR FDD Band n26 Maximum Conducted Power

NR FDD Band n26 Conducted Power_ Measured P_{max} , DSI = 0 (free), DSI = 1 (RCV) _ MAIN1

Antenna

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96	23.86	23.89	0
				1	13	24.05	23.93	23.94	0
				1	23	24.04	23.89	23.85	0
				12	0	23.43	23.41	23.39	0.5
				12	7	24.02	23.93	23.98	0
				12	13	23.40	23.38	23.32	0.5
			QPSK	25	0	23.46	23.45	23.34	0.5
				1	1	24.06	23.87	23.80	0
				1	13	24.02	24.00	23.95	0
				1	23	23.93	23.93	23.81	0
				12	0	22.97	22.76	22.81	1
				12	7	23.98	23.85	23.85	0
				12	13	22.86	22.89	22.76	1
				25	0	22.94	22.88	22.79	1
			16QAM	1	1	23.07	22.72	22.86	1
			64QAM	1	1	21.65	21.41	21.48	2.5
			256QAM	1	1	18.88	18.89	18.80	4.5
		CP	QPSK	1	1	22.51	22.53	22.38	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96	23.71	23.77	0
				1	26	23.94	23.83	23.77	0
				1	50	23.90	23.72	23.78	0
				25	0	23.38	23.38	23.28	0.5
				25	14	23.86	23.97	23.84	0
				25	27	23.36	23.36	23.32	0.5
			QPSK	50	0	23.43	23.36	23.33	0.5
				1	1	23.88	23.76	23.85	0
				1	26	23.97	23.93	23.85	0
				1	50	23.91	23.85	23.86	0
				25	0	22.94	22.80	22.77	1
				25	14	24.02	24.00	23.91	0
				25	27	22.85	22.89	22.83	1
				50	0	22.92	22.78	22.83	1
			16QAM	1	1	22.83	22.64	22.71	1
			64QAM	1	1	21.51	21.47	21.51	2.5
			256QAM	1	1	18.86	18.73	18.71	4.5
		CP	QPSK	1	1	22.50	22.33	22.29	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.96		23.87	0
				1	40	23.90		23.81	0
				1	77	23.84		23.85	0
				36	0	23.35		23.31	0.5
				36	22	23.97		23.82	0
				36	43	23.31		23.14	0.5
			QPSK	75	0	23.31		23.27	0.5
				1	1	23.96		23.85	0
				1	40	23.82		23.64	0
				1	77	23.95		23.74	0
				36	0	22.89		22.73	1
				36	22	23.94		23.83	0
				36	43	22.87		22.68	1
				75	0	22.81		22.77	1
			16QAM	1	1	22.78		22.69	1
			64QAM	1	1	21.53		21.47	2.5
			256QAM	1	1	18.87		18.84	4.5
		CP	QPSK	1	1	22.51		22.42	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.85	0
				1	53	23.86	0
				1	104	23.75	0
				50	0	23.24	0.5
				50	28	23.89	0
				50	56	23.25	0.5
			100	0	23.33	0.5	
			QPSK	1	1	24.15	0
				1	53	23.84	0
				1	104	23.77	0
				50	0	22.81	1
				50	28	23.97	0
				50	56	22.68	1
				100	0	22.84	1
				16QAM	1	1	22.60
			64QAM	1	1	21.38	2.5
			256QAM	1	1	18.86	4.5
		CP	QPSK	1	1	22.47	1.5

NR FDD Band n26 Conducted Power_ Measured P_{max} , DSI = 0 (free) _ SUB1 Antenna

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	23.85	23.80	0
				1	13	23.92	23.88	23.87	0
				1	23	23.83	23.81	23.70	0
				12	0	23.41	23.37	23.27	0.5
				12	7	23.96	24.00	23.91	0
				12	13	23.34	23.39	23.25	0.5
				25	0	23.44	23.31	23.31	0.5
			QPSK	1	1	24.12	24.07	23.84	0
				1	13	24.30	24.22	24.16	0
				1	23	24.20	24.05	23.91	0
				12	0	22.87	22.86	22.87	1
				12	7	23.90	23.89	23.81	0
				12	13	22.79	22.80	22.73	1
				25	0	22.86	22.84	22.74	1
			16QAM	1	1	22.87	22.85	22.75	1
			64QAM	1	1	21.68	21.58	21.47	2.5
			256QAM	1	1	18.84	18.79	18.84	4.5
		CP	QPSK	1	1	22.57	22.55	22.51	1.5

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	23.94	23.68	0
				1	26	23.86	23.82	23.86	0
				1	50	23.85	23.77	23.78	0
				25	0	23.41	23.39	23.22	0.5
				25	14	23.75	23.96	23.78	0
				25	27	23.36	23.37	23.25	0.5
				50	0	23.38	23.37	23.31	0.5
			QPSK	1	1	24.08	24.00	23.84	0
				1	26	24.19	24.16	23.77	0
				1	50	24.05	24.13	23.92	0
				25	0	22.84	22.87	22.77	1
				25	14	23.99	23.96	23.80	0
				25	27	22.86	22.87	22.69	1
				50	0	22.93	22.88	22.73	1
			16QAM	1	1	22.77	22.73	22.56	1
			64QAM	1	1	21.57	21.49	21.36	2.5
			256QAM	1	1	18.78	18.82	18.68	4.5
		CP	QPSK	1	1	22.45	22.44	22.39	1.5

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.90		23.78	0
				1	40	23.82		23.77	0
				1	77	23.91		23.67	0
				36	0	23.24		23.27	0.5
				36	22	23.81		23.83	0
				36	43	23.31		23.14	0.5
				75	0	23.34		23.19	0.5
			QPSK	1	1	24.07		24.17	0
				1	40	24.08		23.93	0
				1	77	24.09		23.95	0
				36	0	22.83		22.73	1
				36	22	23.83		23.76	0
				36	43	22.77		22.69	1
				75	0	22.81		22.73	1
			16QAM	1	1	22.75		22.64	1
			64QAM	1	1	21.54		21.39	2.5
			256QAM	1	1	18.79		18.80	4.5
		CP	QPSK	1	1	22.37		22.36	1.5

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						166300	
						831.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.64	0
				1	53	23.83	0
				1	104	23.70	0
				50	0	23.31	0.5
				50	28	23.83	0
				50	56	23.23	0.5
				100	0	23.39	0.5
			QPSK	1	1	24.01	0
				1	53	24.10	0
				1	104	24.05	0
				50	0	22.83	1
				50	28	23.89	0
				50	56	22.82	1
				100	0	22.91	1
			16QAM	1	1	22.70	1
			64QAM	1	1	21.44	2.5
			256QAM	1	1	18.73	4.5
		CP	QPSK	1	1	22.26	1.5

NR FDD Band n26 Conducted Power_ Measured DSI = 1 (RCV) _ SUB1 Antenna

NR FDD Band n26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163300	166300	169300	
						816.5 MHz	831.5 MHz	846.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.02	22.01	21.77	0
				1	13	22.16	22.03	21.91	0
				1	23	22.00	21.98	21.84	0
				12	0	21.96	22.03	21.85	0
				12	7	22.15	22.08	21.99	0
				12	13	22.01	21.93	21.84	0
			QPSK	25	0	22.04	21.97	21.77	0
				1	1	21.99	21.93	21.85	0
				1	13	22.16	22.13	21.92	0
				1	23	22.01	22.04	21.84	0
				12	0	21.96	21.99	21.84	0
				12	7	22.09	22.11	21.94	0
				12	13	21.98	21.97	21.79	0
				25	0	21.99	22.01	21.82	0
			16QAM	1	1	21.99	21.95	21.88	0
			64QAM	1	1	21.84	21.85	21.72	0.5
			256QAM	1	1	19.21	19.14	19.06	2.5
		CP	QPSK	1	1	22.17	22.10	21.98	0

NR FDD Band n26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						163800	166300	168800	
						819 MHz	831.5 MHz	844 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.16	22.05	21.92	0
				1	26	22.02	22.02	21.94	0
				1	50	22.05	21.95	21.77	0
				25	0	22.07	21.96	21.89	0
				25	14	22.09	22.08	21.90	0
				25	27	21.96	22.03	21.92	0
			QPSK	50	0	22.03	21.95	21.89	0
				1	1	22.08	22.05	21.98	0
				1	26	22.00	22.16	21.79	0
				1	50	22.13	22.18	21.86	0
				25	0	21.94	22.07	21.79	0
				25	14	22.16	22.09	21.88	0
				25	27	22.00	22.00	21.85	0
				50	0	22.03	21.88	21.78	0
			16QAM	1	1	22.08	21.99	21.75	0
			64QAM	1	1	21.89	21.81	21.70	0.5
			256QAM	1	1	19.12	19.06	19.03	2.5
		CP	QPSK	1	1	22.15	22.03	21.98	0

NR FDD Band n26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						164300		168300	
						821.5 MHz		841.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.04		22.01	0
				1	40	22.12		21.87	0
				1	77	22.14		21.85	0
				36	0	22.03		21.95	0
				36	22	22.05		21.87	0
				36	43	21.99		21.79	0
				75	0	22.03		21.81	0
			QPSK	1	1	22.12		21.98	0
				1	40	22.02		21.91	0
				1	77	22.05		21.86	0
				36	0	21.96		21.83	0
				36	22	22.04		21.86	0
				36	43	22.00		21.78	0
				75	0	22.00		21.82	0
			16QAM	1	1	22.01		21.79	0
			64QAM	1	1	21.88		21.82	0.5
			256QAM	1	1	19.20		19.18	2.5
		CP	QPSK	1	1	22.22		22.02	0

NR FDD Band n26 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]		MPR [dB]
						166300		
						831.5 MHz		
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.06	0	
				1	53	21.99	0	
				1	104	21.97	0	
				50	0	21.90	0	
				50	28	22.08	0	
				50	56	21.94	0	
				100	0	22.00	0	
			QPSK	1	1	22.02	0	
				1	53	22.10	0	
				1	104	21.92	0	
				50	0	22.05	0	
				50	28	21.98	0	
				50	56	21.86	0	
				100	0	22.08	0	
			16QAM	1	1	21.95	0	
			64QAM	1	1	21.91	0.5	
			256QAM	1	1	19.08	2.5	
		CP	QPSK	1	1	22.06	0	

8. NR FDD Band n30 Maximum Conducted Power

NR FDD Band n30 Conducted Power_ Measured P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.20	0
				1	13	22.09	0
				1	23	21.41	0
				12	0	22.17	0.5
				12	7	22.01	0
				12	13	21.30	0.5
			QPSK	25	0	21.28	0.5
				1	1	22.04	0
				1	13	22.13	0
				1	23	21.03	0
				12	0	21.43	1
				12	7	22.37	0
				12	13	21.47	1
				25	0	21.42	1
			16QAM	1	1	20.45	1
			64QAM	1	1	19.31	2.5
			256QAM	1	1	16.64	4.5
		CP	QPSK	1	1	20.27	1.5

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	22.18	0
				1	26	22.11	0
				1	50	21.40	0
				25	0	22.15	0.5
				25	14	22.03	0
				25	27	21.31	0.5
			QPSK	50	0	21.34	0.5
				1	1	22.16	0
				1	26	22.15	0
				1	50	21.09	0
				25	0	21.52	1
				25	14	22.43	0
				25	27	21.50	1
				50	0	21.48	1
			16QAM	1	1	20.42	1
			64QAM	1	1	19.27	2.5
			256QAM	1	1	16.63	4.5
		CP	QPSK	1	1	20.25	1.5

NR FDD Band n30 Conducted Power_ Measured DSI = 0 (free)_ MAIN1 Antenna

NR FDD Band n30_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.66	0
				1	13	19.56	0
				1	23	19.44	0
				12	0	19.64	0
				12	7	19.66	0
				12	13	19.49	0
				25	0	19.53	0
			QPSK	1	1	19.58	0
				1	13	19.52	0
				1	23	19.43	0
				12	0	19.65	0
				12	7	19.60	0
				12	13	19.59	0
				25	0	19.67	0
			16QAM	1	1	19.84	0
			64QAM	1	1	19.41	0
			256QAM	1	1	17.26	2.5
		CP	QPSK	1	1	19.96	0

NR FDD Band n30_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.71	0
				1	26	19.62	0
				1	50	19.43	0
				25	0	19.68	0
				25	14	19.61	0
				25	27	19.69	0
				50	0	19.66	0
			QPSK	1	1	19.61	0
				1	26	19.60	0
				1	50	19.25	0
				25	0	19.68	0
				25	14	19.71	0
				25	27	19.59	0
				50	0	19.71	0
			16QAM	1	1	19.87	0
			64QAM	1	1	19.32	0
			256QAM	1	1	17.23	2.5
		CP	QPSK	1	1	20.04	0

NR FDD Band n30 Conducted Power_ Measured DSI = 0 (free)_ SUB2 Antenna

Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.78	0
				1	13	18.89	0
				1	23	18.74	0
				12	0	18.77	0
				12	7	18.76	0
				12	13	18.73	0
				25	0	18.76	0
			QPSK	1	1	19.00	0
				1	13	19.10	0
				1	23	18.82	0
				12	0	18.85	0
				12	7	18.89	0
				12	13	18.79	0
				25	0	18.78	0
			16QAM	1	1	18.68	0
			64QAM	1	1	18.98	0
			256QAM	1	1	17.48	1.5
		CP	QPSK	1	1	18.93	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	18.78	0
				1	26	18.72	0
				1	50	18.68	0
				25	0	18.89	0
				25	14	18.89	0
				25	27	18.80	0
				50	0	18.91	0
			QPSK	1	1	19.19	0
				1	26	19.13	0
				1	50	18.85	0
				25	0	18.79	0
				25	14	18.87	0
				25	27	18.80	0
				50	0	18.83	0
			16QAM	1	1	18.67	0
			64QAM	1	1	19.00	0
			256QAM	1	1	17.44	1.5
		CP	QPSK	1	1	18.83	0

NR FDD Band n30 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

Band n30_ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.34	0
				1	13	16.38	0
				1	23	16.23	0
				12	0	16.26	0
				12	7	16.30	0
				12	13	16.26	0
				25	0	16.31	0
			QPSK	1	1	16.38	0
				1	13	16.46	0
				1	23	16.34	0
				12	0	16.38	0
				12	7	16.43	0
				12	13	16.32	0
				25	0	16.35	0
			16QAM	1	1	16.32	0
			64QAM	1	1	16.48	0
			256QAM	1	1	15.93	0.5
		CP	QPSK	1	1	16.47	0

NR FDD Band n30_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						462000	
						2310 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.31	0
				1	26	16.22	0
				1	50	16.17	0
				25	0	16.32	0
				25	14	16.37	0
				25	27	16.28	0
				50	0	16.36	0
			QPSK	1	1	16.66	0
				1	26	16.44	0
				1	50	16.44	0
				25	0	16.36	0
				25	14	16.41	0
				25	27	16.32	0
				50	0	16.38	0
			16QAM	1	1	16.29	0
			64QAM	1	1	16.54	0
			256QAM	1	1	15.80	0.5
		CP	QPSK	1	1	16.49	0

9. NR TDD Band n38 Maximum Conducted Power

NR TDD Band n38 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.46	18.70	18.55	0
				1	12	18.52	18.64	18.52	0
				1	22	18.57	18.69	18.59	0
				12	0	18.52	18.71	18.46	0
				12	6	18.54	18.73	18.52	0
				12	12	18.50	18.65	18.50	0
			QPSK	24	0	18.48	18.67	18.47	0
				1	1	18.51	18.77	18.55	0
				1	12	18.46	18.70	18.51	0
				1	22	18.51	18.66	18.59	0
				12	0	18.51	18.65	18.44	0
				12	6	18.57	18.70	18.55	0
				12	12	18.49	18.65	18.47	0
				24	0	18.47	18.64	18.44	0
			16QAM	1	1	18.28	18.79	18.67	0
			64QAM	1	1	18.38	18.74	18.55	0
			256QAM	1	1	17.69	17.84	17.69	0
		CP	QPSK	1	1	18.64	18.70	18.63	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.51	18.68	18.62	0
				1	18	18.57	18.67	18.54	0
				1	36	18.64	18.56	18.38	0
				18	0	18.52	18.66	18.54	0
				18	9	18.63	18.74	18.61	0
				18	18	18.51	18.63	18.41	0
			QPSK	36	0	18.51	18.63	18.48	0
				1	1	18.53	18.73	18.65	0
				1	18	18.62	18.70	18.49	0
				1	36	18.67	18.60	18.40	0
				18	0	18.53	18.62	18.52	0
				18	9	18.61	18.80	18.60	0
				18	18	18.53	18.63	18.42	0
				36	0	18.53	18.61	18.53	0
			16QAM	1	1	18.50	18.68	18.60	0
			64QAM	1	1	18.41	18.60	18.54	0
			256QAM	1	1	17.70	17.88	17.77	0
		CP	QPSK	1	1	18.54	18.71	18.59	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.49	18.64	18.54	0
				1	26	18.60	18.72	18.62	0
				1	49	18.54	18.53	18.43	0
				25	0	18.55	18.63	18.55	0
				25	13	18.62	18.71	18.64	0
				25	26	18.53	18.52	18.41	0
				50	0	18.60	18.70	18.65	0
			QPSK	1	1	18.47	18.67	18.56	0
				1	26	18.56	18.67	18.61	0
				1	49	18.57	18.51	18.34	0
				25	0	18.50	18.63	18.53	0
				25	13	18.59	18.68	18.61	0
				25	26	18.54	18.53	18.41	0
				50	0	18.60	18.69	18.58	0
			16QAM	1	1	18.61	18.74	18.63	0
			64QAM	1	1	18.43	18.63	18.62	0
			256QAM	1	1	17.64	17.84	17.81	0
		CP	QPSK	1	1	18.47	18.64	18.56	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.59		18.96	0
				1	32	18.78		18.69	0
				1	63	18.82		18.57	0
				32	0	18.68		18.75	0
				32	17	18.64		18.69	0
				32	33	18.70		18.49	0
				64	0	18.64		18.60	0
			QPSK	1	1	18.68		18.98	0
				1	32	18.72		18.66	0
				1	63	18.76		18.49	0
				32	0	18.64		18.73	0
				32	17	18.66		18.70	0
				32	33	18.72		18.54	0
				64	0	18.69		18.65	0
			16QAM	1	1	18.61		18.87	0
			64QAM	1	1	18.58		18.78	0
			256QAM	1	1	17.89		18.01	0
		CP	QPSK	1	1	18.72		18.86	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.66		18.99	0
				1	39	18.71		18.69	0
				1	76	18.75		18.54	0
				36	0	18.67		18.78	0
				36	21	18.81		18.69	0
				36	42	18.68		18.50	0
				75	0	18.70		18.66	0
			QPSK	1	1	18.74		19.01	0
				1	39	18.63		18.71	0
				1	76	18.67		18.51	0
				36	0	18.66		18.84	0
				36	21	18.80		18.72	0
				36	42	18.71		18.56	0
				75	0	18.68		18.69	0
			16QAM	1	1	18.51		18.85	0
			64QAM	1	1	18.66		18.85	0
			256QAM	1	1	17.95		18.11	0
		CP	QPSK	1	1	18.83		18.99	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						519000			
						2595 MHz			
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	18.76			0
				1	53	18.73			0
				1	104	18.53			0
				50	0	18.86			0
				50	28	18.78			0
				50	56	18.59			0
				100	0	18.81			0
			QPSK	1	1	18.76			0
				1	53	18.79			0
				1	104	18.54			0
				50	0	18.78			0
				50	28	18.79			0
				50	56	18.57			0
				100	0	18.89			0
			16QAM	1	1	18.75			0
			64QAM	1	1	18.66			0
			256QAM	1	1	17.96			0
		CP	QPSK	1	1	18.72			0

NR TDD Band n38 Conducted Power_ Measured DSI = 1 (RCV)_ SUB2 Antenna

NR TDD Band n38 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515000	519000	523000	
						2575 MHz	2595 MHz	2615 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.24	15.34	15.30	0
				1	12	15.23	15.30	15.30	0
				1	22	15.31	15.39	15.31	0
				12	0	15.17	15.29	15.34	0
				12	6	15.24	15.31	15.32	0
				12	12	15.23	15.31	15.33	0
				24	0	15.19	15.29	15.37	0
			QPSK	1	1	15.20	15.21	15.40	0
				1	12	15.06	15.17	15.36	0
				1	22	15.14	15.22	15.37	0
				12	0	15.15	15.27	15.36	0
				12	6	15.15	15.24	15.42	0
				12	12	14.96	15.25	15.35	0
				24	0	15.17	15.28	15.38	0
			16QAM	1	1	14.98	15.01	15.12	0
			64QAM	1	1	14.94	14.92	15.40	0
			256QAM	1	1	14.81	14.84	14.92	0.5
		CP	QPSK	1	1	15.35	15.41	15.53	0

NR TDD Band n38 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						515500	519000	522500	
						2577.5 MHz	2595 MHz	2612.5 MHz	
15 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.32	15.35	15.56	0
				1	18	15.29	15.31	15.50	0
				1	36	15.34	15.38	15.46	0
				18	0	15.21	15.29	15.52	0
				18	9	15.39	15.41	15.52	0
				18	18	15.25	15.05	14.53	0
				36	0	15.25	15.28	15.49	0
			QPSK	1	1	15.22	15.23	15.46	0
				1	18	15.16	15.21	15.51	0
				1	36	15.18	15.24	15.51	0
				18	0	15.22	15.29	15.50	0
				18	9	15.31	15.37	15.63	0
				18	18	15.27	15.29	15.51	0
				36	0	15.22	15.28	15.48	0
			16QAM	1	1	14.89	14.91	15.27	0
			64QAM	1	1	14.81	14.62	14.69	0
			256QAM	1	1	14.81	14.83	15.13	0.5
		CP	QPSK	1	1	15.46	15.44	15.74	0

NR TDD Band n38 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516000	519000	522000	
						2580 MHz	2595 MHz	2610 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.32	15.29	15.48	0
				1	26	15.42	15.35	15.43	0
				1	49	15.38	15.31	15.33	0
				25	0	15.32	15.30	15.48	0
				25	13	15.42	15.34	15.49	0
				25	26	15.34	15.29	15.45	0
				50	0	15.31	15.27	15.47	0
			QPSK	1	1	15.11	15.09	15.34	0
				1	26	15.22	15.17	15.43	0
				1	49	15.23	15.17	15.41	0
				25	0	15.26	15.24	15.48	0
				25	13	15.31	15.25	15.52	0
				25	26	14.05	14.33	14.77	0
				50	0	15.41	15.37	15.54	0
			16QAM	1	1	15.00	14.91	15.11	0
			64QAM	1	1	15.17	14.05	14.29	0
			256QAM	1	1	14.86	14.79	15.00	0.5
		CP	QPSK	1	1	15.40	15.37	15.63	0

NR TDD Band n38 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						516500		521500	
						2582.5 MHz		2607.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.69		15.63	0
				1	32	15.62		15.40	0
				1	63	15.54		15.43	0
				32	0	15.53		15.52	0
				32	17	15.61		15.48	0
				32	33	14.87		14.26	0
				64	0	15.52		15.50	0
			QPSK	1	1	15.47		15.42	0
				1	32	15.43		15.41	0
				1	63	15.38		15.48	0
				32	0	15.55		15.48	0
				32	17	15.54		15.53	0
				32	33	15.10		14.89	0
				64	0	15.50		15.52	0
			16QAM	1	1	15.31		15.26	0
			64QAM	1	1	14.32		14.07	0
			256QAM	1	1	15.11		15.08	0.5
		CP	QPSK	1	1	15.71		15.78	0

NR TDD Band n38 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						517000		521000	
						2585 MHz		2605 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.55		15.54	0
				1	39	15.48		15.47	0
				1	76	15.40		15.48	0
				36	0	15.39		15.41	0
				36	21	15.49		15.42	0
				36	42	14.36		15.55	0
				75	0	15.48		15.44	0
			QPSK	1	1	15.32		15.33	0
				1	39	15.31		15.29	0
				1	76	15.26		15.53	0
				36	0	15.39		15.39	0
				36	21	15.42		15.39	0
				36	42	15.09		15.45	0
				75	0	15.43		15.52	0
			16QAM	1	1	15.16		15.28	0
			64QAM	1	1	14.62		14.42	0
			256QAM	1	1	15.00		15.04	0.5
		CP	QPSK	1	1	15.60		15.77	0

NR TDD Band n38 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						519000			
						2595 MHz			
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	15.41			0
				1	53	15.28			0
				1	104	15.40			0
				50	0	15.42			0
				50	28	15.47			0
				50	56	15.01			0
				100	0	15.38			0
			QPSK	1	1	15.33			0
				1	53	15.30			0
				1	104	15.46			0
				50	0	15.41			0
				50	28	15.42			0
				50	56	15.39			0
				100	0	15.56			0
			16QAM	1	1	15.05			0
			64QAM	1	1	15.31			0
			256QAM	1	1	14.94			0.5
		CP	QPSK	1	1	15.54			0

10. NR TDD Band n41 Maximum Conducted Power

NR TDD Band n41 (PC2) Conducted Power_ Measured DSI = 0 (free) / DSI = 1 (RCV) _ MAIN2

Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	20.81	20.65	20.99	20.93	20.81	0
				1	12	20.70	20.56	20.91	20.90	20.79	0
				1	22	20.83	20.59	20.95	20.93	20.81	0
				12	0	20.64	20.58	20.87	20.89	20.67	0
				12	6	20.77	20.55	20.90	20.93	20.81	0
				12	12	20.70	20.49	20.80	20.85	20.72	0
				24	0	20.72	20.57	20.86	20.84	20.70	0
			QPSK	1	1	20.84	20.68	20.95	20.97	20.82	0
				1	12	20.68	20.58	20.90	20.94	20.78	0
				1	22	20.77	20.59	20.92	20.99	20.78	0
				12	0	20.69	20.53	20.82	20.85	20.69	0
				12	6	20.70	20.62	20.84	20.87	20.74	0
				12	12	20.66	20.50	20.77	20.83	20.72	0
				24	0	20.66	20.53	20.82	20.82	20.69	0
			16QAM	1	1	20.77	20.65	20.94	20.91	20.78	0
			64QAM	1	1	20.73	20.64	20.89	20.95	20.77	0
			256QAM	1	1	20.23	20.08	20.37	20.40	20.24	0
		CP	QPSK	1	1	20.72	20.61	20.88	20.99	20.73	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	20.73	20.57	20.76	20.86	20.96	0
				1	18	20.64	20.52	20.82	20.81	20.91	0
				1	36	20.67	20.52	20.85	20.80	20.88	0
				18	0	20.73	20.56	20.82	20.84	20.96	0
				18	9	20.75	20.63	20.88	20.87	20.98	0
				18	18	20.70	20.51	20.79	20.85	20.87	0
				36	0	20.78	20.53	20.85	20.83	20.83	0
			QPSK	1	1	20.62	20.45	20.63	20.74	20.78	0
				1	18	20.52	20.45	20.70	20.71	20.75	0
				1	36	20.56	20.46	20.77	20.79	20.73	0
				18	0	20.70	20.59	20.81	20.81	20.92	0
				18	9	20.77	20.59	20.77	20.81	20.90	0
				18	18	20.71	20.54	20.75	20.82	20.84	0
				36	0	20.77	20.53	20.81	20.79	20.82	0
			16QAM	1	1	20.60	20.39	20.61	20.73	20.76	0
			64QAM	1	1	20.62	20.45	20.62	20.89	20.81	0
			256QAM	1	1	20.37	20.15	20.33	20.50	20.45	0
		CP	QPSK	1	1	20.88	20.62	20.85	20.96	21.00	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	20.60	20.59	20.82	20.73	20.80	0
				1	26	20.66	20.67	20.36	20.90	20.96	0
				1	49	20.60	20.46	20.89	20.80	20.83	0
				25	0	20.50	20.58	20.77	20.83	20.79	0
				25	13	20.67	20.66	20.92	20.93	20.92	0
				25	26	20.52	20.53	20.79	20.78	20.85	0
				50	0	20.63	20.65	20.89	20.93	20.90	0
			QPSK	1	1	20.51	20.61	20.74	20.73	20.77	0
				1	26	20.52	20.61	20.80	20.77	20.76	0
				1	49	20.56	20.45	20.80	20.72	20.74	0
				25	0	20.55	20.60	20.79	20.71	20.84	0
				25	13	20.61	20.61	20.83	20.84	20.85	0
				25	26	20.49	20.56	20.76	20.76	20.84	0
				50	0	20.61	20.67	20.88	20.89	20.87	0
			16QAM	1	1	20.58	20.66	20.80	20.72	20.64	0
			64QAM	1	1	20.41	20.43	20.80	20.66	20.60	0
			256QAM	1	1	20.08	20.10	20.26	20.24	20.37	0
		CP	QPSK	1	1	20.61	20.70	20.76	20.72	20.91	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	20.70	20.78	20.91	20.92	20.95	0
				1	32	20.70	20.71	20.94	20.92	20.36	0
				1	63	20.77	20.58	20.85	20.85	20.87	0
				32	0	20.61	20.75	20.90	20.88	20.89	0
				32	17	20.73	20.74	20.94	20.91	20.92	0
				32	33	20.73	20.64	20.97	20.83	20.87	0
				64	0	20.60	20.62	20.87	20.84	20.83	0
			QPSK	1	1	20.72	20.75	20.81	20.88	20.87	0
				1	32	20.66	20.64	20.77	20.83	20.90	0
				1	63	20.69	20.54	20.76	20.76	20.77	0
				32	0	20.59	20.69	20.81	20.87	20.86	0
				32	17	20.67	20.75	20.86	20.84	20.85	0
				32	33	20.67	20.63	20.88	20.86	20.88	0
				64	0	20.65	20.67	20.84	20.87	20.82	0
			16QAM	1	1	20.73	20.94	20.96	20.95	20.94	0
			64QAM	1	1	20.71	20.80	20.74	20.55	20.90	0
			256QAM	1	1	20.20	20.39	20.49	20.50	20.47	0
		CP	QPSK	1	1	20.60	20.85	20.96	21.00	20.89	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	20.85	20.95	20.82	21.25	21.24	0
				1	39	20.70	20.77	20.92	21.16	21.07	0
				1	76	20.77	20.68	21.04	21.09	21.04	0
				36	0	20.74	20.81	20.80	21.09	21.09	0
				36	21	20.88	20.74	20.93	21.15	21.07	0
				36	42	20.81	20.60	20.94	21.01	21.00	0
				75	0	20.75	20.72	20.91	21.04	21.05	0
			QPSK	1	1	20.81	20.86	20.80	21.14	21.20	0
				1	39	20.68	20.66	20.88	21.02	21.01	0
				1	76	20.78	20.62	20.95	20.97	21.04	0
				36	0	20.67	20.81	20.81	21.08	21.02	0
				36	21	20.81	20.70	20.85	21.07	21.07	0
				36	42	20.71	20.64	20.88	21.02	21.03	0
				75	0	20.68	20.64	20.87	21.04	20.99	0
			16QAM	1	1	20.67	20.87	20.92	21.18	21.18	0
			64QAM	1	1	20.71	20.77	20.73	20.99	21.14	0
			256QAM	1	1	20.34	20.36	20.51	20.75	20.72	0
		CP	QPSK	1	1	20.92	20.95	21.00	21.22	21.20	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	20.52	20.54		20.73	20.90	0
				1	53	20.62	20.64		20.92	20.98	0
				1	104	20.62	20.65		20.91	20.76	0
				50	0	20.58	20.73		20.91	20.96	0
				50	28	20.76	20.71		21.04	20.97	0
				50	56	20.71	20.69		20.97	20.92	0
				100	0	20.66	20.65		20.96	20.92	0
			QPSK	1	1	20.44	20.44		20.62	20.84	0
				1	53	20.51	20.47		20.77	20.90	0
				1	104	20.51	20.55		20.82	20.78	0
				50	0	20.59	20.57		20.84	20.94	0
				50	28	20.73	20.67		20.99	20.99	0
				50	56	20.74	20.66		20.99	20.94	0
				100	0	20.67	20.65		20.94	20.95	0
			16QAM	1	1	20.40	20.39		20.62	20.99	0
			64QAM	1	1	20.47	20.48		20.35	20.54	0
			256QAM	1	1	20.14	20.24		20.33	20.50	0
		CP	QPSK	1	1	20.59	20.64		20.87	20.99	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						504204		518598		
						2521.02 MHz		2592.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	20.88		20.93		0
				1	67	20.90		20.92		0
				1	131	20.85		21.01		0
				64	0	20.89		20.93		0
				64	35	21.05		21.07		0
				64	69	20.99		21.10		0
				128	0	20.89		20.94		0
			QPSK	1	1	20.74		20.80		0
				1	67	20.79		20.75		0
				1	131	20.84		20.94		0
				64	0	20.92		20.89		0
				64	35	20.99		20.98		0
				64	69	20.97		21.08		0
				128	0	20.93		20.96		0
			16QAM	1	1	20.94		20.99		0
			64QAM	1	1	20.63		20.80		0
			256QAM	1	1	20.41		20.49		0
		CP	QPSK	1	1	20.85		21.03		0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						505200		518598		
						2526 MHz		2592.99 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	20.54		20.75		0
				1	81	20.59		20.67		0
				1	160	20.56		20.92		0
				81	0	20.57		20.78		0
				81	41	20.68		20.80		0
				81	81	20.57		20.80		0
				162	0	20.74		20.87		0
			QPSK	1	1	20.48		20.61		0
				1	81	20.49		20.56		0
				1	160	20.48		20.83		0
				81	0	20.52		20.73		0
				81	41	20.62		20.79		0
				81	81	20.52		20.84		0
				162	0	20.57		20.79		0
			16QAM	1	1	20.45		20.51		0
			64QAM	1	1	20.51		20.69		0
			256QAM	1	1	20.15		20.26		0
		CP	QPSK	1	1	20.83		20.84		0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	20.76				20.93	0
				1	81	20.86				20.82	0
				1	160	20.53				20.94	0
				81	0	20.84				20.90	0
				81	41	20.71				20.26	0
				81	81	20.65				20.97	0
				162	0	19.79				20.91	0
			QPSK	1	1	20.67				20.89	0
				1	81	20.78				20.80	0
				1	160	20.53				21.00	0
				81	0	20.83				20.99	0
				81	41	20.85				20.96	0
				81	81	20.63				20.91	0
				162	0	20.38				20.41	0
			16QAM	1	1	20.59				21.05	0
			64QAM	1	1	20.54				20.85	0
			256QAM	1	1	20.34				20.49	0
		CP	QPSK	1	1	20.81				21.02	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	20.72				21.08	0
				1	109	20.63				20.98	0
				1	215	20.44				21.01	0
				108	0	20.70				21.05	0
				108	55	20.46				21.14	0
				108	109	20.59				21.07	0
				216	0	19.71				20.47	0
			QPSK	1	1	20.71				20.97	0
				1	109	20.53				20.91	0
				1	215	20.41				20.89	0
				108	0	20.70				21.07	0
				108	55	20.39				20.34	0
				108	109	20.56				21.08	0
				216	0	20.65				19.65	0
			16QAM	1	1	20.62				20.93	0
			64QAM	1	1	20.65				19.98	0
			256QAM	1	1	20.39				20.66	0
		CP	QPSK	1	1	20.87				21.26	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	20.80			21.10	0
				1	123	20.75			21.20	0
				1	243	20.43			20.91	0
				120	0	20.82			21.17	0
				120	63	20.11			20.47	0
				120	125	20.62			21.09	0
				243	0	20.73			19.85	0
			QPSK	1	1	20.77			21.03	0
				1	123	20.74			21.13	0
				1	243	20.34			20.89	0
				120	0	20.83			21.16	0
				120	63	20.80			19.81	0
				120	125	20.60			21.10	0
				243	0	19.98			21.06	0
			16QAM	1	1	20.80			21.03	0
			64QAM	1	1	20.90			20.99	0
			256QAM	1	1	20.54			20.76	0
		CP	QPSK	1	1	20.96			21.32	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			21.01		0
				1	137			20.83		0
				1	271			21.06		0
				135	0			20.86		0
				135	69			20.91		0
				135	138			20.95		0
				270	0			20.92		0
			QPSK	1	1			20.98		0
				1	137			20.84		0
				1	271			21.07		0
				135	0			20.91		0
				135	69			20.90		0
				135	138			20.97		0
				270	0			20.19		0
			16QAM	1	1			20.89		0
			64QAM	1	1			21.14		0
			256QAM	1	1			20.67		0
		CP	QPSK	1	1			21.23		0

NR TDD Band n41 (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ MAIN2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	19.69	19.49	19.73	19.64	19.47	0
				1	12	19.65	19.45	19.70	19.57	19.44	0
				1	22	19.58	19.49	19.74	19.54	19.49	0
				12	0	19.70	19.46	19.67	19.54	19.43	0
				12	6	19.57	19.49	19.64	19.49	19.48	0
				12	12	19.60	19.53	19.67	19.57	19.46	0
				24	0	19.59	19.48	19.63	19.52	19.44	0
			QPSK	1	1	19.55	19.40	19.62	19.41	19.36	0
				1	12	19.52	19.36	19.63	19.38	19.31	0
				1	22	19.57	19.41	19.67	19.44	19.37	0
				12	0	19.67	19.46	19.63	19.52	19.43	0
				12	6	19.60	19.38	19.60	19.44	19.34	0
				12	12	19.63	19.49	19.62	19.52	19.49	0
				24	0	19.56	19.44	19.59	19.50	19.41	0
			16QAM	1	1	19.39	19.21	19.33	19.21	19.18	0
			64QAM	1	1	19.52	19.33	19.48	19.39	19.34	0
			256QAM	1	1	19.07	18.82	19.00	18.86	18.83	0.5
		CP	QPSK	1	1	19.79	19.51	19.74	19.67	19.53	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.62	19.61	19.66	19.53	19.62	0
				1	18	19.68	19.52	19.65	19.53	19.58	0
				1	36	19.67	19.49	19.73	19.47	19.59	0
				18	0	19.58	19.48	19.61	19.52	19.60	0
				18	9	19.69	19.52	19.70	19.55	19.65	0
				18	18	19.64	19.46	19.60	19.46	19.56	0
				36	0	19.71	19.52	19.63	19.53	19.59	0
			QPSK	1	1	19.54	19.37	19.55	19.39	19.45	0
				1	18	19.55	19.36	19.53	19.43	19.50	0
				1	36	19.59	19.43	19.65	19.37	19.55	0
				18	0	19.63	19.47	19.62	19.49	19.59	0
				18	9	19.58	19.42	19.59	19.46	19.54	0
				18	18	19.61	19.51	19.60	19.48	19.59	0
				36	0	19.60	19.49	19.57	19.48	19.56	0
			16QAM	1	1	19.42	19.26	19.37	19.21	19.32	0
			64QAM	1	1	19.57	19.23	19.44	19.34	19.48	0
			256QAM	1	1	19.08	18.96	18.97	18.85	18.95	0.5
		CP	QPSK	1	1	19.77	19.55	19.72	19.55	19.66	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02	2549.49	2592.99	2636.49	2679.99	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.54	19.54	19.66	19.46	19.52	0
				1	26	19.62	19.54	19.72	19.52	19.56	0
				1	49	19.53	19.50	19.61	19.40	19.52	0
				25	0	19.52	19.53	19.66	19.50	19.55	0
				25	13	19.54	19.62	19.76	19.57	19.69	0
				25	26	19.51	19.52	19.66	19.51	19.63	0
				50	0	19.45	19.52	19.62	19.47	19.61	0
			QPSK	1	1	19.40	19.45	19.48	19.31	19.39	0
				1	26	19.38	19.41	19.52	19.37	19.41	0
				1	49	19.45	19.42	19.53	19.37	19.41	0
				25	0	19.44	19.51	19.57	19.45	19.56	0
				25	13	19.48	19.51	19.74	19.47	19.58	0
				25	26	19.57	19.52	19.59	19.49	19.54	0
				50	0	19.47	19.50	19.57	19.49	19.52	0
			16QAM	1	1	19.16	19.21	19.24	19.11	19.22	0
			64QAM	1	1	19.34	19.38	19.47	19.48	19.22	0
			256QAM	1	1	18.80	18.87	18.93	18.78	18.87	0.5
		CP	QPSK	1	1	19.57	19.62	19.67	19.41	19.59	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48	2550.75	2592.99	2635.23	2677.50	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.86	19.72	19.76	19.75	19.72	0
				1	32	19.80	19.67	19.85	19.71	19.74	0
				1	63	19.76	19.59	19.79	19.64	19.73	0
				32	0	19.76	19.66	19.76	19.67	19.74	0
				32	17	19.80	19.74	19.80	19.70	19.77	0
				32	33	19.78	19.62	19.81	19.63	19.75	0
				64	0	19.72	19.68	19.67	19.67	19.72	0
			QPSK	1	1	19.64	19.45	19.61	19.57	19.61	0
				1	32	19.67	19.55	19.67	19.53	19.59	0
				1	63	19.71	19.48	19.70	19.41	19.68	0
				32	0	19.70	19.61	19.66	19.66	19.66	0
				32	17	19.68	19.60	19.66	19.60	19.67	0
				32	33	19.72	19.65	19.77	19.67	19.70	0
				64	0	19.67	19.63	19.64	19.59	19.69	0
			16QAM	1	1	19.36	19.44	19.40	19.36	19.40	0
			64QAM	1	1	19.54	19.58	19.65	19.52	19.77	0
			256QAM	1	1	19.02	19.13	19.03	19.01	19.02	0.5
		CP	QPSK	1	1	19.75	19.81	19.82	19.73	19.81	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	19.78	19.80	19.79	19.77	19.87	0
				1	39	19.78	19.66	19.69	19.74	19.82	0
				1	76	19.79	19.67	19.75	19.73	19.85	0
				36	0	19.78	19.67	19.72	19.79	19.81	0
				36	21	19.85	19.71	19.81	19.90	19.90	0
				36	42	19.85	19.59	19.71	19.84	19.84	0
				75	0	19.85	19.67	19.71	19.85	19.87	0
			QPSK	1	1	19.69	19.67	19.63	19.65	19.69	0
				1	39	19.66	19.53	19.51	19.80	19.61	0
				1	76	19.67	19.58	19.73	19.78	19.68	0
				36	0	19.80	19.66	19.69	19.77	19.78	0
				36	21	19.81	19.68	19.71	19.77	19.87	0
				36	42	19.80	19.62	19.71	19.80	19.88	0
				75	0	19.79	19.64	19.71	19.80	19.75	0
			16QAM	1	1	19.46	19.46	19.49	19.53	19.57	0
			64QAM	1	1	19.60	19.49	19.42	19.58	19.64	0
			256QAM	1	1	19.14	19.14	19.09	19.16	19.21	0.5
		CP	QPSK	1	1	19.89	19.83	19.80	19.83	19.86	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.63	19.41		19.58	19.63	0
				1	53	19.67	19.58		19.73	19.66	0
				1	104	19.49	19.60		19.56	19.64	0
				50	0	19.69	19.56		19.60	19.74	0
				50	28	19.79	19.64		19.79	19.82	0
				50	56	19.71	19.61		19.70	19.70	0
				100	0	19.65	19.58		19.60	19.73	0
			QPSK	1	1	19.45	19.36		19.49	19.52	0
				1	53	19.46	19.38		19.55	19.58	0
				1	104	19.50	19.52		19.52	19.63	0
				50	0	19.67	19.53		19.62	19.67	0
				50	28	19.73	19.47		19.69	19.68	0
				50	56	19.68	19.54		19.65	19.70	0
				100	0	19.64	19.55		19.55	19.69	0
			16QAM	1	1	19.26	19.07		19.20	19.35	0
			64QAM	1	1	19.57	19.19		19.25	19.60	0
			256QAM	1	1	18.98	18.81		18.88	19.07	0.5
		CP	QPSK	1	1	19.62	19.56		19.62	19.70	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.93		19.76		19.87	0
				1	67	19.81		19.85		19.84	0
				1	131	19.81		19.88		19.88	0
				64	0	19.95		19.81		19.99	0
				64	35	19.97		19.99		19.95	0
				64	69	19.86		19.86		19.91	0
				128	0	19.84		19.78		19.86	0
			QPSK	1	1	19.78		19.68		19.78	0
				1	67	19.76		19.71		19.69	0
				1	131	19.78		19.83		19.71	0
				64	0	19.92		19.75		19.97	0
				64	35	19.88		19.88		19.82	0
				64	69	19.92		19.80		19.89	0
				128	0	19.87		19.83		19.93	0
			16QAM	1	1	19.52		19.45		19.54	0
			64QAM	1	1	19.73		19.59		19.82	0
			256QAM	1	1	19.21		19.08		19.35	0.5
		CP	QPSK	1	1	19.99		19.83		19.93	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	19.52		19.51		19.57	0
				1	81	19.45		19.61		19.56	0
				1	160	19.40		19.63		19.67	0
				81	0	19.63		19.55		19.69	0
				81	41	19.53		19.63		19.59	0
				81	81	19.54		19.59		19.63	0
				162	0	19.59		19.63		19.64	0
			QPSK	1	1	19.49		19.39		19.43	0
				1	81	19.35		19.48		19.37	0
				1	160	19.34		19.61		19.58	0
				81	0	19.60		19.56		19.63	0
				81	41	19.38		19.56		19.51	0
				81	81	19.50		19.55		19.57	0
				162	0	19.56		19.60		19.60	0
			16QAM	1	1	19.33		19.22		19.27	0
			64QAM	1	1	19.41		19.33		19.61	0
			256QAM	1	1	18.96		18.83		18.90	0.5
		CP	QPSK	1	1	19.65		19.61		19.60	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	19.79				19.58	0
				1	81	19.61				19.54	0
				1	160	19.43				19.75	0
				81	0	19.76				19.67	0
				81	41	19.43				18.13	0
				81	81	19.64				19.72	0
				162	0	19.48				18.93	0
			QPSK	1	1	19.67				19.47	0
				1	81	19.48				19.47	0
				1	160	19.49				19.66	0
				81	0	19.73				19.64	0
				81	41	19.26				19.57	0
				81	81	19.65				19.69	0
				162	0	19.22				18.36	0
			16QAM	1	1	19.53				19.30	0
			64QAM	1	1	19.51				19.01	0
			256QAM	1	1	19.08				18.94	0.5
		CP	QPSK	1	1	19.79				19.70	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02					2649.99
						MHz					MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	19.77				19.74	0
				1	109	19.41				19.76	0
				1	215	19.50				19.84	0
				108	0	19.67				19.77	0
				108	55	18.99				19.44	0
				108	109	19.58				19.79	0
				216	0	19.54				19.52	0
			QPSK	1	1	19.84				19.60	0
				1	109	19.51				19.55	0
				1	215	19.77				19.65	0
				108	0	19.67				19.75	0
				108	55	19.38				19.48	0
				108	109	19.60				19.72	0
				216	0	18.95				19.28	0
			16QAM	1	1	19.42				19.54	0
			64QAM	1	1	19.23				18.60	0
			256QAM	1	1	19.06				19.12	0.5
		CP	QPSK	1	1	19.15				19.72	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.87			19.91	0
				1	123	19.74			19.84	0
				1	243	19.72			19.69	0
				120	0	19.76			19.82	0
				120	63	18.24			19.36	0
				120	125	19.66			19.76	0
				243	0	18.47			19.34	0
			QPSK	1	1	19.62			19.75	0
				1	123	19.52			19.69	0
				1	243	19.60			19.64	0
				120	0	19.83			19.79	0
				120	63	19.23			19.58	0
				120	125	19.62			19.77	0
				243	0	19.61			19.55	0
			16QAM	1	1	19.52			19.61	0
			64QAM	1	1	18.82			19.31	0
			256QAM	1	1	19.18			19.17	0.5
		CP	QPSK	1	1	19.82			19.89	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			19.65		0
				1	137			19.76		0
				1	271			19.71		0
				135	0			19.68		0
				135	69			19.22		0
				135	138			19.64		0
				270	0			19.76		0
			QPSK	1	1			19.54		0
				1	137			19.50		0
				1	271			19.65		0
				135	0			19.68		0
				135	69			19.15		0
				135	138			19.69		0
				270	0			19.74		0
			16QAM	1	1			19.34		0
			64QAM	1	1			19.38		0
			256QAM	1	1			19.03		0.5
		CP	QPSK	1	1			19.82		0

NR TDD Band n41 (PC2) Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n41 _10 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 Mhz	30	DFT-s	pi/2 BPSK	1	1	19.30	18.99	19.08	18.95	18.95	0
				1	12	19.23	18.92	18.89	18.93	18.96	0
				1	22	19.38	19.02	18.90	18.96	19.03	0
				12	0	19.29	18.85	18.81	18.87	18.87	0
				12	6	19.29	18.94	18.86	18.85	18.99	0
				12	12	19.27	18.89	18.83	18.79	18.97	0
				24	0	19.23	18.85	18.81	18.90	18.89	0
			QPSK	1	1	19.38	19.06	18.82	18.96	18.96	0
				1	12	19.32	18.94	18.88	18.84	18.96	0
				1	22	19.34	19.01	18.88	19.00	19.02	0
				12	0	19.27	18.87	18.80	18.83	18.89	0
				12	6	19.33	18.91	18.87	18.82	18.96	0
				12	12	19.27	18.87	18.80	18.81	18.92	0
				24	0	19.20	18.88	18.82	18.79	18.93	0
			16QAM	1	1	19.47	19.09	18.94	19.02	19.07	0
			64QAM	1	1	19.43	19.02	18.93	18.94	18.92	0
			256QAM	1	1	18.89	18.55	18.26	18.39	18.40	0
		CP	QPSK	1	1	19.45	19.01	18.84	18.92	18.94	0

NR TDD Band n41 _15 Mhz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 Mhz	30	DFT-s	pi/2 BPSK	1	1	19.27	18.98	19.12	18.92	18.91	0
				1	18	19.37	18.96	18.90	18.89	18.98	0
				1	36	19.28	19.04	18.93	18.93	19.01	0
				18	0	19.24	18.86	18.79	18.79	18.84	0
				18	9	19.37	19.04	18.93	18.90	19.01	0
				18	18	19.15	18.93	18.82	18.83	18.90	0
				36	0	19.29	18.90	18.80	18.79	18.87	0
			QPSK	1	1	19.30	18.96	18.74	18.84	18.89	0
				1	18	19.24	18.95	18.79	18.87	18.93	0
				1	36	19.07	18.96	18.82	18.91	18.98	0
				18	0	19.26	18.88	18.81	18.80	18.82	0
				18	9	19.45	19.06	18.98	18.98	19.02	0
				18	18	19.18	18.92	18.82	18.84	18.88	0
				36	0	19.16	18.88	18.80	18.80	18.85	0
			16QAM	1	1	19.12	18.90	18.59	18.83	18.83	0
			64QAM	1	1	19.25	18.88	18.74	18.79	18.85	0
			256QAM	1	1	18.69	18.37	18.18	18.28	18.20	0
		CP	QPSK	1	1	19.33	18.98	18.92	18.86	18.95	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	19.21	18.87	19.09	18.77	18.83	0
				1	26	19.24	18.95	18.92	18.89	18.90	0
				1	49	19.18	18.80	18.89	18.89	18.89	0
				25	0	19.25	18.84	18.80	18.78	18.84	0
				25	13	19.28	19.02	18.92	18.91	18.89	0
				25	26	19.15	18.95	18.88	18.87	18.92	0
				50	0	19.22	18.99	18.95	18.92	18.98	0
			QPSK	1	1	19.16	18.90	18.68	18.77	18.80	0
				1	26	19.11	19.01	18.83	18.91	18.94	0
				1	49	19.09	18.81	18.78	18.88	18.85	0
				25	0	19.20	18.90	18.81	18.80	18.84	0
				25	13	19.26	19.01	18.93	18.90	18.90	0
				25	26	19.12	18.96	18.84	18.85	18.90	0
				50	0	19.27	18.99	18.90	18.90	18.96	0
			16QAM	1	1	19.01	18.85	18.55	18.89	18.87	0
			64QAM	1	1	19.08	18.76	18.64	18.77	18.72	0
			256QAM	1	1	18.61	18.29	18.20	18.18	18.18	0
		CP	QPSK	1	1	19.21	18.87	18.79	18.87	18.88	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	19.19	19.07	18.83	19.06	19.10	0
				1	32	19.30	19.05	19.10	18.97	19.14	0
				1	63	19.22	18.99	19.09	19.13	19.26	0
				32	0	19.28	18.97	19.02	18.99	19.02	0
				32	17	19.31	19.07	18.98	19.00	19.19	0
				32	33	19.19	18.94	19.01	19.07	19.07	0
				64	0	19.28	19.03	19.04	19.05	19.09	0
			QPSK	1	1	19.36	19.08	19.03	19.09	19.08	0
				1	32	19.25	19.02	18.94	18.99	18.93	0
				1	63	19.20	19.06	19.01	19.13	19.23	0
				32	0	19.26	18.99	19.00	19.01	19.05	0
				32	17	19.35	19.03	19.07	19.07	19.06	0
				32	33	19.17	19.00	19.04	19.07	19.04	0
				64	0	19.29	19.00	19.04	19.04	19.03	0
			16QAM	1	1	19.12	19.18	18.77	19.13	19.06	0
			64QAM	1	1	19.14	19.09	18.82	19.00	19.01	0
			256QAM	1	1	18.82	18.47	18.40	18.36	18.52	0
		CP	QPSK	1	1	19.44	19.10	19.18	19.04	19.09	0