

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	18.67	19.10	19.04	18.99	19.06	0
				1	39	19.19	19.09	19.10	19.06	19.02	0
				1	76	19.26	19.07	19.10	19.00	19.00	0
				36	0	19.22	18.93	18.99	18.94	18.98	0
				36	21	19.28	19.04	19.03	19.07	19.12	0
				36	42	19.10	18.95	19.00	19.01	19.13	0
				75	0	19.24	19.02	19.06	19.00	19.06	0
			QPSK	1	1	19.30	19.07	18.97	18.87	19.04	0
				1	39	19.08	19.05	19.02	19.02	18.93	0
				1	76	19.14	19.07	19.00	19.11	19.01	0
				36	0	19.24	18.99	18.99	18.92	19.00	0
				36	21	19.23	19.08	18.98	19.04	19.12	0
				36	42	19.19	18.96	18.98	19.05	19.00	0
				75	0	19.27	19.00	19.01	19.00	19.07	0
			16QAM	1	1	19.14	19.03	18.75	18.95	18.98	0
			64QAM	1	1	19.27	19.00	18.87	18.97	18.98	0
			256QAM	1	1	18.80	18.42	18.37	18.28	18.34	0
		CP	QPSK	1	1	19.38	19.04	19.17	19.08	18.99	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	19.11	18.91		18.44	18.81	0
				1	53	19.16	18.94		18.97	19.01	0
				1	104	19.09	19.01		19.11	19.12	0
				50	0	19.16	18.86		19.05	18.95	0
				50	28	19.15	19.06		19.10	19.14	0
				50	56	19.09	19.05		19.12	19.12	0
				100	0	19.31	19.06		19.13	19.08	0
			QPSK	1	1	19.21	18.90		18.89	18.83	0
				1	53	19.08	18.92		18.94	19.00	0
				1	104	18.85	19.07		19.10	18.97	0
				50	0	19.16	18.90		18.99	18.98	0
				50	28	19.13	19.06		19.04	19.18	0
				50	56	19.08	19.02		19.06	19.15	0
				100	0	19.24	19.02		19.10	19.15	0
			16QAM	1	1	18.92	18.85		18.70	18.84	0
			64QAM	1	1	19.16	18.79		18.82	18.78	0
			256QAM	1	1	18.57	18.19		18.26	18.14	0
		CP	QPSK	1	1	19.20	18.90		18.97	18.90	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						504204		518598		
						2521.02 MHz		2592.99 MHz		
50 MHz	30	DFT-s	pi/2 BPSK	1	1	19.19		19.06		0
				1	67	19.19		18.96		0
				1	131	19.12		19.19		0
				64	0	19.27		19.05		0
				64	35	19.29		19.24		0
				64	69	19.15		19.11		0
				128	0	19.21		19.13		0
			QPSK	1	1	19.39		19.03		0
				1	67	19.12		19.06		0
				1	131	19.08		19.17		0
				64	0	19.24		19.05		0
				64	35	19.25		19.24		0
				64	69	19.17		19.15		0
				128	0	19.17		19.11		0
			16QAM	1	1	19.05		18.99		0
			64QAM	1	1	19.08		18.88		0
			256QAM	1	1	18.73		18.36		0
		CP	QPSK	1	1	19.32		19.12		0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						505200		518598		
						2526 MHz		2592.99 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1	19.20		18.92		0
				1	81	18.84		18.84		0
				1	160	18.96		18.97		0
				81	0	19.04		18.85		0
				81	41	19.00		19.01		0
				81	81	18.82		18.90		0
				162	0	19.01		19.01		0
			QPSK	1	1	19.12		18.87		0
				1	81	18.76		18.86		0
				1	160	18.88		18.96		0
				81	0	18.99		18.85		0
				81	41	18.94		18.91		0
				81	81	18.80		18.87		0
				162	0	19.06		18.88		0
			16QAM	1	1	18.89		19.02		0
			64QAM	1	1	18.82		18.88		0
			256QAM	1	1	18.49		18.20		0
		CP	QPSK	1	1	19.14		18.98		0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	18.91				18.82	0
				1	81	19.02				19.03	0
				1	160	19.09				19.30	0
				81	0	19.06				19.01	0
				81	41	19.16				19.19	0
				81	81	19.12				19.12	0
			162	0	19.09				19.07	0	
			QPSK	1	1	19.14				18.87	0
				1	81	19.04				18.99	0
				1	160	19.14				19.20	0
				81	0	19.14				18.99	0
				81	41	19.20				19.19	0
				81	81	19.07				19.10	0
				162	0	19.09				19.12	0
				16QAM	1	1	19.22				19.00
			64QAM	1	1	19.14				19.01	0
			256QAM	1	1	18.55				18.27	0
		CP	QPSK	1	1	19.27				19.01	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]		
						507204					529998	
						2536.02 MHz					2649.99 MHz	
80 MHz	30	DFT-s	pi/2 BPSK	1	1	19.12				18.30	0	
				1	109	19.03				18.96	0	
				1	215	19.11				19.32	0	
				108	0	19.10				18.96	0	
				108	55	19.21				19.03	0	
				108	109	19.12				19.22	0	
			QPSK	216	0	19.27				18.33	0	
				1	1	19.37				18.89	0	
				1	109	19.00				18.97	0	
				1	215	19.07				19.23	0	
				108	0	19.12				18.96	0	
				108	55	19.18				18.57	0	
				108	109	19.09				19.16	0	
				216	0	19.20				19.16	0	
				16QAM	1	1	19.34				18.70	0
				64QAM	1	1	19.30				18.66	0
				256QAM	1	1	18.69				18.28	0
		CP	QPSK	1	1	19.33				19.05	0	

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	19.24			18.52	0
				1	123	19.15			19.07	0
				1	243	19.23			19.33	0
				120	0	19.11			18.88	0
				120	63	19.05			19.04	0
				120	125	19.15			19.17	0
				243	0	18.28			18.33	0
			QPSK	1	1	19.41			18.99	0
				1	123	19.06			18.96	0
				1	243	19.23			19.24	0
				120	0	19.06			18.92	0
				120	63	18.01			18.61	0
				120	125	19.14			19.22	0
				243	0	19.36			18.15	0
			16QAM	1	1	19.18			18.72	0
			64QAM	1	1	19.34			18.71	0
			256QAM	1	1	19.24			18.28	0
		CP	QPSK	1	1	19.52			19.03	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			19.11		0
				1	137			18.92		0
				1	271			19.35		0
				135	0			19.03		0
				135	69			18.98		0
				135	138			19.07		0
				270	0			19.06		0
			QPSK	1	1			19.11		0
				1	137			19.02		0
				1	271			19.33		0
				135	0			19.07		0
				135	69			19.05		0
				135	138			19.09		0
				270	0			19.06		0
			16QAM	1	1			19.21		0
			64QAM	1	1			19.13		0
			256QAM	1	1			18.47		0
		CP	QPSK	1	1			19.31		0

NR TDD Band n41 (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n41_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2501.01 MHz	2547 MHz	2592.99 MHz	2639.01 MHz	2685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.60	14.43	14.23	14.25	14.40	0
				1	12	14.74	14.43	14.19	14.28	14.39	0
				1	22	14.68	14.47	14.21	14.39	14.45	0
				12	0	14.76	14.32	14.19	14.26	14.30	0
				12	6	14.80	14.44	14.21	14.34	14.41	0
				12	12	14.73	14.39	14.25	14.33	14.37	0
				24	0	14.68	14.36	14.21	14.30	14.33	0
			QPSK	1	1	14.85	14.36	14.38	14.37	14.30	0
				1	12	14.76	14.33	14.27	14.37	14.29	0
				1	22	14.78	14.34	14.31	14.45	14.45	0
				12	0	14.73	14.35	14.23	14.31	14.32	0
				12	6	14.81	14.37	14.31	14.40	14.34	0
				12	12	14.71	14.35	14.27	14.32	14.38	0
				24	0	14.72	14.35	14.24	14.35	14.35	0
			16QAM	1	1	14.92	14.53	14.51	14.49	14.49	0
			64QAM	1	1	14.78	14.44	14.38	14.41	14.37	0
			256QAM	1	1	14.27	13.92	13.83	13.81	13.91	0
		CP	QPSK	1	1	14.89	14.55	14.43	14.47	14.47	0

NR TDD Band n41_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509664	518598	527562	536496	
						2503.5 MHz	2548.32 MHz	2592.99 MHz	2637.81 MHz	2682.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.57	14.47	14.20	14.27	14.32	0
				1	18	14.70	14.39	14.27	14.32	14.37	0
				1	36	14.74	14.34	14.29	14.31	14.44	0
				18	0	14.68	14.29	14.19	14.35	14.22	0
				18	9	14.76	14.36	14.32	14.43	14.33	0
				18	18	14.71	14.32	14.27	14.35	14.30	0
				36	0	14.70	14.30	14.26	14.34	14.27	0
			QPSK	1	1	14.80	14.36	14.30	14.34	14.23	0
				1	18	14.68	14.27	14.22	14.40	14.24	0
				1	36	14.52	14.41	14.31	14.28	14.33	0
				18	0	14.78	14.27	14.23	14.34	14.24	0
				18	9	14.80	14.41	14.37	14.43	14.37	0
				18	18	14.66	14.32	14.24	14.40	14.33	0
				36	0	14.77	14.28	14.23	14.35	14.28	0
			16QAM	1	1	14.58	14.43	13.96	14.33	14.27	0
			64QAM	1	1	14.70	14.42	14.17	14.26	14.29	0
			256QAM	1	1	14.25	13.91	13.85	13.78	13.87	0
		CP	QPSK	1	1	14.87	14.46	14.38	14.44	14.41	0

NR TDD Band n41_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2506.02 MHz	2549.49 MHz	2592.99 MHz	2636.49 MHz	2679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.38	14.41	14.22	14.28	14.23	0
				1	26	14.69	14.39	14.23	14.31	14.35	0
				1	49	14.56	14.29	14.19	14.25	14.33	0
				25	0	14.70	14.28	14.22	14.29	14.22	0
				25	13	14.70	14.41	14.24	14.36	14.36	0
				25	26	14.62	14.36	14.25	14.34	14.31	0
				50	0	14.68	14.39	14.35	14.42	14.27	0
			QPSK	1	1	14.67	14.29	14.23	14.29	14.24	0
				1	26	14.72	14.29	14.27	14.45	14.26	0
				1	49	14.43	14.40	14.24	14.40	14.26	0
				25	0	14.73	14.25	14.21	14.29	14.28	0
				25	13	14.72	14.31	14.32	14.41	14.29	0
				25	26	14.64	14.32	14.24	14.36	14.34	0
				50	0	14.81	14.42	14.24	14.34	14.31	0
			16QAM	1	1	14.33	14.33	13.92	14.24	14.32	0
			64QAM	1	1	14.58	14.25	14.08	14.24	14.20	0
			256QAM	1	1	14.13	13.80	13.77	13.75	13.72	0
		CP	QPSK	1	1	14.89	14.40	14.41	14.19	14.30	0

NR TDD Band n41_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501696	510150	518598	527046	535500	
						2508.48 MHz	2550.75 MHz	2592.99 MHz	2635.23 MHz	2677.50 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.95	14.53	14.48	14.39	14.45	0
				1	32	14.62	14.49	14.41	14.49	14.52	0
				1	63	14.72	14.36	14.50	14.57	14.66	0
				32	0	14.76	14.38	14.39	14.36	14.46	0
				32	17	14.67	14.49	14.43	14.54	14.59	0
				32	33	14.66	14.39	14.49	14.47	14.58	0
				64	0	14.69	14.40	14.42	14.46	14.53	0
			QPSK	1	1	14.84	14.44	14.34	14.51	14.53	0
				1	32	14.71	14.38	14.42	14.54	14.56	0
				1	63	14.67	14.50	14.51	14.59	14.64	0
				32	0	14.79	14.42	14.43	14.42	14.46	0
				32	17	14.74	14.44	14.49	14.57	14.62	0
				32	33	14.69	14.36	14.51	14.51	14.57	0
				64	0	14.68	14.43	14.43	14.42	14.52	0
			16QAM	1	1	14.53	14.56	14.07	14.44	14.62	0
			64QAM	1	1	14.88	14.40	14.28	14.46	14.61	0
			256QAM	1	1	14.35	14.04	13.94	14.02	13.91	0
		CP	QPSK	1	1	14.90	14.64	14.66	14.40	14.58	0

NR TDD Band n41_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2511 MHz	2552.01 MHz	2592.99 MHz	2634 MHz	2674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04	14.55	14.45	14.39	14.36	0
				1	39	14.71	14.47	14.44	14.36	14.53	0
				1	76	14.62	14.37	14.42	14.49	14.58	0
				36	0	14.65	14.38	14.41	14.36	14.39	0
				36	21	14.73	14.48	14.43	14.41	14.55	0
				36	42	14.63	14.41	14.48	14.46	14.54	0
				75	0	14.67	14.41	14.42	14.41	14.48	0
			QPSK	1	1	14.83	14.42	14.32	14.39	14.45	0
				1	39	14.65	14.37	14.45	14.40	14.54	0
				1	76	14.50	14.47	14.54	14.50	14.50	0
				36	0	14.70	14.40	14.39	14.38	14.40	0
				36	21	14.72	14.42	14.50	14.51	14.54	0
				36	42	14.65	14.36	14.47	14.45	14.54	0
				75	0	14.71	14.45	14.46	14.40	14.48	0
			16QAM	1	1	14.69	14.65	14.13	14.56	14.58	0
			64QAM	1	1	14.89	14.54	14.52	14.42	14.40	0
			256QAM	1	1	14.39	14.02	13.91	13.90	13.89	0
		CP	QPSK	1	1	14.99	14.65	14.56	14.49	14.54	0

NR TDD Band n41_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2516.01 MHz	2567.34 MHz		2618.67 MHz	2670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.13	14.28		13.96	14.32	0
				1	53	14.58	14.32		14.42	14.44	0
				1	104	14.43	14.38		14.43	14.57	0
				50	0	14.59	14.29		14.40	14.42	0
				50	28	14.70	14.37		14.54	14.51	0
				50	56	14.52	14.39		14.55	14.56	0
				100	0	14.62	14.46		14.44	14.61	0
			QPSK	1	1	14.78	14.22		14.31	14.31	0
				1	53	14.58	14.33		14.32	14.44	0
				1	104	14.32	14.46		14.45	14.52	0
				50	0	14.58	14.37		14.42	14.40	0
				50	28	14.68	14.38		14.52	14.58	0
				50	56	14.49	14.43		14.55	14.56	0
				100	0	14.75	14.46		14.56	14.59	0
			16QAM	1	1	14.44	14.38		14.04	14.44	0
			64QAM	1	1	14.47	14.37		14.41	14.40	0
			256QAM	1	1	14.10	13.79		13.88	13.78	0
		CP	QPSK	1	1	14.80	14.33		14.48	14.35	0

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2521.02 MHz		2592.99 MHz		2664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.00		14.42		14.48	0
				1	67	14.48		14.52		14.52	0
				1	131	14.58		14.73		14.79	0
				64	0	14.68		14.49		14.49	0
				64	35	14.68		14.57		14.59	0
				64	69	14.56		14.62		14.61	0
				128	0	14.70		14.51		14.59	0
			QPSK	1	1	14.88		14.39		14.49	0
				1	67	14.60		14.53		14.53	0
				1	131	14.42		14.72		14.80	0
				64	0	14.72		14.51		14.44	0
				64	35	14.59		14.62		14.70	0
				64	69	14.57		14.58		14.67	0
				128	0	14.72		14.52		14.58	0
			16QAM	1	1	14.60		14.43		14.46	0
			64QAM	1	1	14.89		14.35		14.40	0
			256QAM	1	1	14.28		13.91		13.95	0
		CP	QPSK	1	1	14.99		14.52		14.41	0

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						505200		518598		531996	
						2526 MHz		2592.99 MHz		2659.98 MHz	
60 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04		14.27		14.17	0
				1	81	14.23		14.28		14.29	0
				1	160	14.24		14.44		14.62	0
				81	0	14.44		14.24		14.23	0
				81	41	14.43		14.33		14.34	0
				81	81	14.24		14.41		14.43	0
				162	0	14.36		14.42		14.47	0
			QPSK	1	1	14.63		14.22		14.30	0
				1	81	14.22		14.25		14.26	0
				1	160	14.22		14.52		14.52	0
				81	0	14.42		14.27		14.31	0
				81	41	14.30		14.41		14.42	0
				81	81	14.26		14.39		14.50	0
				162	0	14.48		14.43		14.52	0
			16QAM	1	1	14.34		14.40		14.26	0
			64QAM	1	1	14.69		14.36		14.15	0
			256QAM	1	1	14.07		13.83		13.82	0
		CP	QPSK	1	1	14.76		14.32		14.39	0

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506208					530994
						2531.04					2654.97
						MHz					MHz
70 MHz	30	DFT-s	pi/2 BPSK	1	1	14.61				14.27	0
				1	81	14.47				14.48	0
				1	160	14.52				14.63	0
				81	0	14.58				14.47	0
				81	41	14.58				14.67	0
				81	81	14.48				14.60	0
			162	0	14.48				14.54	0	
			QPSK	1	1	14.55				14.30	0
				1	81	14.44				14.45	0
				1	160	14.54				14.74	0
				81	0	14.54				14.42	0
				81	41	14.49				14.64	0
				81	81	14.50				14.67	0
				162	0	14.51				14.56	0
				16QAM	1	1	14.83				14.51
			64QAM	1	1	14.71				14.46	0
			256QAM	1	1	14.22				13.93	0
		CP	QPSK	1	1	14.75				14.44	0

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	14.61				13.77	0
				1	109	14.45				14.46	0
				1	215	14.47				14.69	0
				108	0	14.54				14.39	0
				108	55	14.24				14.60	0
				108	109	14.53				14.60	0
				216	0	14.62				14.26	0
			QPSK	1	1	14.75				14.29	0
				1	109	14.38				14.41	0
				1	215	14.50				14.73	0
				108	0	14.55				14.35	0
				108	55	14.37				14.02	0
				108	109	14.49				14.63	0
				216	0	14.00				14.68	0
			16QAM	1	1	14.54				13.99	0
			64QAM	1	1	14.10				14.36	0
			256QAM	1	1	14.36				13.91	0
		CP	QPSK	1	1	14.95				14.37	0

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200				
						2541 MHz			2644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	14.24			14.18	0
				1	123	14.56			14.48	0
				1	243	14.61			14.77	0
				120	0	14.56			14.33	0
				120	63	14.65			14.22	0
				120	125	14.60			14.59	0
				243	0	14.65			14.44	0
			QPSK	1	1	14.93			14.33	0
				1	123	14.56			14.41	0
				1	243	14.73			14.61	0
				120	0	14.54			14.39	0
				120	63	14.57			14.59	0
				120	125	14.54			14.57	0
				243	0	14.72			13.80	0
			16QAM	1	1	14.95			14.05	0
			64QAM	1	1	14.93			13.91	0
			256QAM	1	1	14.42			13.90	0
		CP	QPSK	1	1	14.97			14.55	0

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			14.56		0
				1	137			14.36		0
				1	271			14.77		0
				135	0			14.47		0
				135	69			14.38		0
				135	138			14.49		0
				270	0			14.47		0
			QPSK	1	1			14.56		0
				1	137			14.37		0
				1	271			14.78		0
				135	0			14.50		0
				135	69			14.52		0
				135	138			14.55		0
				270	0			14.49		0
			16QAM	1	1			14.75		0
			64QAM	1	1			14.67		0
			256QAM	1	1			13.57		0
		CP	QPSK	1	1			14.67		0

11. NR TDD Band n48 Maximum Conducted Power

NR TDD Band n48 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n48 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.73	19.55	19.34	19.11	0
				1	12	19.60	19.48	19.19	19.08	0
				1	22	19.63	19.52	19.21	19.12	0
				12	0	19.59	19.47	19.16	19.05	0
				12	6	19.60	19.53	19.22	19.10	0
				12	12	19.52	19.44	19.13	19.04	0
				24	0	19.52	19.43	19.16	19.03	0
			QPSK	1	1	19.71	19.57	19.31	19.11	0
				1	12	19.67	19.49	19.16	19.09	0
				1	22	19.60	19.53	19.15	19.10	0
				12	0	19.55	19.43	19.16	19.04	0
				12	6	19.52	19.51	19.12	19.05	0
				12	12	19.52	19.40	19.10	19.02	0
				24	0	19.58	19.46	19.10	19.03	0
			16QAM	1	1	19.66	19.49	19.32	19.09	0
			64QAM	1	1	19.68	19.48	19.21	19.04	0
			256QAM	1	1	17.40	17.33	16.99	16.76	2
		CP	QPSK	1	1	19.68	19.50	19.28	19.06	0

NR TDD Band n48 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	19.72	19.46	19.17	19.13	0
				1	18	19.47	19.39	19.06	18.95	0
				1	36	19.54	19.37	19.14	18.98	0
				18	0	19.54	19.44	19.15	19.05	0
				18	9	19.55	19.50	19.15	19.04	0
				18	18	19.52	19.33	19.15	18.97	0
				36	0	19.54	19.45	19.13	18.97	0
			QPSK	1	1	19.52	19.45	19.20	19.09	0
				1	18	19.41	19.32	19.02	18.90	0
				1	36	19.47	19.32	19.10	18.98	0
				18	0	19.53	19.44	19.19	19.06	0
				18	9	19.46	19.38	19.07	18.99	0
				18	18	19.49	19.31	19.10	18.98	0
				36	0	19.52	19.42	19.10	18.99	0
			16QAM	1	1	19.73	19.68	19.26	19.13	0
			64QAM	1	1	19.31	19.48	19.39	19.10	0
			256QAM	1	1	17.70	17.20	16.88	16.81	2
		CP	QPSK	1	1	19.48	19.41	19.16	19.05	0

NR TDD Band n48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.86	19.52	19.25	19.09	0
				1	26	19.61	19.38	19.16	19.07	0
				1	49	19.52	19.36	19.11	19.00	0
				25	0	19.56	19.43	19.15	19.06	0
				25	13	19.60	19.44	19.20	19.11	0
				25	26	19.54	19.35	19.16	19.00	0
				50	0	19.65	19.47	19.24	19.13	0
			QPSK	1	1	19.55	19.50	19.23	19.12	0
				1	26	19.50	19.39	19.13	19.06	0
				1	49	19.47	19.29	19.09	19.01	0
				25	0	19.57	19.36	19.12	19.03	0
				25	13	19.57	19.38	19.10	19.07	0
				25	26	19.47	19.38	19.13	19.04	0
				50	0	19.59	19.42	19.21	19.09	0
			16QAM	1	1	19.30	19.47	19.14	19.09	0
			64QAM	1	1	19.58	19.41	19.21	19.05	0
			256QAM	1	1	17.26	17.11	16.88	16.75	2
		CP	QPSK	1	1	19.56	19.51	19.27	19.15	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.80	19.69	19.48	19.34	0
				1	32	19.60	19.49	19.39	19.14	0
				1	63	19.52	19.50	19.21	19.21	0
				32	0	19.72	19.47	19.39	19.25	0
				32	17	19.67	19.51	19.39	19.15	0
				32	33	19.54	19.39	19.31	19.08	0
				64	0	19.65	19.41	19.32	19.10	0
			QPSK	1	1	19.77	19.65	19.41	19.29	0
				1	32	19.63	19.46	19.36	19.11	0
				1	63	19.50	19.48	19.39	19.13	0
				32	0	19.68	19.58	19.37	19.22	0
				32	17	19.52	19.46	19.34	19.12	0
				32	33	19.48	19.39	19.27	19.04	0
				64	0	19.62	19.40	19.31	19.07	0
			16QAM	1	1	19.81	19.71	19.50	19.24	0
			64QAM	1	1	19.75	19.72	19.41	19.25	0
			256QAM	1	1	17.37	17.29	17.17	16.94	2
		CP	QPSK	1	1	19.74	19.64	19.56	19.37	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	19.86	19.45		19.18	0
				1	53	19.53	19.31		19.00	0
				1	104	19.29	19.14		18.96	0
				50	0	19.69	19.48		19.27	0
				50	28	19.60	19.47		19.18	0
				50	56	19.46	19.30		19.08	0
				100	0	19.56	19.41		19.13	0
			QPSK	1	1	19.52	19.44		19.15	0
				1	53	19.33	19.32		18.95	0
				1	104	19.26	19.14		18.91	0
				50	0	19.62	19.48		19.22	0
				50	28	19.52	19.43		19.12	0
				50	56	19.40	19.25		19.04	0
				100	0	19.54	19.40		19.22	0
			16QAM	1	1	19.43	19.49		19.24	0
			64QAM	1	1	19.59	19.45		19.19	0
			256QAM	1	1	16.67	17.15		16.91	2
		CP	QPSK	1	1	19.65	19.39		19.23	0

NR TDD Band n48 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n48_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637000	640112	643222	646332	
						3555 MHz	3601.68 MHz	3648.33 MHz	3694.98 MHz	
10 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.73	14.55	14.34	13.99	0
				1	12	14.54	14.37	14.06	14.04	0
				1	22	14.55	14.48	14.18	14.08	0
				12	0	14.60	14.43	14.09	13.98	0
				12	6	14.68	14.40	14.16	14.01	0
				12	12	14.48	14.39	14.09	13.98	0
				24	0	14.59	14.40	14.16	13.98	0
			QPSK	1	1	14.54	14.41	14.24	14.07	0
				1	12	14.42	14.34	14.14	13.94	0
				1	22	14.48	14.46	14.16	14.06	0
				12	0	14.62	14.41	14.20	14.00	0
				12	6	14.54	14.38	14.10	13.94	0
				12	12	14.50	14.39	14.10	13.98	0
				24	0	14.59	14.39	14.17	13.99	0
			16QAM	1	1	14.52	14.50	14.32	14.16	0
			64QAM	1	1	14.60	14.30	14.16	13.93	0
			256QAM	1	1	14.18	14.03	13.83	13.64	0
		CP	QPSK	1	1	14.59	14.46	14.24	14.06	0

NR TDD Band n48_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637166	640166	643166	646166	
						3557.49 MHz	3602.49 MHz	3647.49 MHz	3692.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.28	14.43	14.24	14.00	0
				1	18	14.47	14.37	14.00	13.89	0
				1	36	14.49	14.33	14.09	13.97	0
				18	0	14.50	14.42	14.08	13.97	0
				18	9	14.54	14.46	14.16	13.97	0
				18	18	14.50	14.34	14.04	13.97	0
				36	0	14.49	14.36	14.07	13.93	0
			QPSK	1	1	14.46	14.38	14.17	14.06	0
				1	18	14.32	14.27	13.98	13.87	0
				1	36	14.37	14.25	14.05	13.93	0
				18	0	14.49	14.38	14.07	14.04	0
				18	9	14.49	14.38	14.14	13.87	0
				18	18	14.50	14.37	14.08	13.93	0
				36	0	14.49	14.38	14.16	13.94	0
			16QAM	1	1	14.47	14.39	14.26	14.12	0
			64QAM	1	1	14.49	14.36	14.17	13.73	0
			256QAM	1	1	14.19	13.99	13.76	13.67	0
		CP	QPSK	1	1	14.54	14.39	14.13	13.97	0

NR TDD Band n48 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637334	640222	643112	646000	
						3560.01 MHz	3603.33 MHz	3646.68 MHz	3690 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.51	14.37	14.19	14.09	0
				1	26	14.57	14.30	14.11	13.99	0
				1	49	14.42	14.28	14.06	13.95	0
				25	0	14.50	14.41	14.20	14.02	0
				25	13	14.58	14.37	14.16	14.04	0
				25	26	14.46	14.25	14.03	13.93	0
				50	0	14.60	14.37	14.13	14.06	0
			QPSK	1	1	14.43	14.39	14.10	13.96	0
				1	26	14.50	14.30	14.04	13.97	0
				1	49	14.45	14.25	13.99	13.88	0
				25	0	14.54	14.38	14.16	13.99	0
				25	13	14.54	14.39	14.18	14.07	0
				25	26	14.41	14.28	14.04	13.96	0
				50	0	14.50	14.37	14.05	14.03	0
			16QAM	1	1	14.21	14.42	14.19	14.10	0
			64QAM	1	1	14.30	14.23	14.07	13.92	0
			256QAM	1	1	14.20	13.97	13.74	13.61	0
		CP	QPSK	1	1	14.43	14.38	14.17	14.02	0

NR TDD Band n48 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						637668	640334	643000	645666	
						3565.02 MHz	3605.01 MHz	3645 MHz	3684.99 MHz	
30 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.66	14.60	14.55	14.31	0
				1	32	14.62	14.41	14.34	14.15	0
				1	63	14.56	14.47	14.34	14.13	0
				32	0	14.63	14.49	14.36	14.14	0
				32	17	14.64	14.42	14.30	14.11	0
				32	33	14.44	14.31	14.21	13.97	0
				64	0	14.59	14.36	14.28	14.01	0
			QPSK	1	1	14.63	14.55	14.43	14.23	0
				1	32	14.59	14.37	14.31	14.13	0
				1	63	14.54	14.43	14.32	14.09	0
				32	0	14.61	14.48	14.34	14.16	0
				32	17	14.58	14.29	14.27	14.13	0
				32	33	14.41	14.33	14.21	13.98	0
				64	0	14.56	14.35	14.27	14.10	0
			16QAM	1	1	14.63	14.50	14.50	14.22	0
			64QAM	1	1	14.59	14.49	14.39	14.11	0
			256QAM	1	1	14.17	14.06	14.01	13.75	0
		CP	QPSK	1	1	14.64	14.46	14.38	14.24	0

NR TDD Band n48 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]				MPR [dB]
						638000	641666		645332	
						3570 MHz	3624.99 MHz		3679.98 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.61	14.71		14.11	0
				1	53	14.44	14.28		14.06	0
				1	104	14.24	14.11		13.90	0
				50	0	14.61	14.39		14.16	0
				50	28	14.56	14.47		14.16	0
				50	56	14.38	14.24		13.97	0
				100	0	14.54	14.35		14.13	0
			QPSK	1	1	14.55	14.34		14.10	0
				1	53	14.35	14.24		14.02	0
				1	104	14.16	14.08		13.87	0
				50	0	14.58	14.43		14.18	0
				50	28	14.52	14.39		14.15	0
				50	56	14.41	14.18		13.98	0
				100	0	14.46	14.38		14.13	0
			16QAM	1	1	14.33	14.13		14.23	0
			64QAM	1	1	14.40	14.28		14.04	0
			256QAM	1	1	14.24	13.98		13.82	0
		CP	QPSK	1	1	14.51	14.39		14.16	0

12. NR FDD Band n66 Maximum Conducted Power

NR FDD Band n66 Conducted Power_ Measured P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	23.82	23.78	0
				1	13	24.32	24.32	24.28	0
				1	23	24.07	24.09	23.93	0
				12	0	24.86	24.83	24.83	0.5
				12	7	25.44	25.42	25.29	0
				12	13	24.91	24.86	24.89	0.5
				25	0	24.97	24.81	24.87	0.5
			QPSK	1	1	24.11	24.15	24.15	0
				1	13	24.75	24.72	24.56	0
				1	23	24.49	24.54	24.60	0
				12	0	24.17	24.16	24.28	1
				12	7	25.35	25.35	25.38	0
				12	13	24.32	24.28	24.32	1
				25	0	24.29	24.15	24.29	1
			16QAM	1	1	23.35	23.27	23.33	1
			64QAM	1	1	22.12	22.11	21.92	2.5
			256QAM	1	1	19.74	19.71	19.71	4.5
		CP	QPSK	1	1	23.12	23.05	23.10	1.5

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.72	23.70	23.70	0
				1	26	24.36	24.23	24.28	0
				1	50	24.07	24.00	24.07	0
				25	0	24.74	24.89	24.87	0.5
				25	14	25.37	25.36	25.32	0
				25	27	24.91	24.85	24.77	0.5
				50	0	24.79	24.79	24.86	0.5
			QPSK	1	1	24.26	24.16	24.17	0
				1	26	24.74	24.71	24.63	0
				1	50	24.44	24.53	24.48	0
				25	0	24.17	24.24	24.26	1
				25	14	25.34	25.38	25.44	0
				25	27	24.33	24.19	24.32	1
				50	0	24.14	24.20	24.26	1
			16QAM	1	1	23.18	23.36	23.27	1
			64QAM	1	1	22.11	22.00	21.96	2.5
			256QAM	1	1	19.85	19.84	19.76	4.5
		CP	QPSK	1	1	23.04	23.17	22.98	1.5

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.78	23.80	23.78	0
				1	40	24.37	24.37	24.25	0
				1	77	24.07	24.00	23.94	0
				36	0	24.78	24.75	24.85	0.5
				36	22	25.25	25.28	25.33	0
				36	43	24.92	24.94	24.87	0.5
				75	0	24.95	24.91	24.93	0.5
			QPSK	1	1	24.26	24.10	24.23	0
				1	40	24.56	24.71	24.58	0
				1	77	24.53	24.51	24.46	0
				36	0	24.25	24.26	24.21	1
				36	22	25.40	25.35	25.42	0
				36	43	24.23	24.32	24.29	1
				75	0	24.15	24.18	24.22	1
			16QAM	1	1	23.18	23.21	23.19	1
			64QAM	1	1	22.02	21.94	22.11	2.5
			256QAM	1	1	19.77	19.79	19.76	4.5
		CP	QPSK	1	1	23.08	22.99	23.01	1.5

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.72	23.82	23.88	0
				1	53	24.40	24.42	24.35	0
				1	104	24.06	24.09	23.93	0
				50	0	24.81	24.83	24.75	0.5
				50	28	25.36	25.31	25.44	0
				50	56	24.85	24.75	24.81	0.5
				100	0	24.97	24.91	24.80	0.5
			QPSK	1	1	24.11	24.20	24.24	0
				1	53	24.69	24.72	24.72	0
				1	104	24.48	24.48	24.44	0
				50	0	24.15	24.22	24.22	1
				50	28	25.36	25.27	25.35	0
				50	56	24.27	24.33	24.30	1
				100	0	24.27	24.25	24.24	1
			16QAM	1	1	23.27	23.29	23.25	1
			64QAM	1	1	22.10	21.95	22.06	2.5
			256QAM	1	1	19.86	19.70	19.87	4.5
		CP	QPSK	1	1	23.03	23.12	23.14	1.5

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.84	23.73	23.71	0
				1	66	24.35	24.42	24.37	0
				1	131	24.12	24.10	24.00	0
				64	0	24.88	24.82	24.71	0.5
				64	35	25.26	25.29	25.33	0
				64	69	24.85	24.84	24.94	0.5
				128	0	24.98	24.95	24.95	0.5
			QPSK	1	1	24.10	24.12	24.10	0
				1	66	24.60	24.75	24.60	0
				1	131	24.57	24.51	24.56	0
				64	0	24.22	24.29	24.23	1
				64	35	25.25	25.38	25.37	0
				64	69	24.27	24.21	24.37	1
				128	0	24.11	24.23	24.12	1
			16QAM	1	1	23.17	23.22	23.20	1
			64QAM	1	1	22.00	21.92	21.95	2.5
			256QAM	1	1	19.87	19.67	19.74	4.5
		CP	QPSK	1	1	23.13	23.08	23.02	1.5

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.87	0
				1	80	24.39	0
				1	158	23.92	0
				80	0	24.73	0.5
				80	40	25.40	0
				80	80	24.84	0.5
				160	0	24.79	0.5
			QPSK	1	1	24.15	0
				1	80	24.57	0
				1	158	24.46	0
				80	0	24.34	1
				80	40	25.31	0
				80	80	24.27	1
				160	0	24.31	1
			16QAM	1	1	23.17	1
			64QAM	1	1	21.96	2.5
			256QAM	1	1	19.80	4.5
		CP	QPSK	1	1	22.98	1.5

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.83	0
				1	98	24.27	0
				1	186	24.04	0
				90	0	24.78	0.5
				90	45	25.39	0
				90	90	24.94	0.5
				180	0	24.81	0.5
			QPSK	1	1	24.27	0
				1	98	24.56	0
				1	186	24.63	0
				90	0	24.18	1
				90	45	25.40	0
				90	90	24.23	1
				180	0	24.27	1
			16QAM	1	1	23.29	1
			64QAM	1	1	22.12	2.5
			256QAM	1	1	19.87	4.5
		CP	QPSK	1	1	23.04	1.5

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.71	0
				1	108	24.32	0
				1	214	24.02	0
				108	0	24.82	0.5
				108	54	25.43	0
				108	108	24.87	0.5
				216	0	24.79	0.5
			QPSK	1	1	24.48	0
				1	108	24.42	0
				1	214	24.41	0
				108	0	24.15	1
				108	54	25.32	0
				108	108	24.29	1
				216	0	24.21	1
			16QAM	1	1	23.25	1
			64QAM	1	1	21.94	2.5
			256QAM	1	1	19.78	4.5
		CP	QPSK	1	1	23.02	1.5

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.05	19.06	18.83	0
				1	13	19.19	19.14	18.96	0
				1	23	18.99	19.01	18.85	0
				12	0	19.12	19.07	18.88	0
				12	7	19.07	19.12	18.94	0
				12	13	18.95	19.05	18.94	0
				25	0	19.01	19.09	18.83	0
			QPSK	1	1	18.97	19.04	18.92	0
				1	13	19.11	19.19	18.96	0
				1	23	18.98	19.07	18.78	0
				12	0	18.98	19.05	18.87	0
				12	7	19.11	19.14	18.97	0
				12	13	18.94	19.06	18.87	0
				25	0	19.00	18.97	18.90	0
			16QAM	1	1	18.95	19.10	18.87	0
			64QAM	1	1	19.15	19.19	19.04	0
			256QAM	1	1	18.48	18.49	18.38	0.5
		CP	QPSK	1	1	19.22	19.28	18.98	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.09	19.08	19.04	0
				1	26	19.15	19.05	19.10	0
				1	50	19.13	19.04	18.99	0
				25	0	19.03	19.00	18.99	0
				25	14	19.19	19.10	19.10	0
				25	27	19.11	18.99	18.96	0
				50	0	19.14	19.02	19.03	0
			QPSK	1	1	19.17	19.10	19.07	0
				1	26	19.10	19.02	19.02	0
				1	50	19.14	19.08	18.98	0
				25	0	19.02	19.07	18.94	0
				25	14	19.07	19.08	19.04	0
				25	27	19.03	19.08	19.00	0
				50	0	19.07	19.07	18.97	0
			16QAM	1	1	19.14	19.01	18.99	0
			64QAM	1	1	19.18	19.22	19.11	0
			256QAM	1	1	18.61	18.47	18.40	0.5
		CP	QPSK	1	1	19.31	19.23	19.19	0

NR FDD Band n66_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.15	19.17	18.92	0
				1	40	19.09	18.88	18.79	0
				1	77	19.10	18.91	18.81	0
				36	0	19.15	18.96	18.91	0
				36	22	19.20	19.01	18.90	0
				36	43	19.07	18.94	18.88	0
				75	0	19.21	19.01	18.87	0
			QPSK	1	1	19.23	19.20	19.04	0
				1	40	19.09	18.93	18.85	0
				1	77	19.12	18.95	18.80	0
				36	0	19.18	18.96	18.75	0
				36	22	19.16	19.00	18.92	0
				36	43	19.16	18.94	18.82	0
				75	0	19.12	18.97	18.84	0
			16QAM	1	1	19.31	19.06	18.96	0
			64QAM	1	1	19.43	19.23	19.01	0
			256QAM	1	1	18.69	18.60	18.40	0.5
		CP	QPSK	1	1	19.48	19.32	19.04	0

NR FDD Band n66_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.08	19.09	18.91	0
				1	53	19.14	19.03	18.85	0
				1	104	18.99	18.99	18.81	0
				50	0	19.11	18.97	18.89	0
				50	28	19.20	19.05	18.97	0
				50	56	19.01	18.95	18.83	0
				100	0	19.30	19.11	19.01	0
			QPSK	1	1	19.13	19.21	18.97	0
				1	53	19.22	19.06	18.91	0
				1	104	19.07	19.03	18.86	0
				50	0	19.16	18.96	18.87	0
				50	28	19.12	19.06	18.81	0
				50	56	19.09	18.93	18.83	0
				100	0	19.19	19.07	18.99	0
			16QAM	1	1	19.10	19.07	18.83	0
			64QAM	1	1	19.18	19.18	19.03	0
			256QAM	1	1	18.54	18.58	18.32	0.5
		CP	QPSK	1	1	19.28	19.29	19.03	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.25	19.27	19.05	0
				1	66	19.14	19.08	19.14	0
				1	131	18.92	19.11	18.94	0
				64	0	19.10	19.17	18.97	0
				64	35	19.26	19.00	19.08	0
				64	69	19.06	18.98	19.05	0
				128	0	19.17	18.99	18.91	0
			QPSK	1	1	19.19	19.23	19.09	0
				1	66	19.20	19.15	19.21	0
				1	131	19.04	18.97	18.92	0
				64	0	19.20	19.07	18.97	0
				64	35	19.17	19.11	19.02	0
				64	69	19.11	18.97	18.95	0
				128	0	19.13	19.09	18.95	0
			16QAM	1	1	19.30	19.14	19.07	0
			64QAM	1	1	19.43	19.38	19.29	0
			256QAM	1	1	18.73	18.84	18.50	0.5
		CP	QPSK	1	1	19.33	19.53	19.12	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.24	0
				1	80	19.16	0
				1	158	19.19	0
				80	0	19.21	0
				80	40	19.05	0
				80	80	18.95	0
				160	0	19.04	0
			QPSK	1	1	19.31	0
				1	80	19.12	0
				1	158	19.15	0
				80	0	19.18	0
				80	40	19.08	0
				80	80	19.04	0
				160	0	19.03	0
			16QAM	1	1	19.17	0
			64QAM	1	1	19.41	0
			256QAM	1	1	18.87	0.5
		CP	QPSK	1	1	19.55	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.08	0
				1	98	19.05	0
				1	186	18.95	0
				90	0	19.08	0
				90	45	19.14	0
				90	90	19.03	0
				180	0	19.10	0
			QPSK	1	1	19.26	0
				1	98	19.09	0
				1	186	19.09	0
				90	0	19.16	0
				90	45	19.19	0
				90	90	19.12	0
				180	0	19.12	0
			16QAM	1	1	19.15	0
			64QAM	1	1	19.33	0
			256QAM	1	1	18.69	0.5
		CP	QPSK	1	1	19.36	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	19.73	0
				1	108	19.75	0
				1	214	19.64	0
				108	0	19.62	0
				108	54	19.71	0
				108	108	19.68	0
				216	0	19.63	0
			QPSK	1	1	19.73	0
				1	108	19.65	0
				1	214	19.84	0
				108	0	19.64	0
				108	54	19.92	0
				108	108	19.71	0
				216	0	19.62	0
			16QAM	1	1	19.65	0
			64QAM	1	1	19.67	0
			256QAM	1	1	18.34	0.5
		CP	QPSK	1	1	19.68	0

NR FDD Band n66 Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.55	20.38	20.54	0
				1	13	20.04	20.18	20.11	0
				1	23	20.04	20.25	20.18	0
				12	0	20.07	20.06	20.08	0
				12	7	19.83	20.02	20.05	0
				12	13	20.04	20.12	20.07	0
				25	0	20.19	20.11	20.11	0
			QPSK	1	1	20.40	20.47	20.38	0
				1	13	19.98	19.86	19.98	0
				1	23	20.27	20.13	20.07	0
				12	0	20.26	20.11	20.04	0
				12	7	19.83	19.97	19.94	0
				12	13	20.08	20.25	20.21	0
				25	0	20.15	20.15	20.09	0
			16QAM	1	1	20.22	20.10	20.20	0
			64QAM	1	1	20.28	20.53	20.61	0
			256QAM	1	1	19.74	20.01	19.96	0.5
		CP	QPSK	1	1	20.35	20.43	20.30	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.62	20.37	20.36	0
				1	26	19.95	20.13	20.19	0
				1	50	20.16	20.24	20.10	0
				25	0	20.16	20.24	19.95	0
				25	14	19.83	20.05	19.96	0
				25	27	20.01	20.18	20.13	0
				50	0	20.06	20.21	20.04	0
			QPSK	1	1	20.44	20.44	20.44	0
				1	26	20.06	19.89	20.10	0
				1	50	20.24	20.17	19.97	0
				25	0	20.34	20.20	20.19	0
				25	14	19.91	19.98	20.08	0
				25	27	20.05	20.26	20.20	0
				50	0	20.16	20.13	19.99	0
			16QAM	1	1	20.28	20.11	20.20	0
			64QAM	1	1	20.32	20.52	20.43	0
			256QAM	1	1	19.88	19.95	19.98	0.5
		CP	QPSK	1	1	20.33	20.50	20.31	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.42	20.33	20.42	0
				1	40	20.07	20.01	20.17	0
				1	77	20.11	20.14	20.14	0
				36	0	20.22	20.06	19.99	0
				36	22	19.97	19.98	20.08	0
				36	43	20.00	20.13	20.02	0
				75	0	20.16	20.16	20.03	0
			QPSK	1	1	20.56	20.39	20.42	0
				1	40	20.04	19.91	20.10	0
				1	77	20.24	20.19	19.98	0
				36	0	20.36	20.18	20.06	0
				36	22	20.01	20.00	20.09	0
				36	43	19.97	20.25	20.12	0
				75	0	20.04	20.12	20.07	0
			16QAM	1	1	20.08	20.14	20.26	0
			64QAM	1	1	20.35	20.50	20.55	0
			256QAM	1	1	19.75	19.98	19.88	0.5
		CP	QPSK	1	1	20.36	20.51	20.25	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.56	20.44	20.35	0
				1	53	20.01	20.17	20.12	0
				1	104	20.09	20.31	20.13	0
				50	0	20.13	20.18	19.99	0
				50	28	19.92	19.93	19.95	0
				50	56	20.06	20.19	19.99	0
				100	0	20.04	20.09	20.11	0
			QPSK	1	1	20.57	20.33	20.38	0
				1	53	20.02	19.91	20.12	0
				1	104	20.32	20.19	20.15	0
				50	0	20.20	20.08	20.16	0
				50	28	19.86	20.04	20.00	0
				50	56	19.99	20.13	20.08	0
				100	0	20.02	20.02	20.08	0
			16QAM	1	1	20.24	20.05	20.10	0
			64QAM	1	1	20.34	20.50	20.56	0
			256QAM	1	1	19.86	19.99	19.93	0.5
		CP	QPSK	1	1	20.40	20.42	20.18	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.52	20.38	20.45	0
				1	66	19.97	20.09	20.12	0
				1	131	20.06	20.22	20.13	0
				64	0	20.13	20.15	20.01	0
				64	35	19.90	20.01	20.01	0
				64	69	20.03	20.11	20.06	0
				128	0	20.10	20.17	20.09	0
			QPSK	1	1	20.49	20.37	20.43	0
				1	66	19.96	19.92	20.02	0
				1	131	20.23	20.09	20.07	0
				64	0	20.28	20.14	20.14	0
				64	35	19.92	19.99	20.03	0
				64	69	20.07	20.20	20.11	0
				128	0	20.08	20.08	20.03	0
			16QAM	1	1	20.18	20.14	20.19	0
			64QAM	1	1	20.33	20.47	20.52	0
			256QAM	1	1	19.79	19.96	19.90	0.5
		CP	QPSK	1	1	20.38	20.42	20.25	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.44	0
				1	80	20.07	0
				1	158	20.15	0
				80	0	20.07	0
				80	40	19.98	0
				80	80	20.05	0
				160	0	20.11	0
			QPSK	1	1	20.39	0
				1	80	19.98	0
				1	158	20.16	0
				80	0	20.22	0
				80	40	19.94	0
				80	80	20.11	0
				160	0	20.08	0
			16QAM	1	1	20.24	0
			64QAM	1	1	20.43	0
			256QAM	1	1	19.86	0.5
		CP	QPSK	1	1	20.35	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.30	0
				1	98	19.98	0
				1	186	20.13	0
				90	0	20.13	0
				90	45	19.94	0
				90	90	20.11	0
				180	0	20.20	0
			QPSK	1	1	20.37	0
				1	98	19.93	0
				1	186	20.31	0
				90	0	20.22	0
				90	45	19.97	0
				90	90	19.97	0
				180	0	20.21	0
			16QAM	1	1	20.16	0
			64QAM	1	1	20.34	0
			256QAM	1	1	19.93	0.5
		CP	QPSK	1	1	20.22	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.40	0
				1	108	20.02	0
				1	214	20.23	0
				108	0	20.15	0
				108	54	20.03	0
				108	108	20.05	0
				216	0	20.12	0
			QPSK	1	1	20.43	0
				1	108	20.00	0
				1	214	20.26	0
				108	0	20.14	0
				108	54	19.99	0
				108	108	20.07	0
				216	0	20.17	0
			16QAM	1	1	20.24	0
			64QAM	1	1	20.36	0
			256QAM	1	1	19.88	0.5
		CP	QPSK	1	1	20.31	0

NR FDD Band n66 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n66_5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						342500	349000	355500	
						1712.5 MHz	1745 MHz	1777.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.76	16.79	16.82	0
				1	13	16.68	16.77	16.79	0
				1	23	17.07	16.94	16.98	0
				12	0	16.83	16.69	16.67	0
				12	7	16.76	16.85	16.81	0
				12	13	16.84	16.88	16.79	0
				25	0	16.76	16.77	16.79	0
			QPSK	1	1	17.01	17.04	17.03	0
				1	13	16.62	16.68	16.72	0
				1	23	16.81	16.70	16.70	0
				12	0	16.73	16.55	16.56	0
				12	7	16.68	16.61	16.79	0
				12	13	16.60	16.73	16.68	0
				25	0	16.89	16.71	16.73	0
			16QAM	1	1	16.95	16.92	16.97	0
			64QAM	1	1	16.81	16.88	16.88	0
			256QAM	1	1	16.12	16.17	16.13	0.5
		CP	QPSK	1	1	16.98	16.95	16.99	0

NR FDD Band n66_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343000	349000	355000	
						1715 MHz	1745 MHz	1775 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.92	16.85	16.83	0
				1	26	16.76	16.67	16.81	0
				1	50	17.06	16.95	17.01	0
				25	0	16.71	16.77	16.76	0
				25	14	16.70	16.78	16.71	0
				25	27	16.83	16.76	16.81	0
				50	0	16.69	16.78	16.76	0
			QPSK	1	1	17.00	16.95	16.97	0
				1	26	16.64	16.76	16.77	0
				1	50	16.83	16.70	16.69	0
				25	0	16.60	16.70	16.74	0
				25	14	16.67	16.63	16.79	0
				25	27	16.67	16.67	16.70	0
				50	0	16.89	16.80	16.79	0
			16QAM	1	1	16.96	16.88	16.80	0
			64QAM	1	1	16.97	16.92	16.86	0
			256QAM	1	1	16.17	16.03	16.10	0.5
		CP	QPSK	1	1	17.09	17.10	17.09	0

NR FDD Band n66 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						343500	349000	354500	
						1717.5 MHz	1745 MHz	1772.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.81	16.85	16.80	0
				1	40	16.65	16.81	16.70	0
				1	77	16.98	16.99	17.05	0
				36	0	16.66	16.86	16.74	0
				36	22	16.70	16.86	16.78	0
				36	43	16.87	16.89	16.84	0
				75	0	16.78	16.74	16.66	0
			QPSK	1	1	16.91	16.95	16.98	0
				1	40	16.73	16.70	16.75	0
				1	77	16.69	16.84	16.75	0
				36	0	16.73	16.59	16.59	0
				36	22	16.67	16.73	16.63	0
				36	43	16.68	16.62	16.73	0
				75	0	16.84	16.84	16.79	0
			16QAM	1	1	16.78	16.86	16.81	0
			64QAM	1	1	16.99	16.87	16.92	0
			256QAM	1	1	16.21	16.08	16.09	0.5
		CP	QPSK	1	1	17.07	17.10	17.00	0

NR FDD Band n66 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344000	349000	354000	
						1720 MHz	1745 MHz	1770 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.91	16.76	16.72	0
				1	53	16.79	16.81	16.72	0
				1	104	17.08	17.09	16.97	0
				50	0	16.68	16.85	16.79	0
				50	28	16.72	16.89	16.87	0
				50	56	16.84	16.74	16.87	0
				100	0	16.82	16.76	16.75	0
			QPSK	1	1	16.94	17.02	17.03	0
				1	53	16.64	16.70	16.71	0
				1	104	16.68	16.73	16.82	0
				50	0	16.71	16.66	16.72	0
				50	28	16.71	16.76	16.62	0
				50	56	16.68	16.66	16.70	0
				100	0	16.84	16.71	16.83	0
			16QAM	1	1	16.91	16.96	16.94	0
			64QAM	1	1	16.81	16.90	16.85	0
			256QAM	1	1	16.05	16.06	16.10	0.5
		CP	QPSK	1	1	17.00	16.92	16.96	0

NR FDD Band n66 _ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						344500	349000	353500	
						1722.5 MHz	1745 MHz	1767.5 MHz	
25 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.84	16.90	16.75	0
				1	66	16.66	16.71	16.72	0
				1	131	16.97	17.08	16.91	0
				64	0	16.71	16.71	16.85	0
				64	35	16.88	16.74	16.87	0
				64	69	16.85	16.78	16.82	0
				128	0	16.70	16.75	16.74	0
			QPSK	1	1	16.91	17.02	16.96	0
				1	66	16.63	16.78	16.77	0
				1	131	16.80	16.75	16.77	0
				64	0	16.65	16.70	16.55	0
				64	35	16.80	16.64	16.80	0
				64	69	16.68	16.75	16.62	0
				128	0	16.75	16.82	16.86	0
			16QAM	1	1	16.84	16.92	16.81	0
			64QAM	1	1	16.90	16.83	16.92	0
			256QAM	1	1	16.02	16.21	16.12	0.5
		CP	QPSK	1	1	16.91	17.02	17.10	0

NR FDD Band n66 _ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
30 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.82	0
				1	80	16.76	0
				1	158	17.08	0
				80	0	16.73	0
				80	40	16.84	0
				80	80	16.70	0
				160	0	16.78	0
			QPSK	1	1	16.89	0
				1	80	16.81	0
				1	158	16.78	0
				80	0	16.71	0
				80	40	16.61	0
				80	80	16.65	0
				160	0	16.77	0
			16QAM	1	1	16.86	0
			64QAM	1	1	16.80	0
			256QAM	1	1	16.12	0.5
		CP	QPSK	1	1	17.10	0

NR FDD Band n66 _ 35 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
35 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.74	0
				1	98	16.68	0
				1	186	16.89	0
				90	0	16.74	0
				90	45	16.74	0
				90	90	16.79	0
				180	0	16.79	0
			QPSK	1	1	16.94	0
				1	98	16.78	0
				1	186	16.75	0
				90	0	16.62	0
				90	45	16.73	0
				90	90	16.69	0
				180	0	16.78	0
			16QAM	1	1	16.89	0
			64QAM	1	1	16.96	0
			256QAM	1	1	16.07	0.5
		CP	QPSK	1	1	17.04	0

NR FDD Band n66 _ 40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						349000	
						1745 MHz	
40 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.78	0
				1	108	16.70	0
				1	214	17.09	0
				108	0	16.83	0
				108	54	16.79	0
				108	108	16.75	0
				216	0	16.70	0
			QPSK	1	1	16.90	0
				1	108	16.75	0
				1	214	16.72	0
				108	0	16.67	0
				108	54	16.69	0
				108	108	16.68	0
				216	0	16.83	0
			16QAM	1	1	16.79	0
			64QAM	1	1	16.85	0
			256QAM	1	1	16.04	0.5
		CP	QPSK	1	1	16.98	0

13. NR FDD Band n70 Maximum Conducted Power

NR FDD Band n70 Conducted Power_ Measured P_{max} , DSI = 1 (RCV) _ MAIN1 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.53	23.35	23.36	0
				1	13	23.62	23.45	23.33	0
				1	23	23.52	23.37	23.34	0
				12	0	23.03	22.85	22.87	0.5
				12	7	23.60	23.50	23.47	0
				12	13	23.08	22.94	22.89	0.5
				25	0	23.05	22.88	22.89	0.5
			QPSK	1	1	23.41	23.44	23.42	0
				1	13	23.54	23.49	23.45	0
				1	23	23.52	23.34	23.36	0
				12	0	22.46	22.40	22.29	1
				12	7	23.55	23.43	23.41	0
				12	13	22.55	22.43	22.34	1
				25	0	22.50	22.42	22.36	1
			16QAM	1	1	22.50	22.34	22.26	1
			64QAM	1	1	21.19	21.13	20.98	2.5
			256QAM	1	1	18.43	18.31	18.30	4.5
		CP	QPSK	1	1	22.04	21.98	21.90	1.5

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.39	23.40	23.51	0
				1	26	23.38	23.39	23.47	0
				1	50	23.42	23.36	23.42	0
				25	0	22.94	22.87	22.93	0.5
				25	14	23.43	23.43	23.51	0
				25	27	22.81	22.86	22.90	0.5
				50	0	22.88	22.88	22.91	0.5
			QPSK	1	1	23.41	23.45	23.51	0
				1	26	23.33	23.44	23.50	0
				1	50	23.33	23.44	23.69	0
				25	0	22.37	22.34	22.45	1
				25	14	23.45	23.42	23.52	0
				25	27	22.41	22.36	22.46	1
				50	0	22.40	22.39	22.50	1
			16QAM	1	1	22.26	22.31	22.40	1
			64QAM	1	1	21.11	21.10	21.14	2.5
			256QAM	1	1	18.37	18.30	18.42	4.5
		CP	QPSK	1	1	22.02	21.99	22.04	1.5

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.33	0
				1	40	23.24	0
				1	77	23.24	0
				36	0	22.79	0.5
				36	22	23.32	0
				36	43	22.80	0.5
				75	0	22.77	0.5
			QPSK	1	1	23.40	0
				1	40	23.38	0
				1	77	23.28	0
				36	0	22.38	1
				36	22	23.37	0
				36	43	22.24	1
				75	0	22.41	1
			16QAM	1	1	22.27	1
			64QAM	1	1	21.09	2.5
			256QAM	1	1	18.34	4.5
		CP	QPSK	1	1	21.89	1.5

NR FDD Band n70 Conducted Power_ Measured DSI = 0 (free) _ MAIN1 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.04	20.03	20.03	0
				1	13	20.04	20.12	20.14	0
				1	23	20.04	20.04	20.00	0
				12	0	20.08	20.07	20.04	0
				12	7	20.19	20.20	20.23	0
				12	13	20.14	20.12	20.03	0
				25	0	20.11	20.06	20.08	0
			QPSK	1	1	20.14	20.00	20.04	0
				1	13	20.26	20.05	20.10	0
				1	23	20.14	20.07	20.03	0
				12	0	20.11	20.08	20.11	0
				12	7	20.26	20.10	20.06	0
				12	13	20.18	20.06	19.99	0
				25	0	20.15	20.08	20.11	0
			16QAM	1	1	20.10	20.08	20.10	0
			64QAM	1	1	20.30	20.22	20.20	0
			256QAM	1	1	18.19	18.09	18.11	1.5
		CP	QPSK	1	1	20.32	20.26	20.27	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.06	20.15	20.27	0
				1	26	20.02	20.10	20.19	0
				1	50	20.04	20.00	20.07	0
				25	0	19.99	20.10	20.13	0
				25	14	20.10	20.07	20.26	0
				25	27	20.05	20.07	20.01	0
				50	0	20.00	20.08	20.17	0
			QPSK	1	1	20.13	20.18	20.25	0
				1	26	20.08	20.05	20.26	0
				1	50	20.03	19.95	20.03	0
				25	0	20.07	20.11	20.16	0
				25	14	20.07	20.07	20.21	0
				25	27	20.06	20.10	20.05	0
				50	0	20.09	20.08	20.10	0
			16QAM	1	1	20.07	20.07	20.14	0
			64QAM	1	1	20.25	20.25	20.35	0
			256QAM	1	1	18.11	18.07	18.21	1.5
		CP	QPSK	1	1	20.23	20.21	20.35	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.09	0
				1	40	19.92	0
				1	77	19.82	0
				36	0	20.03	0
				36	22	20.04	0
				36	43	19.85	0
				75	0	19.99	0
			QPSK	1	1	20.06	0
				1	40	19.98	0
				1	77	19.85	0
				36	0	20.02	0
				36	22	20.03	0
				36	43	19.95	0
				75	0	19.98	0
			16QAM	1	1	20.10	0
			64QAM	1	1	20.26	0
			256QAM	1	1	18.23	1.5
		CP	QPSK	1	1	20.17	0

NR FDD Band n70 Conducted Power_ Measured DSI = 0 (free)_ SUB2 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.06	21.25	21.12	0
				1	13	21.08	21.30	21.39	0
				1	23	21.14	21.14	21.23	0
				12	0	20.93	21.17	21.19	0
				12	7	21.23	21.34	21.37	0
				12	13	21.18	21.28	21.30	0
				25	0	21.19	21.23	21.31	0
			QPSK	1	1	21.15	21.28	21.36	0
				1	13	21.29	21.32	21.54	0
				1	23	21.12	21.05	21.50	0
				12	0	21.08	21.20	21.28	0
				12	7	21.21	21.28	21.01	0
				12	13	21.21	21.25	21.42	0
				25	0	21.12	21.25	21.16	0
			16QAM	1	1	21.06	21.24	21.37	0
			64QAM	1	1	20.90	21.13	21.22	0
			256QAM	1	1	18.34	18.28	18.33	1.5
		CP	QPSK	1	1	21.38	21.57	21.45	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.97	21.16	21.17	0
				1	26	21.14	21.36	21.35	0
				1	50	21.16	21.20	21.18	0
				25	0	20.84	21.21	21.12	0
				25	14	21.19	21.28	21.33	0
				25	27	21.14	21.19	21.38	0
				50	0	21.29	21.33	21.39	0
			QPSK	1	1	21.05	21.38	21.41	0
				1	26	21.36	21.22	21.57	0
				1	50	21.02	21.00	21.51	0
				25	0	21.18	21.22	21.31	0
				25	14	21.14	21.38	20.91	0
				25	27	21.31	21.27	21.34	0
				50	0	21.14	21.26	21.06	0
			16QAM	1	1	21.11	21.27	21.27	0
			64QAM	1	1	20.84	21.07	21.14	0
			256QAM	1	1	18.38	18.35	18.37	1.5
		CP	QPSK	1	1	21.44	21.66	21.47	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	21.08	0
				1	40	21.07	0
				1	77	21.11	0
				36	0	20.94	0
				36	22	21.23	0
				36	43	21.09	0
				75	0	21.29	0
			QPSK	1	1	21.12	0
				1	40	21.19	0
				1	77	21.11	0
				36	0	21.05	0
				36	22	21.29	0
				36	43	21.28	0
				75	0	21.19	0
			16QAM	1	1	21.15	0
			64QAM	1	1	20.92	0
			256QAM	1	1	18.32	1.5
		CP	QPSK	1	1	21.40	0

NR FDD Band n70 Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR FDD Band n70 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						339500	340500	341500	
						1697.5 MHz	1702.5 MHz	1707.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.30	16.33	16.46	0
				1	13	16.42	16.44	16.61	0
				1	23	16.29	16.40	16.52	0
				12	0	16.20	16.41	16.48	0
				12	7	16.39	16.51	16.62	0
				12	13	16.35	16.43	16.52	0
			QPSK	25	0	16.37	16.44	16.54	0
				1	1	16.33	16.39	16.43	0
				1	13	16.33	16.48	16.47	0
				1	23	16.33	16.43	16.52	0
				12	0	16.21	16.42	16.42	0
				12	7	16.40	16.54	16.45	0
				12	13	16.41	16.48	16.51	0
				25	0	16.30	16.45	16.47	0
			16QAM	1	1	16.37	16.34	16.48	0
			64QAM	1	1	16.44	16.53	16.58	0
			256QAM	1	1	15.69	15.83	15.87	0.5
		CP	QPSK	1	1	16.48	16.62	16.70	0

NR FDD Band n70 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						340000	340500	341000	
						1700 MHz	1702.5 MHz	1705 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.19	16.42	16.60	0
				1	26	16.24	16.46	16.33	0
				1	50	16.47	16.38	16.63	0
				25	0	16.23	16.33	16.59	0
				25	14	16.45	16.54	16.63	0
				25	27	16.44	16.48	16.51	0
				50	0	16.28	16.45	16.58	0
			QPSK	1	1	16.33	16.49	16.62	0
				1	26	16.39	16.49	16.59	0
				1	50	16.40	16.49	16.73	0
				25	0	16.31	16.39	16.58	0
				25	14	16.50	16.58	16.63	0
				25	27	16.46	16.47	16.50	0
			50	0	16.39	16.48	16.55	0	
			16QAM	1	1	16.25	16.27	16.49	0
			64QAM	1	1	16.35	16.48	16.66	0
			256QAM	1	1	15.71	15.78	15.92	0.5
		CP	QPSK	1	1	16.54	16.57	16.71	0

NR FDD Band n70 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR [dB]
						340500	
						1702.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	16.29	0
				1	40	16.39	0
				1	77	16.55	0
				36	0	16.18	0
				36	22	16.44	0
				36	43	16.47	0
				75	0	16.33	0
			QPSK	1	1	16.27	0
				1	40	16.49	0
				1	77	16.60	0
				36	0	16.30	0
				36	22	16.51	0
				36	43	16.50	0
				75	0	16.33	0
			16QAM	1	1	16.21	0
			64QAM	1	1	16.41	0
			256QAM	1	1	15.75	0.5
		CP	QPSK	1	1	16.53	0

14. NR FDD Band n71 Maximum Conducted Power

NR FDD Band n71 Conducted Power_ Measured P_{max} , DSI = 0 (free), DSI = 1 (RCV) _ MAIN1

Antenna

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.63	24.01	23.79	0
				1	13	23.63	24.09	23.73	0
				1	23	23.61	23.92	23.81	0
				12	0	23.26	23.55	23.37	0.5
				12	7	23.81	24.07	23.87	0
				12	13	23.25	23.49	23.33	0.5
				25	0	23.38	23.50	23.36	0.5
			QPSK	1	1	23.60	24.15	23.86	0
				1	13	24.14	23.91	23.78	0
				1	23	23.90	23.96	23.46	0
				12	0	22.73	23.14	22.88	1
				12	7	23.81	24.05	23.86	0
				12	13	22.84	23.06	22.81	1
				25	0	22.90	23.09	22.84	1
			16QAM	1	1	22.59	23.09	22.82	1
			64QAM	1	1	21.42	21.76	21.61	2.5
			256QAM	1	1	18.73	19.02	18.83	4.5
		CP	QPSK	1	1	22.18	22.78	22.57	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.76	23.76	23.76	0
				1	26	23.84	23.93	23.73	0
				1	50	23.79	23.73	23.64	0
				25	0	23.29	23.40	23.18	0.5
				25	14	23.93	23.98	23.78	0
				25	27	23.40	23.41	23.22	0.5
				50	0	23.37	23.52	23.25	0.5
			QPSK	1	1	23.31	23.70	23.76	0
				1	26	23.56	23.95	23.74	0
				1	50	23.00	23.96	23.62	0
				25	0	22.69	22.96	22.82	1
				25	14	23.52	24.00	23.86	0
				25	27	22.40	22.96	22.62	1
				50	0	22.59	22.95	22.77	1
			16QAM	1	1	22.35	22.64	22.64	1
			64QAM	1	1	21.18	21.35	21.45	2.5
			256QAM	1	1	18.56	18.75	18.58	4.5
		CP	QPSK	1	1	22.09	22.29	22.16	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.95	0
				1	40	24.02	0
				1	77	23.72	0
				36	0	23.37	0.5
				36	22	24.01	0
				36	43	23.35	0.5
				75	0	23.48	0.5
			QPSK	1	1	23.18	0
				1	40	24.16	0
				1	77	24.13	0
				36	0	22.74	1
				36	22	24.07	0
				36	43	22.90	1
				75	0	22.93	1
			16QAM	1	1	22.13	1
			64QAM	1	1	20.93	2.5
			256QAM	1	1	18.95	4.5
		CP	QPSK	1	1	21.77	1.5

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.01	0
				1	53	24.31	0
				1	104	24.28	0
				50	0	23.61	0.5
				50	28	24.26	0
				50	56	23.75	0.5
				100	0	23.67	0.5
			QPSK	1	1	23.75	0
				1	53	24.38	0
				1	104	23.63	0
				50	0	23.14	1
				50	28	24.35	0
				50	56	23.26	1
				100	0	23.24	1
			16QAM	1	1	22.70	1
			64QAM	1	1	21.55	2.5
			256QAM	1	1	19.04	4.5
		CP	QPSK	1	1	22.45	1.5

NR FDD Band n71 Conducted Power_ Measured P_{max} , DSI = 0 (free)_ SUB1 Antenna

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.56	24.12	23.95	0
				1	13	23.96	24.06	24.00	0
				1	23	23.89	24.09	24.07	0
				12	0	23.18	23.76	23.59	0.5
				12	7	24.01	24.24	24.09	0
				12	13	23.44	23.72	23.54	0.5
				25	0	23.46	23.61	23.59	0.5
			QPSK	1	1	23.11	23.37	23.57	0
				1	13	23.18	23.95	23.48	0
				1	23	23.75	24.17	23.49	0
				12	0	21.64	22.69	22.59	1
				12	7	23.02	23.82	23.39	0
				12	13	22.58	22.96	22.51	1
				25	0	22.07	22.86	22.50	1
			16QAM	1	1	22.13	22.40	22.50	1
			64QAM	1	1	20.18	21.20	21.39	2.5
			256QAM	1	1	18.33	19.09	19.01	4.5
		CP	QPSK	1	1	21.89	22.17	22.27	1.5

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						133600	136100	138600	
						668 MHz	680.5 MHz	693 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.34	24.00	23.80	0
				1	26	23.80	24.01	23.85	0
				1	50	23.95	23.83	23.94	0
				25	0	23.37	23.55	23.47	0.5
				25	14	24.03	24.15	24.07	0
				25	27	23.47	23.47	23.48	0.5
				50	0	23.48	23.58	23.57	0.5
			QPSK	1	1	23.09	23.18	23.92	0
				1	26	23.73	23.82	23.30	0
				1	50	23.43	24.17	23.36	0
				25	0	21.95	22.36	22.66	1
				25	14	23.50	23.74	23.26	0
				25	27	22.76	23.08	22.31	1
				50	0	22.33	22.81	22.58	1
			16QAM	1	1	22.06	22.11	22.62	1
			64QAM	1	1	20.02	20.95	21.62	2.5
			256QAM	1	1	18.17	18.86	18.72	4.5
		CP	QPSK	1	1	21.95	21.88	22.34	1.5

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	23.98	0
				1	40	24.04	0
				1	77	23.82	0
				36	0	23.56	0.5
				36	22	24.06	0
				36	43	23.47	0.5
				75	0	23.62	0.5
			QPSK	1	1	23.37	0
				1	40	23.92	0
				1	77	24.23	0
				36	0	22.35	1
				36	22	23.82	0
				36	43	23.06	1
				75	0	22.78	1
			16QAM	1	1	22.33	1
			64QAM	1	1	21.24	2.5
			256QAM	1	1	19.13	4.5
		CP	QPSK	1	1	22.07	1.5

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	24.13	0
				1	53	24.11	0
				1	104	23.97	0
				50	0	23.29	0.5
				50	28	24.11	0
				50	56	23.18	0.5
				100	0	23.22	0.5
			QPSK	1	1	24.05	0
				1	53	24.12	0
				1	104	24.03	0
				50	0	23.24	1
				50	28	24.06	0
				50	56	23.15	1
				100	0	23.12	1
			16QAM	1	1	22.64	1
			64QAM	1	1	21.45	2.5
			256QAM	1	1	19.07	4.5
		CP	QPSK	1	1	22.41	1.5

NR FDD Band n71 Conducted Power_ Measured DSI = 1 (RCV) _ SUB1 Antenna

NR FDD Band n71 _ 5 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
5 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.67	20.89	20.79	0
				1	13	20.79	20.85	20.79	0
				1	23	20.69	20.90	20.86	0
				12	0	20.73	20.99	20.90	0
				12	7	20.82	21.01	20.94	0
				12	13	20.80	21.06	20.92	0
				25	0	20.76	20.96	20.87	0
			QPSK	1	1	20.76	21.03	20.95	0
				1	13	20.89	20.95	20.86	0
				1	23	20.78	20.97	20.92	0
				12	0	20.79	20.98	20.90	0
				12	7	20.89	20.99	20.97	0
				12	13	20.80	20.95	20.94	0
				25	0	20.90	21.03	20.87	0
			16QAM	1	1	20.63	21.03	20.93	0
			64QAM	1	1	20.20	21.12	21.03	0
			256QAM	1	1	18.37	19.15	18.99	2
		CP	QPSK	1	1	20.82	21.18	21.05	0

NR FDD Band n71 _ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR [dB]
						133100	136100	139100	
						665.5 MHz	680.5 MHz	695.5 MHz	
10 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.64	20.87	20.69	0
				1	26	20.70	20.98	20.66	0
				1	50	20.85	20.84	20.72	0
				25	0	20.64	20.87	20.78	0
				25	14	20.80	20.88	20.78	0
				25	27	20.88	20.81	20.78	0
				50	0	20.77	20.91	20.85	0
			QPSK	1	1	20.81	20.92	20.88	0
				1	26	20.84	20.82	20.69	0
				1	50	20.88	20.85	20.70	0
				25	0	20.73	20.98	20.72	0
				25	14	20.77	20.88	20.76	0
				25	27	20.78	20.86	20.74	0
				50	0	20.79	20.98	20.75	0
			16QAM	1	1	20.52	20.74	20.54	0
			64QAM	1	1	20.10	20.89	20.74	0
			256QAM	1	1	18.27	18.93	18.80	2
		CP	QPSK	1	1	20.65	20.99	20.68	0

NR FDD Band n71 _ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
15 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.77	0
				1	40	20.84	0
				1	77	20.75	0
				36	0	20.69	0
				36	22	20.97	0
				36	43	20.80	0
				75	0	20.78	0
			QPSK	1	1	20.88	0
				1	40	20.98	0
				1	77	20.91	0
				36	0	20.87	0
				36	22	20.99	0
				36	43	20.73	0
				75	0	20.92	0
			16QAM	1	1	20.76	0
			64QAM	1	1	20.95	0
			256QAM	1	1	19.07	2
		CP	QPSK	1	1	20.97	0

NR FDD Band n71 _ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)	MPR [dB]
						136100	
						680.5 MHz	
20 MHz	15	DFT-s OFDM	pi/2 BPSK	1	1	20.82	0
				1	53	20.87	0
				1	104	20.66	0
				50	0	20.79	0
				50	28	20.97	0
				50	56	20.91	0
				100	0	20.89	0
			QPSK	1	1	20.63	0
				1	53	21.01	0
				1	104	20.91	0
				50	0	20.91	0
				50	28	20.86	0
				50	56	20.78	0
				100	0	21.05	0
			16QAM	1	1	20.60	0
			64QAM	1	1	20.84	0
			256QAM	1	1	18.69	2
		CP	QPSK	1	1	20.86	0

15. NR TDD Band n77 Maximum Conducted Power

NR TDD Band n77 (PC2) Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.65	16.74	17.01	16.80	17.07	17.07	0
				1	12	16.83	16.62	17.00	16.64	17.07	17.01	0
				1	22	16.85	16.70	17.00	16.83	17.00	16.95	0
				12	0	16.86	16.91	17.12	16.74	17.21	17.05	0
				12	6	17.07	16.79	16.92	16.78	17.21	16.97	0
				12	12	16.95	16.78	17.10	17.07	17.17	17.11	0
			QPSK	24	0	16.82	16.63	16.96	16.79	17.04	17.01	0
				1	1	16.73	16.69	16.89	16.48	17.01	16.98	0
				1	12	16.88	16.65	16.91	16.74	16.80	16.93	0
				1	22	16.88	16.66	16.89	16.61	17.02	17.15	0
				12	0	17.05	16.76	16.91	16.78	17.12	17.07	0
				12	6	16.73	16.64	17.05	16.69	17.06	16.89	0
				12	12	16.93	16.92	17.01	17.06	16.87	17.33	0
				24	0	16.84	16.85	17.05	16.91	17.01	17.13	0
			16QAM	1	1	16.80	16.36	16.75	16.43	16.73	16.78	0
			64QAM	1	1	16.71	16.67	16.89	16.58	16.91	16.74	0
			256QAM	1	1	16.59	16.21	16.70	16.44	16.47	16.63	0
		CP	QPSK	1	1	17.09	16.71	17.06	16.86	17.05	17.20	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.83	16.56	17.06	16.75	17.08	17.13	0
				1	18	16.78	16.65	16.90	16.69	16.85	17.10	0
				1	36	16.84	16.67	17.03	16.81	17.12	17.08	0
				18	0	16.86	16.80	17.13	16.76	17.06	16.94	0
				18	9	17.09	16.78	17.00	16.91	16.88	17.21	0
				18	18	16.90	16.98	16.87	16.78	17.07	17.26	0
			QPSK	36	0	16.85	16.87	17.20	16.94	17.17	17.24	0
				1	1	16.72	16.48	16.97	16.64	16.78	17.12	0
				1	18	16.62	16.62	16.58	16.64	16.86	16.86	0
				1	36	16.85	16.66	16.77	16.61	17.05	17.09	0
				18	0	16.81	16.97	17.08	17.02	16.79	16.87	0
				18	9	16.86	16.62	16.90	16.78	16.96	17.19	0
				18	18	16.90	16.72	17.03	16.84	16.96	17.08	0
				36	0	17.00	16.91	17.02	17.01	16.95	16.89	0
			16QAM	1	1	16.39	16.47	16.89	16.82	16.97	16.86	0
			64QAM	1	1	17.10	16.75	16.68	17.01	16.75	17.00	0
			256QAM	1	1	16.34	16.46	16.49	16.23	16.52	16.80	0
		CP	QPSK	1	1	16.96	16.83	16.95	16.90	16.88	17.17	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
						MHz	MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.93	16.51	16.96	16.68	17.10	17.05	0
				1	26	16.67	16.69	16.92	16.80	17.01	17.06	0
				1	49	16.80	16.71	16.83	16.79	16.94	17.07	0
				25	0	16.84	16.72	16.89	16.67	16.87	17.14	0
				25	13	17.01	16.74	17.08	16.98	17.05	17.20	0
				25	26	16.79	16.62	17.06	16.83	17.05	17.23	0
			QPSK	50	0	16.74	16.56	17.09	16.89	16.92	17.07	0
				1	1	16.68	16.46	16.84	16.46	16.78	16.95	0
				1	26	16.63	16.67	16.92	16.58	16.89	16.95	0
				1	49	16.77	16.60	16.66	16.71	16.85	16.99	0
				25	0	17.09	16.79	17.14	16.76	16.95	17.14	0
				25	13	16.95	16.65	17.08	16.76	16.93	17.11	0
				25	26	16.81	16.85	17.16	17.06	16.89	17.08	0
				50	0	16.81	16.88	17.05	16.71	16.94	16.99	0
			16QAM	1	1	16.65	16.54	16.68	16.40	16.66	16.98	0
			64QAM	1	1	16.81	16.70	17.10	16.69	16.94	17.13	0
			256QAM	1	1	16.24	16.18	16.52	16.07	16.40	16.48	0
		CP	QPSK	1	1	16.97	16.63	16.97	16.76	17.07	16.96	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
						MHz	MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.03	17.06	17.12	16.85	17.02	17.27	0
				1	32	17.05	16.94	17.38	16.97	16.95	17.19	0
				1	63	17.05	16.79	17.09	16.95	17.01	17.27	0
				32	0	16.99	17.16	17.14	16.99	17.03	17.08	0
				32	17	17.37	17.08	17.35	17.12	17.23	17.39	0
				32	33	17.04	17.03	17.23	17.07	16.99	17.21	0
			QPSK	64	0	17.09	17.20	17.26	16.99	17.00	17.15	0
				1	1	17.09	16.88	17.09	16.90	16.84	17.03	0
				1	32	16.85	16.72	17.06	17.04	16.95	16.99	0
				1	63	16.91	16.79	17.07	16.76	17.07	17.11	0
				32	0	17.10	17.01	17.34	16.99	17.02	16.94	0
				32	17	17.02	17.01	17.27	16.96	16.89	16.92	0
				32	33	16.93	16.95	17.12	16.96	17.13	17.16	0
				64	0	17.06	16.94	17.21	17.01	17.10	17.19	0
			16QAM	1	1	16.86	16.74	17.17	16.72	16.80	16.76	0
			64QAM	1	1	17.34	17.02	17.31	16.84	17.17	17.15	0
			256QAM	1	1	16.52	16.51	16.54	16.55	16.72	16.59	0
		CP	QPSK	1	1	17.02	16.86	17.29	16.97	17.08	17.21	0

NR TDD Band n77_ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02	3765	3815.01	3864.99	3915	3964.98	
						MHz	MHz	MHz	MHz	MHz	MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	17.04	16.88	16.82	17.12	17.16	17.22	0
				1	39	17.03	16.73	17.02	17.12	16.99	17.04	0
				1	76	17.03	16.76	17.19	16.92	17.14	17.15	0
				36	0	17.14	16.83	16.98	17.17	16.87	17.22	0
				36	21	17.08	17.06	17.08	17.14	17.26	17.23	0
				36	42	16.96	17.11	17.24	17.20	17.16	17.06	0
			QPSK	75	0	17.03	16.89	17.09	17.01	17.18	17.21	0
				1	1	16.80	16.73	16.79	17.09	16.68	17.16	0
				1	39	16.72	16.60	17.08	16.67	16.83	16.94	0
				1	76	16.86	16.75	16.91	16.73	17.07	17.17	0
				36	0	16.92	16.85	17.19	17.07	17.06	17.08	0
				36	21	17.03	16.83	17.23	17.24	16.97	17.34	0
				36	42	17.00	16.99	17.30	17.05	17.23	17.14	0
				75	0	17.07	16.95	17.11	17.27	17.11	17.18	0
			16QAM	1	1	16.82	16.66	16.78	16.77	16.59	17.04	0
			64QAM	1	1	17.19	16.92	17.00	17.21	16.97	17.06	0
			256QAM	1	1	16.48	16.42	16.70	16.64	16.52	16.71	0
		CP	QPSK	1	1	16.96	17.04	17.11	17.25	17.12	17.33	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720	3768	3816	3864	3912	3960	
						MHz	MHz	MHz	MHz	MHz	MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.97	16.79	16.55	16.90	16.74	16.93	0
				1	53	16.97	16.77	16.57	16.84	17.04	17.06	0
				1	104	16.92	16.89	16.77	16.81	16.92	17.01	0
				50	0	17.16	17.16	16.85	17.07	17.06	17.17	0
				50	28	17.35	17.24	17.03	17.15	17.11	17.27	0
				50	56	17.12	17.20	16.76	16.86	17.05	17.01	0
			QPSK	100	0	17.12	16.90	16.79	17.13	17.00	17.08	0
				1	1	16.87	16.60	16.57	16.83	16.54	16.88	0
				1	53	16.84	16.65	16.61	16.74	16.82	16.94	0
				1	104	16.93	16.74	16.63	16.81	16.86	16.92	0
				50	0	17.13	16.91	16.78	17.05	16.92	17.09	0
				50	28	17.00	16.82	16.67	17.17	17.04	16.97	0
				50	56	17.02	17.04	17.01	17.00	17.05	17.11	0
				100	0	16.92	16.83	16.83	17.00	17.02	17.00	0
			16QAM	1	1	16.71	16.43	16.27	16.64	16.34	16.77	0
			64QAM	1	1	17.24	16.74	16.66	16.83	17.08	16.82	0
			256QAM	1	1	17.03	16.31	16.20	16.26	16.39	16.39	0
		CP	QPSK	1	1	17.21	16.78	16.80	16.82	16.92	17.15	0

NR TDD Band n77_ 50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.14	17.05	16.97		17.07	17.39	0
				1	67	16.97	17.15	17.13		17.22	17.43	0
				1	131	17.07	17.20	17.07		17.23	17.19	0
				64	0	17.05	17.16	17.18		17.27	17.37	0
				64	35	17.30	17.34	17.14		17.26	17.32	0
				64	69	17.22	17.20	15.96		16.34	16.78	0
			QPSK	128	0	17.19	17.19	16.96		17.12	17.45	0
				1	1	16.94	16.98	16.91		16.88	17.18	0
				1	67	16.90	17.16	16.68		17.07	17.25	0
				1	131	17.10	17.08	16.86		17.18	17.05	0
				64	0	17.13	17.23	17.07		17.15	17.30	0
				64	35	17.09	17.02	17.23		17.12	17.30	0
				64	69	17.06	17.33	17.00		17.36	17.23	0
				128	0	17.29	17.28	17.17		17.08	17.30	0
			16QAM	1	1	16.90	16.93	16.66		16.55	16.59	0
			64QAM	1	1	16.80	17.25	17.02		17.15	17.29	0
			256QAM	1	1	16.36	16.41	16.51		16.65	16.72	0
		CP	QPSK	1	1	16.90	17.14	17.14		17.11	17.00	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.73	16.57			17.07	16.77	0
				1	81	16.87	16.89			16.91	17.09	0
				1	160	16.95	16.62			17.03	17.13	0
				81	0	16.93	16.77			17.12	17.10	0
				81	41	16.86	16.73			17.01	17.20	0
				81	81	16.82	16.98			17.01	17.18	0
				162	0	16.97	16.84			17.04	17.03	0
			QPSK	1	1	16.56	16.68			16.83	16.82	0
				1	81	16.85	16.69			16.98	16.89	0
				1	160	16.77	16.70			16.81	17.26	0
				81	0	16.99	16.80			16.97	16.99	0
				81	41	16.82	16.78			16.81	17.10	0
				81	81	16.87	16.88			16.95	17.26	0
				162	0	16.93	16.77			17.03	17.27	0
			16QAM	1	1	16.61	16.46			16.71	16.68	0
			64QAM	1	1	16.69	16.66			16.97	16.82	0
			256QAM	1	1	16.28	16.30			16.41	16.66	0
		CP	QPSK	1	1	16.87	16.59			17.02	17.13	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.84	17.06			16.45	16.45	0
				1	95	17.12	16.96			16.40	16.25	0
				1	187	17.11	17.08			16.61	16.43	0
				90	0	16.91	17.13			16.49	16.55	0
				90	50	17.15	17.10			16.72	16.48	0
				90	99	17.02	17.35			16.60	16.38	0
			QPSK	180	0	17.11	17.07			16.73	16.70	0
				1	1	16.96	17.12			16.31	16.37	0
				1	95	16.74	17.19			16.59	16.23	0
				1	187	17.17	17.19			16.34	16.42	0
				90	0	17.03	17.16			16.44	16.72	0
				90	50	17.01	17.02			16.48	16.43	0
				90	99	17.23	16.97			16.75	16.64	0
				180	0	17.14	17.07			16.68	16.41	0
			16QAM	1	1	16.86	16.56			16.38	16.36	0
			64QAM	1	1	16.90	16.76			16.34	16.31	0
			256QAM	1	1	16.59	16.57			16.32	15.94	0
		CP	QPSK	1	1	17.25	16.97			16.70	16.43	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.94		16.60		16.30		0
				1	109	16.88		16.66		16.39		0
				1	215	17.24		16.68		16.50		0
				108	0	17.20		16.72		16.49		0
				108	55	17.00		16.87		16.45		0
				108	109	17.09		16.72		16.80		0
			QPSK	216	0	17.03		16.77		16.69		0
				1	1	16.77		16.64		16.34		0
				1	109	17.02		16.56		16.48		0
				1	215	17.02		16.48		16.49		0
				108	0	16.94		16.69		16.77		0
				108	55	16.85		16.61		16.37		0
				108	109	17.05		16.91		16.70		0
				216	0	17.01		16.71		16.61		0
			16QAM	1	1	16.73		16.27		16.21		0
			64QAM	1	1	16.81		16.58		16.46		0
			256QAM	1	1	16.60		16.18		16.11		0
		CP	QPSK	1	1	17.04		17.05		16.54		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	17.00		16.53		16.70		0
				1	123	17.01		16.34		16.51		0
				1	243	17.03		16.56		16.51		0
				120	0	17.03		16.89		16.61		0
				120	63	17.06		16.69		16.60		0
				120	125	17.22		16.84		16.82		0
			QPSK	243	0	17.13		16.63		16.46		0
				1	1	16.98		16.61		16.90		0
				1	123	16.95		16.43		16.57		0
				1	243	16.97		16.41		16.40		0
				120	0	17.09		16.69		16.75		0
				120	63	17.08		16.45		16.56		0
				120	125	17.24		16.68		16.76		0
				243	0	17.12		16.77		16.82		0
			16QAM	1	1	16.63		16.51		16.18		0
			64QAM	1	1	16.94		16.61		16.22		0
			256QAM	1	1	16.62		16.20		16.10		0
		CP	QPSK	1	1	17.16		16.98		16.58		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	16.61				16.16		0
				1	137	16.61				16.34		0
				1	271	16.80				16.28		0
				135	0	16.76				16.38		0
				135	69	16.59				16.36		0
				135	138	16.79				16.43		0
			QPSK	270	0	16.78				16.41		0
				1	1	16.79				16.41		0
				1	137	16.54				16.24		0
				1	271	16.46				16.30		0
				135	0	16.66				16.41		0
				135	69	16.56				16.28		0
				135	138	16.63				16.21		0
				270	0	16.76				16.68		0
			16QAM	1	1	16.90				16.54		0
			64QAM	1	1	16.87				16.51		0
			256QAM	1	1	16.50				16.28		0
		CP	QPSK	1	1	16.59				16.47		0

NR TDD Band n77 (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3705 MHz	3759 MHz	3813 MHz	3867 MHz	3921 MHz	3975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.13	14.38	14.22	13.90	13.56	13.36	0
				1	12	13.98	14.38	14.16	13.88	13.56	13.27	0
				1	22	14.15	14.39	14.19	13.92	13.58	13.36	0
				12	0	14.06	14.29	14.15	13.81	13.46	13.21	0
				12	6	14.01	14.37	14.16	13.90	13.52	13.34	0
				12	12	14.07	14.30	14.08	13.85	13.49	13.24	0
				24	0	14.13	14.33	14.06	13.81	13.45	13.17	0
			QPSK	1	1	14.12	14.24	14.11	13.89	13.48	13.16	0
				1	12	13.99	14.25	14.04	13.80	13.33	13.07	0
				1	22	14.00	14.27	14.11	13.85	13.44	13.24	0
				12	0	14.12	14.25	14.10	13.90	13.43	13.26	0
				12	6	14.06	14.29	14.18	13.84	13.46	13.22	0
				12	12	14.04	14.29	14.14	13.82	13.48	13.21	0
				24	0	14.09	14.25	14.12	13.79	13.45	13.16	0
			16QAM	1	1	13.85	14.01	13.89	13.59	13.25	13.16	0
			64QAM	1	1	13.98	14.16	14.03	13.78	13.39	13.14	0
			256QAM	1	1	13.68	13.87	13.76	13.50	13.07	13.03	0
		CP	QPSK	1	1	14.20	14.35	14.20	13.89	13.59	13.29	0

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654232	657766	661300	664832	
						3707.52 MHz	3760.5 MHz	3813.49 MHz	3866.5 MHz	3919.5 MHz	3972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	14.13	14.29	14.11	13.92	13.53	13.14	0
				1	18	14.01	14.21	14.02	13.88	13.39	13.11	0
				1	36	14.11	14.31	14.05	13.89	13.47	13.15	0
				18	0	14.06	14.27	14.08	13.90	13.42	13.14	0
				18	9	14.07	14.28	14.08	13.85	13.50	13.18	0
				18	18	14.10	14.30	14.06	13.94	13.40	13.13	0
				36	0	14.07	14.25	14.05	13.56	13.48	13.13	0
			QPSK	1	1	13.93	14.12	14.05	13.76	13.39	13.08	0
				1	18	13.85	14.04	13.89	13.71	13.31	13.19	0
				1	36	13.97	14.14	13.90	13.71	13.41	13.03	0
				18	0	14.06	14.25	14.06	13.87	13.41	13.14	0
				18	9	14.04	14.19	13.95	13.86	13.42	13.14	0
				18	18	14.08	14.31	14.03	13.83	13.44	13.15	0
				36	0	14.07	14.22	14.02	13.88	13.45	13.12	0
			16QAM	1	1	13.96	14.11	13.83	13.79	13.38	13.11	0
			64QAM	1	1	14.07	14.14	14.04	13.83	13.39	13.11	0
			256QAM	1	1	13.71	13.85	13.78	13.48	13.15	13.21	0
		CP	QPSK	1	1	14.09	14.24	14.02	13.90	13.47	13.02	0

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3710.01	3762	3813.99	3866.01	3918	3969.99	
						MHz	MHz	MHz	MHz	MHz	MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.12	14.31	14.15	13.98	13.54	13.19	0
				1	26	14.18	14.34	14.09	13.98	13.50	13.21	0
				1	49	14.13	14.26	14.03	13.79	13.49	13.10	0
				25	0	14.11	14.24	14.03	13.93	13.46	13.18	0
				25	13	14.20	14.35	14.11	14.04	13.50	13.24	0
				25	26	14.10	14.29	14.05	13.82	13.51	13.08	0
			QPSK	50	0	14.18	14.28	14.03	13.91	13.43	13.24	0
				1	1	14.03	14.22	13.99	13.88	13.41	13.06	0
				1	26	14.09	14.24	13.96	13.90	13.41	13.04	0
				1	49	14.09	14.16	13.94	13.75	13.41	13.10	0
				25	0	14.07	14.23	14.05	13.86	13.44	13.16	0
				25	13	14.16	14.26	14.03	13.90	13.42	13.18	0
				25	26	14.12	14.24	14.01	13.85	13.47	13.13	0
				50	0	14.08	14.34	14.10	14.01	13.50	13.16	0
			16QAM	1	1	13.77	13.93	13.75	13.57	13.17	13.27	0
			64QAM	1	1	13.84	13.85	13.68	13.63	13.18	13.09	0
			256QAM	1	1	13.64	13.77	13.71	13.42	13.09	13.22	0
		CP	QPSK	1	1	14.06	14.21	13.99	13.73	13.42	13.24	0

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5	3763.5	3814.5	3865.5	3916.5	3967.5	
						MHz	MHz	MHz	MHz	MHz	MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.10	14.37	14.26	14.11	13.65	13.32	0
				1	32	14.24	14.27	14.19	14.03	13.58	13.29	0
				1	63	14.04	14.22	14.12	13.84	13.48	13.19	0
				32	0	14.14	14.31	14.16	14.09	13.59	13.29	0
				32	17	14.17	14.29	14.19	14.06	13.61	13.33	0
				32	33	14.09	14.27	14.13	13.97	13.57	13.27	0
			QPSK	64	0	14.15	14.34	14.12	14.02	13.57	13.25	0
				1	1	14.05	14.32	14.19	13.99	13.58	13.28	0
				1	32	14.12	14.22	14.08	13.87	13.47	13.09	0
				1	63	13.90	14.17	13.98	13.67	13.47	13.13	0
				32	0	14.14	14.34	14.14	14.12	13.55	13.25	0
				32	17	14.14	14.32	14.09	14.00	13.50	13.25	0
				32	33	14.13	14.25	14.13	13.94	13.54	13.22	0
				64	0	14.15	14.24	14.12	14.02	13.52	13.28	0
			16QAM	1	1	13.91	14.12	13.97	13.89	13.39	13.11	0
			64QAM	1	1	14.07	14.26	14.00	14.10	13.51	13.24	0
			256QAM	1	1	13.88	13.95	13.90	13.70	13.22	13.34	0
		CP	QPSK	1	1	14.13	14.33	14.13	14.11	13.60	13.33	0

NR TDD Band n77_ 30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3715.02 MHz	3765 MHz	3815.01 MHz	3864.99 MHz	3915 MHz	3964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.20	14.52	14.34	14.24	13.72	13.52	0
				1	39	14.24	14.35	14.19	14.05	13.64	13.29	0
				1	76	14.07	14.38	14.20	13.78	13.61	13.32	0
				36	0	14.17	14.38	14.22	14.06	13.67	13.32	0
				36	21	14.10	14.48	14.25	14.05	13.58	13.27	0
				36	42	14.11	14.33	14.17	13.83	13.54	13.19	0
			QPSK	75	0	14.15	14.30	14.21	13.97	13.55	13.29	0
				1	1	14.17	14.36	14.16	14.17	13.60	13.26	0
				1	39	14.15	14.19	14.06	13.89	13.50	13.14	0
				1	76	14.05	14.26	14.09	13.77	13.46	13.07	0
				36	0	14.18	14.35	14.19	14.05	13.61	13.29	0
				36	21	14.12	14.37	14.11	13.97	13.56	13.28	0
				36	42	14.16	14.30	14.16	13.89	13.54	13.19	0
				75	0	14.17	14.29	14.18	13.99	13.62	13.27	0
			16QAM	1	1	14.09	14.31	14.00	14.10	13.63	13.21	0
			64QAM	1	1	14.10	14.32	14.13	14.12	13.62	13.30	0
			256QAM	1	1	13.80	13.98	13.93	13.76	13.21	13.20	0
		CP	QPSK	1	1	14.28	14.45	14.33	14.19	13.77	13.30	0

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.15	14.21	14.10	14.05	13.50	13.28	0
				1	53	14.15	14.25	14.12	13.93	13.54	13.29	0
				1	104	13.99	14.18	14.02	13.66	13.36	13.10	0
				50	0	14.13	14.35	14.19	14.05	13.57	13.31	0
				50	28	14.17	14.33	14.23	14.06	13.60	13.33	0
				50	56	14.03	14.30	14.12	13.81	13.45	13.28	0
			QPSK	100	0	14.16	14.26	14.17	13.97	13.52	13.30	0
				1	1	14.00	14.09	14.05	13.89	13.43	13.25	0
				1	53	13.99	14.07	13.96	13.77	13.37	13.23	0
				1	104	13.93	14.04	13.87	13.58	13.24	13.02	0
				50	0	14.15	14.37	14.16	14.06	13.53	13.26	0
				50	28	14.22	14.26	14.15	13.95	13.52	13.31	0
				50	56	14.01	14.27	14.09	13.78	13.42	13.28	0
				100	0	14.13	14.23	14.13	13.95	13.49	13.34	0
			16QAM	1	1	14.06	14.13	14.04	13.95	13.43	13.29	0
			64QAM	1	1	13.91	14.15	14.01	13.96	13.43	13.09	0
			256QAM	1	1	13.80	13.76	13.74	13.75	13.05	13.29	0
		CP	QPSK	1	1	14.11	14.14	14.02	13.99	13.43	13.23	0

NR TDD Band n77_ 50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3725.01	3782.49	3840		3897.51	3954.99	
						MHz	MHz	MHz		MHz	MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.27	14.42	14.37		14.01	13.52	0
				1	67	14.20	14.45	14.39		13.89	13.40	0
				1	131	14.14	14.21	14.07		13.68	13.20	0
				64	0	14.26	14.36	14.31		13.98	13.52	0
				64	35	14.23	14.42	14.37		13.97	13.46	0
				64	69	14.20	14.35	14.19		13.76	13.33	0
			QPSK	128	0	14.19	14.34	14.27		13.84	13.44	0
				1	1	14.15	14.44	14.19		13.85	13.34	0
				1	67	14.12	14.41	14.15		13.70	13.22	0
				1	131	14.08	14.13	13.98		13.70	13.17	0
				64	0	14.24	14.33	14.33		13.96	13.50	0
				64	35	14.16	14.38	14.31		13.90	13.47	0
				64	69	14.16	14.32	14.16		13.75	13.33	0
				128	0	14.16	14.32	14.28		13.84	13.42	0
			16QAM	1	1	13.97	14.13	14.07		13.69	13.20	0
			64QAM	1	1	14.09	14.28	14.16		13.79	13.34	0
			256QAM	1	1	13.95	14.01	13.93		13.68	13.09	0
		CP	QPSK	1	1	14.32	14.45	14.39		13.89	13.48	0

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3730.02	3803.34			3876.66	3949.98	
						MHz	MHz			MHz	MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.05	14.29			14.18	13.4	0
				1	81	13.97	14.13			13.76	13.23	0
				1	160	13.86	14.12			13.60	13.28	0
				81	0	14.02	14.18			13.87	13.26	0
				81	41	13.95	14.19			13.80	13.37	0
				81	81	13.92	14.08			13.64	13.28	0
				162	0	14.07	14.14			13.76	13.28	0
			QPSK	1	1	14.14	14.14			14.12	13.40	0
				1	81	13.87	13.96			13.64	13.19	0
				1	160	13.85	14.09			13.57	13.28	0
				81	0	14.02	14.18			13.90	13.27	0
				81	41	13.91	14.12			13.78	13.31	0
				81	81	13.93	14.07			13.60	13.24	0
				162	0	14.02	14.12			13.75	13.25	0
			16QAM	1	1	13.76	13.91			13.82	13.13	0
			64QAM	1	1	13.95	13.99			13.77	13.18	0
			256QAM	1	1	13.76	13.83			13.72	13.24	0
		CP	QPSK	1	1	14.13	14.20			14.10	13.30	0

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	654336			658334	663000	
						3750 MHz	3804.99 MHz			3875.01 MHz	3945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.14	14.38			14.17	13.54	0
				1	95	14.04	14.19			13.81	13.45	0
				1	187	13.99	14.06			13.63	13.52	0
				90	0	14.15	14.35			14.08	13.59	0
				90	50	14.13	14.41			13.26	13.48	0
				90	99	14.04	14.16			13.76	13.58	0
			QPSK	180	0	14.00	14.10			13.79	13.57	0
				1	1	14.23	14.40			14.14	13.37	0
				1	95	14.06	14.12			13.74	13.20	0
				1	187	13.95	13.96			13.52	13.33	0
				90	0	14.15	14.34			14.13	13.52	0
				90	50	13.94	13.60			13.77	13.46	0
				90	99	14.02	14.17			13.68	13.53	0
				180	0	13.99	14.35			13.53	13.14	0
			16QAM	1	1	13.92	14.15			13.90	13.38	0
			64QAM	1	1	14.09	14.30			14.10	13.00	0
			256QAM	1	1	13.81	13.99			13.80	13.02	0
		CP	QPSK	1	1	14.11	14.37			14.21	13.44	0

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3740.01 MHz		3840 MHz		3939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.27		14.49		13.62		0
				1	109	14.04		14.14		13.35		0
				1	215	13.97		13.84		13.44		0
				108	0	14.12		14.31		13.47		0
				108	55	14.16		14.38		13.35		0
				108	109	14.06		14.06		13.41		0
			QPSK	216	0	14.14		13.96		13.24		0
				1	1	14.24		14.39		13.48		0
				1	109	13.91		14.01		13.16		0
				1	215	13.90		13.74		13.30		0
				108	0	14.14		14.31		13.44		0
				108	55	14.11		14.34		13.44		0
				108	109	14.03		14.04		13.43		0
				216	0	14.02		14.15		13.25		0
			16QAM	1	1	14.26		14.41		13.48		0
			64QAM	1	1	14.05		14.41		13.38		0
			256QAM	1	1	13.84		14.09		13.39		0
		CP	QPSK	1	1	14.24		14.49		13.47		0

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649668		656000		662332		
						3745.02 MHz		3840 MHz		3934.98 MHz		
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.33		14.59		13.69		0
				1	123	14.01		14.25		13.42		0
				1	243	14.07		13.87		13.51		0
				120	0	14.15		14.35		13.48		0
				120	63	14.05		14.05		13.14		0
				120	125	14.09		14.03		13.47		0
			QPSK	243	0	13.70		13.98		13.45		0
				1	1	14.26		14.43		13.48		0
				1	123	13.93		14.06		13.22		0
				1	243	13.97		13.77		13.41		0
				120	0	14.10		14.33		13.49		0
				120	63	13.96		14.21		13.44		0
				120	125	13.97		14.01		13.39		0
				243	0	14.02		13.98		13.04		0
			16QAM	1	1	14.34		14.46		13.32		0
			64QAM	1	1	14.29		14.37		13.10		0
			256QAM	1	1	13.90		14.26		13.29		0
		CP	QPSK	1	1	14.38		14.59		13.59		0

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						650000				662000		
						3750 MHz				3930 MHz		
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	14.37				13.90		0
				1	137	13.97				13.44		0
				1	271	14.13				13.64		0
				135	0	14.18				13.64		0
				135	69	13.68				13.31		0
				135	138	13.99				13.45		0
			QPSK	270	0	13.90				13.51		0
				1	1	14.31				13.73		0
				1	137	13.93				13.25		0
				1	271	14.01				13.54		0
				135	0	14.16				13.59		0
				135	69	13.86				13.43		0
				135	138	13.95				13.44		0
				270	0	14.05				13.33		0
			16QAM	1	1	14.14				13.58		0
			64QAM	1	1	14.24				13.65		0
			256QAM	1	1	13.98				13.45		0
		CP	QPSK	1	1	14.47				13.93		0

16. NR TDD Band n77 DoD Maximum Conducted Power

NR TDD Band n77 DoD (PC2) Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.28	16.81	17.03	0
				1	12	16.31	16.58	16.79	0
				1	22	16.43	16.51	16.86	0
				12	0	16.44	16.68	16.74	0
				12	6	16.24	16.80	16.76	0
				12	12	16.26	16.58	16.62	0
				24	0	16.29	16.57	16.69	0
			QPSK	1	1	16.42	16.47	16.82	0
				1	12	16.53	16.47	16.70	0
				1	22	16.37	16.57	16.79	0
				12	0	16.42	16.58	16.91	0
				12	6	16.48	16.55	16.89	0
				12	12	16.27	16.70	16.67	0
				24	0	16.15	16.66	16.67	0
			16QAM	1	1	16.43	16.69	16.97	0
			64QAM	1	1	16.33	16.82	16.91	0
			256QAM	1	1	15.92	16.41	16.44	0
		CP	QPSK	1	1	16.36	16.45	16.71	0

NR TDD Band n77 DoD _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.63	16.64	16.61	0
				1	18	16.44	16.56	16.59	0
				1	36	16.41	16.63	16.48	0
				18	0	16.23	16.46	16.73	0
				18	9	16.44	16.66	16.71	0
				18	18	16.38	16.67	16.71	0
				36	0	16.43	16.49	16.86	0
			QPSK	1	1	16.13	16.45	16.31	0
				1	18	16.37	16.41	16.46	0
				1	36	16.33	16.60	16.41	0
				18	0	16.50	16.60	16.68	0
				18	9	16.37	16.49	16.65	0
				18	18	16.40	16.45	16.64	0
				36	0	16.32	16.48	16.67	0
			16QAM	1	1	16.17	16.56	16.56	0
			64QAM	1	1	16.40	16.75	16.63	0
			256QAM	1	1	15.99	16.00	16.41	0
		CP	QPSK	1	1	16.40	16.45	16.65	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.33	16.45	16.87	0
				1	26	16.51	16.57	16.62	0
				1	49	16.44	16.47	16.58	0
				25	0	16.44	16.49	16.66	0
				25	13	16.48	16.56	16.74	0
				25	26	16.29	16.53	16.80	0
				50	0	16.43	16.83	16.75	0
			QPSK	1	1	16.30	16.65	16.62	0
				1	26	16.39	16.71	16.82	0
				1	49	16.41	16.55	16.78	0
				25	0	16.44	16.54	16.76	0
				25	13	16.43	16.67	16.71	0
				25	26	16.27	16.46	16.55	0
				50	0	16.46	16.60	16.80	0
			16QAM	1	1	16.16	16.54	16.68	0
			64QAM	1	1	16.25	16.61	16.78	0
			256QAM	1	1	16.12	16.36	16.42	0
		CP	QPSK	1	1	16.51	16.86	16.76	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.51	16.68	16.90	0
				1	26	16.59	16.84	16.73	0
				1	49	16.56	16.65	16.50	0
				25	0	16.40	16.72	16.75	0
				25	13	16.74	16.67	16.79	0
				25	26	16.67	16.54	16.67	0
				50	0	16.60	16.78	16.67	0
			QPSK	1	1	16.32	16.64	16.66	0
				1	26	16.49	16.62	16.69	0
				1	49	16.26	16.55	16.89	0
				25	0	16.47	16.68	16.62	0
				25	13	16.43	16.67	16.80	0
				25	26	16.39	16.76	16.72	0
				50	0	16.37	16.60	16.79	0
			16QAM	1	1	16.19	16.88	16.94	0
			64QAM	1	1	16.48	16.70	16.88	0
			256QAM	1	1	16.21	16.44	16.40	0
		CP	QPSK	1	1	16.50	16.61	16.78	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	15.84	16.98	16.87	0
				1	39	16.52	16.82	17.02	0
				1	76	16.65	16.64	16.69	0
				36	0	16.52	16.65	16.79	0
				36	21	16.63	16.60	16.76	0
				36	42	16.51	16.62	16.65	0
				75	0	16.35	16.87	16.70	0
			QPSK	1	1	16.45	16.92	16.99	0
				1	39	16.45	16.59	16.82	0
				1	76	16.44	16.80	16.90	0
				36	0	16.32	16.62	16.79	0
				36	21	16.48	16.76	16.75	0
				36	42	16.51	16.65	16.73	0
				75	0	16.53	16.66	16.75	0
			16QAM	1	1	16.25	16.95	16.72	0
			64QAM	1	1	16.61	16.64	16.99	0
			256QAM	1	1	16.08	16.44	16.45	0
		CP	QPSK	1	1	16.60	16.81	16.96	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.63		16.64	0
				1	53	16.56		16.75	0
				1	104	16.38		16.56	0
				50	0	16.45		17.01	0
				50	28	16.64		16.84	0
				50	56	16.52		16.66	0
				100	0	16.39		16.90	0
			QPSK	1	1	16.47		16.78	0
				1	53	16.38		16.70	0
				1	104	16.40		16.44	0
				50	0	16.44		16.72	0
				50	28	16.45		16.80	0
				50	56	16.56		16.64	0
				100	0	16.63		16.70	0
			16QAM	1	1	16.23		16.59	0
			64QAM	1	1	16.56		16.82	0
			256QAM	1	1	15.97		16.36	0
		CP	QPSK	1	1	16.52		16.78	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.06		16.82	0
				1	67	16.70		16.76	0
				1	131	16.66		16.77	0
				64	0	16.58		16.80	0
				64	35	16.69		16.87	0
				64	69	16.72		16.76	0
				128	0	16.64		16.82	0
			QPSK	1	1	16.62		16.97	0
				1	67	16.53		16.90	0
				1	131	16.53		16.63	0
				64	0	16.54		16.74	0
				64	35	16.79		17.08	0
				64	69	16.71		16.78	0
				128	0	16.81		16.91	0
			16QAM	1	1	16.43		17.02	0
			64QAM	1	1	16.64		16.69	0
			256QAM	1	1	16.34		16.67	0
		CP	QPSK	1	1	16.56		16.85	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		16.60		0
				1	81		16.60		0
				1	160		16.57		0
				81	0		16.66		0
				81	41		16.77		0
				81	81		16.60		0
				162	0		16.82		0
			QPSK	1	1		16.80		0
				1	81		16.69		0
				1	160		16.60		0
				81	0		16.69		0
				81	41		16.79		0
				81	81		16.61		0
				162	0		16.71		0
			16QAM	1	1		16.73		0
			64QAM	1	1		16.49		0
			256QAM	1	1		16.41		0
		CP	QPSK	1	1		16.47		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.76		0
				1	95		16.63		0
				1	187		16.72		0
				90	0		16.70		0
				90	50		16.68		0
				90	99		16.72		0
				180	0		16.80		0
			QPSK	1	1		16.69		0
				1	95		16.57		0
				1	187		16.64		0
				90	0		16.65		0
				90	50		16.83		0
				90	99		16.70		0
				180	0		16.70		0
			16QAM	1	1		16.63		0
			64QAM	1	1		16.75		0
			256QAM	1	1		16.25		0
		CP	QPSK	1	1		16.82		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.90		0
				1	109		16.65		0
				1	215		16.68		0
				108	0		16.63		0
				108	55		16.81		0
				108	109		16.46		0
				216	0		16.70		0
			QPSK	1	1		16.83		0
				1	109		16.74		0
				1	215		16.63		0
				108	0		16.63		0
				108	55		16.74		0
				108	109		16.44		0
				216	0		16.65		0
			16QAM	1	1		16.72		0
			64QAM	1	1		16.92		0
			256QAM	1	1		16.40		0
		CP	QPSK	1	1		16.75		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz	0
				1	123		16.75	0
				1	243		16.71	0
				120	0		16.68	0
				120	63		16.65	0
				120	125		16.76	0
				243	0		16.73	0
			QPSK	1	1		16.61	0
				1	123		16.91	0
				1	243		16.64	0
				120	0		16.66	0
				120	63		16.77	0
				120	125		16.56	0
				243	0		16.58	0
			16QAM	1	1		16.68	0
			64QAM	1	1		16.82	0
			256QAM	1	1		16.59	0
			CP	QPSK	1	1	16.24	0
							16.68	0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
100 MHz	30	DFT-s	pi/2 BPSK	1	1		3500.01 MHz	0
				1	137		16.40	0
				1	271		16.25	0
				135	0		16.60	0
				135	69		16.64	0
				135	138		16.22	0
				270	0		16.55	0
			QPSK	1	1		16.46	0
				1	137		16.55	0
				1	271		16.49	0
				135	0		16.35	0
				135	69		16.52	0
				135	138		16.38	0
				270	0		16.34	0
			16QAM	1	1		16.28	0
			64QAM	1	1		16.47	0
			256QAM	1	1		16.33	0
			CP	QPSK	1	1	16.44	0
							16.72	0

NR TDD Band n77 DoD (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.04	14.42	14.53	0
				1	12	14.07	14.35	14.46	0
				1	22	14.02	14.37	14.49	0
				12	0	14.01	14.28	14.41	0
				12	6	14.03	14.35	14.47	0
				12	12	14.06	14.29	14.39	0
				24	0	13.92	14.27	14.39	0
			QPSK	1	1	13.97	14.35	14.51	0
				1	12	13.98	14.29	14.38	0
				1	22	14.09	14.36	14.45	0
				12	0	13.89	14.27	14.43	0
				12	6	13.95	14.31	14.43	0
				12	12	14.00	14.25	14.39	0
				24	0	14.01	14.27	14.37	0
			16QAM	1	1	14.11	14.39	14.50	0
			64QAM	1	1	13.93	14.23	14.33	0
			256QAM	1	1	13.61	13.89	14.04	0
		CP	QPSK	1	1	14.02	14.34	14.52	0

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	14.15	14.23	14.38	0
				1	18	14.00	14.23	14.35	0
				1	36	13.99	14.25	14.32	0
				18	0	13.95	14.28	14.41	0
				18	9	13.96	14.29	14.40	0
				18	18	13.95	14.26	14.34	0
				36	0	13.93	14.26	14.34	0
			QPSK	1	1	13.79	14.21	14.34	0
				1	18	13.73	14.18	14.28	0
				1	36	13.88	14.20	14.26	0
				18	0	13.91	14.24	14.35	0
				18	9	13.90	14.29	14.38	0
				18	18	14.00	14.27	14.34	0
				36	0	13.90	14.24	14.34	0
			16QAM	1	1	13.81	14.30	14.51	0
			64QAM	1	1	13.84	14.16	14.30	0
			256QAM	1	1	13.58	13.86	13.94	0
		CP	QPSK	1	1	13.90	14.25	14.32	0

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	14.17	14.30	14.52	0
				1	26	14.06	14.33	14.43	0
				1	49	14.07	14.37	14.40	0
				25	0	13.98	14.16	14.36	0
				25	13	14.05	14.38	14.45	0
				25	26	13.98	14.27	14.32	0
				50	0	14.09	14.25	14.43	0
			QPSK	1	1	14.01	14.29	14.45	0
				1	26	13.98	14.31	14.42	0
				1	49	13.99	14.30	14.34	0
				25	0	13.95	14.22	14.37	0
				25	13	13.98	14.30	14.36	0
				25	26	13.95	14.23	14.31	0
				50	0	14.03	14.22	14.44	0
			16QAM	1	1	13.67	14.23	14.52	0
			64QAM	1	1	13.64	14.11	14.04	0
			256QAM	1	1	13.62	13.88	14.04	0
		CP	QPSK	1	1	13.99	14.10	14.36	0

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.21	14.48	14.58	0
				1	26	14.29	14.49	14.58	0
				1	49	14.20	14.39	14.43	0
				25	0	14.21	14.38	14.49	0
				25	13	14.28	14.46	14.51	0
				25	26	14.26	14.40	14.44	0
				50	0	14.21	14.41	14.47	0
			QPSK	1	1	14.12	14.39	14.51	0
				1	26	14.15	14.42	14.46	0
				1	49	14.13	14.31	14.37	0
				25	0	14.18	14.37	14.46	0
				25	13	14.18	14.42	14.45	0
				25	26	14.23	14.39	14.42	0
				50	0	14.16	14.36	14.45	0
			16QAM	1	1	13.90	14.45	14.55	0
			64QAM	1	1	14.10	14.36	14.51	0
			256QAM	1	1	13.83	14.01	14.14	0
		CP	QPSK	1	1	14.19	14.36	14.40	0

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.33	14.52	14.69	0
				1	39	14.31	14.48	14.57	0
				1	76	14.29	14.43	14.51	0
				36	0	14.19	14.41	14.50	0
				36	21	14.29	14.45	14.56	0
				36	42	14.25	14.41	14.49	0
				75	0	14.21	14.40	14.49	0
			QPSK	1	1	14.20	14.47	14.64	0
				1	39	14.15	14.42	14.53	0
				1	76	14.16	14.44	14.44	0
				36	0	14.16	14.38	14.51	0
				36	21	14.19	14.42	14.48	0
				36	42	14.21	14.40	14.44	0
				75	0	14.18	14.39	14.49	0
			16QAM	1	1	14.09	14.46	14.65	0
			64QAM	1	1	14.14	14.33	14.48	0
			256QAM	1	1	13.76	13.99	14.13	0
		CP	QPSK	1	1	14.29	14.39	14.64	0

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.21		14.49	0
				1	53	14.29		14.48	0
				1	104	14.19		14.31	0
				50	0	14.23		14.51	0
				50	28	14.31		14.54	0
				50	56	14.23		14.41	0
				100	0	14.24		14.44	0
			QPSK	1	1	14.10		14.46	0
				1	53	14.08		14.42	0
				1	104	14.02		14.27	0
				50	0	14.18		14.47	0
				50	28	14.23		14.50	0
				50	56	14.19		14.37	0
				100	0	14.21		14.44	0
			16QAM	1	1	14.07		14.54	0
			64QAM	1	1	14.08		14.43	0
			256QAM	1	1	13.74		14.04	0
		CP	QPSK	1	1	14.16		14.40	0

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.35		14.62	0
				1	67	14.39		14.57	0
				1	131	14.35		14.45	0
				64	0	14.40		14.59	0
				64	35	14.48		14.60	0
				64	69	14.34		14.45	0
				128	0	14.36		14.49	0
			QPSK	1	1	14.29		14.54	0
				1	67	14.33		14.50	0
				1	131	14.28		14.37	0
				64	0	14.36		14.58	0
				64	35	14.42		14.54	0
				64	69	14.35		14.41	0
				128	0	14.39		14.51	0
			16QAM	1	1	14.06		14.61	0
			64QAM	1	1	14.13		14.23	0
			256QAM	1	1	13.92		14.16	0
		CP	QPSK	1	1	14.34		14.65	0

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.41		0
				1	81		14.24		0
				1	160		14.31		0
				81	0		14.23		0
				81	41		14.30		0
				81	81		14.27		0
				162	0		14.40		0
			QPSK	1	1		14.33		0
				1	81		14.11		0
				1	160		14.23		0
				81	0		14.32		0
				81	41		14.32		0
				81	81		14.25		0
				162	0		14.33		0
			16QAM	1	1		14.30		0
			64QAM	1	1		13.96		0
			256QAM	1	1		13.89		0
		CP	QPSK	1	1		14.38		0

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.41		0
				1	95		14.34		0
				1	187		14.39		0
				90	0		14.43		0
				90	50		14.48		0
				90	99		14.33		0
				180	0		14.38		0
			QPSK	1	1		14.39		0
				1	95		14.23		0
				1	187		14.24		0
				90	0		14.45		0
				90	50		14.40		0
				90	99		14.31		0
				180	0		14.36		0
			16QAM	1	1		14.47		0
			64QAM	1	1		14.36		0
			256QAM	1	1		13.95		0
		CP	QPSK	1	1		14.37		0

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.50		0
				1	109		14.33		0
				1	215		14.37		0
				108	0		14.44		0
				108	55		14.49		0
				108	109		14.31		0
				216	0		14.35		0
			QPSK	1	1		14.48		0
				1	109		14.27		0
				1	215		14.28		0
				108	0		14.47		0
				108	55		14.40		0
				108	109		14.28		0
				216	0		14.34		0
			16QAM	1	1		14.53		0
			64QAM	1	1		14.43		0
			256QAM	1	1		14.03		0
		CP	QPSK	1	1		14.45		0

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.55		0
				1	123		14.44		0
				1	243		14.34		0
				120	0		14.46		0
				120	63		14.48		0
				120	125		14.33		0
				243	0		14.39		0
			QPSK	1	1		14.51		0
				1	123		14.32		0
				1	243		14.30		0
				120	0		14.43		0
				120	63		14.37		0
				120	125		14.32		0
				243	0		14.36		0
			16QAM	1	1		14.24		0
			64QAM	1	1		14.00		0
			256QAM	1	1		14.16		0
		CP	QPSK	1	1		14.76		0

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		14.23		0
				1	137		14.29		0
				1	271		14.33		0
				135	0		14.43		0
				135	69		14.34		0
				135	138		14.32		0
				270	0		14.37		0
			QPSK	1	1		14.53		0
				1	137		14.30		0
				1	271		14.40		0
				135	0		14.44		0
				135	69		14.30		0
				135	138		14.34		0
				270	0		14.37		0
			16QAM	1	1		14.48		0
			64QAM	1	1		14.54		0
			256QAM	1	1		14.11		0
		CP	QPSK	1	1		14.60		0

17. NR TDD Band n78 Maximum Conducted Power

NR TDD Band n78 (PC2) Conducted Power_ Measured DSI = 0 (free) _ SUB2 Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.32	16.34	16.19	0
				1	12	16.57	16.30	16.04	0
				1	22	16.54	16.31	16.12	0
				12	0	16.29	16.17	16.16	0
				12	6	16.51	16.17	16.06	0
				12	12	16.48	16.13	16.12	0
				24	0	16.36	16.25	16.07	0
			QPSK	1	1	16.50	16.25	16.06	0
				1	12	16.35	16.19	16.01	0
				1	22	16.34	16.14	16.11	0
				12	0	16.23	16.03	16.13	0
				12	6	16.36	16.14	16.19	0
				12	12	16.35	16.20	16.12	0
				24	0	16.47	16.02	16.05	0
			16QAM	1	1	16.49	15.90	15.87	0
			64QAM	1	1	16.35	15.89	15.82	0
			256QAM	1	1	16.10	15.85	15.97	0
		CP	QPSK	1	1	16.29	16.08	16.22	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	16.29	16.29	16.11	0
				1	18	16.34	16.14	15.86	0
				1	36	16.35	16.39	16.03	0
				18	0	16.30	16.09	16.05	0
				18	10	16.33	16.26	16.04	0
				18	20	16.35	16.27	15.99	0
				36	0	16.38	16.22	16.12	0
			QPSK	1	1	16.28	15.94	15.96	0
				1	18	16.12	16.06	15.80	0
				1	36	16.03	16.12	15.97	0
				18	0	16.46	16.23	15.91	0
				18	10	16.24	16.04	16.14	0
				18	20	16.27	16.25	15.99	0
				36	0	16.34	16.30	15.94	0
			16QAM	1	1	16.09	16.35	16.13	0
			64QAM	1	1	16.42	16.41	15.87	0
			256QAM	1	1	15.88	15.81	16.02	0
		CP	QPSK	1	1	16.38	16.28	15.99	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.29	16.31	15.99	0
				1	26	16.39	16.40	15.97	0
				1	49	16.07	16.27	15.89	0
				25	0	16.47	16.41	15.98	0
				25	13	16.48	16.46	16.07	0
				25	26	16.31	16.42	15.95	0
				50	0	16.20	16.21	16.32	0
			QPSK	1	1	16.34	16.11	15.86	0
				1	26	16.14	16.29	15.90	0
				1	49	16.25	16.12	15.87	0
				25	0	16.27	16.29	16.07	0
				25	13	16.32	16.12	15.97	0
				25	26	16.36	16.43	15.93	0
				50	0	16.39	16.34	16.05	0
			16QAM	1	1	16.22	15.87	15.73	0
			64QAM	1	1	16.37	16.08	15.76	0
			256QAM	1	1	15.88	15.90	15.88	0
		CP	QPSK	1	1	16.43	16.34	16.16	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.44	16.44	15.97	0
				1	32	16.61	16.43	16.20	0
				1	63	16.23	16.15	15.97	0
				32	0	16.55	16.49	16.09	0
				32	17	16.43	16.26	16.02	0
				32	33	16.33	16.16	16.06	0
				64	0	16.55	16.32	16.02	0
			QPSK	1	1	16.43	16.14	16.29	0
				1	32	16.33	16.02	16.00	0
				1	63	16.02	16.10	15.92	0
				32	0	16.48	16.26	16.29	0
				32	17	16.30	16.28	16.08	0
				32	33	16.36	16.36	16.05	0
				64	0	16.42	16.42	16.05	0
			16QAM	1	1	16.25	16.20	16.22	0
			64QAM	1	1	16.36	16.42	16.25	0
			256QAM	1	1	16.20	15.97	15.84	0
		CP	QPSK	1	1	16.40	16.39	16.35	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.40	16.54	16.05	0
				1	39	16.50	16.38	16.21	0
				1	76	16.35	16.23	15.95	0
				36	0	16.36	16.37	16.07	0
				36	21	16.57	16.46	16.09	0
				36	42	16.24	16.34	16.03	0
				75	0	16.28	16.11	16.13	0
			QPSK	1	1	16.43	16.40	16.14	0
				1	39	16.21	16.34	16.04	0
				1	76	16.28	16.05	15.82	0
				36	0	16.49	16.46	16.23	0
				36	21	16.39	16.23	16.10	0
				36	42	16.30	16.31	16.02	0
				75	0	16.58	16.18	16.01	0
			16QAM	1	1	16.43	16.16	15.97	0
			64QAM	1	1	16.54	16.45	16.08	0
			256QAM	1	1	16.04	15.97	15.78	0
		CP	QPSK	1	1	16.68	16.58	16.39	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.60		16.19	0
				1	53	16.49		16.19	0
				1	104	16.18		15.90	0
				50	0	16.50		16.14	0
				50	28	16.56		16.32	0
				50	56	16.32		16.19	0
				100	0	16.54		16.04	0
			QPSK	1	1	16.45		16.19	0
				1	53	16.43		16.16	0
				1	104	16.48		15.87	0
				50	0	16.64		16.21	0
				50	28	16.52		16.03	0
				50	56	16.30		16.19	0
				100	0	16.56		15.94	0
			16QAM	1	1	16.37		16.04	0
			64QAM	1	1	16.67		16.33	0
			256QAM	1	1	15.88		15.72	0
		CP	QPSK	1	1	16.66		16.31	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.48		16.21	0
				1	67	16.59		16.16	0
				1	131	16.35		16.18	0
				64	0	16.58		16.31	0
				64	35	16.73		16.36	0
				64	69	16.39		16.41	0
				128	0	16.44		16.34	0
			QPSK	1	1	16.36		16.05	0
				1	67	16.51		16.41	0
				1	131	16.23		16.19	0
				64	0	16.54		16.32	0
				64	35	16.50		16.36	0
				64	69	16.57		16.34	0
				128	0	16.61		16.47	0
			16QAM	1	1	16.26		16.01	0
			64QAM	1	1	16.36		16.38	0
			256QAM	1	1	16.30		15.97	0
		CP	QPSK	1	1	16.48		16.31	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		16.40		0
				1	81		16.07		0
				1	160		16.23		0
				81	0		16.33		0
				81	41		16.14		0
				81	81		16.08		0
				162	0		16.14		0
			QPSK	1	1		16.33		0
				1	81		16.11		0
				1	160		16.09		0
				81	0		16.19		0
				81	41		16.37		0
				81	81		16.07		0
				162	0		16.32		0
			16QAM	1	1		16.22		0
			64QAM	1	1		16.12		0
			256QAM	1	1		16.16		0
		CP	QPSK	1	1		16.39		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.45		0
				1	95		16.24		0
				1	187		16.14		0
				90	0		16.33		0
				90	50		16.31		0
				90	99		16.23		0
				180	0		16.03		0
			QPSK	1	1		16.34		0
				1	95		16.24		0
				1	187		16.17		0
				90	0		16.49		0
				90	50		16.01		0
				90	99		16.25		0
				180	0		16.19		0
			16QAM	1	1		16.22		0
			64QAM	1	1		16.18		0
			256QAM	1	1		15.96		0
		CP	QPSK	1	1		16.43		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.56		0
				1	109		16.24		0
				1	215		16.33		0
				108	0		16.40		0
				108	55		16.42		0
				108	109		16.33		0
				216	0		16.02		0
			QPSK	1	1		16.48		0
				1	109		16.13		0
				1	215		16.36		0
				108	0		16.47		0
				108	55		16.23		0
				108	109		16.37		0
				216	0		16.22		0
			16QAM	1	1		16.36		0
			64QAM	1	1		16.53		0
			256QAM	1	1		15.93		0
		CP	QPSK	1	1		16.57		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		16.65		0
				1	123		16.28		0
				1	243		16.29		0
				120	0		16.43		0
				120	63		15.98		0
				120	125		16.29		0
				243	0		16.40		0
			QPSK	1	1		16.39		0
				1	123		16.29		0
				1	243		16.34		0
				120	0		16.26		0
				120	63		16.22		0
				120	125		16.35		0
				243	0		15.85		0
			16QAM	1	1		16.63		0
			64QAM	1	1		16.58		0
			256QAM	1	1		16.14		0
		CP	QPSK	1	1		16.80		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		16.69		0
				1	137		16.11		0
				1	271		16.47		0
				135	0		16.30		0
				135	69		16.13		0
				135	138		16.21		0
				270	0		16.34		0
			QPSK	1	1		16.80		0
				1	137		16.29		0
				1	271		16.29		0
				135	0		16.46		0
				135	69		16.02		0
				135	138		16.44		0
				270	0		16.49		0
			16QAM	1	1		16.24		0
			64QAM	1	1		16.71		0
			256QAM	1	1		16.28		0
		CP	QPSK	1	1		16.88		0

NR TDD Band n78 (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3705 MHz	3750 MHz	3795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	14.10	13.92	13.83	0
				1	12	14.06	13.89	13.76	0
				1	22	14.11	13.96	13.80	0
				12	0	14.02	13.80	13.75	0
				12	6	14.11	13.90	13.84	0
				12	12	14.02	13.86	13.73	0
				24	0	13.99	13.84	13.73	0
			QPSK	1	1	14.00	13.89	13.71	0
				1	12	13.99	13.83	13.72	0
				1	22	14.01	13.93	13.74	0
				12	0	14.00	13.84	13.69	0
				12	6	14.01	13.81	13.74	0
				12	12	14.06	13.85	13.70	0
				24	0	14.03	13.81	13.70	0
			16QAM	1	1	13.77	13.89	13.53	0
			64QAM	1	1	13.89	13.73	13.58	0
			256QAM	1	1	13.61	13.67	13.57	0
		CP	QPSK	1	1	14.09	13.86	13.78	0

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647166	650000	652832	
						3707.5 MHz	3750 MHz	3792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	13.97	13.94	13.66	0
				1	18	13.89	13.78	13.60	0
				1	36	13.94	13.83	13.62	0
				18	0	13.89	13.88	13.65	0
				18	10	13.96	13.97	13.73	0
				18	20	13.91	13.87	13.63	0
				36	0	13.92	13.90	13.65	0
			QPSK	1	1	13.81	13.78	13.62	0
				1	18	13.66	13.60	13.51	0
				1	36	13.77	13.68	13.59	0
				18	0	13.96	13.92	13.64	0
				18	10	13.91	13.82	13.66	0
				18	20	13.91	13.87	13.67	0
				36	0	13.89	13.83	13.65	0
			16QAM	1	1	13.87	13.86	13.51	0
			64QAM	1	1	13.88	13.68	13.54	0
			256QAM	1	1	13.54	13.51	13.56	0
		CP	QPSK	1	1	13.88	13.87	13.64	0

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3710.01 MHz	3750 MHz	3789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.99	13.99	13.72	0
				1	26	13.97	13.91	13.76	0
				1	49	13.99	13.90	13.61	0
				25	0	13.91	13.89	13.66	0
				25	13	13.98	14.01	13.75	0
				25	26	13.89	13.82	13.60	0
				50	0	13.99	13.99	13.71	0
			QPSK	1	1	13.90	13.90	13.74	0
				1	26	13.87	13.77	13.67	0
				1	49	13.89	13.68	13.58	0
				25	0	13.93	13.89	13.72	0
				25	13	13.97	13.91	13.70	0
				25	26	13.93	13.87	13.64	0
				50	0	14.00	13.98	13.75	0
			16QAM	1	1	13.67	13.81	13.59	0
			64QAM	1	1	13.65	13.53	13.51	0
			256QAM	1	1	13.59	13.60	13.57	0
		CP	QPSK	1	1	13.90	14.00	13.73	0

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3712.5 MHz	3750 MHz	3787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	14.05	13.96	13.87	0
				1	32	14.20	14.00	13.88	0
				1	63	13.92	13.84	13.65	0
				32	0	14.09	13.99	13.78	0
				32	17	14.20	14.04	13.84	0
				32	33	14.06	13.90	13.70	0
				64	0	14.05	13.98	13.73	0
			QPSK	1	1	13.99	13.95	13.78	0
				1	32	14.06	13.99	13.77	0
				1	63	13.82	13.83	13.59	0
				32	0	14.10	14.02	13.78	0
				32	17	14.11	13.92	13.74	0
				32	33	14.04	13.86	13.71	0
				64	0	14.08	13.94	13.72	0
			16QAM	1	1	13.84	13.99	13.93	0
			64QAM	1	1	14.00	14.00	13.58	0
			256QAM	1	1	13.70	13.64	13.58	0
		CP	QPSK	1	1	14.06	13.97	13.77	0

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647666	650000	652332	
						3715 MHz	3750 MHz	3784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.19	14.09	13.89	0
				1	39	14.20	14.01	13.83	0
				1	76	14.06	13.99	13.75	0
				36	0	14.03	14.01	13.83	0
				36	21	14.17	13.97	13.82	0
				36	42	14.03	13.84	13.63	0
				75	0	14.03	13.87	13.71	0
			QPSK	1	1	14.07	14.05	13.79	0
				1	39	14.05	13.97	13.83	0
				1	76	13.95	13.88	13.63	0
				36	0	14.08	13.98	13.82	0
				36	21	14.10	13.91	13.72	0
				36	42	13.93	13.85	13.65	0
				75	0	14.06	13.89	13.66	0
			16QAM	1	1	13.96	14.00	13.87	0
			64QAM	1	1	13.94	13.94	13.74	0
			256QAM	1	1	13.71	13.59	13.53	0
		CP	QPSK	1	1	14.17	14.03	13.88	0

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647800		652000	
						3720 MHz		3780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07		13.79	0
				1	53	14.09		13.82	0
				1	104	13.92		13.66	0
				50	0	14.07		13.80	0
				50	28	14.16		13.82	0
				50	56	13.93		13.68	0
				100	0	14.03		13.84	0
			QPSK	1	1	14.04		13.83	0
				1	53	14.05		13.74	0
				1	104	13.93		13.63	0
				50	0	14.05		13.81	0
				50	28	14.07		13.81	0
				50	56	14.02		13.66	0
				100	0	14.06		13.77	0
			16QAM	1	1	14.10		13.84	0
			64QAM	1	1	14.00		13.77	0
			256QAM	1	1	13.71		13.54	0
		CP	QPSK	1	1	14.04		13.75	0

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3725.01 MHz		3774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.17		13.94	0
				1	67	14.09		13.91	0
				1	131	14.04		13.83	0
				64	0	14.13		13.97	0
				64	35	14.26		14.04	0
				64	69	14.11		13.87	0
				128	0	14.06		13.97	0
			QPSK	1	1	14.08		13.97	0
				1	67	13.93		13.94	0
				1	131	13.95		13.84	0
				64	0	14.14		13.95	0
				64	35	14.13		13.96	0
				64	69	14.10		13.86	0
				128	0	14.07		13.91	0
			16QAM	1	1	13.91		14.15	0
			64QAM	1	1	14.00		13.66	0
			256QAM	1	1	13.88		13.62	0
		CP	QPSK	1	1	14.19		14.00	0

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.09		0
				1	81		13.83		0
				1	160		13.80		0
				81	0		13.90		0
				81	41		13.94		0
				81	81		13.78		0
				162	0		13.97		0
			QPSK	1	1		14.02		0
				1	81		13.67		0
				1	160		13.74		0
				81	0		13.86		0
				81	41		13.90		0
				81	81		13.78		0
				162	0		13.96		0
			16QAM	1	1		13.90		0
			64QAM	1	1		13.58		0
			256QAM	1	1		13.59		0
		CP	QPSK	1	1		14.02		0

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.01		0
				1	95		13.85		0
				1	187		13.81		0
				90	0		14.09		0
				90	50		14.02		0
				90	99		13.90		0
				180	0		13.92		0
			QPSK	1	1		13.98		0
				1	95		13.83		0
				1	187		13.81		0
				90	0		14.05		0
				90	50		13.98		0
				90	99		13.97		0
				180	0		13.93		0
			16QAM	1	1		14.19		0
			64QAM	1	1		13.92		0
			256QAM	1	1		13.67		0
		CP	QPSK	1	1		13.97		0

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.12		0
				1	109		13.92		0
				1	215		13.89		0
				108	0		14.09		0
				108	55		14.06		0
				108	109		13.90		0
				216	0		13.97		0
			QPSK	1	1		14.05		0
				1	109		13.82		0
				1	215		13.88		0
				108	0		14.06		0
				108	55		13.98		0
				108	109		13.91		0
				216	0		13.93		0
			16QAM	1	1		14.26		0
			64QAM	1	1		14.04		0
			256QAM	1	1		13.76		0
		CP	QPSK	1	1		14.13		0

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.21		0
				1	123		13.98		0
				1	243		14.02		0
				120	0		14.07		0
				120	63		14.03		0
				120	125		13.94		0
				243	0		13.97		0
			QPSK	1	1		14.22		0
				1	123		13.91		0
				1	243		13.97		0
				120	0		14.07		0
				120	63		13.92		0
				120	125		13.97		0
				243	0		13.96		0
			16QAM	1	1		14.32		0
			64QAM	1	1		14.19		0
			256QAM	1	1		13.80		0
		CP	QPSK	1	1		14.29		0

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		14.16		0
				1	137		13.90		0
				1	271		14.05		0
				135	0		14.11		0
				135	69		14.20		0
				135	138		13.88		0
				270	0		14.00		0
			QPSK	1	1		14.15		0
				1	137		13.72		0
				1	271		13.90		0
				135	0		14.06		0
				135	69		13.90		0
				135	138		13.89		0
				270	0		13.63		0
			16QAM	1	1		14.06		0
			64QAM	1	1		14.04		0
			256QAM	1	1		13.84		0
		CP	QPSK	1	1		14.58		0

18. NR TDD Band n78 DoD Maximum Conducted Power

NR TDD Band n78 DoD (PC2) Conducted Power_ Measured DSI = 0 (free)_ SUB2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	16.35	16.56	16.69	0
				1	12	15.95	16.56	16.64	0
				1	22	16.10	16.37	16.67	0
				12	0	16.04	16.37	16.60	0
				12	6	16.21	16.51	16.54	0
				12	12	16.16	16.41	16.50	0
				24	0	16.14	16.36	16.56	0
			QPSK	1	1	16.13	16.54	16.55	0
				1	12	15.94	16.27	16.55	0
				1	22	16.32	16.27	16.69	0
				12	0	16.15	16.40	16.39	0
				12	6	16.23	16.36	16.45	0
				12	12	15.93	16.33	16.42	0
				24	0	16.10	16.36	16.51	0
			16QAM	1	1	16.19	16.51	16.71	0
			64QAM	1	1	16.10	16.55	16.49	0
			256QAM	1	1	16.07	16.09	16.27	0
		CP	QPSK	1	1	16.06	16.50	16.58	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	16.16	16.45	16.50	0
				1	18	16.17	16.21	16.52	0
				1	36	16.20	16.20	16.55	0
				18	0	16.23	16.35	16.47	0
				18	9	16.05	16.38	16.49	0
				18	18	16.16	16.41	16.45	0
				36	0	16.01	16.42	16.50	0
			QPSK	1	1	15.95	16.29	16.43	0
				1	18	16.06	16.28	16.45	0
				1	36	15.90	16.18	16.39	0
				18	0	15.92	16.32	16.34	0
				18	9	16.33	16.23	16.29	0
				18	18	16.21	16.24	16.48	0
				36	0	16.17	16.31	16.43	0
			16QAM	1	1	15.96	16.24	16.20	0
			64QAM	1	1	15.93	16.51	16.54	0
			256QAM	1	1	15.96	15.86	16.18	0
		CP	QPSK	1	1	15.96	16.25	16.28	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	16.04	16.53	16.58	0
				1	26	16.12	16.40	16.29	0
				1	49	16.22	16.38	16.44	0
				25	0	16.07	16.26	16.46	0
				25	13	16.20	16.55	16.43	0
				25	26	16.19	16.35	16.42	0
				50	0	16.13	16.40	16.51	0
			QPSK	1	1	16.19	16.44	16.25	0
				1	26	16.13	16.34	16.29	0
				1	49	16.22	16.18	16.22	0
				25	0	16.20	16.35	16.38	0
				25	13	16.21	16.40	16.24	0
				25	26	16.09	16.33	16.39	0
				50	0	16.19	16.34	16.56	0
			16QAM	1	1	15.86	16.42	15.99	0
			64QAM	1	1	15.95	16.20	15.84	0
			256QAM	1	1	16.03	15.99	16.05	0
		CP	QPSK	1	1	16.24	16.27	16.54	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	16.26	16.46	16.61	0
				1	26	16.39	16.55	16.45	0
				1	49	16.34	16.42	16.46	0
				25	0	16.27	16.53	16.77	0
				25	13	16.50	16.61	16.57	0
				25	26	16.33	16.53	16.54	0
				50	0	16.37	16.58	16.49	0
			QPSK	1	1	16.37	16.56	16.43	0
				1	26	16.40	16.48	16.53	0
				1	49	16.26	16.38	16.49	0
				25	0	16.36	16.45	16.60	0
				25	13	16.20	16.50	16.56	0
				25	26	16.19	16.48	16.47	0
				50	0	16.26	16.45	16.56	0
			16QAM	1	1	16.30	16.53	16.89	0
			64QAM	1	1	16.48	16.29	16.31	0
			256QAM	1	1	15.92	16.32	16.32	0
		CP	QPSK	1	1	16.20	16.53	16.66	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	16.43	16.77	16.81	0
				1	39	16.52	16.54	16.48	0
				1	76	16.55	16.43	16.64	0
				36	0	16.18	16.60	16.75	0
				36	21	16.42	16.65	16.65	0
				36	42	16.37	16.55	16.62	0
				75	0	16.17	16.67	16.59	0
			QPSK	1	1	16.13	16.50	16.67	0
				1	39	16.31	16.59	16.58	0
				1	76	16.33	16.46	16.76	0
				36	0	16.19	16.46	16.68	0
				36	21	16.43	16.53	16.56	0
				36	42	16.25	16.45	16.63	0
				75	0	16.33	16.62	16.76	0
			16QAM	1	1	16.18	16.69	16.63	0
			64QAM	1	1	16.38	16.67	16.89	0
			256QAM	1	1	15.67	16.18	16.36	0
		CP	QPSK	1	1	16.38	16.57	16.78	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	16.35		16.70	0
				1	53	16.31		16.54	0
				1	104	16.16		16.37	0
				50	0	16.29		16.49	0
				50	28	16.40		16.58	0
				50	56	16.40		16.63	0
				100	0	16.47		16.50	0
			QPSK	1	1	16.19		16.45	0
				1	53	16.39		16.65	0
				1	104	16.10		16.34	0
				50	0	16.32		16.51	0
				50	28	16.38		16.54	0
				50	56	16.27		16.35	0
				100	0	16.32		16.66	0
			16QAM	1	1	16.07		16.39	0
			64QAM	1	1	16.36		16.68	0
			256QAM	1	1	16.11		16.02	0
		CP	QPSK	1	1	16.18		16.80	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	16.33		16.62	0
				1	67	16.38		16.59	0
				1	131	16.47		16.34	0
				64	0	16.28		16.77	0
				64	35	16.51		16.83	0
				64	69	16.46		16.58	0
				128	0	16.44		16.67	0
			QPSK	1	1	16.36		16.65	0
				1	67	16.31		16.62	0
				1	131	16.35		16.40	0
				64	0	16.65		16.66	0
				64	35	16.64		16.77	0
				64	69	16.35		16.63	0
				128	0	16.53		16.52	0
			16QAM	1	1	16.00		16.89	0
			64QAM	1	1	16.10		16.28	0
			256QAM	1	1	16.04		16.49	0
		CP	QPSK	1	1	16.40		16.60	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		16.34		0
				1	81		16.38		0
				1	160		16.45		0
				81	0		16.33		0
				81	41		16.34		0
				81	81		16.41		0
				162	0		16.41		0
			QPSK	1	1		16.42		0
				1	81		16.38		0
				1	160		16.27		0
				81	0		16.28		0
				81	41		16.54		0
				81	81		16.31		0
				162	0		16.28		0
			16QAM	1	1		16.65		0
			64QAM	1	1		16.27		0
			256QAM	1	1		16.09		0
		CP	QPSK	1	1		16.47		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		16.40		0
				1	95		16.29		0
				1	187		16.31		0
				90	0		16.45		0
				90	50		16.61		0
				90	99		16.35		0
				180	0		16.42		0
			QPSK	1	1		16.49		0
				1	95		16.47		0
				1	187		16.40		0
				90	0		16.54		0
				90	50		16.49		0
				90	99		16.49		0
				180	0		16.33		0
			16QAM	1	1		16.44		0
			64QAM	1	1		16.58		0
			256QAM	1	1		16.58		0
		CP	QPSK	1	1		16.58		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		16.62		0
				1	109		16.43		0
				1	215		16.53		0
				108	0		16.42		0
				108	55		16.69		0
				108	109		16.33		0
				216	0		16.42		0
			QPSK	1	1		16.60		0
				1	109		16.39		0
				1	215		16.23		0
				108	0		16.66		0
				108	55		16.64		0
				108	109		16.53		0
				216	0		16.41		0
			16QAM	1	1		16.59		0
			64QAM	1	1		16.70		0
			256QAM	1	1		16.67		0
		CP	QPSK	1	1		16.64		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		16.50	0
				1	123		16.35	0
				1	243		16.46	0
				120	0		16.60	0
				120	63		16.45	0
				120	125		16.40	0
				243	0		16.48	0
			QPSK	1	1		16.60	0
				1	123		16.59	0
				1	243		16.45	0
				120	0		16.49	0
				120	63		16.69	0
				120	125		16.27	0
				243	0		16.37	0
			16QAM	1	1		16.62	0
			64QAM	1	1		16.45	0
			256QAM	1	1		16.34	0
		CP	QPSK	1	1		16.49	0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3500.01 MHz	
100MHz	30	DFT-s	pi/2 BPSK	1	1		16.38	0
				1	137		16.46	0
				1	271		16.32	0
				135	0		16.35	0
				135	69		16.67	0
				135	138		16.37	0
				270	0		16.42	0
			QPSK	1	1		16.50	0
				1	137		16.28	0
				1	271		16.63	0
				135	0		16.35	0
				135	69		16.72	0
				135	138		16.50	0
				270	0		16.50	0
			16QAM	1	1		16.28	0
			64QAM	1	1		16.27	0
			256QAM	1	1		17.10	0
		CP	QPSK	1	1		16.80	0

NR TDD Band n78 DoD (PC2) Conducted Power_ Measured DSI = 1 (RCV) _ SUB2 Antenna

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3445.01 MHz	3500.01 MHz	3544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	13.79	14.17	14.28	0
				1	12	13.78	14.06	14.16	0
				1	22	13.82	14.12	14.26	0
				12	0	13.78	14.05	14.17	0
				12	6	13.81	14.13	14.23	0
				12	12	13.76	14.04	14.15	0
				24	0	13.79	14.02	14.14	0
			QPSK	1	1	13.74	14.12	14.27	0
				1	12	13.77	14.05	14.17	0
				1	22	13.83	14.12	14.19	0
				12	0	13.72	14.02	14.17	0
				12	6	13.75	14.06	14.21	0
				12	12	13.73	14.02	14.13	0
				24	0	13.64	14.04	14.12	0
			16QAM	1	1	13.87	14.14	14.23	0
			64QAM	1	1	13.67	13.93	14.07	0
			256QAM	1	1	13.56	13.63	13.53	0
		CP	QPSK	1	1	13.71	14.10	14.17	0

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3457.5 MHz	3500.01 MHz	3542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	13.71	13.99	14.08	0
				1	18	13.72	13.94	14.07	0
				1	36	13.75	13.94	14.04	0
				18	0	13.73	13.98	14.08	0
				18	9	13.77	14.02	14.23	0
				18	18	13.76	13.99	14.04	0
				36	0	13.72	13.99	14.08	0
			QPSK	1	1	13.54	13.89	14.06	0
				1	18	13.53	13.89	14.11	0
				1	36	13.62	13.94	14.03	0
				18	0	13.69	13.96	14.18	0
				18	9	13.70	14.03	14.23	0
				18	18	13.73	14.00	14.10	0
				36	0	13.67	13.98	14.17	0
			16QAM	1	1	13.59	14.07	14.28	0
			64QAM	1	1	13.62	13.91	14.12	0
			256QAM	1	1	13.52	13.58	13.69	0
		CP	QPSK	1	1	13.69	13.87	14.12	0

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3460.02 MHz	3500.01 MHz	3540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	13.83	14.12	14.05	0
				1	26	13.84	14.11	14.11	0
				1	49	13.83	14.13	14.11	0
				25	0	13.74	14.00	14.05	0
				25	13	13.83	14.05	14.06	0
				25	26	13.74	14.03	13.95	0
				50	0	13.82	14.09	14.03	0
			QPSK	1	1	13.76	14.10	14.00	0
				1	26	13.73	14.07	13.96	0
				1	49	13.75	13.97	14.04	0
				25	0	13.66	13.95	14.02	0
				25	13	13.73	14.06	14.04	0
				25	26	13.70	13.99	13.99	0
				50	0	13.78	13.88	14.06	0
			16QAM	1	1	13.60	14.10	13.67	0
			64QAM	1	1	13.58	13.64	13.65	0
			256QAM	1	1	13.59	13.62	13.61	0
		CP	QPSK	1	1	13.65	13.97	14.01	0

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635834	
						3462.51 MHz	3500.01 MHz	3537.51 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	13.98	14.23	14.31	0
				1	26	14.07	14.28	14.35	0
				1	49	13.97	14.17	14.20	0
				25	0	14.00	14.16	14.22	0
				25	13	14.03	14.21	14.27	0
				25	26	14.01	14.19	14.19	0
				50	0	13.98	14.16	14.24	0
			QPSK	1	1	13.92	14.15	14.27	0
				1	26	14.02	14.22	14.26	0
				1	49	13.90	14.13	14.12	0
				25	0	13.95	14.14	14.21	0
				25	13	13.95	14.19	14.24	0
				25	26	13.94	14.14	14.20	0
				50	0	13.95	14.14	14.20	0
			16QAM	1	1	13.73	14.26	14.28	0
			64QAM	1	1	13.87	14.13	14.25	0
			256QAM	1	1	13.51	13.76	13.94	0
		CP	QPSK	1	1	13.99	14.09	14.20	0

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3465 MHz	3500.01 MHz	3534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	14.10	14.28	14.43	0
				1	39	14.09	14.25	14.31	0
				1	76	14.07	14.21	14.26	0
				36	0	13.99	14.17	14.28	0
				36	21	14.05	14.22	14.34	0
				36	42	14.02	14.15	14.21	0
				75	0	13.98	14.14	14.26	0
			QPSK	1	1	14.01	14.23	14.36	0
				1	39	13.96	14.19	14.27	0
				1	76	13.98	14.08	14.21	0
				36	0	13.96	14.14	14.26	0
				36	21	13.97	14.16	14.27	0
				36	42	13.97	14.13	14.20	0
				75	0	13.94	14.13	14.27	0
			16QAM	1	1	13.86	14.26	14.35	0
			64QAM	1	1	13.88	14.08	14.25	0
			256QAM	1	1	13.52	13.77	13.94	0
		CP	QPSK	1	1	13.98	14.24	14.36	0

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3470.01 MHz		3529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	13.95		14.23	0
				1	53	14.01		14.19	0
				1	104	13.97		14.04	0
				50	0	14.02		14.22	0
				50	28	14.09		14.26	0
				50	56	14.01		14.16	0
				100	0	14.00		14.20	0
			QPSK	1	1	13.82		14.19	0
				1	53	13.90		14.13	0
				1	104	13.82		13.97	0
				50	0	13.92		14.20	0
				50	28	14.00		14.16	0
				50	56	13.98		14.10	0
				100	0	13.94		14.15	0
			16QAM	1	1	13.83		14.17	0
			64QAM	1	1	13.81		14.16	0
			256QAM	1	1	13.89		13.80	0
		CP	QPSK	1	1	13.90		14.15	0

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3475.02 MHz		3525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	14.07		14.40	0
				1	67	14.18		14.38	0
				1	131	14.11		14.23	0
				64	0	14.12		14.38	0
				64	35	14.21		14.45	0
				64	69	14.15		14.29	0
				128	0	14.08		14.34	0
			QPSK	1	1	14.05		14.33	0
				1	67	14.00		14.33	0
				1	131	14.04		14.23	0
				64	0	14.12		14.40	0
				64	35	14.18		14.37	0
				64	69	14.21		14.25	0
				128	0	14.21		14.33	0
			16QAM	1	1	13.91		14.36	0
			64QAM	1	1	13.94		14.30	0
			256QAM	1	1	13.68		13.90	0
		CP	QPSK	1	1	14.08		14.31	0

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		14.13		0
				1	81		14.07		0
				1	160		14.12		0
				81	0		14.12		0
				81	41		14.14		0
				81	81		14.03		0
				162	0		14.14		0
			QPSK	1	1		14.06		0
				1	81		14.02		0
				1	160		14.10		0
				81	0		14.05		0
				81	41		14.09		0
				81	81		14.04		0
				162	0		14.14		0
			16QAM	1	1		14.14		0
			64QAM	1	1		13.74		0
			256QAM	1	1		13.59		0
		CP	QPSK	1	1		14.08		0

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		14.18		0
				1	95		14.05		0
				1	187		14.13		0
				90	0		14.19		0
				90	50		14.19		0
				90	99		14.04		0
				180	0		14.12		0
			QPSK	1	1		14.07		0
				1	95		14.00		0
				1	187		14.10		0
				90	0		14.16		0
				90	50		14.14		0
				90	99		14.03		0
				180	0		14.10		0
			16QAM	1	1		14.15		0
			64QAM	1	1		14.07		0
			256QAM	1	1		13.74		0
		CP	QPSK	1	1		14.09		0

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		14.26		0
				1	109		14.05		0
				1	215		14.19		0
				108	0		14.17		0
				108	55		14.20		0
				108	109		14.09		0
				216	0		14.07		0
			QPSK	1	1		14.16		0
				1	109		14.03		0
				1	215		14.16		0
				108	0		14.18		0
				108	55		14.15		0
				108	109		14.06		0
				216	0		14.09		0
			16QAM	1	1		14.21		0
			64QAM	1	1		14.13		0
			256QAM	1	1		13.74		0
		CP	QPSK	1	1		14.12		0

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		14.26		0
				1	123		14.16		0
				1	243		14.22		0
				120	0		14.17		0
				120	63		14.22		0
				120	125		14.07		0
				243	0		14.09		0
			QPSK	1	1		14.23		0
				1	123		14.09		0
				1	243		14.09		0
				120	0		14.14		0
				120	63		14.13		0
				120	125		14.06		0
				243	0		14.10		0
			16QAM	1	1		14.32		0
			64QAM	1	1		13.89		0
			256QAM	1	1		13.85		0
		CP	QPSK	1	1		14.29		0

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3500.01 MHz		
100MHz	30	DFT-s	pi/2 BPSK	1	1		13.78		0
				1	137		14.01		0
				1	271		14.18		0
				135	0		14.18		0
				135	69		13.94		0
				135	138		14.08		0
				270	0		13.55		0
			QPSK	1	1		14.23		0
				1	137		13.97		0
				1	271		14.04		0
				135	0		14.20		0
				135	69		13.73		0
				135	138		14.11		0
				270	0		14.15		0
			16QAM	1	1		14.08		0
			64QAM	1	1		14.10		0
			256QAM	1	1		13.97		0