

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n30	10MHz	Mid	30.0 - 2288.0	-46.86	-40	-6.86
		Mid	2365.0 - 15000.0	-49.61	-40	-9.61
		Mid	15000.0 - 27000.0	-52.59	-40	-12.59
NR-n7	50MHz	Low	30.0 - 2475.0	-46.62	-25	-21.62
		Low	2570.0 - 15000.0	-39.02	-25	-14.02
		Low	15000.0 - 27000.0	-52.09	-25	-27.09
		Mid	30.0 - 2475.0	-46.76	-25	-21.76
		Mid	2570.0 - 15000.0	-39.64	-25	-14.64
		Mid	15000.0 - 27000.0	-52.27	-25	-27.27
		High	30.0 - 2475.0	-47.18	-25.53	-21.65
		High	2570.0 - 15000.0	-39.35	-25	-14.35
		High	15000.0 - 27000.0	-51.86	-25	-26.86
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.65	-25	-13.65
		Low	2690.0 - 15000.0	-38.52	-25	-13.52
		Low	15000.0 - 27000.0	-45.87	-25	-20.87
		Mid	30.0 - 2470.0	-38.64	-25	-13.64
		Mid	2690.0 - 15000.0	-37.29	-25	-12.29
		Mid	15000.0 - 27000.0	-44.68	-25	-19.68
		High	30.0 - 2470.0	-38.22	-25	-13.22
		High	2690.0 - 15000.0	-37.92	-25	-12.92
		High	15000.0 - 27000.0	-45.63	-25	-20.63


Table 7-17. Conducted Emission Test Results – NR – Ant F

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-37.32	-25	-12.32
		Low	2690.0 - 15000.0	-38.39	-25	-13.39
		Low	15000.0 - 27000.0	-46.19	-25	-21.18
		Mid	30.0 - 2470.0	-37.71	-25	-12.71
		Mid	2690.0 - 15000.0	-38.18	-25	-13.18
		Mid	15000.0 - 27000.0	-45.87	-25	-20.87
		High	30.0 - 2470.0	-38.09	-25	-13.09
		High	2690.0 - 15000.0	-38.02	-25	-13.02
		High	15000.0 - 27000.0	-46.04	-25	-21.04


Table 7-18. Conducted Emission Test Results – NR – Ant B – Switching

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 150 of 274

NR Band n30 – Ant F




Plot 7-236. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant F)



Plot 7-237. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant F)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 151 of 274




Plot 7-238. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 152 of 274

NR Band n7 – Ant F




Plot 7-239. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)



Plot 7-240. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 153 of 274




Plot 7-241. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 154 of 274

NR Band n41 – Ant F – Default




Plot 7-242. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant F)



Plot 7-243. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 155 of 274




Plot 7-244. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant F)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 156 of 274



NR Band n41 – Ant F – Switching




Plot 7-245. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant B)



Plot 7-246. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 157 of 274



Plot 7-247. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 158 of 274

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B30	10MHz	Mid	30.0 - 2288.0	-57.20	-40	-17.19
		Mid	2365.0 - 15000.0	-45.73	-40	-5.73
		Mid	15000.0 - 27000.0	-52.96	-40	-12.96



Table 7-19. Conducted Emission Test Results – LTE – Ant A

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]
LTE-B7	20MHz	Low	30.0 - 2500.0	-46.50	-25	-21.50
		Low	2570.0 - 15000.0	-39.55	-25	-14.55
		Low	15000.0 - 27000.0	-52.94	-25	-27.94
		Mid	30.0 - 2500.0	-46.23	-25	-21.23
		Mid	2570.0 - 15000.0	-39.17	-25	-14.17
		Mid	15000.0 - 27000.0	-52.30	-25	-27.30
		High	30.0 - 2500.0	-46.35	-25	-21.35
		High	2570.0 - 15000.0	-39.34	-25	-14.34
		High	15000.0 - 27000.0	-52.20	-25	-27.20
LTE-B41PC3-38	20MHz	Low	30.0 - 2475.0	-36.74	-25	-11.74
		Low	2690.0 - 15000.0	-36.86	-25	-11.86
		Low	15000.0 - 27000.0	-45.74	-25	-20.74
		Mid	30.0 - 2500.0	-37.98	-25	-12.98
		Mid	2690.0 - 15000.0	-37.89	-25	-12.89
		Mid	15000.0 - 27000.0	-45.70	-25	-20.70
		High	30.0 - 2500.0	-37.94	-25	-12.94
		High	2690.0 - 15000.0	-38.06	-25	-13.06
		High	15000.0 - 27000.0	-45.51	-25	-20.51


Table 7-20. Conducted Emission Test Results – LTE – Ant B

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 159 of 274

LTE Band 30 – Ant A





FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2-A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 160 of 274




Plot 7-250. Conducted Spurious Plot (LTE Band 30 - 10MHz QPSK - RB Size 1, RB Offset 0 - Ant A)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 161 of 274

LTE Band 7 – Ant B



FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 162 of 274




Plot 7-253. Conducted Spurious Plot (LTE Band 7 - 20MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel - Ant B)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 163 of 274



LTE Band 41(PC3)/38 – Ant B




Plot 7-254. Conducted Spurious Plot (LTE Band 41(PC3)/38 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant B)



Plot 7-255. Conducted Spurious Plot (LTE Band 41(PC3)/38 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 164 of 274



Plot 7-256. Conducted Spurious Plot (LTE Band 41(PC3)/38 - 20MHz QPSK - RB Size 1, RB Offset 0 - Low Channel - Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 165 of 274

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n30	10MHz	Mid	30.0 - 2288.0	-57.09	-40	-17.09
		Mid	2570.0 - 15000.0	-46.41	-40	-6.41
		Mid	15000.0 - 27000.0	-53.06	-40	-13.06

Table 7-21. Conducted Emission Test Results – NR – Ant A

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n7	50MHz	Low	30.0 - 2500.0	-46.66	-25	-21.66
		Low	2570.0 - 15000.0	-39.29	-25	-14.29
		Low	15000.0 - 27000.0	-52.40	-25	-27.40
		Mid	30.0 - 2500.0	-46.83	-25	-21.83
		Mid	2570.0 - 15000.0	-39.42	-25	-14.42
		Mid	15000.0 - 27000.0	-52.10	-25	-27.10
		High	30.0 - 2500.0	-46.70	-25	-21.70
		High	2570.0 - 15000.0	-38.82	-25	-13.82
		High	15000.0 - 27000.0	-51.84	-25	-26.84
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.94	-25	-13.94
		Low	2690.0 - 15000.0	-38.69	-25	-13.69
		Low	15000.0 - 27000.0	-45.77	-25	-20.77
		Mid	30.0 - 2470.0	-38.10	-25	-13.10
		Mid	2690.0 - 15000.0	-37.86	-25	-12.86
		Mid	15000.0 - 27000.0	-45.31	-25	-20.31
		High	30.0 - 2470.0	-38.12	-25	-13.12
		High	2715.0 - 15000.0	-37.72	-25	-12.72
		High	15000.0 - 27000.0	-45.43	-25	-20.43


Table 7-22. Conducted Emission Test Results – NR – Ant B

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-37.84	-25	-12.84
		Low	2690.0 - 15000.0	-37.42	-25	-12.42
		Low	15000.0 - 27000.0	-45.94	-25	-20.94
		Mid	30.0 - 2470.0	-38.02	-25	-13.02
		Mid	2690.0 - 15000.0	-38.31	-25	-13.31
		Mid	15000.0 - 27000.0	-46.1	-25	-21.09
		High	30.0 - 2470.0	-38.25	-25	-13.25
		High	2715.0 - 15000.0	-38.05	-25	-13.05
		High	15000.0 - 27000.0	-45.33	-25	-20.33


Table 7-23. Conducted Emission Test Results – NR – Ant F – Switching

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 166 of 274

NR Band n30 – Ant A




Plot 7-257. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant A)



Plot 7-258. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant A)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 167 of 274




Plot 7-259. Conducted Spurious Plot (NR Band n30 - 10MHz QPSK - RB Size 1, RB Offset 0 – Ant A)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 168 of 274

NR Band n7 – Ant B




Plot 7-260. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant B)



Plot 7-261. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 169 of 274




Plot 7-262. Conducted Spurious Plot (NR Band n7 - 20MHz QPSK - RB Size 1, RB Offset 0 - High Channel Ant B)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 170 of 274



NR Band n41 – Ant B - Default




Plot 7-263. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant B)



Plot 7-264. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant B)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 171 of 274




Plot 7-265. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant B)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 172 of 274

NR Band n41 – Ant F - Switching




Plot 7-266. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)



Plot 7-267. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 173 of 274



Plot 7-268. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 174 of 274

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.63	-25	-13.63
		Low	2690.0 - 15000.0	-36.85	-25	-11.85
		Low	15000.0 - 27000.0	-45.80	-25	-20.80
		Mid	30.0 - 2470.0	-38.73	-25	-13.73
		Mid	2690.0 - 15000.0	-38.10	-25	-13.09
		Mid	15000.0 - 27000.0	-45.00	-25	-20.00
		High	30.0 - 2470.0	-37.67	-25	-12.67
		High	2715.0 - 15000.0	-37.66	-25	-12.66
		High	15000.0 - 27000.0	-46.24	-25	-21.24

Table 7-24. Conducted Emission Test Results – NR Band n41 – Ant E – Default

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.91	-25	-13.91
		Low	2690.0 - 15000.0	-38.36	-25	-13.36
		Low	15000.0 - 27000.0	-45.83	-25	-20.83
		Mid	30.0 - 2470.0	-38.28	-25	-13.28
		Mid	2690.0 - 15000.0	-38.34	-25	-13.33
		Mid	15000.0 - 27000.0	-45.17	-25	-20.17
		High	30.0 - 2470.0	-38.46	-25	-13.46
		High	2715.0 - 15000.0	-37.82	-25	-12.82
		High	15000.0 - 27000.0	-45.30	-25	-20.30

Table 7-25. Conducted Emission Test Results – NR Band n41 – Ant D – Switching

Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-37.96	-25	-12.96
		Low	2690.0 - 15000.0	-38.54	-25	-13.54
		Low	15000.0 - 27000.0	-45.88	-25	-20.88
		Mid	30.0 - 2470.0	-37.36	-25	-12.36
		Mid	2690.0 - 15000.0	-38.55	-25	-13.55
		Mid	15000.0 - 27000.0	-45.63	-25	-20.63
		High	30.0 - 2470.0	-38.11	-25	-13.11
		High	2715.0 - 15000.0	-37.95	-25	-12.95
		High	15000.0 - 27000.0	-45.73	-25	-20.73

Table 7-26. Conducted Emission Test Results – NR Band n41 – Ant D – Default


Mode	Bandwidth	Channel	Range [MHz]	Level [dBm]	Lim it [dBm]	Margin [dB]
NR-n41PC2	100MHz	Low	30.0 - 2470.0	-38.96	-25	-13.96
		Low	2690.0 - 15000.0	-38.35	-25	-13.35
		Low	15000.0 - 27000.0	-45.62	-25	-20.62
		Mid	30.0 - 2470.0	-38.59	-25	-13.59
		Mid	2690.0 - 15000.0	-38.76	-25	-13.76
		Mid	15000.0 - 27000.0	-45.94	-25	-20.94
		High	30.0 - 2470.0	-37.73	-25	-12.73
		High	2715.0 - 15000.0	-38.57	-25	-13.57
		High	15000.0 - 27000.0	-45.86	-25	-20.86

Table 7-27. Conducted Emission Test Results – NR Band n41 – Ant E – Switching


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset		Page 175 of 274



NR Band n41 – Ant E - Default




Plot 7-269. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant E)



Plot 7-270. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant E)


FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 176 of 274




Plot 7-271. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Low Channel Ant E)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 177 of 274

NR Band n41 – Ant D - Switching



Plot 7-272. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant D)



Plot 7-273. Conducted Spurious Plot (NR Band n41 - 100MHz QPSK - RB Size 1, RB Offset 0 - Mid Channel Ant D)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-04-R2.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 178 of 274