




NR Band n77 DoD – Ant F



Plot 7-163. Radiated Spurious Plot (NR Band n77 – Ant F)




Plot 7-164. Radiated Spurious Plot (NR Band n77 – Ant F)



Plot 7-165. Radiated Spurious Plot (NR Band n77 – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 132 of 154



Plot 7-166. Radiated Spurious Plot (NR Band n77 – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
280.00	H	-	-	-95.63	-11.72	-0.35	-97.76	-13.00	-84.76
426.00	H	-	-	-95.26	-7.97	3.77	-93.64	-13.00	-80.64
706.00	H	-	-	-95.41	-3.42	8.17	-89.24	-13.00	-76.24

Table 7-28. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	135	339	-81.57	14.91	40.34	-54.92	-13.00	-41.92
10500.03	H	-	-	-83.44	20.87	44.43	-50.83	-13.00	-37.83
14000.04	H	120	333	-80.70	26.31	52.61	-42.65	-13.00	-29.65
17500.05	H	-	-	-84.90	30.12	52.22	-43.04	-13.00	-30.04
21000.06	H	-	-	-74.78	3.25	35.47	-69.33	-13.00	-56.33
24500.07	H	-	-	-74.92	3.71	35.79	-69.01	-13.00	-56.01


Table 7-29. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 133 of 154


NR Band n77 C-band – Ant F



Plot 7-167. Radiated Spurious Plot (NR Band n77 – Ant F)




Plot 7-168. Radiated Spurious Plot (NR Band n77 – Ant F)



Plot 7-169. Radiated Spurious Plot (NR Band n77 – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 134 of 154



Plot 7-170. Radiated Spurious Plot (NR Band n77 – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
116.00	H	-	-	-98.06	-13.49	-4.55	-101.96	-13.00	-88.96
274.00	H	-	-	-95.74	-11.79	-0.53	-97.94	-13.00	-84.94
595.00	H	-	-	-95.21	-4.65	7.14	-90.27	-13.00	-77.27
678.00	V	-	-	-95.12	-3.74	8.14	-89.26	-13.00	-76.26

Table 7-30. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-79.50	16.29	43.79	-51.46	-13.00	-38.46
11250.00	H	-	-	-79.89	21.79	48.90	-46.36	-13.00	-33.36
15000.00	H	-	-	-79.36	27.28	54.92	-40.34	-13.00	-27.34

Table 7-31. Radiated Spurious Data (NR Band n77 – Low Channel – Ant F)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	171	357	-78.96	16.35	44.39	-50.87	-13.00	-37.87
11520.00	H	-	-	-78.99	22.11	50.12	-45.13	-13.00	-32.13
15360.00	H	-	-	-79.72	27.71	54.99	-40.26	-13.00	-27.26
19200.00	H	-	-	-75.95	1.65	32.70	-72.10	-13.00	-59.10

Table 7-32. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset		Page 135 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	303	314	-81.56	16.07	41.51	-53.75	-13.00	-40.75
11790.00	H	-	-	-83.14	22.05	45.91	-49.34	-13.00	-36.34
15720.00	H	-	-	-84.86	28.46	50.60	-44.66	-13.00	-31.66
19650.00	H	-	-	-72.42	1.65	36.23	-68.57	-13.00	-55.57


Table 7-33. Radiated Spurious Data (NR Band n77 – High Channel – Ant F)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 136 of 154


NR Band n77 DoD – Ant C



Plot 7-171. Radiated Spurious Plot (NR Band n77 – Ant C)




Plot 7-172. Radiated Spurious Plot (NR Band n77 – Ant C)



Plot 7-173. Radiated Spurious Plot (NR Band n77 – Ant C)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 137 of 154



Plot 7-174. Radiated Spurious Plot (NR Band n77 – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
405.00	H	-	-	-102.21	-8.31	-3.52	-100.93	-13.00	-87.93
750.00	H	-	-	-102.34	-2.70	1.96	-95.45	-13.00	-82.45
903.00	H	-	-	-101.77	-0.60	4.63	-92.78	-13.00	-79.78

Table 7-34. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.88	14.91	40.03	-55.23	-13.00	-42.23
10500.03	H	-	-	-83.92	20.87	43.95	-51.31	-13.00	-38.31
14000.04	H	-	-	-84.66	26.31	48.65	-46.61	-13.00	-33.61
17500.05	H	-	-	-84.88	30.12	52.24	-43.02	-13.00	-30.02


Table 7-35. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 138 of 154


NR Band n77 C-band – Ant C



Plot 7-175. Radiated Spurious Plot (NR Band n77 – Ant C)




Plot 7-176. Radiated Spurious Plot (NR Band n77 – Ant C)



Plot 7-177. Radiated Spurious Plot (NR Band n77 – Ant C)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 139 of 154



Plot 7-178. Radiated Spurious Plot (NR Band n77 – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
534.00	H	-	-	-105.56	-3.86	-2.42	-99.83	-13.00	-86.83
592.00	H	-	-	-105.50	-3.18	-1.68	-99.09	-13.00	-86.09
910.00	H	-	-	-106.82	-0.52	-0.34	-97.75	-13.00	-84.75

Table 7-36. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-82.08	16.06	40.98	-54.28	-13.00	-41.28
11250.00	H	-	-	-83.51	21.30	44.79	-50.47	-13.00	-37.47
15000.00	H	-	-	-84.74	26.18	48.44	-46.82	-13.00	-33.82

Table 7-37. Radiated Spurious Data (NR Band n77 – Low Channel – Ant C)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	-	-	-82.21	16.04	40.83	-54.43	-13.00	-41.43
11520.00	H	-	-	-83.35	22.22	45.87	-49.39	-13.00	-36.39
15360.00	H	-	-	-85.11	27.26	49.15	-46.11	-13.00	-33.11

Table 7-38. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant C)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 140 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	225	305	-81.89	16.06	41.17	-54.09	-13.00	-41.09
11790.00	H	-	-	-83.28	21.29	45.01	-50.25	-13.00	-37.25
15720.00	H	-	-	-85.23	28.23	50.00	-45.26	-13.00	-32.26
19650.00	H	-	-	-74.19	2.11	34.92	-69.88	-13.00	-56.88


Table 7-39. Radiated Spurious Data (NR Band n77 – High Channel – Ant C)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 141 of 154


NR Band n77 DoD – Ant I



Plot 7-179. Radiated Spurious Plot (NR Band n77 – Ant I)




Plot 7-180. Radiated Spurious Plot (NR Band n77 – Ant I)



Plot 7-181. Radiated Spurious Plot (NR Band n77 – Ant I)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 142 of 154



Plot 7-182. Radiated Spurious Plot (NR Band n77 – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/271

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
222.00	H	-	-	-102.62	-13.29	-8.91	-106.32	-13.00	-93.32
298.00	H	-	-	-102.90	-11.19	-7.09	-104.50	-13.00	-91.50
496.00	H	-	-	-101.50	-6.79	-1.29	-98.70	-13.00	-85.70

Table 7-40. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)


Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.94	16.07	41.13	-54.13	-13.00	-41.13
10500.03	H	-	-	-83.43	16.07	39.64	-55.62	-13.00	-42.62
14000.04	H	151	328	-82.36	16.07	40.71	-54.55	-13.00	-41.55
17500.05	H	-	-	-84.70	16.07	38.37	-56.89	-13.00	-43.89
21000.06	H	-	-	-74.05	3.25	36.20	-68.60	-13.00	-55.60
24500.07	H	-	-	-74.78	3.71	35.93	-68.87	-13.00	-55.87


Table 7-41. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 143 of 154


NR Band n77 C-band – Ant I



Plot 7-183. Radiated Spurious Plot (NR Band n77 – Ant I)




Plot 7-184. Radiated Spurious Plot (NR Band n77 – Ant I)



Plot 7-185. Radiated Spurious Plot (NR Band n77 – Ant I)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 144 of 154



Plot 7-186. Radiated Spurious Plot (NR Band n77 – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
237.00	H	-	-	-106.11	-12.49	-11.60	-109.01	-13.00	-96.01
480.00	H	-	-	-105.90	-7.08	-5.98	-103.38	-13.00	-90.38
925.00	H	-	-	-105.35	-0.47	1.18	-96.22	-13.00	-83.22

Table 7-42. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3750.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7500.00	H	-	-	-82.42	16.29	40.87	-54.38	-13.00	-41.38
11250.00	H	-	-	-83.68	21.79	45.11	-50.15	-13.00	-37.15
15000.00	H	-	-	-85.14	27.28	49.14	-46.12	-13.00	-33.12

Table 7-43. Radiated Spurious Data (NR Band n77 – Low Channel – Ant I)

Bandwidth (MHz):	100
Frequency (MHz):	3840.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7680.00	H	225	325	-82.23	16.35	41.12	-54.14	-13.00	-41.14
11520.00	H	-	-	-83.30	22.11	45.81	-49.44	-13.00	-36.44
15360.00	H	-	-	-85.02	27.71	49.69	-45.56	-13.00	-32.56
19200.00	H	-	-	-74.01	1.65	34.64	-70.16	-13.00	-57.16

Table 7-44. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant I)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset		Page 145 of 154


Bandwidth (MHz):	100
Frequency (MHz):	3930.00
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7860.00	H	151	357	-82.00	16.06	41.06	-54.20	-13.00	-41.20
11790.00	H	-	-	-83.24	21.29	45.05	-50.21	-13.00	-37.21
15720.00	H	-	-	-85.29	28.23	49.94	-45.32	-13.00	-32.32
19650.00	H	-	-	-74.31	2.11	34.80	-70.00	-13.00	-57.00


Table 7-45. Radiated Spurious Data (NR Band n77 – High Channel – Ant I)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 146 of 154


NR Band n77 DoD – Ant D



Plot 7-187. Radiated Spurious Plot (NR Band n77 – Ant D)




Plot 7-188. Radiated Spurious Plot (NR Band n77 – Ant D)



Plot 7-189. Radiated Spurious Plot (NR Band n77 – Ant D)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 147 of 154



Plot 7-190. Radiated Spurious Plot (NR Band n77 – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	ERP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
99.00	H	-	-	-106.39	-13.78	-13.17	-110.58	-13.00	-97.58
339.00	H	-	-	-106.06	-9.74	-8.80	-106.21	-13.00	-93.21
485.00	H	-	-	-105.30	-7.08	-5.38	-102.78	-13.00	-89.78

Table 7-46. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)

Bandwidth (MHz):	100
Frequency (MHz):	3500.01
RB / Offset:	1/136

Frequency [MHz]	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBμV/m]	EIRP Spurious Emission Level [dBm]	Limit [dBm]	Margin [dB]
7000.02	H	-	-	-81.81	14.91	40.10	-55.16	-13.00	-42.16
10500.03	H	-	-	-83.23	20.87	44.64	-50.62	-13.00	-37.62
14000.04	H	114	292	-83.15	26.31	50.16	-45.10	-13.00	-32.10
17500.05	H	-	-	-84.42	30.12	52.70	-42.56	-13.00	-29.56
21000.06	H	-	-	-74.58	3.25	35.67	-69.13	-13.00	-56.13
24500.07	H	-	-	-74.61	3.71	36.10	-68.70	-13.00	-55.70

Table 7-47. Radiated Spurious Data (NR Band n77 – Mid Channel – Ant D)

FCC ID: A3LSMS936U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260064-05.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 148 of 154