

CERTIFICATION TEST REPORT

Report Number. : S-4791615638-E4V2

Applicant : SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 16677, KOREA

Model : SM-S937B/DS, SM-S937B

FCC ID : A3LSMS937B

EUT Description : GSM/WCDMA/LTE 5G NR Phone + BT/BLE,
DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB

Test Standard(s) : FCC 47 CFR PART 27 SUBPART F,H,L,O,P,Q

Date Of Issue:

2025-03-04

Prepared by:

UL KOREA LTD.

26th floor, 152, Teheran-ro, Gangnam-gu Seoul, 06236, Korea

Suwon Test Site: UL KOREA LTD. Suwon Laboratory

218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 16675, Korea
TEL: (031) 337-9902
FAX: (031) 213-5433

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	2025-02-24	Initial issue	Yeonghwan Hong
V2	2025-03-04	Updated to address TCB's question	Yeonghwan Hong

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS	4
2. TEST METHODOLOGY	5
3. FACILITIES AND ACCREDITATION	5
4. CALIBRATION AND UNCERTAINTY	6
4.1. MEASURING INSTRUMENT CALIBRATION.....	6
4.2. SAMPLE CALCULATION.....	6
4.3. MEASUREMENT UNCERTAINTY	6
4.4. DECISION RULE	6
5. EQUIPMENT UNDER TEST	7
5.1. DESCRIPTION OF EUT.....	7
5.2. MAXIMUM OUTPUT POWER.....	7
5.3. DESCRIPTION OF AVAILABLE ANTENNAS	21
5.4. WORST-CASE ORIENTATION.....	22
5.5. DESCRIPTION OF TEST SETUP.....	29
6. TEST AND MEASUREMENT EQUIPMENT	31
7. SUMMARY TABLE	32
8. CONDUCTED RESULTS	33
8.1. CONDUCTED OUTPUT POWER	33
8.1.1. CONDUCTED AVERAGE OUTPUT POWER	34
8.2. PEAK TO AVERAGE RATIO.....	78
8.2.1. CONDUCTED PEAK TO AVERAGE RESULT	79
8.3. OCCUPIED BANDWIDTH.....	96
8.3.1. OCCUPIED BANDWIDTH RESULT	102
8.4. BAND EDGE EMISSIONS	119
8.4.1. BAND EDGE RESULT	122
8.4.2. EMISSION MASK RESULT	167
8.5. CONDUCTED SPURIOUS EMISSIONS	123
8.5.1. OUT OF BAND EMISSIONS RESULT	202
8.6. FREQUENCY STABILITY	211
8.6.1. FREQUENCY STABILITY RESULT	212
9. RADIATED RESULTS.....	217
9.1. RADIATED POWER (ERP & EIRP)	217
9.1.1. ERP/EIRP RESULT	218
9.2. RADIATED SPURIOUS EMISSION	231
9.2.1. SPURIOUS RADIATION RESULT	233

1. ATTESTATION OF TEST RESULTS

COMPANY NAME: SAMSUNG ELECTRONICS CO., LTD.

EUT DESCRIPTION: GSM/WCDMA/LTE 5G NR Phone + BT/BLE,
DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB

MODEL NUMBER: SM-S937B/DS, SM-S937B

SERIAL NUMBER: R3CXC0C364R, R3CXC0C2Y7Z, R3CXC0C36WD (CONDUCTED);
R3CY10EZFRP, R3CY10EZEAE (RADIATED);

DATE TESTED: 2025-01-09 – 2025-02-21;;

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC PART 27F,H,L,O,P,Q	Complies

UL KOREA LTD. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL KOREA LTD. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.

Note: The results documented in this report apply only to the tested sample, under the conditions and Modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL KOREA LTD. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL KOREA LTD. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL KOREA LTD. By:

Tested By:



Seokhwan Hong
Suwon Lab Engineer
UL KOREA LTD.

Yeonghwan Hong
Suwon Lab Engineer
UL KOREA LTD.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with following methods.

1. FCC 47 CFR Part 2.
2. FCC 47 CFR Part 27.
3. ANSI TIA-603-E, 2016
4. ANSI C63.26, 2015
5. KDB 971168 D01 Power Meas License Digital Systems v03r01
6. KDB 971168 D02 Misc Rev Approv License Devices v02r02
7. KDB 412172 D01 Determining ERP and EIRP v01r01
8. KDB 648474 D03 Wireless Chargers Battery Cover v01r04

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16675, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro	
☒	Chamber 1(3m semi-anechoic chamber)
☒	Chamber 2(3m semi-anechoic chamber)
☐	Chamber 3(3m semi-anechoic chamber)
☒	Chamber 4(3m Full-anechoic chamber)
☐	Chamber 5(3m Full-anechoic chamber)

UL KOREA LTD. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at <https://www.iasonline.org/wp-content/uploads/2017/05/TL-637-cert-New.pdf>.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

$$\text{EIRP} = \text{SG reading with EUT worst orientation (dBm)} - \text{cable loss(between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBi)}$$

$$\text{ERP} = \text{SG reading with EUT worst orientation (dBm)} - \text{cable loss(between the SG and substitution antenna)} + \text{Substitution Antenna Factor (dBd)}$$

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	1.84 dB
Radiated Disturbance, 9 kHz to 30 MHz	2.41 dB
Radiated Disturbance, 30 MHz to 1 GHz	3.69 dB
Radiated Disturbance, 1 GHz to 18 GHz	5.18 dB
Radiated Disturbance, Above 18 GHz	5.07 dB

Uncertainty figures are valid to a confidence level of 95%.

4.4. DECISION RULE

Decision rule for statement(s) of conformity is based on Clause 4.3.3 in IEC Guide 115:2023.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is a GSM/WCDMA/LTE 5G NR Phone + BT/BLE, DTS/UNII a/b/g/n/ac/ax/be, NFC, WPT and UWB.

This test report addresses the WWAN operational mode.

Representative model	Difference	Derivative model
		SM-S937B
SM-S937B/DS	Hardware	Except for the SIM socket tray, all hardware parts are the same
	Software	All features are the same except for SIM recognition algorithms and subsequently User Interface changes.

The model SM-A366U was used for final testing and is representative of the test results in this report.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum average radiated ERP / EIRP output powers as follows:
Radiated samples were tested to a higher power than conducted resulting in radiated EIRP greater than conducted measurements.

WCDMA

FCC Part 27							
Band	ANT	Frequency Range [MHz]	Modulation	Conducted		Radiated	
				Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 4	A	1712.40 ~ 1752.60	Rel. 99	22.80	190.55	23.12	205.12
			HSDPA	21.82	152.05	22.15	164.06

LTE Band 12

FCC Part 27								
Band	ANT	Frequency Range	BandWidth	Modulation	Conducted		Radiated	
		[MHz]	[MHz]		Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12	A	704.00 ~ 711.00	10	QPSK	24.67	293.09	17.68	58.61
				16QAM	23.45	221.31	16.79	47.75
				64QAM	22.58	181.13		
				256QAM	19.55	90.16		
		701.50 ~ 713.50	5	QPSK	24.28	267.92	17.72	59.16
				16QAM	23.34	215.77	16.64	46.13
				64QAM	22.81	190.99		
				256QAM	19.41	87.30		
		700.50 ~ 714.50	3	QPSK	24.13	258.82	17.05	50.70
				16QAM	23.31	214.29	16.58	45.50
				64QAM	22.43	174.98		
				256QAM	19.37	86.50		
		699.70 ~ 715.30	1.4	QPSK	24.46	279.25	17.25	53.09
				16QAM	23.54	225.94	16.82	48.08
				64QAM	22.62	182.81		
				256QAM	19.39	86.90		

FCC Part 27								
Band	ANT	Frequency Range	BandWidth	Modulation	Conducted		Radiated	
		[MHz]	[MHz]		Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 12	E	704.00 ~ 711.00	10	QPSK	24.26	266.69	19.35	86.10
				16QAM	23.44	220.80	18.53	71.29
				64QAM	22.64	183.65		
				256QAM	19.53	89.74		
		701.50 ~ 713.50	5	QPSK	24.36	272.90	19.30	85.11
				16QAM	23.68	233.35	18.68	73.79
				64QAM	22.74	187.93		
				256QAM	19.36	86.30		
		700.50 ~ 714.50	3	QPSK	24.28	267.92	18.54	71.45
				16QAM	23.57	227.51	18.76	75.16
				64QAM	22.61	182.39		
				256QAM	19.45	88.10		
		699.70 ~ 715.30	1.4	QPSK	24.23	264.85	18.56	71.78
				16QAM	23.57	227.51	18.76	75.16
				64QAM	22.61	182.39		
				256QAM	19.76	94.62		

LTE Band 13

FCC Part 27								
Band	ANT	Frequency Range	BandWidth	Modulation	Conducted		Radiated	
		[MHz]	[MHz]		Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13	A	782.00	10	QPSK	22.83	191.87	16.63	46.03
				16QAM	22.29	169.43	15.53	35.73
				64QAM	21.15	130.32		
				256QAM	17.90	61.66		
		779.50 ~ 784.50	5	QPSK	22.81	190.99	16.71	46.88
				16QAM	22.27	168.66	15.72	37.33
				64QAM	21.22	132.43		
				256QAM	17.96	62.52		
FCC Part 27								
Band	ANT	Frequency Range	BandWidth	Modulation	Conducted		Radiated	
		[MHz]	[MHz]		Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 13	E	782.00	10	QPSK	21.29	134.59	21.58	143.88
				16QAM	21.46	139.96	20.88	122.46
				64QAM	21.34	136.14		
				256QAM	18.14	65.16		
		779.50 ~ 784.50	5	QPSK	21.64	145.88	21.67	146.89
				16QAM	21.36	136.77	20.72	118.03
				64QAM	21.31	135.21		
				256QAM	18.24	66.68		

LTE Band 41 (PC2)

FCC Part 27								
Band	ANT	Frequency Range [MHz]	BanHwIHth [MHz]	Modulation	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41	B	2506.00 ~ 2680.00	20	QPSK	24.87	306.90	23.82	240.99
				16QAM	23.97	249.46	23.52	224.91
				64QAM	22.98	198.61		
				256QAM	19.97	99.31		
		2503.50 ~ 2682.50	15	QPSK	24.86	306.20	23.92	246.60
				16QAM	23.96	248.89	23.53	225.42
				64QAM	22.98	198.61		
				256QAM	19.93	98.40		
		2501.00 ~ 2685.00	10	QPSK	24.93	311.17	24.07	255.27
				16QAM	23.96	248.89	23.71	234.96
				64QAM	22.97	198.15		
				256QAM	19.97	99.31		
		2498.50 ~ 2687.50	5	QPSK	24.92	310.46	24.17	261.22
				16QAM	23.94	247.74	23.85	242.66
				64QAM	22.93	196.34		
				256QAM	19.96	99.08		
FCC Part 27								
Band	ANT	Frequency Range [MHz]	BanHwIHth [MHz]	Modulation	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 41	F	2506.00 ~ 2680.00	20	QPSK	25.48	353.18	25.13	325.84
				16QAM	24.62	289.73	24.23	264.85
				64QAM	23.47	222.33		
				256QAM	20.51	112.46		
		2503.50 ~ 2682.50	15	QPSK	25.47	352.37	25.13	325.84
				16QAM	24.62	289.73	24.23	264.85
				64QAM	23.47	222.33		
				256QAM	20.51	112.46		
		2501.00 ~ 2685.00	10	QPSK	25.16	328.10	25.07	321.37
				16QAM	24.46	279.25	24.20	263.03
				64QAM	23.38	217.77		
				256QAM	20.57	114.02		
		2498.50 ~ 2687.50	5	QPSK	25.24	334.20	25.06	320.63
				16QAM	24.50	281.84	24.49	281.19
				64QAM	23.54	225.94		
				256QAM	20.58	114.29		

LTE Band 66

FCC Part 27								
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66	A	1720.00 ~ 1770.00	20	QPSK	22.83	191.87	22.63	183.23
				16QAM	22.26	168.27	21.66	146.55
				64QAM	21.09	128.53		
				256QAM	18.35	68.39		
		1717.50 ~ 1772.50	15	QPSK	22.88	194.09	22.54	179.47
				16QAM	22.38	172.98	21.70	147.91
				64QAM	21.14	130.02		
				256QAM	18.13	65.01		
		1715.00 ~ 1775.00	10	QPSK	22.81	190.99	22.43	174.98
				16QAM	22.43	174.98	21.78	150.66
				64QAM	21.33	135.83		
				256QAM	18.03	63.53		
		1712.50 ~ 1777.50	5	QPSK	22.91	195.43	22.46	176.20
				16QAM	22.25	167.88	21.88	154.17
				64QAM	21.27	133.97		
				256QAM	18.06	63.97		
		1711.50 ~ 1778.50	3	QPSK	22.90	194.98	22.41	174.18
				16QAM	22.25	167.88	22.04	159.96
				64QAM	21.42	138.68		
				256QAM	18.28	67.30		
		1710.70 ~ 1779.30	1.4	QPSK	22.98	198.61	22.47	176.60
				16QAM	22.20	165.96	21.78	150.66
				64QAM	21.32	135.52		
				256QAM	18.25	66.83		
FCC Part 27								
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Conducted		Radiated	
					Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
Band 66	F	1720.00 ~ 1770.00	20	QPSK	22.85	192.75	22.47	176.60
				16QAM	22.40	173.78	21.52	141.91
				64QAM	21.32	135.52		
				256QAM	18.20	66.07		
		1717.50 ~ 1772.50	15	QPSK	22.91	195.43	22.62	182.81
				16QAM	22.15	164.06	21.27	133.97
				64QAM	21.41	138.36		
				256QAM	18.26	66.99		
		1715.00 ~ 1775.00	10	QPSK	22.96	197.70	22.69	185.78
				16QAM	22.30	169.82	21.41	138.36
				64QAM	21.24	133.05		
				256QAM	18.19	65.92		
		1712.50 ~ 1777.50	5	QPSK	23.01	199.99	22.75	188.36
				16QAM	22.30	169.82	21.42	138.68
				64QAM	21.33	135.83		
				256QAM	18.30	67.61		
		1711.50 ~ 1778.50	3	QPSK	22.90	194.98	22.64	183.65
				16QAM	22.12	162.93	21.21	132.13
				64QAM	21.23	132.74		
				256QAM	18.14	65.16		
		1710.70 ~ 1779.30	1.4	QPSK	22.88	194.09	22.62	182.81
				16QAM	22.31	170.22	21.38	137.40
				64QAM	21.45	139.64		
				256QAM	18.24	66.68		

NR Band n41 (PC3, Switching)

FCC Part 27									
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	B	2546.01 ~ 2640.00	100	DFT-s OFDM	$\pi/2$ BPSK	23.95	248.31		
					QPSK	23.85	242.66	23.93	247.17
					16QAM	22.82	191.43	22.98	198.61
					64QAM	21.24	133.05		
				CP-OFDM	256QAM	19.45	88.10		
					QPSK	22.58	181.13		
					16QAM	22.02	159.22		
					64QAM	20.23	105.44		
		2541.00 ~ 2644.98	90	DFT-s OFDM	256QAM	17.30	53.70		
					$\pi/2$ BPSK	23.97	249.46		
					QPSK	23.87	243.78	23.95	248.31
					16QAM	22.81	190.99	22.88	194.09
				CP-OFDM	64QAM	21.17	130.92		
					256QAM	19.37	86.50		
					QPSK	22.48	177.01		
		2536.02 ~ 2649.99	80	DFT-s OFDM	QPSK	22.82	159.22		
					$\pi/2$ BPSK	23.92	246.60		
					QPSK	23.87	243.78	23.93	247.17
					16QAM	22.78	189.67	22.85	192.75
				CP-OFDM	64QAM	21.13	129.72		
					256QAM	19.34	85.90		
					QPSK	22.51	178.24		
		2531.02 ~ 2654.98	70	DFT-s OFDM	$\pi/2$ BPSK	23.81	240.44		
					QPSK	23.73	236.05	23.68	233.35
					16QAM	22.75	188.36	22.72	187.07
					64QAM	21.10	128.82		
				CP-OFDM	256QAM	19.21	83.37		
					QPSK	22.33	171.00		
		2526.00 ~ 2659.98	60	DFT-s OFDM	$\pi/2$ BPSK	23.81	240.44		
					QPSK	23.72	235.50	23.75	237.14
					16QAM	22.66	184.50	22.63	183.23
					64QAM	20.97	125.03		
				CP-OFDM	256QAM	19.04	80.17		
					QPSK	22.31	170.22		
		2521.01 ~ 2665.00	50	DFT-s OFDM	$\pi/2$ BPSK	24.05	254.10		
					QPSK	24.06	254.68	24.16	260.62
					16QAM	22.90	194.98	22.78	189.67
					64QAM	21.09	128.53		
				CP-OFDM	256QAM	19.42	87.50		
					QPSK	22.56	180.30		
		2516.01 ~ 2670.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.89	244.91		
					QPSK	23.83	241.55	23.99	250.61
					16QAM	22.75	188.36	22.88	194.09
					64QAM	21.05	127.35		
				CP-OFDM	256QAM	19.09	81.10		
					QPSK	22.24	167.49		
		2511.00 ~ 2675.00	30	DFT-s OFDM	$\pi/2$ BPSK	23.99	250.61		
					QPSK	23.94	247.74	24.16	260.62
					16QAM	22.81	190.99	23.09	203.70
					64QAM	21.20	131.83		
				CP-OFDM	256QAM	19.29	84.92		
					QPSK	22.36	172.19		
		2506.02 ~ 2679.99	20	DFT-s OFDM	$\pi/2$ BPSK	23.85	242.66		
					QPSK	23.80	239.88	24.04	253.51
					16QAM	22.74	187.93	22.75	188.36
					64QAM	21.06	127.64		
				CP-OFDM	256QAM	19.19	82.99		
					QPSK	22.25	167.88		
		2503.50 ~ 2682.48	15	DFT-s OFDM	$\pi/2$ BPSK	23.91	246.04		
					QPSK	23.92	246.60	24.11	257.63
					16QAM	22.84	192.31	23.02	200.45
					64QAM	21.14	130.02		
				CP-OFDM	256QAM	19.17	82.60		
					QPSK	22.32	170.61		
		2501.01 ~ 2685.00	10	DFT-s OFDM	$\pi/2$ BPSK	23.87	243.78		
					QPSK	23.88	244.34	24.16	260.62
					16QAM	22.75	188.36	23.05	201.84
					64QAM	21.11	129.12		
				CP-OFDM	256QAM	19.25	84.14		
					QPSK	22.50	177.83		

NR Band n41 (PC3, ANT Switching SRS2, ANT F)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	22.83	191.87		
	2541.00 ~ 2644.98	90	22.66	184.50		
	2536.02 ~ 2649.99	80	22.52	178.65		
	2531.02 ~ 2654.98	70	22.33	171.00		
	2526.00 ~ 2659.98	60	22.18	165.20		
	2521.01 ~ 2665.00	50	22.23	167.11		
	2516.01 ~ 2670.00	40	22.36	172.19		
	2511.00 ~ 2675.00	30	22.41	174.18		
	2506.02 ~ 2679.99	20	22.59	181.55		
	2503.5 ~ 2682.48	15	22.63	183.23		
	2501.01 ~ 2685.00	10	22.85	192.75	23.64	231.02

NR Band n41 (PC3, ANT Switching SRS3, ANT E)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	21.10	128.82		
	2541.00 ~ 2644.98	90	21.08	128.23		
	2536.02 ~ 2649.99	80	20.75	118.85		
	2531.02 ~ 2654.98	70	20.70	117.49		
	2526.00 ~ 2659.98	60	20.73	118.30		
	2521.01 ~ 2665.00	50	21.23	132.74		
	2516.01 ~ 2670.00	40	21.15	130.32		
	2511.00 ~ 2675.00	30	21.22	132.43		
	2506.02 ~ 2679.99	20	21.18	131.22		
	2503.5 ~ 2682.48	15	21.15	130.32		
	2501.01 ~ 2685.00	10	21.25	133.35	16.75	47.28

NR Band n41 (PC3, ANT Switching SRS4, ANT K)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	22.11	162.55		
	2541.00 ~ 2644.98	90	22.15	164.06		
	2536.02 ~ 2649.99	80	22.27	168.66		
	2531.02 ~ 2654.98	70	22.23	167.11		
	2526.00 ~ 2659.98	60	22.22	166.72		
	2521.01 ~ 2665.00	50	22.31	170.22		
	2516.01 ~ 2670.00	40	22.38	172.98	10.32	10.76
	2511.00 ~ 2675.00	30	22.28	169.04		
	2506.02 ~ 2679.99	20	22.27	168.66		
	2503.5 ~ 2682.48	15	22.24	167.49		
	2501.01 ~ 2685.00	10	22.22	166.72		

NR Band n41 (PC3)

FCC Part 27												
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated				
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]			
n41	F	2546.01 ~ 2640.00	100	DFT-s OFDM	$\pi/2$ BPSK	24.26	266.69					
					QPSK	24.24	265.46	25.16	328.10			
					16QAM	23.27	212.32	24.37	273.53			
					64QAM	21.68	147.23					
					256QAM	19.72	93.76					
				CP-OFDM	QPSK	22.95	197.24					
					16QAM	22.45	175.79					
					64QAM	20.66	116.41					
					256QAM	17.72	59.16					
					2541.00 ~ 2644.98	90	DFT-s OFDM	$\pi/2$ BPSK	24.10	257.04		
		QPSK	24.06	254.68				25.01	316.96			
		16QAM	23.06	202.30				24.16	260.62			
		64QAM	21.53	142.23								
		256QAM	19.46	88.31								
		CP-OFDM	QPSK	22.63			183.23					
			2536.02 ~ 2649.99	80			DFT-s OFDM	$\pi/2$ BPSK	24.30	269.15		
								QPSK	24.28	267.92	24.85	305.49
								16QAM	23.17	207.49	23.91	246.04
								64QAM	21.70	147.91		
		256QAM			19.69	93.11						
		CP-OFDM			QPSK	22.83	191.87					
					2531.02 ~ 2654.98	70	DFT-s OFDM	$\pi/2$ BPSK	24.15	260.02		
								QPSK	24.19	262.42	24.73	297.17
								16QAM	23.19	208.45	23.91	246.04
								64QAM	21.62	145.21		
		256QAM	19.70	93.33								
		CP-OFDM	QPSK	22.82			191.43					
			2526.00 ~ 2659.98	60			DFT-s OFDM	$\pi/2$ BPSK	24.01	251.77		
								QPSK	24.08	255.86	24.72	296.48
								16QAM	22.98	198.61	23.76	237.68
								64QAM	21.43	139.00		
		256QAM			19.49	88.92						
		CP-OFDM			QPSK	22.76	188.80					
					2521.01 ~ 2665.00	50	DFT-s OFDM	$\pi/2$ BPSK	24.33	271.02		
								QPSK	24.36	272.90	25.06	320.63
								16QAM	23.29	213.30	24.10	257.04
								64QAM	21.68	147.23		
		256QAM	19.69	93.11								
		CP-OFDM	QPSK	22.85			192.75					
			2516.01 ~ 2670.00	40			DFT-s OFDM	$\pi/2$ BPSK	24.25	266.07		
								QPSK	24.17	261.22	24.85	305.49
								16QAM	23.12	205.12	23.74	236.59
								64QAM	21.19	131.52		
		256QAM			19.62	91.62						
		CP-OFDM			QPSK	22.72	187.07					
					2511.00 ~ 2675.00	30	DFT-s OFDM	$\pi/2$ BPSK	24.19	262.42		
								QPSK	24.26	266.69	25.01	316.96
								16QAM	23.15	206.54	24.15	260.02
								64QAM	21.52	141.91		
		256QAM	19.65	92.26								
		CP-OFDM	QPSK	22.77			189.23					
			2506.02 ~ 2679.99	20			DFT-s OFDM	$\pi/2$ BPSK	24.21	263.63		
								QPSK	24.17	261.22	24.97	314.05
								16QAM	23.01	199.99	23.88	244.34
								64QAM	21.40	138.04		
		256QAM			19.69	93.11						
		CP-OFDM			QPSK	22.56	180.30					
					2503.50 ~ 2682.48	15	DFT-s OFDM	$\pi/2$ BPSK	24.18	261.82		
								QPSK	24.22	264.24	24.95	312.61
								16QAM	23.13	205.59	24.02	252.35
								64QAM	21.52	141.91		
		256QAM	19.51	89.33								
		CP-OFDM	QPSK	22.78			189.67					
			2501.01 ~ 2685.00	10			DFT-s OFDM	$\pi/2$ BPSK	24.26	266.69		
								QPSK	24.29	268.53	24.94	311.89
								16QAM	23.15	206.54	24.11	257.63
								64QAM	21.52	141.91		
		256QAM			19.63	91.83						
		CP-OFDM			QPSK	22.78	189.67					

NR Band n41 (PC3, SRS2, ANT B)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	22.42	174.58		
	2541.00 ~ 2644.98	90	22.51	178.24		
	2536.02 ~ 2649.99	80	22.56	180.30		
	2531.02 ~ 2654.98	70	22.68	185.35		
	2526.00 ~ 2659.98	60	22.74	187.93		
	2521.01 ~ 2665.00	50	22.79	190.11		
	2516.01 ~ 2670.00	40	22.82	191.43		
	2511.00 ~ 2675.00	30	22.86	193.20		
	2506.02 ~ 2679.99	20	22.90	194.98		
	2503.5 ~ 2682.48	15	22.88	194.09		
	2501.01 ~ 2685.00	10	22.91	195.43	24.66	292.45

NR Band n41 (PC3, SRS3, ANT E)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	22.33	171.00		
	2541.00 ~ 2644.98	90	22.39	173.38		
	2536.02 ~ 2649.99	80	22.42	174.58		
	2531.02 ~ 2654.98	70	22.51	178.24		
	2526.00 ~ 2659.98	60	22.58	181.13		
	2521.01 ~ 2665.00	50	22.72	187.07		
	2516.01 ~ 2670.00	40	22.66	184.50		
	2511.00 ~ 2675.00	30	22.70	186.21		
	2506.02 ~ 2679.99	20	22.72	187.07		
	2503.5 ~ 2682.48	15	22.75	188.36		
	2501.01 ~ 2685.00	10	22.78	189.67	19.68	92.91

NR Band n41 (PC3, SRS4, ANT K)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n41	2546.01 ~ 2640.00	100	21.33	135.83		
	2541.00 ~ 2644.98	90	21.41	138.36		
	2536.02 ~ 2649.99	80	21.55	142.89		
	2531.02 ~ 2654.98	70	21.52	141.91		
	2526.00 ~ 2659.98	60	21.41	138.36		
	2521.01 ~ 2665.00	50	21.45	139.64		
	2516.01 ~ 2670.00	40	21.52	141.91		
	2511.00 ~ 2675.00	30	21.58	143.88	13.16	20.68
	2506.02 ~ 2679.99	20	21.46	139.96		
	2503.5 ~ 2682.48	15	21.48	140.60		
	2501.01 ~ 2685.00	10	21.52	141.91		

NR Band n66

FCC Part 27									
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n66	A	1730.00 ~ 1760.00	40	DFT-s OFDM	$\pi/2$ BPSK	23.44	220.80		
					QPSK	23.44	220.80	23.91	246.04
					16QAM	22.40	173.78	23.10	204.17
					64QAM	20.48	111.69		
				CP-OFDM	256QAM	18.39	69.02		
					QPSK	22.00	158.49		
					16QAM	21.58	143.88		
					64QAM	19.91	97.95		
		1725.00 ~ 1765.00	30	DFT-s OFDM	256QAM	17.05	50.70		
					$\pi/2$ BPSK	23.46	221.82		
					QPSK	23.45	221.31	23.82	240.99
					16QAM	22.50	177.83	23.10	204.17
				CP-OFDM	64QAM	20.34	108.14		
					256QAM	18.62	72.78		
					QPSK	22.08	161.44		
					$\pi/2$ BPSK	23.54	225.94		
		1722.50 ~ 1767.50	25	DFT-s OFDM	QPSK	23.51	224.39	23.88	244.34
					16QAM	22.42	174.58	23.02	200.45
					64QAM	20.33	107.89		
					256QAM	18.53	71.29		
				CP-OFDM	QPSK	21.97	157.40		
					$\pi/2$ BPSK	23.38	217.77		
					QPSK	23.30	213.80	23.65	231.74
					16QAM	22.24	167.49	22.82	191.43
		1720.00 ~ 1770.00	20	DFT-s OFDM	64QAM	20.18	104.23		
					256QAM	18.50	70.79		
					QPSK	21.88	154.17		
				CP-OFDM	$\pi/2$ BPSK	23.53	225.42		
					QPSK	23.35	216.27	23.64	231.21
					16QAM	22.44	175.39	22.96	197.70
					64QAM	20.25	105.93		
					256QAM	18.50	70.79		
		1717.50 ~ 1772.50	15	DFT-s OFDM	QPSK	21.96	157.04		
					$\pi/2$ BPSK	23.53	225.42		
					QPSK	23.45	221.31	23.63	230.67
					16QAM	22.42	174.58	22.74	187.93
				CP-OFDM	64QAM	20.26	106.17		
					256QAM	18.63	72.95		
					QPSK	21.93	155.96		
					$\pi/2$ BPSK	23.50	223.87		
		1715.00 ~ 1775.00	10	DFT-s OFDM	QPSK	23.57	227.51	23.66	232.27
					16QAM	22.44	175.39	22.76	188.80
					64QAM	20.39	109.40		
					256QAM	18.52	71.12		
				CP-OFDM	QPSK	21.91	155.24		
					$\pi/2$ BPSK	23.50	223.87		
					QPSK	23.57	227.51	23.66	232.27
					16QAM	22.44	175.39	22.76	188.80
					64QAM	20.39	109.40		
					256QAM	18.52	71.12		
					QPSK	21.91	155.24		

FCC Part 27												
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated				
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]			
n66	F	1732.50 ~ 1757.50	40	DFT-s OFDM	$\pi/2$ BPSK	24.06	254.68					
					QPSK	24.08	255.86	23.19	208.45			
					16QAM	21.67	146.89	21.96	157.04			
					64QAM	18.76	75.16					
					256QAM	18.82	76.21					
				CP-OFDM	QPSK	22.09	161.81					
					16QAM	21.07	127.94					
					64QAM	19.45	88.10					
					256QAM	16.44	44.06					
		1725.00 ~ 1765.00	30	DFT-s OFDM	$\pi/2$ BPSK	24.03	252.93					
					QPSK	22.99	199.07	23.08	203.24			
					16QAM	21.24	133.05	21.52	141.91			
					64QAM	18.99	79.25					
					256QAM	18.90	77.62					
				CP-OFDM	QPSK	22.05	160.32					
					1722.50 ~ 1767.50	25	DFT-s OFDM	$\pi/2$ BPSK	24.00	251.19		
								QPSK	23.01	199.99	23.10	204.17
								16QAM	21.29	134.59	21.48	140.60
		64QAM	19.00	79.43								
		256QAM	18.95	78.52								
		CP-OFDM	QPSK	22.04			159.96					
			1720.00 ~ 1770.00	20			DFT-s OFDM	$\pi/2$ BPSK	23.88	244.34		
								QPSK	22.81	190.99	22.88	194.09
								16QAM	21.23	132.74	21.41	138.36
		64QAM			18.75	74.99						
		256QAM			18.77	75.34						
		CP-OFDM			QPSK	21.79	151.01					
					1717.50 ~ 1772.50	15	DFT-s OFDM	$\pi/2$ BPSK	24.05	254.10		
								QPSK	23.01	199.99	22.88	194.09
								16QAM	21.26	133.66	21.54	142.56
		64QAM	18.93	78.16								
		256QAM	18.84	76.56								
		CP-OFDM	QPSK	21.97			157.40					
			1715.00 ~ 1775.00	10			DFT-s OFDM	$\pi/2$ BPSK	23.90	245.47		
								QPSK	22.93	196.34	23.02	200.45
								16QAM	21.33	135.83	21.60	144.54
		64QAM			18.90	77.62						
		256QAM			18.81	76.03						
		CP-OFDM			QPSK	21.97	157.40					
					1712.50 ~ 1777.50	5	DFT-s OFDM	$\pi/2$ BPSK	23.91	246.04		
								QPSK	22.94	196.79	23.01	199.99
								16QAM	21.18	131.22	21.40	138.04
		64QAM	18.92	77.98								
		256QAM	18.84	76.56								
		CP-OFDM	QPSK	21.94			156.31					

NR Band n77(PC2, 3450-3550 MHz)

FCC Part 27									
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	F	3499.98	100	DFT-s OFDM	π/2 BPSK	25.27	336.51		
					QSK	25.32	340.41	23.28	212.81
					16QAM	24.36	272.90	22.61	182.39
					64QAM	22.54	179.47		
					256QAM	20.49	111.94		
				CP-OFDM	QPSK	24.07	255.27		
					16QAM	23.60	229.09		
					64QAM	21.16	130.62		
					256QAM	18.39	69.02		
		3495.00 ~ 3504.99	90	DFT-s OFDM	π/2 BPSK	25.50	354.81		
					QPSK	25.53	357.27	23.70	234.42
					16QAM	24.38	274.16	23.02	200.45
					64QAM	23.50	223.87		
					256QAM	20.68	116.95		
				CP-OFDM	QPSK	23.79	239.33		
		3490.02 ~ 3510.00	80	DFT-s OFDM	π/2 BPSK	25.40	346.74		
					QPSK	25.33	341.19	23.45	221.31
					16QAM	24.24	265.46	22.80	190.55
					64QAM	22.55	179.89		
					256QAM	20.62	115.35		
				CP-OFDM	QPSK	23.73	236.05		
		3485.01 ~ 3514.98	70	DFT-s OFDM	π/2 BPSK	25.12	325.09		
					QPSK	25.09	322.85	23.18	207.97
					16QAM	24.20	263.03	22.69	185.78
					64QAM	22.63	183.23		
					256QAM	20.69	117.22		
				CP-OFDM	QPSK	23.78	238.78		
		3480.00 ~ 3519.99	60	DFT-s OFDM	π/2 BPSK	25.09	322.85		
					QPSK	25.08	322.11	23.17	207.49
					16QAM	24.11	257.63	22.49	177.42
					64QAM	22.39	173.38		
					256QAM	20.54	113.24		
				CP-OFDM	QPSK	23.57	227.51		
		3475.02 ~ 3525.00	50	DFT-s OFDM	π/2 BPSK	25.37	344.35		
					QPSK	25.32	340.41	23.40	218.78
					16QAM	24.27	267.30	22.77	189.23
					64QAM	22.67	184.93		
					256QAM	20.81	120.50		
				CP-OFDM	QPSK	23.86	243.22		
		3470.01 ~ 3529.98	40	DFT-s OFDM	π/2 BPSK	25.25	334.97		
					QPSK	25.20	331.13	23.21	209.41
					16QAM	24.08	255.86	22.60	181.97
					64QAM	22.40	173.78		
					256QAM	20.56	113.76		
				CP-OFDM	QPSK	23.73	236.05		
		3465.00 ~ 3535.02	30	DFT-s OFDM	π/2 BPSK	25.29	338.06		
					QPSK	25.15	327.34	23.21	209.41
					16QAM	24.12	258.23	22.67	184.93
					64QAM	22.50	177.83		
					256QAM	20.67	116.68		
				CP-OFDM	QPSK	23.86	243.22		
		3460.02 ~ 3540.00	20	DFT-s OFDM	π/2 BPSK	25.20	331.13		
					QPSK	25.36	343.56	23.44	220.80
					16QAM	24.11	257.63	22.66	184.50
					64QAM	22.44	175.39		
					256QAM	20.58	114.29		
				CP-OFDM	QPSK	23.69	233.88		
		3457.50 ~ 3542.49	15	DFT-s OFDM	π/2 BPSK	25.28	337.29		
					QPSK	25.14	326.59	23.22	209.89
					16QAM	24.04	253.51	22.59	181.55
					64QAM	22.30	169.82		
					256QAM	20.74	118.58		
				CP-OFDM	QPSK	23.69	233.88		
		3455.01 ~ 3544.98	10	DFT-s OFDM	π/2 BPSK	25.27	336.51		
					QPSK	25.17	328.85	23.25	211.35
					16QAM	24.15	260.02	22.70	186.21
					64QAM	22.50	177.83		
					256QAM	20.72	118.03		
				CP-OFDM	QPSK	23.73	236.05		

NR Band n77 (PC2, 3450-3550 MHz, SRS1, ANT C)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3499.98	100	20.70	117.49		
	3495.00 ~ 3504.99	90	20.78	119.67		
	3490.02 ~ 3510.00	80	20.75	118.85		
	3485.01 ~ 3514.98	70	20.73	118.30		
	3480.00 ~ 3519.99	60	20.72	118.03		
	3475.02 ~ 3525.00	50	20.77	119.40		
	3470.01 ~ 3529.98	40	20.78	119.67		
	3465.00 ~ 3535.02	30	20.81	120.50		
	3460.02 ~ 3540.00	20	20.78	119.67		
	3457.50 ~ 3542.49	15	20.80	120.23		
	3455.01 ~ 3549.99	10	20.83	121.06	24.23	264.64

NR Band n77 (PC2, 3450-3550 MHz, SRS2, ANT I)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3499.98	100	22.70	186.21		
	3495.00 ~ 3504.99	90	22.77	189.23		
	3490.02 ~ 3510.00	80	22.72	187.07		
	3485.01 ~ 3514.98	70	22.68	185.35		
	3480.00 ~ 3519.99	60	22.71	186.64		
	3475.02 ~ 3525.00	50	22.82	191.43		
	3470.01 ~ 3529.98	40	22.89	194.54		
	3465.00 ~ 3535.02	30	22.85	192.75		
	3460.02 ~ 3540.00	20	22.88	194.09		
	3457.50 ~ 3542.49	15	22.91	195.43		
	3455.01 ~ 3549.99	10	22.95	197.24	23.15	206.43

NR Band n77 (PC2, 3450-3550 MHz, SRS3, ANT K)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3499.98	100	22.25	167.88		
	3495.00 ~ 3504.99	90	22.38	172.98		
	3490.02 ~ 3510.00	80	22.35	171.79		
	3485.01 ~ 3514.98	70	22.32	170.61		
	3480.00 ~ 3519.99	60	22.45	175.79		
	3475.02 ~ 3525.00	50	22.48	177.01	20.80	120.36
	3470.01 ~ 3529.98	40	22.45	175.79		
	3465.00 ~ 3535.02	30	22.41	174.18		
	3460.02 ~ 3540.00	20	22.28	169.04		
	3457.50 ~ 3542.49	15	22.32	170.61		
	3455.01 ~ 3549.99	10	22.38	172.98		

NR Band n77(PC2, 3700-3980 MHz)

FCC Part 27									
Band	ANT	Frequency Range [MHz]	BandWidth [MHz]	Modulation	Mode	Conducted		Radiated	
						Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	F	3750.00 ~ 3930.00	100	DFT-s OFDM	$\pi/2$ BPSK	26.18	414.95		
					QSK	26.24	420.73	24.23	264.85
					16QAM	25.25	334.97	23.57	227.51
					64QAM	23.60	229.09		
					256QAM	21.90	154.88		
				CP-OFDM	QPSK	24.94	311.89		
					16QAM	24.29	268.53		
					64QAM	22.66	184.50		
					256QAM	19.73	93.97		
		3745.02 ~ 3934.98	90	DFT-s OFDM	$\pi/2$ BPSK	26.32	428.55		
					QPSK	26.34	430.53	24.27	267.30
					16QAM	25.30	338.84	23.56	226.99
					64QAM	23.52	224.91		
					256QAM	21.77	150.31		
				CP-OFDM	QPSK	24.94	311.89		
		3740.01 ~ 3939.99	80	DFT-s OFDM	$\pi/2$ BPSK	26.30	426.58		
					QPSK	26.33	429.54	24.20	263.03
					16QAM	25.33	341.19	23.53	225.42
					64QAM	23.53	225.42		
					256QAM	21.51	141.58		
				CP-OFDM	QPSK	24.80	302.00		
		3735.02 ~ 3944.98	70	DFT-s OFDM	$\pi/2$ BPSK	26.09	406.44		
					QPSK	26.13	410.20	23.87	243.78
					16QAM	25.21	331.89	23.28	212.81
					64QAM	23.71	234.96		
					256QAM	21.84	152.76		
				CP-OFDM	QPSK	24.75	298.54		
		3730.02 ~ 3949.98	60	DFT-s OFDM	$\pi/2$ BPSK	26.15	412.10		
					QPSK	26.06	403.65	23.75	237.14
					16QAM	25.08	322.11	23.10	204.17
					64QAM	23.41	219.28		
					256QAM	21.45	139.64		
				CP-OFDM	QPSK	24.64	291.07		
		3725.01 ~ 3954.99	50	DFT-s OFDM	$\pi/2$ BPSK	26.32	428.55		
					QPSK	26.31	427.56	23.84	242.10
					16QAM	25.46	351.56	23.32	214.78
					64QAM	23.56	226.99		
					256QAM	21.87	153.82		
				CP-OFDM	QPSK	24.81	302.69		
		3720.02 ~ 3960.0	40	DFT-s OFDM	$\pi/2$ BPSK	26.23	419.76		
					QPSK	26.21	417.83	23.62	230.14
					16QAM	25.15	327.34	22.89	194.54
					64QAM	23.43	220.29		
					256QAM	21.57	143.55		
				CP-OFDM	QPSK	24.69	294.44		
		3715.02 ~ 3964.98	30	DFT-s OFDM	$\pi/2$ BPSK	26.19	415.91		
					QPSK	26.20	416.87	23.63	230.67
					16QAM	25.13	325.84	22.89	194.54
					64QAM	23.33	215.28		
					256QAM	21.58	143.88		
				CP-OFDM	QPSK	24.74	297.85		
		3710.01 ~ 3969.99	20	DFT-s OFDM	$\pi/2$ BPSK	26.17	414.00		
					QPSK	26.16	413.05	21.81	151.71
					16QAM	25.06	320.63	21.50	141.25
					64QAM	23.36	216.77		
					256QAM	21.57	143.55		
				CP-OFDM	QPSK	24.63	290.40		
		3707.52 ~ 3972.48	15	DFT-s OFDM	$\pi/2$ BPSK	26.24	420.73		
					QPSK	26.17	414.00	21.73	148.94
					16QAM	25.12	325.09	21.44	139.32
					64QAM	23.28	212.81		
					256QAM	21.35	136.46		
				CP-OFDM	QPSK	24.71	295.80		
		3705.00 ~ 3975.00	10	DFT-s OFDM	$\pi/2$ BPSK	26.16	413.05		
					QPSK	26.08	405.51	21.73	148.94
					16QAM	25.26	335.74	21.48	140.60
					64QAM	23.16	207.01		
					256QAM	21.58	143.88		
				CP-OFDM	QPSK	24.58	287.08		

NR Band n77 (PC2, 3700-3980 MHz, SRS1, ANT C)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3750.00 ~ 3930.00	100	20.68	116.95		
	3745.02 ~ 3934.98	90	20.75	118.85		
	3740.01 ~ 3939.99	80	20.82	120.78		
	3735.02 ~ 3944.98	70	20.77	119.40		
	3730.02 ~ 3949.98	60	20.75	118.85		
	3725.01 ~ 3954.99	50	20.86	121.90		
	3720.02 ~ 3960.00	40	20.95	124.45		
	3715.02 ~ 3964.98	30	20.98	125.31		
	3710.01 ~ 3969.99	20	21.03	126.77		
	3707.52 ~ 3972.48	15	21.06	127.64	24.78	300.86
	3705.00 ~ 3975.00	10	20.98	125.31		

NR Band n77 (PC2, 3700-3980 MHz, SRS2, ANT I)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3750.00 ~ 3930.00	100	22.25	167.88		
	3745.02 ~ 3934.98	90	22.31	170.22		
	3740.01 ~ 3939.99	80	22.36	172.19		
	3735.02 ~ 3944.98	70	22.41	174.18		
	3730.02 ~ 3949.98	60	22.48	177.01		
	3725.01 ~ 3954.99	50	22.59	181.55		
	3720.02 ~ 3960.00	40	22.71	186.64		
	3715.02 ~ 3964.98	30	22.69	185.78		
	3710.01 ~ 3969.99	20	22.68	185.35		
	3707.52 ~ 3972.48	15	21.59	144.21		
	3705.00 ~ 3975.00	10	22.75	188.36	23.91	245.78

NR Band n77 (PC2, 3700-3980 MHz, SRS3, ANT K)

FCC Part 27						
Band	Frequency Range [MHz]	BandWidth [MHz]	Conducted		Radiated	
			Avg [dBm]	Avg [mW]	Avg [dBm]	Avg [mW]
n77	3750.00 ~ 3930.00	100	22.31	170.22		
	3745.02 ~ 3934.98	90	22.36	172.19		
	3740.01 ~ 3939.99	80	22.38	172.98		
	3735.02 ~ 3944.98	70	21.96	157.04		
	3730.02 ~ 3949.98	60	22.38	172.98		
	3725.01 ~ 3954.99	50	22.26	168.27		
	3720.02 ~ 3960.00	40	22.37	172.58		
	3715.02 ~ 3964.98	30	22.36	172.19		
	3710.01 ~ 3969.99	20	22.34	171.40		
	3707.52 ~ 3972.48	15	22.42	174.58	16.87	48.68
	3705.00 ~ 3975.00	10	22.33	171.00		

5.3. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes a internal antenna for the supported bands with a maximum peak gain as follow:

Frequency (MHz)	ANT	Peak Gain (dBi/dBd)
LTE Band 12 699 - 716 MHz	A	-4.0
	E	-3.6
LTE Band 13 777 - 787 MHz	A	-4.5
	E	-3.1
LTE Band 41 / NR Band n41 2496 - 2690 MHz	B	-3.5
	F	-2.8
WCDMA B4 / LTE Band 4, 66 / NR Band n66 1710 - 1780 MHz	A	-1.5
	F	-2.2
NR Band n77 3450 - 3550 MHz	F	-4.5
	C	-2.4
	I	-2.3
	K	-6.5
NR Band n77 3700 - 3980 MHz	F	-4.5
	C	-2.4
	I	-2.3
	K	-6.5

5.4. WORST-CASE ORIENTATION

Following Modes should be considered as worst-case scenario for all other measurements.

- UMTS REL 99/HSDPA
The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on REL 99 and HSDPA modulations. It was found REL 99 results were worst case.
- LTE Bands
The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on QPSK, 16QAM, 64QAM and 256QAM modulations. It was found QPSK and 16QAM results were worst case.
- As for the Antenna Switching supported Tx Device Hopping conditions.
Only the Tx trigger is different and there is no difference in the results regarding the method. It has been verified. Tx Device Hopping can be implemented through the application provided by the manufacturer

Band	Antenna Switching
LTE B4, 12, 13, 41, 66	Tx Device Hopping

- It was tested for all rf ports and, 'Main ANT' conducted test power is the same or higher than 'Sub ANT', so we reported with 'Main ANT'. ('Main ANT': LTE B41(PC2), B66)
- It was tested for all rf ports and, 'Sub ANT' conducted test power is the same or higher than 'Main ANT', so we reported with 'Sub ANT'. ('Sub ANT': LTE B12, B13)

So the test case is as below.

Band	Main ANT	Tune up Limit (dBm)	Sub ANT	Tune up Limit (dBm)
LTE B12	E	25.0	<u>A</u>	<u>25.0</u>
LTE B13	E	24.0	<u>A</u>	<u>24.0</u>
LTE B41(PC2)	<u>F</u>	<u>26.1</u>	B	26.1
LTE B66	<u>E</u>	<u>24.0</u>	A	24.0

Test Item	Test case antenna & port
Conducted output power	All
RF port test	All (Worst case reported)
ERP, EIRP	All
Radiated Spurious Emissions	All

- NR Bands

The worst-case scenario for all measurements is based on the average conducted output power measurement investigation results. Output power measurements were measured on $\pi/2$ BPSK, QPSK, 16QAM, 64QAM and 256QAM modulations. It was found QPSK and 16QAM results were worst case.

This device supports NSA and SA Mode and Worst case reported.

So the test case is as below.

NR Band	NSA	SA
n41	LTE B2, 4, 5, 12, 22, 66	<u>Stand Alone</u>
n66	LTE B2, 5, 12, 13	<u>Stand Alone</u>
n77	LTE B2, 5, 12, 13, 25, 66	<u>Stand Alone</u>

- SRS

The worst-case bandwidth scenario is based on the average conducted output power measurement investigation results.

- As for the Antenna Switching supported Tx Device Hopping conditions.

Only the Tx trigger is different and there is no difference in the results regarding the method. It has been verified. Tx Device Hopping can be implemented through the application provided by the manufacturer.

Band	Antenna Switching
NR n41, 66	Tx Device Hopping

- It was tested for all rf ports and, 'Main ANT' conducted test power is the same or higher than 'Sub ANT', so we reported with 'Main ANT'.

So the test case is as below.

Band	Main ANT	Tune up Limit (dBm)	Sub ANT	Tune up Limit (dBm)
NR n41(PC3)	E	<u>25.0</u>	B	25.0
			SRS 2,3,4	-
NR n66	E	<u>24.5</u>	A	24.5
NR n77(PC2)	E	<u>26.5</u>	SRS 2,3,4	-

Test Item	Test case antenna & port
Conducted output power	All
RF port test	All (Worst case reported)
ERP, EIRP	All
Radiated Spurious Emissions	All

LTE Band 4

LTE Band 4 (Frequency range: 1710-1755 MHz) is covered by LTE Band 66 (Frequency range: 1710-1780 MHz) due to overlapping frequency range, maximum tune-up limit and same channel bandwidth.

LTE Band n41 (PC3)

LTE Band n41 (PC3, Frequency range: 2496-2690 MHz) is covered by LTE Band n41(PC2, Frequency range: 2496-2690 MHz) due to overlapping frequency range, maximum tune-up limit and same channel bandwidth.

NR Band n77 (PC3)

NR Band n77 (PC3, Frequency range: 3450-3550 MHz, 3700-3980 MHz) is covered by NR Band n77(PC2, Frequency range: 3450-3550 MHz, 3700-3980 MHz) due to overlapping frequency range, maximum tune-up limit and same channel bandwidth.

● Conducted Spurious Emission

Highest conducted output power setting for each bands						
LTE Band	ANT	Frequency (MHz)	Bandwidth (MHz)	Modulation	RB size	RB offset
12	A	700.50	10	QPSK	1	25
		707.50			1	0
		714.50			1	0
13	A	779.50	10	QPSK	1	49
41 (PC2)	F	2506.00	20	QPSK	1	0
		2593.00			1	49
		2680.00			1	49
66	F	1712.50	5	QPSK	1	24
		1745.00			1	12
		1777.50			1	24
NR Band	ANT	Frequency (MHz)	Bandwidth (MHz)	Modulation	RB size	RB offset
41 (PC3)	F	2521.02	50	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2664.99			1	131
66	F	1730.00	40	DFT-s OFDM QPSK	1	107
		1745.00			1	1
		1760.00			1	1
77 (PC2) (3450 - 3550 MHz)	F	3495.00	90	DFT-s OFDM QPSK	1	243
		2499.98			1	243
		2504.99			1	243
77 (PC2) (3700 - 3980 MHz)	F	3745.02	90	DFT-s OFDM QPSK	1	1
		3840.00			1	1
		3934.98			1	1

● Radiated Spurious Emission

Highest ERP/ EIRP setting for each bands						
LTE Band	ANT	Frequency (MHz)	Bandwidth (MHz)	Modulation	RB size	RB offset
12	A	701.50	5	QPSK	1	12
		707.50			1	12
		713.50			1	0
12	E	704.00	10	QPSK	1	25
		707.50			1	25
		711.00			1	0
13	A	779.50	5	QPSK	1	0
		782.00			1	12
		784.50			1	12
13	E	779.50	5	QPSK	1	0
		782.00			1	0
		784.50			1	0
41 (PC2)	B	2498.50	5	QPSK	1	0
		2593.00			1	0
		2687.50			1	0
	F	2506.00	20	QPSK	1	99
		2593.00			1	0
		2680.00			1	0
66	A	1720.00	20	QPSK	1	0
		1745.00			1	0
		1770.00			1	0
	F	1712.50	5	QPSK	1	0
		1745.00			1	0
		1777.50			1	0

NR Band	ANT	Frequency (MHz)	Bandwidth (MHz)	Modulation	RB size	RB offset
41 (PC3)_Switching	B	2521.01	50	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2665.00			1	132
	F	2501.01	10	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2685.00			1	1
	E	2501.01	10	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2685.00			1	1
	K	2516.01	40	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2670.00			1	1
41 (PC3)	F	2506.01	100	DFT-s OFDM QPSK	1	271
		2592.99			1	137
		2640.00			1	137
	B	2501.01	10	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2685.00			1	1
	E	2501.01	10	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2685.00			1	1
	K	2511.00	30	DFT-s OFDM QPSK	1	1
		2592.99			1	1
		2675.00			1	1
66	A	1730.00	40	DFT-s OFDM QPSK	1	1
		1745.00			1	1
		1760.00			1	1
	F	1730.00	40	DFT-s OFDM QPSK	1	1
		1745.00			1	1
		1760.00			1	1
77 (PC2) (3450 - 3550 MHz)	F	3495.00	90	DFT-s OFDM QPSK	1	243
		3499.98			1	243
		3504.99			1	243
77 (3450 - 3550 MHz) SRS 2	C	3455.01	10	-	-	-
		3499.98			-	-
		3544.98			-	-
77 (3450 - 3550 MHz) SRS 3	I	3455.01	10	-	-	-
		3499.98			-	-
		3544.98			-	-
77 (3450 - 3550 MHz) SRS 4	K	3475.02	50	-	-	-
		3499.98			-	-
		3525.00			-	-
77 (PC2) (3700 - 3980 MHz)	F	3744.99	90	DFT-s OFDM QPSK	1	1
		3840.00			1	1
		3934.98			1	1
77 (3700 - 3980 MHz) SRS 2	C	3707.52	15	-	-	-
		3840.00			-	-
		3972.48			-	-
77 (3700 - 3980 MHz) SRS 3	I	3705.00	10	-	-	-
		3840.00			-	-
		3975.00			-	-
77 (3700 - 3980 MHz) SRS 4	K	3707.52	15	-	-	-
		3840.00			-	-
		3972.48			-	-

The fundamental and radiated spurious emission were investigated in three orthogonal orientations X, Y and Z, it was determined that below orientation was worst-case orientation for each band.

Band	ANT	ERP/EIRP			RSE		
		X	Y	Z	X	Y	Z
WCDMA B4	A	O	-	-	-	O	-
LTE B12	A	-	O	-	-	-	O
	E	-	-	O	-	O	-
LTE B13	A	-	O	-	O	-	-
	E	-	-	O	O	-	-
LTE B41 (PC2)	B	-	O	-	O	-	-
	F	-	-	O	-	O	-
LTE B66	A	O	-	-	-	O	-
	F	O	-	-	-	O	-
NR n41 (PC3)	B	-	O	-	-	O	-
	F (SRS2)	-	-	O	-	O	-
	E (SRS3)	O	-	-	O	-	-
	K (SRS4)	O	-	-	-	O	-
	F	O	-	-	-	-	O
	B (SRS2)	-	O	-	O	-	-
	E (SRS3)	O	-	-	O	-	-
	K (SRS4)	-	-	O	O	-	-
NR n66	A	O	-	-	-	O	-
	F	O	-	-	-	O	-
NR n77 (PC2) 3450 - 3550 MHz	F	-	-	O	-	-	O
	C (SRS2)	O	-	-	O	-	-
	I (SRS3)	-	-	O	-	-	O
	K (SRS4)	-	-	O	-	-	O
NR n77 (PC2) 3700 - 3980 MHz	F	-	-	O	O	-	-
	C (SRS2)	O	-	-	-	-	O
	I (SRS3)	-	-	O	-	O	-
	K (SRS4)	-	-	O	-	-	O

Note1 : For the radiated spurious testing, the EUT attached with travel adapter for the worst case condition. The EUT is continuously communicated with the call box during the tests.

5.5. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacture	Model	Serial Number	FCC ID
Charger	SAMSUNG	EP-T2510	RF7X1YF85Z1DKA	N/A
Data Cable	SAMSUNG	EP-DN980	N/A	N/A


I/O CABLE

I/O Cable List						
Cable No.	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	DC Power	1	C Type	Shielded	1.0 m	N/A


TEST SETUP

The EUT is continuously communicated with the call box during the tests.

SETUP DIAGRAM FOR TESTS (CONDUCTED TEST SETUP)



SETUP DIAGRAM FOR TESTS (RADIATED TEST SETUP)



6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List				
Description	Manufacturer	Model	S/N	Cal Due
Antenna, Tuned Dipole 400~1000 MHz	ETS	3121D DB-4	00164753	2027-01-08
Directional Antenna	Cobham	FPA3-0.8-6.0R/1329	110367-0003	N/A
Directional Antenna	Cobham	FPA3-0.8-6.0R/1329	80108-0004	N/A
Antenna, Horn, 40 GHz	ETS	3116C	00166155	2026-07-23
Antenna, Horn, 40 GHz	ETS	3116C	00168645	2025-10-06
Preamplifier	ETS	3116C-PA	00168841	2025-07-25
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB 9163	750	2026-07-30
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB 9163	845	2026-07-30
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB 9163	749	2026-08-12
Antenna, Horn, 18 GHz	ETS	3115	00167211	2026-07-17
Antenna, Horn, 18 GHz	ETS	3115	00161451	2026-07-17
Antenna, Horn, 18 GHz	ETS	3117	00168724	2026-07-17
Antenna, Horn, 18 GHz	ETS	3117	00168717	2026-07-17
Communications Test Set	R&S	CMW500	169797	2025-07-23
DC Power Supply	Agilent / HP	E3640A	MY54226395	2025-07-24
Preamplifier, 1000 MHz	Sonoma	310N	341282	2025-07-22
Preamplifier, 1000 MHz	Sonoma	310N	370599	2025-07-22
Preamplifier, 1000 MHz	Sonoma	310N	351741	2025-07-22
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	2029169	2025-07-23
Preamplifier, 18 GHz	B&Z Technologies, LLC	BZR-01001800-231040-182020	28451	2025-07-22
Preamplifier, 18 GHz	B&Z Technologies, LLC	BZR-01001800-231040-181515	23576	2025-07-25
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54170614	2025-07-24
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54490312	2026-01-02
Spectrum Analyzer, 44 GHz	KEYSIGHT	N9030B	MY57143717	2025-07-23
EMI Test Receive, 40 GHz	R&S	ESU40	100439	2025-07-23
EMI Test Receive, 40 GHz	R&S	ESU40	100457	2025-07-22
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G005	2025-07-23
High Pass Filter 1.2GHz	Micro-Tronics	HPM50108-02	G006	2025-07-23
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	010	2025-07-23
High Pass Filter 2.8GHz	Micro-Tronics	HPM50111-02	011	2025-07-23
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G001	2025-07-23
High Pass Filter 4GHz	Micro-Tronics	HPM50118-02	G002	2025-07-23
Attenuator	PASTERNAK	PE7087-10	A009	2025-07-23
Attenuator	PASTERNAK	PE7087-10	A001	2025-07-23
Attenuator	PASTERNAK	PE7087-10	A008	2025-07-23
Attenuator	PASTERNAK	PE7004-10	2	2025-07-23
Attenuator	PASTERNAK	PE7395-10	A011	2025-07-25
Antenna, Loop, 9kHz-30MHz	R&S	HFH2-Z2	100418	2025-09-07
Temperature Chamber	ESPEC	SH-642	93001109	2025-07-23
Power Splitter	MINI-CIRCUITS	WA1534	UL003	2026-01-03
Power Splitter	MINI-CIRCUITS	WA1534	UL004	2026-01-03
UXM 5G Wireless Test Platform	KEYSIGHT	E7515B	MY57510655	2026-01-03
UL Software				
Description	Manufacturer	Model	Version	
Antenna port test software	UL	CLT	Ver 3.4	
Radiated software	UL	UL EMC	Ver 9.5	

7. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Results
2.1046	Conducted Output Power	N/A	Conducted	Pass
2.1049	Occupied Bandwidth (99%)	N/A		Pass
27.53(c), 27.53(h) 27.53(l)(2), 27.53(n)(2)	Conducted Band Edge / Conducted Spurious Emission	-13 dBm		Pass
27.53(m)		-25 dBm		Pass
27.53(m)	Emission Mask	Section 8.4.2		Pass
27.54	Frequency Stability	2.5 ppm		Pass
27.50(b)(10)	Effective Radiated Power	34.77 dBm	Radiated	Pass
27.50(h)(2)	Effective Isotropic Radiated Power	33 dBm		Pass
27.50(d)(4)		30 dBm		Pass
27.53(c), 27.53(h)	Radiated Spurious Emission	-13 dBm		Pass
27.53(m), 27.53(l)(2), 27.53(n)(2)		-25 dBm		Pass

8. CONDUCTED RESULTS

8.1. CONDUCTED OUTPUT POWER

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03r01;

The transmitter output was connected to either CMW500 Test Set or E7515B Test set and configured to operate at maximum power.

NOTE

5G NR: All Waveforms (CP-OFDM vs DFT-s_OFDM) and modulations ($\pi/2$ BPSK, QPSK, 16QAM, 64QAM, 256QAM) were investigated to determine the worst case configuration. All Modes of operation were investigated and the worst case configuration results are reported in this section.

RESULTS

See the following pages.

8.1.1. CONDUCTED AVERAGE OUTPUT POWER

WCDMA B4

Mode		UL Ch No.	Freq. (MHz)	Maximum Average Power (dBm)		
				Measured Pwr	MPR	Tune-up Limit
Release 99	Rel 99 (RMC, 12.2 kbps)	1312	1712.4	22.80	N/A	24.5
		1413	1732.6	22.66		
		1513	1752.6	22.79		
HSDPA	Subtest 1	1312	1712.4	21.80	0	23.5
		1413	1732.6	21.66		
		1513	1752.6	21.78		
	Subtest 2	1312	1712.4	21.80	0	23.5
		1413	1732.6	21.68		
		1513	1752.6	21.82		
	Subtest 3	1312	1712.4	21.29	0.5	23.0
		1413	1732.6	21.10		
		1513	1752.6	21.28		
	Subtest 4	1312	1712.4	21.23	0.5	23.0
		1413	1732.6	21.15		
		1513	1752.6	21.27		
HSUPA	Subtest 1	1312	1712.4	21.50	0	23.5
		1413	1732.6	21.34		
		1513	1752.6	21.45		
	Subtest 2	1312	1712.4	19.52	2	21.5
		1413	1732.6	19.51		
		1513	1752.6	19.45		
	Subtest 3	1312	1712.4	20.55	1	22.5
		1413	1732.6	20.38		
		1513	1752.6	20.55		
	Subtest 4	1312	1712.4	19.53	2	21.5
		1413	1732.6	19.45		
		1513	1752.6	19.48		
	Subtest 5	1312	1712.4	21.57	0	23.5
		1413	1732.6	21.44		
		1513	1752.6	21.57		
DC-HSDPA	Subtest 1	1312	1712.4	21.86	0	23.5
		1413	1732.6	21.66		
		1513	1752.6	21.79		
	Subtest 2	1312	1712.4	21.79	0	23.5
		1413	1732.6	21.67		
		1513	1752.6	21.79		
	Subtest 3	1312	1712.4	21.32	0.5	23.0
		1413	1732.6	21.18		
		1513	1752.6	21.28		
	Subtest 4	1312	1712.4	21.30	0.5	23.0
		1413	1732.6	21.12		
		1513	1752.6	21.27		

LTE Band 12 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23060	23095	23130		
				704.00 MHz	707.50 MHz	711.00 MHz		
10 MHz	QPSK	1	0	24.02	24.30	23.94	0.0	25.0
		1	25	24.67	24.27	23.87	0.0	25.0
		1	49	24.00	23.78	23.76	0.0	25.0
		25	0	23.10	23.10	23.14	1.0	24.0
		25	12	23.17	23.14	23.02	1.0	24.0
		25	25	23.15	23.12	22.92	1.0	24.0
	16QAM	50	0	23.15	23.03	23.03	1.0	24.0
		1	0	23.24	23.33	23.45	1.0	24.0
		1	25	23.40	23.00	23.26	1.0	24.0
		1	49	23.09	23.19	23.11	1.0	24.0
		25	0	22.13	22.14	22.12	2.0	23.0
		25	12	22.20	22.13	22.04	2.0	23.0
	64QAM	25	25	22.11	22.04	21.90	2.0	23.0
		50	0	22.19	22.09	22.06	2.0	23.0
		1	0	22.06	22.15	22.19	2.0	23.0
		1	25	22.58	21.99	21.98	2.0	23.0
		1	49	22.05	22.01	22.29	2.0	23.0
		25	0	21.11	21.17	21.06	3.0	22.0
	256QAM	25	12	21.18	21.12	21.28	3.0	22.0
		25	25	21.28	21.16	20.93	3.0	22.0
		50	0	21.21	21.13	21.03	3.0	22.0
		1	0	19.55	19.03	19.33	5.0	20.0
		1	25	19.28	19.52	19.20	5.0	20.0
		1	49	19.02	18.66	18.94	5.0	20.0
5 MHz	QPSK	25	0	19.17	19.05	19.08	5.0	20.0
		25	12	19.24	19.02	19.07	5.0	20.0
		25	25	19.22	18.97	18.88	5.0	20.0
		50	0	19.18	19.04	19.07	5.0	20.0
	16QAM	1	0	24.10	24.14	23.98	0.0	25.0
		1	12	24.28	24.19	23.89	0.0	25.0
		1	24	24.23	23.95	23.85	0.0	25.0
		12	0	23.10	23.12	22.95	1.0	24.0
		12	7	23.22	23.14	23.04	1.0	24.0
		12	13	23.16	23.07	22.82	1.0	24.0
	64QAM	25	0	23.16	23.10	22.90	1.0	24.0
		1	0	23.05	23.01	22.89	1.0	24.0
		1	12	23.22	23.25	23.05	1.0	24.0
		1	24	23.34	23.32	23.02	1.0	24.0
		12	0	22.22	22.14	22.02	2.0	23.0
		12	7	22.11	22.35	21.92	2.0	23.0
	256QAM	12	13	22.25	22.12	21.85	2.0	23.0
		25	0	22.21	22.10	21.92	2.0	23.0
		1	0	22.56	22.35	21.95	2.0	23.0
		1	12	22.81	22.28	22.23	2.0	23.0
		1	24	22.33	22.29	21.94	2.0	23.0
		12	0	21.23	21.03	20.99	3.0	22.0
	16QAM	12	7	21.33	21.16	20.91	3.0	22.0
		12	13	21.23	21.08	20.82	3.0	22.0
		25	0	21.18	21.13	20.95	3.0	22.0
	256QAM	1	0	19.25	18.96	19.05	5.0	20.0
		1	12	19.41	19.20	19.16	5.0	20.0
		1	24	19.28	19.02	18.85	5.0	20.0
	64QAM	12	0	19.21	19.11	18.93	5.0	20.0
		12	7	19.29	19.08	18.96	5.0	20.0
		12	13	19.12	19.05	18.66	5.0	20.0
		25	0	19.15	19.14	18.92	5.0	20.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				23025	23095	23165		
				700.50 MHz	707.50 MHz	714.50 MHz		
3 MHz	QPSK	1	0	23.98	24.13	23.73	0.0	25.0
		1	8	23.93	24.03	24.05	0.0	25.0
		1	14	23.97	23.80	23.83	0.0	25.0
		8	0	23.19	23.11	22.95	1.0	24.0
		8	4	23.19	23.13	22.90	1.0	24.0
		8	7	23.13	23.05	22.81	1.0	24.0
	16QAM	15	0	23.19	23.08	22.92	1.0	24.0
		1	0	23.24	23.26	23.04	1.0	24.0
		1	8	23.26	23.00	23.09	1.0	24.0
		1	14	23.31	22.88	22.82	1.0	24.0
		8	0	22.18	22.23	22.07	2.0	23.0
		8	4	22.21	22.16	22.10	2.0	23.0
	64QAM	8	7	22.15	22.01	21.96	2.0	23.0
		15	0	22.27	22.22	21.81	2.0	23.0
		1	0	22.08	22.17	21.74	2.0	23.0
		1	8	22.43	22.18	21.83	2.0	23.0
		1	14	22.33	22.01	21.83	2.0	23.0
		8	0	21.23	21.03	20.97	3.0	22.0
	256QAM	8	4	21.17	21.25	21.07	3.0	22.0
		8	7	21.13	21.09	20.92	3.0	22.0
		15	0	21.17	21.11	20.81	3.0	22.0
		1	0	19.35	18.98	18.92	5.0	20.0
		1	8	19.29	19.07	19.07	5.0	20.0
		1	14	19.37	19.16	18.91	5.0	20.0
1.4 MHz	QPSK	8	0	19.18	19.17	18.87	5.0	20.0
		8	4	19.24	18.98	19.04	5.0	20.0
		8	7	19.16	19.17	18.88	5.0	20.0
		15	0	19.26	19.08	19.00	5.0	20.0
	16QAM	1	0	24.46	24.35	24.21	0.0	25.0
		1	3	24.30	24.24	24.17	0.0	25.0
		1	5	23.75	23.68	23.61	0.0	25.0
		3	0	24.13	23.99	23.87	1.0	24.0
		3	1	24.13	23.89	23.81	1.0	24.0
		3	3	24.07	24.00	23.76	1.0	24.0
	64QAM	6	0	23.02	23.01	22.82	1.0	24.0
		1	0	23.26	23.31	23.19	1.0	24.0
		1	3	23.24	23.18	22.90	1.0	24.0
		1	5	23.13	23.35	22.83	1.0	24.0
		3	0	23.25	23.43	22.87	2.0	23.0
		3	1	23.36	23.54	22.76	2.0	23.0
	256QAM	3	3	23.14	23.26	22.65	2.0	23.0
		6	0	22.28	21.85	21.93	2.0	23.0
		1	0	22.18	22.38	22.35	2.0	23.0
		1	3	22.62	22.52	21.84	2.0	23.0
		1	5	22.43	22.42	21.76	2.0	23.0
		3	0	22.25	22.25	21.93	3.0	22.0
	QPSK	3	1	22.22	22.30	21.89	3.0	22.0
		3	3	22.13	22.02	21.85	3.0	22.0
		6	0	21.14	21.03	20.76	3.0	22.0
	16QAM	1	0	19.32	19.24	19.05	5.0	20.0
		1	3	19.39	19.00	18.84	5.0	20.0
		1	5	18.98	19.25	18.81	5.0	20.0
	64QAM	3	0	19.18	19.25	18.95	5.0	20.0
		3	1	19.17	19.06	18.96	5.0	20.0
		3	3	18.97	19.01	18.71	5.0	20.0
		6	0	19.10	19.04	18.67	5.0	20.0

LTE Band 12 (ANT E)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23060	23095	23130		
				704.00 MHz	707.50 MHz	711.00 MHz		
10 MHz	QPSK	1	0	24.26	24.22	24.12	0.0	25.0
		1	25	24.24	24.22	24.19	0.0	25.0
		1	49	24.14	24.05	24.12	0.0	25.0
		25	0	23.23	23.21	23.13	1.0	24.0
		25	12	23.34	23.21	23.20	1.0	24.0
		25	25	23.26	23.07	23.06	1.0	24.0
	16QAM	50	0	23.29	23.15	23.13	1.0	24.0
		1	0	23.44	23.36	23.35	1.0	24.0
		1	25	23.19	23.21	23.18	1.0	24.0
		1	49	23.18	22.98	22.99	1.0	24.0
		25	0	22.22	22.25	22.16	2.0	23.0
		25	12	22.25	22.28	22.22	2.0	23.0
	64QAM	25	25	22.24	22.25	22.08	2.0	23.0
		50	0	22.30	22.14	22.21	2.0	23.0
		1	0	22.07	22.21	22.53	2.0	23.0
		1	25	22.64	22.59	22.44	2.0	23.0
		1	49	22.48	22.24	21.97	2.0	23.0
		25	0	21.26	21.16	21.21	3.0	22.0
	256QAM	25	12	21.32	21.25	21.28	3.0	22.0
		25	25	21.30	21.06	21.03	3.0	22.0
		50	0	21.33	21.13	21.12	3.0	22.0
		1	0	19.33	19.42	19.08	5.0	20.0
		1	25	19.18	19.32	19.53	5.0	20.0
		1	49	19.14	18.82	19.11	5.0	20.0
5 MHz	QPSK	25	0	19.19	19.08	19.25	5.0	20.0
		25	12	19.39	19.15	19.14	5.0	20.0
		25	25	19.33	19.24	19.08	5.0	20.0
		50	0	19.31	19.13	19.15	5.0	20.0
	16QAM	1	0	24.28	24.15	24.01	0.0	25.0
		1	12	24.36	24.17	24.06	0.0	25.0
		1	24	24.10	24.07	23.88	0.0	25.0
		12	0	23.28	23.20	23.07	1.0	24.0
		12	7	23.29	23.20	23.04	1.0	24.0
		12	13	23.32	23.18	22.99	1.0	24.0
	64QAM	25	0	23.31	23.19	23.06	1.0	24.0
		1	0	23.06	23.11	23.27	1.0	24.0
		1	12	23.46	23.60	23.25	1.0	24.0
		1	24	23.68	23.34	23.16	1.0	24.0
		12	0	22.21	22.26	22.11	2.0	23.0
		12	7	22.49	22.26	22.04	2.0	23.0
	256QAM	12	13	22.22	22.19	21.89	2.0	23.0
		25	0	22.33	22.20	22.10	2.0	23.0
		1	0	22.27	22.21	22.16	2.0	23.0
		1	12	22.41	22.58	22.74	2.0	23.0
		1	24	22.30	22.18	21.78	2.0	23.0
		12	0	21.23	21.11	21.14	3.0	22.0
	QPSK	12	7	21.42	21.21	21.12	3.0	22.0
		12	13	21.24	21.20	21.06	3.0	22.0
		25	0	21.26	21.16	21.03	3.0	22.0
		1	0	19.23	19.24	19.22	5.0	20.0
		1	12	19.28	19.29	19.16	5.0	20.0
		1	24	19.32	19.29	19.12	5.0	20.0
	16QAM	12	0	19.31	19.18	19.13	5.0	20.0
		12	7	19.25	19.20	19.30	5.0	20.0
		12	13	19.25	19.25	18.92	5.0	20.0
		25	0	19.36	19.19	18.93	5.0	20.0
	64QAM	1	0	24.28	24.15	24.01	0.0	25.0
		1	12	24.36	24.17	24.06	0.0	25.0
	256QAM	1	0	19.33	19.42	19.08	5.0	20.0
		1	25	19.18	19.32	19.53	5.0	20.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				23025	23095	23165		
				700.50 MHz	707.50 MHz	714.50 MHz		
3 MHz	QPSK	1	0	24.19	24.07	23.96	0.0	25.0
		1	8	24.28	24.21	23.91	0.0	25.0
		1	14	24.24	23.96	23.89	0.0	25.0
		8	0	23.25	23.19	23.01	1.0	24.0
		8	4	23.43	23.19	23.13	1.0	24.0
		8	7	23.26	23.19	22.98	1.0	24.0
	16QAM	15	0	23.32	23.21	23.00	1.0	24.0
		1	0	23.11	23.57	23.01	1.0	24.0
		1	8	23.52	23.39	23.27	1.0	24.0
		1	14	23.30	23.03	22.82	1.0	24.0
		8	0	22.29	22.12	22.04	2.0	23.0
		8	4	22.31	22.33	22.04	2.0	23.0
	64QAM	8	7	22.39	22.29	22.07	2.0	23.0
		15	0	22.30	22.25	22.09	2.0	23.0
		1	0	22.18	22.25	22.23	2.0	23.0
		1	8	22.61	22.29	22.22	2.0	23.0
		1	14	22.22	21.92	21.68	2.0	23.0
		8	0	21.42	21.15	21.05	3.0	22.0
	256QAM	8	4	21.41	21.21	20.98	3.0	22.0
		8	7	21.29	21.17	20.95	3.0	22.0
		15	0	21.32	21.12	21.06	3.0	22.0
		1	0	19.28	19.31	19.14	5.0	20.0
		1	8	19.35	19.08	19.01	5.0	20.0
		1	14	19.38	19.27	18.92	5.0	20.0
1.4 MHz	QPSK	8	0	19.32	19.34	19.10	5.0	20.0
		8	4	19.42	19.24	19.23	5.0	20.0
		8	7	19.45	19.23	18.93	5.0	20.0
		15	0	19.28	19.11	18.96	5.0	20.0
	16QAM	1	0	24.13	24.04	23.63	0.0	25.0
		1	3	24.01	24.23	24.13	0.0	25.0
		1	5	24.12	23.83	23.97	0.0	25.0
		3	0	24.21	24.16	23.92	1.0	24.0
		3	1	24.16	24.13	23.87	1.0	24.0
		3	3	24.20	24.23	23.94	1.0	24.0
	64QAM	6	0	23.17	23.18	22.94	1.0	24.0
		1	0	23.36	23.46	23.19	1.0	24.0
		1	3	23.39	23.53	23.39	1.0	24.0
		1	5	23.10	23.47	23.05	1.0	24.0
		3	0	23.13	23.57	23.11	2.0	23.0
		3	1	23.40	23.34	23.03	2.0	23.0
	256QAM	3	3	23.49	23.57	23.06	2.0	23.0
		6	0	22.14	22.26	22.06	2.0	23.0
		1	0	22.56	22.38	22.02	2.0	23.0
		1	3	22.40	22.40	22.52	2.0	23.0
		1	5	22.29	22.53	21.93	2.0	23.0
		3	0	22.47	22.38	22.27	3.0	22.0
	QPSK	3	1	22.39	22.28	21.87	3.0	22.0
		3	3	22.53	22.61	22.03	3.0	22.0
		6	0	21.12	21.13	20.91	3.0	22.0
	16QAM	1	0	19.50	19.37	19.14	5.0	20.0
		1	3	19.38	19.37	18.80	5.0	20.0
		1	5	19.76	19.08	19.27	5.0	20.0
	64QAM	3	0	19.40	19.10	19.05	5.0	20.0
		3	1	19.62	19.24	19.11	5.0	20.0
		3	3	19.28	18.97	19.08	5.0	20.0
		6	0	19.36	19.03	19.11	5.0	20.0
	256QAM	1	0	19.50	19.37	19.14	5.0	20.0
		1	3	19.38	19.37	18.80	5.0	20.0
		1	5	19.76	19.08	19.27	5.0	20.0
		3	0	19.40	19.10	19.05	5.0	20.0
		3	1	19.62	19.24	19.11	5.0	20.0
		3	3	19.28	18.97	19.08	5.0	20.0

LTE Band 13 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)					
				Measured Pwr (dBm)			MPR	Tune-up Limit	
					23230				
				782.00 MHz					
10 MHz	QPSK	1	0		22.63		0.0	24.0	
		1	25		22.64		0.0	24.0	
		1	49		22.83		0.0	24.0	
		25	0		21.78		1.0	23.0	
		25	12		21.73		1.0	23.0	
		25	25		21.76		1.0	23.0	
	16QAM	50	0		21.75		1.0	23.0	
		1	0		21.82		1.0	23.0	
		1	25		21.81		1.0	23.0	
		1	49		22.29		1.0	23.0	
		25	0		20.79		2.0	22.0	
		25	12		20.81		2.0	22.0	
	64QAM	25	25		20.63		2.0	22.0	
		50	0		20.71		2.0	22.0	
		1	0		21.15		2.0	22.0	
		1	25		20.80		2.0	22.0	
		1	49		20.57		2.0	22.0	
		25	0		19.77		3.0	21.0	
	256QAM	25	12		19.80		3.0	21.0	
		25	25		19.74		3.0	21.0	
		50	0		19.79		3.0	21.0	
		1	0		17.66		5.0	19.0	
		1	25		17.84		5.0	19.0	
		1	49		17.82		5.0	19.0	
	25	0		17.62		5.0	19.0		
	25	12		17.90		5.0	19.0		
	25	25		17.84		5.0	19.0		
	50	0		17.69		5.0	19.0		
	BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					23205	23230	23255		
779.50 MHz					782.00 MHz	784.50 MHz			
5 MHz	QPSK	1	0	22.73	22.81	22.73	0.0	24.0	
		1	12	22.67	22.74	22.65	0.0	24.0	
		1	24	22.65	22.63	22.63	0.0	24.0	
		12	0	21.84	21.70	21.68	1.0	23.0	
		12	7	21.82	21.79	21.73	1.0	23.0	
		12	13	21.76	21.67	21.66	1.0	23.0	
	16QAM	25	0	21.74	21.74	21.62	1.0	23.0	
		1	0	21.63	22.15	21.79	1.0	23.0	
		1	12	22.27	22.21	22.17	1.0	23.0	
		1	24	22.04	21.57	21.78	1.0	23.0	
		12	0	20.87	20.63	20.67	2.0	22.0	
		12	7	20.77	20.70	20.65	2.0	22.0	
	64QAM	12	13	20.80	20.77	20.73	2.0	22.0	
		25	0	20.85	20.69	20.65	2.0	22.0	
		1	0	20.68	20.89	20.73	2.0	22.0	
		1	12	21.12	20.82	21.09	2.0	22.0	
		1	24	21.22	20.65	20.84	2.0	22.0	
		12	0	19.78	19.72	19.71	3.0	21.0	
	256QAM	12	7	19.87	19.93	19.83	3.0	21.0	
		12	13	19.60	19.85	19.81	3.0	21.0	
		25	0	19.83	19.76	19.70	3.0	21.0	
		1	0	17.83	17.54	17.78	5.0	19.0	
		1	12	17.76	17.85	17.96	5.0	19.0	
		1	24	17.75	17.75	17.52	5.0	19.0	
	12	0	17.79	17.71	17.73	5.0	19.0		
	12	7	17.74	17.78	17.65	5.0	19.0		
	12	13	17.66	17.91	17.56	5.0	19.0		
	25	0	17.80	17.79	17.59	5.0	19.0		

LTE Band 13 (ANT E)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
					23230			
10 MHz	QPSK	1	0		21.29		0.0	24.0
		1	25		21.28		0.0	24.0
		1	49		20.98		0.0	24.0
		25	0		21.19		1.0	23.0
		25	12		21.23		1.0	23.0
		25	25		21.20		1.0	23.0
	16QAM	50	0		21.09		1.0	23.0
		1	0		21.28		1.0	23.0
		1	25		21.32		1.0	23.0
		1	49		21.46		1.0	23.0
		25	0		21.09		2.0	22.0
		25	12		20.96		2.0	22.0
	64QAM	25	25		21.03		2.0	22.0
		50	0		20.88		2.0	22.0
		1	0		20.67		2.0	22.0
		1	25		21.34		2.0	22.0
		1	49		20.64		2.0	22.0
		25	0		19.93		3.0	21.0
	256QAM	25	12		19.91		3.0	21.0
		25	25		19.89		3.0	21.0
		50	0		19.89		3.0	21.0
		1	0		18.14		5.0	19.0
		1	25		17.97		5.0	19.0
		1	49		17.54		5.0	19.0
10 MHz	25	0		17.90		5.0	19.0	
	25	12		17.98		5.0	19.0	
	25	25		17.92		5.0	19.0	
	50	0		17.82		5.0	19.0	
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23205	23230	23255		
			779.50 MHz	782.00 MHz	784.50 MHz			
5 MHz	QPSK	1	0	21.45	21.64	21.30	0.0	24.0
		1	12	21.11	21.16	21.32	0.0	24.0
		1	24	21.48	21.04	21.03	0.0	24.0
		12	0	21.49	21.19	21.46	1.0	23.0
		12	7	21.08	21.25	21.04	1.0	23.0
		12	13	21.36	21.21	21.24	1.0	23.0
	16QAM	25	0	21.29	21.17	21.09	1.0	23.0
		1	0	21.34	21.28	21.16	1.0	23.0
		1	12	21.02	21.36	21.24	1.0	23.0
		1	24	21.15	21.14	21.07	1.0	23.0
		12	0	20.43	20.85	20.03	2.0	22.0
		12	7	20.45	20.98	20.27	2.0	22.0
	64QAM	12	13	20.44	20.89	20.39	2.0	22.0
		25	0	20.09	20.84	20.00	2.0	22.0
		1	0	21.17	21.09	21.26	2.0	22.0
		1	12	21.05	21.21	21.16	2.0	22.0
		1	24	21.31	20.83	21.21	2.0	22.0
		12	0	19.98	19.87	19.95	3.0	21.0
	256QAM	12	7	19.98	19.97	19.98	3.0	21.0
		12	13	19.95	19.98	19.95	3.0	21.0
		25	0	19.96	19.93	19.97	3.0	21.0
		1	0	18.03	18.13	18.14	5.0	19.0
		1	12	18.09	18.24	18.06	5.0	19.0
		1	24	17.88	17.74	17.88	5.0	19.0
5 MHz	12	0	17.89	17.86	17.86	5.0	19.0	
	12	7	17.90	17.87	17.86	5.0	19.0	
	12	13	17.86	17.88	17.88	5.0	19.0	
	25	0	17.90	18.00	17.86	5.0	19.0	
				Measured Pwr (dBm)			MPR	Tune-up Limit
				23205	23230	23255		
			779.50 MHz	782.00 MHz	784.50 MHz			

LTE Band 41 (PC2) (ANT B)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				39750	40620	41490		
				2506.00 MHz	2593.00 MHz	2680.00 MHz		
20 MHz	QPSK	1	0	24.59	24.86	24.72	0.0	26.1
		1	49	24.78	24.82	24.87	0.0	26.1
		1	99	24.75	24.65	24.87	0.0	26.1
		50	0	23.73	23.83	23.79	1.0	25.1
		50	24	23.76	23.80	24.00	1.0	25.1
		50	50	23.71	23.86	23.93	1.0	25.1
	16QAM	100	0	23.68	23.75	23.88	1.0	25.1
		1	0	23.75	23.87	23.96	1.0	25.1
		1	49	23.80	23.88	23.97	1.0	25.1
		1	99	23.72	23.88	23.92	1.0	25.1
		50	0	22.67	22.83	22.79	2.0	24.1
		50	24	22.72	22.84	22.99	2.0	24.1
	64QAM	50	50	22.71	22.78	22.95	2.0	24.1
		100	0	22.71	22.80	22.89	2.0	24.1
		1	0	22.98	22.91	22.92	2.0	24.1
		1	49	22.95	22.84	22.89	2.0	24.1
		1	99	22.90	22.97	22.90	2.0	24.1
		50	0	21.72	21.81	21.83	3.0	23.1
	256QAM	50	24	21.79	21.77	21.95	3.0	23.1
		50	50	21.74	21.77	21.91	3.0	23.1
		100	0	21.67	21.76	21.89	3.0	23.1
		1	0	19.53	19.72	19.90	5.0	21.1
		1	49	19.67	19.97	19.95	5.0	21.1
		1	99	19.56	19.79	19.90	5.0	21.1
15 MHz	QPSK	50	0	19.67	19.78	19.74	5.0	21.1
		50	24	19.70	19.83	19.83	5.0	21.1
		50	50	19.67	19.77	19.88	5.0	21.1
		100	0	19.68	19.72	19.82	5.0	21.1
	16QAM	1	0	24.46	24.85	24.68	0.0	26.1
		1	37	24.68	24.75	24.86	0.0	26.1
		1	74	24.53	24.59	24.84	0.0	26.1
		36	0	23.64	23.88	23.87	1.0	25.1
		36	20	23.73	23.79	23.88	1.0	25.1
		36	39	23.68	23.77	23.86	1.0	25.1
	64QAM	75	0	23.66	23.75	23.94	1.0	25.1
		1	0	23.54	23.96	23.61	1.0	25.1
		1	37	23.75	23.92	23.93	1.0	25.1
		1	74	23.74	23.84	23.87	1.0	25.1
		36	0	22.61	22.86	22.87	2.0	24.1
		36	20	22.78	22.82	22.83	2.0	24.1
	256QAM	36	39	22.76	22.79	22.97	2.0	24.1
		75	0	22.63	22.76	22.84	2.0	24.1
		1	0	22.74	22.79	22.92	2.0	24.1
		1	37	22.92	22.97	22.98	2.0	24.1
		1	74	22.83	22.93	22.74	2.0	24.1
		36	0	21.65	21.80	21.95	3.0	23.1
	QPSK	36	20	21.74	21.79	21.98	3.0	23.1
		36	39	21.69	21.79	21.91	3.0	23.1
		75	0	21.68	21.80	21.91	3.0	23.1
		1	0	19.56	19.82	19.70	5.0	21.1
		1	37	19.88	19.92	19.87	5.0	21.1
		1	74	19.87	19.75	19.91	5.0	21.1
	16QAM	36	0	19.64	19.77	19.83	5.0	21.1
		36	20	19.69	19.84	19.93	5.0	21.1
		36	39	19.68	19.76	19.87	5.0	21.1
		75	0	19.68	19.77	19.89	5.0	21.1
	64QAM	1	0	24.46	24.85	24.68	0.0	26.1
		1	37	24.68	24.75	24.86	0.0	26.1
		1	74	24.53	24.59	24.84	0.0	26.1
		36	0	23.64	23.88	23.87	1.0	25.1
		36	20	23.73	23.79	23.88	1.0	25.1
		36	39	23.68	23.77	23.86	1.0	25.1
	256QAM	75	0	23.66	23.75	23.94	1.0	25.1
		1	0	23.54	23.96	23.61	1.0	25.1
		1	37	23.75	23.92	23.93	1.0	25.1
		1	74	23.74	23.84	23.87	1.0	25.1
		36	0	22.61	22.86	22.87	2.0	24.1
		36	20	22.78	22.82	22.83	2.0	24.1
	64QAM	36	39	22.76	22.79	22.97	2.0	24.1
		75	0	22.63	22.76	22.84	2.0	24.1
		1	0	22.74	22.79	22.92	2.0	24.1
		1	37	22.92	22.97	22.98	2.0	24.1
		1	74	22.83	22.93	22.74	2.0	24.1
		36	0	21.65	21.80	21.95	3.0	23.1
	256QAM	36	20	21.74	21.79	21.98	3.0	23.1
		36	39	21.69	21.79	21.91	3.0	23.1
		75	0	21.68	21.80	21.91	3.0	23.1
		1	0	19.56	19.82	19.70	5.0	21.1
		1	37	19.88	19.92	19.87	5.0	21.1
		1	74	19.87	19.75	19.91	5.0	21.1

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				39700	40620	41540		
				2501.00 MHz	2593.00 MHz	2685.00 MHz		
10 MHz	QPSK	1	0	24.61	24.70	24.83	0.0	26.1
		1	25	24.57	24.78	24.87	0.0	26.1
		1	49	24.58	24.75	24.93	0.0	26.1
		25	0	23.71	23.85	23.97	1.0	25.1
		25	12	23.77	23.77	23.91	1.0	25.1
		25	25	23.73	23.82	23.94	1.0	25.1
	16QAM	50	0	23.68	23.83	23.94	1.0	25.1
		1	0	23.88	23.67	23.84	1.0	25.1
		1	25	23.84	23.85	23.88	1.0	25.1
		1	49	23.84	23.83	23.96	1.0	25.1
		25	0	22.72	22.79	22.92	2.0	24.1
		25	12	22.74	22.85	22.92	2.0	24.1
	64QAM	25	25	22.74	22.75	22.81	2.0	24.1
		50	0	22.70	22.83	22.91	2.0	24.1
		1	0	22.57	22.86	22.86	2.0	24.1
		1	25	22.79	22.97	22.93	2.0	24.1
		1	49	22.88	22.85	22.96	2.0	24.1
		25	0	21.75	21.81	21.92	3.0	23.1
	256QAM	25	12	21.69	21.85	21.92	3.0	23.1
		25	25	21.69	21.82	21.97	3.0	23.1
		50	0	21.68	21.81	21.93	3.0	23.1
		1	0	19.52	19.93	19.84	5.0	21.1
		1	25	19.75	19.15	19.90	5.0	21.1
		1	49	19.97	19.70	19.95	5.0	21.1
5 MHz	QPSK	25	0	19.67	19.78	19.84	5.0	21.1
		25	12	19.69	19.83	19.88	5.0	21.1
		25	25	19.79	19.79	19.86	5.0	21.1
		50	0	19.66	19.76	19.91	5.0	21.1
	16QAM	1	0	24.52	24.89	24.90	0.0	26.1
		1	12	24.61	24.80	24.92	0.0	26.1
		1	24	24.52	24.65	24.78	0.0	26.1
		12	0	23.64	23.85	23.95	1.0	25.1
		12	7	23.73	23.92	23.96	1.0	25.1
		12	13	23.68	23.77	23.91	1.0	25.1
	64QAM	25	0	23.63	23.78	23.91	1.0	25.1
		1	0	23.92	23.88	23.87	1.0	25.1
		1	12	23.94	23.94	23.94	1.0	25.1
		1	24	23.63	23.79	23.88	1.0	25.1
		12	0	22.77	22.78	22.93	2.0	24.1
		12	7	22.73	22.89	23.00	2.0	24.1
	256QAM	12	13	22.68	22.68	22.90	2.0	24.1
		25	0	22.67	22.80	22.88	2.0	24.1
		1	0	22.46	22.83	22.89	2.0	24.1
		1	12	22.80	22.92	22.84	2.0	24.1
		1	24	22.55	22.91	22.93	2.0	24.1
		12	0	21.63	21.90	21.95	3.0	23.1
	16QAM	12	7	21.74	21.92	21.84	3.0	23.1
		12	13	21.73	21.76	21.84	3.0	23.1
		25	0	21.69	21.80	21.95	3.0	23.1
		1	0	19.76	19.84	19.92	5.0	21.1
		1	12	19.91	19.93	19.90	5.0	21.1
		1	24	19.94	19.66	19.87	5.0	21.1
	64QAM	12	0	19.76	19.80	19.95	5.0	21.1
		12	7	19.66	19.85	19.96	5.0	21.1
		12	13	19.69	19.83	19.92	5.0	21.1
		25	0	19.65	19.73	19.90	5.0	21.1

LTE Band 41 (PC2) (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				39750	40620	41490		
				2506.00 MHz	2593.00 MHz	2680.00 MHz		
20 MHz	QPSK	1	0	25.48	25.00	24.93	0.0	26.1
		1	49	25.34	25.22	25.19	0.0	26.1
		1	99	25.14	25.00	24.98	0.0	26.1
		50	0	24.30	24.18	23.99	1.0	25.1
		50	24	24.23	24.16	24.07	1.0	25.1
		50	50	24.18	24.10	24.11	1.0	25.1
	16QAM	100	0	24.24	24.09	24.04	1.0	25.1
		1	0	24.38	24.12	24.15	1.0	25.1
		1	49	24.62	24.24	24.41	1.0	25.1
		1	99	24.40	24.06	24.32	1.0	25.1
		50	0	23.27	23.09	23.05	2.0	24.1
		50	24	23.31	23.15	23.06	2.0	24.1
	64QAM	50	50	23.22	23.20	23.09	2.0	24.1
		100	0	23.28	23.09	23.01	2.0	24.1
		1	0	23.32	23.19	23.36	2.0	24.1
		1	49	23.26	23.47	23.23	2.0	24.1
		1	99	23.39	23.30	23.11	2.0	24.1
		50	0	22.27	22.17	22.01	3.0	23.1
	256QAM	50	24	22.32	22.19	22.13	3.0	23.1
		50	50	22.18	22.10	22.09	3.0	23.1
		100	0	22.28	22.09	22.03	3.0	23.1
		1	0	20.03	20.28	20.01	5.0	21.1
		1	49	20.41	20.51	20.12	5.0	21.1
		1	99	20.19	20.33	20.13	5.0	21.1
15 MHz	QPSK	50	0	20.21	20.13	20.01	5.0	21.1
		50	24	20.26	20.15	20.07	5.0	21.1
		50	50	20.21	20.14	20.09	5.0	21.1
		100	0	20.24	20.15	19.99	5.0	21.1
	16QAM	1	0	25.47	25.00	24.93	0.0	26.1
		1	37	25.34	25.22	25.19	0.0	26.1
		1	74	25.14	25.00	24.98	0.0	26.1
		36	0	24.30	24.18	23.99	1.0	25.1
		36	20	24.23	24.16	24.07	1.0	25.1
		36	39	24.18	24.10	24.11	1.0	25.1
	64QAM	75	0	24.24	24.09	24.04	1.0	25.1
		1	0	24.38	24.12	24.15	1.0	25.1
		1	37	24.62	24.24	24.41	1.0	25.1
		1	74	24.40	24.06	24.32	1.0	25.1
		36	0	23.27	23.09	23.05	2.0	24.1
		36	20	23.31	23.15	23.06	2.0	24.1
	256QAM	36	39	23.22	23.20	23.09	2.0	24.1
		75	0	23.28	23.09	23.01	2.0	24.1
		1	0	23.32	23.19	23.36	2.0	24.1
		1	37	23.26	23.47	23.23	2.0	24.1
		1	74	23.39	23.30	23.11	2.0	24.1
		36	0	22.27	22.17	22.01	3.0	23.1
15 MHz	QPSK	36	20	22.32	22.19	22.13	3.0	23.1
		36	39	22.18	22.10	22.09	3.0	23.1
		75	0	22.28	22.09	22.03	3.0	23.1
	16QAM	1	0	20.03	20.28	20.01	5.0	21.1
		1	37	20.41	20.51	20.12	5.0	21.1
		1	74	20.19	20.33	20.13	5.0	21.1
	64QAM	36	0	20.21	20.13	20.01	5.0	21.1
		36	20	20.26	20.15	20.07	5.0	21.1
		36	39	20.21	20.14	20.09	5.0	21.1
		75	0	20.24	20.15	19.99	5.0	21.1
	256QAM	1	0	25.47	25.00	24.93	0.0	26.1
		1	37	25.34	25.22	25.19	0.0	26.1
		1	74	25.14	25.00	24.98	0.0	26.1
		36	0	24.30	24.18	23.99	1.0	25.1
		36	20	24.23	24.16	24.07	1.0	25.1
		36	39	24.18	24.10	24.11	1.0	25.1
15 MHz	QPSK	75	0	24.24	24.09	24.04	1.0	25.1
		1	0	24.38	24.12	24.15	1.0	25.1
		1	37	24.62	24.24	24.41	1.0	25.1
		1	74	24.40	24.06	24.32	1.0	25.1
		36	0	23.27	23.09	23.05	2.0	24.1
		36	20	23.31	23.15	23.06	2.0	24.1
	16QAM	36	39	23.22	23.20	23.09	2.0	24.1
		75	0	23.28	23.09	23.01	2.0	24.1
		1	0	23.32	23.19	23.36	2.0	24.1
		1	37	23.26	23.47	23.23	2.0	24.1
		1	74	23.39	23.30	23.11	2.0	24.1
		36	0	22.27	22.17	22.01	3.0	23.1
	64QAM	36	20	22.32	22.19	22.13	3.0	23.1
		36	39	22.18	22.10	22.09	3.0	23.1
		75	0	22.28	22.09	22.03	3.0	23.1
	256QAM	1	0	20.03	20.28	20.01	5.0	21.1
		1	37	20.41	20.51	20.12	5.0	21.1
		1	74	20.19	20.33	20.13	5.0	21.1
		36	0	20.21	20.13	20.01	5.0	21.1
		36	20	20.26	20.15	20.07	5.0	21.1
		36	39	20.21	20.14	20.09	5.0	21.1

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				39700	40620	41540		
				2501.00 MHz	2593.00 MHz	2685.00 MHz		
10 MHz	QPSK	1	0	25.08	25.08	25.07	0.0	26.1
		1	25	25.14	25.16	25.14	0.0	26.1
		1	49	25.03	25.07	25.02	0.0	26.1
		25	0	24.35	24.08	24.07	1.0	25.1
		25	12	24.26	24.11	24.02	1.0	25.1
		25	25	24.19	24.22	24.10	1.0	25.1
	16QAM	50	0	24.27	24.09	24.04	1.0	25.1
		1	0	24.36	24.21	24.11	1.0	25.1
		1	25	24.34	24.20	24.26	1.0	25.1
		1	49	24.46	24.17	24.17	1.0	25.1
		25	0	23.29	23.09	23.02	2.0	24.1
		25	12	23.30	23.17	23.07	2.0	24.1
	64QAM	25	25	23.21	23.18	23.12	2.0	24.1
		50	0	23.28	23.13	23.00	2.0	24.1
		1	0	23.31	22.99	23.26	2.0	24.1
		1	25	23.26	23.38	23.34	2.0	24.1
		1	49	23.30	23.33	23.27	2.0	24.1
		25	0	22.30	22.10	22.03	3.0	23.1
	256QAM	25	12	22.21	22.06	22.01	3.0	23.1
		25	25	22.21	22.18	22.03	3.0	23.1
		50	0	22.27	22.07	22.06	3.0	23.1
		1	0	20.57	20.33	20.15	5.0	21.1
		1	25	20.18	20.29	20.14	5.0	21.1
		1	49	20.18	20.17	20.29	5.0	21.1
5 MHz	QPSK	25	0	20.23	20.17	20.12	5.0	21.1
		25	12	20.23	20.14	19.97	5.0	21.1
		25	25	20.22	20.18	20.15	5.0	21.1
		50	0	20.32	20.12	19.98	5.0	21.1
	16QAM	1	0	25.16	25.09	25.06	0.0	26.1
		1	12	25.24	25.15	25.10	0.0	26.1
		1	24	25.10	25.14	25.01	0.0	26.1
		12	0	24.24	24.10	24.06	1.0	25.1
		12	7	24.29	24.16	24.03	1.0	25.1
		12	13	24.23	24.16	24.04	1.0	25.1
	64QAM	25	0	24.27	24.10	24.07	1.0	25.1
		1	0	24.38	24.12	24.18	1.0	25.1
		1	12	24.45	24.50	24.32	1.0	25.1
		1	24	24.22	24.04	24.21	1.0	25.1
		12	0	23.36	23.12	23.11	2.0	24.1
		12	7	23.23	23.15	23.04	2.0	24.1
	256QAM	12	13	23.28	23.12	23.06	2.0	24.1
		25	0	23.31	23.14	23.08	2.0	24.1
		1	0	23.29	23.31	23.27	2.0	24.1
		1	12	23.35	23.54	23.33	2.0	24.1
		1	24	23.22	23.34	23.17	2.0	24.1
		12	0	22.36	22.11	22.11	3.0	23.1
	QPSK	12	7	22.34	22.18	22.06	3.0	23.1
		12	13	22.24	22.16	22.00	3.0	23.1
		25	0	22.25	22.07	22.10	3.0	23.1
	16QAM	1	0	20.34	20.22	20.24	5.0	21.1
		1	12	20.51	20.58	20.17	5.0	21.1
		1	24	20.48	20.34	20.16	5.0	21.1
	64QAM	12	0	20.28	20.13	20.09	5.0	21.1
		12	7	20.26	20.23	20.06	5.0	21.1
		12	13	20.25	20.20	20.07	5.0	21.1
	256QAM	25	0	20.20	20.16	20.06	5.0	21.1

LTE Band 66 (ANT A)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				132072	132322	132572		
				1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	QPSK	1	0	22.63	22.59	22.54	0.0	24.0
		1	49	22.78	22.65	22.73	0.0	24.0
		1	99	22.73	22.68	22.83	0.0	24.0
		50	0	21.87	21.70	21.69	1.0	23.0
		50	24	21.86	21.65	21.63	1.0	23.0
		50	50	21.86	21.68	21.76	1.0	23.0
	16QAM	100	0	21.82	21.62	21.66	1.0	23.0
		1	0	22.00	21.87	21.82	1.0	23.0
		1	49	22.26	21.51	22.18	1.0	23.0
		1	99	22.10	21.77	21.91	1.0	23.0
		50	0	20.77	20.68	20.72	2.0	22.0
		50	24	20.77	20.63	20.59	2.0	22.0
	64QAM	50	50	20.79	20.66	20.84	2.0	22.0
		100	0	20.87	20.71	20.55	2.0	22.0
		1	0	20.67	20.78	21.09	2.0	22.0
		1	49	20.95	20.90	20.80	2.0	22.0
		1	99	20.95	20.97	20.72	2.0	22.0
		50	0	19.89	19.72	19.68	3.0	21.0
	256QAM	50	24	19.72	19.78	19.61	3.0	21.0
		50	50	19.80	19.77	19.77	3.0	21.0
		100	0	19.80	19.72	19.60	3.0	21.0
		1	0	18.16	17.77	17.60	5.0	19.0
		1	49	17.99	17.73	18.35	5.0	19.0
		1	99	17.59	17.18	17.64	5.0	19.0
15 MHz	QPSK	50	0	17.77	17.87	17.60	5.0	19.0
		50	24	17.81	17.73	17.71	5.0	19.0
		50	50	17.84	17.75	17.78	5.0	19.0
		100	0	17.79	17.76	17.62	5.0	19.0
	16QAM	1	0	22.79	22.67	22.68	0.0	24.0
		1	37	22.69	22.61	22.66	0.0	24.0
		1	74	22.65	22.88	22.68	0.0	24.0
		36	0	21.86	21.70	21.62	1.0	23.0
		36	20	21.83	21.75	21.73	1.0	23.0
		36	39	21.79	21.64	21.75	1.0	23.0
	64QAM	75	0	21.80	21.69	21.72	1.0	23.0
		1	0	22.23	21.91	21.94	1.0	23.0
		1	37	22.38	21.59	21.78	1.0	23.0
		1	74	21.85	21.51	22.01	1.0	23.0
		36	0	20.85	20.58	20.69	2.0	22.0
		36	20	20.87	20.70	20.84	2.0	22.0
	256QAM	36	39	20.68	20.68	20.71	2.0	22.0
		75	0	20.84	20.71	20.67	2.0	22.0
		1	0	21.14	20.78	20.47	2.0	22.0
		1	37	20.79	20.64	20.65	2.0	22.0
		1	74	20.99	20.88	21.01	2.0	22.0
		36	0	19.90	19.67	19.60	3.0	21.0
	16QAM	36	20	19.72	19.68	19.78	3.0	21.0
		36	39	19.81	19.81	19.73	3.0	21.0
		75	0	19.86	19.69	19.75	3.0	21.0
	256QAM	1	0	17.91	17.51	17.71	5.0	19.0
		1	37	18.13	17.43	17.98	5.0	19.0
		1	74	17.93	17.79	17.28	5.0	19.0
	64QAM	36	0	17.82	17.67	17.59	5.0	19.0
		36	20	17.82	17.74	17.72	5.0	19.0
		36	39	17.89	17.75	17.68	5.0	19.0
		75	0	17.80	17.65	17.73	5.0	19.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				132022	132322	132622		
				1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	QPSK	1	0	22.74	22.62	22.67	0.0	24.0
		1	25	22.79	22.81	22.79	0.0	24.0
		1	49	22.65	22.59	22.71	0.0	24.0
		25	0	21.84	21.67	21.71	1.0	23.0
		25	12	21.91	21.76	21.67	1.0	23.0
		25	25	21.86	21.78	21.67	1.0	23.0
	16QAM	50	0	21.89	21.71	21.76	1.0	23.0
		1	0	21.74	21.81	21.81	1.0	23.0
		1	25	21.84	21.99	22.13	1.0	23.0
		1	49	22.43	21.80	22.00	1.0	23.0
		25	0	20.92	20.70	20.71	2.0	22.0
		25	12	20.94	20.73	20.76	2.0	22.0
	64QAM	25	25	20.96	20.72	20.89	2.0	22.0
		50	0	20.89	20.75	20.69	2.0	22.0
		1	0	21.33	20.63	20.87	2.0	22.0
		1	25	20.98	21.11	20.81	2.0	22.0
		1	49	20.94	21.12	21.07	2.0	22.0
		25	0	19.92	19.76	19.64	3.0	21.0
	256QAM	25	12	19.91	19.78	19.70	3.0	21.0
		25	25	19.96	19.70	19.80	3.0	21.0
		50	0	19.87	19.72	19.72	3.0	21.0
		1	0	17.76	17.65	17.77	5.0	19.0
		1	25	17.63	17.98	17.84	5.0	19.0
		1	49	17.76	17.80	17.73	5.0	19.0
		25	0	17.88	17.76	17.68	5.0	19.0
		25	12	18.00	17.75	17.74	5.0	19.0
		25	25	18.03	17.68	17.88	5.0	19.0
		50	0	17.89	17.70	17.68	5.0	19.0
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131997	132322	132647		
				1712.50 MHz	1745.00 MHz	1777.50 MHz		
5 MHz	QPSK	1	0	22.78	22.58	22.67	0.0	24.0
		1	12	22.76	22.70	22.73	0.0	24.0
		1	24	22.91	22.72	22.66	0.0	24.0
		12	0	21.89	21.73	21.67	1.0	23.0
		12	7	21.97	21.90	21.86	1.0	23.0
		12	13	21.84	21.68	21.78	1.0	23.0
	16QAM	25	0	21.92	21.69	21.75	1.0	23.0
		1	0	21.95	21.52	22.01	1.0	23.0
		1	12	22.16	22.09	22.25	1.0	23.0
		1	24	22.11	21.83	21.96	1.0	23.0
		12	0	20.91	20.75	20.63	2.0	22.0
		12	7	20.86	20.68	20.95	2.0	22.0
	64QAM	12	13	20.90	20.83	20.85	2.0	22.0
		25	0	20.82	20.69	20.75	2.0	22.0
		1	0	20.71	20.65	20.76	2.0	22.0
		1	12	21.27	20.29	21.18	2.0	22.0
		1	24	21.21	21.01	20.50	2.0	22.0
		12	0	19.89	19.75	19.74	3.0	21.0
	256QAM	12	7	19.99	19.86	19.71	3.0	21.0
		12	13	19.94	19.71	19.87	3.0	21.0
		25	0	19.84	19.68	19.79	3.0	21.0
		1	0	17.56	17.73	17.38	5.0	19.0
		1	12	18.06	17.72	17.70	5.0	19.0
		1	24	17.62	17.70	18.03	5.0	19.0
		12	0	17.86	17.70	17.66	5.0	19.0
		12	7	17.87	17.75	17.82	5.0	19.0
		12	13	17.85	17.68	17.82	5.0	19.0
		25	0	17.95	17.60	17.73	5.0	19.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131987	132322	132657		
				1711.50 MHz	1745.00 MHz	1778.50 MHz		
3 MHz	QPSK	1	0	22.75	22.53	22.62	0.0	24.0
		1	8	22.90	22.65	22.88	0.0	24.0
		1	14	22.80	22.58	22.76	0.0	24.0
		8	0	21.90	21.67	21.69	1.0	23.0
		8	4	21.91	21.86	21.83	1.0	23.0
		8	7	21.83	21.79	21.80	1.0	23.0
	16QAM	15	0	21.91	21.77	21.75	1.0	23.0
		1	0	21.76	21.53	21.84	1.0	23.0
		1	8	21.87	22.25	21.80	1.0	23.0
		1	14	21.94	21.97	21.56	1.0	23.0
		8	0	20.95	20.76	20.82	2.0	22.0
		8	4	21.11	20.77	20.82	2.0	22.0
	64QAM	8	7	20.78	20.79	20.80	2.0	22.0
		15	0	21.01	20.68	20.83	2.0	22.0
		1	0	20.65	20.79	20.91	2.0	22.0
		1	8	21.00	21.42	20.74	2.0	22.0
		1	14	21.01	20.64	20.87	2.0	22.0
		8	0	19.84	19.67	19.86	3.0	21.0
	256QAM	8	4	19.89	19.73	19.81	3.0	21.0
		8	7	19.94	19.90	19.86	3.0	21.0
		15	0	19.98	19.82	19.69	3.0	21.0
		1	0	17.95	17.71	17.68	5.0	19.0
		1	8	18.28	17.38	17.57	5.0	19.0
		1	14	18.14	17.68	17.66	5.0	19.0
		8	0	17.81	17.66	17.66	5.0	19.0
		8	4	18.24	17.90	17.71	5.0	19.0
		8	7	17.87	17.75	17.84	5.0	19.0
		15	0	17.97	17.73	17.71	5.0	19.0
BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131979	132322	132665		
				1710.70 MHz	1745.00 MHz	1779.30 MHz		
1.4 MHz	QPSK	1	0	22.62	22.68	22.73	0.0	24.0
		1	3	22.82	22.61	22.76	0.0	24.0
		1	5	22.98	22.38	22.45	0.0	24.0
		3	0	22.76	22.64	22.71	1.0	23.0
		3	1	22.80	22.62	22.71	1.0	23.0
		3	3	22.79	22.52	22.79	1.0	23.0
	16QAM	6	0	21.84	21.68	21.66	1.0	23.0
		1	0	21.83	21.21	21.98	1.0	23.0
		1	3	22.20	21.65	21.56	1.0	23.0
		1	5	22.09	21.79	22.10	1.0	23.0
		3	0	21.98	21.65	21.61	2.0	22.0
		3	1	21.94	21.62	21.52	2.0	22.0
	64QAM	3	3	22.20	21.99	21.81	2.0	22.0
		6	0	20.97	20.73	20.77	2.0	22.0
		1	0	21.27	20.73	20.75	2.0	22.0
		1	3	21.32	21.12	20.98	2.0	22.0
		1	5	20.51	20.54	21.20	2.0	22.0
		3	0	21.06	20.72	20.92	3.0	21.0
	256QAM	3	1	20.89	20.78	20.89	3.0	21.0
		3	3	20.86	20.75	20.95	3.0	21.0
		6	0	19.86	19.77	19.72	3.0	21.0
		1	0	18.25	17.85	17.96	5.0	19.0
		1	3	18.20	17.53	17.88	5.0	19.0
		1	5	17.10	18.14	17.86	5.0	19.0
		3	0	17.90	17.60	17.96	5.0	19.0
		3	1	17.66	17.96	17.78	5.0	19.0
		3	3	17.98	17.99	17.74	5.0	19.0
		6	0	17.90	17.65	17.73	5.0	19.0

LTE Band 66 (ANT F)

BW (MHz)	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
				Measured Pwr (dBm)			MPR	Tune-up Limit
				132072	132322	132572		
				1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	QPSK	1	0	22.67	22.59	22.82	0.0	24.0
		1	49	22.73	22.61	22.75	0.0	24.0
		1	99	22.69	22.73	22.85	0.0	24.0
		50	0	21.81	21.85	21.80	1.0	23.0
		50	24	21.77	21.84	21.79	1.0	23.0
		50	50	21.76	21.78	21.88	1.0	23.0
	16QAM	100	0	21.72	21.86	21.77	1.0	23.0
		1	0	21.81	22.03	21.84	1.0	23.0
		1	49	22.12	21.82	21.61	1.0	23.0
		1	99	21.62	22.40	21.73	1.0	23.0
		50	0	20.80	20.76	20.78	2.0	22.0
		50	24	20.87	20.89	20.80	2.0	22.0
	64QAM	50	50	20.76	20.77	20.75	2.0	22.0
		100	0	20.88	20.83	20.81	2.0	22.0
		1	0	20.92	21.08	20.94	2.0	22.0
		1	49	21.05	20.99	21.32	2.0	22.0
		1	99	20.85	20.84	20.77	2.0	22.0
		50	0	19.86	19.86	19.78	3.0	21.0
	256QAM	50	24	19.77	19.85	19.84	3.0	21.0
		50	50	19.88	19.90	19.76	3.0	21.0
		100	0	19.70	19.78	19.87	3.0	21.0
		1	0	17.94	17.73	18.14	5.0	19.0
		1	49	18.20	17.49	17.65	5.0	19.0
		1	99	17.29	17.78	17.90	5.0	19.0
15 MHz	QPSK	50	0	17.70	17.79	17.89	5.0	19.0
		50	24	17.85	17.84	17.90	5.0	19.0
		50	50	17.88	17.74	17.83	5.0	19.0
		100	0	17.72	17.88	17.78	5.0	19.0
	16QAM	1	0	22.91	22.83	22.67	0.0	24.0
		1	37	22.75	22.80	22.60	0.0	24.0
		1	74	22.76	22.88	22.79	0.0	24.0
		36	0	21.83	21.76	21.78	1.0	23.0
		36	20	21.88	21.87	21.77	1.0	23.0
		36	39	21.81	21.84	21.75	1.0	23.0
	64QAM	75	0	21.80	21.82	21.82	1.0	23.0
		1	0	21.83	21.84	22.04	1.0	23.0
		1	37	21.78	21.64	21.66	1.0	23.0
		1	74	21.47	22.15	21.75	1.0	23.0
		36	0	20.78	20.77	20.79	2.0	22.0
		36	20	20.78	20.84	20.77	2.0	22.0
	256QAM	36	39	20.83	20.90	20.76	2.0	22.0
		75	0	20.89	20.78	20.79	2.0	22.0
		1	0	21.04	21.16	21.02	2.0	22.0
		1	37	20.88	21.14	20.87	2.0	22.0
		1	74	21.41	21.06	20.87	2.0	22.0
		36	0	19.83	19.72	19.84	3.0	21.0
	16QAM	36	20	19.83	19.80	19.69	3.0	21.0
		36	39	19.84	19.86	19.75	3.0	21.0
		75	0	19.91	19.82	19.80	3.0	21.0
	256QAM	1	0	18.10	17.93	17.85	5.0	19.0
		1	37	17.85	17.84	18.08	5.0	19.0
		1	74	17.77	18.26	17.45	5.0	19.0
	64QAM	36	0	17.93	17.98	17.79	5.0	19.0
		36	20	17.84	17.81	17.81	5.0	19.0
		36	39	17.71	17.92	17.78	5.0	19.0
		75	0	17.86	17.83	17.88	5.0	19.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				132022	132322	132622		
				1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	QPSK	1	0	22.73	22.71	22.96	0.0	24.0
		1	25	22.90	22.95	22.71	0.0	24.0
		1	49	22.85	22.68	22.71	0.0	24.0
		25	0	21.87	21.89	21.82	1.0	23.0
		25	12	21.87	21.89	21.88	1.0	23.0
		25	25	21.80	21.90	21.86	1.0	23.0
	16QAM	50	0	21.84	21.93	21.88	1.0	23.0
		1	0	22.00	21.61	22.09	1.0	23.0
		1	25	22.00	21.72	22.30	1.0	23.0
		1	49	21.79	21.78	22.11	1.0	23.0
		25	0	20.96	20.75	20.85	2.0	22.0
		25	12	20.74	20.91	20.83	2.0	22.0
	64QAM	25	25	20.94	21.02	20.96	2.0	22.0
		50	0	20.79	20.88	20.88	2.0	22.0
		1	0	21.19	20.77	21.17	2.0	22.0
		1	25	21.15	21.24	20.69	2.0	22.0
		1	49	21.03	20.84	21.04	2.0	22.0
		25	0	19.90	19.75	19.81	3.0	21.0
	256QAM	25	12	19.90	19.90	19.76	3.0	21.0
		25	25	19.84	19.87	19.95	3.0	21.0
		50	0	19.69	19.91	19.83	3.0	21.0
		1	0	17.94	17.80	17.87	5.0	19.0
		1	25	18.04	18.19	17.64	5.0	19.0
		1	49	17.82	18.18	17.75	5.0	19.0
		25	0	17.86	17.91	17.86	5.0	19.0
		25	12	17.92	17.84	17.78	5.0	19.0
5 MHz	QPSK	25	25	17.93	17.90	17.84	5.0	19.0
		50	0	17.85	17.86	17.83	5.0	19.0
	16QAM	1	0	22.82	22.65	22.72	0.0	24.0
		1	12	22.81	23.01	22.69	0.0	24.0
		1	24	22.84	22.71	22.77	0.0	24.0
		12	0	21.88	21.91	21.87	1.0	23.0
	64QAM	12	7	21.90	21.92	21.86	1.0	23.0
		12	13	21.84	21.89	21.86	1.0	23.0
		25	0	21.86	21.90	21.83	1.0	23.0
		1	0	21.99	22.12	21.94	1.0	23.0
		1	12	22.12	22.00	22.11	1.0	23.0
	256QAM	1	24	22.07	22.30	22.11	1.0	23.0
		12	0	20.91	20.74	20.82	2.0	22.0
		12	7	20.94	20.89	20.90	2.0	22.0
		12	13	21.02	20.74	20.74	2.0	22.0
		25	0	20.82	20.91	20.84	2.0	22.0
		1	0	21.13	21.07	20.63	2.0	22.0
5 MHz	QPSK	1	12	21.33	21.09	21.17	2.0	22.0
		1	24	20.80	20.93	20.75	2.0	22.0
		12	0	19.82	19.91	19.82	3.0	21.0
		12	7	19.91	19.95	19.90	3.0	21.0
		12	13	19.87	19.93	19.94	3.0	21.0
		25	0	19.87	19.85	19.87	3.0	21.0
	16QAM	1	0	18.30	18.18	17.86	5.0	19.0
		1	12	18.00	18.24	18.28	5.0	19.0
		1	24	17.67	17.81	17.71	5.0	19.0
		12	0	18.00	17.90	17.83	5.0	19.0
		12	7	18.01	17.95	17.98	5.0	19.0
		12	13	17.87	17.95	17.89	5.0	19.0
	64QAM	25	0	17.85	17.88	17.79	5.0	19.0
		1	0	22.82	22.65	22.72	0.0	24.0
		1	12	22.81	23.01	22.69	0.0	24.0
		1	24	22.84	22.71	22.77	0.0	24.0
		12	0	21.88	21.91	21.87	1.0	23.0
		12	7	21.90	21.92	21.86	1.0	23.0
	256QAM	12	13	21.84	21.89	21.86	1.0	23.0
		25	0	21.86	21.90	21.83	1.0	23.0
		1	0	21.99	22.12	21.94	1.0	23.0
		1	12	22.12	22.00	22.11	1.0	23.0
		1	24	22.07	22.30	22.11	1.0	23.0
		12	0	20.91	20.74	20.82	2.0	22.0
	64QAM	12	7	20.94	20.89	20.90	2.0	22.0
		12	13	21.02	20.74	20.74	2.0	22.0
		25	0	20.82	20.91	20.84	2.0	22.0
		1	0	21.13	21.07	20.63	2.0	22.0
		1	12	21.33	21.09	21.17	2.0	22.0
		1	24	20.80	20.93	20.75	2.0	22.0
	256QAM	12	0	19.82	19.91	19.82	3.0	21.0
		12	7	19.91	19.95	19.90	3.0	21.0
		12	13	19.87	19.93	19.94	3.0	21.0
		25	0	19.87	19.85	19.87	3.0	21.0
		1	0	18.30	18.18	17.86	5.0	19.0
		1	12	18.00	18.24	18.28	5.0	19.0
	64QAM	1	24	17.67	17.81	17.71	5.0	19.0
		12	0	18.00	17.90	17.83	5.0	19.0
		12	7	18.01	17.95	17.98	5.0	19.0
		12	13	17.87	17.95	17.89	5.0	19.0
		25	0	17.85	17.88	17.79	5.0	19.0
		1	0	22.82	22.65	22.72	0.0	24.0

BW (MHz)	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
				131987	132322	132657		
				1711.50 MHz	1745.00 MHz	1778.50 MHz		
3 MHz	QPSK	1	0	22.68	22.59	22.73	0.0	24.0
		1	8	22.85	22.76	22.80	0.0	24.0
		1	14	22.83	22.90	22.61	0.0	24.0
		8	0	21.96	21.84	21.77	1.0	23.0
		8	4	22.05	21.89	21.78	1.0	23.0
		8	7	21.82	21.88	21.76	1.0	23.0
	16QAM	15	0	21.92	21.84	21.79	1.0	23.0
		1	0	21.39	21.61	21.96	1.0	23.0
		1	8	22.12	22.09	21.98	1.0	23.0
		1	14	21.92	21.88	21.84	1.0	23.0
		8	0	20.92	20.78	20.80	2.0	22.0
		8	4	21.01	20.96	20.84	2.0	22.0
	64QAM	8	7	20.91	20.97	20.86	2.0	22.0
		15	0	20.88	20.84	20.86	2.0	22.0
		1	0	20.96	21.23	20.89	2.0	22.0
		1	8	20.71	21.00	21.11	2.0	22.0
		1	14	20.88	21.20	20.70	2.0	22.0
		8	0	19.77	19.93	19.93	3.0	21.0
	256QAM	8	4	20.03	19.83	19.85	3.0	21.0
		8	7	19.94	19.99	19.84	3.0	21.0
		15	0	19.94	19.89	19.78	3.0	21.0
		1	0	17.95	17.76	17.59	5.0	19.0
		1	8	17.90	17.61	18.14	5.0	19.0
		1	14	17.91	18.03	17.62	5.0	19.0
1.4 MHz	QPSK	8	0	17.78	17.85	17.90	5.0	19.0
		8	4	18.12	18.02	17.97	5.0	19.0
		8	7	17.88	17.75	17.73	5.0	19.0
		15	0	17.94	17.93	17.89	5.0	19.0
		1	0	22.85	22.72	22.72	0.0	24.0
		1	3	22.59	22.88	22.75	0.0	24.0
	16QAM	1	5	22.77	22.73	22.48	0.0	24.0
		3	0	22.72	22.78	22.67	1.0	23.0
		3	1	22.72	22.67	22.75	1.0	23.0
		3	3	22.76	22.83	22.83	1.0	23.0
		6	0	21.84	21.82	21.73	1.0	23.0
		1	0	21.99	21.72	21.86	1.0	23.0
	64QAM	1	3	21.39	21.64	21.93	1.0	23.0
		1	5	21.63	21.85	21.64	1.0	23.0
		3	0	22.06	21.79	21.88	2.0	22.0
		3	1	22.31	21.85	21.75	2.0	22.0
		3	3	21.79	21.96	21.82	2.0	22.0
		6	0	20.86	20.88	20.90	2.0	22.0
	256QAM	1	0	21.45	21.36	20.84	2.0	22.0
		1	3	20.97	21.12	20.99	2.0	22.0
		1	5	20.73	21.17	21.13	2.0	22.0
		3	0	20.66	20.78	20.87	3.0	21.0
		3	1	20.96	21.02	20.83	3.0	21.0
		3	3	21.24	20.73	20.59	3.0	21.0
	64QAM	6	0	19.79	19.94	19.80	3.0	21.0
		1	0	17.84	18.24	17.72	5.0	19.0
		1	3	18.08	17.63	17.83	5.0	19.0
		1	5	18.18	18.08	18.04	5.0	19.0
		3	0	18.04	18.03	17.83	5.0	19.0
		3	1	18.22	17.88	17.79	5.0	19.0
	256QAM	3	3	18.20	17.89	17.76	5.0	19.0
		6	0	17.77	17.90	17.72	5.0	19.0
		1	0	22.85	22.72	22.72	0.0	24.0
		1	3	22.59	22.88	22.75	0.0	24.0

NR Band n41 (PC3, ANT Switching) (ANT B)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average PPOWER (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					509202	518598	528000		
					2546.01 MHz	2592.99 MHz	2640.00 MHz		
100 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.20	23.08	23.27	0.5	24.5
			1	1	23.70	23.61	23.73	0.0	25.0
			1	136	23.45	23.55	23.64	0.0	25.0
			1	271	23.63	23.72	23.95	0.0	25.0
			1	272	23.11	23.25	23.43	0.5	24.5
			135	0	23.20	23.06	23.08	0.5	24.5
			135	69	23.67	23.59	23.65	0.0	25.0
			135	138	23.13	23.11	23.22	0.5	24.5
			270	0	23.17	23.13	23.12	0.5	24.5
		QPSK	1	0	22.83	22.67	22.65	1.0	24.0
			1	1	23.78	23.66	23.59	0.0	25.0
			1	136	23.54	23.52	23.47	0.0	25.0
			1	271	23.77	23.72	23.85	0.0	25.0
			1	272	22.82	22.74	22.86	1.0	24.0
			135	0	22.75	22.61	22.60	1.0	24.0
			135	69	23.59	23.62	23.60	0.0	25.0
			135	138	22.62	22.64	22.58	1.0	24.0
			270	0	22.64	22.65	22.66	1.0	24.0
		16QAM	1	0	21.72	21.77	21.66	2.0	23.0
			1	1	22.82	22.79	22.71	1.0	24.0
			1	136	22.44	22.66	22.59	1.0	24.0
			1	271	22.69	22.78	22.81	1.0	24.0
			1	272	21.62	21.81	21.88	2.0	23.0
			135	0	21.77	21.57	21.60	2.0	23.0
			135	69	22.64	22.55	22.68	1.0	24.0
			135	138	21.55	21.64	21.67	2.0	23.0
			270	0	21.67	21.60	21.66	2.0	23.0
		64QAM	1	1	21.24	21.23	21.10	2.5	22.5
		256QAM	1	1	19.45	18.98	19.25	4.5	20.5
	CP-OFDM	QPSK	1	0	20.78	20.69	20.57	3.0	22.0
			1	1	22.48	22.47	22.36	1.5	23.5
			1	137	22.21	22.20	22.13	1.5	23.5
			1	271	22.42	22.37	22.58	1.5	23.5
			1	272	20.82	20.74	20.80	3.0	22.0
			135	0	20.67	20.52	20.57	3.0	22.0
			135	69	22.10	22.03	22.08	1.5	23.5
			135	138	20.49	20.57	20.61	3.0	22.0
			270	0	20.59	20.59	20.57	3.0	22.0
		16QAM	1	0	20.80	20.45	20.70	3.0	22.0
			1	1	22.02	21.51	21.82	2.0	23.0
			1	137	21.62	21.43	21.63	2.0	23.0
			1	271	21.90	21.66	22.01	2.0	23.0
			1	272	20.81	20.77	20.84	3.0	22.0
			135	0	20.75	20.48	20.48	3.0	22.0
			135	69	21.60	21.61	21.64	2.0	23.0
			135	138	20.46	20.58	20.62	3.0	22.0
			270	0	20.62	20.51	20.54	3.0	22.0
		64QAM	1	1	20.23	20.00	20.19	3.5	21.5
		256QAM	1	1	17.25	17.21	17.30	6.5	18.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					508200	518598	528996		
					2541.00 MHz	2592.99 MHz	2644.98 MHz		
90 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.02	23.05	23.18	0.5	24.5
			1	1	23.70	23.72	23.80	0.0	25.0
			1	123	23.58	23.65	23.69	0.0	25.0
			1	243	23.77	23.79	23.97	0.0	25.0
			1	244	23.16	23.16	23.35	0.5	24.5
			120	0	23.04	23.07	23.08	0.5	24.5
			120	62	23.66	23.63	23.72	0.0	25.0
			120	125	23.15	23.08	23.19	0.5	24.5
			243	0	23.14	23.06	23.22	0.5	24.5
		QPSK	1	0	22.60	22.58	22.58	1.0	24.0
			1	1	23.73	23.66	23.72	0.0	25.0
			1	123	23.60	23.58	23.56	0.0	25.0
			1	243	23.85	23.72	23.87	0.0	25.0
			1	244	22.77	22.70	22.81	1.0	24.0
			120	0	22.65	22.55	22.63	1.0	24.0
			120	62	23.67	23.67	23.78	0.0	25.0
			120	125	22.69	22.59	22.73	1.0	24.0
			243	0	22.75	22.73	22.71	1.0	24.0
		16QAM	1	1	22.57	22.69	22.39	1.0	24.0
			1	123	22.41	22.70	22.24	1.0	24.0
			1	243	22.77	22.81	22.75	1.0	24.0
		64QAM	1	1	20.97	21.17	21.13	2.5	22.5
		256QAM	1	1	19.09	19.05	19.37	4.5	20.5
	CP-OFDM	QPSK	1	1	22.48	22.28	22.29	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					507204	518598	529998		
					2536.02 MHz	2592.99 MHz	2649.99 MHz		
80 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.21	22.99	23.14	0.5	24.5
			1	1	23.82	23.59	23.76	0.0	25.0
			1	108	23.48	23.58	23.63	0.0	25.0
			1	215	23.54	23.69	23.92	0.0	25.0
			1	216	22.97	23.12	23.34	0.5	24.5
			108	0	23.31	23.04	23.17	0.5	24.5
			108	54	23.77	23.57	23.66	0.0	25.0
			108	108	22.99	23.05	23.20	0.5	24.5
			216	0	23.29	23.26	23.33	0.5	24.5
		QPSK	1	0	22.80	22.57	22.60	1.0	24.0
			1	1	23.87	23.58	23.67	0.0	25.0
			1	108	23.64	23.53	23.49	0.0	25.0
			1	215	23.72	23.64	23.81	0.0	25.0
			1	216	22.62	22.64	22.72	1.0	24.0
			108	0	22.88	22.57	22.65	1.0	24.0
			108	54	23.79	23.63	23.64	0.0	25.0
			108	109	22.59	22.57	22.67	1.0	24.0
			216	0	22.81	22.64	22.80	1.0	24.0
		16QAM	1	1	22.78	22.67	22.37	1.0	24.0
			1	108	22.60	22.61	22.53	1.0	24.0
			1	215	22.58	22.75	22.69	1.0	24.0
		64QAM	1	1	21.13	21.04	21.02	2.5	22.5
		256QAM	1	1	19.26	19.05	19.34	4.5	20.5
	CP-OFDM	QPSK	1	1	22.51	22.26	22.29	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					506202	518598	531000		
					2531.02 MHz	2592.99 MHz	2655.00 MHz		
70 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.20	22.97	23.15	0.5	24.5
			1	1	23.62	23.48	23.65	0.0	25.0
			1	94	23.51	23.57	23.61	0.0	25.0
			1	187	23.46	23.58	23.81	0.0	25.0
			1	188	22.90	23.05	23.30	0.5	24.5
			90	0	23.34	23.09	23.04	0.5	24.5
			90	49	23.70	23.65	23.56	0.0	25.0
			90	99	23.13	23.10	23.10	0.5	24.5
			180	0	23.25	23.02	23.06	0.5	24.5
		QPSK	1	0	22.73	22.47	22.58	1.0	24.0
			1	1	23.71	23.51	23.57	0.0	25.0
			1	94	23.60	23.57	23.58	0.0	25.0
			1	187	23.54	23.55	23.73	0.0	25.0
			1	188	22.55	22.59	22.70	1.0	24.0
			90	0	22.85	22.60	22.61	1.0	24.0
			90	49	23.64	23.64	23.66	0.0	25.0
			90	99	22.57	22.59	22.64	1.0	24.0
			180	0	22.68	22.58	22.62	1.0	24.0
		16QAM	1	1	22.74	22.66	22.36	1.0	24.0
			1	94	22.63	22.63	22.36	1.0	24.0
			1	187	22.57	22.75	22.69	1.0	24.0
		64QAM	1	1	21.10	21.05	21.00	2.5	22.5
		256QAM	1	1	19.21	19.14	18.91	4.5	20.5
	CP-OFDM	QPSK	1	1	22.33	22.19	22.32	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					505200	518598	513996		
					2526.00 MHz	2592.99 MHz	2659.98 MHz		
60 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.98	22.87	23.00	0.5	24.5
			1	1	23.54	23.51	23.51	0.0	25.0
			1	80	23.46	23.37	23.52	0.0	25.0
			1	160	23.39	23.59	23.81	0.0	25.0
			1	161	22.84	23.01	23.22	0.5	24.5
			81	0	23.09	22.90	22.98	0.5	24.5
			81	40	23.70	23.51	23.61	0.0	25.0
			81	81	22.92	22.95	23.01	0.5	24.5
			162	0	23.16	23.08	23.07	0.5	24.5
		QPSK	1	0	22.62	22.36	22.45	1.0	24.0
			1	1	23.72	23.43	23.46	0.0	25.0
			1	80	23.62	23.48	23.41	0.0	25.0
			1	160	23.53	23.53	23.72	0.0	25.0
			1	161	22.49	22.47	22.64	1.0	24.0
			81	0	22.67	22.50	22.48	1.0	24.0
			81	40	23.70	23.54	23.59	0.0	25.0
			81	81	22.53	22.50	22.62	1.0	24.0
			162	0	22.68	22.56	22.63	1.0	24.0
		16QAM	1	1	22.62	22.57	22.41	1.0	24.0
			1	80	22.66	22.56	22.51	1.0	24.0
			1	160	22.39	22.63	22.58	1.0	24.0
		64QAM	1	1	20.97	20.92	20.95	2.5	22.5
		256QAM	1	1	19.04	18.90	19.03	4.5	20.5
	CP-OFDM	QPSK	1	1	22.31	22.06	22.13	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504204	518598	532998		
					2521.01 MHz	2592.99 MHz	2665.00 MHz		
50 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.20	23.13	23.18	0.5	24.5
			1	1	23.77	23.70	23.75	0.0	25.0
			1	66	23.75	23.72	23.79	0.0	25.0
			1	131	23.76	23.79	24.05	0.0	25.0
			1	132	23.15	23.25	23.47	0.5	24.5
			64	0	23.38	23.25	23.20	0.5	24.5
			64	34	23.98	23.76	23.94	0.0	25.0
			64	69	23.29	23.22	23.42	0.5	24.5
		QPSK	128	0	23.37	23.17	23.27	0.5	24.5
			1	0	22.83	22.62	22.60	1.0	24.0
			1	1	23.95	23.70	23.71	0.0	25.0
			1	66	23.78	23.68	23.69	0.0	25.0
			1	131	23.81	23.85	24.06	0.0	25.0
			1	132	22.81	22.73	22.89	1.0	24.0
			64	0	22.94	22.78	22.76	1.0	24.0
			64	34	23.94	23.72	24.00	0.0	25.0
			64	69	22.85	22.78	22.89	1.0	24.0
			128	0	22.82	22.70	22.84	1.0	24.0
		16QAM	1	1	22.79	22.78	22.39	1.0	24.0
			1	66	22.85	22.90	22.49	1.0	24.0
			1	131	22.77	22.89	22.66	1.0	24.0
		64QAM	1	1	20.90	21.04	21.09	2.5	22.5
		256QAM	1	1	19.42	19.12	19.29	4.5	20.5
	CP-OFDM	QPSK	1	1	22.56	22.29	22.12	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503202	518598	534000		
					2516.01 MHz	2592.99 MHz	2670.00 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.01	22.93	22.99	0.5	24.5
			1	1	23.64	23.50	23.59	0.0	25.0
			1	52	23.59	23.62	23.79	0.0	25.0
			1	104	23.59	23.57	23.89	0.0	25.0
			1	105	22.99	22.95	23.25	0.5	24.5
			50	0	23.19	23.08	23.11	0.5	24.5
			50	28	23.77	23.71	23.84	0.0	25.0
			50	56	23.15	23.05	23.27	0.5	24.5
		QPSK	100	0	23.27	23.23	23.32	0.5	24.5
			1	0	22.55	22.41	22.40	1.0	24.0
			1	1	23.70	23.46	23.49	0.0	25.0
			1	52	23.73	23.60	23.68	0.0	25.0
			1	104	23.73	23.54	23.78	0.0	25.0
			1	105	22.59	22.46	22.67	1.0	24.0
			50	0	22.80	22.57	22.60	1.0	24.0
			50	28	23.83	23.69	23.83	0.0	25.0
			50	56	22.69	22.67	22.76	1.0	24.0
			100	0	22.82	22.75	22.84	1.0	24.0
		16QAM	1	1	22.55	22.55	22.37	1.0	24.0
			1	52	22.67	22.75	22.67	1.0	24.0
			1	104	22.57	22.66	22.70	1.0	24.0
		64QAM	1	1	20.99	21.05	20.85	2.5	22.5
		256QAM	1	1	19.09	18.96	19.07	4.5	20.5
	CP-OFDM	QPSK	1	1	22.24	22.11	22.00	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502200	518598	534996		
					2511.00 MHz	2592.99 MHz	2675.00 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.23	23.06	23.15	0.5	24.5
			1	1	23.75	23.70	23.76	0.0	25.0
			1	39	23.84	23.75	23.92	0.0	25.0
			1	76	23.70	23.74	23.99	0.0	25.0
			1	77	23.09	23.09	23.33	0.5	24.5
			36	0	23.27	23.14	23.21	0.5	24.5
			36	21	23.91	23.63	23.79	0.0	25.0
			36	42	23.29	23.12	23.24	0.5	24.5
		QPSK	75	0	23.30	23.15	23.22	0.5	24.5
			1	0	22.75	22.56	22.58	1.0	24.0
			1	1	23.84	23.65	23.66	0.0	25.0
			1	39	23.94	23.70	23.79	0.0	25.0
			1	76	23.71	23.67	23.88	0.0	25.0
			1	77	22.70	22.61	22.77	1.0	24.0
			36	0	22.81	22.64	22.69	1.0	24.0
			36	21	23.86	23.76	23.79	0.0	25.0
			36	42	22.83	22.62	22.79	1.0	24.0
		16QAM	75	0	22.79	22.64	22.76	1.0	24.0
			1	1	22.77	22.62	22.63	1.0	24.0
			1	39	22.81	22.69	22.69	1.0	24.0
		64QAM	1	1	21.20	21.15	21.09	2.5	22.5
		256QAM	1	1	19.29	19.25	19.04	4.5	20.5
	CP-OFDM	QPSK	1	1	22.36	22.30	22.22	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501204	518598	535998		
					2506.02 MHz	2592.99 MHz	2679.99 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.94	22.90	23.09	0.5	24.5
			1	1	23.57	23.54	23.70	0.0	25.0
			1	26	23.73	23.65	23.85	0.0	25.0
			1	49	23.57	23.66	23.83	0.0	25.0
			1	50	23.02	22.93	23.19	0.5	24.5
			25	0	23.17	23.03	23.10	0.5	24.5
			25	13	23.76	23.69	23.74	0.0	25.0
			25	26	23.24	23.12	23.19	0.5	24.5
			50	0	23.30	23.12	23.27	0.5	24.5
		QPSK	1	0	22.61	22.45	22.53	1.0	24.0
			1	1	23.72	23.53	23.64	0.0	25.0
			1	26	23.74	23.63	23.72	0.0	25.0
			1	49	23.75	23.51	23.75	0.0	25.0
			1	50	22.64	22.52	22.61	1.0	24.0
			25	0	22.73	22.54	22.64	1.0	24.0
			25	13	23.80	23.62	23.76	0.0	25.0
			25	26	22.79	22.61	22.72	1.0	24.0
			50	0	22.86	22.67	22.74	1.0	24.0
		16QAM	1	1	22.60	22.50	22.33	1.0	24.0
			1	26	22.74	22.62	22.45	1.0	24.0
			1	49	22.70	22.50	22.44	1.0	24.0
		64QAM	1	1	20.71	20.84	21.06	2.5	22.5
		256QAM	1	1	19.19	19.07	18.83	4.5	20.5
	CP-OFDM	QPSK	1	1	22.19	22.11	22.25	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500700	518598	536496		
					2503.50 MHz	2592.99 MHz	2682.48 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.14	22.98	23.18	0.5	24.5
			1	1	23.65	23.62	23.78	0.0	25.0
			1	19	23.63	23.66	23.84	0.0	25.0
			1	36	23.77	23.75	23.91	0.0	25.0
			1	37	23.19	23.10	23.31	0.5	24.5
			18	0	23.11	23.03	23.19	0.5	24.5
			18	10	23.77	23.74	23.78	0.0	25.0
			18	20	23.25	23.11	23.23	0.5	24.5
			36	0	23.23	23.08	23.18	0.5	24.5
		QPSK	1	0	22.67	22.48	22.61	1.0	24.0
			1	1	23.77	23.59	23.67	0.0	25.0
			1	19	23.83	23.64	23.73	0.0	25.0
			1	36	23.91	23.68	23.78	0.0	25.0
			1	37	22.81	22.61	22.72	1.0	24.0
			18	0	22.74	22.59	22.68	1.0	24.0
			18	10	23.92	23.76	23.78	0.0	25.0
			18	20	22.76	22.65	22.72	1.0	24.0
			36	0	22.78	22.59	22.70	1.0	24.0
		16QAM	1	1	22.68	22.70	22.59	1.0	24.0
			1	19	22.76	22.70	22.60	1.0	24.0
			1	36	22.84	22.69	22.67	1.0	24.0
		64QAM	1	1	21.03	21.14	21.05	2.5	22.5
		256QAM	1	1	19.17	19.17	18.92	4.5	20.5
	CP-OFDM	QPSK	1	1	22.32	22.17	22.23	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500202	518598	537000		
					2501.01 MHz	2592.99 MHz	2685.00 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.16	22.91	23.20	0.5	24.5
			1	1	23.79	23.58	23.83	0.0	25.0
			1	12	23.82	23.54	23.81	0.0	25.0
			1	22	23.84	23.65	23.87	0.0	25.0
			1	23	23.11	23.01	23.23	0.5	24.5
			12	0	23.28	23.00	23.15	0.5	24.5
			12	6	23.79	23.58	23.78	0.0	25.0
			12	12	23.22	23.04	23.19	0.5	24.5
			24	0	23.32	23.01	23.15	0.5	24.5
		QPSK	1	0	22.66	22.44	22.57	1.0	24.0
			1	1	23.78	23.62	23.70	0.0	25.0
			1	12	23.79	23.59	23.70	0.0	25.0
			1	22	23.88	23.63	23.81	0.0	25.0
			1	23	22.73	22.48	22.64	1.0	24.0
			12	0	22.72	22.51	22.64	1.0	24.0
			12	6	23.79	23.61	23.79	0.0	25.0
			12	12	22.76	22.51	22.73	1.0	24.0
			24	0	22.71	22.46	22.69	1.0	24.0
		16QAM	1	1	22.70	22.56	22.39	1.0	24.0
			1	12	22.69	22.61	22.55	1.0	24.0
			1	22	22.75	22.65	22.68	1.0	24.0
		64QAM	1	1	21.11	21.02	21.10	2.5	22.5
		256QAM	1	1	19.21	18.94	19.25	4.5	20.5
	CP-OFDM	QPSK	1	1	22.50	22.14	22.19	1.5	23.5

NR Band n41 SRS (PC3, ANT Switching) (ANT F, E, K)

Maximum Average Power (dBm) SRS2			Tune-up Limit	Maximum Average Power (dBm) SRS3			Tune-up Limit	Maximum Average Power (dBm) SRS4			Tune-up Limit
			23.0				21.5				22.5
BW (MHz)	RB Allocation	RB offset	MPR	BW (MHz)	RB Allocation	RB offset	MPR	BW (MHz)	RB Allocation	RB offset	MPR
	1	1	0.0		1	1	0.0		1	1	0.0
	Measured Pw r (dBm)				Measured Pw r (dBm)				Measured Pw r (dBm)		
100 MHz	509202	518598	528000	100 MHz	509202	518598	528000	100 MHz	509202	518598	528000
	2546.01 MHz	2592.99 MHz	2640 MHz		2546.01 MHz	2592.99 MHz	2640 MHz		2546.01 MHz	2592.99 MHz	2640 MHz
	22.83	22.15	21.33		21.10	20.70	20.05		21.92	22.11	21.78
90 MHz	508200	518598	528996	90 MHz	508200	518598	528996	90 MHz	508200	518598	528996
	2541 MHz	2592.99 MHz	2644.98 MHz		2541 MHz	2592.99 MHz	2644.98 MHz		2541 MHz	2592.99 MHz	2644.98 MHz
	22.66	22.08	21.39		21.08	20.65	19.86		21.96	22.15	21.85
80 MHz	507204	518598	529998	80 MHz	507204	518598	529998	80 MHz	507204	518598	529998
	2536.02 MHz	2592.99 MHz	2649.99 MHz		2536.02 MHz	2592.99 MHz	2649.99 MHz		2536.02 MHz	2592.99 MHz	2649.99 MHz
	22.52	22.05	21.42		20.75	20.63	19.70		22.06	22.27	21.88
70 MHz	506202	518598	531000	70 MHz	506202	518598	531000	70 MHz	506202	518598	531000
	2531.01 MHz	2592.99 MHz	2655.00 MHz		2531.01 MHz	2592.99 MHz	2655.00 MHz		2531.01 MHz	2592.99 MHz	2655.00 MHz
	22.33	22.15	21.46		20.36	20.70	19.63		22.10	22.23	21.82
60 MHz	505200	518598	531996	60 MHz	505200	518598	531996	60 MHz	505200	518598	531996
	2526 MHz	2592.99 MHz	2659.98 MHz		2526 MHz	2592.99 MHz	2659.98 MHz		2526 MHz	2592.99 MHz	2659.98 MHz
	22.18	22.08	21.45		19.85	20.73	19.59		22.14	22.22	21.77
50 MHz	504204	518598	532998	50 MHz	504204	518598	532998	50 MHz	504204	518598	532998
	2521.02 MHz	2592.99 MHz	2664.99 MHz		2521.02 MHz	2592.99 MHz	2664.99 MHz		2521.02 MHz	2592.99 MHz	2664.99 MHz
	21.98	22.23	21.49		20.33	21.23	20.13		22.26	22.31	21.84
40 MHz	503202	518598	534000	40 MHz	503202	518598	534000	40 MHz	503202	518598	534000
	2516.01 MHz	2592.99 MHz	2670 MHz		2516.01 MHz	2592.99 MHz	2670 MHz		2516.01 MHz	2592.99 MHz	2670 MHz
	21.75	22.36	21.58		20.13	21.15	19.95		22.31	22.38	21.88
30 MHz	502200	518598	534996	30 MHz	502200	518598	534996	30 MHz	502200	518598	534996
	2511 MHz	2592.99 MHz	2675.0 MHz		2511 MHz	2592.99 MHz	2675.0 MHz		2511 MHz	2592.99 MHz	2675.0 MHz
	21.63	22.41	21.55		19.74	21.22	19.66		22.28	22.26	21.74
20 MHz	501204	518598	535998	20 MHz	501204	518598	535998	20 MHz	501204	518598	535998
	2506.02 MHz	2592.99 MHz	2679.99 MHz		2506.02 MHz	2592.99 MHz	2679.99 MHz		2506.02 MHz	2592.99 MHz	2679.99 MHz
	21.58	22.59	21.13		19.45	21.18	19.26		22.27	22.18	21.66
15 MHz	500700	518598	536496	15 MHz	500700	518598	536496	15 MHz	500700	518598	536496
	2503.5 MHz	2592.99 MHz	2682.48MHz		2503.5 MHz	2592.99 MHz	2682.48MHz		2503.5 MHz	2592.99 MHz	2682.48MHz
	21.34	22.63	20.85		19.33	21.15	19.15		22.24	22.20	21.72
10 MHz	500202	518598	537000	10 MHz	500202	518598	537000	10 MHz	500202	518598	537000
	2501.01 MHz	2592.99 MHz	2685 MHz		2501.01 MHz	2592.99 MHz	2685 MHz		2501.01 MHz	2592.99 MHz	2685 MHz
	21.15	22.85	20.63		19.15	21.25	19.03		22.22	22.19	21.78

NR Band n41 (PC2) (ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average PPOWER (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					509202	518598	528000		
					2546.01 MHz	2592.99 MHz	2640.00 MHz		
100 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.75	23.56	23.48	0.5	24.5
			1	1	24.26	24.01	23.96	0.0	25.0
			1	136	23.77	23.74	23.79	0.0	25.0
			1	271	23.81	23.90	23.97	0.0	25.0
			1	272	23.35	23.38	23.49	0.5	24.5
			135	0	23.57	23.37	23.29	0.5	24.5
			135	69	23.92	23.82	23.78	0.0	25.0
			135	138	23.40	23.29	23.18	0.5	24.5
			270	0	23.43	23.33	23.30	0.5	24.5
		QPSK	1	0	23.27	23.06	22.89	1.0	24.0
			1	1	24.24	24.09	23.85	0.0	25.0
			1	136	23.91	23.78	23.69	0.0	25.0
			1	271	23.93	23.85	23.86	0.0	25.0
			1	272	22.94	22.85	22.87	1.0	24.0
			135	0	23.12	22.84	22.82	1.0	24.0
			135	69	23.95	23.79	23.79	0.0	25.0
			135	138	22.86	22.75	22.65	1.0	24.0
			270	0	22.93	22.81	22.81	1.0	24.0
		16QAM	1	0	22.17	22.06	21.89	2.0	23.0
			1	1	23.27	23.11	22.84	1.0	24.0
			1	136	22.95	22.77	22.69	1.0	24.0
			1	271	22.99	22.95	22.84	1.0	24.0
			1	272	21.84	22.04	21.92	2.0	23.0
			135	0	22.10	21.91	21.81	2.0	23.0
			135	69	22.91	22.83	22.76	1.0	24.0
			135	138	21.85	21.83	21.68	2.0	23.0
			270	0	21.91	21.87	21.84	2.0	23.0
		64QAM	1	1	21.68	21.59	21.32	2.5	22.5
		256QAM	1	1	19.72	19.58	19.61	4.5	20.5
	CP-OFDM	QPSK	1	0	21.10	21.07	20.90	3.0	22.0
			1	1	22.95	22.76	22.50	1.5	23.5
			1	137	22.56	22.36	22.38	1.5	23.5
			1	271	22.57	22.63	22.55	1.5	23.5
			1	272	20.94	20.94	20.90	3.0	22.0
			135	0	21.06	20.80	20.84	3.0	22.0
			135	69	22.41	22.35	22.28	1.5	23.5
			135	138	20.91	20.71	20.78	3.0	22.0
			270	0	20.93	20.76	20.79	3.0	22.0
		16QAM	1	0	21.17	21.24	21.02	3.0	22.0
			1	1	22.45	22.26	22.07	2.0	23.0
			1	137	22.04	21.97	21.91	2.0	23.0
			1	271	22.12	22.11	22.07	2.0	23.0
			1	272	21.04	21.03	20.96	3.0	22.0
			135	0	21.07	20.80	20.80	3.0	22.0
			135	69	22.03	21.88	21.81	2.0	23.0
			135	138	20.78	20.74	20.69	3.0	22.0
			270	0	20.90	20.78	20.82	3.0	22.0
		64QAM	1	1	20.66	20.46	20.42	3.5	21.5
		256QAM	1	1	17.72	17.52	17.57	6.5	18.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					508200	518598	528996		
					2541.00 MHz	2592.99 MHz	2644.98 MHz		
90 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.19	23.48	23.41	0.5	24.5
			1	1	23.84	24.10	24.03	0.0	25.0
			1	123	23.73	23.87	23.93	0.0	25.0
			1	243	23.87	23.88	24.04	0.0	25.0
			1	244	23.25	23.29	23.43	0.5	24.5
			120	0	23.25	23.37	23.28	0.5	24.5
			120	62	23.81	23.95	23.86	0.0	25.0
			120	125	23.24	23.22	23.28	0.5	24.5
			243	0	23.31	23.39	23.37	0.5	24.5
		QPSK	1	0	22.82	22.93	22.84	1.0	24.0
			1	1	23.95	24.06	23.90	0.0	25.0
			1	123	23.83	23.81	23.80	0.0	25.0
			1	243	24.00	23.86	23.93	0.0	25.0
			1	244	22.87	22.74	22.83	1.0	24.0
			120	0	22.77	22.85	22.78	1.0	24.0
			120	62	23.87	23.90	23.87	0.0	25.0
			120	125	22.79	22.69	22.82	1.0	24.0
			243	0	22.90	22.95	22.89	1.0	24.0
		16QAM	1	1	22.81	23.06	22.85	1.0	24.0
			1	123	22.67	22.72	22.63	1.0	24.0
			1	243	22.84	22.85	22.80	1.0	24.0
		64QAM	1	1	21.17	21.53	21.20	2.5	22.5
		256QAM	1	1	19.44	19.36	19.46	4.5	20.5
	CP-OFDM	QPSK	1	1	22.43	22.63	22.55	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					507204	518598	529998		
					2536.02 MHz	2592.99 MHz	2649.99 MHz		
80 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.69	23.36	23.33	0.5	24.5
			1	1	24.30	23.95	23.93	0.0	25.0
			1	108	23.90	23.75	23.71	0.0	25.0
			1	215	23.90	23.82	23.95	0.0	25.0
			1	216	23.26	23.24	23.34	0.5	24.5
			108	0	23.62	23.30	23.27	0.5	24.5
			108	54	24.11	23.86	23.88	0.0	25.0
			108	108	23.39	23.21	23.25	0.5	24.5
			216	0	23.60	23.41	23.38	0.5	24.5
		QPSK	1	0	23.19	22.88	22.69	1.0	24.0
			1	1	24.28	24.01	23.81	0.0	25.0
			1	108	23.92	23.78	23.69	0.0	25.0
			1	215	23.90	23.78	23.80	0.0	25.0
			1	216	22.78	22.63	22.70	1.0	24.0
			108	0	23.14	22.86	22.74	1.0	24.0
			108	54	23.99	23.87	23.85	0.0	25.0
			108	109	22.90	22.67	22.68	1.0	24.0
			216	0	23.03	22.90	22.88	1.0	24.0
		16QAM	1	1	23.17	22.97	22.71	1.0	24.0
			1	108	22.86	22.76	22.72	1.0	24.0
			1	215	22.77	22.78	22.69	1.0	24.0
		64QAM	1	1	21.70	21.39	21.17	2.5	22.5
		256QAM	1	1	19.69	19.51	19.04	4.5	20.5
	CP-OFDM	QPSK	1	1	22.83	22.45	22.40	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					506202	518598	531000		
					2531.02 MHz	2592.99 MHz	2655.00 MHz		
70 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.62	23.31	23.21	0.5	24.5
			1	1	24.15	23.85	23.71	0.0	25.0
			1	94	23.90	23.70	23.70	0.0	25.0
			1	187	23.72	23.71	23.76	0.0	25.0
			1	188	23.19	23.18	23.25	0.5	24.5
			90	0	23.59	23.38	23.27	0.5	24.5
			90	49	24.10	23.86	23.79	0.0	25.0
			90	99	23.40	23.22	23.16	0.5	24.5
			180	0	23.49	23.32	23.24	0.5	24.5
		QPSK	1	0	23.10	22.81	22.63	1.0	24.0
			1	1	24.19	23.78	23.75	0.0	25.0
			1	94	23.98	23.68	23.61	0.0	25.0
			1	187	23.83	23.69	23.66	0.0	25.0
			1	188	22.80	22.66	22.64	1.0	24.0
			90	0	23.16	22.86	22.79	1.0	24.0
			90	49	24.00	23.83	23.78	0.0	25.0
			90	99	22.90	22.67	22.72	1.0	24.0
			180	0	22.98	22.80	22.70	1.0	24.0
		16QAM	1	1	23.19	22.90	22.41	1.0	24.0
			1	94	22.90	22.70	22.60	1.0	24.0
			1	187	22.73	22.78	22.76	1.0	24.0
		64QAM	1	1	21.62	21.38	21.05	2.5	22.5
		256QAM	1	1	19.70	19.37	19.30	4.5	20.5
	CP-OFDM	QPSK	1	1	22.82	22.49	22.40	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					505200	518598	513996		
					2526.00 MHz	2592.99 MHz	2659.98 MHz		
60 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.21	23.19	23.17	0.5	24.5
			1	1	23.58	23.76	23.70	0.0	25.0
			1	80	23.52	23.62	23.62	0.0	25.0
			1	160	23.60	23.69	23.80	0.0	25.0
			1	161	23.16	23.05	23.18	0.5	24.5
			81	0	23.49	23.24	23.01	0.5	24.5
			81	40	24.01	23.79	23.60	0.0	25.0
			81	81	23.33	23.18	23.04	0.5	24.5
			162	0	23.47	23.30	23.20	0.5	24.5
		QPSK	1	0	22.98	22.55	22.57	1.0	24.0
			1	1	24.08	23.65	23.68	0.0	25.0
			1	80	23.91	23.52	23.52	0.0	25.0
			1	160	23.88	23.69	23.73	0.0	25.0
			1	161	22.76	22.59	22.61	1.0	24.0
			81	0	22.95	22.64	22.52	1.0	24.0
			81	40	24.02	23.71	23.59	0.0	25.0
			81	81	22.83	22.55	22.56	1.0	24.0
			162	0	23.01	22.71	22.67	1.0	24.0
		16QAM	1	1	22.98	22.74	22.48	1.0	24.0
			1	80	22.83	22.73	22.44	1.0	24.0
			1	160	22.74	22.75	22.54	1.0	24.0
		64QAM	1	1	21.43	21.17	21.00	2.5	22.5
		256QAM	1	1	19.49	19.14	19.20	4.5	20.5
	CP-OFDM	QPSK	1	1	22.76	22.16	22.13	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					504204	518598	532998		
					2521.01 MHz	2592.99 MHz	2665.00 MHz		
50 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.62	23.35	23.19	0.5	24.5
			1	1	24.27	23.95	23.77	0.0	25.0
			1	66	24.13	23.77	23.84	0.0	25.0
			1	131	24.11	23.90	24.07	0.0	25.0
			1	132	23.45	23.31	23.50	0.5	24.5
			64	0	23.67	23.43	23.21	0.5	24.5
			64	34	24.33	23.94	23.92	0.0	25.0
			64	69	23.64	23.34	23.32	0.5	24.5
		QPSK	128	0	23.69	23.35	23.34	0.5	24.5
			1	0	23.18	22.80	22.67	1.0	24.0
			1	1	24.35	23.94	23.78	0.0	25.0
			1	66	24.26	23.78	23.74	0.0	25.0
			1	131	24.14	23.90	24.01	0.0	25.0
			1	132	23.00	22.81	22.86	1.0	24.0
			64	0	23.26	22.93	22.80	1.0	24.0
			64	34	24.36	23.99	23.91	0.0	25.0
			64	69	23.15	22.85	22.91	1.0	24.0
			128	0	23.16	22.88	22.82	1.0	24.0
		16QAM	1	1	23.29	23.04	22.65	1.0	24.0
			1	66	23.13	22.97	22.69	1.0	24.0
			1	131	23.01	22.92	22.82	1.0	24.0
		64QAM	1	1	21.68	21.44	21.13	2.5	22.5
		256QAM	1	1	19.69	19.41	19.31	4.5	20.5
	CP-OFDM	QPSK	1	1	22.85	22.49	22.29	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					503202	518598	534000		
					2516.01 MHz	2592.99 MHz	2670.00 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.41	23.08	23.12	0.5	24.5
			1	1	24.03	23.61	23.70	0.0	25.0
			1	52	24.02	23.70	23.76	0.0	25.0
			1	104	23.95	23.75	23.88	0.0	25.0
			1	105	23.32	23.13	23.26	0.5	24.5
			50	0	23.58	23.30	23.20	0.5	24.5
			50	28	24.25	23.79	23.85	0.0	25.0
			50	56	23.55	23.23	23.28	0.5	24.5
		QPSK	100	0	23.70	23.32	23.37	0.5	24.5
			1	0	23.00	22.54	22.49	1.0	24.0
			1	1	24.05	23.69	23.58	0.0	25.0
			1	52	24.05	23.77	23.67	0.0	25.0
			1	104	24.02	23.75	23.77	0.0	25.0
			1	105	22.88	22.62	22.67	1.0	24.0
			50	0	23.12	22.80	22.68	1.0	24.0
			50	28	24.17	23.83	23.80	0.0	25.0
			50	56	23.06	22.71	22.78	1.0	24.0
			100	0	23.12	22.86	22.83	1.0	24.0
		16QAM	1	1	23.01	22.65	22.26	1.0	24.0
			1	52	23.12	22.67	22.44	1.0	24.0
			1	104	22.91	22.70	22.46	1.0	24.0
		64QAM	1	1	21.19	21.03	21.03	2.5	22.5
		256QAM	1	1	19.62	19.15	18.99	4.5	20.5
	CP-OFDM	QPSK	1	1	22.72	22.18	22.07	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					502200	518598	534996		
					2511.00 MHz	2592.99 MHz	2675.00 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.55	23.30	23.21	0.5	24.5
			1	1	24.17	23.89	23.82	0.0	25.0
			1	39	24.19	23.76	23.80	0.0	25.0
			1	76	24.10	23.87	23.95	0.0	25.0
			1	77	23.48	23.26	23.35	0.5	24.5
			36	0	23.64	23.30	23.10	0.5	24.5
			36	21	24.08	23.77	23.77	0.0	25.0
			36	42	23.64	23.28	23.20	0.5	24.5
		QPSK	75	0	23.68	23.20	23.15	0.5	24.5
			1	0	23.15	22.77	22.60	1.0	24.0
			1	1	24.26	23.90	23.73	0.0	25.0
			1	39	24.18	23.87	23.68	0.0	25.0
			1	76	24.20	23.85	23.83	0.0	25.0
			1	77	23.05	22.73	22.72	1.0	24.0
			36	0	23.12	22.71	22.60	1.0	24.0
			36	21	24.20	23.79	23.75	0.0	25.0
			36	42	23.14	22.77	22.74	1.0	24.0
		16QAM	75	0	23.10	22.70	22.68	1.0	24.0
			1	1	23.15	22.79	22.34	1.0	24.0
			1	39	23.08	22.72	22.34	1.0	24.0
		64QAM	1	76	23.06	22.70	22.74	1.0	24.0
			1	1	21.52	21.33	21.03	2.5	22.5
		256QAM	1	1	19.65	19.31	19.26	4.5	20.5
	CP-OFDM	QPSK	1	1	22.77	22.45	22.20	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					501204	518598	535998		
					2506.02 MHz	2592.99 MHz	2679.99 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.50	23.05	23.07	0.5	24.5
			1	1	24.10	23.68	23.64	0.0	25.0
			1	26	24.13	23.82	23.81	0.0	25.0
			1	49	24.03	23.74	23.83	0.0	25.0
			1	50	23.44	23.09	23.20	0.5	24.5
			25	0	23.68	23.18	23.17	0.5	24.5
			25	13	24.21	23.85	23.72	0.0	25.0
			25	26	23.63	23.20	23.20	0.5	24.5
		QPSK	50	0	23.71	23.34	23.27	0.5	24.5
			1	0	22.98	22.60	22.44	1.0	24.0
			1	1	24.13	23.68	23.56	0.0	25.0
			1	26	24.15	23.78	23.69	0.0	25.0
			1	49	24.16	23.67	23.74	0.0	25.0
			1	50	23.06	22.59	22.58	1.0	24.0
			25	0	23.04	22.63	22.61	1.0	24.0
			25	13	24.17	23.85	23.74	0.0	25.0
			25	26	23.05	22.70	22.71	1.0	24.0
			50	0	23.14	22.77	22.70	1.0	24.0
		16QAM	1	1	22.97	22.76	22.24	1.0	24.0
			1	26	23.01	22.86	22.40	1.0	24.0
			1	49	23.00	22.81	22.42	1.0	24.0
		64QAM	1	1	21.40	21.24	20.93	2.5	22.5
		256QAM	1	1	19.69	18.94	19.10	4.5	20.5
	CP-OFDM	QPSK	1	1	22.56	22.13	22.15	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500700	518598	536496		
					2503.50 MHz	2592.99 MHz	2682.48 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.54	23.14	23.17	0.5	24.5
			1	1	24.15	23.74	23.75	0.0	25.0
			1	19	24.14	23.80	23.85	0.0	25.0
			1	36	24.17	23.77	23.85	0.0	25.0
			1	37	23.54	23.16	23.29	0.5	24.5
			18	0	23.52	23.14	23.11	0.5	24.5
			18	10	24.18	23.77	23.71	0.0	25.0
			18	20	23.59	23.19	23.21	0.5	24.5
		QPSK	36	0	23.55	23.23	23.12	0.5	24.5
			1	0	23.04	22.59	22.57	1.0	24.0
			1	1	24.17	23.81	23.71	0.0	25.0
			1	19	24.05	23.77	23.72	0.0	25.0
			1	36	24.13	23.77	23.73	0.0	25.0
			1	37	23.15	22.64	22.63	1.0	24.0
			18	0	23.06	22.74	22.61	1.0	24.0
			18	10	24.22	23.84	23.66	0.0	25.0
			18	20	23.06	22.70	22.68	1.0	24.0
			36	0	23.01	22.73	22.68	1.0	24.0
		16QAM	1	1	23.04	22.70	22.48	1.0	24.0
			1	19	23.01	22.73	22.56	1.0	24.0
			1	36	23.13	22.74	22.57	1.0	24.0
		64QAM	1	1	21.52	21.14	21.02	2.5	22.5
		256QAM	1	1	19.51	19.10	19.25	4.5	20.5
	CP-OFDM	QPSK	1	1	22.78	22.21	22.22	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					500202	518598	537000		
					2501.01 MHz	2592.99 MHz	2685.00 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.49	23.04	23.19	0.5	24.5
			1	1	24.17	23.69	23.89	0.0	25.0
			1	12	24.15	23.66	23.78	0.0	25.0
			1	22	24.16	23.70	23.82	0.0	25.0
			1	23	23.53	23.06	23.15	0.5	24.5
			12	0	23.62	23.13	23.17	0.5	24.5
			12	6	24.26	23.70	23.74	0.0	25.0
			12	12	23.66	23.13	23.17	0.5	24.5
		QPSK	24	0	23.63	23.14	23.16	0.5	24.5
			1	0	23.09	22.58	22.58	1.0	24.0
			1	1	24.28	23.76	23.72	0.0	25.0
			1	12	24.29	23.68	23.70	0.0	25.0
			1	22	24.19	23.70	23.72	0.0	25.0
			1	23	23.12	22.53	22.55	1.0	24.0
			12	0	23.18	22.61	22.63	1.0	24.0
			12	6	24.28	23.71	23.74	0.0	25.0
			12	12	23.08	22.58	22.67	1.0	24.0
			24	0	23.19	22.56	22.64	1.0	24.0
		16QAM	1	1	23.14	22.70	22.54	1.0	24.0
			1	12	23.14	22.64	22.54	1.0	24.0
			1	22	23.15	22.65	22.68	1.0	24.0
		64QAM	1	1	21.52	21.14	21.09	2.5	22.5
		256QAM	1	1	19.63	19.10	19.33	4.5	20.5
	CP-OFDM	QPSK	1	1	22.78	22.25	22.22	1.5	23.5

NR Band n41 SRS (PC3) (ANT B, E, K)

Maximum Average Power (dBm) SRS2			Tune-up Limit	Maximum Average Power (dBm) SRS3			Tune-up Limit	Maximum Average Power (dBm) SRS4			Tune-up Limit
			23.5				23.0				22.0
BW (MHz)	RB Allocation	RB offset	MPR	BW (MHz)	RB Allocation	RB offset	MPR	BW (MHz)	RB Allocation	RB offset	MPR
	1	1	0.0		1	1	0.0		1	1	0.0
	Measured Pw r (dBm)				Measured Pw r (dBm)				Measured Pw r (dBm)		
100 MHz	509202	518598	528000	100 MHz	509202	518598	528000	100 MHz	509202	518598	528000
	2546.01 MHz	2592.99 MHz	2640 MHz		2546.01 MHz	2592.99 MHz	2640 MHz		2546.01 MHz	2592.99 MHz	2640 MHz
	21.40	21.55	22.42		22.26	22.03	22.33		20.65	21.33	21.25
90 MHz	508200	518598	528996	90 MHz	508200	518598	528996	90 MHz	508200	518598	528996
	2541 MHz	2592.99 MHz	2644.98 MHz		2541 MHz	2592.99 MHz	2644.98 MHz		2541 MHz	2592.99 MHz	2644.98 MHz
	21.42	21.58	22.51		22.39	22.05	22.38		20.68	21.41	21.33
80 MHz	507204	518598	529998	80 MHz	507204	518598	529998	80 MHz	507204	518598	529998
	2536.02 MHz	2592.99 MHz	2649.99 MHz		2536.02 MHz	2592.99 MHz	2649.99 MHz		2536.02 MHz	2592.99 MHz	2649.99 MHz
	21.48	21.55	22.56		22.42	22.11	22.35		20.75	21.55	21.30
70 MHz	506202	518598	531000	70 MHz	506202	518598	531000	70 MHz	506202	518598	531000
	2531.01 MHz	2592.99 MHz	2655.00 MHz		2531.01 MHz	2592.99 MHz	2655.00 MHz		2531.01 MHz	2592.99 MHz	2655.00 MHz
	21.45	21.60	22.68		22.51	22.13	22.49		20.70	21.52	21.33
60 MHz	505200	518598	531996	60 MHz	505200	518598	531996	60 MHz	505200	518598	531996
	2526 MHz	2592.99 MHz	2659.98 MHz		2526 MHz	2592.99 MHz	2659.98 MHz		2526 MHz	2592.99 MHz	2659.98 MHz
	21.52	21.63	22.74		22.58	22.19	22.58		20.65	21.41	21.26
50 MHz	504204	518598	532998	50 MHz	504204	518598	532998	50 MHz	504204	518598	532998
	2521.02 MHz	2592.99 MHz	2664.99 MHz		2521.02 MHz	2592.99 MHz	2664.99 MHz		2521.02 MHz	2592.99 MHz	2664.99 MHz
	21.49	21.59	22.79		22.65	22.26	22.72		20.68	21.45	21.21
40 MHz	503202	518598	534000	40 MHz	503202	518598	534000	40 MHz	503202	518598	534000
	2516.01 MHz	2592.99 MHz	2670 MHz		2516.01 MHz	2592.99 MHz	2670 MHz		2516.01 MHz	2592.99 MHz	2670 MHz
	21.42	21.64	22.82		22.66	22.21	22.61		20.70	21.52	21.15
30 MHz	502200	518598	534996	30 MHz	502200	518598	534996	30 MHz	502200	518598	534996
	2511 MHz	2592.99 MHz	2675.0 MHz		2511 MHz	2592.99 MHz	2675.0 MHz		2511 MHz	2592.99 MHz	2675.0 MHz
	21.44	21.65	22.86		22.68	22.31	22.70		20.63	21.58	20.85
20 MHz	501204	518598	535998	20 MHz	501204	518598	535998	20 MHz	501204	518598	535998
	2506.02 MHz	2592.99 MHz	2679.99 MHz		2506.02 MHz	2592.99 MHz	2679.99 MHz		2506.02 MHz	2592.99 MHz	2679.99 MHz
	21.46	21.58	22.90		22.72	22.25	22.63		20.56	21.46	20.45
15 MHz	500700	518598	536496	15 MHz	500700	518598	536496	15 MHz	500700	518598	536496
	2503.5 MHz	2592.99 MHz	2682.48MHz		2503.5 MHz	2592.99 MHz	2682.48MHz		2503.5 MHz	2592.99 MHz	2682.48MHz
	21.42	21.63	22.88		22.75	22.23	22.58		20.60	21.48	20.23
10 MHz	500202	518598	537000	10 MHz	500202	518598	537000	10 MHz	500202	518598	537000
	2501.01 MHz	2592.99 MHz	2685 MHz		2501.01 MHz	2592.99 MHz	2685 MHz		2501.01 MHz	2592.99 MHz	2685 MHz
	21.43	21.65	22.91		22.78	22.20	22.58		20.63	21.52	20.05

NR Band n66 (ANT A)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					346000	349000	352000		
					1730.00 MHz	1745.00 MHz	1760.00 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.54	22.66	22.80	0.5	24.5
			1	1	23.44	23.32	23.23	0.0	25.0
			1	107	23.20	23.04	23.14	0.0	25.0
			1	214	23.23	23.26	23.18	0.0	25.0
			1	215	22.53	22.60	22.65	0.5	24.5
			108	0	22.77	22.75	22.56	0.5	24.5
			108	54	23.22	23.27	23.29	0.0	25.0
			108	108	22.73	22.58	22.60	0.5	24.5
			216	0	22.82	22.78	22.77	0.5	24.5
		QPSK	1	0	22.16	22.16	22.25	1.0	24.0
			1	1	23.44	23.34	23.23	0.0	25.0
			1	107	23.17	23.11	23.02	0.0	25.0
			1	214	23.16	23.19	23.12	0.0	25.0
			1	215	22.08	22.08	22.21	1.0	24.0
			108	0	22.34	22.24	22.14	1.0	24.0
			108	54	23.26	23.23	23.20	0.0	25.0
			108	108	22.15	22.10	22.12	1.0	24.0
			216	0	22.39	22.21	22.29	1.0	24.0
		16QAM	1	0	21.37	21.19	21.27	2.0	23.0
			1	1	22.40	22.34	22.23	1.0	24.0
			1	107	22.00	22.04	22.07	1.0	24.0
			1	214	21.99	22.04	22.02	1.0	24.0
			1	215	21.42	21.05	21.23	2.0	23.0
			108	0	21.09	21.16	21.12	2.0	23.0
			108	54	22.06	22.15	22.08	1.0	24.0
			108	108	21.12	21.13	21.05	2.0	23.0
			216	0	21.13	21.12	21.14	2.0	23.0
		64QAM	1	1	20.48	20.26	20.18	2.5	22.5
		256QAM	1	1	18.39	18.30	18.20	4.5	20.5
	CP-OFDM	QPSK	1	0	20.19	20.22	20.20	3.0	22.0
			1	1	22.00	21.87	21.82	1.5	23.5
			1	107	21.74	21.67	21.65	1.5	23.5
			1	214	21.74	21.72	21.69	1.5	23.5
			1	215	20.19	20.15	20.14	3.0	22.0
			108	0	20.21	20.12	20.11	3.0	22.0
			108	54	21.61	21.65	21.71	1.5	23.5
			108	108	20.05	20.04	20.02	3.0	22.0
			216	0	20.12	20.14	20.11	3.0	22.0
		16QAM	1	0	20.21	20.36	20.42	3.0	22.0
			1	1	21.33	21.50	21.58	2.0	23.0
			1	107	21.27	21.37	21.53	2.0	23.0
			1	214	21.27	21.42	21.53	2.0	23.0
			1	215	20.17	20.29	20.33	3.0	22.0
			108	0	20.13	20.13	20.09	3.0	22.0
			108	54	21.16	21.13	21.21	2.0	23.0
			108	108	20.09	20.00	20.05	3.0	22.0
			216	0	20.11	20.06	20.07	3.0	22.0
		64QAM	1	1	19.69	19.60	19.91	3.5	21.5
		256QAM	1	1	16.70	16.85	17.05	6.5	18.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					345000	349000	353000		
					1725.00 MHz	1745.00 MHz	1765.00 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.64	22.66	22.78	0.5	24.5
			1	1	23.46	23.40	23.21	0.0	25.0
			1	79	23.23	23.35	23.12	0.0	25.0
			1	158	23.31	23.29	23.25	0.0	25.0
			1	159	22.52	22.60	22.67	0.5	24.5
			80	0	22.81	22.64	22.63	0.5	24.5
			80	40	23.43	23.15	23.20	0.0	25.0
			80	80	22.75	22.69	22.67	0.5	24.5
			160	0	22.82	22.74	22.59	0.5	24.5
		QPSK	1	0	22.16	22.09	22.22	1.0	24.0
			1	1	23.45	23.22	23.10	0.0	25.0
			1	79	23.26	23.12	23.14	0.0	25.0
			1	158	23.28	23.20	23.15	0.0	25.0
			1	159	22.08	22.04	22.19	1.0	24.0
			80	0	22.32	22.14	22.13	1.0	24.0
			80	40	23.37	23.17	23.19	0.0	25.0
			80	80	22.28	22.19	22.18	1.0	24.0
			160	0	22.36	22.15	22.11	1.0	24.0
		16QAM	1	1	22.50	22.29	22.20	1.0	24.0
			1	79	22.21	22.01	21.97	1.0	24.0
			1	158	22.12	21.95	22.07	1.0	24.0
		64QAM	1	1	20.34	20.24	20.13	2.5	22.5
		256QAM	1	1	18.54	18.44	18.62	4.5	20.5
	CP-OFDM	QPSK	1	1	21.93	22.08	21.77	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344500	349000	353500		
					1722.50 MHz	1745.00 MHz	1767.50 MHz		
25 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.55	22.69	22.81	0.5	24.5
			1	1	23.54	23.37	23.22	0.0	25.0
			1	66	23.33	23.28	23.24	0.0	25.0
			1	131	23.20	23.27	23.12	0.0	25.0
			1	132	22.41	22.51	22.61	0.5	24.5
			64	0	22.64	22.72	22.61	0.5	24.5
			64	34	23.34	23.26	23.25	0.0	25.0
			64	69	22.70	22.72	22.67	0.5	24.5
			128	0	22.80	22.70	22.67	0.5	24.5
		QPSK	1	0	22.36	22.18	22.29	1.0	24.0
			1	1	23.51	23.30	23.21	0.0	25.0
			1	66	23.20	23.12	23.14	0.0	25.0
			1	131	23.13	23.16	23.08	0.0	25.0
			1	132	22.02	22.00	22.13	1.0	24.0
			64	0	22.27	22.15	22.10	1.0	24.0
			64	34	23.37	23.16	23.25	0.0	25.0
			64	69	22.25	22.12	22.17	1.0	24.0
			128	0	22.26	22.09	22.09	1.0	24.0
		16QAM	1	1	22.42	22.28	22.20	1.0	24.0
			1	66	22.19	22.02	21.99	1.0	24.0
			1	131	22.00	21.81	22.17	1.0	24.0
		64QAM	1	1	20.33	20.18	20.22	2.5	22.5
		256QAM	1	1	18.53	18.44	18.49	4.5	20.5
	CP-OFDM	QPSK	1	1	21.97	21.96	21.86	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344000	349000	354000		
					1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.39	22.55	22.66	0.5	24.5
			1	1	23.24	23.12	23.02	0.0	25.0
			1	52	23.24	23.06	23.12	0.0	25.0
			1	104	23.22	23.11	22.96	0.0	25.0
			1	105	22.33	22.46	22.55	0.5	24.5
			50	0	22.78	22.56	22.56	0.5	24.5
			50	28	23.38	23.08	23.20	0.0	25.0
			50	56	22.71	22.59	22.48	0.5	24.5
			100	0	22.82	22.61	22.65	0.5	24.5
		QPSK	1	0	22.06	22.02	22.11	1.0	24.0
			1	1	23.28	22.97	23.00	0.0	25.0
			1	52	23.22	23.06	23.01	0.0	25.0
			1	104	23.20	23.07	22.88	0.0	25.0
			1	105	22.02	21.94	21.93	1.0	24.0
			50	0	22.31	21.99	22.03	1.0	24.0
			50	28	23.30	23.12	23.19	0.0	25.0
			50	56	22.16	22.14	21.99	1.0	24.0
			100	0	22.35	22.27	22.18	1.0	24.0
		16QAM	1	1	22.24	22.23	21.90	1.0	24.0
			1	52	22.02	21.87	21.96	1.0	24.0
			1	104	21.99	21.89	21.86	1.0	24.0
		64QAM	1	1	20.18	20.06	20.08	2.5	22.5
		256QAM	1	1	18.39	18.50	18.50	4.5	20.5
	CP-OFDM	QPSK	1	1	21.88	21.54	21.55	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343500	349000	354500		
					1717.50 MHz	1745.00 MHz	1772.50 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.23	22.17	22.25	0.5	24.5
			1	1	23.53	23.30	23.16	0.0	25.0
			1	39	23.43	23.00	22.99	0.0	25.0
			1	77	23.33	23.13	23.04	0.0	25.0
			1	78	22.10	22.07	22.17	0.5	24.5
			36	0	22.85	22.59	22.51	0.5	24.5
			36	21	23.42	23.22	23.07	0.0	25.0
			36	43	22.77	22.63	22.50	0.5	24.5
			75	0	22.81	22.59	22.53	0.5	24.5
		QPSK	1	0	22.19	22.13	22.27	1.0	24.0
			1	1	23.26	23.20	23.06	0.0	25.0
			1	39	23.15	23.05	23.00	0.0	25.0
			1	77	23.19	23.10	22.94	0.0	25.0
			1	78	22.06	22.05	22.04	1.0	24.0
			36	0	22.27	22.03	21.98	1.0	24.0
			36	21	23.35	23.16	23.17	0.0	25.0
			36	43	22.27	22.11	21.91	1.0	24.0
			75	0	22.31	21.96	22.03	1.0	24.0
		16QAM	1	1	22.44	22.16	22.11	1.0	24.0
			1	39	22.10	21.84	21.85	1.0	24.0
			1	77	22.03	21.95	21.94	1.0	24.0
		64QAM	1	1	20.23	20.16	20.25	2.5	22.5
		256QAM	1	1	18.40	18.49	18.50	4.5	20.5
	CP-OFDM	QPSK	1	1	21.94	21.96	21.68	1.5	23.5

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343000	349000	355000		
					1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.48	22.47	22.59	0.5	24.5
			1	1	23.40	23.23	23.00	0.0	25.0
			1	25	23.41	23.17	22.98	0.0	25.0
			1	50	23.23	23.13	22.99	0.0	25.0
			1	51	22.32	22.41	22.53	0.5	24.5
			25	0	22.89	22.65	22.51	0.5	24.5
			25	13	23.53	23.24	23.08	0.0	25.0
			25	27	22.84	22.68	22.52	0.5	24.5
		QPSK	50	0	22.81	22.63	22.53	0.5	24.5
			1	0	22.07	21.99	22.08	1.0	24.0
			1	1	23.28	23.08	22.82	0.0	25.0
			1	25	23.45	23.14	22.95	0.0	25.0
			1	50	23.10	23.08	22.81	0.0	25.0
			1	51	21.90	21.88	21.99	1.0	24.0
			25	0	22.27	22.19	21.89	1.0	24.0
			25	13	23.42	23.18	23.06	0.0	25.0
			25	27	22.35	22.12	22.03	1.0	24.0
			50	0	22.31	22.09	21.94	1.0	24.0
		16QAM	1	1	22.33	22.42	21.96	1.0	24.0
			1	25	22.27	21.92	21.88	1.0	24.0
		64QAM	1	50	22.16	21.90	21.90	1.0	24.0
			1	1	20.26	20.09	20.05	2.5	22.5
		256QAM	1	1	18.52	18.35	18.63	4.5	20.5
	CP-OFDM	QPSK	1	1	21.93	21.80	21.60	1.5	23.5
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					342500	349000	355500		
					1712.50 MHz	1745.00 MHz	1777.50 MHz		
5 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.64	22.66	22.78	0.5	24.5
			1	1	23.30	23.10	22.94	0.0	25.0
			1	13	23.42	23.20	22.96	0.0	25.0
			1	23	23.33	23.08	22.95	0.0	25.0
			1	24	22.52	22.60	22.67	0.5	24.5
			12	0	22.84	22.58	22.55	0.5	24.5
			12	6	23.50	23.22	23.08	0.0	25.0
			12	13	22.86	22.64	22.52	0.5	24.5
		QPSK	25	0	22.76	22.62	22.51	0.5	24.5
			1	0	22.16	22.09	22.22	1.0	24.0
			1	1	23.28	23.05	22.88	0.0	25.0
			1	13	23.40	23.17	22.98	0.0	25.0
			1	23	23.14	23.01	22.84	0.0	25.0
			1	24	22.08	22.04	22.19	1.0	24.0
			12	0	22.34	22.13	22.00	1.0	24.0
			12	6	23.57	23.27	23.15	0.0	25.0
			12	13	22.27	22.09	21.96	1.0	24.0
			25	0	22.35	22.06	22.00	1.0	24.0
		16QAM	1	1	22.44	22.14	22.07	1.0	24.0
			1	13	22.31	21.89	21.85	1.0	24.0
		64QAM	1	23	22.00	21.95	21.93	1.0	24.0
			1	1	20.39	20.26	20.09	2.5	22.5
		256QAM	1	1	18.45	18.42	18.52	4.5	20.5
	CP-OFDM	QPSK	1	1	21.91	21.82	21.72	1.5	23.5

NR Band n66 (ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average Power (dBm)					
					Measured Pwr (dBm)			MPR	Tune-up Limit	
					346000 1730.00 MHz	349000 1745.00 MHz	352000 1760.00 MHz			
40 MHz	DFT-s-OFDM	π/2 BPSK	1	0	22.15	22.10	22.16	0.5	24.0	
			1	1	23.88	23.97	24.06	0.0	24.5	
			1	121	23.83	23.77	23.79	0.0	24.5	
			1	240	23.81	23.88	23.86	0.0	24.5	
			1	241	22.05	22.02	22.03	0.5	24.0	
			120	0	22.76	22.86	22.88	0.5	24.0	
			120	61	23.95	23.92	23.97	0.0	24.5	
			120	122	22.91	22.98	22.80	0.5	24.0	
		240	0	22.90	23.02	23.02	0.5	24.0		
		QPSK	1	0	21.66	21.55	21.67	1.0	23.5	
			1	1	22.73	22.96	24.08	0.0	24.5	
			1	121	22.95	22.81	22.88	0.0	24.5	
			1	240	22.85	22.89	22.81	0.0	24.5	
			1	241	21.69	21.51	21.60	1.0	23.5	
			120	0	21.64	21.61	21.73	1.0	23.5	
			120	61	22.84	22.76	22.81	0.0	24.5	
			120	122	21.97	21.94	21.85	1.0	23.5	
			240	0	21.87	21.89	21.98	1.0	23.5	
			16QAM	1	0	20.94	20.61	20.66	2.0	22.5
				1	1	21.08	21.17	21.14	1.0	23.5
				1	121	20.93	20.62	21.17	1.0	23.5
		1		240	21.17	20.91	20.99	1.0	23.5	
		1		241	20.86	20.67	20.66	2.0	22.5	
		120		0	20.61	20.72	20.64	2.0	22.5	
		120		61	21.65	21.67	21.61	1.0	23.5	
		120		122	20.64	20.68	20.63	2.0	22.5	
		240	0	20.66	20.54	20.62	2.0	22.5		
		64QAM	1	1	18.68	18.55	18.76	2.5	22.0	
		256QAM	1	1	18.68	18.68	18.82	4.5	20.0	
	CP-OFDM	QPSK	1	0	19.62	19.68	19.67	3.0	21.5	
			1	1	21.72	22.09	21.96	1.5	23.0	
			1	121	21.30	21.25	21.27	1.5	23.0	
			1	240	21.28	21.28	21.32	1.5	23.0	
			1	241	19.58	19.71	19.66	3.0	21.5	
			121	0	19.50	19.61	19.58	3.0	21.5	
			121	60	21.07	21.16	21.15	1.5	23.0	
			121	121	19.51	19.53	19.56	3.0	21.5	
			242	0	19.60	19.63	19.63	3.0	21.5	
			16QAM	1	0	19.73	19.78	19.93	3.0	21.5
				1	1	20.80	20.95	21.07	2.0	22.5
				1	121	20.80	20.89	20.96	2.0	22.5
		1		240	20.80	20.89	21.02	2.0	22.5	
		1		241	19.71	19.77	19.94	3.0	21.5	
		121		0	19.59	19.56	19.57	3.0	21.5	
		121		60	20.68	20.58	20.70	2.0	22.5	
		121		121	19.58	19.59	19.63	3.0	21.5	
		242	0	19.59	19.52	19.63	3.0	21.5		
		64QAM	1	1	19.16	19.23	19.45	3.5	21.0	
		256QAM	1	1	15.96	16.23	16.44	6.5	18.0	
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit	
					345000 1725.00 MHz	349000 1745.00 MHz	353000 1765.00 MHz			
					30 MHz	DFT-s-OFDM	π/2 BPSK	1	0	22.07
1	1	23.80	23.89	23.87				0.0	24.5	
1	79	23.83	24.03	24.00				0.0	24.5	
1	158	23.95	24.02	23.80				0.0	24.5	
1	159	22.04	22.14	22.21				0.5	24.0	
80	0	22.86	22.85	22.81				0.5	24.0	
80	40	23.95	24.00	23.95				0.0	24.5	
80	80	22.89	22.93	22.90				0.5	24.0	
160	0	22.78	22.95	22.94			0.5	24.0		
QPSK	1	0	21.62	21.58			21.71	1.0	23.5	
	1	1	22.80	22.84			22.97	0.0	24.5	
	1	79	22.70	22.80			22.95	0.0	24.5	
	1	158	22.83	22.99			22.79	0.0	24.5	
	1	159	21.61	21.58			21.71	1.0	23.5	
	80	0	21.73	21.68			21.65	1.0	23.5	
	80	40	22.80	22.92			22.79	0.0	24.5	
	80	80	21.85	21.89			21.87	1.0	23.5	
160	0	21.80	21.90	21.89			1.0	23.5		
16QAM	1	1	21.05	21.24			21.24	1.0	23.5	
	1	79	20.85	20.99			20.73	1.0	23.5	
	1	158	21.13	21.12			21.01	1.0	23.5	
	64QAM	1	1	18.72			18.99	18.88	2.5	22.0
256QAM	1	1	18.75	18.90			18.88	4.5	20.0	
CP-OFDM	QPSK	1	1	22.03		22.05	21.99	1.5	23.0	

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344500	349000	353500		
					1722.50 MHz	1745.00 MHz	1767.50 MHz		
25 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.02	22.14	22.21	0.5	24.0
			1	1	23.95	23.91	23.93	0.0	24.5
			1	66	23.80	23.91	23.92	0.0	24.5
			1	131	23.85	23.99	23.75	0.0	24.5
			1	132	22.00	22.09	22.18	0.5	24.0
			64	0	22.76	22.82	22.76	0.5	24.0
			64	34	23.86	23.98	24.00	0.0	24.5
			64	69	22.75	22.95	22.87	0.5	24.0
			128	0	22.78	22.94	22.89	0.5	24.0
		QPSK	1	0	21.66	21.60	21.73	1.0	23.5
			1	1	22.79	23.01	22.89	0.0	24.5
			1	66	22.77	22.85	22.97	0.0	24.5
			1	131	22.67	22.92	22.66	0.0	24.5
			1	132	21.63	21.55	21.60	1.0	23.5
			64	0	21.54	21.72	21.60	1.0	23.5
			64	34	22.75	22.94	22.79	0.0	24.5
			64	69	21.90	21.89	21.90	1.0	23.5
			128	0	21.81	21.98	21.85	1.0	23.5
		16QAM	1	1	21.03	21.17	21.29	1.0	23.5
			1	66	20.91	21.01	21.05	1.0	23.5
			1	131	20.78	20.88	20.73	1.0	23.5
		64QAM	1	1	18.80	18.95	19.00	2.5	22.0
		256QAM	1	1	18.81	18.87	18.95	4.5	20.0
	CP-OFDM	QPSK	1	1	21.85	22.02	22.04	1.5	23.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					344000	349000	354000		
					1720.00 MHz	1745.00 MHz	1770.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.91	21.94	22.01	0.5	24.0
			1	1	23.64	23.75	23.66	0.0	24.5
			1	52	23.70	23.83	23.54	0.0	24.5
			1	104	23.81	23.84	23.66	0.0	24.5
			1	105	21.85	21.93	21.96	0.5	24.0
			50	0	22.67	22.75	22.75	0.5	24.0
			50	28	23.85	23.88	23.81	0.0	24.5
			50	56	22.76	22.78	22.70	0.5	24.0
			100	0	22.79	22.96	22.86	0.5	24.0
		QPSK	1	0	21.58	21.36	21.49	1.0	23.5
			1	1	22.66	22.73	22.81	0.0	24.5
			1	52	22.65	22.79	22.71	0.0	24.5
			1	104	22.77	22.69	22.53	0.0	24.5
			1	105	21.49	21.31	21.41	1.0	23.5
			50	0	21.45	21.53	21.55	1.0	23.5
			50	28	22.61	22.74	22.63	0.0	24.5
			50	56	21.72	21.82	21.74	1.0	23.5
			100	0	21.75	21.83	21.74	1.0	23.5
		16QAM	1	1	20.86	21.03	21.02	1.0	23.5
			1	52	20.98	21.00	21.01	1.0	23.5
			1	104	20.77	20.77	21.23	1.0	23.5
		64QAM	1	1	18.65	18.75	18.69	2.5	22.0
		256QAM	1	1	18.66	18.77	18.74	4.5	20.0
	CP-OFDM	QPSK	1	1	21.62	21.78	21.79	1.5	23.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343500	349000	354500		
					1717.50 MHz	1745.00 MHz	1772.50 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.96	22.05	22.14	0.5	24.0
			1	1	23.66	23.87	23.67	0.0	24.5
			1	39	23.65	23.79	23.55	0.0	24.5
			1	77	23.71	23.88	23.71	0.0	24.5
			1	78	21.86	21.88	21.90	0.5	24.0
			36	0	22.64	22.85	22.70	0.5	24.0
			36	21	23.97	24.05	23.81	0.0	24.5
			36	43	22.76	22.76	22.63	0.5	24.0
			75	0	22.67	22.86	22.70	0.5	24.0
		QPSK	1	0	21.62	21.51	21.63	1.0	23.5
			1	1	22.72	22.78	23.01	0.0	24.5
			1	39	22.76	22.76	22.64	0.0	24.5
			1	77	22.66	22.79	22.55	0.0	24.5
			1	78	21.54	21.29	21.39	1.0	23.5
			36	0	21.52	21.68	21.52	1.0	23.5
			36	21	22.68	22.71	22.48	0.0	24.5
			36	43	21.80	21.80	21.65	1.0	23.5
			75	0	21.70	21.79	21.63	1.0	23.5
		16QAM	1	1	20.99	21.04	21.20	1.0	23.5
			1	39	20.83	20.88	21.00	1.0	23.5
			1	77	20.95	21.26	20.85	1.0	23.5
		64QAM	1	1	18.78	18.89	18.93	2.5	22.0
		256QAM	1	1	18.76	18.84	18.82	4.5	20.0
	CP-OFDM	QPSK	1	1	21.76	21.85	21.97	1.5	23.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					343000	349000	355000		
					1715.00 MHz	1745.00 MHz	1775.00 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.94	22.07	22.05	0.5	24.0
			1	1	23.60	23.90	23.50	0.0	24.5
			1	25	23.78	23.83	23.65	0.0	24.5
			1	50	23.75	23.79	23.65	0.0	24.5
			1	51	21.94	21.96	21.99	0.5	24.0
			25	0	22.62	22.82	22.79	0.5	24.0
			25	13	23.87	23.86	23.82	0.0	24.5
			25	27	22.75	22.82	22.78	0.5	24.0
			50	0	22.69	22.84	22.73	0.5	24.0
		QPSK	1	0	21.57	21.52	21.49	1.0	23.5
			1	1	22.57	22.93	22.57	0.0	24.5
			1	25	22.66	22.81	22.64	0.0	24.5
			1	50	22.80	22.55	22.59	0.0	24.5
			1	51	21.58	21.43	21.43	1.0	23.5
			25	0	21.53	21.84	21.54	1.0	23.5
			25	13	22.67	22.81	22.63	0.0	24.5
			25	27	21.82	21.89	21.82	1.0	23.5
			50	0	21.71	21.85	21.76	1.0	23.5
		16QAM	1	1	20.88	21.05	21.33	1.0	23.5
			1	25	20.76	20.57	21.03	1.0	23.5
			1	50	21.00	20.88	20.87	1.0	23.5
		64QAM	1	1	18.68	18.74	18.90	2.5	22.0
		256QAM	1	1	18.68	18.68	18.81	4.5	20.0
	CP-OFDM	QPSK	1	1	21.70	21.97	21.85	1.5	23.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					342500	349000	355500		
					1712.50 MHz	1745.00 MHz	1777.50 MHz		
5 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.92	22.05	22.04	0.5	24.0
			1	1	23.45	23.73	23.73	0.0	24.5
			1	13	23.66	23.80	23.79	0.0	24.5
			1	23	23.53	23.68	23.65	0.0	24.5
			1	24	21.92	21.93	21.90	0.5	24.0
			12	0	22.65	22.83	22.78	0.5	24.0
			12	6	23.73	23.91	23.89	0.0	24.5
			12	13	22.75	22.80	22.71	0.5	24.0
			25	0	22.77	22.83	22.85	0.5	24.0
		QPSK	1	0	21.58	21.51	21.55	1.0	23.5
			1	1	22.67	22.92	22.94	0.0	24.5
			1	13	22.60	22.83	22.74	0.0	24.5
			1	23	22.72	22.75	22.70	0.0	24.5
			1	24	21.55	21.50	21.47	1.0	23.5
			12	0	21.45	21.71	21.66	1.0	23.5
			12	6	22.61	22.71	22.79	0.0	24.5
			12	13	21.70	21.77	21.77	1.0	23.5
			25	0	21.62	21.88	21.85	1.0	23.5
		16QAM	1	1	21.18	21.10	21.09	1.0	23.5
			1	13	20.86	21.11	21.02	1.0	23.5
			1	23	20.87	20.84	20.44	1.0	23.5
		64QAM	1	1	18.65	18.69	18.92	2.5	22.0
		256QAM	1	1	18.62	18.69	18.84	4.5	20.0
	CP-OFDM	QPSK	1	1	21.65	21.94	21.82	1.5	23.0

NR Band n77(PC2, 3450-3550 MHz) (ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average POWER (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					633332	3499.98 MHz			
100 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0		21.49		0.5	26.0
			1	1		24.98		0.0	26.5
			1	136		24.88		0.0	26.5
			1	271		25.27		0.0	26.5
			1	272		21.75		0.5	26.0
			135	0		24.58		0.5	26.0
			135	69		25.07		0.0	26.5
			135	138		24.72		0.5	26.0
		QPSK	270	0		24.62		0.5	26.0
			1	0		21.60		1.0	25.5
			1	1		24.96		0.0	26.5
			1	136		24.94		0.0	26.5
			1	271		25.32		0.0	26.5
			1	272		21.84		1.0	25.5
			135	0		24.10		1.0	25.5
			135	69		25.07		0.0	26.5
			135	138		24.09		1.0	25.5
			270	0		24.09		1.0	25.5
		16QAM	1	0		21.69		2.0	24.5
			1	1		24.28		1.0	25.5
			1	136		24.25		1.0	25.5
			1	271		24.36		1.0	25.5
			1	272		21.71		2.0	24.5
			135	0		23.01		2.0	24.5
			135	69		24.06		1.0	25.5
			135	138		23.18		2.0	24.5
			270	0		23.12		2.0	24.5
		64QAM	1	1		22.54		2.5	24.0
		256QAM	1	1		20.49		4.5	22.0
	CP-OFDM	QPSK	1	0		21.66		3.0	23.5
			1	1		23.69		1.5	25.0
			1	136		23.71		1.5	25.0
			1	271		24.07		1.5	25.0
			1	272		21.85		3.0	23.5
			135	0		22.05		3.0	23.5
			135	69		23.62		1.5	25.0
			135	138		22.12		3.0	23.5
			270	0		22.16		3.0	23.5
		16QAM	1	0		21.72		3.0	23.5
			1	1		23.28		2.0	24.5
			1	136		23.16		2.0	24.5
			1	271		23.60		2.0	24.5
			1	272		21.94		3.0	23.5
			135	0		22.04		3.0	23.5
			135	69		23.23		2.0	24.5
			135	138		22.15		3.0	23.5
			270	0		22.12		3.0	23.5
		64QAM	1	1		21.16		3.5	23.0
		256QAM	1	1		18.39		6.5	20.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					633000	633332	633666		
					3495.00 MHz	3499.98 MHz	3504.99MHz		
90 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0		21.52	21.56	0.5	26.0
			1	1		25.05	25.15	0.0	26.5
			1	123		24.95	25.06	0.0	26.5
			1	243		25.29	25.40	0.0	26.5
			1	244		21.66	21.79	0.5	26.0
			120	0		24.57	24.58	0.5	26.0
			120	63		25.09	25.18	0.0	26.5
			120	125		24.63	24.63	0.5	26.0
		QPSK	243	0		24.62	24.71	0.5	26.0
			1	0		21.55	21.48	1.0	25.5
			1	1		25.10	25.09	0.0	26.5
			1	123		25.15	25.06	0.0	26.5
			1	243		25.42	25.44	0.0	26.5
			1	244		21.89	21.83	1.0	25.5
			120	0		24.08	24.05	1.0	25.5
			120	63		25.21	25.21	0.0	26.5
			120	125		24.11	24.13	1.0	25.5
			243	0		24.21	24.25	1.0	25.5
		16QAM	1	1		24.01	24.02	1.0	25.5
			1	123		23.99	24.02	1.0	25.5
			1	243		24.32	24.36	1.0	25.5
		64QAM	1	1		23.50	23.18	2.5	24.0
		256QAM	1	1		20.68	20.65	4.5	22.0
	CP-OFDM	QPSK	1	1		23.79	23.65	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					632668	633332	634000		
					3490.02 MHz	3499.98 MHz	3510.00 MHz		
80 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.55	21.53	21.58	0.5	26.0
			1	1	25.07	25.00	25.23	0.0	26.5
			1	108	24.87	24.86	25.08	0.0	26.5
			1	215	25.24	25.25	25.40	0.0	26.5
			1	216	21.58	21.64	21.83	0.5	26.0
			108	0	24.49	24.41	24.53	0.5	26.0
			108	54	25.06	25.04	25.20	0.0	26.5
			108	108	24.48	24.57	24.56	0.5	26.0
			216	0	24.57	24.60	24.68	0.5	26.0
		QPSK	1	0	21.50	21.43	21.46	1.0	25.5
			1	1	25.10	25.02	25.05	0.0	26.5
			1	108	24.91	24.94	24.95	0.0	26.5
			1	215	25.21	25.24	25.33	0.0	26.5
			1	216	21.63	21.68	21.76	1.0	25.5
			108	0	23.92	24.01	24.12	1.0	25.5
			108	54	25.01	25.08	25.23	0.0	26.5
			108	109	24.05	24.01	24.06	1.0	25.5
			216	0	24.06	24.02	24.13	1.0	25.5
		16QAM	1	1	23.94	24.05	24.07	1.0	25.5
			1	108	23.93	23.94	23.99	1.0	25.5
			1	215	24.16	24.24	24.21	1.0	25.5
		64QAM	1	1	22.55	22.44	22.26	2.5	24.0
		256QAM	1	1	20.48	20.47	20.62	4.5	22.0
	CP-OFDM	QPSK	1	1	23.54	23.63	23.73	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					632334	633332	634332		
					3485.01 MHz	3499.98 MHz	3514.98 MHz		
70 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.51	21.48	21.47	0.5	26.0
			1	1	24.77	24.94	25.04	0.0	26.5
			1	94	24.79	24.88	25.01	0.0	26.5
			1	187	24.97	25.12	25.12	0.0	26.5
			1	188	21.36	21.64	21.58	0.5	26.0
			90	0	24.47	24.57	24.50	0.5	26.0
			90	49	25.07	25.08	25.07	0.0	26.5
			90	99	24.42	24.53	24.47	0.5	26.0
			180	0	24.52	24.51	24.56	0.5	26.0
		QPSK	1	0	21.50	21.46	21.48	1.0	25.5
			1	1	24.99	24.93	24.95	0.0	26.5
			1	94	24.89	24.91	24.93	0.0	26.5
			1	187	25.05	25.09	25.05	0.0	26.5
			1	188	21.58	21.53	21.63	1.0	25.5
			90	0	23.91	24.03	24.08	1.0	25.5
			90	49	25.03	25.08	25.09	0.0	26.5
			90	99	24.01	24.13	24.02	1.0	25.5
			180	0	23.98	24.01	24.04	1.0	25.5
		16QAM	1	1	24.06	23.88	24.09	1.0	25.5
			1	94	23.95	23.91	23.98	1.0	25.5
			1	187	24.17	24.02	24.20	1.0	25.5
		64QAM	1	1	22.34	22.63	22.53	2.5	24.0
		256QAM	1	1	20.55	20.69	20.47	4.5	22.0
	CP-OFDM	QPSK	1	1	23.60	23.78	23.65	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					632000	633332	634666		
					3480.00 MHz	3499.98 MHz	3519.99 MHz		
60 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.16	21.30	21.43	0.5	26.0
			1	1	24.80	24.90	24.99	0.0	26.5
			1	80	24.78	24.83	24.96	0.0	26.5
			1	160	25.04	25.05	25.09	0.0	26.5
			1	161	21.29	21.56	21.50	0.5	26.0
			81	0	24.30	24.38	24.36	0.5	26.0
			81	40	24.95	24.94	25.04	0.0	26.5
			81	81	24.42	24.38	24.49	0.5	26.0
			162	0	24.45	24.45	24.51	0.5	26.0
		QPSK	1	0	21.23	21.39	21.30	1.0	25.5
			1	1	24.80	24.94	24.91	0.0	26.5
			1	80	24.84	24.88	24.90	0.0	26.5
			1	160	24.99	25.08	25.04	0.0	26.5
			1	161	21.37	21.55	21.50	1.0	25.5
			81	0	23.87	23.91	23.90	1.0	25.5
			81	40	24.98	24.95	25.04	0.0	26.5
			81	81	23.83	23.92	23.88	1.0	25.5
			162	0	23.98	23.96	24.02	1.0	25.5
		16QAM	1	1	23.90	23.87	23.83	1.0	25.5
			1	80	24.05	23.86	23.95	1.0	25.5
			1	160	24.11	23.97	23.98	1.0	25.5
		64QAM	1	1	22.13	22.39	22.36	2.5	24.0
		256QAM	1	1	20.43	20.54	20.35	4.5	22.0
	CP-OFDM	QPSK	1	1	23.46	23.57	23.51	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					631668	633332	635000		
					3475.02 MHz	3499.98 MHz	3525.00 MHz		
50 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.29	21.50	21.62	0.5	26.0
			1	1	24.94	25.16	25.22	0.0	26.5
			1	66	25.03	25.14	25.31	0.0	26.5
			1	131	25.08	25.29	25.37	0.0	26.5
			1	132	21.59	21.61	21.73	0.5	26.0
			64	0	24.56	24.72	24.68	0.5	26.0
			64	34	25.22	25.23	25.34	0.0	26.5
			64	69	24.67	24.69	24.73	0.5	26.0
			128	0	24.58	24.62	24.73	0.5	26.0
		QPSK	1	0	21.47	21.59	21.52	1.0	25.5
			1	1	25.05	25.08	25.09	0.0	26.5
			1	66	25.18	25.16	25.21	0.0	26.5
			1	131	25.24	25.31	25.22	0.0	26.5
			1	132	21.66	21.68	21.66	1.0	25.5
			64	0	24.13	24.17	24.18	1.0	25.5
			64	34	25.26	25.26	25.32	0.0	26.5
			64	69	24.20	24.17	24.16	1.0	25.5
			128	0	24.16	24.15	24.22	1.0	25.5
		16QAM	1	1	23.76	24.13	24.10	1.0	25.5
			1	66	23.96	24.19	24.27	1.0	25.5
			1	131	24.17	24.23	24.24	1.0	25.5
		64QAM	1	1	22.39	22.67	22.62	2.5	24.0
		256QAM	1	1	20.62	20.46	20.81	4.5	22.0
	CP-OFDM	QPSK	1	1	23.62	23.86	23.72	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					631334	633332	635332		
					3470.01 MHz	3499.98 MHz	3529.98 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.22	21.41	21.55	0.5	26.0
			1	1	24.84	25.02	25.13	0.0	26.5
			1	52	24.93	25.00	25.25	0.0	26.5
			1	104	24.99	25.09	25.20	0.0	26.5
			1	105	21.38	21.48	21.61	0.5	26.0
			50	0	24.42	24.59	24.58	0.5	26.0
			50	28	25.04	25.07	25.23	0.0	26.5
			50	56	24.53	24.54	24.59	0.5	26.0
			100	0	24.56	24.63	24.75	0.5	26.0
		QPSK	1	0	21.38	21.33	21.44	1.0	25.5
			1	1	24.98	25.01	25.03	0.0	26.5
			1	52	25.07	24.98	25.07	0.0	26.5
			1	104	25.07	25.11	25.14	0.0	26.5
			1	105	21.45	21.51	21.48	1.0	25.5
			50	0	23.95	24.01	24.08	1.0	25.5
			50	28	25.07	25.11	25.20	0.0	26.5
			50	56	23.93	24.08	24.08	1.0	25.5
			100	0	24.12	24.07	24.24	1.0	25.5
		16QAM	1	1	23.79	23.89	23.89	1.0	25.5
			1	52	23.90	24.08	23.94	1.0	25.5
			1	104	23.83	24.06	23.95	1.0	25.5
		64QAM	1	1	22.27	22.34	22.40	2.5	24.0
		256QAM	1	1	20.51	20.50	20.56	4.5	22.0
	CP-OFDM	QPSK	1	1	23.57	23.63	23.73	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					631000	633332	635668		
					3465.00 MHz	3499.98 MHz	3535.02 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.29	21.39	21.62	0.5	26.0
			1	1	24.85	25.13	25.28	0.0	26.5
			1	39	24.98	25.09	25.21	0.0	26.5
			1	76	25.04	25.11	25.29	0.0	26.5
			1	77	21.45	21.49	21.64	0.5	26.0
			36	0	24.40	24.44	24.46	0.5	26.0
			36	21	25.04	25.07	25.06	0.0	26.5
			36	42	24.48	24.56	24.55	0.5	26.0
			75	0	24.44	24.46	24.54	0.5	26.0
		QPSK	1	0	21.38	21.41	21.59	1.0	25.5
			1	1	25.00	25.07	25.11	0.0	26.5
			1	39	25.10	25.12	25.11	0.0	26.5
			1	76	25.15	25.11	25.13	0.0	26.5
			1	77	21.53	21.55	21.53	1.0	25.5
			36	0	23.96	23.98	24.10	1.0	25.5
			36	21	25.04	25.12	25.13	0.0	26.5
			36	42	24.03	24.08	24.08	1.0	25.5
			75	0	23.97	24.00	24.06	1.0	25.5
		16QAM	1	1	23.88	23.96	24.10	1.0	25.5
			1	39	24.00	24.00	24.07	1.0	25.5
			1	76	24.06	24.06	24.12	1.0	25.5
		64QAM	1	1	22.33	22.46	22.50	2.5	24.0
		256QAM	1	1	20.56	20.51	20.67	4.5	22.0
	CP-OFDM	QPSK	1	1	23.61	23.64	23.86	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					630668	633332	636000		
					3460.02 MHz	3499.98 MHz	3540.00 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.16	21.33	21.50	0.5	26.0
			1	1	24.78	24.91	25.18	0.0	26.5
			1	26	24.84	24.96	25.14	0.0	26.5
			1	49	24.89	25.07	25.20	0.0	26.5
			1	50	21.32	21.45	21.60	0.5	26.0
			25	0	24.25	24.34	24.37	0.5	26.0
			25	13	24.98	25.01	25.02	0.0	26.5
			25	26	24.37	24.42	24.45	0.5	26.0
		QPSK	50	0	24.35	24.48	24.56	0.5	26.0
			1	0	21.27	21.34	21.63	1.0	25.5
			1	1	24.91	24.95	25.28	0.0	26.5
			1	26	24.95	24.95	25.36	0.0	26.5
			1	49	25.05	25.00	25.29	0.0	26.5
			1	50	21.45	21.44	21.63	1.0	25.5
			25	0	23.83	23.86	23.89	1.0	25.5
			25	13	24.93	24.97	25.06	0.0	26.5
			25	26	23.92	23.96	24.04	1.0	25.5
			50	0	23.92	24.02	24.11	1.0	25.5
		16QAM	1	1	23.83	23.90	23.96	1.0	25.5
			1	26	23.78	23.96	24.02	1.0	25.5
			1	49	23.85	23.91	24.11	1.0	25.5
		64QAM	1	1	22.29	22.44	22.40	2.5	24.0
		256QAM	1	1	20.43	20.58	20.56	4.5	22.0
	CP-OFDM	QPSK	1	1	23.40	23.58	23.69	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					630500	633332	636168		
					3457.50 MHz	3499.98 MHz	3542.52 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.09	21.36	21.53	0.5	26.0
			1	1	24.74	25.00	25.12	0.0	26.5
			1	19	24.84	24.95	25.10	0.0	26.5
			1	36	24.89	24.99	25.21	0.0	26.5
			1	37	21.30	21.40	21.54	0.5	26.0
			18	0	24.25	24.27	24.52	0.5	26.0
			18	10	24.96	24.99	25.28	0.0	26.5
			18	20	24.33	24.36	24.50	0.5	26.0
		QPSK	36	0	24.26	24.35	24.48	0.5	26.0
			1	0	21.18	21.38	21.45	1.0	25.5
			1	1	24.80	24.96	24.99	0.0	26.5
			1	19	24.87	24.99	25.07	0.0	26.5
			1	36	24.94	25.05	25.14	0.0	26.5
			1	37	21.41	21.46	21.51	1.0	25.5
			18	0	23.77	23.82	23.94	1.0	25.5
			18	10	24.99	25.08	25.13	0.0	26.5
			18	20	23.88	23.90	24.01	1.0	25.5
			36	0	23.80	23.89	23.96	1.0	25.5
		16QAM	1	1	23.93	23.58	23.90	1.0	25.5
			1	19	23.98	23.66	23.99	1.0	25.5
			1	36	24.02	23.72	24.04	1.0	25.5
		64QAM	1	1	22.18	22.27	22.30	2.5	24.0
		256QAM	1	1	20.38	20.36	20.74	4.5	22.0
	CP-OFDM	QPSK	1	1	23.41	23.51	23.69	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					630334	633332	636332		
					3455.01 MHz	3499.98 MHz	3544.98 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	21.14	21.42	21.68	0.5	26.0
			1	1	24.79	25.03	25.27	0.0	26.5
			1	12	24.77	24.93	25.19	0.0	26.5
			1	22	24.84	25.02	25.27	0.0	26.5
			1	23	21.23	21.40	21.66	0.5	26.0
			12	0	24.25	24.46	24.57	0.5	26.0
			12	6	24.87	25.02	25.15	0.0	26.5
			12	12	24.31	24.51	24.58	0.5	26.0
		QPSK	24	0	24.30	24.36	24.48	0.5	26.0
			1	0	21.28	21.49	21.59	1.0	25.5
			1	1	24.87	24.97	25.07	0.0	26.5
			1	12	24.87	24.96	25.04	0.0	26.5
			1	22	24.94	25.03	25.17	0.0	26.5
			1	23	21.41	21.47	21.54	1.0	25.5
			12	0	23.79	23.98	24.05	1.0	25.5
			12	6	24.88	24.98	25.13	0.0	26.5
			12	12	23.80	23.87	24.04	1.0	25.5
			24	0	23.80	23.86	24.04	1.0	25.5
		16QAM	1	1	23.57	23.95	24.06	1.0	25.5
			1	12	23.53	23.96	24.04	1.0	25.5
			1	22	23.90	23.93	24.15	1.0	25.5
		64QAM	1	1	22.27	22.47	22.50	2.5	24.0
		256QAM	1	1	20.44	20.72	20.53	4.5	22.0
	CP-OFDM	QPSK	1	1	23.46	23.71	23.73	1.5	25.0

NR Band n77 (PC2, 3450-3550 MHz, SRS) (ANT C, I, K)

Maximum Average Power (dBm) SRS2			Tune-up Limit	Maximum Average Power (dBm) SRS3			Tune-up Limit	Maximum Average Power (dBm) SRS4			Tune-up Limit
			22.0				23.0				22.5
BW (MHz)	RB Allocation	RB offset	MFR	BW (MHz)	RB Allocation	RB offset	MFR	BW (MHz)	RB Allocation	RB offset	MFR
	1	1	0.0		1	1	0.0		1	1	0.0
Measured Pwr (dBm)				Measured Pwr (dBm)				Measured Pwr (dBm)			
100 MHz		633332		100 MHz		633332		100 MHz		633332	
		3499.98 MHz				3499.98 MHz				3499.98 MHz	
		20.70				22.70				22.25	
90 MHz	633000	633332	633666	90 MHz	633000	633332	633666	90 MHz	633000	633332	633666
	3495 MHz	3499.98 MHz	3504.99 MHz		3495 MHz	633332	3504.99 MHz		3495 MHz	3499.98 MHz	3504.99 MHz
	20.72	20.76	20.78		22.71	22.77	22.75		22.38	22.36	22.37
80 MHz	632668	633332	634000	80 MHz	632668	633332	634000	80 MHz	632668	633332	634000
	3490.02 MHz	3499.98 MHz	3510 MHz		3490.02 MHz	3499.98 MHz	3510 MHz		3490.02 MHz	3499.98 MHz	3510 MHz
	20.71	20.72	20.75		22.69	22.72	22.68		22.35	22.34	22.33
70 MHz	632334	633332	634332	70 MHz	632334	633332	634332	70 MHz	632334	633332	634332
	3485.01 MHz	3499.98 MHz	3514.98 MHz		3485.01 MHz	3499.98 MHz	3514.98 MHz		3485.01 MHz	3499.98 MHz	3514.98 MHz
	20.69	20.68	20.73		22.68	22.66	22.55		22.31	22.32	22.28
60 MHz	632000	633332	634666	60 MHz	632000	633332	634666	60 MHz	632000	633332	634666
	3480 MHz	3499.98 MHz	3519.99 MHz		3480 MHz	3499.98 MHz	3519.99 MHz		3480 MHz	3499.98 MHz	3519.99 MHz
	20.70	20.68	20.72		22.71	22.68	22.59		22.45	22.36	22.39
50 MHz	631668	633332	635000	50 MHz	631668	633332	635000	50 MHz	631668	633332	635000
	3475.02 MHz	3499.98 MHz	3525 MHz		3475.02 MHz	3499.98 MHz	3525 MHz		3475.02 MHz	3499.98 MHz	3525 MHz
	20.69	20.75	20.77		22.82	22.70	22.63		22.42	22.41	22.48
40 MHz	631334	633332	635332	40 MHz	631334	633332	635332	40 MHz	631334	633332	635332
	3470.01 MHz	3499.98 MHz	3529.98 MHz		3470.01 MHz	3499.98 MHz	3529.98 MHz		3470.01 MHz	3499.98 MHz	3529.98 MHz
	20.70	20.72	20.78		22.89	22.72	22.65		22.45	22.38	22.42
30 MHz	631000	633332	635666	30 MHz	631000	633332	635666	30 MHz	631000	633332	635666
	3465 MHz	3499.98 MHz	3534.99 MHz		3465 MHz	3499.98 MHz	3534.99 MHz		3465 MHz	3499.98 MHz	3534.99 MHz
	20.68	20.75	20.81		22.85	22.70	22.63		22.41	22.36	22.37
20 MHz	630668	633332	636000	20 MHz	630668	633332	636000	20 MHz	630668	633332	636000
	3460.02 MHz	3499.98 MHz	3540 MHz		3460.02 MHz	3499.98 MHz	3540 MHz		3460.02 MHz	3499.98 MHz	3540 MHz
	20.68	20.70	20.78		22.88	22.70	22.61		22.27	22.28	22.28
15 MHz	630500	633332	636166	15 MHz	630500	633332	636166	15 MHz	630500	633332	636166
	3457.50 MHz	3499.98 MHz	3542.49 MHz		3457.50 MHz	3499.98 MHz	3542.49 MHz		3457.50 MHz	3499.98 MHz	3542.49 MHz
	20.71	20.72	20.80		22.91	22.72	22.60		22.32	22.29	22.15
10 MHz	630334	633332	636332	10 MHz	630334	633332	636332	10 MHz	630334	633332	636332
	3455.01 MHz	3499.98 MHz	3544.98 MHz		3455.01 MHz	3499.98 MHz	3544.98 MHz		3455.01 MHz	3499.98 MHz	3544.98 MHz
	20.65	20.73	20.83		22.95	22.70	22.61		22.38	22.31	21.98

NR Band n77 (PC2, 3700-3980 MHz) (ANT F)

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Maximum Average POWER (dBm)				
					Measured Pwr (dBm)			MPR	Tune-up Limit
					650000	656000	662000		
					3750.00 MHz	3840.00 MHz	3930.00 MHz		
100 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.68	22.23	22.14	0.5	26.0
			1	1	26.18	25.73	25.64	0.0	26.5
			1	136	26.02	25.48	25.43	0.0	26.5
			1	271	26.15	25.69	25.41	0.0	26.5
			1	272	22.60	22.16	21.95	0.5	26.0
			135	0	25.63	25.07	25.07	0.5	26.0
			135	69	26.10	25.41	25.43	0.0	26.5
			135	138	25.55	24.94	24.87	0.5	26.0
			270	0	25.59	25.06	24.99	0.5	26.0
		QPSK	1	0	22.77	22.21	22.14	1.0	25.5
			1	1	26.24	25.74	25.64	0.0	26.5
			1	136	26.03	25.35	25.42	0.0	26.5
			1	271	26.13	25.61	25.43	0.0	26.5
			1	272	22.71	22.10	21.94	1.0	25.5
			135	0	25.18	24.55	24.52	1.0	25.5
			135	69	26.05	25.43	25.45	0.0	26.5
			135	138	25.06	24.46	24.41	1.0	25.5
			270	0	25.13	24.59	24.45	1.0	25.5
		16QAM	1	0	22.72	22.14	22.24	2.0	24.5
			1	1	25.25	24.73	24.83	1.0	25.5
			1	136	25.06	24.33	24.51	1.0	25.5
			1	271	25.16	24.65	24.61	1.0	25.5
			1	272	22.56	22.04	22.02	2.0	24.5
			135	0	24.19	23.56	23.50	2.0	24.5
			135	69	25.09	24.43	24.47	1.0	25.5
			135	138	24.07	23.47	23.41	2.0	24.5
			270	0	24.12	23.59	23.47	2.0	24.5
		64QAM	1	1	23.60	23.33	22.88	2.5	24.0
		256QAM	1	1	21.90	21.41	21.17	4.5	22.0
	CP-OFDM	QPSK	1	0	22.83	22.32	22.09	3.0	23.5
			1	1	24.94	24.51	24.30	1.5	25.0
			1	136	24.70	24.04	24.08	1.5	25.0
			1	271	24.79	24.32	24.14	1.5	25.0
			1	272	22.69	22.18	21.95	3.0	23.5
			135	0	23.16	22.57	22.53	3.0	23.5
			135	69	24.57	23.95	23.96	1.5	25.0
			135	138	23.04	22.45	22.42	3.0	23.5
			270	0	23.10	22.58	22.45	3.0	23.5
		16QAM	1	0	22.57	22.19	22.13	3.0	23.5
			1	1	24.29	23.75	23.62	2.0	24.5
			1	136	24.10	23.38	23.50	2.0	24.5
			1	271	24.26	23.65	23.60	2.0	24.5
			1	272	22.55	21.97	21.92	3.0	23.5
			135	0	23.00	22.40	22.38	3.0	23.5
			135	69	24.05	23.37	23.45	2.0	24.5
			135	138	22.86	22.32	22.28	3.0	23.5
			270	0	22.92	22.33	22.35	3.0	23.5
		64QAM	1	1	22.66	22.13	21.86	3.5	23.0
		256QAM	1	1	19.73	18.85	18.69	6.5	20.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					649666	656000	662332		
					3744.99MHz	3840.00 MHz	3934.98MHz		
90 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.73	22.45	22.08	0.5	26.0
			1	1	26.32	25.67	25.70	0.0	26.5
			1	123	26.14	25.46	25.52	0.0	26.5
			1	243	26.22	25.59	25.44	0.0	26.5
			1	244	22.63	21.95	21.89	0.5	26.0
			120	0	25.58	25.00	25.07	0.5	26.0
			120	63	26.17	25.47	25.54	0.0	26.5
			120	125	25.59	24.95	24.89	0.5	26.0
			243	0	25.73	25.02	25.01	0.5	26.0
		QPSK	1	0	22.74	22.25	22.11	1.0	25.5
			1	1	26.34	25.80	25.73	0.0	26.5
			1	123	26.17	25.49	25.43	0.0	26.5
			1	243	26.21	25.64	25.49	0.0	26.5
			1	244	22.61	22.05	21.94	1.0	25.5
			120	0	25.22	24.63	24.54	1.0	25.5
			120	63	26.19	25.54	25.56	0.0	26.5
			120	125	25.08	24.51	24.45	1.0	25.5
			243	0	25.23	24.58	24.59	1.0	25.5
		16QAM	1	1	25.30	24.50	24.66	1.0	25.5
			1	123	25.27	24.21	24.43	1.0	25.5
			1	243	25.29	24.31	24.47	1.0	25.5
		64QAM	1	1	23.52	23.01	23.15	2.5	24.0
		256QAM	1	1	21.77	21.09	21.24	4.5	22.0
	CP-OFDM	QPSK	1	1	24.94	24.31	24.41	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					649334	656000	662666		
					3740.01 MHz	3840.00 MHz	3939.99 MHz		
80 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.59	22.05	21.94	0.5	26.0
			1	1	26.22	26.30	25.55	0.0	26.5
			1	108	26.13	25.35	25.36	0.0	26.5
			1	215	26.20	25.53	25.29	0.0	26.5
			1	216	22.56	21.93	21.68	0.5	26.0
			108	0	25.66	25.06	24.99	0.5	26.0
			108	54	26.17	25.59	25.53	0.0	26.5
			108	108	25.61	24.93	24.80	0.5	26.0
		QPSK	216	0	25.79	25.12	25.05	0.5	26.0
			1	0	22.66	22.18	22.08	1.0	25.5
			1	1	26.33	25.76	25.67	0.0	26.5
			1	108	26.01	25.39	25.37	0.0	26.5
			1	215	26.12	25.59	25.40	0.0	26.5
			1	216	22.48	22.05	21.84	1.0	25.5
			108	0	25.14	24.57	24.49	1.0	25.5
			108	54	26.18	25.59	25.57	0.0	26.5
			108	109	25.04	24.43	24.48	1.0	25.5
			216	0	25.19	24.64	24.52	1.0	25.5
		16QAM	1	1	25.33	24.31	24.66	1.0	25.5
			1	108	25.25	24.18	24.41	1.0	25.5
			1	215	25.26	24.31	24.34	1.0	25.5
		64QAM	1	1	23.53	23.18	23.08	2.5	24.0
		256QAM	1	1	21.51	21.00	20.94	4.5	22.0
	CP-OFDM	QPSK	1	1	24.80	24.39	24.18	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					649000	656000	663000		
					3735.00 MHz	3840.00 MHz	3945.00 MHz		
70 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.58	21.93	22.04	0.5	26.0
			1	1	26.05	25.41	25.50	0.0	26.5
			1	94	25.97	25.28	25.35	0.0	26.5
			1	187	25.94	25.36	25.25	0.0	26.5
			1	188	22.47	21.87	21.80	0.5	26.0
			90	0	25.59	24.99	24.98	0.5	26.0
			90	49	26.09	25.43	25.57	0.0	26.5
			90	99	25.49	24.91	24.96	0.5	26.0
		QPSK	180	0	25.53	25.02	24.99	0.5	26.0
			1	0	22.58	22.02	22.05	1.0	25.5
			1	1	26.05	25.54	25.55	0.0	26.5
			1	94	25.98	25.41	25.39	0.0	26.5
			1	187	25.94	25.42	25.30	0.0	26.5
			1	188	22.41	21.93	21.84	1.0	25.5
			90	0	25.10	24.52	24.51	1.0	25.5
			90	49	26.13	25.50	25.56	0.0	26.5
			90	99	25.03	24.45	24.38	1.0	25.5
			180	0	25.06	24.43	24.52	1.0	25.5
		16QAM	1	1	25.21	24.74	24.37	1.0	25.5
			1	94	25.07	24.54	24.16	1.0	25.5
			1	187	25.08	24.65	24.06	1.0	25.5
		64QAM	1	1	23.71	23.06	23.07	2.5	24.0
		256QAM	1	1	21.84	21.33	21.01	4.5	22.0
	CP-OFDM	QPSK	1	1	24.75	24.24	24.16	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					648668	656000	663332		
					3730.02 MHz	3840.00 MHz	3949.98 MHz		
60 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.50	21.87	21.89	0.5	26.0
			1	1	26.10	25.41	25.50	0.0	26.5
			1	80	26.08	25.39	25.36	0.0	26.5
			1	160	26.14	25.46	25.32	0.0	26.5
			1	161	22.52	21.72	21.55	0.5	26.0
			81	0	25.55	24.95	24.85	0.5	26.0
			81	40	26.15	25.46	25.37	0.0	26.5
			81	81	25.55	24.80	24.65	0.5	26.0
		QPSK	162	0	25.58	25.00	24.85	0.5	26.0
			1	0	22.45	21.86	21.87	1.0	25.5
			1	1	26.06	25.53	25.45	0.0	26.5
			1	80	26.00	25.32	25.30	0.0	26.5
			1	160	26.04	25.35	25.30	0.0	26.5
			1	161	22.48	21.75	21.72	1.0	25.5
			81	0	25.07	24.46	24.41	1.0	25.5
			81	40	26.04	25.45	25.43	0.0	26.5
			81	81	25.04	24.29	24.22	1.0	25.5
		16QAM	162	0	25.04	24.51	24.43	1.0	25.5
			1	1	25.04	24.47	24.34	1.0	25.5
			1	80	25.08	24.39	24.25	1.0	25.5
		64QAM	1	1	24.90	24.33	24.14	1.0	25.5
		256QAM	1	1	23.41	22.61	22.76	2.5	24.0
		256QAM	1	1	21.45	21.05	20.79	4.5	22.0
	CP-OFDM	QPSK	1	1	24.64	24.11	23.99	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					648334	656000	663666		
					3725.01 MHz	3840.00 MHz	3954.99 MHz		
50 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.72	22.17	21.74	0.5	26.0
			1	1	26.30	25.77	25.34	0.0	26.5
			1	66	26.26	25.73	25.44	0.0	26.5
			1	131	26.23	25.60	25.46	0.0	26.5
			1	132	22.62	21.93	21.85	0.5	26.0
			64	0	25.82	25.17	24.96	0.5	26.0
			64	34	26.32	25.75	25.52	0.0	26.5
			64	69	25.71	25.09	24.92	0.5	26.0
		QPSK	128	0	25.74	25.14	24.92	0.5	26.0
			1	0	22.70	22.17	21.83	1.0	25.5
			1	1	26.23	25.79	25.40	0.0	26.5
			1	66	26.27	25.71	25.45	0.0	26.5
			1	131	26.25	25.62	25.46	0.0	26.5
			1	132	22.62	22.01	21.89	1.0	25.5
			64	0	25.31	24.76	24.43	1.0	25.5
			64	34	26.31	25.80	25.57	0.0	26.5
			64	69	25.22	24.64	24.47	1.0	25.5
			128	0	25.21	24.68	24.44	1.0	25.5
		16QAM	1	1	25.39	24.44	24.30	1.0	25.5
			1	66	25.46	24.48	24.47	1.0	25.5
			1	131	25.32	24.31	24.38	1.0	25.5
		64QAM	1	1	23.56	22.98	22.90	2.5	24.0
		256QAM	1	1	21.87	21.21	20.85	4.5	22.0
	CP-OFDM	QPSK	1	1	24.81	24.37	23.99	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					648000	656000	664000		
					3720.02 MHz	3840.00 MHz	3960.00 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.57	21.81	21.59	0.5	26.0
			1	1	26.23	25.46	25.19	0.0	26.5
			1	52	26.07	25.38	25.32	0.0	26.5
			1	104	26.11	25.34	25.30	0.0	26.5
			1	105	22.53	21.75	21.74	0.5	26.0
			50	0	25.65	25.00	24.82	0.5	26.0
			50	28	26.13	25.58	25.43	0.0	26.5
			50	56	25.58	24.92	24.81	0.5	26.0
		QPSK	100	0	25.61	25.06	24.88	0.5	26.0
			1	0	22.60	21.93	21.63	1.0	25.5
			1	1	26.21	25.57	25.25	0.0	26.5
			1	52	26.21	25.51	25.25	0.0	26.5
			1	104	26.10	25.50	25.31	0.0	26.5
			1	105	22.50	21.91	21.62	1.0	25.5
			50	0	25.21	24.48	24.34	1.0	25.5
			50	28	26.21	25.65	25.37	0.0	26.5
			50	56	25.06	24.49	24.32	1.0	25.5
			100	0	25.16	24.51	24.33	1.0	25.5
		16QAM	1	1	25.04	24.43	24.15	1.0	25.5
			1	52	25.15	24.44	24.34	1.0	25.5
			1	104	25.06	24.36	24.30	1.0	25.5
		64QAM	1	1	23.43	22.63	22.46	2.5	24.0
		256QAM	1	1	21.57	21.05	20.73	4.5	22.0
	CP-OFDM	QPSK	1	1	24.69	24.08	23.74	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					647668	656000	664332		
					3715.02 MHz	3840.00 MHz	3964.98 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.49	21.91	21.78	0.5	26.0
			1	1	26.19	25.55	25.33	0.0	26.5
			1	39	26.16	25.45	25.34	0.0	26.5
			1	76	26.17	25.44	25.37	0.0	26.5
			1	77	22.60	21.82	21.76	0.5	26.0
			36	0	25.69	25.01	24.76	0.5	26.0
			36	21	26.16	25.58	25.37	0.0	26.5
			36	42	25.56	24.98	24.81	0.5	26.0
		QPSK	75	0	25.54	25.01	24.79	0.5	26.0
			1	0	22.52	22.08	21.78	1.0	25.5
			1	1	26.06	25.66	25.41	0.0	26.5
			1	39	26.20	25.56	25.37	0.0	26.5
			1	76	26.14	25.56	25.37	0.0	26.5
			1	77	22.55	21.97	21.82	1.0	25.5
			36	0	25.15	24.54	24.26	1.0	25.5
			36	21	26.16	25.53	25.41	0.0	26.5
			36	42	25.05	24.49	24.31	1.0	25.5
		16QAM	75	0	25.10	24.41	24.34	1.0	25.5
			1	1	25.02	24.55	24.33	1.0	25.5
			1	39	25.13	24.45	24.34	1.0	25.5
		64QAM	1	1	25.09	24.43	24.35	1.0	25.5
		256QAM	1	1	23.33	22.96	22.83	2.5	24.0
		256QAM	1	1	21.58	20.92	20.70	4.5	22.0
	CP-OFDM	QPSK	1	1	24.74	24.15	23.96	1.5	25.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					648334	656000	663666		
					3725.01 MHz	3840.00 MHz	3954.99 MHz		
50 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.35	23.10	23.71	3.5	24.0
			1	1	26.88	26.69	27.21	0.0	27.5
			1	66	27.05	26.88	27.31	0.0	27.5
			1	131	26.93	26.91	27.29	0.0	27.5
			1	132	23.44	23.35	23.72	3.5	24.0
			64	0	26.48	26.29	26.78	0.5	27.0
			64	34	27.07	26.89	27.35	0.0	27.5
			64	69	26.54	26.41	26.78	0.5	27.0
			128	0	26.50	26.37	26.76	0.5	27.0
		QPSK	1	0	23.39	23.31	23.67	3.5	24.0
			1	1	26.82	26.85	27.22	0.0	27.5
			1	66	27.01	26.95	27.36	0.0	27.5
			1	131	26.92	27.00	27.34	0.0	27.5
			1	132	23.39	23.49	23.91	3.5	24.0
			64	0	25.94	25.89	26.29	1.0	26.5
			64	34	26.98	26.96	27.37	0.0	27.5
			64	69	26.03	25.92	26.32	1.0	26.5
			128	0	25.94	25.89	26.28	1.0	26.5
		16QAM	1	1	26.05	25.56	26.20	1.0	26.5
			1	66	26.17	25.72	26.20	1.0	26.5
			1	131	26.13	25.73	26.26	1.0	26.5
		64QAM	1	1	24.38	24.11	24.85	2.5	25.0
		256QAM	1	1	22.59	22.32	22.81	4.5	23.0
	CP-OFDM	QPSK	1	1	25.44	25.29	25.72	1.5	26.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					648000	656000	664000		
					3720.02 MHz	3840.00 MHz	3960.00 MHz		
40 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.79	23.59	23.71	3.5	24.0
			1	1	27.22	27.12	27.24	0.0	27.5
			1	52	27.20	27.04	27.35	0.0	27.5
			1	104	27.35	27.05	27.43	0.0	27.5
			1	105	23.83	23.55	23.89	3.5	24.0
			50	0	26.73	26.63	26.87	0.5	27.0
			50	28	27.29	27.17	27.41	0.0	27.5
			50	56	26.82	26.61	26.93	0.5	27.0
			100	0	26.78	26.64	26.90	0.5	27.0
		QPSK	1	0	23.70	23.71	23.84	3.5	24.0
			1	1	27.16	27.20	27.32	0.0	27.5
			1	52	27.22	27.19	27.49	0.0	27.5
			1	104	27.33	27.14	27.45	0.0	27.5
			1	105	23.84	23.69	23.98	3.5	24.0
			50	0	26.22	26.12	26.34	1.0	26.5
			50	28	27.26	27.18	27.40	0.0	27.5
			50	56	26.27	26.10	26.45	1.0	26.5
			100	0	26.24	26.13	26.45	1.0	26.5
		16QAM	1	1	26.39	25.99	26.29	1.0	26.5
			1	52	26.34	25.88	26.42	1.0	26.5
			1	104	26.45	25.85	26.46	1.0	26.5
		64QAM	1	1	24.85	24.58	24.22	2.5	25.0
		256QAM	1	1	22.85	22.49	22.87	4.5	23.0
	CP-OFDM	QPSK	1	1	25.93	25.71	25.77	1.5	26.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					647668	656000	664332		
					3715.02 MHz	3840.00 MHz	3964.98 MHz		
30 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	23.60	23.60	23.75	3.5	24.0
			1	1	27.10	26.97	27.33	0.0	27.5
			1	39	27.22	27.08	27.43	0.0	27.5
			1	76	27.24	27.14	27.34	0.0	27.5
			1	77	23.66	23.53	23.83	3.5	24.0
			36	0	26.65	26.55	26.85	0.5	27.0
			36	21	27.24	27.15	27.37	0.0	27.5
			36	42	26.76	26.67	26.86	0.5	27.0
			75	0	26.71	26.66	26.88	0.5	27.0
		QPSK	1	0	23.49	23.55	23.83	3.5	24.0
			1	1	27.00	26.96	27.30	0.0	27.5
			1	39	27.09	27.08	27.41	0.0	27.5
			1	76	27.16	27.13	27.45	0.0	27.5
			1	77	23.59	23.63	23.90	3.5	24.0
			36	0	26.08	26.06	26.29	1.0	26.5
			36	21	27.16	27.08	27.32	0.0	27.5
			36	42	26.17	26.09	26.35	1.0	26.5
			75	0	26.15	26.11	26.30	1.0	26.5
		16QAM	1	1	25.96	25.93	26.33	1.0	26.5
			1	39	25.99	26.06	26.30	1.0	26.5
			1	76	26.11	26.09	26.37	1.0	26.5
		64QAM	1	1	24.49	24.55	24.72	2.5	25.0
		256QAM	1	1	22.51	22.62	22.66	4.5	23.0
	CP-OFDM	QPSK	1	1	25.54	25.53	25.86	1.5	26.0

BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					647334	656000	664666		
					3710.01 MHz	3840.00 MHz	3969.99 MHz		
20 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.46	21.76	21.60	0.5	26.0
			1	1	26.04	25.38	25.25	0.0	26.5
			1	26	26.11	25.38	25.19	0.0	26.5
			1	49	26.08	25.34	25.26	0.0	26.5
			1	50	22.54	21.75	21.60	0.5	26.0
			25	0	25.58	24.90	24.68	0.5	26.0
			25	13	26.17	25.49	25.27	0.0	26.5
			25	26	25.61	24.95	24.76	0.5	26.0
			50	0	25.62	24.95	24.77	0.5	26.0
		QPSK	1	0	22.40	21.82	21.60	1.0	25.5
			1	1	25.99	25.44	25.25	0.0	26.5
			1	26	26.03	25.45	25.33	0.0	26.5
			1	49	26.02	25.43	25.26	0.0	26.5
			1	50	22.43	21.81	21.60	1.0	25.5
			25	0	25.03	24.38	24.16	1.0	25.5
			25	13	26.16	25.47	25.36	0.0	26.5
			25	26	25.06	24.43	24.21	1.0	25.5
			50	0	25.16	24.47	24.36	1.0	25.5
		16QAM	1	1	24.96	24.06	24.18	1.0	25.5
			1	26	25.04	24.34	24.24	1.0	25.5
			1	49	25.06	24.37	24.14	1.0	25.5
		64QAM	1	1	23.36	22.56	22.60	2.5	24.0
		256QAM	1	1	21.57	20.72	20.82	4.5	22.0
	CP-OFDM	QPSK	1	1	24.63	24.10	23.89	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					647168	656000	664832		
					3709.52 MHz	3840.00 MHz	3972.48 MHz		
15 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.56	21.87	21.62	0.5	26.0
			1	1	26.11	25.49	25.18	0.0	26.5
			1	19	26.11	25.46	25.12	0.0	26.5
			1	36	26.24	25.52	25.25	0.0	26.5
			1	37	22.61	21.89	21.64	0.5	26.0
			18	0	25.51	24.92	24.59	0.5	26.0
			18	10	26.13	25.52	25.21	0.0	26.5
			18	20	25.57	24.93	24.71	0.5	26.0
			36	0	25.53	24.89	24.73	0.5	26.0
		QPSK	1	0	22.43	21.86	21.69	1.0	25.5
			1	1	26.06	25.45	25.31	0.0	26.5
			1	19	26.03	25.42	25.22	0.0	26.5
			1	36	26.17	25.52	25.35	0.0	26.5
			1	37	22.60	21.89	21.77	1.0	25.5
			18	0	25.04	24.36	24.14	1.0	25.5
			18	10	26.12	25.46	25.28	0.0	26.5
			18	20	25.09	24.44	24.22	1.0	25.5
			36	0	25.06	24.40	24.14	1.0	25.5
		16QAM	1	1	25.06	24.43	24.17	1.0	25.5
			1	19	25.01	24.36	24.14	1.0	25.5
			1	36	25.12	24.50	24.25	1.0	25.5
		64QAM	1	1	23.28	22.81	22.72	2.5	24.0
		256QAM	1	1	21.35	21.09	20.87	4.5	22.0
	CP-OFDM	QPSK	1	1	24.71	24.08	23.86	1.5	25.0
BW (MHz)	Modulation	Mode	RB Allocation	RB offset	Measured Pwr (dBm)			MPR	Tune-up Limit
					647000	656000	665000		
					3705.00 MHz	3840.00 MHz	3975.00 MHz		
10 MHz	DFT-s-OFDM	$\pi/2$ BPSK	1	0	22.41	21.65	21.64	0.5	26.0
			1	1	26.04	25.28	25.28	0.0	26.5
			1	12	26.02	25.29	25.27	0.0	26.5
			1	22	26.16	25.41	25.31	0.0	26.5
			1	23	22.48	21.71	21.67	0.5	26.0
			12	0	25.48	24.77	24.72	0.5	26.0
			12	6	26.05	25.36	25.33	0.0	26.5
			12	12	25.53	24.83	24.75	0.5	26.0
			24	0	25.47	24.82	24.75	0.5	26.0
		QPSK	1	0	22.35	21.75	21.64	1.0	25.5
			1	1	25.98	25.41	25.25	0.0	26.5
			1	12	25.99	25.39	25.34	0.0	26.5
			1	22	26.08	25.44	25.35	0.0	26.5
			1	23	22.46	21.83	21.71	1.0	25.5
			12	0	24.92	24.31	24.25	1.0	25.5
			12	6	26.00	25.40	25.31	0.0	26.5
			12	12	24.96	24.33	24.23	1.0	25.5
			24	0	24.95	24.34	24.23	1.0	25.5
		16QAM	1	1	25.08	24.19	24.26	1.0	25.5
			1	12	25.12	24.31	24.24	1.0	25.5
			1	22	25.26	24.38	24.29	1.0	25.5
		64QAM	1	1	23.16	22.75	22.82	2.5	24.0
		256QAM	1	1	21.58	20.97	20.74	4.5	22.0
	CP-OFDM	QPSK	1	1	24.58	24.09	24.01	1.5	25.0

NR Band n77 (PC2, 3700-3980 MHz, SRS) (ANT C, I, K)

Maximum Average Power (dBm) SRS2			Tune-up Limit	Maximum Average Power (dBm) SRS3			Tune-up Limit	Maximum Average Power (dBm) SRS4			Tune-up Limit
			22.0				23.0				22.5
BW (MHz)	RB Allocation	RB offset	MFR	BW (MHz)	RB Allocation	RB offset	MFR	BW (MHz)	RB Allocation	RB offset	MFR
	1	1	0.0		1	1	0.0		1	1	0.0
Measured Pwr (dBm)				Measured Pwr (dBm)				Measured Pwr (dBm)			
100 MHz	650000	656000	662000	100 MHz	650000	656000	662000	100 MHz	650000	656000	662000
	3750 MHz	3840 MHz	3930 MHz		3750 MHz	3840 MHz	3930 MHz		3750 MHz	3840 MHz	3930 MHz
	20.68	19.95	19.80		22.25	21.38	20.85		22.31	21.93	21.16
90 MHz	649668	656000	662332	90 MHz	649668	656000	662332	90 MHz	649668	656000	662332
	3745.02 MHz	3840 MHz	3934.98MHz		3745.02 MHz	3840 MHz	3934.98MHz		3745.02 MHz	3840 MHz	3934.98MHz
	20.75	19.98	19.85		22.31	21.43	20.80		22.36	21.95	21.08
80 MHz	649334	656000	662666	80 MHz	649334	656000	662666	80 MHz	649334	656000	662666
	3740.01 MHz	3840 MHz	3939.99 MHz		3740.01 MHz	3840 MHz	3939.99 MHz		3740.01 MHz	3840 MHz	3939.99 MHz
	20.82	20.05	19.86		22.36	21.42	20.77		22.38	21.97	21.05
70 MHz	649000	656000	663000	70 MHz	649000	656000	663000	70 MHz	649000	656000	663000
	3735MHz	3840 MHz	3945MHz		3735MHz	3840 MHz	3945MHz		3735MHz	3840 MHz	3945MHz
	20.77	20.03	19.75		22.41	21.45	20.75		21.33	21.96	20.98
60 MHz	648668	656000	663332	60 MHz	648668	656000	663332	60 MHz	648668	656000	663332
	3730.02 MHz	3840 MHz	3949.98 MHz		3730.02 MHz	3840 MHz	3949.98 MHz		3730.02 MHz	3840 MHz	3949.98 MHz
	20.75	20.01	19.68		22.48	21.52	20.63		22.38	21.95	20.91
50 MHz	648334	656000	663666	50 MHz	648334	656000	663666	50 MHz	648334	656000	663666
	3725.01 MHz	3840 MHz	3954.99 MHz		3725.01 MHz	3840 MHz	3954.99 MHz		3725.01 MHz	3840 MHz	3954.99 MHz
	20.86	20.13	19.65		22.59	21.58	20.55		22.26	21.95	21.71
40 MHz	648000	656000	664000	40 MHz	648000	656000	664000	40 MHz	648000	656000	664000
	3720.02 MHz	3840 MHz	3960 MHz		3720.02 MHz	3840 MHz	3960 MHz		3720.02 MHz	3840 MHz	3960 MHz
	20.95	20.17	19.62		22.71	21.63	20.52		22.37	22.14	21.63
30 MHz	647668	656000	664332	30 MHz	647668	656000	664332	30 MHz	647668	656000	664332
	3715.02 MHz	3840 MHz	3964.98 MHz		3715.02 MHz	3840 MHz	3964.98 MHz		3715.02 MHz	3840 MHz	3964.98 MHz
	20.98	20.08	19.61		22.69	21.59	20.53		22.30	22.36	21.58
20 MHz	647334	656000	664666	20 MHz	647334	656000	664666	20 MHz	647334	656000	664666
	3710.01 MHz	3840 MHz	3969.99 MHz		3710.01 MHz	3840 MHz	3969.99 MHz		3710.01 MHz	3840 MHz	3969.99 MHz
	21.03	20.02	19.55		22.68	21.53	20.55		22.34	21.45	21.48
15 MHz	647168	656000	664832	15 MHz	647168	656000	664832	15 MHz	647168	656000	664832
	3707.52 MHz	3840 MHz	3972.48 MHz		3707.52 MHz	3840 MHz	3972.48 MHz		3707.52 MHz	3840 MHz	3972.48 MHz
	21.06	20.03	19.61		20.72	21.59	20.52		22.42	21.49	21.40
10 MHz	647000	656000	665000	10 MHz	647000	656000	665000	10 MHz	647000	656000	665000
	3705 MHz	3840 MHz	3975 MHz		3705 MHz	3840 MHz	3975 MHz		3705 MHz	3840 MHz	3975 MHz
	20.98	20.07	19.63		22.75	21.62	20.53		22.33	21.42	21.44

8.2. PEAK TO AVERAGE RATIO

Test Procedure

Per KDB 971168 D01 Power Meas License Digital Systems v03r01;

The transmitter output was connected to either CMW500 Test Set or E7515B Test set and configured to operate at maximum power. The PAR were measured on the Spectrum Analyzer.

Test Spec

In addition, when the transmitter power is measured in terms of average value, the peak-to-average ratio of the power shall not exceed 13 dB.

NOTE

LTE: It was all modulations and worst modulations(QPSK, 256QAM) is reported.


5G NR: All Waveforms (CP-OFDM vs DFT-s_OFDM) and modulations ($\pi/2$ BPSK, QPSK, 16QAM, 64QAM, 256QAM) were investigated to determine the worst case configuration. All Modes of operation were investigated and the worst case configuration results are reported in this section.

RESULTS

See the following pages.

8.2.1. CONDUCTED PEAK TO AVERAGE RESULT


WCDMA (ANT A)




LTE Band 12 (ANT A)




LTE Band 13 (ANT A)




LTE Band 41 (PC2) (ANT F)





LTE Band 66 (ANT F)







NR Band n41 CP-OFDM (PC3) (ANT F)










NR Band n66 CP-OFDM (ANT F)






NR Band n77 (PC2, 3450-3550 MHz) CP-OFDM (ANT F)







NR Band n77 (PC2, 3700-3980 MHz) CP-OFDM (ANT F)

