

PART 27 MEASUREMENT REPORT

Applicant Name:

Samsung Electronics Co., Ltd.
129, Samsung-ro,
Yeongtong-gu, Suwon-si
Gyeonggi-do, 16677, Korea

Date of Testing:

09/03/2024 - 10/22/2024

Test Report Issue Date:

11/03/2024

Test Site/Location:

Element Lab. Yongin-Si, Gyeonggi-do, South Korea

Test Report Serial No.:

1M2408260067-04-R1.A3L

FCC ID:

A3LSMS938U

Applicant Name:

Samsung Electronics Co., Ltd.

Application Type:

Certification

Model:

SM-S938U

Additional Model(s):

SM-S938U1

EUT Type:

Portable Handset

FCC Classification:

PCS Licensed Transmitter Held to Ear (PCE)

FCC Rule Part:

27

Test Procedure(s):

ANSI C63.26-2015, KDB 648474 D03 v01r04

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

This revised Test Report (S/N: 1M2408260067-04-R1.A3L) supersedes and replaces the previously issued test report (S/N: 1M2408260067-04.A3L) on the same subject device for the same type of testing as indicated. Please discard or destroy the previously issued test report(s) and dispose of it accordingly.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.



Prepared by



Reviewed by

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 1 of 281

TABLE OF CONTENTS

1.0	INTRODUCTION	10
1.1	Scope	10
1.2	Element Test Location.....	10
1.3	Test Facility / Accreditations.....	10
2.0	PRODUCT INFORMATION.....	11
2.1	Equipment Description	11
2.2	Device Capabilities.....	11
2.3	Test Configuration	11
2.4	Software and Firmware	11
2.5	EMI Suppression Device(s)/Modifications	11
3.0	DESCRIPTION OF TESTS	12
3.1	Evaluation Procedure	12
3.2	Radiated Power and Radiated Spurious Emissions	12
4.0	MEASUREMENT UNCERTAINTY	13
5.0	TEST EQUIPMENT CALIBRATION DATA	14
6.0	SAMPLE CALCULATIONS	15
7.0	TEST RESULTS.....	16
7.1	Summary.....	16
7.2	Conducted Output Power Data	17
7.3	Occupied Bandwidth	28
7.4	Spurious and Harmonic Emissions at Antenna Terminal	144
7.5	Band Edge Emissions at Antenna Terminal	188
7.6	Radiated Power (EIRP)	218
7.7	Radiated Spurious Emissions Measurements	233
7.8	Frequency Stability / Temperature Variation	274
8.0	CONCLUSION.....	281

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 2 of 281

PART 27 MEASUREMENT REPORT

Antenna-A						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 30	10 MHz	QPSK	2310.0	0.088	19.42	9M04G7D
		16QAM	2310.0	0.069	18.40	9M01W7D
	5 MHz	QPSK	2307.5 - 2312.5	0.094	19.75	4M55G7D
		16QAM	2307.5 - 2312.5	0.077	18.85	4M53W7D
NR Band n30	10 MHz	$\pi/2$ BPSK	2310.0	0.119	20.75	9M05G7D
		QPSK	2310.0	0.120	20.80	9M37G7D
		16QAM	2310.0	0.096	19.83	9M00W7D
	5 MHz	$\pi/2$ BPSK	2307.5 - 2312.5	0.128	21.07	4M52G7D
		QPSK	2307.5 - 2312.5	0.123	20.89	4M53G7D
		16QAM	2307.5 - 2312.5	0.097	19.88	4M53W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 3 of 281

Antenna-B						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 7	20 MHz	QPSK	2510.0 - 2560.0	0.176	22.46	18M0G7D
		16QAM	2510.0 - 2560.0	0.145	21.61	18M0W7D
	15 MHz	QPSK	2507.5 - 2562.5	0.183	22.63	13M5G7D
		16QAM	2507.5 - 2562.5	0.137	21.38	13M5W7D
	10 MHz	QPSK	2505.0 - 2565.0	0.180	22.56	9M00G7D
		16QAM	2505.0 - 2565.0	0.140	21.48	9M02W7D
	5 MHz	QPSK	2502.5 - 2567.5	0.182	22.60	4M52G7D
		16QAM	2502.5 - 2567.5	0.142	21.54	4M54W7D
LTE Band 41(PC3)/38	20 MHz	QPSK	2506.0 - 2680.0	0.171	22.34	18M0G7D
		16QAM	2506.0 - 2680.0	0.143	21.55	18M0W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.184	22.64	13M5G7D
		16QAM	2503.5 - 2682.5	0.127	21.04	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.186	22.68	9M04G7D
		16QAM	2501.0 - 2685.0	0.131	21.16	9M01W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.186	22.69	4M53G7D
		16QAM	2498.5 - 2687.5	0.155	21.90	4M54W7D
NR Band n7	50MHz	TT/2 BPSK	2525.0 - 2545.0	0.152	21.82	48M3G7D
		QPSK	2525.0 - 2545.0	0.153	21.85	48M4G7D
		16QAM	2525.0 - 2545.0	0.118	20.72	48M4W7D
	40MHz	TT/2 BPSK	2520.0 - 2550.0	0.147	21.69	38M8G7D
		QPSK	2520.0 - 2550.0	0.140	21.45	38M9G7D
		16QAM	2520.0 - 2550.0	0.109	20.38	38M9W7D
	35MHz	TT/2 BPSK	2517.5 - 2552.5	0.153	21.85	32M5G7D
		QPSK	2517.5 - 2552.5	0.149	21.72	33M8G7D
		16QAM	2517.5 - 2552.5	0.117	20.69	33M9W7D
	30MHz	TT/2 BPSK	2515.0 - 2555.0	0.151	21.79	28M7G7D
		QPSK	2515.0 - 2555.0	0.148	21.70	28M7G7D
		16QAM	2515.0 - 2555.0	0.120	20.78	28M7W7D
	25MHz	TT/2 BPSK	2512.5 - 2557.5	0.154	21.87	23M0G7D
		QPSK	2512.5 - 2557.5	0.156	21.94	23M9G7D
		16QAM	2512.5 - 2557.5	0.120	20.78	23M9W7D
	20MHz	TT/2 BPSK	2510.0 - 2560.0	0.146	21.64	18M0G7D
		QPSK	2510.0 - 2560.0	0.149	21.73	19M1G7D
		16QAM	2510.0 - 2560.0	0.114	20.55	19M0W7D
	15 MHz	TT/2 BPSK	2507.5 - 2562.5	0.151	21.79	13M5G7D
		QPSK	2507.5 - 2562.5	0.150	21.75	14M2G7D
		16QAM	2507.5 - 2562.5	0.114	20.58	14M2W7D
	10MHz	TT/2 BPSK	2505.0 - 2565.0	0.154	21.87	9M02G7D
		QPSK	2505.0 - 2565.0	0.148	21.71	9M36G7D
		16QAM	2505.0 - 2565.0	0.116	20.63	9M35W7D
	5 MHz	TT/2 BPSK	2502.5 - 2567.5	0.152	21.82	4M49G7D
		QPSK	2502.5 - 2567.5	0.143	21.55	4M51G7D
		16QAM	2502.5 - 2567.5	0.109	20.37	4M53W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 4 of 281

Antenna-F						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
LTE Band 30	10 MHz	QPSK	2310.0	0.163	22.13	9M04G7D
		16QAM	2310.0	0.136	21.33	9M04W7D
	5 MHz	QPSK	2307.5 - 2312.5	0.164	22.16	4M55G7D
		16QAM	2307.5 - 2312.5	0.138	21.40	4M52W7D
LTE Band 7	20 MHz	QPSK	2510.0 - 2560.0	0.208	23.18	17M9G7D
		16QAM	2510.0 - 2560.0	0.166	22.21	18M0W7D
	15 MHz	QPSK	2507.5 - 2562.5	0.216	23.35	13M5G7D
		16QAM	2507.5 - 2562.5	0.172	22.34	13M5W7D
	10 MHz	QPSK	2505.0 - 2565.0	0.215	23.32	9M04G7D
		16QAM	2505.0 - 2565.0	0.170	22.31	9M04W7D
	5 MHz	QPSK	2502.5 - 2567.5	0.222	23.47	4M54G7D
		16QAM	2502.5 - 2567.5	0.185	22.68	4M54W7D
LTE Band 41(PC3)/38	20 MHz	QPSK	2506.0 - 2680.0	0.201	23.03	18M0G7D
		16QAM	2506.0 - 2680.0	0.152	21.81	18M1W7D
	15 MHz	QPSK	2503.5 - 2682.5	0.203	23.07	13M5G7D
		16QAM	2503.5 - 2682.5	0.143	21.56	13M5W7D
	10 MHz	QPSK	2501.0 - 2685.0	0.201	23.04	9M00G7D
		16QAM	2501.0 - 2685.0	0.143	21.55	9M02W7D
	5 MHz	QPSK	2498.5 - 2687.5	0.200	23.01	4M52G7D
		16QAM	2498.5 - 2687.5	0.136	21.34	4M52W7D
NR Band n30	10 MHz	TT/2 BPSK	2310.0	0.148	21.71	9M04G7D
		QPSK	2310.0	0.150	21.76	9M40G7D
	5 MHz	TT/2 BPSK	2307.5 - 2312.5	0.158	21.99	4M52G7D
		QPSK	2307.5 - 2312.5	0.157	21.97	4M53G7D
		16QAM	2307.5 - 2312.5	0.129	21.11	4M52W7D
NR Band n7	50MHz	TT/2 BPSK	2525.0 - 2545.0	0.193	22.86	48M3G7D
		QPSK	2525.0 - 2545.0	0.183	22.63	48M4G7D
		16QAM	2525.0 - 2545.0	0.141	21.48	48M4W7D
	40MHz	TT/2 BPSK	2520.0 - 2550.0	0.189	22.77	38M8G7D
		QPSK	2520.0 - 2550.0	0.181	22.58	38M9G7D
		16QAM	2520.0 - 2550.0	0.171	22.32	38M9W7D
	35MHz	TT/2 BPSK	2517.5 - 2552.5	0.189	22.76	32M5G7D
		QPSK	2517.5 - 2552.5	0.175	22.42	33M8G7D
		16QAM	2517.5 - 2552.5	0.137	21.36	33M9W7D
	30MHz	TT/2 BPSK	2515.0 - 2555.0	0.191	22.81	28M7G7D
		QPSK	2515.0 - 2555.0	0.187	22.71	28M7G7D
		16QAM	2515.0 - 2555.0	0.192	22.83	28M7W7D
	25MHz	TT/2 BPSK	2512.5 - 2557.5	0.198	22.96	23M0G7D
		QPSK	2512.5 - 2557.5	0.185	22.66	23M9G7D
		16QAM	2512.5 - 2557.5	0.189	22.77	23M9W7D
	20MHz	TT/2 BPSK	2510.0 - 2560.0	0.197	22.94	18M0G7D
		QPSK	2510.0 - 2560.0	0.188	22.74	19M1G7D
		16QAM	2510.0 - 2560.0	0.187	22.73	19M0W7D
	15 MHz	TT/2 BPSK	2507.5 - 2562.5	0.187	22.72	13M5G7D
		QPSK	2507.5 - 2562.5	0.188	22.74	14M2G7D
		16QAM	2507.5 - 2562.5	0.196	22.92	14M2W7D
	10MHz	TT/2 BPSK	2505.0 - 2565.0	0.191	22.82	9M02G7D
		QPSK	2505.0 - 2565.0	0.183	22.62	9M36G7D
		16QAM	2505.0 - 2565.0	0.185	22.68	9M35W7D
	5 MHz	TT/2 BPSK	2502.5 - 2567.5	0.196	22.93	4M49G7D
		QPSK	2502.5 - 2567.5	0.187	22.71	4M51G7D
		16QAM	2502.5 - 2567.5	0.187	22.71	4M53W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 5 of 281

Antenna-F						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Default	100 MHz	TT/2 BPSK	2546.0 - 2640.0	0.254	24.06	97M0G7D
		QPSK	2546.0 - 2640.0	0.215	23.33	98M1G7D
		16QAM	2546.0 - 2640.0	0.183	22.62	98M1W7D
	90 MHz	TT/2 BPSK	2541.0 - 2645.0	0.271	24.32	87M2G7D
		QPSK	2541.0 - 2645.0	0.228	23.58	88M0G7D
		16QAM	2541.0 - 2645.0	0.183	22.61	88M1W7D
	80 MHz	TT/2 BPSK	2536.0 - 2650.0	0.272	24.35	77M5G7D
		QPSK	2536.0 - 2650.0	0.242	23.84	77M9G7D
		16QAM	2536.0 - 2650.0	0.188	22.74	77M9W7D
	70 MHz	TT/2 BPSK	2531.0 - 2655.0	0.250	23.98	64M6G7D
		QPSK	2531.0 - 2655.0	0.230	23.61	67M7G7D
		16QAM	2531.0 - 2655.0	0.185	22.68	67M8W7D
	60 MHz	TT/2 BPSK	2526.0 - 2660.0	0.255	24.06	58M2G7D
		QPSK	2526.0 - 2660.0	0.214	23.30	58M2G7D
		16QAM	2526.0 - 2660.0	0.166	22.21	58M3W7D
	50 MHz	TT/2 BPSK	2521.0 - 2665.0	0.262	24.18	46M0G7D
		QPSK	2521.0 - 2665.0	0.232	23.65	47M8G7D
		16QAM	2521.0 - 2665.0	0.190	22.79	47M8W7D
	45 MHz	TT/2 BPSK	2518.5 - 2667.5	0.265	24.22	38M8G7D
		QPSK	2518.5 - 2667.5	0.207	23.16	42M7G7D
		16QAM	2518.5 - 2667.5	0.167	22.21	42M6W7D
	40 MHz	TT/2 BPSK	2516.0 - 2670.0	0.262	24.19	35M8G7D
		QPSK	2516.0 - 2670.0	0.209	23.20	38M1G7D
		16QAM	2516.0 - 2670.0	0.169	22.27	38M1W7D
	35 MHz	TT/2 BPSK	2513.5 - 2672.5	0.254	24.05	32M3G7D
		QPSK	2513.5 - 2672.5	0.221	23.44	33M0G7D
		16QAM	2513.5 - 2672.5	0.169	22.28	33M0W7D
	30 MHz	TT/2 BPSK	2511.0 - 2675.0	0.273	24.35	27M0G7D
		QPSK	2511.0 - 2675.0	0.238	23.76	28M0G7D
		16QAM	2511.0 - 2675.0	0.196	22.93	28M1W7D
	25 MHz	TT/2 BPSK	2508.5 - 2677.5	0.274	24.37	23M0G7D
		QPSK	2508.5 - 2677.5	0.239	23.78	23M4G7D
		16QAM	2508.5 - 2677.5	0.198	22.96	23M3W7D
	20 MHz	TT/2 BPSK	2506.0 - 2680.0	0.274	24.37	18M1G7D
		QPSK	2506.0 - 2680.0	0.248	23.94	18M3G7D
		16QAM	2506.0 - 2680.0	0.191	22.80	18M4W7D
	15 MHz	TT/2 BPSK	2550.0 - 2682.5	0.269	24.30	12M9G7D
		QPSK	2550.0 - 2682.5	0.209	23.20	13M6G7D
		16QAM	2550.0 - 2682.5	0.173	22.38	13M6W7D
	10 MHz	TT/2 BPSK	2545.0 - 2685.0	0.262	24.19	8M60G7D
		QPSK	2545.0 - 2685.0	0.204	23.10	8M63G7D
		16QAM	2545.0 - 2685.0	0.169	22.27	8M64W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 6 of 281

Antenna-B						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	TT/2 BPSK	2546.0 - 2640.0	0.285	24.54	97M0G7D
		QPSK	2546.0 - 2640.0	0.289	24.61	97M9G7D
		16QAM	2546.0 - 2640.0	0.247	23.92	98M1W7D
	90 MHz	TT/2 BPSK	2541.0 - 2645.0	0.284	24.54	87M2G7D
		QPSK	2541.0 - 2645.0	0.252	24.02	87M9G7D
		16QAM	2541.0 - 2645.0	0.229	23.60	88M0W7D
	80 MHz	TT/2 BPSK	2536.0 - 2650.0	0.295	24.69	77M3G7D
		QPSK	2536.0 - 2650.0	0.271	24.33	77M8G7D
		16QAM	2536.0 - 2650.0	0.232	23.66	77M7W7D
	70 MHz	TT/2 BPSK	2531.0 - 2655.0	0.271	24.33	64M5G7D
		QPSK	2531.0 - 2655.0	0.282	24.50	67M7G7D
		16QAM	2531.0 - 2655.0	0.243	23.85	67M8W7D
	60 MHz	TT/2 BPSK	2526.0 - 2660.0	0.266	24.25	58M1G7D
		QPSK	2526.0 - 2660.0	0.226	23.55	58M2G7D
		16QAM	2526.0 - 2660.0	0.194	22.89	58M1W7D
	50 MHz	TT/2 BPSK	2521.0 - 2665.0	0.274	24.37	46M0G7D
		QPSK	2521.0 - 2665.0	0.264	24.22	47M7G7D
		16QAM	2521.0 - 2665.0	0.236	23.72	47M7W7D
	45 MHz	TT/2 BPSK	2518.5 - 2677.5	0.281	24.49	38M8G7D
		QPSK	2518.5 - 2677.5	0.278	24.45	42M6G7D
		16QAM	2518.5 - 2677.5	0.264	24.21	42M7W7D
	40 MHz	TT/2 BPSK	2516.0 - 2670.0	0.315	24.98	35M9G7D
		QPSK	2516.0 - 2670.0	0.291	24.64	38M0G7D
		16QAM	2516.0 - 2670.0	0.249	23.97	38M0W7D
	35 MHz	TT/2 BPSK	2513.5 - 2672.5	0.286	24.57	32M3G7D
		QPSK	2513.5 - 2672.5	0.273	24.36	32M9G7D
		16QAM	2513.5 - 2672.5	0.239	23.78	32M9W7D
	30 MHz	TT/2 BPSK	2511.0 - 2675.0	0.304	24.83	26M9G7D
		QPSK	2511.0 - 2675.0	0.326	25.14	28M0G7D
		16QAM	2511.0 - 2675.0	0.231	23.64	27M9W7D
	25 MHz	TT/2 BPSK	2508.5 - 2677.5	0.307	24.86	22M9G7D
		QPSK	2508.5 - 2677.5	0.276	24.41	23M3G7D
		16QAM	2508.5 - 2677.5	0.238	23.76	23M3W7D
	20 MHz	TT/2 BPSK	2506.0 - 2680.0	0.306	24.85	18M0G7D
		QPSK	2506.0 - 2680.0	0.277	24.42	18M3G7D
		16QAM	2506.0 - 2680.0	0.244	23.88	18M3W7D
	15 MHz	TT/2 BPSK	2503.5 - 2682.5	0.300	24.77	12M9G7D
		QPSK	2503.5 - 2682.5	0.279	24.46	13M5G7D
		16QAM	2503.5 - 2682.5	0.247	23.92	13M6W7D
	10 MHz	TT/2 BPSK	2501.0 - 2685.0	0.289	24.61	8M60G7D
		QPSK	2501.0 - 2685.0	0.271	24.33	8M58G7D
		16QAM	2501.0 - 2685.0	0.249	23.96	8M56W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 7 of 281

Antenna-B						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Default	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.137	21.36	97M1G7D
		QPSK	2546.0 - 2640.0	0.138	21.40	98M3G7D
		16QAM	2546.0 - 2640.0	0.120	20.80	98M3W7D

Antenna-E						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Default	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.109	20.37	96M9G7D
		QPSK	2546.0 - 2640.0	0.105	20.21	98M1G7D
		16QAM	2546.0 - 2640.0	0.089	19.50	98M0W7D

Antenna-D						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Default	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.036	15.61	97M1G7D
		QPSK	2546.0 - 2640.0	0.035	15.39	98M1G7D
		16QAM	2546.0 - 2640.0	0.029	14.57	98M4W7D

Antenna-F						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.080	19.02	96M8G7D
		QPSK	2546.0 - 2640.0	0.081	19.07	97M8G7D
		16QAM	2546.0 - 2640.0	0.074	18.70	97M7W7D

Antenna-D						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.050	16.97	96M6G7D
		QPSK	2546.0 - 2640.0	0.050	16.98	97M8G7D
		16QAM	2546.0 - 2640.0	0.043	16.37	97M8W7D

Antenna-E						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41(PC2) Switching	100 MHz	$\pi/2$ BPSK	2546.0 - 2640.0	0.039	15.97	96M9G7D
		QPSK	2546.0 - 2640.0	0.040	15.99	97M8G7D
		16QAM	2546.0 - 2640.0	0.040	15.98	97M9W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT			Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset		Page 8 of 281

Antenna-F & B						
Mode	Bandwidth	Modulation	Tx Frequency Range [MHz]	EIRP		Emission Designator
				Max. Power [W]	Max. Power [dBm]	
NR Band n41 (PC1.5)	100 MHz	TT/2 BPSK	2546.0 - 2640.0	0.630	27.99	97M0G7D
		QPSK	2546.0 - 2640.0	0.580	27.63	98M1G7D
		16QAM	2546.0 - 2640.0	0.516	27.12	98M1W7D
	90 MHz	TT/2 BPSK	2541.0 - 2645.0	0.629	27.99	87M2G7D
		QPSK	2541.0 - 2645.0	0.536	27.29	88M0G7D
		16QAM	2541.0 - 2645.0	0.564	27.52	88M1W7D
	80 MHz	TT/2 BPSK	2536.0 - 2650.0	0.625	27.96	77M5G7D
		QPSK	2536.0 - 2650.0	0.536	27.29	77M9G7D
		16QAM	2536.0 - 2650.0	0.431	26.35	77M9W7D
	70 MHz	TT/2 BPSK	2531.0 - 2655.0	0.635	28.03	64M6G7D
		QPSK	2531.0 - 2655.0	0.496	26.95	67M7G7D
		16QAM	2531.0 - 2655.0	0.485	26.85	67M8W7D
	60 MHz	TT/2 BPSK	2526.0 - 2660.0	0.583	27.66	58M2G7D
		QPSK	2526.0 - 2660.0	0.517	27.14	58M2G7D
		16QAM	2526.0 - 2660.0	0.456	26.59	58M3W7D
	50 MHz	TT/2 BPSK	2521.0 - 2665.0	0.600	27.78	46M0G7D
		QPSK	2521.0 - 2665.0	0.558	27.47	47M8G7D
		16QAM	2521.0 - 2665.0	0.454	26.57	47M8W7D
	45 MHz	TT/2 BPSK	2518.5 - 2677.5	0.660	28.20	38M8G7D
		QPSK	2518.5 - 2677.5	0.570	27.56	42M7G7D
		16QAM	2518.5 - 2677.5	0.490	26.90	42M6W7D
	40 MHz	TT/2 BPSK	2516.0 - 2670.0	0.608	27.84	35M8G7D
		QPSK	2516.0 - 2670.0	0.538	27.31	38M1G7D
		16QAM	2516.0 - 2670.0	0.450	26.53	38M1W7D
	35 MHz	TT/2 BPSK	2513.5 - 2672.5	0.620	27.93	32M3G7D
		QPSK	2513.5 - 2672.5	0.532	27.26	33M0G7D
		16QAM	2513.5 - 2672.5	0.456	26.59	33M0W7D
	30 MHz	TT/2 BPSK	2511.0 - 2675.0	0.693	28.40	27M0G7D
		QPSK	2511.0 - 2675.0	0.573	27.58	28M0G7D
		16QAM	2511.0 - 2675.0	0.481	26.82	28M1W7D
	25 MHz	TT/2 BPSK	2508.5 - 2677.5	0.663	28.22	23M0G7D
		QPSK	2508.5 - 2677.5	0.575	27.60	23M4G7D
		16QAM	2508.5 - 2677.5	0.466	26.69	23M3W7D
	20 MHz	TT/2 BPSK	2506.0 - 2680.0	0.627	27.97	18M1G7D
		QPSK	2506.0 - 2680.0	0.597	27.76	18M3G7D
		16QAM	2506.0 - 2680.0	0.468	26.71	18M4W7D
	15 MHz	TT/2 BPSK	2550.0 - 2640.0	0.621	27.93	12M9G7D
		QPSK	2550.0 - 2640.0	0.522	27.18	13M5G7D
		16QAM	2550.0 - 2640.0	0.421	26.25	13M6W7D
	10 MHz	TT/2 BPSK	2545.0 - 2645.0	0.601	27.79	8M60G7D
		QPSK	2545.0 - 2645.0	0.055	17.39	8M58G7D
		16QAM	2545.0 - 2645.0	0.415	26.18	8M56W7D

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 9 of 281

1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission and the Innovation, Science and Economic Development Canada.

1.2 Element Test Location

These measurement tests were conducted at the Element Suwon Laboratory located at 13, Heungdeok 1-ro, Giheung-gu, Yongin-si, Gyeonggi-do, 16954, South Korea. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014.

1.3 Test Facility / Accreditations

Measurements were performed at Element Materials Technology Suwon, Ltd. located in Yongin-si, Gyeonggi-do, 16954, South Korea.

- Element Materials Technology Suwon, Ltd. is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation(A2LA) with Certificate number 2041.04 for Specific Absorption Rate (SAR), and Electromagnetic Compatibility (EMC) & Telecommunications testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element Materials Technology Suwon, Ltd. facility is accredited, designated, and recognized in accordance with the provision of Radio Wave Act and International Standard ISO/IEC 17025:2017 under the National Radio Research Agency.
 - Designation Number / CABID: KR0169
 - Test Firm Registration Number of FCC: 417945
 - Test Firm Registration Number of ISED: 26168

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 10 of 281

2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Samsung Portable Handset FCC ID: A3LSMS938U**. The test data contained in this report pertains only to the emissions due to the EUT's licensed transmitters that operate under the provisions of Part 27.

Test Device Serial No.: 0340M, 0569M, 0096M, 0093M, 1005M, 1269M

2.2 Device Capabilities

This device contains the following capabilities:

850/1900 GSM/GPRS/EDGE, 850/1700/1900 WCDMA/HSPA, Multi-band LTE, Multi-band 5G NR (FR1 and FR2), 802.11b/g/n/ac/ax/be WLAN, 802.11a/n/ac/ax/be UNII (5GHz and 6GHz), Bluetooth (1x, EDR, LE), Wireless Power Transfer, UWB

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

2.3 Test Configuration

The EUT was tested per the guidance of ANSI C63.26-2015. See Section 7.0 of this test report for a description of the radiated and antenna port conducted emissions tests.

This device supports wireless charging capability and, thus, is subject to the test requirements of KDB 648474 D03 v01r04. Additional radiated spurious emission measurements were performed with the EUT lying flat on an authorized wireless charging pad (WCP) Model: EP-N5100 while operating under normal conditions in a simulated call or data transmission configuration. The worst case radiated emissions data is shown in this report.

2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version S938USQUOAXJ3 installed on the EUT.

2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 11 of 281

3.0 DESCRIPTION OF TESTS

3.1 Evaluation Procedure

The measurement procedures described in the “American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services” (ANSI C63.26-2015) were used in the measurement of the EUT.

Deviation from Measurement Procedure.....None

3.2 Radiated Power and Radiated Spurious Emissions

The radiated test facilities consisted of an indoor 3 meter semi-anechoic chamber used for final measurements and exploratory measurements, when necessary. The measurement area is contained within the semi-anechoic chamber which is shielded from any ambient interference. The test site inside the chamber is a 6m x 5.2m elliptical, obstruction-free area in accordance with Figure 5.7 of Clause 5 in ANSI C63.4-2014. Absorbers are arranged on the floor between the turn table and the antenna mast in such a way so as to maximize the reduction of reflections for measurements above 1GHz. For measurements below 1GHz, the absorbers are removed. A raised turntable is used for radiated measurement. The turn table is a continuously rotatable, remote-controlled, metallic turntable and 2 meters (6.56 ft.) in diameter. The turn table is flush with the raised floor of the chamber in order to maintain its function as a ground plane. An 80cm tall test table made of Styrodur is placed on top of the turn table. A Styrodur pedestal is placed on top of the test table to bring the total table height to 1.5m.

The equipment under test was transmitting while connected to its integral antenna and is placed on a turntable 3 meters from the receive antenna. The receive antenna height is adjusted between 1 and 4 meter height, the turntable is rotated through 360 degrees, and the EUT is manipulated through all orthogonal planes representative of its typical use to achieve the highest reading on the receive spectrum analyzer.

For radiated power measurements, substitution method is used per the guidance of ANSI C63.26-2015. For emissions below 1GHz, a half-wave dipole is substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator with the level of the signal generator being adjusted to obtain the same receive spectrum analyzer level previously recorded from the spurious emission from the EUT. The power of the emission is calculated using the following formula:

$$P_d \text{ [dBm]} = P_g \text{ [dBm]} - \text{cable loss [dB]} + \text{antenna gain [dBd/dBi]};$$

where P_d is the dipole equivalent power, P_g is the generator output into the substitution antenna, and the antenna gain is the gain of the substitute antenna used relative to either a half-wave dipole (dBd) or an isotropic source (dBi). The substitute level is equal to $P_g \text{ [dBm]} - \text{cable loss [dB]}$.

For radiated spurious emissions measurements, the field strength conversion method is used per the formulas in Section 5.2.7 of ANSI C63.26-2015. Field Strength (EIRP) is calculated using the following formulas:

$$E_{\text{[dB}\mu\text{V/m]}} = \text{Measured amplitude level}_{\text{[dBm]}} + 107 + \text{Cable Loss}_{\text{[dB]}} + \text{Antenna Factor}_{\text{[dB/m]}}$$

And

$$\text{EIRP}_{\text{[dBm]}} = E_{\text{[dB}\mu\text{V/m]}} + 20\log D - 104.8; \text{ where } D \text{ is the measurement distance in meters.}$$

All radiated measurements are performed in a chamber that meets the site requirements per ANSI C63.4-2014. Additionally, radiated emissions below 30MHz are also validated on an Open Area Test Site to assert correlation with the chamber measurements per the requirements of KDB 414788 D01 v01r01.

Radiated power and radiated spurious emission levels are investigated with the receive antenna horizontally and vertically polarized per ANSI C63.26-2015.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 12 of 281

4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of $k = 2$ to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty ($\pm$ dB)
Conducted Bench Top Measurements	1.95
Radiated Disturbance (<1GHz)	4.10
Radiated Disturbance (>1GHz)	4.82
Radiated Disturbance (>18GHz)	4.96

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 13 of 281

5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Agilent	N9030A	PXA Signal Analyzer	2024-07-08	Annual	2025-07-08	
Anritsu	S820E	Cable and Antenna Analyzer	2024-07-09	Annual	2025-07-08	1839097
Anritsu	MA24106A	USB Power Sensor	2024-07-09	Annual	2025-07-08	1244512
Anritsu	MT8000A	Radio Communication Test Station	2024-09-05	Annual	2025-09-04	6272337405
Com-Power	AL-130	9kHz - 30MHz Loop Antenna	2024-10-07	Biennial	2026-10-06	10160045
Espec	SH-242	Environmental Chamber	2024-07-09	Annual	2025-07-08	93011064
Fairview Microwave	FM2CP1122-10	2.92mm Directional Coupler	2024-07-09	Annual	2025-07-08	1946
Keysight Technologies	N9030B	PXA Signal Analyzer	2024-07-08	Annual	2025-07-08	MY57143278
Mini-Circuits	BW-N10W5+	Attenuator	2024-04-08	Annual	2025-04-07	TEMPNO.01-151
Mini-Circuits	BW-N10W5+	Attenuator	2024-04-08	Annual	2025-04-07	TEMPNO.01-150
NARDA	180-442A-KF	Horn Antenna (small)	2024-01-16	Annual	2025-01-15	T058701-03
Rohde & Schwarz	SMB100A03	Signal Generator	2024-01-11	Annual	2025-01-10	182487
Rohde & Schwarz	CMW500	Wideband Radio Communication Tester	2024-01-11	Annual	2025-01-10	171075
Rohde & Schwarz	FSW43	Signal and Spectrum Analyzer	2024-01-11	Annual	2025-01-10	101955
Rohde & Schwarz	SFUNIT-Rx	Shielded Filter Unit	2024-01-11	Annual	2025-01-10	102131
Schwarzbeck	VULB9162	Broadband TRILOG Antenna	2023-06-01	Biennial	2025-05-31	9162-217
Sunol	DRH-118	Horn Antenna	2023-01-26	Biennial	2025-01-25	A060215

Table 5-1. Test Equipment

Notes:

For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 14 of 281

6.0 SAMPLE CALCULATIONS

QPSK Modulation

Emission Designator = 8M62G7D

LTE BW = 8.62 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

QAM Modulation

Emission Designator = 8M45W7D

LTE BW = 8.45 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission, telemetry, telecommand

Spurious Radiated Emission

Example: Spurious emission at 3700.40 MHz

The receive spectrum analyzer reading at 3 meters with the EUT on the turntable was -81.0 dBm. The gain of the substituted antenna is 8.1 dBi. The signal generator connected to the substituted antenna terminals is adjusted to produce a reading of -81.0 dBm on the spectrum analyzer. The loss of the cable between the signal generator and the terminals of the substituted antenna is 2.0 dB at 3700.40 MHz. So 6.1 dB is added to the signal generator reading of -30.9 dBm yielding -24.80 dBm. The fundamental EIRP was 25.50 dBm so this harmonic was 25.50 dBm $- (-24.80) = 50.3$ dBc.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 15 of 281

7.0 TEST RESULTS

7.1 Summary

Company Name: Samsung Electronics Co., Ltd.
FCC ID: A3LSMS938U
FCC Classification: PCS Licensed Transmitter Held to Ear (PCE)
Mode(s): LTE/NR

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
CONDUCTED	Transmitter Conducted Output Power*	2.1046(a), 2.1046(c)	N/A	PASS	Section 7.2
	Occupied Bandwidth	2.1049(h)	N/A	PASS	Section 7.3
	Conducted Band Edge / Spurious Emissions (LTE Band 30; NR Band n30)	2.1051, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Sections 7.4, 7.5
	Conducted Band Edge / Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1051, 27.53(m)(4)	Undesirable emissions must meet the limits detailed in 27.53(m)(4)	PASS	Sections 7.4, 7.5
	Frequency Stability	2.1055, 27.54	Fundamental emissions stay within authorized frequency block	PASS	Section 7.8
RADIATED	Equivalent Isotropic Radiated Power (LTE Band 30; NR Band n30)	27.50(a)(3)	≤ 250mW / 5MHz max. EIRP	PASS	Section 7.6
	Equivalent Isotropic Radiated Power (LTE Band 7, 38, 41; NR Band n7, n38, n41)	27.50(h)(2)	≤ 2 Watts max. EIRP	PASS	Section 7.6
	Radiated Spurious Emissions (LTE Band 30; NR Band n30)	2.1053, 27.53(a)(4)	Undesirable emissions must meet the limits detailed in 27.53(a)(4)	PASS	Section 7.7
	Radiated Spurious Emissions (LTE Band 7, 38, 41; NR Band n7, n38, n41)	2.1053, 27.53(m)	Undesirable emissions must meet the limits detailed in 27.53(m)	PASS	Section 7.7

* The only transmitter output conducted powers included in this report are those where the Pmax value, per the tune-up document, is higher than any of the DSI power levels. For the remaining conducted power measurements, see the RF Exposure Report.

Table 7-1. Summary of Test Results

Notes:

- 1) All modes of operation and data rates were investigated. The test results shown in the following sections represent the worst case emissions.
- 2) The analyzer plots were all taken with a correction table loaded into the analyzer. The correction table was used to account for the losses of the cables, directional couplers, and attenuators used as part of the system to maintain a link between the call box and the EUT at all frequencies of interest.
- 3) All antenna port conducted emissions testing was performed on a test bench with the antenna port of the EUT connected to the spectrum analyzer through calibrated cables, attenuators, and couplers.
- 4) All conducted emissions measurements are performed with automated test software to capture the corresponding plots necessary to show compliance. The measurement software utilized is EMC Software Tool v1.2.2.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 16 of 281

7.2 Conducted Output Power Data

Test Overview

All emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst-case configuration. All modes of operation were investigated and the worst-case configuration results are reported in this section.

A-MPR is implemented in this device when operating at Power Class 2 in LTE Band 41 per the A-MPR specification in 3GPP TS 36.101. The conducted powers are shown herein to cover the different A-MPR levels specified in the standard. Measurement equipment was set up with triggering/gating on the spectrum analyzer such that powers were measured only during the on-time of the signal.

Test Procedure Used

ANSI C63.26-2015 – Section 5.2

Test Settings

1. Span = 2 x OBW to 3 x OBW
2. Detector = RMS
3. Trace mode = trace average for continuous emissions, max hold for pulse emissions
4. Sweep time = auto couple
5. The trace was allowed to stabilize
6. Please see test notes below for RBW and VBW settings

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-1. Test Instrument & Measurement Setup

Test Notes

1. Conducted power measurements were evaluated using various combinations of RB size, RB offset, modulation, and channel bandwidth. Channel bandwidth data is shown in the tables below based only on the channel bandwidths that were supported in this device.
2. All other conducted power measurements are contained in the RF exposure report for this filing.
3. Conducted power was found to reduce for the higher order QAM modulations when compared to 16QAM. Due to this trend, only the worst-case QAM (16QAM) powers are included in this section.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 17 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	20850	2510.0	1 / 99	24.35
		21100	2535.0	1 / 50	24.46
		21350	2560.0	1 / 99	24.30
	16-QAM	21100	2535.0	1 / 50	23.86
15 MHz	QPSK	20825	2507.5	1 / 74	24.34
		21100	2535.0	1 / 0	24.39
		21375	2562.5	1 / 37	24.47
	16-QAM	21100	2535.0	1 / 0	23.66
10 MHz	QPSK	20800	2505.0	1 / 25	24.48
		21100	2535.0	1 / 49	24.48
		21400	2565.0	1 / 25	24.41
	16-QAM	21100	2535.0	1 / 49	23.90
5 MHz	QPSK	20775	2502.5	1 / 12	24.44
		21100	2535.0	1 / 12	24.48
		21425	2567.5	1 / 12	24.44
	16-QAM	21100	2535.0	1 / 12	23.99

Table 7-1. Conducted Power Data (LTE Band 7 – Ant B)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	20850	2510.0	1 / 99	24.16
		21100	2535.0	1 / 50	24.15
		21350	2560.0	1 / 99	24.46
	16-QAM	21350	2560.0	1 / 99	23.88
15 MHz	QPSK	20825	2507.5	1 / 74	24.33
		21100	2535.0	1 / 74	24.42
		21375	2562.5	1 / 74	24.27
	16-QAM	20825	2507.5	1 / 74	23.59
10 MHz	QPSK	20800	2505.0	1 / 49	24.30
		21100	2535.0	1 / 25	24.45
		21400	2565.0	1 / 25	24.40
	16-QAM	21400	2565.0	1 / 25	23.81
5 MHz	QPSK	20775	2502.5	1 / 0	24.45
		21100	2535.0	1 / 12	24.48
		21425	2567.5	1 / 24	24.46
	16-QAM	21425	2567.5	1 / 24	23.93

Table 7-2. Conducted Power Data (LTE Band 7 – Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 18 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	QPSK	27710	2310.0	1 / 0	23.06
	16-QAM	27710	2310.0	1 / 0	22.39
5 MHz	QPSK	27685	2307.5	1 / 0	23.39
		27710	2310.0	1 / 12	23.11
		27735	2312.5	1 / 0	23.26
	16-QAM	27710	2310.0	1 / 12	22.83

Table 7-3. Conducted Power Data (LTE Band 30 – Ant A)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	QPSK	27710	2310.0	1 / 25	22.81
	16-QAM	27710	2310.0	1 / 25	22.14
5 MHz	QPSK	27685	2307.5	1 / 12	22.84
		27710	2310.0	1 / 12	22.83
		27735	2312.5	1 / 12	22.81
	16-QAM	27710	2310.0	1 / 12	22.21

Table 7-4. Conducted Power Data (LTE Band 30 – Ant F)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	39750	2506.0	1 / 50	24.48
		40620	2593.0	1 / 50	24.35
		41490	2680.0	1 / 50	24.53
	16-QAM	40620	2593.0	1 / 50	23.92
15 MHz	QPSK	39725	2503.5	1 / 0	24.53
		40620	2593.0	1 / 0	24.55
		41515	2682.5	1 / 74	24.83
	16-QAM	40620	2593.0	1 / 0	23.49
10 MHz	QPSK	39700	2501.0	1 / 49	24.89
		40620	2593.0	1 / 0	24.61
		41540	2685.0	1 / 25	24.87
	16-QAM	39700	2501.0	1 / 49	24.07
5 MHz	QPSK	39675	2498.5	1 / 12	24.97
		40620	2593.0	1 / 24	24.92
		41565	2687.5	1 / 12	24.85
	16-QAM	40620	2593.0	1 / 24	24.35

Table 7-5. Conducted Power Data (LTE Band 41(PC3) – Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 19 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
20 MHz	QPSK	39750	2506.0	1 / 0	24.93
		40620	2593.0	1 / 0	24.97
		41490	2680.0	1 / 99	24.90
	16-QAM	39750	2506.0	1 / 0	24.23
15 MHz	QPSK	39725	2503.5	1 / 74	24.97
		40620	2593.0	1 / 74	24.97
		41515	2682.5	1 / 74	24.99
	16-QAM	41515	2682.5	1 / 74	24.37
10 MHz	QPSK	39700	2501.0	1 / 25	24.94
		40620	2593.0	1 / 25	24.92
		41540	2685.0	1 / 25	24.99
	16-QAM	39700	2501.0	1 / 25	23.97
5 MHz	QPSK	39675	2498.5	1 / 12	24.91
		40620	2593.0	1 / 0	24.98
		41565	2687.5	1 / 12	24.95
	16-QAM	41565	2687.5	1 / 12	23.85

Table 7-6. Conducted Power Data (LTE Band 41(PC3) – Ant F)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	$\pi/2$ BPSK	462000	2310.0	50 / 0	22.44
	QPSK	462000	2310.0	1 / 1	22.46
	16-QAM	462000	2310.0	1 / 1	21.65
5 MHz	$\pi/2$ BPSK	461500	2307.5	1 / 1	22.76
		462000	2310.0	25 / 0	22.59
		462500	2312.5	25 / 0	22.50
	QPSK	461500	2307.5	1 / 1	22.55
		462000	2310.0	25 / 0	22.04
		462500	2312.5	25 / 0	21.93
	16-QAM	461500	2307.5	1 / 1	21.69

Table 7-7. Conducted Power Data (NR Band n30 – Ant A)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 20 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
10 MHz	$\pi/2$ BPSK	27710	2310.0	1 / 26	22.68
	QPSK	27710	2310.0	1 / 26	22.65
	16-QAM	27710	2310.0	1 / 26	21.52
5 MHz	$\pi/2$ BPSK	27685	2307.5	1 / 1	22.66
		27710	2310.0	1 / 12	22.96
		27735	2312.5	1 / 12	22.77
	QPSK	27685	2307.5	1 / 1	22.81
		27710	2310.0	1 / 1	22.86
		27735	2312.5	1 / 12	22.77
	16-QAM	27685	2307.5	1 / 1	21.99

Table 7-8. Conducted Power Data (NR Band n30 – Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 21 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
50 MHz	$\pi/2$ BPSK	505000	2525.0	1 / 214	24.36
		507000	2535.0	1 / 108	24.41
		509000	2545.0	1 / 108	24.43
	QPSK	505000	2525.0	1 / 214	24.41
		507000	2535.0	1 / 108	24.49
		509000	2545.0	1 / 108	24.37
40 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	24.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
35 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
30 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
25 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
20 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
15 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
10 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
5 MHz	$\pi/2$ BPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39
	QPSK	507000	2535.0	1 / 108	23.39
		509000	2545.0	1 / 108	23.39
		511000	2555.0	1 / 108	23.39

Table 7-9. Conducted Power Data (NR Band n7 – Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 22 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
50 MHz	$\pi/2$ BPSK	505000	2525.0	1 / 108	24.37
		507000	2535.0	1 / 214	23.06
		509000	2545.0	1 / 108	23.39
	QPSK	505000	2525.0	1 / 108	23.36
		507000	2535.0	216 / 0	21.77
		509000	2545.0	216 / 0	21.83
	16-QAM	505000	2525.0	1 / 108	21.95
40 MHz	$\pi/2$ BPSK	504000	2520.0	1 / 214	24.22
		507000	2535.0	1 / 214	24.36
		510000	2550.0	1 / 1	24.23
	QPSK	504000	2520.0	1 / 214	24.15
		507000	2535.0	1 / 214	24.21
		510000	2550.0	1 / 1	24.08
	16-QAM	507000	2535.0	1 / 214	23.38
35 MHz	$\pi/2$ BPSK	503500	2517.5	1 / 90	24.27
		507000	2535.0	1 / 1	22.86
		510500	2552.5	1 / 90	23.36
	QPSK	503500	2517.5	1 / 90	23.40
		507000	2535.0	1 / 1	21.54
		510500	2552.5	1 / 90	21.72
	16-QAM	503500	2517.5	1 / 80	21.83
30 MHz	$\pi/2$ BPSK	503000	2515.0	1 / 80	24.27
		507000	2535.0	1 / 80	24.46
		511000	2555.0	1 / 158	24.39
	QPSK	503000	2515.0	1 / 80	24.15
		507000	2535.0	1 / 80	24.19
		511000	2555.0	1 / 158	24.38
	16-QAM	511000	2555.0	1 / 158	23.42
25 MHz	$\pi/2$ BPSK	502500	2512.5	1 / 1	24.42
		507000	2535.0	1 / 131	24.42
		511500	2557.5	1 / 131	24.46
	QPSK	502500	2512.5	1 / 1	24.10
		507000	2535.0	1 / 131	24.35
		511500	2557.5	1 / 131	24.32
	16-QAM	507000	2535.0	1 / 131	23.65
20 MHz	$\pi/2$ BPSK	502000	2510.0	1 / 53	24.39
		507000	2535.0	1 / 104	24.31
		512000	2560.0	1 / 104	24.44
	QPSK	502000	2510.0	1 / 53	24.31
		507000	2535.0	1 / 104	24.43
		512000	2560.0	1 / 104	24.41
	16-QAM	507000	2535.0	1 / 104	23.36
15 MHz	$\pi/2$ BPSK	501500	2507.5	1 / 77	24.17
		507000	2535.0	1 / 77	24.42
		512500	2562.5	1 / 77	24.41
	QPSK	501500	2507.5	1 / 77	24.11
		507000	2535.0	1 / 77	24.16
		512500	2562.5	1 / 77	24.41
	16-QAM	512500	2562.5	1 / 77	23.50
10 MHz	$\pi/2$ BPSK	501000	2505.0	1 / 26	24.27
		507000	2535.0	1 / 26	24.47
		513000	2565.0	1 / 1	24.44
	QPSK	501000	2505.0	1 / 26	24.05
		507000	2535.0	1 / 26	24.32
		513000	2565.0	1 / 1	24.29
	16-QAM	501000	2505.0	1 / 26	23.29
5 MHz	$\pi/2$ BPSK	500500	2502.5	1 / 12	24.39
		507000	2535.0	1 / 23	24.40
		513500	2567.5	1 / 1	24.42
	QPSK	500500	2502.5	1 / 12	24.28
		507000	2535.0	1 / 23	24.38
		513500	2567.5	1 / 1	24.36
	16-QAM	507000	2535.0	1 / 23	23.42

Table 7-10. Conducted Power Data (NR Band n7 – Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 23 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	1 / 271	26.48
		518598	2592.99	1 / 136	26.67
		528000	2640.00	1 / 1	26.40
	QPSK	509202	2546.01	1 / 271	25.69
		518598	2592.99	1 / 136	25.88
		528000	2640.00	1 / 1	25.53
90 MHz	π/2 BPSK	509202	2546.01	1 / 271	25.27
		508200	2541.00	1 / 243	26.97
		518598	2592.99	1 / 122	26.52
	QPSK	528996	2644.98	1 / 1	26.39
		508200	2541.00	1 / 243	26.23
		518598	2592.99	1 / 122	25.63
80 MHz	π/2 BPSK	528996	2644.98	1 / 1	25.19
		508200	2541.00	1 / 243	25.54
		507204	2536.02	1 / 215	26.99
	QPSK	518598	2592.99	1 / 1	26.89
		529998	2649.99	216 / 0	26.36
		507204	2536.02	1 / 215	26.49
70 MHz	π/2 BPSK	518598	2592.99	1 / 1	26.03
		529998	2649.99	1 / 108	24.95
		507204	2536.02	1 / 215	25.67
	QPSK	506202	2531.01	1 / 187	26.62
		518598	2592.99	1 / 94	26.59
		531000	2655.00	1 / 94	26.43
60 MHz	π/2 BPSK	506202	2531.01	1 / 187	26.25
		518598	2592.99	1 / 94	25.69
		531000	2655.00	1 / 94	24.71
	QPSK	506202	2531.01	1 / 187	25.60
		505200	2526.00	1 / 160	26.67
		518598	2592.99	1 / 81	26.67
50 MHz	π/2 BPSK	531996	2659.98	1 / 81	26.03
		505200	2526.00	1 / 160	25.94
		518598	2592.99	1 / 81	25.57
	QPSK	531996	2659.98	1 / 81	25.03
		505200	2526.00	1 / 160	25.11
		504204	2521.02	1 / 131	26.39
45 MHz	π/2 BPSK	518598	2592.99	1 / 1	26.80
		532998	2664.99	1 / 66	26.02
		504204	2521.02	1 / 131	25.63
	QPSK	518598	2592.99	1 / 1	26.20
		532998	2664.99	1 / 66	25.08
		518598	2592.99	1 / 1	25.39
40 MHz	π/2 BPSK	503700	2518.50	1 / 104	26.13
		518598	2592.99	1 / 53	26.84
		533496	2667.50	1 / 53	26.60
	QPSK	503700	2518.50	1 / 104	25.19
		518598	2592.99	1 / 53	25.71
		533496	2667.50	1 / 53	25.45
35 MHz	π/2 BPSK	518598	2592.99	1 / 53	24.82
		503202	2516.01	1 / 104	26.09
		518598	2592.99	1 / 53	26.80
	QPSK	534000	2670.00	1 / 53	26.24
		503202	2516.01	1 / 104	24.94
		518598	2592.99	1 / 53	25.76
30 MHz	π/2 BPSK	534000	2670.00	1 / 53	25.21
		518598	2592.99	1 / 53	24.87
		502704	2513.52	1 / 39	26.49
	QPSK	518598	2592.99	1 / 1	26.66
		534498	2672.49	1 / 1	26.33
		502704	2513.52	1 / 39	25.54
25 MHz	π/2 BPSK	518598	2592.99	1 / 39	25.99
		534498	2672.49	1 / 1	25.07
		518598	2592.99	1 / 39	24.88
	QPSK	502200	2511.00	1 / 39	26.26
		518598	2592.99	1 / 1	26.97
		534996	2674.98	1 / 1	26.81
20 MHz	π/2 BPSK	502200	2511.00	1 / 39	24.74
		518598	2592.99	1 / 1	26.32
		534996	2674.98	1 / 1	25.46
	QPSK	518598	2592.99	1 / 1	25.53
		501702	2508.51	1 / 25	26.45
		518598	2592.99	1 / 1	26.99
15 MHz	π/2 BPSK	535500	2677.50	1 / 1	26.62
		501702	2508.51	1 / 25	25.29
		518598	2592.99	1 / 1	26.34
	QPSK	535500	2677.50	1 / 1	25.30
		518598	2592.99	1 / 1	25.56
		501204	2506.02	1 / 25	26.10
10 MHz	π/2 BPSK	518598	2592.99	1 / 1	26.98
		535998	2679.99	1 / 1	26.05
		501204	2506.02	1 / 25	25.11
	QPSK	518598	2592.99	1 / 1	26.50
		535998	2679.99	1 / 1	25.01
		518598	2592.99	1 / 1	25.41
10 MHz	π/2 BPSK	501204	2506.02	1 / 49	26.35
		518598	2592.99	1 / 1	26.91
		535998	2679.99	1 / 1	26.33
	QPSK	501204	2506.02	1 / 18	25.13
		518598	2592.99	1 / 1	25.76
		535998	2679.99	1 / 18	25.07
10 MHz	π/2 BPSK	518598	2592.99	1 / 1	24.98
		501204	2506.02	1 / 49	26.05
		518598	2592.99	1 / 1	26.80
	QPSK	535998	2679.99	1 / 1	26.01
		501204	2506.02	1 / 49	24.65
		518598	2592.99	1 / 25	25.66
10 MHz	π/2 BPSK	535998	2679.99	1 / 1	24.44
		518598	2592.99	1 / 25	24.88

Table 7-11. Conducted Power Data (NR Band n41 – Default – Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 24 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	1 / 136	23.37
		518598	2592.99	1 / 1	22.88
		528000	2640.00	1 / 1	22.67
	QPSK	509202	2546.01	1 / 136	23.31
		518598	2592.99	1 / 136	21.74
		528000	2640.00	1 / 1	21.75
	16-QAM	509202	2546.01	1 / 136	22.59

Table 7-12. Conducted Power Data (NR Band n41 – Default – Ant B)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	1 / 271	23.25
		518598	2592.99	1 / 136	23.08
		528000	2640.00	1 / 1	23.26
	QPSK	509202	2546.01	1 / 271	22.96
		518598	2592.99	1 / 136	22.98
		528000	2640.00	1 / 1	22.79
	16-QAM	518598	2592.99	1 / 136	22.49

Table 7-13. Conducted Power Data (NR Band n41 – Default – Ant E)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	1 / 136	22.37
		518598	2592.99	1 / 136	22.16
		528000	2640.00	1 / 1	21.84
	QPSK	509202	2546.01	1 / 136	22.38
		518598	2592.99	270 / 0	21.83
		528000	2640.00	1 / 1	20.91
	16-QAM	509202	2546.01	1 / 136	21.71

Table 7-14. Conducted Power Data (NR Band n41 – Default – Ant D)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 25 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	π/2 BPSK	509202	2546.01	270 / 0	26.23
		518598	2592.99	270 / 0	26.35
		528000	2640.00	270 / 0	26.35
	QPSK	509202	2546.01	270 / 0	25.80
		518598	2592.99	270 / 0	26.18
		528000	2640.00	270 / 0	26.20
	16-QAM	518598	2592.99	270 / 0	25.21
90 MHz	π/2 BPSK	506200	2541.00	243 / 0	26.14
		518598	2592.99	243 / 0	26.31
		528996	2644.98	243 / 0	26.34
	QPSK	506200	2541.00	1 / 122	25.99
		518598	2592.99	1 / 1	26.09
		528996	2644.98	243 / 0	25.61
	16-QAM	506200	2541.00	1 / 122	25.27
80 MHz	π/2 BPSK	507204	2536.02	216 / 0	26.32
		518598	2592.99	216 / 0	26.42
		529998	2649.99	216 / 0	26.50
	QPSK	507204	2536.02	216 / 0	25.69
		518598	2592.99	1 / 1	26.24
		529998	2649.99	216 / 0	25.92
	16-QAM	518598	2592.99	1 / 1	25.04
70 MHz	π/2 BPSK	506202	2531.01	180 / 0	26.15
		518598	2592.99	180 / 0	26.37
		531000	2655.00	180 / 0	26.13
	QPSK	506202	2531.01	180 / 0	25.69
		518598	2592.99	180 / 0	25.92
		531000	2655.00	180 / 0	26.09
	16-QAM	531000	2655.00	180 / 0	25.05
60 MHz	π/2 BPSK	505200	2526.00	1 / 160	26.47
		518598	2592.99	162 / 0	26.37
		531996	2659.98	162 / 0	26.05
	QPSK	505200	2526.00	1 / 160	25.69
		518598	2592.99	162 / 0	25.78
		531996	2659.98	162 / 0	25.14
	16-QAM	518598	2592.99	162 / 0	24.75
50 MHz	π/2 BPSK	504204	2521.02	128 / 0	26.03
		518598	2592.99	128 / 0	26.58
		532998	2664.99	128 / 0	26.18
	QPSK	504204	2521.02	1 / 131	25.83
		518598	2592.99	128 / 0	25.97
		532998	2664.99	128 / 0	25.81
	16-QAM	504204	2521.02	1 / 131	24.94
45 MHz	π/2 BPSK	503700	2518.50	1 / 53	26.30
		518598	2592.99	1 / 104	26.72
		533496	2667.50	1 / 53	26.30
	QPSK	503700	2518.50	1 / 53	26.16
		518598	2592.99	1 / 104	26.08
		533496	2667.50	100 / 0	26.04
	16-QAM	533496	2667.50	100 / 0	25.41
40 MHz	π/2 BPSK	503202	2516.01	100 / 0	26.31
		518598	2592.99	100 / 0	26.82
		534000	2670.00	100 / 0	26.79
	QPSK	503202	2516.01	1 / 104	25.98
		518598	2592.99	100 / 0	26.20
		534000	2670.00	100 / 0	26.23
	16-QAM	503202	2516.01	1 / 104	25.40
35 MHz	π/2 BPSK	502704	2513.52	1 / 39	26.01
		518598	2592.99	1 / 76	26.35
		534498	2672.49	1 / 1	26.38
	QPSK	502704	2513.52	1 / 39	25.75
		518598	2592.99	1 / 76	25.86
		534498	2672.49	1 / 1	25.95
	16-QAM	534498	2672.49	1 / 1	24.98
30 MHz	π/2 BPSK	502200	2511.00	75 / 0	26.06
		518598	2592.99	75 / 0	26.62
		534996	2674.98	75 / 0	26.63
	QPSK	502200	2511.00	75 / 0	25.40
		518598	2592.99	75 / 0	26.26
		534996	2674.98	75 / 0	26.73
	16-QAM	518598	2592.99	75 / 0	25.24
25 MHz	π/2 BPSK	501702	2508.51	1 / 25	26.07
		518598	2592.99	1 / 49	26.79
		535500	2677.50	1 / 25	26.67
	QPSK	501702	2508.51	1 / 25	25.66
		518598	2592.99	1 / 49	26.04
		535500	2677.50	1 / 25	26.00
	16-QAM	518598	2592.99	1 / 49	25.16
20 MHz	π/2 BPSK	501204	2506.02	50 / 0	26.03
		518598	2592.99	50 / 0	26.64
		535998	2679.99	50 / 0	26.66
	QPSK	501204	2506.02	50 / 0	25.58
		518598	2592.99	50 / 0	26.00
		535998	2679.99	50 / 0	26.01
	16-QAM	518598	2592.99	50 / 0	25.19
15 MHz	π/2 BPSK	501204	2506.02	50 / 0	26.02
		518598	2592.99	50 / 0	26.73
		535998	2679.99	50 / 0	26.58
	QPSK	501204	2506.02	1 / 18	25.96
		518598	2592.99	50 / 0	26.33
		535998	2679.99	1 / 18	26.05
	16-QAM	518598	2592.99	50 / 0	25.14
10 MHz	π/2 BPSK	501204	2506.02	50 / 0	26.13
		518598	2592.99	1 / 1	26.75
		535998	2679.99	50 / 0	26.42
	QPSK	501204	2506.02	1 / 1	25.60
		518598	2592.99	50 / 0	26.26
		535998	2679.99	1 / 1	25.92
	16-QAM	535998	2679.99	50 / 0	25.17

Table 7-15. Conducted Power Data (NR Band n41 – Switching – Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 26 of 281

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	270 / 0	21.53
		518598	2592.99	270 / 0	21.69
		528000	2640.00	270 / 0	21.68
	QPSK	509202	2546.01	270 / 0	21.02
		518598	2592.99	270 / 0	21.72
		528000	2640.00	270 / 0	21.41
	16-QAM	518598	2592.99	270 / 0	20.80

Table 7-16. Conducted Power Data (NR Band n41 – Switching – Ant F)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	270 / 0	25.15
		518598	2592.99	270 / 0	25.19
		528000	2640.00	270 / 0	25.05
	QPSK	509202	2546.01	270 / 0	25.03
		518598	2592.99	270 / 0	25.23
		528000	2640.00	270 / 0	24.70
	16-QAM	518598	2592.99	270 / 0	24.17

Table 7-17. Conducted Power Data (NR Band n41 – Switching – Ant D)

Bandwidth	Modulation	Channel	Frequency [MHz]	RB Size/Offset	Conducted Power [dBm]
100 MHz	$\pi/2$ BPSK	509202	2546.01	270 / 0	19.59
		518598	2592.99	270 / 0	19.70
		528000	2640.00	270 / 0	19.58
	QPSK	509202	2546.01	270 / 0	19.14
		518598	2592.99	270 / 0	19.30
		528000	2640.00	270 / 0	19.87
	16-QAM	518598	2592.99	270 / 0	18.34

Table 7-18. Conducted Power Data (NR Band n41 – Switching – Ant E)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 27 of 281

7.3 Occupied Bandwidth

Test Overview

The occupied bandwidth, that is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission shall be measured. All modes of operation were investigated and the worst case configuration results are reported in this section.

Test Procedure Used

ANSI C63.26-2015 – Section 5.4.4

Test Settings

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-2. Test Instrument & Measurement Setup

Test Notes

None.

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 28 of 281

Mode	Bandwidth	Modulation	OBW [MHz]
LTE-B30	10MHz	QPSK	9.04
		16QAM	9.01
	5MHz	QPSK	4.55
		16QAM	4.53


Table 7-2. Occupied Bandwidth Test Results – LTE – Ant A

Mode	Bandwidth	Modulation	OBW [MHz]
LTE-B7	20MHz	QPSK	17.99
		16QAM	18.00
	15MHz	QPSK	13.53
		16QAM	13.53
	10MHz	QPSK	9.00
		16QAM	9.02
	5MHz	QPSK	4.52
		16QAM	4.54
LTE-B7 ULCA	20+20MHz	QPSK	37.97
		16QAM	37.96
LTE-B41PC3-38	20MHz	QPSK	18.04
		16QAM	18.02
	15MHz	QPSK	13.54
		16QAM	13.52
	10MHz	QPSK	9.04
		16QAM	9.01
	5MHz	QPSK	4.53
		16QAM	4.54


Table 7-3. Occupied Bandwidth Test Results – LTE – Ant B

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 29 of 281

LTE Band 30 – Ant A




Plot 7-19. Occupied Bandwidth Plot (LTE Band 30 - 10MHz QPSK - Full RB - Ant F – Ant A)



Plot 7-20. Occupied Bandwidth Plot (LTE Band 30 - 10MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 30 of 281




Plot 7-21. Occupied Bandwidth Plot (LTE Band 30 - 5MHz QPSK - Full RB - Ant A)



Plot 7-22. Occupied Bandwidth Plot (LTE Band 30 - 5MHz 16-QAM - Full RB - Ant A)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 31 of 281

LTE Band 7 – Ant B




Plot 7-23. Occupied Bandwidth Plot (LTE Band 7 - 20MHz QPSK - Full RB - Ant B)




Plot 7-24. Occupied Bandwidth Plot (LTE Band 7 - 20MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 32 of 281



Plot 7-25. Occupied Bandwidth Plot (LTE Band 7 - 15MHz QPSK - Full RB - Ant B)



Plot 7-26. Occupied Bandwidth Plot (LTE Band 7 - 15MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 33 of 281



Plot 7-27. Occupied Bandwidth Plot (LTE Band 7 - 10MHz QPSK - Full RB - Ant B)



Plot 7-28. Occupied Bandwidth Plot (LTE Band 7 - 10MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 34 of 281




Plot 7-29. Occupied Bandwidth Plot (LTE Band 7 - 5MHz QPSK - Full RB - Ant B)



Plot 7-30. Occupied Bandwidth Plot (LTE Band 7 - 5MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 35 of 281

LTE Band 41(PC3)/38 – Ant B




Plot 7-31. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 20MHz QPSK - Full RB - Ant B)




Plot 7-32. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 20MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 36 of 281




Plot 7-33. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 15MHz QPSK - Full RB - Ant B)




Plot 7-34. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 15MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 37 of 281




Plot 7-35. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 10MHz QPSK - Full RB - Ant B)



Plot 7-36. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 10MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 38 of 281



Plot 7-37. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz QPSK - Full RB - Ant B)



Plot 7-38. Occupied Bandwidth Plot (LTE Band 41(PC3)/38 - 5MHz 16-QAM - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 39 of 281

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n30	10MHz	$\pi/2$ BPSK	9.05
		QPSK	9.37
		16QAM	9.00
	5MHz	$\pi/2$ BPSK	4.52
		QPSK	4.53
		16QAM	4.53

Table 7-4. Occupied Bandwidth Test Results – NR – Ant A

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n7	50MHz	$\pi/2$ BPSK	48.34
		QPSK	38.81
		16QAM	38.77
	40MHz	$\pi/2$ BPSK	38.82
		QPSK	38.81
		16QAM	38.77
	35MHz	$\pi/2$ BPSK	32.53
		QPSK	28.70
		16QAM	28.63
	30MHz	$\pi/2$ BPSK	28.74
		QPSK	28.70
		16QAM	28.63
	25MHz	$\pi/2$ BPSK	22.98
		QPSK	23.86
		16QAM	23.94
	20MHz	$\pi/2$ BPSK	17.98
		QPSK	19.07
		16QAM	19.05
	15MHz	$\pi/2$ BPSK	13.53
		QPSK	14.16
		16QAM	14.23
	10MHz	$\pi/2$ BPSK	9.02
		QPSK	9.36
		16QAM	9.35
	5MHz	$\pi/2$ BPSK	4.49
		QPSK	4.51
		16QAM	4.53

Table 7-5. Occupied Bandwidth Test Results – NR – Ant B

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 40 of 281

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n41PC2	100MHz	$\pi/2$ BPSK	97.00
		QPSK	98.13
		16QAM	98.13
	90MHz	$\pi/2$ BPSK	87.21
		QPSK	87.96
		16QAM	88.13
	80MHz	$\pi/2$ BPSK	77.49
		QPSK	77.88
		16QAM	77.86
	70MHz	$\pi/2$ BPSK	64.56
		QPSK	67.72
		16QAM	67.83
	60MHz	$\pi/2$ BPSK	58.19
		QPSK	58.25
		16QAM	58.31
	50MHz	$\pi/2$ BPSK	45.95
		QPSK	47.80
		16QAM	47.83
	45MHz	$\pi/2$ BPSK	38.75
		QPSK	42.67
		16QAM	42.62
	40MHz	$\pi/2$ BPSK	35.80
		QPSK	38.12
		16QAM	38.06
	35MHz	$\pi/2$ BPSK	32.27
		QPSK	32.96
		16QAM	32.98
	30MHz	$\pi/2$ BPSK	26.98
		QPSK	27.99
		16QAM	28.09
	25MHz	$\pi/2$ BPSK	22.96
		QPSK	23.35
		16QAM	23.31
	20MHz	$\pi/2$ BPSK	18.05
		QPSK	18.34
		16QAM	18.39
	15MHz	$\pi/2$ BPSK	12.99
		QPSK	13.58
		16QAM	13.61
	10MHz	$\pi/2$ BPSK	8.60
		QPSK	8.58
		16QAM	8.56

Table 7-6. Occupied Bandwidth Test Results – NR – Ant F – Default


FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 41 of 281

Mode	Bandwidth	Modulation	OBW [MHz]
NR-n41PC2	100MHz	$\pi/2$ BPSK	97.00
		QPSK	97.94
		16QAM	98.12
	90MHz	$\pi/2$ BPSK	87.22
		QPSK	87.93
		16QAM	87.95
	80MHz	$\pi/2$ BPSK	77.35
		QPSK	77.85
		16QAM	77.65
	70MHz	$\pi/2$ BPSK	64.50
		QPSK	67.71
		16QAM	67.77
	60MHz	$\pi/2$ BPSK	58.12
		QPSK	58.16
		16QAM	58.10
	50MHz	$\pi/2$ BPSK	45.98
		QPSK	47.70
		16QAM	47.72
	45MHz	$\pi/2$ BPSK	38.77
		QPSK	42.60
		16QAM	42.66
	40MHz	$\pi/2$ BPSK	35.88
		QPSK	38.02
		16QAM	37.97
	35MHz	$\pi/2$ BPSK	32.31
		QPSK	32.95
		16QAM	32.92
	30MHz	$\pi/2$ BPSK	26.91
		QPSK	28.01
		16QAM	27.95
	25MHz	$\pi/2$ BPSK	22.93
		QPSK	23.29
		16QAM	23.29
	20MHz	$\pi/2$ BPSK	18.01
		QPSK	18.34
		16QAM	18.33
	15MHz	$\pi/2$ BPSK	12.89
		QPSK	13.64
		16QAM	13.62
	10MHz	$\pi/2$ BPSK	8.63
		QPSK	8.61
		16QAM	8.63


Table 7-7. Occupied Bandwidth Test Results – NR – Ant B – Switching

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 42 of 281

NR Band n30 – Ant A




Plot 7-39. Occupied Bandwidth Plot (NR Band n30 - 10MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-40. Occupied Bandwidth Plot (NR Band n30 - 10MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 43 of 281




Plot 7-41. Occupied Bandwidth Plot (NR Band n30 - 10MHz 16-QAM - Full RB - Ant F)




Plot 7-42. Occupied Bandwidth Plot (NR Band n30 - 5MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 44 of 281




Plot 7-43. Occupied Bandwidth Plot (NR Band n30 - 5MHz QPSK - Full RB - Ant F)




Plot 7-44. Occupied Bandwidth Plot (NR Band n30 - 5MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 45 of 281

NR Band n7 – Ant B




Plot 7-45. Occupied Bandwidth Plot (NR Band n7 - 50MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-46. Occupied Bandwidth Plot (NR Band n7 - 50MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 46 of 281




Plot 7-47. Occupied Bandwidth Plot (NR Band n7 - 50MHz 16-QAM - Full RB - Ant F)




Plot 7-48. Occupied Bandwidth Plot (NR Band n7 - 40MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 47 of 281




Plot 7-49. Occupied Bandwidth Plot (NR Band n7 - 40MHz QPSK - Full RB - Ant F)




Plot 7-50. Occupied Bandwidth Plot (NR Band n7 - 40MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 48 of 281




Plot 7-51. Occupied Bandwidth Plot (NR Band n7 - 35MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-52. Occupied Bandwidth Plot (NR Band n7 - 35MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 49 of 281




Plot 7-53. Occupied Bandwidth Plot (NR Band n7 - 35MHz 16-QAM - Full RB - Ant F)




Plot 7-54. Occupied Bandwidth Plot (NR Band n7 - 30MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 50 of 281




Plot 7-55. Occupied Bandwidth Plot (NR Band n7 - 30MHz QPSK - Full RB - Ant F)




Plot 7-56. Occupied Bandwidth Plot (NR Band n7 - 30MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 51 of 281




Plot 7-57. Occupied Bandwidth Plot (NR Band n7 - 25MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-58. Occupied Bandwidth Plot (NR Band n7 - 25MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 52 of 281




Plot 7-59. Occupied Bandwidth Plot (NR Band n7 - 25MHz 16-QAM - Full RB - Ant F)




Plot 7-60. Occupied Bandwidth Plot (NR Band n7 - 20MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 53 of 281




Plot 7-61. Occupied Bandwidth Plot (NR Band n7 - 20MHz QPSK - Full RB - Ant F)




Plot 7-62. Occupied Bandwidth Plot (NR Band n7 - 20MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 54 of 281




Plot 7-63. Occupied Bandwidth Plot (NR Band n7 - 15MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-64. Occupied Bandwidth Plot (NR Band n7 - 15MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 55 of 281




Plot 7-65. Occupied Bandwidth Plot (NR Band n7 - 15MHz 16-QAM - Full RB - Ant F)




Plot 7-66. Occupied Bandwidth Plot (NR Band n7 - 10MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 56 of 281




Plot 7-67. Occupied Bandwidth Plot (NR Band n7 - 10MHz QPSK - Full RB - Ant F)




Plot 7-68. Occupied Bandwidth Plot (NR Band n7 - 10MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 57 of 281




Plot 7-69. Occupied Bandwidth Plot (NR Band n7 - 5MHz $\pi/2$ BPSK - Full RB - Ant F)



Plot 7-70. Occupied Bandwidth Plot (NR Band n7 - 5MHz QPSK - Full RB - Ant F)


FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 58 of 281




Plot 7-71. Occupied Bandwidth Plot (NR Band n7 - 5MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 59 of 281

NR Band n41(PC2) – Ant F – Default




Plot 7-72. Occupied Bandwidth Plot (NR Band n41 - 100MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-73. Occupied Bandwidth Plot (NR Band n41 - 100MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 60 of 281




Plot 7-74. Occupied Bandwidth Plot (NR Band n41 - 100MHz 16-QAM - Full RB - Ant F)




Plot 7-75. Occupied Bandwidth Plot (NR Band n41 - 90MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 61 of 281




Plot 7-76. Occupied Bandwidth Plot (NR Band n41 - 90MHz QPSK - Full RB - Ant F)




Plot 7-77. Occupied Bandwidth Plot (NR Band n41 - 90MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 62 of 281




Plot 7-78. Occupied Bandwidth Plot (NR Band n41 - 80MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-79. Occupied Bandwidth Plot (NR Band n41 - 80MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 63 of 281




Plot 7-80. Occupied Bandwidth Plot (NR Band n41 - 80MHz 16-QAM - Full RB - Ant F)




Plot 7-81. Occupied Bandwidth Plot (NR Band n41 - 70MHz 7 π /2 BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 64 of 281




Plot 7-82. Occupied Bandwidth Plot (NR Band n41 - 70MHz QPSK - Full RB - Ant F)




Plot 7-83. Occupied Bandwidth Plot (NR Band n41 - 70MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 65 of 281




Plot 7-84. Occupied Bandwidth Plot (NR Band n41 - 60MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-85. Occupied Bandwidth Plot (NR Band n41 - 60MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 66 of 281



Plot 7-86. Occupied Bandwidth Plot (NR Band n41 - 60MHz 16-QAM - Full RB - Ant F)




Plot 7-87. Occupied Bandwidth Plot (NR Band n41 - 50MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 67 of 281



Plot 7-88. Occupied Bandwidth Plot (NR Band n41 - 50MHz QPSK - Full RB - Ant F)




Plot 7-89. Occupied Bandwidth Plot (NR Band n41 - 50MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 68 of 281




Plot 7-90. Occupied Bandwidth Plot (NR Band n41 - 45MHz $\pi/2$ BPSK - Full RB - Ant F)



Plot 7-91. Occupied Bandwidth Plot (NR Band n41 - 45MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 69 of 281




Plot 7-92. Occupied Bandwidth Plot (NR Band n41 - 45MHz 16-QAM - Full RB - Ant F)



Plot 7-93. Occupied Bandwidth Plot (NR Band n41 - 40MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 70 of 281




Plot 7-94. Occupied Bandwidth Plot (NR Band n41 - 40MHz QPSK - Full RB - Ant F)




Plot 7-95. Occupied Bandwidth Plot (NR Band n41 - 40MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 71 of 281




Plot 7-96. Occupied Bandwidth Plot (NR Band n41 - 35MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-97. Occupied Bandwidth Plot (NR Band n41 - 35MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 72 of 281




Plot 7-98. Occupied Bandwidth Plot (NR Band n41 - 35MHz 16-QAM - Full RB - Ant F)



Plot 7-99. Occupied Bandwidth Plot (NR Band n41 - 30MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 73 of 281




Plot 7-100. Occupied Bandwidth Plot (NR Band n41 - 30MHz QPSK - Full RB - Ant F)




Plot 7-101. Occupied Bandwidth Plot (NR Band n41 - 30MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 74 of 281




Plot 7-102. Occupied Bandwidth Plot (NR Band n41 - 25MHz $\pi/2$ BPSK - Full RB - Ant F)




Plot 7-103. Occupied Bandwidth Plot (NR Band n41 - 25MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 75 of 281



Plot 7-104. Occupied Bandwidth Plot (NR Band n41 - 25MHz 16-QAM - Full RB - Ant F)




Plot 7-105. Occupied Bandwidth Plot (NR Band n41 - 20MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 76 of 281




Plot 7-106. Occupied Bandwidth Plot (NR Band n41 - 20MHz QPSK - Full RB - Ant F)




Plot 7-107. Occupied Bandwidth Plot (NR Band n41 - 20MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 77 of 281




Plot 7-108. Occupied Bandwidth Plot (NR Band n41 - 15MHz $\pi/2$ BPSK - Full RB - Ant F)



Plot 7-109. Occupied Bandwidth Plot (NR Band n41 - 15MHz QPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 78 of 281



Plot 7-110. Occupied Bandwidth Plot (NR Band n41 - 15MHz 16-QAM - Full RB - Ant F)



Plot 7-111. Occupied Bandwidth Plot (NR Band n41 - 10MHz $\pi/2$ BPSK - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 79 of 281




Plot 7-112. Occupied Bandwidth Plot (NR Band n41 - 10MHz QPSK - Full RB - Ant F)




Plot 7-113. Occupied Bandwidth Plot (NR Band n41 - 10MHz 16-QAM - Full RB - Ant F)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 80 of 281

NR Band n41(PC2) – Ant B – Switching




Plot 7-114. Occupied Bandwidth Plot (NR Band n41 - 100MHz $\pi/2$ BPSK - Full RB - Ant B)



Plot 7-115. Occupied Bandwidth Plot (NR Band n41 - 100MHz QPSK - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 81 of 281



Plot 7-116. Occupied Bandwidth Plot (NR Band n41 - 100MHz 16-QAM - Full RB - Ant B)



Plot 7-117. Occupied Bandwidth Plot (NR Band n41 - 90MHz $\pi/2$ BPSK - Full RB - Ant B)

FCC ID: A3LSMS938U	PART 27 MEASUREMENT REPORT		Approved by: Technical Manager
Test Report S/N: 1M2408260067-04-R1.A3L	Test Dates: 09/03/2024 - 10/22/2024	EUT Type: Portable Handset	Page 82 of 281