

NR Band n66 Antenna F

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.47				0	0.0
	1	80	18.59					0.0
	1	158	18.59					0.0
	80	0	18.50				0-1	0.0
	80	40	18.56				0	0.0
	80	80	18.65				0	0.0
	160	0	18.56				0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.54				0-1	0.0
	1	80	18.68					0.0
	1	158	18.58					0.0
CP-OFDM QPSK	1	1	18.51				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.42				0	0.0
	1	67	18.54					0.0
	1	131	18.48					0.0
	64	0	18.50				0-1	0.0
	64	35	18.53				0	0.0
	64	69	18.61				0.0	0.0
	128	0	18.55				0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.40				0-1	0.0
	1	67	18.57					0.0
	1	131	18.43					0.0
CP-OFDM QPSK	1	1	18.43				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.54	18.43	18.56		0	0.0
	1	53	18.49	18.67	18.48		0	0.0
	1	104	18.46	18.60	18.42		0	0.0
	50	0	18.57	18.49	18.57		0-1	0.0
	50	28	18.53	18.56	18.57		0	0.0
	50	56	18.46	18.60	18.48		0	0.0
DFT-s-OFDM 16QAM	100	0	18.54	18.55	18.56		0-1	0.0
	1	1	18.55	18.44	18.60		0-1	0.0
CP-OFDM QPSK	1	1	18.52	18.46	18.56		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.55	18.42	18.48		0	0.0
	1	40	18.52	18.54	18.44		0	0.0
	1	77	18.51	18.60	18.42		0	0.0
	36	0	18.58	18.55	18.52		0-1	0.0
	36	22	18.57	18.53	18.45		0	0.0
	36	43	18.49	18.63	18.53		0	0.0
DFT-s-OFDM 16QAM	75	0	18.60	18.54	18.49		0-1	0.0
	1	1	18.59	18.49	18.48		0-1	0.0
CP-OFDM QPSK	1	1	18.56	18.40	18.45		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	18.60	18.51	18.60		0	0.0
	1	26	18.74	18.60	18.53		0	0.0
	1	50	18.58	18.71	18.52		0-1	0.0
	25	0	18.65	18.56	18.58		0	0.0
	25	14	18.66	18.66	18.59		0	0.0
	25	27	18.60	18.60	18.54		0-1	0.0
	50	0	18.67	18.57	18.59		0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.86	18.49	18.57		0-1	0.0
CP-OFDM QPSK	1	1	18.56	18.50	18.59		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.61	18.50	18.51		0	0.0
	1	13	18.52	18.54	18.43		0	0.0
	1	23	18.50	18.49	18.49		0	0.0
	12	0	18.56	18.59	18.54		0-1	0.0
	12	7	18.61	18.59	18.52		0	0.0
	12	13	18.59	18.59	18.53		0	0.0
	25	0	18.56	18.55	18.54		0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.51	18.55	18.53		0-1	0.0
	1	13	18.56	18.61	18.41		0	0.0
	1	23	18.59	18.60	18.52		0	0.0
CP-OFDM QPSK	1	1	18.49	18.54	18.48		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.27				0	0.0
	1	80	15.60					0.0
	1	158	15.66					0.0
	80	0	15.33				0-1	0.0
	80	40	15.49				0	0.0
	80	80	15.67				0	0.0
	160	0	15.51				0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.36				0-1	0.0
CP-OFDM QPSK	1	1	15.42				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.25				0	0.0
	1	67	15.52					0-1
	1	131	15.65					0
	64	0	15.37				0	0.0
	64	35	15.50				0	0.0
	64	69	15.63				0-1	0.0
	128	0	15.54					0.0
DFT-s-OFDM 16QAM	1	1	15.21				0-1	0.0
CP-OFDM QPSK	1	1	15.34				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.99	16.17	16.29		0	0.0
	1	53	15.96	16.35	16.28		0	0.0
	1	104	15.72	16.41	16.17		0	0.0
	50	0	15.98	16.24	16.32		0-1	0.0
	50	28	15.96	16.31	16.31		0	0.0
	50	56	15.79	16.35	16.23		0-1	0.0
	100	0	16.00	16.31	16.31		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.91	16.24	16.29		0-1	0.0
CP-OFDM QPSK	1	1	16.08	16.19	16.33		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.48	15.35	15.52		0	0.0
	1	40	15.49	15.54	15.38		0	0.0
	1	77	15.38	15.53	15.37		0-1	0.0
	36	0	15.48	15.44	15.52		0	0.0
	36	22	15.49	15.57	15.51		0	0.0
	36	43	15.47	15.67	15.49		0-1	0.0
	75	0	15.53	15.57	15.58		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.39	15.38	15.60		0-1	0.0
CP-OFDM QPSK	1	1	15.55	15.46	15.64		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.50	15.45	15.51		0	0.0
	1	26	15.64	15.59	15.49		0	0.0
	1	50	15.47	15.58	15.39		0-1	0.0
	25	0	15.50	15.42	15.52		0	0.0
	25	14	15.51	15.46	15.26		0	0.0
	25	27	15.46	15.59	15.56		0-1	0.0
	50	0	15.49	15.49	15.59		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.44	15.44	15.59		0-1	0.0
CP-OFDM QPSK	1	1	15.53	15.52	15.64		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for RSI = 1 (Head) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.47	15.54	15.40		0	0.0
	1	13	15.34	15.52	15.43		0	0.0
	1	23	15.47	15.46	15.38		0-1	0.0
	12	0	15.49	15.47	15.47		0	0.0
	12	7	15.46	15.47	15.46		0	0.0
	12	13	15.48	15.49	15.42		0-1	0.0
	25	0	15.44	15.48	15.46		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.38	15.52	15.39		0-1	0.0
CP-OFDM QPSK	1	1	15.47	15.62	15.43		0-1.5	0.0

NR Band n25 Antenna A

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	22.76			0	0.0
	1	80	22.82				0.0
	1	156	22.90				0.0
	80	0	21.78			0-1	1.0
	80	40	22.82			0	0.0
	80	80	21.90			0-1	1.0
	160	0	21.82				1.0
DFT-s-OFDM 16QAM	1	1	21.74			0-1	1.0
CP-OFDM QPSK	1	1	21.26			0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
				Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	22.69				0	0.0
	1	67	22.71					0.0
	1	131	22.84					0.0
	64	0	21.76				0-1	1.0
	64	35	22.79				0	0.0
	64	69	21.83				0-1	1.0
	128	0	21.82					1.0
DFT-s-OFDM 16QAM	1	1	21.73				0-1	1.0
CP-OFDM QPSK	1	1	21.25				0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth						
			Channel			
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)	MPR Allowed per 3GPP [dB]
Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	22.86	22.75	22.94	0
	1	53	22.87	22.82	23.00	0
	1	104	22.81	22.87	22.98	0
	50	0	21.87	21.82	21.98	0
	50	28	22.84	22.84	22.95	0
	50	56	21.83	21.85	22.08	0
	100	0	21.86	21.80	22.07	0
DFT-s-OFDM 16QAM	1	1	21.84	21.75	22.02	0
CP-OFDM QPSK	1	1	21.36	21.24	21.56	0

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth						
			Channel			
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)	MPR Allowed per 3GPP [dB]
Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	22.91	22.75	22.97	0
	1	40	22.80	22.75	22.95	0
	1	77	22.83	22.85	22.90	0
	36	0	21.91	21.80	22.03	0
	36	22	22.89	22.83	22.95	0
	36	43	21.89	21.83	22.10	0
	75	0	21.87	21.79	22.05	0
DFT-s-OFDM 16QAM	1	1	21.89	21.83	22.02	0
CP-OFDM QPSK	1	1	21.33	21.30	21.51	0

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.92	22.77	22.90		0	0.0
	1	26	22.85	22.83	22.92			0.0
	1	50	22.91	22.76	23.00			0.0
	25	0	21.86	21.81	22.00		0-1	1.0
	25	14	22.93	22.83	22.96		0	0.0
	25	27	21.90	21.85	22.04		0-1	1.0
DFT-s-OFDM 16QAM	1	1	21.95	21.75	22.04		0-1	1.0
CP-OFDM QPSK	1	1	21.37	21.23	21.51		0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for RSI = 1 (Head) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	22.74	22.70	22.91		0	0.0
	1	13	22.89	22.68	22.89			0.0
	1	23	22.72	22.72	22.91			0.0
	12	0	21.78	21.75	22.01		0-1	1.0
	12	7	22.78	22.76	22.97		0	0.0
	12	13	21.76	21.73	21.97			1.0
	25	0	21.77	21.76	21.95		0-1	1.0
DFT-s-OFDM 16QAM	1	1	21.74	21.77	21.95		0-1	1.0
CP-OFDM QPSK	1	1	21.20	21.27	21.43		0-1.5	1.5

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.46				0	0.0
	1	80	17.51					0.0
	1	158	17.59					0.0
	80	0	17.47				0-1	0.0
	80	40	17.52				0	0.0
	80	80	17.56				0-1	0.0
	160	0	17.56					0.0
DFT-s-OFDM 16QAM	1	1	17.44				0-1	0.0
CP-OFDM QPSK	1	1	17.46				0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.45				0	0.0
	1	67	17.43					0.0
	1	131	17.53					0.0
	64	0	17.46				0-1	0.0
	64	35	17.52				0	0.0
	64	69	17.59				0-1	0.0
	128	0	17.52					0.0
DFT-s-OFDM 16QAM	1	1	17.46				0-1	0.0
CP-OFDM QPSK	1	1	17.43				0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.58	17.46	17.73		0	0.0
	1	53	17.59	17.51	17.77			0.0
	1	104	17.47	17.57	17.81			0.0
	50	0	17.47	17.46	17.74		0-1	0.0
	50	28	17.58	17.54	17.82		0	0.0
	50	56	17.54	17.55	17.82		0-1	0.0
	100	0	17.64	17.51	17.79			0.0
DFT-s-OFDM 16QAM	1	1	17.59	17.52	17.72		0-1	0.0
CP-OFDM QPSK	1	1	17.58	17.44	17.73		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.60	17.50	17.68		0	0.0
	1	40	17.50	17.45	17.68			0.0
	1	77	17.55	17.52	17.70			0.0
	36	0	17.64	17.57	17.81		0-1	0.0
	36	22	17.66	17.51	17.77		0	0.0
	36	43	17.59	17.60	17.75		0-1	0.0
	72	0	17.63	17.55	17.76			0.0
DFT-s-OFDM 16QAM	1	1	17.56	17.47	17.77		0-1	0.0
CP-OFDM QPSK	1	1	17.66	17.52	17.75		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.63	17.51	17.74		0	0.0
	1	26	17.60	17.52	17.87			0.0
	1	50	17.58	17.51	17.70			0.0
	25	0	17.66	17.51	17.75		0-1	0.0
	25	14	17.70	17.52	17.75		0	0.0
	25	27	17.60	17.59	17.74		0-1	0.0
	50	0	17.63	17.54	17.74			
DFT-s-OFDM 16QAM	1	1	17.67	17.48	17.67		0-1	0.0
CP-OFDM QPSK	1	1	17.67	17.50	17.76		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852,5 MHz)	376500 (1882,5 MHz)	382500 (1912,5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17,55	17,54	17,66		0	0,0
	1	13	17,51	17,41	17,61			0,0
	1	23	17,53	17,52	17,67			0,0
	12	0	17,59	17,55	17,75		0-1	0,0
	12	7	17,57	17,56	17,72		0	0,0
	12	13	17,54	17,52	17,69		0-1	0,0
	25	0	17,53	17,61	17,76			
DFT-s-OFDM 16QAM	1	1	17,54	17,55	17,73		0-1	0,0
	1	13	17,35					0,0
	1	23	17,43					0,0
CP-OFDM QPSK	1	1	17,53	17,56	17,75		0-1.5	0,0

NR Band n25 Antenna F

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.11				0	0.0
	1	80	18.11					0.0
	1	158	18.28					0.0
	80	0	18.05				0-1	0.0
	80	40	18.09				0	0.0
	80	80	18.15				0	0.0
DFT-s-OFDM 16QAM	160	0	18.09				0-1	0.0
	1	1	18.14				0-1	0.0
CP-OFDM QPSK	1	1	18.16				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.11				0	0.0
	1	67	18.08					0.0
	1	131	18.25					0.0
	64	0	18.06				0-1	0.0
	64	35	18.06				0	0.0
	64	69	18.24				0-1	0.0
	128	0	18.13					0.0
DFT-s-OFDM 16QAM	1	1	18.06				0-1	0.0
CP-OFDM QPSK	1	1	18.08				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.28	18.09	18.41		0	0.0
	1	53	18.26	18.19	18.41		0	0.0
	1	104	18.07	18.18	18.21		0	0.0
	50	0	18.25	18.07	18.45		0-1	0.0
	50	28	18.26	18.06	18.32		0	0.0
	50	56	18.20	18.25	18.40		0	0.0
100	0	18.27	18.11	18.33	0-1	0.0		
DFT-s-OFDM 16QAM	1	1	18.30	18.07	18.38		0-1	0.0
CP-OFDM QPSK	1	1	18.27	18.09	18.35		0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857,5 MHz)	376500 (1882,5 MHz)	381500 (1907,5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18,29	18,82	18,29		0	0,0
	1	40	18,17	18,07	18,25		0	0,0
	1	77	18,13	18,18	18,19		0	0,0
	36	0	18,32	18,15	18,47		0-1	0,0
	36	22	18,27	18,21	18,36		0	0,0
	36	43	18,23	18,22	18,36		0	0,0
DFT-s-OFDM 16QAM	78	0	18,34	18,12	18,34	0-1	0,0	
	1	1	18,30	18,11	18,29	0-1	0,0	
CP-OFDM QPSK	1	1	18,28	18,28	18,26		0-1,5	0,0

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.30	18.35	18.28		0	0.0
	1	26	18.29	18.14	18.38		0	0.0
	1	50	18.27	18.14	18.15		0-1	0.0
	25	0	18.44	18.20	18.32		0	0.0
	25	14	18.34	18.13	18.34		0	0.0
	25	27	18.33	18.13	18.27		0-1	0.0
	50	0	18.27	18.08	18.34		0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.30	18.00	18.30		0-1	0.0
CP-OFDM QPSK	1	1	18.36	18.10	18.27		0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth											
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)						
			Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	18.20	18.10	18.24					0	0.0
	1	13	18.17	18.27	18.21					0	0.0
	1	23	18.21	18.09	18.13					0-1	0.0
	12	0	18.23	18.16	18.29					0	0.0
	12	7	18.28	18.19	18.26					0	0.0
	12	13	18.24	18.13	18.20					0-1	0.0
	25	0	18.24	18.19	18.24					0-1	0.0
DFT-s-OFDM 16QAM	1	1	18.17	18.09	18.30					0-1	0.0
CP-OFDM QPSK	1	1	18.20	18.10	18.26					0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 1 (Head) - 35 MHz Bandwidth

NR Band n25 35 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882,5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.08				0	0.0
	1	94	16.08					0.0
	1	186	16.19					0.0
	90	0	16.07				0-1	0.0
	90	49	16.05				0	0.0
	90	98	16.06				0	0.0
	180	0	16.06				0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.03				0-1	0.0
CP-OFDM QPSK	1	1	16.15				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.07				0	0.0
	1	80	16.06					0.0
	1	158	16.08					0.0
	80	0	16.02				0-1	0.0
	80	40	16.06				0	0.0
	80	80	16.16				0	0.0
	160	0	16.03				0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.02				0-1	0.0
CP-OFDM QPSK	1	1	16.11				0-1.5	0.0

NR Band n25 25 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.06		0	0.0
	1	67	15.97			0.0
	1	131	16.08			0.0
	64	0	16.01		0-1	0.0
	64	35	16.04		0	0.0
	64	69	16.11		0-1	0.0
	128	0	16.03			0.0
DFT-s-OFDM 16QAM	1	1	16.03		0-1	0.0
CP-OFDM QPSK	1	1	16.14		0-1.5	0.0

NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.31	16.06	16.16		0	0.0
	1	53	16.19	16.05	16.15			0.0
	1	104	16.10	16.12	16.30			0.0
	50	0	16.22	16.00	16.15		0-1	0.0
	50	28	16.14	16.07	16.20		0	0.0
	50	56	16.09	16.10	16.16			0.0
	100	0	16.13	16.00	16.22		0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.27	15.95	16.12		0-1	0.0
CP-OFDM QPSK	1	1	16.35	16.10	16.22		0-1.5	0.0

NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.27	16.01	16.21		0	0.0
	1	40	16.19	16.03	16.11			0.0
	1	77	16.21	16.15	16.33			0.0
	36	0	16.29	16.03	16.25		0-1	0.0
	36	22	16.23	16.01	16.10		0	0.0
	36	43	16.17	16.07	16.12			0.0
	75	0	16.28	16.09	16.15		0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.33	16.04	16.16		0-1	0.0
CP-OFDM QPSK	1	1	16.44	16.15	16.31		0-1.5	0.0

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	375500 (1882.5 MHz)	382000 (1910 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.36	16.04	16.18		0	0.0
	1	26	16.32	16.07	16.08			0.0
	1	50	16.25	16.14	16.30			0.0
	25	0	16.34	16.10	16.16		0-1	0.0
	25	14	16.34	16.13	16.22		0	0.0
	25	27	16.29	16.07	16.20		0	0.0
	50	0	16.34	16.12	16.16		0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.36	16.02	16.21		0-1	0.0
CP-OFDM QPSK	1	1	16.46	16.08	16.28		0-1.5	0.0

NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.31	16.14	16.10		0	0.0
	1	13	16.25	16.02	16.15		0	0.0
	1	23	16.25	16.06	16.30		0	0.0
	12	0	16.31	16.08	16.13		0-1	0.0
	12	7	16.30	16.08	16.20		0	0.0
	12	13	16.25	16.10	16.24		0	0.0
	25	0	16.27	16.07	16.20		0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.35	16.07	16.06		0-1	0.0
CP-OFDM QPSK	1	1	16.40	16.18	16.13		0-1.5	0.0