

NR Band n41 Path 1 Antenna F

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.17	17.33		0	0.0
	1	123	17.00	16.75		0.0	
	1	243	17.27	17.40		0.0	
	120	0	16.98	17.04		0-1	0.0
	120	63	17.03	16.76		0	0.0
	120	125	17.03	16.98		0-1	0.0
	243	0	17.11	16.99		0.0	
DFT-s-OFDM 16QAM	1	1	17.22	17.44		0-1	0.0
CP-OFDM QPSK	1	1	17.18	17.49		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529996 (2644.99 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.16	17.25		0	0.0
	1	109	17.00	16.74			0.0
	1	215	17.01	17.42			0.0
	108	0	17.02	16.96		0-1	0.0
	108	55	17.11	16.97		0	0.0
	108	109	17.08	17.04		0-1	0.0
	216	0	17.17	16.67		0.0	
DFT-s-OFDM 16QAM	1	1	17.30	17.38		0-1	0.0
CP-OFDM QPSK	1	1	17.20	17.28		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)				
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.11	17.04			0	0.0
	1	95	16.94	16.77			0	0.0
	1	187	17.15	17.37			0	0.0
	90	0	17.01	16.90			0-1	0.0
	90	50	16.98	16.77			0	0.0
	90	99	17.07	17.07			0-1	0.0
DFT-s-OFDM 16QAM	180	0	17.05	16.84				0.0
	1	1	17.23	17.32			0-1	0.0
CP-OFDM QPSK	1	1	17.15	17.11			0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.08	17.40	16.95		0	0.0
	1	81	17.01	17.21	16.79		0	0.0
	1	160	17.09	17.09	17.33		0	0.0
	81	0	17.01	17.17	16.81		0-1	0.0
	81	41	16.88	17.20	16.83		0	0.0
	81	81	17.07	17.15	17.12		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.12	17.50	17.11		0-1	0.0
			17.04	17.18	16.85		0	0.0
CP-OFDM QPSK	1	1	17.11	17.49	17.01		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.08	17.37	16.93		0	0.0
	1	67	16.92	17.21	16.94		0	0.0
	1	131	17.19	17.19	17.32		0	0.0
	64	0	17.02	17.20	16.79		0-1	0.0
	64	35	16.97	17.21	16.96		0	0.0
	64	69	17.03	17.18	17.19		0-1	0.0
	128	0	16.99	17.22	16.93			0.0
DFT-s-OFDM 16QAM	1	1	17.15	17.47	16.95		0-1	0.0
CP-OFDM QPSK	1	1	17.06	17.49	17.00		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.40	17.12	17.22	16.85		0	0.0
	1	53	17.00	17.03	17.05	17.06			0.0
	1	104	17.00	17.14	16.31	17.36			0.0
	50	0	16.87	17.05	17.13	16.89		0-1	0.0
	50	28	16.82	17.02	17.02	17.04		0	0.0
	50	56	16.88	17.13	16.88	17.27		0-1	0.0
	100	0	16.86	17.07	17.06	17.07		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.17	17.21	17.25	16.95		0-1	0.0
CP-OFDM QPSK	1	1	17.05	17.14	17.24	17.00		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.03	17.09	17.41	17.01	16.91		0	0.0
	1	39	16.95	17.04	17.19	16.91	17.16			0.0
	1	76	17.06	17.07	17.20	16.78	17.31			0.0
	36	0	17.05	17.11	17.18	16.97	17.03			0.0
	36	21	17.01	17.07	17.17	16.90	17.17			0.0
	36	42	16.97	17.06	17.20	16.82	17.32			0.0
	75	0	17.00	17.08	17.19	16.90	17.16			0.0
DFT-s-OFDM 16QAM	1	1	17.16	17.22	17.20	17.13	17.02		0-1	0.0
CP-OFDM QPSK	1	1	17.06	17.09	17.11	17.00	17.01		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.06	17.09	17.37	16.93	17.11		0	0.0
	1	26	16.99	17.04	17.18	16.83	17.22			0.0
	1	49	17.02	17.07	17.15	16.80	17.27			0.0
	25	0	17.05	17.12	17.17	16.88	17.18		0-1	0.0
	25	13	17.02	17.05	17.15	16.87	17.25		0	0.0
	25	26	17.00	17.02	17.16	16.86	17.34		0-1	0.0
DFT-s-OFDM 16QAM	50	0	17.01	17.07	17.15	16.89	17.24		0-1	0.0
	1	1	17.08	17.18	17.29	17.07	17.12			
CP-OFDM QPSK	1	1	17.05	17.14	17.19	16.90	17.09		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503,5 MHz)	509652 (2548,26 MHz)	518598 (2592,99 MHz)	527550 (2637,75 MHz)	536496 (2682,48 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.02	17.05	17.42	16.93	17.22		0	0.0
	1	19	17.04	17.11	17.21	16.88	17.25			0.0
	1	36	16.97	17.06	17.18	16.79	17.24			0.0
	18	0	17.04	17.13	17.19	16.89	17.26		0-1	0.0
	18	10	17.05	17.12	17.18	16.87	17.25		0	0.0
	18	20	17.02	17.05	17.15	16.83	17.27		0-1	0.0
	36	0	17.04	17.04	17.17	16.89	17.23		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.12	17.11	17.26	17.00	17.29		0-1	0.0
CP-OFDM QPSK	1	1	17.02	17.12	17.19	16.93	17.26		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	500202 (2501,01 MHz)	509400 (2547 MHz)	518598 (2592,99 MHz)	527802 (2639,01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	16.99	17.10	17.41	16.85	17.18		0	0.0
	1	12	17.01	17.12	17.23	16.88	17.20			0.0
	1	22	16.94	17.05	17.18	16.80	17.19			0.0
	12	0	17.00	17.10	17.16	16.87	17.23		0-1	0.0
	12	6	17.01	17.11	17.20	16.89	17.25		0	0.0
	12	12	16.98	17.09	17.19	16.85	17.24		0-1	0.0
	24	0	16.97	17.09	17.17	16.87	17.31		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.13	17.23	17.23	17.01	17.35		0-1	0.0
CP-OFDM QPSK	1	1	17.05	17.22	17.22	16.92	17.22		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.67	13.94		0	0.0
	1	123	13.51	13.41		0.0	
	1	243	13.81	13.60		0.0	
	120	0	13.43	13.52		0-1	0.0
	120	63	13.55	13.46		0	0.0
	120	125	13.53	13.45		0-1	0.0
	243	0	13.58	13.55		0.0	
DFT-s-OFDM 16QAM	1	1	13.81	13.92		0-1	0.0
CP-OFDM QPSK	1	1	13.64	13.93		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth												
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]		
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)								
			Conducted Power [dBm]									
DFT-s-OFDM QPSK	1	1	13.59	13.70								0.0
	1	109	13.45	13.38							0	0.0
	1	215	13.67	13.52							0-1	0.0
	108	0	13.44	13.55							0	0.0
	108	55	13.48	13.50							0	0.0
	108	109	13.58	13.42							0-1	0.0
	216	0	13.54	13.55								0.0
DFT-s-OFDM 16QAM	1	1	13.64	13.90							0-1	0.0
CP-OFDM QPSK	1	1	13.57	13.78							0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531,01 MHz)	531000 (2655 MHz)				
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	13.57	13.52			0	0.0
	1	95	13.45	13.37				0.0
	1	187	13.61	13.47			0.0	
	90	0	13.47	13.50			0-1	0.0
	90	50	13.46	13.44			0	0.0
	90	99	13.64	13.38			0-1	0.0
	180	0	13.50	13.50			0	0.0
DFT-s-OFDM 16QAM	1	1	13.58	13.67			0-1	0.0
CP-OFDM QPSK	1	1	13.60	13.53			0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	13.50	13.62	13.54		0	0.0
	1	81	13.46	13.61	13.49		0	0.0
	1	160	13.62	13.54	13.50		0	0.0
	81	0	13.42	13.57	13.52		0-1	0.0
	81	41	13.40	13.69	13.45		0	0.0
	81	81	13.61	13.64	13.46		0-1	0.0
	162	0	13.41	13.69	13.51		0	0.0
DFT-s-OFDM 16QAM	1	1	13.51	13.71	13.67		0-1	0.0
CP-OFDM QPSK	1	1	13.38	13.62	13.53		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth										
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]		
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)					
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.47	13.51	13.50			0	0.0	
	1	67	13.34	13.62	13.40			0	0.0	
	1	131	13.53	13.52	13.46			0	0.0	
	64	0	13.42	13.53	13.51			0-1	0.0	
	64	35	13.41	13.66	13.45			0	0.0	
	64	69	13.45	13.63	13.45			0	0.0	
	128	0	13.44	13.66	13.43			0-1	0.0	
DFT-s-OFDM 16QAM	1	1	13.52	13.57	13.57			0-1	0.0	
CP-OFDM QPSK	1	1	13.43	13.49	13.45			0-1.5	0.0	

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	13.44	13.45	13.74	13.46		0	0.0
	1	53	13.39	13.44	13.44	13.45		0	0.0
	1	104	13.41	13.58	13.43	13.56		0-1	0.0
	50	0	13.44	13.46	13.62	13.49		0	0.0
	50	28	13.36	13.41	13.44	13.45		0-1	0.0
	50	56	13.36	13.51	13.37	13.50		0-1	0.0
	100	0	13.37	13.44	13.46	13.42		0-1	0.0
DFT-s-OFDM 16QAM	1	1	13.48	13.51	13.82	13.53		0-1	0.0
CP-OFDM QPSK	1	1	13.40	13.40	13.68	13.45		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.41	13.44	13.54	13.46	13.78		0	0.0
	1	39	13.37	13.51	13.71	13.37	13.75			0.0
	1	76	13.31	13.47	13.67	13.32	13.91			0.0
	36	0	13.37	13.48	13.63	13.38	13.77		0-1	0.0
	36	21	13.34	13.50	13.68	13.41	13.78		0	0.0
	36	42	13.29	13.51	13.70	13.31	13.83		0-1	0.0
	75	0	13.34	13.48	13.69	13.36	13.75		0.0	
DFT-s-OFDM 16QAM	1	1	13.45	13.49	13.65	13.44	13.95		0-1	0.0
CP-OFDM QPSK	1	1	13.35	13.48	13.55	13.38	13.74		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.81	13.80	13.66	13.43	13.75		0	0.0
	1	26	13.75	13.74	13.71	13.36	13.74			0.0
	1	49	13.71	13.80	13.73	13.31	13.73			0.0
	25	0	13.80	13.81	13.70	13.36	13.77		0-1	0.0
	25	13	13.78	13.82	13.72	13.32	13.82		0.0	
	25	26	13.72	13.83	13.77	13.31	13.84		0-1	0.0
	50	0	13.77	13.84	13.70	13.35	13.82		0.0	
DFT-s-OFDM 16QAM	1	1	13.85	13.87	13.69	13.50	13.83		0-1	0.0
CP-OFDM QPSK	1	1	13.78	13.78	13.56	13.38	13.74		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.49 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.82	13.77	13.57	13.62	13.78		0	0.0
	1	19	13.87	13.80	13.63	13.64	13.81			0.0
	1	36	13.74	13.80	13.67	13.67	13.76		0-1	0.0
	18	0	13.86	13.79	13.83	13.67	13.71		0	0.0
	18	10	13.81	13.77	13.67	13.67	13.80		0	0.0
	18	20	13.83	13.81	13.70	13.65	13.82		0-1	0.0
36	0	13.81	13.82	13.65	13.66	13.81				
DFT-s-OFDM 16QAM	1	1	13.91	13.87	13.66	13.67	13.81		0-1	0.0
CP-OFDM QPSK	1	1	13.79	13.75	13.58	13.60	13.70		0-1.5	0.0

NR Band n41 Path 1 Antenna F Measured Plimit for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.71	13.74	13.57	13.70	13.78		0	0.0
	1	12	13.77	13.76	13.64	13.67	13.77			0.0
	1	22	13.70	13.78	13.66	13.66	13.75			0.0
	12	0	13.77	13.73	13.63	13.68	13.80		0-1	0.0
	12	6	13.80	13.77	13.71	13.65	13.80		0	0.0
	12	12	13.76	13.74	13.67	13.64	13.78		0-1	0.0
	24	0	13.76	13.76	13.66	13.63	13.79		0	0.0
DFT-s-OFDM 16QAM	1	1	13.80	13.80	13.70	13.70	13.83		0-1	0.0
CP-OFDM QPSK	1	1	13.70	13.71	13.61	13.61	13.75		0-1.5	0.0

NR Band n41 Path 1 Antennas B, E, D

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	17.28	17.06	
SRS #3 Ant E	17.23	17.11	
SRS #4 Ant D	17.13	16.94	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	17.18	16.92	
SRS #3 Ant E	17.21	17.11	
SRS #4 Ant D	17.14	16.70	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	17.01	16.92	
SRS #3 Ant E	17.18	17.15	
SRS #4 Ant D	17.12	16.77	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
Conducted Power [dBm]				
SRS #2 Ant B	17.14	17.33	17.10	
SRS #3 Ant E	17.17	17.54	17.22	
SRS #4 Ant D	17.13	17.34	17.02	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
Conducted Power [dBm]				
SRS #2 Ant B	16.94	17.14	17.15	
SRS #3 Ant E	17.14	17.47	17.26	
SRS #4 Ant D	17.14	17.07	17.02	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
Conducted Power [dBm]					
SRS #2 Ant B	17.01	17.22	17.09	17.33	
SRS #3 Ant E	17.14	17.26	17.45	17.30	
SRS #4 Ant D	17.01	17.16	17.04	17.26	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth					
NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	16.97	17.16	17.24	16.98	17.40
SRS #3 Ant E	17.14	17.21	17.25	17.01	17.49
SRS #4 Ant D	17.04	17.13	17.24	16.91	17.34

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth					
NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	16.95	17.06	17.19	16.90	17.44
SRS #3 Ant E	17.14	17.22	17.48	17.21	17.54
SRS #4 Ant D	17.10	17.21	17.05	16.77	17.28

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth					
NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	16.95	17.10	17.16	16.89	17.47
SRS #3 Ant E	17.19	17.24	17.01	17.00	17.09
SRS #4 Ant D	17.04	17.15	17.03	16.74	17.28

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth					
NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	16.99	17.17	17.15	16.93	17.47
SRS #3 Ant E	17.18	17.25	17.02	17.22	17.59
SRS #4 Ant D	17.10	17.18	17.04	16.74	17.30

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	13.28	13.04	
SRS #3 Ant E	13.04	12.99	
SRS #4 Ant D	13.15	12.93	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	13.14	12.90	
SRS #3 Ant E	12.96	12.90	
SRS #4 Ant D	13.20	12.73	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
Conducted Power [dBm]			
SRS #2 Ant B	13.01	12.93	
SRS #3 Ant E	13.04	13.03	
SRS #4 Ant D	13.12	12.76	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
Conducted Power [dBm]				
SRS #2 Ant B	13.11	13.28	13.12	
SRS #3 Ant E	12.94	13.21	13.05	
SRS #4 Ant D	13.10	13.34	13.00	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
Conducted Power [dBm]				
SRS #2 Ant B	12.99	13.15	13.16	
SRS #3 Ant E	12.87	13.19	13.04	
SRS #4 Ant D	13.12	13.08	12.97	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
Conducted Power [dBm]					
SRS #2 Ant B	12.97	13.18	13.11	13.32	
SRS #3 Ant E	12.88	13.09	13.12	13.17	
SRS #4 Ant D	13.03	13.15	13.02	13.24	

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	12.94	13.16	13.21	13.06	13.38
SRS #3 Ant E	12.96	13.07	13.28	13.04	13.34
SRS #4 Ant D	13.02	13.21	13.18	12.87	13.32

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	12.92	13.12	13.17	12.90	13.44
SRS #3 Ant E	12.81	13.00	13.22	13.05	13.22
SRS #4 Ant D	13.10	13.16	13.04	13.13	13.25

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	12.98	13.11	13.17	12.92	13.47
SRS #3 Ant E	12.84	13.06	13.23	13.05	13.24
SRS #4 Ant D	13.06	13.17	13.03	12.72	13.30

NR Band n41 Path 1 Antennas B, E, D Plimit for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
Conducted Power [dBm]					
SRS #2 Ant B	12.98	13.13	13.18	12.91	13.50
SRS #3 Ant E	12.87	12.96	13.17	12.95	13.18
SRS #4 Ant D	13.03	13.13	13.06	12.77	13.28