

NR Band n41 Path 2 Antenna B

NR Band n41 Path 2 Antenna B Measured P_{limit} for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.98	17.94		0	0.0
	1	123	17.75	17.59		0.0	
	1	243	17.99	17.95		0.0	
	120	0	17.83	17.64		0-1	0.0
	120	63	17.83	17.62		0	0.0
	120	125	17.85	17.96		0-1	0.0
	243	0	17.94	17.71		0.0	
DFT-s-OFDM 16QAM	1	1	17.99	17.95		0-1	0.0
CP-OFDM QPSK	1	1	17.95	17.94		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured P_{limit} for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529996 (2644.99 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.98	17.73		0	0.0
	1	109	17.88	17.62			0.0
	1	215	17.80	17.65			0.0
	108	0	17.87	17.62		0-1	0.0
	108	55	17.89	17.67		0	0.0
	108	109	17.87	17.94		0-1	0.0
	216	0	17.84	17.71		0.0	
DFT-s-OFDM 16QAM	1	1	17.93	17.80		0-1	0.0
CP-OFDM QPSK	1	1	17.97	17.72		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured P_{limit} for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.95	17.68		0	0.0
	1	95	17.77	17.75		0.0	
	1	187	17.88	17.96		0.0	
	90	0	17.87	17.65		0-1	0.0
	90	50	17.82	17.77		0	0.0
	90	99	17.86	17.92		0-1	0.0
	180	0	17.85	17.75		0.0	
DFT-s-OFDM 16QAM	1	1	17.89	17.73		0-1	0.0
CP-OFDM QPSK	1	1	17.94	17.64		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured P_{limit} for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.86	17.87	17.68		0	0.0
	1	81	17.81	17.82	17.85		0-1	0.0
	1	160	17.88	17.62	17.95		0	0.0
	81	0	17.85	17.86	17.71		0	0.0
	81	41	17.81	17.82	17.84		0	0.0
	81	81	17.80	17.66	17.92		0-1	0.0
	162	0	17.82	17.83	17.85		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.99	17.92	17.73		0-1	0.0
CP-OFDM QPSK	1	1	17.82	17.84	17.67		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured P_{limit} for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.89	17.81	17.69		0	0.0
	1	67	17.80	17.78	17.90		0	0.0
	1	131	17.92	17.84	17.92		0	0.0
	64	0	17.84	17.82	17.75		0-1	0.0
	64	35	17.79	17.82	17.88		0	0.0
	64	69	17.85	17.67	17.91		0-1	0.0
	128	0	17.82	17.83	17.89		0	0.0
DFT-s-OFDM 16QAM	1	1	17.92	17.82	17.75		0-1	0.0
CP-OFDM QPSK	1	1	17.81	17.80	17.73		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.81	17.86	17.74	17.74		0	0.0
	1	53	17.79	17.73	17.57	17.89		0	0.0
	1	104	17.88	17.87	17.60	17.93		0-1	0.0
	50	0	17.83	17.82	17.82	17.86		0	0.0
	50	28	17.77	17.77	17.83	17.95		0-1	0.0
	50	56	17.81	17.78	17.59	17.97		0-1	0.0
	100	0	17.82	17.74	17.55	17.93		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.81	17.94	17.67	17.70		0-1	0.0
CP-OFDM QPSK	1	1	17.86	17.86	17.69	17.73		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.96 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.79	17.89	17.82	17.56	17.84		0	0.0
	1	39	17.80	17.83	17.81	17.59	17.98			0.0
	1	76	17.81	17.73	17.67	17.67	17.97			0.0
	36	0	17.80	17.84	17.79	17.55	17.92		0-1	0.0
	36	21	17.78	17.80	17.77	17.53	17.99		0	0.0
	36	42	17.75	17.81	17.68	17.58	17.94		0-1	0.0
	75	0	17.78	17.76	17.80	17.57	17.99		0.0	
DFT-s-OFDM 16QAM	1	1	17.81	17.85	17.78	17.47	17.84		0-1	0.0
CP-OFDM QPSK	1	1	17.75	17.85	17.80	17.51	17.81		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.76	17.84	17.77	17.54	17.93		0	0.0
	1	26	17.72	17.81	17.75	17.56	17.99			0.0
	1	49	17.76	17.80	17.67	17.67	17.94			0.0
	25	0	17.78	17.83	17.82	17.55	17.98		0-1	0.0
	25	13	17.75	17.80	17.79	17.57	17.85		0	0.0
	25	26	17.76	17.79	17.73	17.60	17.87		0-1	0.0
	50	0	17.77	17.83	17.78	17.58	17.91		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.78	17.79	17.82	17.52	17.89		0-1	0.0
CP-OFDM QPSK	1	1	17.81	17.88	17.81	17.59	17.96		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.76	17.81	17.90	17.47	17.98		0	0.0
	1	19	17.74	17.79	17.89	17.54	17.94			
	1	36	17.75	17.78	17.77	17.48	17.93			
	18	0	17.78	17.77	17.88	17.45	17.87		0-1	0.0
	18	10	17.79	17.76	17.86	17.47	17.89		0	0.0
	18	20	17.77	17.80	17.78	17.49	17.84		0-1	0.0
36	0	17.79	17.76	17.86	17.44	17.95	0-1	0.0		
DFT-s-OFDM 16QAM	1	1	17.78	17.73	17.89	17.42	17.98		0-1	0.0
CP-OFDM QPSK	1	1	17.75	17.76	17.88	17.41	17.99		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	500202 (2501,01 MHz)	509400 (2547 MHz)	518598 (2592,99 MHz)	527802 (2639,01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	17.80	17.81	17.92	17.47	17.99		0	0.0
	1	12	17.85	17.83	17.93	17.64	17.89			0.0
	1	22	17.84	17.85	17.88	17.55	17.94			0.0
	12	0	17.84	17.81	17.92	17.49	17.92		0-1	0.0
	12	6	17.86	17.76	17.90	17.51	17.98		0	0.0
	12	12	17.86	17.80	17.84	17.49	17.96		0-1	0.0
	24	0	17.83	17.75	17.93	17.46	17.94		0-1	0.0
DFT-s-OFDM 16QAM	1	1	17.82	17.76	17.92	17.56	17.98		0-1	0.0
CP-OFDM QPSK	1	1	17.91	17.91	17.96	17.47	17.99		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 90 MHz Bandwidth

NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.97	13.95		0	0.0
	1	123	13.85	13.62		0.0	
	1	243	13.94	13.98		0.0	
	120	0	13.88	13.62		0-1	0.0
	120	63	13.87	13.66		0	0.0
	120	125	13.84	13.94		0-1	0.0
	243	0	13.92	13.72		0.0	
DFT-s-OFDM 16QAM	1	1	13.96	13.97		0-1	0.0
CP-OFDM QPSK	1	1	13.93	13.95		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 80 MHz Bandwidth

NR Band n41 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.97	13.72		0	0.0
	1	109	13.76	13.64			0.0
	1	215	13.91	13.97			0.0
	108	0	13.90	13.59		0-1	0.0
	108	55	13.83	13.71		0	0.0
	108	109	13.81	13.95		0-1	0.0
	216	0	13.86	13.72			0.0
DFT-s-OFDM 16QAM	1	1	13.98	13.79		0-1	0.0
CP-OFDM QPSK	1	1	13.94	13.77		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 70 MHz Bandwidth

NR Band n41 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531,01 MHz)	531000 (2655 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	13.95	13.63		0	0.0
	1	95	13.77	13.71			0.0
	1	187	13.88	13.95		0.0	
	90	0	13.84	13.59		0-1	0.0
	90	50	13.80	13.72		0	0.0
	90	95	13.83	13.94		0-1	0.0
	180	0	13.83	13.70		0.0	
DFT-s-OFDM 16QAM	1	1	13.94	13.75		0-1	0.0
CP-OFDM QPSK	1	1	13.91	13.72		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 60 MHz Bandwidth

NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	13.88	13.86	13.60		0	0.0
	1	81	13.82	13.75	13.78			0.0
	1	160	13.89	13.52	13.98			0.0
	81	0	13.84	13.77	13.66		0-1	0.0
	81	41	13.78	13.76	13.78		0	0.0
	81	81	13.86	13.62	13.87		0	0.0
	162	0	13.82	13.79	13.76		0-1	0.0
DFT-s-OFDM 16QAM	1	1	13.90	13.90	13.62		0-1	0.0
CP-OFDM QPSK	1	1	13.89	13.73	13.59		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 50 MHz Bandwidth

NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	13.89	13.83	13.63		0	0.0
	1	67	13.79	13.71	13.83			0.0
	1	131	13.87	13.54	13.96			0.0
	64	0	13.81	13.77	13.69		0-1	0.0
	64	35	13.77	13.76	13.84		0	0.0
	64	69	13.84	13.61	13.98		0	0.0
	128	0	13.78	13.78	13.78		0-1	0.0
DFT-s-OFDM 16QAM	1	1	13.94	13.78	13.60		0-1	0.0
CP-OFDM QPSK	1	1	13.85	13.78	13.66		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	13.82	13.80	13.71	13.68		0	0.0
	1	53	13.78	13.70	13.48	13.90			0.0
	1	104	13.81	13.81	13.83	13.91			0.0
	50	0	13.77	13.78	13.88	13.74		0-1	0.0
	50	28	13.72	13.68	13.45	13.90		0	0.0
	50	56	13.75	13.72	13.49	13.99		0-1	0.0
	100	0	13.74	13.71	13.48	13.86		0-1	0.0
DFT-s-OFDM 16QAM	1	1	13.79	13.75	13.71	13.51		0-1	0.0
CP-OFDM QPSK	1	1	13.75	13.83	13.82	13.69		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.83	13.83	13.79	13.51	13.74		0	0.0
	1	39	13.75	13.82	13.77	13.55	13.86		0.0	
	1	76	13.81	13.73	13.61	13.61	13.93		0.0	
	36	0	13.79	13.82	13.75	13.49	13.84		0-1	0.0
	36	21	13.77	13.79	13.72	13.50	13.92		0	0.0
	36	42	13.76	13.75	13.66	13.56	13.99		0-1	0.0
	75	0	13.78	13.78	13.74	13.49	13.91		0.0	
DFT-s-OFDM 16QAM	1	1	13.89	13.86	13.76	13.52	13.77	0-1	0.0	
CP-OFDM QPSK	1	1	13.79	13.78	13.74	13.46	13.74	0-1.5	0.0	

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.75	13.76	13.85	13.46	13.91		0	0.0
	1	26	13.71	13.73	13.77	13.39	13.99			0.0
	1	49	13.70	13.75	13.71	13.51	13.94			0.0
	25	0	13.79	13.73	13.83	13.43	13.93		0-1	0.0
	25	13	13.74	13.74	13.84	13.44	13.97		0	0.0
	25	26	13.71	13.72	13.75	13.45	13.89		0-1	0.0
	50	0	13.75	13.74	13.82	13.43	13.87		0.0	
DFT-s-OFDM 16QAM	1	1	13.77	13.74	13.86	13.48	13.90		0-1	0.0
CP-OFDM QPSK	1	1	13.78	13.77	13.79	13.44	13.88		0-1.5	0.0

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13.77	13.75	13.85	13.42	13.97		0	0.0
	1	19	13.76	13.73	13.86	13.46	13.94			0.0
	1	36	13.72	13.68	13.72	13.50	13.96			0.0
	18	0	13.78	13.74	13.85	13.42	13.89		0-1	0.0
	18	10	13.76	13.72	13.83	13.49	13.87		0	0.0
	18	20	13.73	13.73	13.75	13.47	13.85		0-1	0.0
	36	0	13.75	13.72	13.82	13.48	13.91		0.0	
DFT-s-OFDM 16QAM	1	1	13.74	13.69	13.81	13.45	13.92	0-1	0.0	
CP-OFDM QPSK	1	1	13.67	13.71	13.88	13.46	13.97	0-1.5	0.0	

NR Band n41 Path 2 Antenna B Measured Plimit for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501,01 MHz)	509400 (2547 MHz)	518598 (2592,99 MHz)	527802 (2639,01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	13,80	13,83	13,92	13,49	13,94		0	0,0
	1	12	13,87	13,84	13,95	13,50	13,99			0,0
	1	22	13,79	13,79	13,86	13,55	13,89			0,0
	12	0	13,85	13,82	13,92	13,49	13,95		0-1	0,0
	12	6	13,83	13,81	13,92	13,52	13,97		0	0,0
	12	12	13,81	13,79	13,86	13,52	13,92		0	0,0
	24	0	13,82	13,79	13,90	13,51	13,89		0-1	0,0
DFT-s-OFDM 16QAM	1	1	13,83	13,84	13,91	13,48	13,95		0-1	0,0
CP-OFDM QPSK	1	1	13,84	13,82	13,89	13,44	13,99		0-1.5	0,0

NR Band n41 Path 2 Antennas F, D, E

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	17.24	17.16	
SRS #3 Ant D	17.20	17.00	
SRS #4 Ant E	17.40	17.39	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	17.30	17.21	
SRS #3 Ant D	17.03	16.62	
SRS #4 Ant E	17.45	17.41	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	17.22	17.06	
SRS #3 Ant D	16.92	16.58	
SRS #4 Ant E	17.42	17.41	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
	Conducted Power [dBm]			
SRS #2 Ant F	17.27	17.44	17.14	
SRS #3 Ant D	17.03	17.15	17.00	
SRS #4 Ant E	17.44	17.88	17.56	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
	Conducted Power [dBm]			
SRS #2 Ant F	17.22	17.44	17.20	
SRS #3 Ant D	16.88	16.97	16.82	
SRS #4 Ant E	17.36	17.80	17.50	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
Conducted Power [dBm]					
SRS #2 Ant F	17.28	17.29	17.37	17.28	
SRS #3 Ant D	16.98	17.17	17.04	17.26	
SRS #4 Ant E	17.42	17.50	17.66	17.65	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 30 MHz Bandwidth					
NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	17.21	17.26	17.51	17.32	17.37
SRS #3 Ant D	16.96	17.12	17.17	16.86	17.37
SRS #4 Ant E	17.37	17.51	17.80	17.50	17.83

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 20 MHz Bandwidth					
NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	17.25	17.22	17.45	17.29	17.38
SRS #3 Ant D	17.11	17.12	17.11	16.66	17.29
SRS #4 Ant E	17.47	17.47	17.86	17.61	17.79

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 15 MHz Bandwidth					
NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	17.32	17.30	17.45	17.31	17.48
SRS #3 Ant D	17.11	17.12	17.11	16.70	17.38
SRS #4 Ant E	17.44	17.51	17.78	17.48	17.84

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 0 (Body-worn, or Phablet), RSI = 2 (Hotspot) - 10 MHz Bandwidth					
NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	17.36	17.34	17.49	17.29	17.42
SRS #3 Ant D	17.07	17.10	17.06	17.10	17.31
SRS #4 Ant E	17.43	17.49	17.87	17.47	17.86

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
Conducted Power [dBm]			
SRS #2 Ant F	13.16	13.10	
SRS #3 Ant D	13.22	12.96	
SRS #4 Ant E	13.27	13.19	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
Conducted Power [dBm]			
SRS #2 Ant F	13.13	12.95	
SRS #3 Ant D	13.04	12.57	
SRS #4 Ant E	12.80	12.66	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
Conducted Power [dBm]			
SRS #2 Ant F	13.13	12.96	
SRS #3 Ant D	12.95	12.59	
SRS #4 Ant E	12.78	12.73	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
Conducted Power [dBm]				
SRS #2 Ant F	13.10	13.23	13.04	
SRS #3 Ant D	13.03	13.17	13.00	
SRS #4 Ant E	12.82	13.19	12.88	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
Conducted Power [dBm]				
SRS #2 Ant F	13.06	13.11	13.05	
SRS #3 Ant D	12.90	12.99	12.83	
SRS #4 Ant E	12.64	12.82	12.86	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
Conducted Power [dBm]					
SRS #2 Ant F	13.12	13.11	13.26	13.25	
SRS #3 Ant D	12.97	13.20	13.01	13.27	
SRS #4 Ant E	12.74	12.90	13.08	13.09	

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth					
Channel					
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	13.07	13.17	13.34	13.24	13.35
SRS #3 Ant D	12.97	13.06	13.20	12.87	13.36
SRS #4 Ant E	12.77	12.93	13.30	13.01	13.22

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth					
Channel					
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	13.01	13.13	13.13	13.07	13.14
SRS #3 Ant D	13.11	13.09	13.08	12.69	13.28
SRS #4 Ant E	12.56	12.85	12.76	12.65	13.00

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth					
Channel					
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	13.05	13.16	13.17	13.08	13.16
SRS #3 Ant D	13.01	13.02	13.03	12.61	13.30
SRS #4 Ant E	13.18	13.23	13.50	13.22	13.59

NR Band n41 Path 2 Antennas F, D, E Plimit for RSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth					
Channel					
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)
Conducted Power [dBm]					
SRS #2 Ant F	13.07	13.10	13.15	13.07	13.13
SRS #3 Ant D	13.09	13.07	13.05	12.62	13.31
SRS #4 Ant E	13.25	13.28	13.55	13.24	13.67