

Appendix H: Secondary Mode Conducted Powers

H.1. UMTS Conducted Powers

It is expected by the manufacturer that MPR for some HSPA subtests may be up to 2dB more than specified by 3 GPP, but also as low as 0 dB according to the chipset implementation in this model.

UMTS Band 5		Frequency [MHz]	826.4	836.6	846.6	3GPP MPR (dB)
Antenna: A		Channel Number	4132	4183	4233	
Power Level	Mode	Subtest	Conducted Power [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	HSDPA	Subtest 1	22.34	22.62	22.23	0
		Subtest 2	22.84	22.97	22.77	0
		Subtest 3	22.35	22.63	22.23	0.5
		Subtest 4	22.36	22.6	22.24	0.5
	HSUPA	Subtest 1	22.51	22.57	22.49	0
		Subtest 2	20.57	20.54	20.51	2
		Subtest 3	21.56	21.58	21.54	1
		Subtest 4	20.52	20.57	20.52	2
		Subtest 5	22.52	22.54	22.51	0
	DC-HSDPA	Subtest 1	22.58	22.57	22.55	0
		Subtest 2	22.58	22.6	22.58	0
		Subtest 3	22.1	22.04	22.05	0.5
		Subtest 4	22.06	22.04	22.07	0.5

UMTS Band 5		Frequency [MHz]	826.4	836.6	846.6	3GPP MPR (dB)
Antenna: E		Channel Number	4132	4183	4233	
Power Level	Mode	Subtest	Conducted Power [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	HSDPA	Subtest 1	20.8	20.86	20.91	0
		Subtest 2	20.79	20.85	20.9	0
		Subtest 3	20.77	20.89	20.92	0.5
		Subtest 4	20.78	20.86	20.88	0.5
	HSUPA	Subtest 1	20.46	20.47	20.49	0
		Subtest 2	18.48	18.52	18.49	2
		Subtest 3	19.49	19.53	19.51	1
		Subtest 4	18.47	18.53	18.45	2
		Subtest 5	20.52	20.57	20.48	0
	DC-HSDPA	Subtest 1	20.77	20.87	20.93	0
		Subtest 2	20.76	20.86	20.89	0
		Subtest 3	20.89	20.87	20.89	0.5
		Subtest 4	20.8	20.87	20.91	0.5
DSI 1 (Head)	HSDPA	Subtest 1	19.23	19.33	19.39	0
		Subtest 2	19.25	19.36	19.38	0
		Subtest 3	19.25	19.37	19.4	0.5
		Subtest 4	19.29	19.33	19.35	0.5
	HSUPA	Subtest 1	19.13	19.17	19.14	0
		Subtest 2	16.95	16.99	16.98	2
		Subtest 3	17.94	17.98	17.91	1
		Subtest 4	16.9	16.94	16.92	2
		Subtest 5	19.21	19.19	19.17	0
	DC-HSDPA	Subtest 1	19.23	19.37	19.35	0
		Subtest 2	19.27	19.34	19.37	0
		Subtest 3	19.39	19.35	19.4	0.5
		Subtest 4	19.26	19.32	19.41	0.5

H.2. LTE Conducted Powers

LTE Band 12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	A	Channel Number		23095	
Bandwidth [MHz]:	10	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
Pmax (Head/Body-worn/Hotspot/Phablet)	16QAM	1	0	22.75	1
		1	25	22.52	1
		1	49	22.47	1
		25	0	21.97	2
		25	12	21.96	2
		25	25	21.86	2
		50	0	21.92	2
	64QAM	1	0	21.89	2
		1	25	21.50	2
		1	49	21.42	2
		25	0	20.95	3
		25	12	20.95	3
		25	25	20.84	3
		50	0	20.92	3

LTE Band 12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	5	Channel Number		23035	23095	23155	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	24.13	24.05	24.08	0
		1	12	24.15	23.86	24.37	0
		1	24	24.02	23.71	24.41	0
		12	0	22.58	22.92	22.79	1
		12	6	22.61	22.95	22.80	1
		12	13	22.43	22.86	22.76	1
		25	0	22.51	22.88	22.74	1
	16QAM	1	0	23.04	22.67	22.77	1
		1	12	23.01	22.86	22.55	1
		1	24	22.99	22.81	22.84	1
		12	0	21.62	21.98	21.83	2
		12	6	21.65	21.98	21.85	2
		12	13	21.50	21.88	21.79	2
		25	0	21.54	21.91	21.77	2
	64QAM	1	0	21.86	22.09	21.79	2
		1	12	21.93	21.97	21.61	2
		1	24	21.75	21.84	21.81	2
		12	0	20.57	20.98	20.81	3
		12	6	20.60	20.98	20.84	3
		12	13	20.44	20.88	20.79	3
		25	0	20.57	20.92	20.76	3

LTE Band 12		Frequency [MHz]		700.5	707.5	714.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:		Channel Number		23025	23095	23165	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	24.11	23.95	23.92	0
		1	7	24.15	23.88	24.16	0
		1	14	23.95	23.83	23.94	0
		8	0	22.81	22.93	22.76	1
		8	4	22.74	22.92	22.78	1
		8	7	22.71	22.83	22.72	1
		15	0	22.67	22.88	22.73	1
	16QAM	1	0	23.08	22.83	22.94	1
		1	7	23.19	22.78	22.83	1
		1	14	22.84	22.84	23.02	1
		8	0	21.87	21.99	21.83	2
		8	4	21.81	21.99	21.86	2
		8	7	21.78	21.95	21.79	2
		15	0	21.70	21.93	21.76	2
	64QAM	1	0	21.98	22.11	22.02	2
		1	7	22.09	22.08	22.11	2
		1	14	21.91	21.88	21.73	2
		8	0	20.81	20.97	20.81	3
		8	4	20.76	20.97	20.81	3
		8	7	20.75	20.84	20.77	3
		15	0	20.71	20.91	20.76	3

LTE Band 12		Frequency [MHz]		699.7	707.5	715.3	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	1.4	Channel Number		23017	23095	23173	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	24.25	23.80	24.03	0
		1	2	24.08	23.73	24.01	0
		1	5	23.81	23.75	23.87	0
		3	0	24.15	23.77	23.63	0
		3	2	24.09	23.76	23.60	0
		3	3	24.07	23.78	23.59	0
		6	0	22.69	22.81	22.62	1
	16QAM	1	0	22.76	22.91	22.74	1
		1	2	22.71	22.73	22.66	1
		1	5	22.76	23.03	22.77	1
		3	0	22.88	23.01	22.82	1
		3	2	22.87	22.98	22.80	1
		3	3	22.88	22.99	22.79	1
		6	0	21.82	21.91	21.73	2
	64QAM	1	0	22.07	21.95	22.06	2
		1	2	22.08	22.11	21.97	2
		1	5	22.02	22.41	21.99	2
		3	0	21.92	22.03	21.89	2
		3	2	21.88	22.01	21.87	2
		3	3	21.93	22.02	21.88	2
		6	0	20.81	20.93	20.74	3

LTE Band 12		Frequency [MHz]		707.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]: 10		Channel Number		23095	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	21.14	0
		1	25	21.11	0
		1	49	21.02	0
		25	0	21.32	0
		25	12	21.40	0
		25	25	21.30	0
		50	0	21.33	0
	64QAM	1	0	20.75	0
		1	25	21.44	0
		1	49	21.44	0
		25	0	20.64	0
		25	12	20.59	0
		25	25	20.50	0
		50	0	20.62	0
DSI 1 (Head)	16QAM	1	0	19.77	0
		1	25	19.71	0
		1	49	19.91	0
		25	0	19.65	0
		25	12	19.66	0
		25	25	19.52	0
		50	0	19.60	0
	64QAM	1	0	19.96	0
		1	25	19.85	0
		1	49	19.69	0
		25	0	19.69	0
		25	12	19.74	0
		25	25	19.61	0
		50	0	19.58	0

LTE Band 12		Frequency [MHz]		701.5	707.5	713.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:		Channel Number		23035	23095	23155	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	21.36	21.60	21.20	0
		1	12	21.36	21.44	21.35	0
		1	24	21.29	21.17	21.04	0
		12	0	21.41	21.32	21.20	0
		12	6	21.51	21.31	21.22	0
		12	13	21.38	21.28	21.20	0
		25	0	21.39	21.31	21.21	0
	16QAM	1	0	21.89	21.03	21.15	0
		1	12	21.56	21.20	21.33	0
		1	24	21.66	20.77	21.14	0
		12	0	21.10	21.36	21.31	0
		12	6	21.10	21.29	21.20	0
		12	13	21.28	21.22	21.17	0
		25	0	21.31	20.77	20.74	0
	64QAM	1	0	21.06	21.95	20.25	0
		1	12	21.26	21.18	21.68	0
		1	24	21.30	21.65	20.43	0
		12	0	20.33	20.23	20.03	0
		12	6	20.39	20.24	20.08	0
		12	13	20.20	20.02	19.98	0
		25	0	20.37	20.19	20.00	0
DSI 1 (Head)	QPSK	1	0	19.00	19.50	19.10	0
		1	12	19.08	19.00	19.23	0
		1	24	19.43	19.42	19.00	0
		12	0	19.13	19.19	19.13	0
		12	6	19.06	19.02	19.22	0
		12	13	19.00	19.21	19.19	0
		25	0	19.01	19.28	19.15	0
	16QAM	1	0	19.60	19.97	19.01	0
		1	12	19.39	19.90	19.82	0
		1	24	19.45	19.38	18.98	0
		12	0	19.17	19.27	19.30	0
		12	6	19.12	19.37	19.28	0
		12	13	19.12	19.27	19.22	0
		25	0	19.11	19.26	19.21	0
	64QAM	1	0	19.54	19.54	19.38	0
		1	12	19.36	19.03	19.26	0
		1	24	19.39	19.68	19.17	0
		12	0	19.05	19.36	19.28	0
		12	6	19.10	19.00	19.28	0
		12	13	19.38	19.19	19.24	0
		25	0	19.01	19.39	19.26	0

LTE Band 12		Frequency [MHz]		700.5	707.5	714.5	MPR [dB]		
Antenna:	E								
Bandwidth [MHz]:		3		Channel Number		23025		23095	23165
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	21.41	21.05	20.99	0		
		1	7	21.79	21.36	21.02	0		
		1	14	21.31	21.15	21.05	0		
		8	0	21.45	21.33	21.05	0		
		8	4	21.50	21.26	21.20	0		
		8	7	21.40	21.23	21.16	0		
		15	0	21.32	21.23	21.06	0		
	16QAM	1	0	21.71	21.62	21.50	0		
		1	7	21.39	21.58	21.58	0		
		1	14	21.47	21.50	21.41	0		
		8	0	21.56	21.37	21.15	0		
		8	4	21.56	21.44	21.30	0		
		8	7	21.43	21.24	21.16	0		
		15	0	21.41	21.29	21.07	0		
	64QAM	1	0	21.38	21.74	21.11	0		
		1	7	21.36	21.82	21.13	0		
		1	14	21.13	20.92	20.83	0		
		8	0	20.31	20.21	20.11	0		
		8	4	20.30	20.21	20.05	0		
		8	7	20.35	20.07	20.06	0		
		15	0	20.23	20.15	20.03	0		
DSI 1 (Head)	QPSK	1	0	19.39	19.29	19.05	0		
		1	7	19.13	19.00	19.03	0		
		1	14	18.99	19.11	18.99	0		
		8	0	19.10	19.23	19.09	0		
		8	4	19.03	19.36	19.10	0		
		8	7	19.00	19.24	19.22	0		
		15	0	18.97	19.29	19.11	0		
	16QAM	1	0	19.37	19.12	19.79	0		
		1	7	19.51	19.72	18.78	0		
		1	14	19.34	19.74	19.73	0		
		8	0	19.10	19.34	19.22	0		
		8	4	19.12	19.37	19.15	0		
		8	7	19.19	19.20	19.21	0		
		15	0	19.15	19.28	19.05	0		
	64QAM	1	0	19.47	19.17	19.17	0		
		1	7	19.50	19.18	19.15	0		
		1	14	19.26	19.37	19.33	0		
		8	0	19.00	19.30	19.28	0		
		8	4	19.14	19.23	19.34	0		
		8	7	19.09	19.14	19.18	0		
		15	0	19.04	19.25	19.27	0		

LTE Band 12		Frequency [MHz]		699.7	707.5	715.3	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:	1.4	Channel Number		23017	23095	23173	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	21.55	21.15	21.02	0
		1	2	21.35	21.11	21.01	0
		1	5	21.53	21.06	21.01	0
		3	0	21.54	21.12	21.03	0
		3	2	21.39	21.17	21.06	0
		3	3	21.61	21.08	21.06	0
		6	0	21.56	21.28	21.06	0
	16QAM	1	0	21.22	21.79	21.62	0
		1	2	21.87	21.84	21.39	0
		1	5	21.27	21.74	21.49	0
		3	0	21.74	21.30	21.36	0
		3	2	21.86	21.54	21.25	0
		3	3	21.61	21.41	21.31	0
		6	0	21.12	21.06	20.76	0
	64QAM	1	0	21.47	21.37	21.65	0
		1	2	21.43	21.78	21.59	0
		1	5	21.20	21.59	20.46	0
		3	0	21.17	21.02	20.90	0
		3	2	21.22	20.97	21.14	0
		3	3	21.41	20.93	20.74	0
		6	0	20.37	20.07	20.08	0
DSI 1 (Head)	QPSK	1	0	19.04	19.30	19.13	0
		1	2	19.05	19.18	19.08	0
		1	5	19.21	19.08	19.01	0
		3	0	19.02	19.25	19.10	0
		3	2	19.08	19.36	19.00	0
		3	3	19.08	19.16	19.12	0
		6	0	18.98	19.30	19.14	0
	16QAM	1	0	19.60	18.59	19.44	0
		1	2	19.48	19.25	19.73	0
		1	5	19.58	18.83	19.39	0
		3	0	19.21	19.33	19.56	0
		3	2	19.51	19.39	19.22	0
		3	3	19.31	19.56	19.34	0
		6	0	19.21	19.33	19.35	0
	64QAM	1	0	19.47	19.82	19.00	0
		1	2	19.39	19.54	19.32	0
		1	5	19.46	19.43	19.39	0
		3	0	19.17	19.01	19.28	0
		3	2	19.19	19.06	19.32	0
		3	3	19.04	19.28	19.19	0
		6	0	19.10	19.11	19.25	0

LTE Band 13		Frequency [MHz]		782	MPR [dB]
Antenna:	A				
Bandwidth [MHz]:	10	Channel Number		23230	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	16QAM	1	0	22.41	1
		1	25	22.01	1
		1	49	21.96	1
		25	0	21.06	2
		25	12	21.19	2
		25	25	21.24	2
		50	0	21.04	2
	64QAM	1	0	21.01	2
		1	25	21.14	2
		1	49	21.12	2
		25	0	20.01	3
		25	12	20.09	3
		25	25	20.00	3
		50	0	19.88	3

LTE Band 13		Frequency [MHz]		782	MPR [dB]
Antenna:	A				
Bandwidth [MHz]:	5	Channel Number		23230	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	23.22	0
		1	12	23.20	0
		1	24	23.16	0
		12	0	22.25	1
		12	6	22.29	1
		12	13	22.20	1
		25	0	22.24	1
	16QAM	1	0	22.10	1
		1	12	22.18	1
		1	24	22.28	1
		12	0	21.24	2
		12	6	21.13	2
		12	13	21.28	2
		25	0	21.29	2
	64QAM	1	0	21.08	2
		1	12	21.25	2
		1	24	21.31	2
		12	0	19.89	3
		12	6	19.92	3
		12	13	19.92	3
		25	0	20.01	3

LTE Band 13		Frequency [MHz]		782	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		23230	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	21.67	0
		1	25	22.07	0
		1	49	21.84	0
		25	0	21.34	0
		25	12	21.38	0
		25	25	21.22	0
		50	0	21.35	0
	64QAM	1	0	21.29	0
		1	25	21.09	0
		1	49	21.06	0
		25	0	20.10	1
		25	12	20.02	1
		25	25	20.30	1
		50	0	20.18	1
DSI 1 (Head)	16QAM	1	0	21.24	0
		1	25	21.30	0
		1	49	21.26	0
		25	0	21.16	0
		25	12	21.19	0
		25	25	21.03	0
		50	0	21.05	0
	64QAM	1	0	21.29	0
		1	25	21.39	0
		1	49	21.05	0
		25	0	20.83	0
		25	12	20.79	0
		25	25	20.74	0
		50	0	20.81	0

LTE Band 13		Frequency [MHz]		782	MPR [dB]
Antenna:	E	Channel Number		23230	
Bandwidth [MHz]:	5	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	21.59	0
		1	12	21.61	0
		1	24	21.57	0
		12	0	21.74	0
		12	6	21.67	0
		12	13	21.61	0
		25	0	21.51	0
	16QAM	1	0	22.29	0
		1	12	21.97	0
		1	24	21.91	0
		12	0	20.91	0
		12	6	20.92	0
		12	13	20.88	0
		25	0	21.02	0
	64QAM	1	0	21.20	0
		1	12	21.12	0
		1	24	21.16	0
		12	0	19.93	1
		12	6	19.92	1
		12	13	19.96	1
		25	0	19.90	1
DSI 1 (Head)	QPSK	1	0	21.09	0
		1	12	21.12	0
		1	24	21.02	0
		12	0	21.09	0
		12	6	21.04	0
		12	13	21.09	0
		25	0	21.08	0
	16QAM	1	0	21.46	0
		1	12	21.41	0
		1	24	21.55	0
		12	0	21.21	0
		12	6	21.12	0
		12	13	21.14	0
		25	0	21.05	0
	64QAM	1	0	21.29	0
		1	12	21.27	0
		1	24	21.27	0
		12	0	20.40	0
		12	6	20.42	0
		12	13	20.35	0
		25	0	20.37	0

LTE Band 5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	A				
Bandwidth [MHz]: 10		Channel Number		20525	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head/Body-worn/Hotspot/Phablet)	16QAM	1	0	22.70	1
		1	25	22.81	1
		1	49	23.04	1
		25	0	21.58	2
		25	12	21.54	2
		25	25	21.67	2
		50	0	21.58	2
	64QAM	1	0	21.72	2
		1	25	21.94	2
		1	49	21.90	2
		25	0	20.53	3
		25	12	20.56	3
		25	25	20.63	3
		50	0	20.55	3

LTE Band 5		Frequency [MHz]		826.5	836.5	846.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:		Channel Number		20425	20525	20625	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	23.37	23.48	23.48	0
		1	12	23.52	23.39	23.59	0
		1	24	23.52	23.48	23.53	0
		12	0	22.50	22.51	22.61	1
		12	6	22.48	22.53	22.66	1
		12	13	22.52	22.56	22.70	1
		25	0	22.48	22.50	22.57	1
	16QAM	1	0	22.96	23.05	23.03	1
		1	12	23.03	22.82	22.98	1
		1	24	22.97	22.72	22.91	1
		12	0	21.50	21.61	21.72	2
		12	6	21.53	21.55	21.71	2
		12	13	21.58	21.63	21.76	2
		25	0	21.53	21.50	21.62	2
	64QAM	1	0	21.87	21.77	21.79	2
		1	12	21.83	21.78	22.07	2
		1	24	21.58	21.67	22.07	2
		12	0	20.46	20.59	20.62	3
		12	6	20.57	20.51	20.76	3
		12	13	20.67	20.62	20.68	3
		25	0	20.54	20.59	20.66	3

LTE Band 5		Frequency [MHz]		825.5	836.5	847.5	MPR [dB]		
Antenna:	A								
Bandwidth [MHz]:		3		Channel Number		20415		20525	20635
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	23.35	23.56	23.48	0		
		1	7	23.26	23.53	23.68	0		
		1	14	23.35	23.38	23.56	0		
		8	0	22.57	22.50	22.48	1		
		8	4	22.52	22.60	22.61	1		
		8	7	22.53	22.55	22.64	1		
		15	0	22.42	22.47	22.51	1		
	16QAM	1	0	22.65	22.98	22.92	1		
		1	7	22.85	23.06	22.92	1		
		1	14	22.81	22.89	23.02	1		
		8	0	21.51	21.57	21.61	2		
		8	4	21.64	21.81	21.66	2		
		8	7	21.48	21.64	21.78	2		
		15	0	21.50	21.59	21.62	2		
	64QAM	1	0	21.58	21.72	21.87	2		
		1	7	22.01	21.82	21.89	2		
		1	14	21.67	21.66	21.79	2		
		8	0	20.55	20.53	20.66	3		
		8	4	20.61	20.56	20.67	3		
		8	7	20.53	20.60	20.64	3		
		15	0	20.45	20.47	20.60	3		

LTE Band 5		Frequency [MHz]		824.7	836.5	848.3	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	1.4	Channel Number		20407	20525	20643	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head/Body-worn/Hotspot/Phablet)	QPSK	1	0	23.08	23.35	23.39	0
		1	2	23.32	23.44	23.56	0
		1	5	23.14	23.33	23.48	0
		3	0	23.31	23.48	23.57	0
		3	2	23.30	23.61	23.50	0
		3	3	23.29	23.44	23.54	0
		6	0	22.30	22.34	22.60	1
	16QAM	1	0	23.02	22.88	23.00	1
		1	2	22.71	22.97	23.00	1
		1	5	22.66	22.95	23.02	1
		3	0	22.64	22.75	22.81	1
		3	2	22.72	22.72	22.64	1
		3	3	22.50	22.78	22.66	1
		6	0	21.42	21.45	21.63	2
	64QAM	1	0	21.88	21.60	21.97	2
		1	2	21.55	21.53	21.88	2
		1	5	21.43	21.76	21.93	2
		3	0	21.47	21.75	21.75	2
		3	2	21.74	21.87	21.75	2
		3	3	21.50	21.71	21.72	2
		6	0	20.52	20.69	20.63	3

LTE Band 5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		20525	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	21.12	0
		1	25	21.06	0
		1	49	21.53	0
		25	0	20.90	0
		25	12	20.92	0
		25	25	21.03	0
		50	0	20.92	0
	64QAM	1	0	21.20	0
		1	25	21.22	0
		1	49	21.06	0
		25	0	20.65	0.5
		25	12	20.68	0.5
		25	25	20.81	0.5
		50	0	20.61	0.5
DSI 1 (Head)	16QAM	1	0	19.58	0
		1	25	19.73	0
		1	49	19.65	0
		25	0	19.48	0
		25	12	19.50	0
		25	25	19.57	0
		50	0	19.38	0
	64QAM	1	0	19.62	0
		1	25	19.56	0
		1	49	19.63	0
		25	0	19.45	0
		25	12	19.42	0
		25	25	19.60	0
		50	0	19.44	0

LTE Band 5		Frequency [MHz]		826.5	836.5	846.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:		Channel Number		20425	20525	20625	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.94	20.83	21.16	0
		1	12	20.73	20.89	21.01	0
		1	24	20.82	20.86	21.02	0
		12	0	20.88	20.88	21.00	0
		12	6	20.92	20.95	21.03	0
		12	13	20.83	21.00	21.14	0
		25	0	20.85	20.88	20.97	0
	16QAM	1	0	21.20	21.57	21.36	0
		1	12	21.17	21.33	21.51	0
		1	24	21.40	21.25	21.41	0
		12	0	20.84	21.00	21.01	0
		12	6	20.83	20.97	21.08	0
		12	13	20.98	20.94	21.25	0
		25	0	20.94	20.92	21.16	0
	64QAM	1	0	20.93	21.13	21.21	0
		1	12	21.04	21.38	21.23	0
		1	24	21.05	21.10	21.18	0
		12	0	20.67	20.61	20.78	0.5
		12	6	20.64	20.66	20.82	0.5
		12	13	20.69	20.72	20.79	0.5
		25	0	20.66	20.58	20.68	0.5
DSI 1 (Head)	QPSK	1	0	19.33	19.39	19.51	0
		1	12	19.30	19.56	19.62	0
		1	24	19.21	19.41	19.54	0
		12	0	19.36	19.43	19.57	0
		12	6	19.36	19.38	19.42	0
		12	13	19.39	19.57	19.60	0
		25	0	19.40	19.27	19.48	0
	16QAM	1	0	19.78	19.69	19.87	0
		1	12	19.98	19.63	19.69	0
		1	24	19.58	19.74	19.99	0
		12	0	19.48	19.44	19.65	0
		12	6	19.36	19.49	19.55	0
		12	13	19.41	19.35	19.70	0
		25	0	19.44	19.54	19.56	0
	64QAM	1	0	19.43	19.75	19.71	0
		1	12	19.53	19.59	19.60	0
		1	24	19.55	19.58	19.67	0
		12	0	19.33	19.41	19.61	0
		12	6	19.35	19.40	19.50	0
		12	13	19.42	19.55	19.71	0
		25	0	19.39	19.43	19.47	0

LTE Band 5		Frequency [MHz]		825.5	836.5	847.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:		Channel Number		20415	20525	20635	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.79	20.87	21.10	0
		1	7	20.73	20.97	21.23	0
		1	14	20.66	20.95	21.03	0
		8	0	20.87	20.85	21.00	0
		8	4	20.89	20.94	21.10	0
		8	7	20.87	21.12	21.16	0
		15	0	20.78	20.84	21.03	0
	16QAM	1	0	20.97	21.36	21.35	0
		1	7	21.09	21.24	21.36	0
		1	14	21.40	21.27	21.34	0
		8	0	20.87	20.88	21.08	0
		8	4	20.86	20.98	21.19	0
		8	7	20.85	21.05	21.21	0
		15	0	20.81	20.92	21.06	0
	64QAM	1	0	20.90	21.02	21.34	0
		1	7	21.23	21.07	21.14	0
		1	14	21.04	21.30	21.09	0
		8	0	20.59	20.62	20.80	0.5
		8	4	20.62	20.77	20.79	0.5
		8	7	20.68	20.70	20.80	0.5
		15	0	20.51	20.56	20.81	0.5
DSI 1 (Head)	QPSK	1	0	19.28	19.35	19.57	0
		1	7	19.30	19.34	19.44	0
		1	14	19.26	19.37	19.47	0
		8	0	19.41	19.32	19.44	0
		8	4	19.38	19.53	19.50	0
		8	7	19.30	19.50	19.55	0
		15	0	19.34	19.28	19.43	0
	16QAM	1	0	19.71	19.96	19.98	0
		1	7	19.85	19.81	19.84	0
		1	14	19.76	19.93	19.75	0
		8	0	19.37	19.31	19.53	0
		8	4	19.43	19.48	19.60	0
		8	7	19.34	19.59	19.65	0
		15	0	19.34	19.33	19.47	0
	64QAM	1	0	19.41	19.60	19.65	0
		1	7	19.45	19.58	19.85	0
		1	14	19.50	19.53	19.89	0
		8	0	19.30	19.39	19.49	0
		8	4	19.48	19.46	19.58	0
		8	7	19.47	19.52	19.70	0
		15	0	19.37	19.34	19.45	0

LTE Band 5		Frequency [MHz]		824.7	836.5	848.3	MPR [dB]
Antenna:	E						
Bandwidth [MHz]:	1.4	Channel Number		20407	20525	20643	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.66	21.02	20.62	0
		1	2	20.64	20.97	20.52	0
		1	5	20.58	20.90	20.67	0
		3	0	20.61	20.84	20.70	0
		3	2	20.71	20.96	20.63	0
		3	3	20.59	20.72	20.69	0
		6	0	20.76	20.90	20.59	0
	16QAM	1	0	21.19	21.29	21.24	0
		1	2	21.04	21.25	21.48	0
		1	5	21.02	21.41	21.05	0
		3	0	20.92	21.12	20.86	0
		3	2	20.89	21.15	20.96	0
		3	3	20.84	21.12	20.84	0
		6	0	20.67	20.91	20.78	0
	64QAM	1	0	20.97	21.16	20.90	0
		1	2	21.00	21.20	20.97	0
		1	5	20.90	21.31	20.93	0
		3	0	20.91	21.23	20.87	0
		3	2	20.96	21.20	20.85	0
		3	3	21.01	21.11	20.85	0
		6	0	20.54	20.66	20.56	0.5
DSI 1 (Head)	QPSK	1	0	19.21	19.08	19.68	0
		1	2	19.16	19.19	19.62	0
		1	5	19.07	19.05	19.56	0
		3	0	19.19	19.08	19.46	0
		3	2	19.17	19.22	19.39	0
		3	3	19.21	19.18	19.45	0
		6	0	19.25	19.08	19.53	0
	16QAM	1	0	19.76	19.70	19.93	0
		1	2	19.71	19.48	19.80	0
		1	5	19.46	19.39	19.79	0
		3	0	19.38	19.37	19.64	0
		3	2	19.46	19.53	19.74	0
		3	3	19.30	19.38	19.76	0
		6	0	19.24	19.34	19.60	0
	64QAM	1	0	19.61	19.47	19.84	0
		1	2	19.44	19.32	19.75	0
		1	5	19.41	19.80	19.67	0
		3	0	19.41	19.45	19.51	0
		3	2	19.35	19.58	19.66	0
		3	3	19.32	19.52	19.63	0
		6	0	19.25	19.43	19.56	0

LTE Band 66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	20	Channel Number		132072	132322	132572	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	16QAM	1	0	21.42	21.47	21.69	1
		1	50	21.50	21.65	21.75	1
		1	99	21.42	22.28	21.89	1
		50	0	20.33	20.48	20.51	2
		50	25	20.42	20.48	20.63	2
		50	50	20.31	20.62	20.65	2
		100	0	20.39	20.50	20.50	2
	64QAM	1	0	20.27	20.68	20.52	2
		1	50	20.98	20.71	20.83	2
		1	99	20.64	20.60	20.82	2
		50	0	19.33	19.48	19.52	3
		50	25	19.46	19.52	19.66	3
		50	50	19.44	19.47	19.60	3
		100	0	19.33	19.45	19.60	3
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	15.67	15.62	15.72	0
		1	50	15.74	15.69	15.77	0
		1	99	15.68	15.65	15.82	0
		50	0	15.40	15.40	15.50	0
		50	25	15.51	15.48	15.59	0
		50	50	15.46	15.44	15.57	0
		100	0	15.48	15.43	15.55	0
	64QAM	1	0	15.60	15.57	15.69	0
		1	50	15.61	15.64	15.77	0
		1	99	15.61	15.64	15.81	0
		50	0	15.43	15.39	15.51	0
		50	25	15.51	15.49	15.57	0
		50	50	15.48	15.45	15.55	0
		100	0	15.47	15.46	15.58	0

LTE Band 66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna: A							
Bandwidth [MHz]:	15	Channel Number		132047	132322	132597	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.12	22.11	22.11	0
		1	36	22.24	22.26	22.34	0
		1	74	22.18	22.28	22.69	0
		36	0	21.28	21.41	21.43	1
		36	18	21.41	21.48	21.47	1
		36	37	21.40	21.52	21.53	1
		75	0	21.36	21.42	21.46	1
	16QAM	1	0	21.14	21.90	21.45	1
		1	36	21.75	21.85	22.04	1
		1	74	21.54	21.38	21.72	1
		36	0	20.32	20.52	20.45	2
		36	18	20.41	20.49	20.55	2
		36	37	20.46	20.56	20.47	2
		75	0	20.38	20.42	20.48	2
	64QAM	1	0	20.31	20.47	20.45	2
		1	36	20.80	20.68	21.07	2
		1	74	20.75	20.60	20.67	2
		36	0	19.39	19.51	19.43	3
		36	18	19.46	19.45	19.49	3
		36	37	19.40	19.55	19.54	3
		75	0	19.48	19.48	19.63	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.46	15.37	15.45	0
		1	36	15.49	15.34	15.47	0
		1	74	15.43	15.32	15.42	0
		36	0	15.38	15.36	15.46	0
		36	18	15.43	15.42	15.57	0
		36	37	15.45	15.41	15.52	0
		75	0	15.42	15.41	15.52	0
	16QAM	1	0	15.68	15.66	15.76	0
		1	36	15.71	15.68	15.80	0
		1	74	15.60	15.57	15.74	0
		36	0	15.37	15.37	15.51	0
		36	18	15.48	15.42	15.56	0
		36	37	15.44	15.41	15.55	0
		75	0	15.45	15.43	15.56	0
	64QAM	1	0	15.61	15.64	15.68	0
		1	36	15.63	15.66	15.75	0
		1	74	15.61	15.56	15.71	0
		36	0	15.37	15.42	15.53	0
		36	18	15.49	15.48	15.60	0
		36	37	15.47	15.44	15.57	0
		75	0	15.46	15.47	15.60	0

LTE Band 66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	10	Channel Number		132022	132322	132622	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.41	22.32	22.58	0
		1	25	22.29	22.57	22.45	0
		1	49	22.13	22.42	22.43	0
		25	0	21.37	21.42	21.50	1
		25	12	21.39	21.47	21.57	1
		25	25	21.36	21.55	21.74	1
		50	0	21.40	21.37	21.69	1
	16QAM	1	0	21.47	21.81	21.84	1
		1	25	21.74	22.18	21.99	1
		1	49	21.44	21.51	21.87	1
		25	0	20.38	20.40	20.61	2
		25	12	20.45	20.53	20.62	2
		25	25	20.55	20.61	20.72	2
		50	0	20.45	20.48	20.65	2
	64QAM	1	0	20.58	20.53	20.62	2
		1	25	20.57	20.68	20.46	2
		1	49	20.32	20.57	20.88	2
		25	0	19.36	19.41	19.54	3
		25	12	19.50	19.51	19.61	3
		25	25	19.54	19.56	19.77	3
		50	0	19.45	19.48	19.69	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.28	15.35	15.42	0
		1	25	15.33	15.37	15.49	0
		1	49	15.26	15.31	15.40	0
		25	0	15.33	15.36	15.47	0
		25	12	15.43	15.46	15.59	0
		25	25	15.46	15.44	15.55	0
		50	0	15.40	15.40	15.54	0
	16QAM	1	0	15.67	15.63	15.81	0
		1	25	15.74	15.65	15.83	0
		1	49	15.66	15.60	15.74	0
		25	0	15.38	15.41	15.55	0
		25	12	15.49	15.49	15.65	0
		25	25	15.47	15.47	15.61	0
		50	0	15.46	15.45	15.59	0
	64QAM	1	0	15.54	15.56	15.72	0
		1	25	15.64	15.62	15.78	0
		1	49	15.56	15.58	15.67	0
		25	0	15.38	15.42	15.53	0
		25	12	15.52	15.53	15.66	0
		25	25	15.53	15.51	15.61	0
		50	0	15.49	15.49	15.62	0

LTE Band 66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	5	Channel Number		131997	132322	132647	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.37	22.45	22.46	0
		1	12	22.22	22.74	22.57	0
		1	24	22.28	22.14	22.59	0
		12	0	21.22	21.42	21.50	1
		12	6	21.29	21.48	21.59	1
		12	13	21.37	21.53	21.59	1
		25	0	21.34	21.39	21.55	1
	16QAM	1	0	21.71	22.05	21.92	1
		1	12	21.87	22.06	22.10	1
		1	24	21.94	22.10	22.16	1
		12	0	20.30	20.58	20.63	2
		12	6	20.28	20.59	20.59	2
		12	13	20.40	20.60	20.65	2
		25	0	20.35	20.46	20.61	2
	64QAM	1	0	20.51	21.00	20.65	2
		1	12	20.67	20.86	20.87	2
		1	24	20.61	20.91	20.91	2
		12	0	19.32	19.52	19.54	3
		12	6	19.32	19.56	19.63	3
		12	13	19.37	19.66	19.68	3
		25	0	19.27	19.48	19.51	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.35	15.31	15.47	0
		1	12	15.41	15.41	15.53	0
		1	24	15.35	15.34	15.44	0
		12	0	15.47	15.32	15.48	0
		12	6	15.49	15.45	15.62	0
		12	13	15.43	15.42	15.58	0
		25	0	15.41	15.39	15.54	0
	16QAM	1	0	15.79	15.80	15.92	0
		1	12	15.75	15.82	15.88	0
		1	24	15.76	15.84	15.92	0
		12	0	15.49	15.43	15.50	0
		12	6	15.54	15.51	15.63	0
		12	13	15.49	15.48	15.57	0
		25	0	15.45	15.47	15.55	0
	64QAM	1	0	15.66	15.69	15.75	0
		1	12	15.71	15.71	15.78	0
		1	24	15.68	15.67	15.77	0
		12	0	15.46	15.41	15.53	0
		12	6	15.49	15.52	15.62	0
		12	13	15.44	15.48	15.55	0
		25	0	15.45	15.47	15.57	0

LTE Band 66		Frequency [MHz]		1711.5	1745	1778.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:		Channel Number		131987	132322	132657	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.13	22.29	22.43	0
		1	7	22.29	22.47	22.59	0
		1	14	22.16	22.37	22.55	0
		8	0	21.28	21.42	21.72	1
		8	4	21.36	21.63	21.56	1
		8	7	21.36	21.53	21.65	1
		15	0	21.31	21.52	21.52	1
	16QAM	1	0	21.73	21.75	21.98	1
		1	7	21.99	22.08	21.94	1
		1	14	21.68	21.91	22.01	1
		8	0	20.46	20.47	20.52	2
		8	4	20.43	20.64	20.69	2
		8	7	20.37	20.66	20.66	2
		15	0	20.30	20.58	20.60	2
	64QAM	1	0	20.46	20.78	20.82	2
		1	7	20.60	21.05	20.95	2
		1	14	20.51	20.80	20.83	2
		8	0	19.35	19.52	19.51	3
		8	4	19.38	19.68	19.62	3
		8	7	19.38	19.62	19.71	3
		15	0	19.38	19.57	19.58	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.25	15.21	15.43	0
		1	7	15.36	15.37	15.58	0
		1	14	15.25	15.23	15.45	0
		8	0	15.41	15.34	15.54	0
		8	4	15.38	15.46	15.59	0
		8	7	15.42	15.44	15.61	0
		15	0	15.41	15.41	15.58	0
	16QAM	1	0	15.65	15.68	15.82	0
		1	7	15.81	15.82	15.98	0
		1	14	15.68	15.71	15.91	0
		8	0	15.50	15.46	15.59	0
		8	4	15.52	15.52	15.74	0
		8	7	15.50	15.54	15.69	0
		15	0	15.43	15.45	15.63	0
	64QAM	1	0	15.56	15.55	15.76	0
		1	7	15.73	15.73	15.94	0
		1	14	15.59	15.59	15.78	0
		8	0	15.48	15.41	15.61	0
		8	4	15.51	15.53	15.71	0
		8	7	15.49	15.50	15.67	0
		15	0	15.46	15.51	15.64	0

LTE Band 66		Frequency [MHz]		1710.7	1745	1779.3	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	1.4	Channel Number		131979	132322	132665	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	22.18	22.44	22.43	0
		1	2	22.14	22.37	22.37	0
		1	5	22.37	22.35	22.44	0
		3	0	22.19	22.53	22.42	0
		3	2	22.22	22.44	22.40	0
		3	3	22.15	22.37	22.49	0
		6	0	21.14	21.46	21.69	1
	16QAM	1	0	21.88	22.23	22.06	1
		1	2	21.94	22.10	22.19	1
		1	5	21.78	21.82	22.04	1
		3	0	21.54	21.83	21.78	1
		3	2	21.28	21.74	21.80	1
		3	3	21.37	21.83	21.62	1
		6	0	20.31	20.58	20.62	2
	64QAM	1	0	20.59	20.90	20.81	2
		1	2	20.51	20.82	20.94	2
		1	5	20.35	20.68	20.55	2
		3	0	20.41	20.58	20.53	2
		3	2	20.36	20.63	20.67	2
		3	3	20.48	20.75	20.68	2
		6	0	19.40	19.74	19.60	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	15.31	15.33	15.45	0
		1	2	15.27	15.24	15.43	0
		1	5	15.31	15.32	15.52	0
		3	0	15.32	15.31	15.56	0
		3	2	15.33	15.27	15.48	0
		3	3	15.30	15.29	15.45	0
		6	0	15.34	15.33	15.49	0
	16QAM	1	0	15.77	15.77	15.98	0
		1	2	15.82	15.75	15.88	0
		1	5	15.78	15.80	15.94	0
		3	0	15.57	15.54	15.70	0
		3	2	15.51	15.53	15.67	0
		3	3	15.55	15.51	15.62	0
		6	0	15.54	15.48	15.59	0
	64QAM	1	0	15.73	15.74	15.92	0
		1	2	15.67	15.68	15.93	0
		1	5	15.68	15.71	15.88	0
		3	0	15.60	15.61	15.80	0
		3	2	15.58	15.57	15.78	0
		3	3	15.61	15.61	15.74	0
		6	0	15.47	15.47	15.65	0

LTE Band 2		Frequency [MHz]		1860	1880	1900	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	20	Channel Number		18700	18900	19100	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	16QAM	1	0	22.75	22.70	22.59	1
		1	50	22.73	22.53	22.62	1
		1	99	22.70	22.59	22.68	1
		50	0	21.52	21.50	21.65	2
		50	25	21.71	21.54	21.76	2
		50	50	21.53	21.66	21.74	2
		100	0	21.55	21.59	21.70	2
	64QAM	1	0	21.98	21.47	21.71	2
		1	50	21.94	21.91	21.94	2
		1	99	21.83	21.93	21.58	2
		50	0	20.54	20.59	20.66	3
		50	25	20.65	20.62	20.79	3
		50	50	20.62	20.71	20.70	3
		100	0	20.62	20.64	20.64	3
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	17.16	17.06	17.08	0
		1	50	17.21	17.05	17.16	0
		1	99	17.12	17.00	17.06	0
		50	0	17.00	16.81	16.79	0
		50	25	17.01	16.85	16.80	0
		50	50	16.92	16.81	16.82	0
		100	0	16.94	16.80	16.79	0
	64QAM	1	0	17.16	16.95	16.98	0
		1	50	17.12	17.00	17.03	0
		1	99	17.07	16.98	17.01	0
		50	0	16.93	16.81	16.81	0
		50	25	16.94	16.80	16.78	0
		50	50	16.84	16.78	16.80	0
		100	0	16.87	16.77	16.75	0

LTE Band 2		Frequency [MHz]		1857.5	1880	1902.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	15	Channel Number		18675	18900	19125	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.21	23.15	23.26	0
		1	36	23.46	23.49	23.41	0
		1	74	23.51	23.57	23.40	0
		36	0	22.66	22.57	22.64	1
		36	18	22.61	22.61	22.71	1
		36	37	22.64	22.65	22.67	1
		75	0	22.61	22.52	22.59	1
	16QAM	1	0	22.38	22.28	22.39	1
		1	36	23.28	22.81	22.91	1
		1	74	22.86	22.91	22.70	1
		36	0	21.71	21.59	21.62	2
		36	18	21.69	21.63	21.68	2
		36	37	21.69	21.69	21.71	2
		75	0	21.66	21.63	21.70	2
	64QAM	1	0	21.64	21.84	21.90	2
		1	36	21.91	21.87	21.70	2
		1	74	21.52	21.46	21.91	2
		36	0	20.67	20.62	20.69	3
		36	18	20.65	20.66	20.75	3
		36	37	20.58	20.78	20.79	3
		75	0	20.73	20.62	20.79	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.80	16.70	16.73	0
		1	36	16.76	16.72	16.70	0
		1	74	16.72	16.70	16.75	0
		36	0	16.89	16.80	16.74	0
		36	18	16.87	16.81	16.76	0
		36	37	16.88	16.76	16.78	0
		75	0	16.85	16.79	16.80	0
	16QAM	1	0	17.15	16.97	16.98	0
		1	36	17.12	16.98	17.03	0
		1	74	17.01	16.98	17.06	0
		36	0	16.92	16.87	16.78	0
		36	18	16.94	16.84	16.79	0
		36	37	16.90	16.81	16.82	0
		75	0	16.86	16.78	16.83	0
	64QAM	1	0	17.09	16.93	16.97	0
		1	36	17.05	16.98	16.98	0
		1	74	17.01	16.95	16.95	0
		36	0	16.92	16.82	16.79	0
		36	18	16.91	16.81	16.77	0
		36	37	16.88	16.80	16.79	0
		75	0	16.89	16.79	16.83	0

LTE Band 2		Frequency [MHz]		1855		1880		1905		MPR [dB]			
Antenna:	A												
Bandwidth [MHz]:		10		Channel Number		18650		18900			19150		
Power Level		Modulation		RB Size		RB Offset		Conducted Powers [dBm]					
Pmax (Head)	QPSK	1		0		23.50		23.54		23.72		0	
		1		25		23.45		23.80		23.82		0	
		1		49		23.42		23.69		23.57		0	
		25		0		22.72		22.57		22.68		1	
		25		12		22.70		22.16		22.75		1	
		25		25		22.64		22.67		22.79		1	
		50		0		22.63		22.62		22.65		1	
	16QAM	1		0		22.87		22.81		22.85		1	
		1		25		23.03		22.91		23.05		1	
		1		49		22.55		22.84		22.53		1	
		25		0		21.72		21.61		21.71		2	
		25		12		21.78		21.62		21.81		2	
		25		25		21.68		21.58		21.77		2	
		50		0		21.70		21.65		21.73		2	
	64QAM	1		0		21.92		21.71		21.79		2	
		1		25		21.90		21.85		21.94		2	
		1		49		21.64		22.05		22.08		2	
		25		0		20.73		20.57		20.76		3	
		25		12		20.72		20.70		20.83		3	
		25		25		20.76		20.70		20.81		3	
		50		0		20.74		20.72		20.76		3	
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1		0		16.71		16.56		16.63		0	
		1		25		16.73		16.57		16.69		0	
		1		49		16.64		16.54		16.66		0	
		25		0		16.76		16.65		16.69		0	
		25		12		16.81		16.72		16.80		0	
		25		25		16.80		16.71		16.78		0	
		50		0		16.78		16.68		16.74		0	
	16QAM	1		0		17.05		16.91		16.93		0	
		1		25		17.04		16.95		16.94		0	
		1		49		17.01		16.87		16.96		0	
		25		0		16.86		16.74		16.72		0	
		25		12		16.88		16.80		16.83		0	
		25		25		16.87		16.74		16.82		0	
		50		0		16.81		16.71		16.79		0	
	64QAM	1		0		16.96		16.89		16.85		0	
		1		25		16.93		16.87		16.90		0	
		1		49		16.92		16.84		16.87		0	
		25		0		16.84		16.78		16.72		0	
		25		12		16.85		16.77		16.82		0	
		25		25		16.84		16.75		16.77		0	
		50		0		16.84		16.73		16.75		0	

LTE Band 2		Frequency [MHz]		1852.5	1880	1907.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:		Channel Number		18625	18900	19175	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.40	23.52	23.67	0
		1	12	23.51	23.78	23.84	0
		1	24	23.48	23.58	23.72	0
		12	0	22.56	22.54	22.63	1
		12	6	22.62	22.58	22.80	1
		12	13	22.59	22.72	22.81	1
		25	0	22.51	22.48	22.75	1
	16QAM	1	0	22.00	22.17	22.41	1
		1	12	22.18	22.28	22.26	1
		1	24	22.62	22.24	22.40	1
		12	0	21.70	21.57	21.70	2
		12	6	21.66	21.61	21.83	2
		12	13	21.70	21.76	21.88	2
		25	0	21.61	21.62	21.80	2
	64QAM	1	0	21.86	21.08	21.01	2
		1	12	21.81	21.98	21.93	2
		1	24	21.01	21.86	21.24	2
		12	0	20.63	20.58	20.67	3
		12	6	20.72	20.65	20.83	3
		12	13	20.63	20.78	20.86	3
		25	0	20.65	20.61	20.75	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.81	16.67	16.70	0
		1	12	16.88	16.73	16.77	0
		1	24	16.82	16.70	16.72	0
		12	0	16.84	16.73	16.70	0
		12	6	16.94	16.79	16.82	0
		12	13	16.90	16.81	16.79	0
		25	0	16.86	16.75	16.78	0
	16QAM	1	0	17.31	17.22	17.23	0
		1	12	17.28	17.21	17.24	0
		1	24	17.25	17.23	17.26	0
		12	0	16.90	16.81	16.72	0
		12	6	16.98	16.87	16.88	0
		12	13	16.95	16.83	16.83	0
		25	0	16.89	16.79	16.81	0
	64QAM	1	0	17.14	17.02	17.04	0
		1	12	17.18	17.07	17.10	0
		1	24	17.19	17.05	17.13	0
		12	0	16.89	16.76	16.67	0
		12	6	16.91	16.82	16.87	0
		12	13	16.95	16.80	16.83	0
		25	0	16.89	16.77	16.79	0

LTE Band 2		Frequency [MHz]		1851.5	1880	1908.5	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:		Channel Number		18615	18900	19185	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.48	23.49	23.53	0
		1	7	23.51	23.58	23.72	0
		1	14	23.56	23.65	23.60	0
		8	0	22.51	22.48	22.57	1
		8	4	22.62	22.72	22.74	1
		8	7	22.61	22.64	22.69	1
		15	0	22.58	22.59	22.68	1
	16QAM	1	0	22.07	22.19	22.97	1
		1	7	22.88	22.01	22.36	1
		1	14	22.98	22.77	22.14	1
		8	0	21.60	21.58	21.67	2
		8	4	21.79	21.83	21.69	2
		8	7	21.63	21.71	21.85	2
		15	0	21.68	21.55	21.67	2
	64QAM	1	0	21.11	21.91	22.06	2
		1	7	21.54	21.93	21.21	2
		1	14	21.84	21.84	21.98	2
		8	0	20.56	20.62	20.73	3
		8	4	20.75	20.71	20.64	3
		8	7	20.66	20.70	20.85	3
		15	0	20.67	20.60	20.67	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.70	16.57	16.59	0
		1	7	16.84	16.73	16.77	0
		1	14	16.78	16.62	16.64	0
		8	0	16.82	16.75	16.69	0
		8	4	16.85	16.77	16.83	0
		8	7	16.91	16.80	16.81	0
		15	0	16.84	16.73	16.70	0
	16QAM	1	0	17.17	17.04	17.08	0
		1	7	17.34	17.26	17.23	0
		1	14	17.21	17.10	17.17	0
		8	0	16.94	16.79	16.77	0
		8	4	16.98	16.91	16.91	0
		8	7	16.91	16.85	16.89	0
		15	0	16.90	16.78	16.74	0
	64QAM	1	0	17.01	16.93	16.97	0
		1	7	17.21	17.13	17.12	0
		1	14	17.11	17.03	17.06	0
		8	0	16.91	16.79	16.76	0
		8	4	16.98	16.83	16.86	0
		8	7	16.93	16.80	16.85	0
		15	0	16.90	16.78	16.73	0

LTE Band 2		Frequency [MHz]		1850.7	1880	1909.3	MPR [dB]
Antenna:	A						
Bandwidth [MHz]:	1.4	Channel Number		18607	18900	19193	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	QPSK	1	0	23.43	23.54	23.63	0
		1	2	23.52	23.82	23.47	0
		1	5	23.49	23.45	23.66	0
		3	0	23.51	23.53	23.54	0
		3	2	23.61	23.53	23.59	0
		3	3	23.48	23.52	23.55	0
		6	0	22.57	22.54	22.70	1
	16QAM	1	0	22.04	22.12	22.06	1
		1	2	22.02	22.09	22.13	1
		1	5	22.96	22.92	22.99	1
		3	0	22.60	22.78	22.78	1
		3	2	22.86	22.89	22.75	1
		3	3	22.85	22.46	22.87	1
		6	0	21.66	21.79	21.71	2
	64QAM	1	0	21.22	20.86	21.14	2
		1	2	21.13	21.04	21.34	2
		1	5	21.04	21.96	21.06	2
		3	0	21.91	21.66	21.08	2
		3	2	21.59	21.73	21.84	2
		3	3	21.65	21.72	21.90	2
		6	0	20.64	20.64	20.91	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	16.76	16.67	16.69	0
		1	2	16.71	16.61	16.66	0
		1	5	16.73	16.63	16.70	0
		3	0	16.76	16.66	16.67	0
		3	2	16.78	16.62	16.68	0
		3	3	16.76	16.67	16.65	0
		6	0	16.80	16.65	16.73	0
	16QAM	1	0	17.25	17.23	17.18	0
		1	2	17.18	17.13	17.23	0
		1	5	17.27	17.19	17.16	0
		3	0	16.96	16.89	16.91	0
		3	2	16.93	16.92	16.88	0
		3	3	16.98	16.85	16.91	0
		6	0	16.92	16.81	16.83	0
	64QAM	1	0	17.15	17.12	17.10	0
		1	2	17.17	17.07	17.09	0
		1	5	17.20	17.06	17.11	0
		3	0	17.02	16.88	17.01	0
		3	2	16.99	16.89	16.91	0
		3	3	17.02	16.86	16.92	0
		6	0	16.91	16.78	16.81	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	20	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	16QAM	1	0	23.25	22.98	22.59	22.39	22.60	1
		1	50	23.40	22.94	22.71	22.57	22.44	1
		1	99	23.25	22.71	22.50	22.33	22.30	1
		50	0	22.29	22.01	21.64	21.44	21.41	2
		50	25	22.22	21.97	21.77	21.56	21.48	2
		50	50	22.17	21.83	21.70	21.49	21.45	2
		100	0	22.18	21.97	21.70	21.46	21.46	2
	64QAM	1	0	22.14	22.03	21.60	21.43	21.42	2
		1	50	22.13	21.96	21.63	21.46	21.50	2
		1	99	22.02	21.53	21.44	21.20	21.03	2
		50	0	21.29	21.06	20.67	20.47	20.40	3
		50	25	21.19	21.00	20.73	20.50	20.53	3
		50	50	21.15	20.88	20.70	20.47	20.43	3
		100	0	21.15	20.97	20.71	20.47	20.45	3
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	20.80	20.41	19.91	19.62	19.74	0
		1	50	20.85	20.45	20.18	19.80	19.82	0
		1	99	20.36	20.25	19.85	19.70	19.52	0
		50	0	20.51	20.23	19.88	19.77	19.65	0
		50	25	20.46	20.26	20.02	19.76	19.70	0
		50	50	20.41	20.10	19.94	19.71	19.67	0
		100	0	20.39	20.17	19.93	19.68	19.68	0
	64QAM	1	0	20.41	20.13	19.91	19.62	19.56	0
		1	50	20.32	20.23	19.97	19.75	19.81	0
		1	99	20.36	20.07	19.81	19.55	19.45	0
		50	0	20.53	20.26	19.90	19.69	19.62	0
		50	25	20.45	20.23	20.02	19.79	19.76	0
		50	50	20.41	20.10	19.98	19.75	19.66	0
		100	0	20.38	20.18	19.98	19.77	19.72	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	15	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	24.21	23.82	23.52	23.33	23.41	0
		1	36	24.19	23.88	23.62	23.50	23.40	0
		1	74	24.08	23.74	23.58	23.35	23.26	0
		36	0	23.28	22.93	22.62	22.39	22.40	1
		36	18	23.24	22.96	22.71	22.51	22.47	1
		36	37	23.15	22.82	22.71	22.44	22.44	1
		75	0	23.13	22.90	22.66	22.52	22.43	1
	16QAM	1	0	23.27	22.92	22.65	22.46	22.53	1
		1	36	23.14	23.14	22.70	22.47	22.60	1
		1	74	23.20	22.82	22.61	22.43	22.50	1
		36	0	22.31	21.90	21.58	21.40	21.42	2
		36	18	22.30	21.95	21.74	21.51	21.54	2
		36	37	22.20	21.82	21.69	21.49	21.49	2
		75	0	22.11	21.88	21.71	21.48	21.48	2
	64QAM	1	0	22.11	21.78	21.48	21.52	21.31	2
		1	36	22.24	21.87	21.64	21.44	21.45	2
		1	74	21.98	21.66	21.50	21.35	21.27	2
		36	0	21.26	21.03	20.65	20.44	20.41	3
		36	18	21.27	20.97	20.75	20.55	20.51	3
		36	37	21.15	20.84	20.68	20.50	20.50	3
		75	0	21.16	20.91	20.72	20.54	20.51	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.37	19.97	19.60	19.48	19.50	0
		1	36	20.42	20.05	19.97	19.63	19.78	0
		1	74	20.31	20.04	19.95	19.61	19.46	0
		36	0	20.50	20.18	19.86	19.62	19.61	0
		36	18	20.47	20.20	19.99	19.72	19.66	0
		36	37	20.40	20.07	19.92	19.67	19.68	0
		75	0	20.35	20.12	19.94	19.66	19.68	0
	16QAM	1	0	20.76	20.10	19.95	19.65	19.82	0
		1	36	20.60	20.26	20.03	19.78	19.92	0
		1	74	20.47	20.19	19.84	19.80	19.61	0
		36	0	20.51	20.22	19.88	19.63	19.64	0
		36	18	20.53	20.24	19.96	19.73	19.70	0
		36	37	20.40	20.13	19.95	19.71	19.67	0
		75	0	20.42	20.19	19.92	19.71	19.66	0
	64QAM	1	0	20.66	20.06	19.75	19.64	19.61	0
		1	36	20.48	20.17	19.91	19.73	19.69	0
		1	74	20.37	20.06	19.88	19.62	19.61	0
		36	0	20.49	20.20	19.87	19.70	19.59	0
		36	18	20.51	20.24	20.01	19.76	19.70	0
		36	37	20.41	20.10	19.96	19.73	19.70	0
		75	0	20.41	20.17	19.97	19.75	19.68	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	B								
Bandwidth [MHz]: 10		Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	24.08	23.80	23.58	23.38	23.29	0
		1	25	24.18	23.83	23.74	23.44	23.43	0
		1	49	24.09	23.78	23.55	23.34	23.27	0
		25	0	23.24	22.95	22.61	22.38	22.36	1
		25	12	23.26	22.96	22.71	22.49	22.47	1
		25	25	23.13	22.86	22.71	22.47	22.41	1
		50	0	23.13	22.93	22.64	22.49	22.45	1
	16QAM	1	0	23.17	22.71	22.53	22.43	22.35	1
		1	25	23.31	22.99	22.87	22.52	22.51	1
		1	49	23.18	22.78	22.70	22.47	22.31	1
		25	0	22.22	21.95	21.61	21.39	21.39	2
		25	12	22.29	21.99	21.73	21.50	21.43	2
		25	25	22.17	21.89	21.69	21.48	21.47	2
		50	0	22.14	21.93	21.70	21.47	21.47	2
	64QAM	1	0	22.18	21.92	21.66	21.41	21.36	2
		1	25	22.12	21.86	21.59	21.36	21.45	2
		1	49	22.00	21.68	21.64	21.35	21.36	2
		25	0	21.24	20.94	20.65	20.39	20.40	3
		25	12	21.25	21.01	20.75	20.54	20.53	3
		25	25	21.17	20.87	20.68	20.51	20.47	3
		50	0	21.16	20.95	20.76	20.47	20.49	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.55	20.08	19.78	19.64	19.58	0
		1	25	20.45	20.20	19.93	19.63	19.62	0
		1	49	20.36	20.18	19.75	19.58	19.65	0
		25	0	20.48	20.16	19.85	19.62	19.59	0
		25	12	20.49	20.14	19.95	19.72	19.67	0
		25	25	20.37	20.09	19.95	19.71	19.67	0
		50	0	20.37	20.14	19.93	19.72	19.69	0
	16QAM	1	0	20.55	20.21	19.94	19.70	19.61	0
		1	25	20.48	20.32	19.92	19.76	19.81	0
		1	49	20.57	20.17	19.93	19.69	19.57	0
		25	0	20.49	20.20	19.85	19.67	19.60	0
		25	12	20.50	20.21	19.94	19.76	19.72	0
		25	25	20.39	20.13	19.96	19.73	19.70	0
		50	0	20.37	20.19	19.94	19.71	19.68	0
	64QAM	1	0	20.45	20.04	19.81	19.59	19.57	0
		1	25	20.43	20.20	19.86	19.83	19.67	0
		1	49	20.33	20.06	19.88	19.54	19.51	0
		25	0	20.47	20.20	19.89	19.66	19.59	0
		25	12	20.52	20.18	19.96	19.76	19.72	0
		25	25	20.41	20.10	19.97	19.76	19.69	0
		50	0	20.43	20.18	19.99	19.77	19.71	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna: B									
Bandwidth [MHz]: 5		Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
Pmax (Head)	QPSK	1	0	24.18	23.83	23.61	23.42	23.43	0
		1	12	24.20	23.87	23.59	23.48	23.45	0
		1	24	24.10	23.80	23.58	23.35	23.36	0
		12	0	23.25	22.96	22.75	22.42	22.42	1
		12	6	23.25	22.95	22.69	22.51	22.47	1
		12	13	23.13	22.86	22.68	22.46	22.48	1
		25	0	23.07	22.93	22.65	22.47	22.48	1
	16QAM	1	0	23.22	23.05	22.80	22.49	22.64	1
		1	12	23.18	23.10	22.76	22.59	22.56	1
		1	24	23.06	22.94	22.70	22.41	22.60	1
		12	0	22.23	22.01	21.70	21.40	21.40	2
		12	6	22.24	21.95	21.76	21.46	21.49	2
		12	13	22.16	21.86	21.68	21.47	21.44	2
		25	0	22.16	21.98	21.70	21.46	21.45	2
	64QAM	1	0	22.40	21.90	21.57	21.39	21.53	2
		1	12	22.09	21.88	21.79	21.42	21.56	2
		1	24	22.18	21.95	21.72	21.37	21.49	2
		12	0	21.25	20.98	20.74	20.42	20.53	3
		12	6	21.30	20.97	20.74	20.45	20.47	3
		12	13	21.22	20.87	20.63	20.46	20.46	3
		25	0	21.20	20.98	20.71	20.48	20.46	3
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.46	20.14	19.93	19.69	19.61	0
		1	12	20.35	20.17	19.91	19.68	19.66	0
		1	24	20.39	19.98	19.84	19.62	19.53	0
		12	0	20.44	20.17	19.93	19.63	19.58	0
		12	6	20.45	20.13	19.89	19.70	19.69	0
		12	13	20.38	20.06	19.90	19.68	19.67	0
		25	0	20.38	20.14	19.89	19.68	19.64	0
	16QAM	1	0	20.49	20.26	19.92	19.63	19.57	0
		1	12	20.58	20.32	20.05	19.76	19.79	0
		1	24	20.48	20.18	20.11	19.72	19.80	0
		12	0	20.49	20.19	19.98	19.65	19.62	0
		12	6	20.53	20.21	19.95	19.75	19.69	0
		12	13	20.39	20.10	19.92	19.71	19.64	0
		25	0	20.38	20.19	19.93	19.69	19.66	0
	64QAM	1	0	20.32	20.05	19.86	19.73	19.64	0
		1	12	20.44	20.20	20.09	19.66	19.71	0
		1	24	20.48	20.12	20.02	19.54	19.66	0
		12	0	20.44	20.19	19.94	19.60	19.62	0
		12	6	20.50	20.20	19.98	19.69	19.65	0
		12	13	20.41	20.10	19.88	19.75	19.69	0
		25	0	20.35	20.16	19.93	19.67	19.63	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	20	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	16QAM	1	0	20.81	20.75	20.81	20.66	20.82	0
		1	50	20.83	20.83	20.82	20.85	20.87	0
		1	99	20.77	20.82	20.77	20.66	20.71	0
		50	0	20.72	20.74	20.79	20.62	20.74	0
		50	25	20.71	20.74	20.78	20.77	20.77	0
		50	50	20.69	20.76	20.78	20.74	20.79	0
		100	0	20.67	20.68	20.72	20.70	20.74	0
	64QAM	1	0	20.69	20.76	20.77	20.57	20.72	0
		1	50	20.75	20.77	20.92	20.80	20.85	0
		1	99	20.62	20.76	20.74	20.70	20.64	0
		50	0	20.70	20.71	20.79	20.68	20.74	0
		50	25	20.71	20.75	20.78	20.76	20.78	0
		50	50	20.70	20.81	20.75	20.79	20.79	0
		100	0	20.68	20.68	20.72	20.75	20.73	0
DSI 1 (Head)	16QAM	1	0	17.96	18.02	17.90	17.95	18.03	0
		1	50	18.01	18.02	18.14	18.05	18.17	0
		1	99	17.76	17.75	18.01	17.89	17.85	0
		50	0	18.00	17.98	17.99	17.86	18.07	0
		50	25	18.01	17.97	18.04	18.07	18.15	0
		50	50	17.97	17.99	18.04	18.01	18.08	0
		100	0	17.96	17.99	18.01	17.97	18.12	0
	64QAM	1	0	17.92	17.87	17.83	17.89	17.96	0
		1	50	17.95	18.01	18.02	17.95	18.17	0
		1	99	17.72	17.84	17.80	17.71	17.79	0
		50	0	18.03	17.98	17.97	17.96	18.06	0
		50	25	18.03	18.02	18.02	18.00	18.12	0
		50	50	17.97	17.99	17.99	17.99	18.06	0
		100	0	17.96	17.96	18.00	18.02	18.10	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	15	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.40	20.43	20.45	20.43	20.53	0
		1	36	20.65	20.78	20.78	20.70	20.78	0
		1	74	20.70	20.70	20.66	20.65	20.69	0
		36	0	20.68	20.67	20.75	20.61	20.66	0
		36	18	20.71	20.71	20.77	20.63	20.72	0
		36	37	20.65	20.83	20.71	20.73	20.74	0
		75	0	20.66	20.69	20.68	20.64	20.65	0
	16QAM	1	0	20.33	20.35	20.42	20.40	20.45	0
		1	36	20.69	20.76	20.88	20.78	20.82	0
		1	74	20.53	20.62	20.78	20.56	20.61	0
		36	0	20.66	20.59	20.71	20.56	20.70	0
		36	18	20.68	20.65	20.77	20.59	20.72	0
		36	37	20.65	20.71	20.74	20.71	20.76	0
		75	0	20.66	20.65	20.69	20.68	20.65	0
	64QAM	1	0	20.19	20.30	20.55	20.40	20.69	0
		1	36	20.63	20.86	20.72	20.70	20.69	0
		1	74	20.49	20.62	20.75	20.65	20.69	0
		36	0	20.62	20.64	20.76	20.63	20.71	0
		36	18	20.64	20.70	20.73	20.67	20.70	0
		36	37	20.63	20.74	20.73	20.71	20.75	0
		75	0	20.65	20.65	20.69	20.68	20.68	0
DSI 1 (Head)	QPSK	1	0	17.92	17.96	17.98	17.88	18.03	0
		1	36	18.07	18.01	18.04	18.02	18.12	0
		1	74	17.88	17.90	17.95	17.93	17.99	0
		36	0	18.01	17.99	18.02	17.92	18.03	0
		36	18	17.99	18.02	18.09	18.07	18.16	0
		36	37	17.98	17.99	18.08	18.01	18.09	0
		75	0	17.98	17.96	18.04	18.01	18.12	0
	16QAM	1	0	18.02	17.90	17.95	17.94	18.03	0
		1	36	17.98	17.95	17.96	17.99	18.05	0
		1	74	17.85	17.84	17.98	17.94	17.97	0
		36	0	18.01	17.96	18.01	17.87	18.03	0
		36	18	18.00	18.01	18.02	18.04	18.14	0
		36	37	17.98	17.98	18.01	18.02	18.07	0
		75	0	17.98	17.97	18.01	18.00	18.08	0
	64QAM	1	0	17.94	18.00	17.85	17.93	18.02	0
		1	36	17.98	17.99	17.85	17.94	18.20	0
		1	74	17.83	17.93	17.83	17.88	17.87	0
		36	0	18.03	17.98	17.99	17.90	18.05	0
		36	18	18.02	18.00	18.02	18.06	18.13	0
		36	37	18.02	18.00	18.03	18.05	18.07	0
		75	0	17.99	17.98	18.02	18.02	18.12	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna: F									
Bandwidth [MHz]: 10		Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.57	20.60	20.67	20.57	20.66	0
		1	25	20.64	20.77	20.77	20.71	20.76	0
		1	49	20.51	20.73	20.65	20.67	20.65	0
		25	0	20.62	20.64	20.73	20.61	20.64	0
		25	12	20.63	20.66	20.80	20.66	20.68	0
		25	25	20.65	20.80	20.70	20.72	20.75	0
		50	0	20.64	20.72	20.74	20.70	20.67	0
	16QAM	1	0	20.53	20.66	20.76	20.56	20.82	0
		1	25	20.65	20.78	20.91	20.72	20.77	0
		1	49	20.60	20.76	20.88	20.73	20.60	0
		25	0	20.60	20.58	20.71	20.58	20.70	0
		25	12	20.64	20.65	20.83	20.72	20.71	0
		25	25	20.65	20.76	20.75	20.71	20.74	0
		50	0	20.66	20.63	20.72	20.67	20.67	0
	64QAM	1	0	20.55	20.54	20.74	20.50	20.63	0
		1	25	20.60	20.84	20.79	20.56	20.76	0
		1	49	20.53	20.70	20.73	20.63	20.64	0
		25	0	20.62	20.69	20.75	20.59	20.62	0
		25	12	20.61	20.64	20.77	20.70	20.72	0
		25	25	20.61	20.77	20.80	20.74	20.77	0
		50	0	20.62	20.68	20.73	20.71	20.66	0
DSI 1 (Head)	QPSK	1	0	17.94	17.93	17.91	17.88	18.04	0
		1	25	17.97	17.98	18.05	18.02	18.09	0
		1	49	17.91	17.90	17.99	17.96	17.98	0
		25	0	17.96	17.98	18.02	17.92	18.03	0
		25	12	18.00	18.03	18.09	18.06	18.16	0
		25	25	17.91	18.00	18.09	18.06	18.13	0
		50	0	18.00	17.96	18.01	18.01	18.07	0
	16QAM	1	0	17.92	17.96	17.95	17.87	18.06	0
		1	25	18.08	18.10	17.99	18.02	18.08	0
		1	49	18.02	18.00	17.92	18.00	18.03	0
		25	0	18.03	18.03	18.00	17.86	17.99	0
		25	12	18.03	18.06	18.04	17.98	18.12	0
		25	25	17.95	18.01	18.03	18.01	18.12	0
		50	0	18.01	17.99	17.98	18.02	18.08	0
	64QAM	1	0	17.88	17.90	17.88	17.81	18.03	0
		1	25	17.82	17.95	18.07	18.01	18.11	0
		1	49	17.97	17.88	17.89	17.88	17.98	0
		25	0	18.00	17.97	18.01	17.88	18.03	0
		25	12	18.07	17.98	18.03	18.04	18.14	0
		25	25	17.94	18.02	18.00	18.01	18.07	0
		50	0	17.96	17.98	18.02	17.98	18.08	0

LTE Band 41		Frequency [MHz]		2506	2549.5	2593	2636.5	2680	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	5	Channel Number		39750	40185	40620	41055	41490	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	QPSK	1	0	20.60	20.63	20.64	20.58	20.69	0
		1	12	20.66	20.77	20.79	20.76	20.77	0
		1	24	20.61	20.67	20.76	20.68	20.69	0
		12	0	20.64	20.64	20.76	20.58	20.69	0
		12	6	20.62	20.62	20.73	20.66	20.69	0
		12	13	20.65	20.75	20.76	20.68	20.76	0
		25	0	20.62	20.66	20.80	20.71	20.71	0
	16QAM	1	0	20.56	20.60	20.70	20.65	20.70	0
		1	12	20.69	20.69	20.86	20.78	20.85	0
		1	24	20.61	20.72	20.73	20.64	20.63	0
		12	0	20.52	20.62	20.71	20.59	20.66	0
		12	6	20.58	20.55	20.77	20.60	20.64	0
		12	13	20.59	20.68	20.77	20.70	20.74	0
		25	0	20.60	20.64	20.74	20.65	20.70	0
	64QAM	1	0	20.44	20.57	20.67	20.48	20.69	0
		1	12	20.69	20.75	20.79	20.66	20.76	0
		1	24	20.41	20.71	20.70	20.50	20.69	0
		12	0	20.60	20.63	20.78	20.62	20.76	0
		12	6	20.66	20.61	20.77	20.66	20.67	0
		12	13	20.68	20.70	20.71	20.69	20.79	0
		25	0	20.64	20.62	20.82	20.67	20.71	0
DSI 1 (Head)	QPSK	1	0	17.90	17.96	17.97	17.98	18.05	0
		1	12	18.04	17.99	18.02	18.08	18.13	0
		1	24	17.88	17.87	18.00	17.92	17.99	0
		12	0	18.00	17.98	18.05	17.96	18.08	0
		12	6	17.99	18.03	18.04	18.03	18.14	0
		12	13	17.99	18.01	18.02	18.02	18.12	0
		25	0	18.02	17.99	18.06	18.05	18.11	0
	16QAM	1	0	17.89	18.01	18.06	17.90	17.98	0
		1	12	18.13	18.05	18.07	18.03	18.06	0
		1	24	17.98	17.93	17.93	17.86	17.98	0
		12	0	18.09	18.08	17.93	17.98	18.02	0
		12	6	18.04	18.02	18.00	17.97	18.08	0
		12	13	17.96	18.04	17.90	17.99	18.09	0
		25	0	18.06	18.02	17.99	18.03	18.12	0
	64QAM	1	0	17.76	17.85	18.09	17.91	17.90	0
		1	12	18.04	17.91	17.88	18.00	18.00	0
		1	24	17.89	17.91	17.87	17.96	17.94	0
		12	0	17.99	18.00	18.04	17.97	18.02	0
		12	6	18.02	18.00	18.01	18.03	18.10	0
		12	13	18.00	17.99	18.05	17.94	18.14	0
		25	0	17.96	17.99	18.03	17.98	18.09	0

H.3. NR Conducted Powers

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	A	Channel Number		167300	
Bandwidth [MHz]:	20	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	23.61	0
		1	53	23.55	0
		1	104	23.60	0
		50	0	23.08	0.5
		50	28	23.51	0
		50	56	23.07	0.5
		100	0	22.95	0.5
	DFT-s-OFDM 16QAM	1	53	22.29	1
	DFT-s-OFDM 64QAM	1	53	21.02	2.5
	DFT-s-OFDM 256QAM	1	53	18.30	4.5

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	A	Channel Number		167300	
Bandwidth [MHz]:	15	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	23.42	0

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	A	Channel Number		167300	
Bandwidth [MHz]:	10	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	23.46	0

NR Band n5		Frequency [MHz]		826.5	836.5	846.5	MPR [dB]
Antenna:	A	Channel Number		165300	167300	169300	
Bandwidth [MHz]:	5	Conducted Powers [dBm]					
Power Level	Modulation	RB Size	RB Offset				
Pmax (Head/Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	23.41	23.42	23.40	0

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	20	Channel Number		167300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	22.32	0
		1	53	22.26	0
		1	104	22.35	0
		50	0	22.33	0
		50	28	22.34	0
		50	56	22.26	0
		100	0	22.27	0
	DFT-s-OFDM 16QAM	1	53	22.10	0
	DFT-s-OFDM 64QAM	1	53	21.10	1.5
	DFT-s-OFDM 256QAM	1	53	18.30	3.5
DSI 1 (Head)	DFT-s-OFDM $\pi/2$ BPSK	1	1	19.28	0
		1	53	19.33	0
		1	104	19.42	0
		50	0	19.27	0
		50	28	19.24	0
		50	56	19.29	0
		100	0	19.23	0
	DFT-s-OFDM 16QAM	1	53	18.98	0
	DFT-s-OFDM 64QAM	1	53	19.24	0
	DFT-s-OFDM 256QAM	1	53	18.77	0.5

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	15	Channel Number		167300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	22.22	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	19.24	0

NR Band n5		Frequency [MHz]		836.5	MPR [dB]
Antenna:	E				
Bandwidth [MHz]:	10	Channel Number		167300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	22.24	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	19.18	0

NR Band n5		Frequency [MHz]		826.5	836.5	846.5	MPR [dB]
Antenna:	E						
Bandwidth [MHz]: 5		Channel Number		165300	167300	169300	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	22.16	22.07	22.32	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	19.12	19.10	19.21	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	A				
Bandwidth [MHz]: 45		Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM $\pi/2$ BPSK	1	1	22.88	0
		1	121	22.99	0
		1	240	22.94	0
		120	0	22.47	0.5
		120	61	22.87	0
		120	122	22.47	0.5
		240	0	22.39	0.5
	DFT-s-OFDM 16QAM	1	121	21.88	1
	DFT-s-OFDM 64QAM	1	121	20.51	2.5
	DFT-s-OFDM 256QAM	1	121	17.99	4.5
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	16.24	0
		1	121	16.28	0
		1	240	16.39	0
		120	0	16.33	0
		120	61	16.35	0
		120	122	16.35	0
		240	0	16.38	0
	DFT-s-OFDM 16QAM	1	121	16.29	0
	DFT-s-OFDM 64QAM	1	121	16.50	0
	DFT-s-OFDM 256QAM	1	121	16.36	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	A				
Bandwidth [MHz]: 40		Channel Number		349000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
Pmax (Head)	DFT-s-OFDM QPSK	1	108	22.79	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	16.22	0

NR Band n66		Frequency [MHz]		1727.5	1762.5	MPR [dB]
Antenna:	A					
Bandwidth [MHz]:	35	Channel Number		345500	352500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	94	22.79	22.92	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	16.07	16.35	0

NR Band n66		Frequency [MHz]		1725	1765	MPR [dB]
Antenna:	A					
Bandwidth [MHz]:	30	Channel Number		345000	353000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	80	22.74	22.84	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	16.15	16.30	0

NR Band n66		Frequency [MHz]		1722.5	1767.5	MPR [dB]
Antenna: A						
Bandwidth [MHz]: 25		Channel Number		344500	353500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
Pmax (Head)	DFT-s-OFDM QPSK	1	67	22.66	22.87	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	15.95	16.35	0

NR Band n66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 20		Channel Number		344000	349000	354000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	53	22.65	22.71	22.72	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	16.04	16.14	16.16	

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 15		Channel Number		343500	349000	354500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	40	22.76	22.72	22.74	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	16.10	16.16	16.13	0

NR Band n66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 10		Channel Number		343000	349000	355000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	26	22.71	22.77	22.88	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	16.13	16.17	16.22	0

NR Band n66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna: A							
Bandwidth [MHz]: 5		Channel Number		342500	349000	355500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
Pmax (Head)	DFT-s-OFDM QPSK	1	13	22.60	22.75	22.85	0
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	15.98	16.20	16.32	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	F	Channel Number		349000	
Bandwidth [MHz]:	45	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	17.42	0
		1	121	17.28	0
		1	240	17.19	0
		120	0	17.35	0
		120	61	17.31	0
		120	122	17.29	0
		240	0	17.21	0
	DFT-s-OFDM 16QAM	1	121	17.63	0
	DFT-s-OFDM 64QAM	1	121	17.01	0
	DFT-s-OFDM 256QAM	1	121	16.96	0
DSI 1 (Head)	DFT-s-OFDM $\pi/2$ BPSK	1	1	16.49	0
		1	121	16.25	0
		1	240	16.13	0
		120	0	16.35	0
		120	61	16.34	0
		120	122	16.28	0
		240	0	16.35	0
	DFT-s-OFDM 16QAM	1	121	16.64	0
	DFT-s-OFDM 64QAM	1	121	15.93	0
	DFT-s-OFDM 256QAM	1	121	15.98	0

NR Band n66		Frequency [MHz]		1745	MPR [dB]
Antenna:	F	Channel Number		349000	
Bandwidth [MHz]:	40	Conducted Powers [dBm]			
Power Level	Modulation	RB Size	RB Offset		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	108	17.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	108	16.21	0

NR Band n66		Frequency [MHz]		1727.5	1762.5	MPR [dB]
Antenna:	F	Channel Number		345500	352500	
Bandwidth [MHz]:	35	Conducted Powers [dBm]				
Power Level	Modulation	RB Size	RB Offset			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	94	17.35	17.15	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	94	16.25	16.00	0

NR Band n66		Frequency [MHz]		1725	1765	MPR [dB]
Antenna:	F					
Bandwidth [MHz]:	30	Channel Number		345000	353000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	80	17.29	17.38	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	80	16.22	16.25	0

NR Band n66		Frequency [MHz]		1722.5	1767.5	MPR [dB]
Antenna: F						
Bandwidth [MHz]: 25		Channel Number		344500	353500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.14	17.36	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	16.07	16.25	0

NR Band n66		Frequency [MHz]		1720	1745	1770	MPR [dB]
Antenna: F							
Bandwidth [MHz]: 20		Channel Number		344000	349000	354000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.08	17.27	17.21	
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	16.02	16.28	16.15	

NR Band n66		Frequency [MHz]		1717.5	1745	1772.5	MPR [dB]
Antenna: F							
Bandwidth [MHz]: 15		Channel Number		343500	349000	354500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	40	17.17	17.25	17.15	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	40	16.19	16.27	16.18	0

NR Band n66		Frequency [MHz]		1715	1745	1775	MPR [dB]
Antenna:	F						
Bandwidth [MHz]: 10		Channel Number		343000	349000	355000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.25	17.29	17.25	
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	16.29	16.23	16.35	

NR Band n66		Frequency [MHz]		1712.5	1745	1777.5	MPR [dB]
Antenna: F							
Bandwidth [MHz]: 5		Channel Number		342500	349000	355500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	13	17.03	17.34	17.14	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	13	16.08	16.33	16.23	0

NR Band n41		Frequency [MHz]		2592.99	MPR [dB]
Antenna: F					
Bandwidth [MHz]: 100		Channel Number		518598	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	18.76	0
		1	137	18.42	0
		1	271	18.38	0
		135	0	18.55	0
		135	69	18.38	0
		135	138	18.27	0
		270	0	18.41	0
	DFT-s-OFDM 16QAM	1	137	18.43	0
	DFT-s-OFDM 64QAM	1	137	18.43	0
	DFT-s-OFDM 256QAM	1	137	18.45	0
DSI 1 (Head)	DFT-s-OFDM $\pi/2$ BPSK	1	1	15.18	0
		1	137	14.89	0
		1	271	14.84	0
		135	0	14.93	0
		135	69	14.87	0
		135	138	14.75	0
		270	0	14.89	0
	DFT-s-OFDM 16QAM	1	137	14.94	0
	DFT-s-OFDM 64QAM	1	137	14.89	0
	DFT-s-OFDM 256QAM	1	137	14.87	0

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna: F						
Bandwidth [MHz]: 90		Channel Number		508200	528996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	18.59	18.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	15.05	14.76	0

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna: F						
Bandwidth [MHz]: 80		Channel Number		507204	529998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	18.57	18.24	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	14.94	14.70	0

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna: F						
Bandwidth [MHz]: 70		Channel Number		506202	531000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	18.49	18.26	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	14.91	14.72	0

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna: F							
Bandwidth [MHz]: 60		Channel Number		505200	518598	531996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	18.40	18.29	18.17	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	14.91	14.77	14.60	0

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna: F							
Bandwidth [MHz]:	50	Channel Number		504204	518598	532998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	18.57	18.53	18.40	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	15.01	14.96	14.86	0

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna: F								
Bandwidth [MHz]: 45		Channel Number		503700	513634	523566	533500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	60	18.60	18.62	18.37	18.39	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	60	15.07	15.05	14.83	14.83	0

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna:	F							
Bandwidth [MHz]: 40		Channel Number		503202	513468	523734	534000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	18.49	18.51	18.20	18.29	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	15.04	14.99	14.68	14.74	0

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	35	Channel Number		502700	510650	518598	526550	534500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	46	18.67	18.72	18.50	18.37	18.34	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	46	15.12	15.16	15.01	14.76	14.74	0

NR Band n41		Frequency [MHz]		2511	2552.01	2592.99	2634	2674.98	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	30	Channel Number		502200	510402	518598	526800	534996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	18.66	18.68	18.51	18.26	18.38	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	15.15	15.11	15.05	14.78	14.83	0

NR Band n41		Frequency [MHz]		2508.5	2550.75	2592.99	2635.25	2677.5	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	25	Channel Number		501700	510150	518598	527050	535500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	18.63	18.63	18.53	18.27	18.34	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	15.04	15.12	14.98	14.80	14.82	0

NR Band n41		Frequency [MHz]		2506.02	2549.49	2592.99	2636.49	2679.99	MPR [dB]
Antenna:	F								
Bandwidth [MHz]:	20	Channel Number		501204	509898	518598	527298	535998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	18.65	18.70	18.55	18.34	18.38	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	15.13	15.19	15.06	14.89	14.82	0

NR Band n41		Frequency [MHz]		2503.5	2548.26	2592.99	2637.75	2682.51	MPR [dB]
Antenna: F									
Bandwidth [MHz]: 15		Channel Number		500700	509652	518598	527550	536502	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	18.75	18.72	18.61	18.40	18.32	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	15.16	15.24	15.02	14.90	14.73	0

NR Band n41		Frequency [MHz]		2501.01	2547	2592.99	2639.01	2685	MPR [dB]
Antenna: F									
Bandwidth [MHz]: 10		Channel Number		500202	509400	518598	527802	537000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	18.66	18.76	18.58	18.42	18.40	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	15.03	15.22	14.92	14.83	14.81	0

NR Band n41		Frequency [MHz]		2592.99	MPR [dB]
Antenna:	B				
Bandwidth [MHz]:	100	Channel Number		518598	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]	
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM $\pi/2$ BPSK	1	1	17.16	0
		1	137	17.44	0
		1	271	17.41	0
		135	0	17.57	0
		135	69	17.46	0
		135	138	17.39	0
		270	0	17.46	0
	DFT-s-OFDM 16QAM	1	137	17.30	0
	DFT-s-OFDM 64QAM	1	137	17.28	0
	DFT-s-OFDM 256QAM	1	137	17.35	0
DSI 1 (Head)	DFT-s-OFDM $\pi/2$ BPSK	1	1	19.64	0
		1	137	19.30	0
		1	271	19.26	0
		135	0	19.46	0
		135	69	19.32	0
		135	138	19.12	0
		270	0	19.28	0
	DFT-s-OFDM 16QAM	1	137	19.25	0
	DFT-s-OFDM 64QAM	1	137	19.22	0
	DFT-s-OFDM 256QAM	1	137	19.17	0

NR Band n41		Frequency [MHz]		2541	2644.98	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	90	Channel Number		508200	528996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	123	17.52	17.28	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	123	19.48	19.29	0

NR Band n41		Frequency [MHz]		2536.02	2649.99	MPR [dB]
Antenna:	B					
Bandwidth [MHz]: 80		Channel Number		507204	529998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	109	17.52	17.19	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	109	19.05	18.72	0

NR Band n41		Frequency [MHz]		2531.01	2655	MPR [dB]
Antenna:	B					
Bandwidth [MHz]:	70	Channel Number		506202	531000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]		
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	95	17.49	17.15	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	95	19.57	19.22	0

NR Band n41		Frequency [MHz]		2526	2592.99	2659.98	MPR [dB]
Antenna:	B						
Bandwidth [MHz]:	60	Channel Number		505200	518598	531996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	81	17.36	17.21	17.10	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	81	19.39	19.29	19.13	0

NR Band n41		Frequency [MHz]		2521.02	2592.99	2664.99	MPR [dB]
Antenna: B							
Bandwidth [MHz]: 50		Channel Number		504204	518598	532998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]			
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	67	17.55	17.43	17.33	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	67	19.60	19.55	19.35	0

NR Band n41		Frequency [MHz]		2518.5	2568.17	2617.83	2667.5	MPR [dB]
Antenna: B								
Bandwidth [MHz]: 45		Channel Number		503700	513634	523566	533500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	60	17.62	17.60	17.36	17.37	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	60	19.28	19.63	19.41	19.38	0

NR Band n41		Frequency [MHz]		2516.01	2567.34	2618.67	2670	MPR [dB]
Antenna: B								
Bandwidth [MHz]: 40		Channel Number		503202	513468	523734	534000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]				
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	53	17.47	17.49	17.24	17.26	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	53	19.54	19.52	19.25	19.26	0

NR Band n41		Frequency [MHz]		2513.5	2553.25	2592.99	2632.75	2672.5	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	35	Channel Number		502700	510650	518598	526550	534500	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	46	17.56	17.61	17.44	17.32	17.31	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	46	19.58	19.59	19.46	19.30	19.30	0

NR Band n41		Frequency [MHz]		2511	2552.01	2592.99	2634	2674.98	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	30	Channel Number		502200	510402	518598	526800	534996	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	39	17.43	17.47	17.41	17.24	17.17	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	39	19.51	19.49	19.38	19.22	19.28	0

NR Band n41		Frequency [MHz]		2508.5	2550.75	2592.99	2635.25	2677.5	MPR [dB]
Antenna:	B	Channel Number		501700	510150	518598	527050	535500	
Bandwidth [MHz]:	25								
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	33	17.52	17.59	17.44	17.34	17.26	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	33	19.58	19.62	19.50	19.31	19.33	0

NR Band n41		Frequency [MHz]		2506.02	2549.49	2592.99	2636.49	2679.99	MPR [dB]
Antenna:	B								
Bandwidth [MHz]:	20	Channel Number		501204	509898	518598	527298	535998	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	26	17.50	17.52	17.48	17.31	17.24	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	26	19.52	19.54	19.46	19.30	19.28	0

NR Band n41		Frequency [MHz]		2503.5	2548.26	2592.99	2637.75	2682.51	MPR [dB]
Antenna:	B								
Bandwidth [MHz]: 15		Channel Number		500700	509652	518598	527550	536502	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	19	17.50	17.53	17.43	17.31	17.27	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	19	19.57	19.66	19.49	19.36	19.31	0

NR Band n41		Frequency [MHz]		2501.01	2547	2592.99	2639.01	2685	MPR [dB]
Antenna: B									
Bandwidth [MHz]: 10		Channel Number		500202	509400	518598	527802	537000	
Power Level	Modulation	RB Size	RB Offset	Conducted Powers [dBm]					
DSI 0 (Body-worn/Hotspot/Phablet)	DFT-s-OFDM QPSK	1	12	17.56	17.64	17.42	17.33	17.24	0
DSI 1 (Head)	DFT-s-OFDM QPSK	1	12	19.58	19.62	19.51	19.31	19.35	0