



LOW POWER INDOOR (UNII 7)




VERY LOW POWER (UNII7)



LOW POWER INDOOR (UNII 8)




VERY LOW POWER (UNII8)




9.5.5. 802.11be EHT160 2x996T MODE


STANDARD POWER (UNII5)




6025 MHz CHAIN 0




6025 MHz CHAIN 1




6185 MHz CHAIN 0



6185 MHz CHAIN 1




6345 MHz CHAIN 0




6345 MHz CHAIN 1


LOW POWER INDOOR (UNII 5)




6025 MHz CHAIN 0




6025 MHz CHAIN 1




6185 MHz CHAIN 0



6185 MHz CHAIN 1




6345 MHz CHAIN 0




6345 MHz CHAIN 1


VERY LOW POWER (UNII5)




6025 MHz CHAIN 0




6025 MHz CHAIN 1




6185 MHz CHAIN 0



6185 MHz CHAIN 1




6345 MHz CHAIN 0




6345 MHz CHAIN 1


LOW POWER INDOOR (UNII 6)




VERY LOW POWER (UNII6)



STANDARD POWER (UNII7)




6665 MHz CHAIN 0




6665 MHz CHAIN 1

LOW POWER INDOOR (UNII 7)




6665 MHz CHAIN 0




6665 MHz CHAIN 1

VERY LOW POWER (UNII7)




6665 MHz CHAIN 0




6665 MHz CHAIN 1

LOW POWER INDOOR (UNII 8)




VERY LOW POWER (UNII8)



9.5.6. 802.11be EHT320 SU MODE


STANDARD POWER (UNII5)

6105 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.7942	-52.03	RMS	10	3.6	-38.43	-27.4	-11.03
2	6.4194	-51.58	RMS	10	3.7	-37.88	-27.6	-10.28
3	6.099	-14.28	RMS	10	3.7	-15.8	-15.3	-0.5


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.8038	-53.27	RMS	10	4.1	-39.17	-26.63	-12.54
5	6.4098	-53.85	RMS	10	4.1	-39.75	-26.84	-12.91
6	6.0978	-14.44	RMS	10	4.1	-.34	-.23	-.11


RMS - RMS detection

6265 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9656	-50.9	RMS	10	3.7	-37.2	-26.96	-10.24
2	6.6058	-52.96	RMS	9.8	3.8	-39.36	-29.15	-10.21
3	6.2584	-14.6	RMS	10	3.7	-.9	-.65	-.25

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.9644	-52.88	RMS	10	4.1	-38.78	-26.74	-12.04
5	6.5524	-56.37	RMS	9.8	4.3	-42.27	-26.14	-16.13
6	6.2554	-14.79	RMS	10	4.1	-.69	-.37	-.32

RMS - RMS detection


LOW POWER INDOOR (UNII 5)

6105 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.8002	-64.08	RMS	10	3.6	-50.48	-32.9	-17.58
2	6.3984	-64.03	RMS	10	3.7	-50.33	-32.38	-17.95
3	6.0996	-20.09	RMS	10	3.7	-6.39	-6.32	-.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.7606	-63.78	RMS	10	4.1	-49.68	-34.72	-14.96
5	6.42	-64.84	RMS	10	4.1	-50.74	-33.07	-17.67
6	6.1104	-20.49	RMS	10	4.1	-6.39	-5.98	-.41


RMS - RMS detection

6265 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9296	-62.65	RMS	10.1	3.4	-49.15	-34.57	-14.58
2	6.5698	-62.07	RMS	9.8	3.8	-48.47	-33.08	-15.39
3	6.2524	-20.64	RMS	10	3.7	-6.94	-6.47	-4.7

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.7892	-66.32	RMS	10	4.1	-52.22	-44.34	-7.88
5	6.5494	-65.61	RMS	9.8	4.3	-51.51	-31.74	-19.77
6	6.271	-20.57	RMS	10	4.1	-6.47	-6.11	-.36

RMS - RMS detection


VERY LOW POWER (UNII5)

6105 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.796	-65.81	RMS	10	3.6	-52.21	-36.17	-16.04
2	6.4074	-65.69	RMS	10	3.7	-51.99	-35.88	-16.11
3	6.0936	-23.23	RMS	10	3.7	-9.53	-9.39	-.14


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.622	-67.88	RMS	10.1	3.9	-53.88	-47.87	-6.01
5	6.4098	-67.54	RMS	10	4.1	-53.44	-35.73	-17.71
6	6.0978	-23.31	RMS	10	4.1	-9.21	-9.12	-.09


RMS - RMS detection

6265 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL CO (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	5.9662	-65.49	RMS	10	3.7	-51.79	-35.88	-15.91
2	6.5656	-65.57	RMS	9.8	3.8	-51.97	-36	-15.97
3	6.2734	-23.4	RMS	10	3.7	-9.7	-9.59	-.11

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.7616	-69.29	RMS	10	4.1	-55.19	-49.32	-5.87
5	6.5374	-68.47	RMS	9.8	4.3	-54.37	-34.38	-19.99
6	6.2572	-23.75	RMS	10	4.1	-9.65	-9.32	-.33

RMS - RMS detection


LOW POWER INDOOR (UNII 6)

6425 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1022	-62.56	RMS	10	3.7	-48.86	-32.89	-15.97
2	6.6848	-60.99	RMS	9.8	3.8	-47.39	-29.89	-17.5
3	6.416	-19.21	RMS	10	3.7	-5.51	-5.44	-.07


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.1634	-62.23	RMS	10	4.1	-48.13	-29.87	-18.26
5	6.7772	-64.49	RMS	9.8	4.3	-50.39	-34.72	-15.67
6	6.4184	-19.65	RMS	10	4.1	-5.55	-5.39	-.16


RMS - RMS detection

6585 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.2988	-61.73	RMS	10	3.7	-48.03	-30.66	-17.37
2	6.9108	-62.62	RMS	9.8	3.8	-49.02	-32.6	-16.42
3	6.579	-18.6	RMS	9.8	3.8	-5	-4.99	-.01

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.3414	-62.74	RMS	10	4.1	-48.64	-28.99	-19.65
5	6.87	-63.39	RMS	9.8	4.4	-49.19	-31.03	-18.16
6	6.6006	-19.75	RMS	9.8	4.3	-5.65	-5.37	-.28

RMS - RMS detection

VERY LOW POWER (UNII6)

6425 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.1394	-66.61	RMS	10	3.7	-52.91	-35.54	-17.37
2	6.7562	-66.13	RMS	9.8	3.8	-52.53	-37.76	-14.77
3	6.419	-24	RMS	10	3.7	-10.3	-9.89	-.41


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	5.9474	-68.3	RMS	10	4	-54.3	-48.5	-5.8
5	6.9098	-68.97	RMS	9.8	4.6	-54.57	-49.05	-5.52
6	6.416	-24.33	RMS	10	4.1	-10.23	-10.14	-.09


RMS - RMS detection

6585 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.297	-66.21	RMS	10	3.7	-52.51	-35.39	-17.12
2	6.8904	-65.84	RMS	9.8	3.8	-52.24	-36.27	-15.97
3	6.5796	-23.75	RMS	9.8	3.8	-10.15	-9.63	-.52

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.2724	-67.36	RMS	10	4.1	-53.26	-37.26	-16
5	6.8922	-67.62	RMS	9.8	4.6	-53.22	-37.02	-16.2
6	6.5724	-24.54	RMS	9.8	4.3	-10.44	-10.3	-1.14

RMS - RMS detection


LOW POWER INDOOR (UNII 8)

6745 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CSB RF1	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.4042	-59.74	RMS	10	3.1	-46.64	-35.16	-11.48
3	6.7126	-20.33	RMS	9.8	3.2	-7.33	-6.67	-.66
2	7.0786	-60.59	RMS	9.8	3.3	-47.49	-34.65	-12.84


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CSB RF2	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.409	-60.69	RMS	10	3.1	-47.59	-35.49	-12.1
6	6.7228	-21	RMS	9.8	3.2	-8	-7.35	-.65
5	7.0864	-60.58	RMS	9.8	3.3	-47.48	-35.89	-11.59


RMS - RMS detection

6905 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6458	-61.24	RMS	9.8	3.8	-47.64	-32.17	-15.47
3	6.8906	-21.46	RMS	9.8	3.8	-7.86	-7.8	-.06
2	7.2392	-60.78	RMS	9.8	3.8	-47.18	-35.81	-11.37

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CSB RF2	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.641	-57.9	RMS	9.8	3.2	-44.9	-30.51	-14.39
6	6.8888	-19.03	RMS	9.8	3.3	-5.93	-5.91	-.02
5	7.235	-58.38	RMS	9.8	3.3	-45.28	-33.72	-11.56

RMS - RMS detection


VERY LOW POWER (UNII8)

6745 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL CO (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.403	-68.04	RMS	10	3.7	-54.34	-39.21	-15.13
2	7.0738	-68.2	RMS	9.8	3.8	-54.6	-38.39	-16.21
3	6.754	-24.62	RMS	9.8	3.8	-11.02	-10.64	-.38


RMS - RMS detection



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.4252	-67.55	RMS	10	4.1	-53.45	-37.69	-15.76
5	6.985	-68.2	RMS	9.8	4.6	-53.8	-33.87	-19.93
6	6.7516	-24.67	RMS	9.8	4.3	-10.57	-10.38	-.19

RMS - RMS detection

6905 MHz



Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C0 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
1	6.6302	-67.77	RMS	9.8	3.8	-54.17	-35.39	-18.78
2	7.2254	-67.85	RMS	9.8	3.8	-54.25	-37.62	-16.63
3	6.8888	-24.28	RMS	9.8	3.8	-10.68	-10.27	-.41

RMS - RMS detection




Marker	Frequency (GHz)	Meter Reading (dBm)	Det	Atten 226567	CBL C1 (dB)	Corrected Reading dBm	Emission Mask	Margin (dB)
4	6.4004	-68.99	RMS	10	4.1	-54.89	-50.56	-4.33
5	7.2554	-67.83	RMS	9.8	4.6	-53.43	-39.76	-13.67
6	6.8954	-25.31	RMS	9.8	4.6	-10.91	-10.56	-.35

RMS - RMS detection


9.5.7. 802.11be EHT20 SINGLE RU MODE (WORST CASE)

STANDARD POWER (UNII5)




LOW POWER INDOOR (UNII 5)

Note – 5935 MHz LPI settings are same as 5935 MHz SP or 5955 MHz LPI.



VERY LOW POWER (UNII5)

Note – 5935 MHz VLP settings are same as 5955 MHz VLP.



LOW POWER INDOOR (UNII 6)

