

NR Band n5 Antenna A

NR Band n5 Antenna A Measured Pmax for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 15 MHz Bandwidth							
NR Band n5 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	167300 (836.5 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.97			0	0.0
	1	40	23.87				0.0
	1	77	23.73				0.0
	36	0	22.86			0-1	1.0
	36	22	23.91			0	0.0
	36	43	22.79			0-1	1.0
	75	0	22.88				1.0
	DFT-s-OFDM 16QAM	1	1			22.89	0-1
CP-OFDM QPSK	1	1	22.35	0-1.5	1.5		

NR Band n5 Antenna A Measured Pmax for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 10 MHz Bandwidth								
NR Band n5 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
			167300 (836.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.72				0	0.0
	1	26	23.73					0.0
	1	50	23.69					0.0
	25	0	22.68				0-1	1.0
	25	14	23.73				0	0.0
	25	27	22.78				0-1	1.0
	50	0	22.89					1.0
	DFT-s-OFDM 16QAM	1	1				22.90	0-1
CP-OFDM QPSK	1	1	22.43	0-1.5	1.5			

NR Band n5 Antenna A Measured Pmax for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 5 MHz Bandwidth								
NR Band n5 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.81	23.85	23.74		0	0.0
	1	13	23.86	23.88	23.71			0.0
	1	23	23.76	23.72	23.69			0.0
	12	0	22.76	22.72	22.74		0-1	1.0
	12	7	23.84	23.86	23.74		0	0.0
	12	13	22.74	22.73	22.68		0-1	1.0
	25	0	22.90	22.82	22.80			1.0
DFT-s-OFDM 16QAM	1	1	22.88	22.91	22.90	0-1	1.0	
CP-OFDM QPSK	1	1	22.47	22.45	22.30	0-1.5	1.5	

NR Band n5 Antenna E

NR Band n5 Antenna E Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n5 15 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	167300 (836.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.71				0	0.0
	1	40	20.59					0.0
	1	77	20.37					0.0
	36	0	20.59				0-1	0.0
	36	22	20.69				0	0.0
	36	43	20.49				0-1	0.0
	75	0	20.52					0.0
	DFT-s-OFDM 16QAM	1	1				20.63	0-1
CP-OFDM QPSK	1	1	20.80	0-1.5	0.0			

NR Band n5 Antenna E Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n5 10 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	167300 (836.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.66				0	0.0
	1	26	20.63					0.0
	1	50	20.48					0.0
	25	0	20.52				0-1	0.0
	25	14	20.61				0	0.0
	25	27	20.56				0-1	0.0
	50	0	20.57					0.0
	DFT-s-OFDM 16QAM	1	1				20.51	0-1
CP-OFDM QPSK	1	1	20.71	0-1.5	0.0			

NR Band n5 Antenna E Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet), DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n5 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	165300 (826.5 MHz)	167300 (836.5 MHz)	169300 (846.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.71	20.67	20.53		0	0.0
	1	13	20.82	20.64	20.60			0.0
	1	23	20.69	20.62	20.44			0.0
	12	0	20.66	20.66	20.42		0-1	0.0
	12	7	20.62	20.66	20.61		0	0.0
	12	13	20.68	20.56	20.45		0-1	0.0
	25	0	20.73	20.52	20.50			0.0
	DFT-s-OFDM 16QAM	1	1	20.67	20.65		20.42	0-1
CP-OFDM QPSK	1	1	20.85	20.75	20.62	0-1.5	0.0	

NR Band n66 Antenna A

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 30 MHz Bandwidth							
NR Band n66 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.99			0	0.0
	1	80	23.97				0.0
	1	158	23.88				0.0
	80	0	22.91			0-1	1.0
	80	40	23.95			0	0.0
	80	80	22.86			0-1	1.0
	160	0	22.84				1.0
	DFT-s-OFDM 16QAM	1	1	22.85			0-1
CP-OFDM QPSK	1	1	22.52			0-1.5	1.5

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 25 MHz Bandwidth						
NR Band n66 25 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	24.01		0	0.0
	1	67	23.97			0.0
	1	131	23.85			0.0
	64	0	22.85		0-1	1.0
	64	35	23.91		0	0.0
	64	69	22.79		0-1	1.0
	128	0	22.80			1.0
	DFT-s-OFDM 16QAM	1	1		22.95	0-1
CP-OFDM QPSK	1	1	22.53	0-1.5	1.5	

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 20 MHz Bandwidth						
NR Band n66 20 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)	
			Conducted Power [dBm]			MPR [dB]
DFT-s-OFDM QPSK	1	1	23.83	23.92	23.73	0.0
	1	53	23.90	23.95	23.58	0.0
	1	104	23.81	23.77	23.45	0.0
	50	0	22.74	22.83	22.63	1.0
	50	28	23.86	23.95	23.66	0.0
	50	56	22.77	22.74	22.54	1.0
	100	0	22.89	22.87	22.66	1.0
DFT-s-OFDM 16QAM	1	1	22.63	22.74	22.61	0-1
CP-OFDM QPSK	1	1	22.44	22.46	22.21	0-1.5

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 15 MHz Bandwidth						
NR Band n66 15 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)	
			Conducted Power [dBm]			MPR [dB]
DFT-s-OFDM QPSK	1	1	23.98	24.03	23.74	0.0
	1	40	23.91	23.94	23.40	0.0
	1	77	23.89	23.78	23.74	0.0
	36	0	22.81	22.82	22.61	1.0
	36	22	23.96	23.97	23.68	0.0
	36	43	22.81	22.86	22.64	1.0
	75	0	22.79	22.84	22.55	1.0
DFT-s-OFDM 16QAM	1	1	22.70	22.85	22.66	0-1
CP-OFDM QPSK	1	1	22.50	22.57	22.42	0-1.5

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 10 MHz Bandwidth								
NR Band n66 10 MHz Bandwidth								
Modulation	RB Size	RB Offset	Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
			343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	23.86	23.88	23.69			0.0
	1	26	23.87	23.94	23.79		0	0.0
	1	50	23.85	23.85	23.64			0.0
	25	0	22.83	22.83	22.73		0-1	1.0
	25	14	23.91	23.91	23.67		0	0.0
	25	27	22.88	22.83	22.75			1.0
	50	0	22.88	22.87	22.72		0-1	1.0
DFT-s-OFDM 16QAM	1	1	22.66	22.80	22.47		0-1	1.0
CP-OFDM QPSK	1	1	22.39	22.61	22.16		0-1.5	1.5

NR Band n66 Antenna A Measured Pmax for DSI = 1 (Head) - 5 MHz Bandwidth								
NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.69	23.75	23.56		0	0.0
	1	13	23.85	23.95	23.61			0.0
	1	23	23.74	23.83	23.58			0.0
	12	0	22.76	22.83	22.65		0-1	1.0
	12	7	23.82	23.87	23.42		0	0.0
	12	13	22.72	22.82	22.44		0-1	1.0
	25	0	22.71	22.86	22.56			1.0
	DFT-s-OFDM 16QAM	1	1	22.68	22.73		22.49	0-1
CP-OFDM QPSK	1	1	22.43	22.47	22.45		0-1.5	1.5

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth								
NR Band n66 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.20				0	0.0
	1	80	17.34					0.0
	1	158	17.65					0.0
	80	0	17.34				0-1	0.0
	80	40	17.47				0	0.0
	80	80	17.47				0-1	0.0
	160	0	17.44					0.0
	DFT-s-OFDM 16QAM	1	1				17.19	
CP-OFDM QPSK	1	1	17.36				0-1.5	0.0

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 25 MHz Bandwidth								
NR Band n66 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.16				0	0.0
	1	67	17.49					0.0
	1	131	17.47					0.0
	64	0	17.32				0-1	0.0
	64	35	17.41				0	0.0
	64	69	17.48				0-1	0.0
	128	0	17.43					0.0
	DFT-s-OFDM 16QAM	1	1				17.22	
CP-OFDM QPSK	1	1	17.51				0-1.5	0.0

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.63	17.23	17.27		0	0.0
	1	53	16.86	17.37	17.45			0.0
	1	104	17.06	17.37	17.53			0.0
	50	0	16.81	17.39	17.36		0-1	0.0
	50	28	16.86	17.43	17.43		0	0.0
	50	56	16.93	17.40	17.41		0-1	0.0
	100	0	16.98	17.47	17.55			0.0
DFT-s-OFDM 16QAM	1	1	16.64	17.12	17.26		0-1	0.0
CP-OFDM QPSK	1	1	16.82	17.34	17.53		0-1.5	0.0

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.78	17.44	17.47		0	0.0
	1	40	16.91	17.46	17.48			0.0
	1	77	17.06	17.43	17.52			0.0
	36	0	16.79	17.33	17.45		0-1	0.0
	36	22	17.00	17.43	17.45		0	0.0
	36	43	16.92	17.44	17.43		0-1	0.0
	75	0	16.83	17.33	17.37			0.0
DFT-s-OFDM 16QAM	1	1	16.72	17.32	17.41		0-1	0.0
CP-OFDM QPSK	1	1	16.91	17.57	17.73		0-1.5	0.0

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.66	17.34	17.43		0	0.0
	1	26	16.85	17.48	17.58			0.0
	1	50	16.84	17.37	17.51			0.0
	25	0	16.82	17.29	17.42		0-1	0.0
	25	14	16.89	17.44	17.52		0	0.0
	25	27	16.90	17.43	17.48		0-1	0.0
	50	0	16.88	17.38	17.48			0.0
DFT-s-OFDM 16QAM	1	1	16.64	17.20	17.36		0-1	0.0
CP-OFDM QPSK	1	1	16.85	17.46	17.65		0-1.5	0.0

NR Band n66 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	16.72	17.40	17.49		0	0.0
	1	13	16.79	17.48	17.59			0.0
	1	23	16.80	17.36	17.46			0.0
	12	0	16.74	17.40	17.51		0-1	0.0
	12	7	16.70	17.51	17.67		0	0.0
	12	13	16.82	17.34	17.49		0-1	0.0
	25	0	16.85	17.35	17.46			0.0
DFT-s-OFDM 16QAM	1	1	16.62	17.33	17.45		0-1	0.0
CP-OFDM QPSK	1	1	16.82	17.61	17.76		0-1.5	0.0

NR Band n66 Antenna F

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.46				0	0.0
	1	80	19.77					0.0
	1	158	19.53					0.0
	80	0	19.44				0-1	0.0
	80	40	19.55				0	0.0
	80	80	19.51				0-1	0.0
	160	0	19.40					0.0
	DFT-s-OFDM 16QAM	1	1	19.35				0-1
CP-OFDM QPSK	1	1	19.51				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.62				0	0.0
	1	67	19.71					0.0
	1	131	19.45					0.0
	64	0	19.39				0-1	0.0
	64	35	19.58				0	0.0
	64	69	19.53				0-1	0.0
	128	0	19.51					0.0
	DFT-s-OFDM 16QAM	1	1				19.51	0-1
CP-OFDM QPSK	1	1	19.68	0-1.5	0.0			

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)	
Conducted Power [dBm]						MPR [dB]
DFT-s-OFDM QPSK	1	1	19.22	19.53	19.22	0.0
	1	53	19.15	19.59	19.24	0.0
	1	104	19.27	19.36	19.20	0.0
	50	0	19.25	19.44	19.22	0-1
	50	28	19.31	19.54	19.36	0
	50	56	19.19	19.44	19.17	0-1
	100	0	19.34	19.51	19.42	0.0
DFT-s-OFDM 16QAM	1	1	19.17	19.36	19.06	0-1
CP-OFDM QPSK	1	1	19.47	19.70	19.29	0-1.5

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)	
Conducted Power [dBm]						MPR [dB]
DFT-s-OFDM QPSK	1	1	19.51	19.53	19.34	0.0
	1	40	19.26	19.75	19.32	0.0
	1	77	19.43	19.51	19.19	0.0
	36	0	19.32	19.40	19.18	0-1
	36	22	19.40	19.67	19.39	0
	36	43	19.29	19.45	19.09	0-1
	75	0	19.29	19.51	19.25	0.0
DFT-s-OFDM 16QAM	1	1	19.30	19.46	19.39	0-1
CP-OFDM QPSK	1	1	19.50	19.60	19.56	0-1.5

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.37	19.52	19.36		0	0.0
	1	26	19.28	19.76	19.49			0.0
	1	50	19.25	19.70	19.34			0.0
	25	0	19.24	19.49	19.28		0-1	0.0
	25	14	19.41	19.59	19.26		0	0.0
	25	27	19.30	19.49	19.18		0-1	0.0
	50	0	19.29	19.50	19.19			0.0
	DFT-s-OFDM 16QAM	1	1	19.27	19.39		19.25	0-1
CP-OFDM QPSK	1	1	19.41	19.60	19.43	0-1.5	0.0	

NR Band n66 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.25	19.47	19.25		0	0.0
	1	13	19.21	19.80	19.29			0.0
	1	23	19.30	19.57	19.25			0.0
	12	0	19.20	19.45	19.18		0-1	0.0
	12	7	19.26	19.64	19.34		0	0.0
	12	13	19.16	19.53	19.22		0-1	0.0
	25	0	19.15	19.55	19.25			0.0
DFT-s-OFDM 16QAM	1	1	19.19	19.47	19.16		0-1	0.0
CP-OFDM QPSK	1	1	19.37	19.63	19.35		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n66 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	349000 (1745 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.54		0	0.0
	1	80	17.61			0.0
	1	158	17.36			0.0
	80	0	17.45		0-1	0.0
	80	40	17.55		0	0.0
	80	80	17.42		0-1	0.0
	160	0	17.43			0.0
	DFT-s-OFDM 16QAM	1	1	17.29		0-1
CP-OFDM QPSK	1	1	17.56		0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n66 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	349000 (1745 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.55				0	0.0
	1	67	17.66					0.0
	1	131	17.45					0.0
	64	0	17.35				0-1	0.0
	64	35	17.49				0	0.0
	64	69	17.39				0-1	0.0
	128	0	17.45					0.0
	DFT-s-OFDM 16QAM	1	1				17.34	
CP-OFDM QPSK	1	1	17.64				0-1.5	0.0

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n66 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	344000 (1720 MHz)	349000 (1745 MHz)	354000 (1770 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.34	17.45	17.26		0	0.0
	1	53	17.22	17.59	17.12			0.0
	1	104	17.28	17.50	17.05			0.0
	50	0	17.20	17.38	17.35		0-1	0.0
	50	28	17.30	17.46	17.15		0	0.0
	50	56	17.17	17.37	17.27		0-1	0.0
	100	0	17.29	17.41	17.20			0.0
DFT-s-OFDM 16QAM	1	1	17.22	17.28	17.15	0-1	0.0	
CP-OFDM QPSK	1	1	17.38	17.40	17.31	0-1.5	0.0	

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n66 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343500 (1717.5 MHz)	349000 (1745 MHz)	354500 (1772.5 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.43	17.68	17.25		0	0.0
	1	40	17.25	17.65	17.17			0.0
	1	77	17.16	17.57	17.08			0.0
	36	0	17.21	17.37	17.22		0-1	0.0
	36	22	17.25	17.61	17.18		0	0.0
	36	43	17.25	17.44	17.22		0-1	0.0
	75	0	17.25	17.47	17.25			0.0
DFT-s-OFDM 16QAM	1	1	17.32	17.56	17.24	0-1	0.0	
CP-OFDM QPSK	1	1	17.54	17.72	17.43	0-1.5	0.0	

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n66 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	343000 (1715 MHz)	349000 (1745 MHz)	355000 (1775 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	17.41	17.58	17.24		0	0.0
	1	26	17.31	17.70	17.33			0.0
	1	50	17.30	17.54	17.11			0.0
	25	0	17.24	17.44	17.25		0-1	0.0
	25	14	17.36	17.52	17.10		0	0.0
	25	27	17.36	17.48	17.19		0-1	0.0
	50	0	17.30	17.38	17.23			0.0
	DFT-s-OFDM 16QAM	1	1	17.22	17.42		17.21	0-1
CP-OFDM QPSK	1	1	17.52	17.58	17.48	0-1.5	0.0	

NR Band n66 Antenna F Measured Plimit for DSI = 1 (Head) - 5 MHz Bandwidth

NR Band n66 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	342500 (1712.5 MHz)	349000 (1745 MHz)	355500 (1777.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.28	17.56	17.34		0	0.0
	1	13	17.36	17.66	17.17			0.0
	1	23	17.28	17.49	17.19			0.0
	12	0	17.10	17.43	17.20		0-1	0.0
	12	7	17.26	17.68	17.18		0	0.0
	12	13	17.19	17.40	17.21		0-1	0.0
	25	0	17.27	17.43	17.14			0.0
	DFT-s-OFDM 16QAM	1	1	17.21	17.41		17.16	0-1
CP-OFDM QPSK	1	1	17.43	17.64	17.41	0-1.5	0.0	

NR Band n25 Antenna A

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 30 MHz Bandwidth							
NR Band n25 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	23.52			0	0.0
	1	80	23.36				0.0
	1	158	23.50				0.0
	80	0	22.42			0-1	1.0
	80	40	23.38			0	0.0
	80	80	22.37			0-1	1.0
	160	0	22.40				1.0
	DFT-s-OFDM 16QAM	1	1	22.39			0-1
CP-OFDM QPSK	1	1	22.16			0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 25 MHz Bandwidth						
NR Band n25 25 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	23.60		0	0.0
	1	67	23.39			0.0
	1	131	23.52			0.0
	64	0	22.43		0-1	1.0
	64	35	23.47		0	0.0
	64	69	22.42		0-1	1.0
	128	0	22.34			1.0
	DFT-s-OFDM 16QAM	1	1		22.40	0-1
CP-OFDM QPSK	1	1	22.25	0-1.5	1.5	

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 20 MHz Bandwidth								
NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.56	23.42	23.48		0	0.0
	1	53	23.55	23.38	23.45			0.0
	1	104	23.52	23.42	23.56			0.0
	50	0	22.55	22.36	22.48		0-1	1.0
	50	28	23.60	23.40	23.52		0	0.0
	50	56	22.50	22.42	22.43		0-1	1.0
	100	0	22.58	22.44	22.49			1.0
DFT-s-OFDM 16QAM	1	1	22.40	22.28	22.40	0-1	1.0	
CP-OFDM QPSK	1	1	22.23	22.05	22.00	0-1.5	1.5	

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 15 MHz Bandwidth								
NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.70	23.55	23.51		0	0.0
	1	40	23.58	23.33	23.48			0.0
	1	77	23.55	23.30	23.50			0.0
	36	0	22.55	22.31	22.44		0-1	1.0
	36	22	23.74	23.48	23.46		0	0.0
	36	43	22.51	22.34	22.44		0-1	1.0
	75	0	22.48	22.29	22.39		0-1	1.0
DFT-s-OFDM 16QAM	1	1	22.57	22.39	22.45		0-1	1.0
CP-OFDM QPSK	1	1	22.30	22.13	22.13		0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 10 MHz Bandwidth								
NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.54	23.40	23.49			0.0
	1	26	23.65	23.36	23.50		0	0.0
	1	50	23.55	23.28	23.48			0.0
	25	0	22.57	22.36	22.32		0-1	1.0
	25	14	23.65	23.37	23.55		0	0.0
	25	27	22.50	22.31	22.30			1.0
	50	0	22.56	22.38	22.38		0-1	1.0
DFT-s-OFDM 16QAM	1	1	22.51	22.28	22.31		0-1	1.0
CP-OFDM QPSK	1	1	22.25	22.03	22.08		0-1.5	1.5

NR Band n25 Antenna A Measured Pmax for DSI = 1 (Head) - 5 MHz Bandwidth								
NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	23.53	23.37	23.37		0	0.0
	1	13	23.55	23.34	23.43			0.0
	1	23	23.51	23.26	23.24			0.0
	12	0	22.54	22.37	22.48		0-1	1.0
	12	7	23.59	23.41	23.42		0	0.0
	12	13	22.41	22.22	22.35		0-1	1.0
	25	0	22.50	22.35	22.41			1.0
	DFT-s-OFDM 16QAM	1	1	22.54	22.39		22.34	0-1
CP-OFDM QPSK	1	1	22.27	22.13	22.07	0-1.5	1.5	

NR Band n25 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth								
NR Band n25 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.30				0	0.0
	1	80	17.12					0.0
	1	158	17.33					0.0
	80	0	17.30				0-1	0.0
	80	40	17.24				0	0.0
	80	80	17.20				0-1	0.0
	160	0	17.22					0.0
	DFT-s-OFDM 16QAM	1	1	17.34				0-1
CP-OFDM QPSK	1	1	17.54				0-1.5	0.0

NR Band n25								
25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.31				0	0.0
	1	67	17.18					0.0
	1	131	17.25					0.0
	64	0	17.23				0-1	0.0
	64	35	17.24				0	0.0
	64	69	17.27				0-1	0.0
	128	0	17.23					0.0
	DFT-s-OFDM 16QAM	1	1	17.30				0-1
CP-OFDM QPSK	1	1	17.54				0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	17.44	17.34	17.39		0	0.0
	1	53	17.45	17.32	17.43			0.0
	1	104	17.38	17.20	17.27			0.0
	50	0	17.35	17.23	17.28		0-1	0.0
	50	28	17.52	17.26	17.40		0	0.0
	50	56	17.36	17.23	17.30		0-1	0.0
	100	0	17.46	17.33	17.45			0.0
DFT-s-OFDM 16QAM	1	1	17.34	17.19	17.21		0-1	0.0
CP-OFDM QPSK	1	1	17.51	17.23	17.54		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	17.60	17.41	17.42		0	0.0
	1	40	17.45	17.32	17.36			0.0
	1	77	17.49	17.25	17.46			0.0
	36	0	17.41	17.25	17.32		0-1	0.0
	36	22	17.60	17.22	17.52		0	0.0
	36	43	17.42	17.27	17.31		0-1	0.0
	75	0	17.40	17.23	17.34			0.0
DFT-s-OFDM 16QAM	1	1	17.53	17.28	17.28		0-1	0.0
CP-OFDM QPSK	1	1	17.66	17.46	17.49		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	17.38	17.24	17.35		0	0.0
	1	26	17.36	17.12	17.23			0.0
	1	50	17.28	17.08	17.27			0.0
	25	0	17.35	17.13	17.30		0-1	0.0
	25	14	17.35	17.12	17.25		0	0.0
	25	27	17.41	17.16	17.23		0-1	0.0
	50	0	17.40	17.20	17.33			0.0
DFT-s-OFDM 16QAM	1	1	17.38	17.12	17.26		0-1	0.0
CP-OFDM QPSK	1	1	17.51	17.32	17.43		0-1.5	0.0

NR Band n25 Antenna A Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	17.42	17.23	17.21		0	0.0
	1	13	17.34	17.13	17.17			0.0
	1	23	17.38	17.21	17.19			0.0
	12	0	17.42	17.25	17.28		0-1	0.0
	12	7	17.32	17.15	17.23		0	0.0
	12	13	17.36	17.20	17.22		0-1	0.0
	25	0	17.37	17.22	17.25			0.0
DFT-s-OFDM 16QAM	1	1	17.47	17.26	17.19		0-1	0.0
CP-OFDM QPSK	1	1	17.62	17.39	17.38		0-1.5	0.0

NR Band n25 Antenna F

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.26				0	0.0
	1	80	20.19					0.0
	1	158	20.11					0.0
	80	0	20.15				0-1	0.0
	80	40	20.22				0	0.0
	80	80	20.12					0.0
	160	0	20.13				0-1	0.0
	DFT-s-OFDM 16QAM	1	1	20.21				0-1
CP-OFDM QPSK	1	1	20.51				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.31				0	0.0
	1	67	20.28					0.0
	1	131	20.42					0.0
	64	0	20.22				0-1	0.0
	64	35	20.31				0	0.0
	64	69	20.20				0-1	0.0
	128	0	20.21					0.0
	DFT-s-OFDM 16QAM	1	1	20.29				0-1
CP-OFDM QPSK	1	1	20.55				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n25 20 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)	
Conducted Power [dBm]						MPR [dB]
DFT-s-OFDM QPSK	1	1	20.13	20.10	20.41	0.0
	1	53	20.19	20.14	20.23	0.0
	1	104	20.15	20.12	20.29	0.0
	50	0	20.29	20.18	20.33	0.0
	50	28	20.30	20.21	20.38	0.0
	50	56	20.21	20.23	20.31	0.0
	100	0	20.31	20.29	20.33	0.0
DFT-s-OFDM 16QAM	1	1	20.44	20.06	20.42	0.0
CP-OFDM QPSK	1	1	20.45	20.32	20.50	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n25 15 MHz Bandwidth						
			Channel			MPR Allowed per 3GPP [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)	
Conducted Power [dBm]						MPR [dB]
DFT-s-OFDM QPSK	1	1	20.19	20.18	20.28	0.0
	1	40	20.04	20.19	20.20	0.0
	1	77	20.20	20.22	20.26	0.0
	36	0	20.18	20.30	20.23	0.0
	36	22	20.26	20.23	20.40	0.0
	36	43	20.20	20.16	20.22	0.0
	75	0	20.21	20.32	20.24	0.0
DFT-s-OFDM 16QAM	1	1	20.34	20.46	20.39	0.0
CP-OFDM QPSK	1	1	20.49	20.54	20.54	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	20.13	19.98	20.11		0	0.0
	1	26	20.04	20.17	20.30			0.0
	1	50	20.09	20.18	20.22			0.0
	25	0	20.20	20.16	20.22		0-1	0.0
	25	14	20.19	20.25	20.33		0	0.0
	25	27	20.21	20.19	20.17		0-1	0.0
	50	0	20.22	20.16	20.20			0.0
	DFT-s-OFDM 16QAM	1	1	20.30	20.33		20.22	0-1
CP-OFDM QPSK	1	1	20.41	20.39	20.32	0-1.5	0.0	

NR Band n25 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 5 MHz Bandwidth

NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	20.12	20.21	20.15		0	0.0
	1	13	20.14	20.06	20.04			0.0
	1	23	20.15	20.08	20.10			0.0
	12	0	20.15	20.22	20.20		0-1	0.0
	12	7	20.23	20.16	20.22		0	0.0
	12	13	20.15	20.18	20.15		0-1	0.0
	25	0	20.12	20.21	20.16			0.0
	DFT-s-OFDM 16QAM	1	1	20.35	20.48		20.34	0-1
CP-OFDM QPSK	1	1	20.40	20.54	20.44	0-1.5	0.0	

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n25 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.23				0	0.0
	1	80	18.26					0.0
	1	158	18.30					0.0
	80	0	18.20				0-1	0.0
	80	40	18.34				0	0.0
	80	80	18.29				0-1	0.0
	160	0	18.25					0.0
	DFT-s-OFDM 16QAM	1	1	18.40				0-1
CP-OFDM QPSK	1	1	18.42				0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 25 MHz Bandwidth

NR Band n25 25 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	376500 (1882.5 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.22				0	0.0
	1	67	18.29					0.0
	1	131	18.37					0.0
	64	0	18.27				0-1	0.0
	64	35	18.30				0	0.0
	64	69	18.24				0-1	0.0
	128	0	18.25					0.0
	DFT-s-OFDM 16QAM	1	1				18.38	0-1
CP-OFDM QPSK	1	1	18.48	0-1.5	0.0			

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth								
NR Band n25 20 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	372000 (1860 MHz)	376500 (1882.5 MHz)	381000 (1905 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	18.04	18.21	18.38		0	0.0
	1	53	18.08	18.30	18.13			0.0
	1	104	18.13	18.25	18.29			0.0
	50	0	18.15	18.23	18.38		0-1	0.0
	50	28	18.14	18.33	18.25		0	0.0
	50	56	18.18	18.27	18.33		0-1	0.0
	100	0	18.18	18.25	18.32			0.0
DFT-s-OFDM 16QAM	1	1	18.24	18.37	18.50		0-1	0.0
CP-OFDM QPSK	1	1	18.38	18.38	18.60		0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth								
NR Band n25 15 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371500 (1857.5 MHz)	376500 (1882.5 MHz)	381500 (1907.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	18.20	18.32	18.22		0	0.0
	1	40	18.09	18.24	18.20			0.0
	1	77	18.03	18.30	18.28			0.0
	36	0	18.18	18.23	18.25		0-1	0.0
	36	22	18.22	18.35	18.35		0	0.0
	36	43	18.15	18.24	18.27		0-1	0.0
	75	0	18.22	18.25	18.26			0.0
DFT-s-OFDM 16QAM	1	1	18.40	18.50	18.48		0-1	0.0
CP-OFDM QPSK	1	1	18.47	18.47	18.49		0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth								
NR Band n25 10 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	371000 (1855 MHz)	376500 (1882.5 MHz)	382000 (1910 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	18.12	18.10	18.16		0	0.0
	1	26	18.17	18.17	18.29			0.0
	1	50	18.15	18.08	18.25			0.0
	25	0	18.18	18.12	18.21		0-1	0.0
	25	14	18.25	18.22	18.36		0	0.0
	25	27	18.20	18.11	18.25		0-1	0.0
	50	0	18.17	18.16	18.23			0.0
DFT-s-OFDM 16QAM	1	1	18.33	18.26	18.30		0-1	0.0
CP-OFDM QPSK	1	1	18.44	18.30	18.45		0-1.5	0.0

NR Band n25 Antenna F Measured Plimit for DSI = 1 (Head) - 5 MHz Bandwidth								
NR Band n25 5 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	370500 (1852.5 MHz)	376500 (1882.5 MHz)	382500 (1912.5 MHz)			
Conducted Power [dBm]								
DFT-s-OFDM QPSK	1	1	18.05	18.19	18.17		0	0.0
	1	13	18.03	18.12	18.10			0.0
	1	23	18.04	18.08	18.05			0.0
	12	0	18.09	18.18	18.27		0-1	0.0
	12	7	18.17	18.26	18.23		0	0.0
	12	13	18.09	18.11	18.15		0-1	0.0
	25	0	18.07	18.16	18.18			0.0
DFT-s-OFDM 16QAM	1	1	18.34	18.44	18.45		0-1	0.0
CP-OFDM QPSK	1	1	18.41	18.50	18.57		0-1.5	0.0

NR Band n41 PC3 Path 2 Antenna B

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth							
NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.30	16.97		0	0.0
	1	123	16.99	16.96			0.0
	1	243	17.09	17.32			0.0
	120	0	17.05	16.94		0-1	0.0
	120	63	16.90	16.97		0	0.0
	120	125	16.89	17.10		0-1	0.0
	243	0	16.98	17.18			0.0
DFT-s-OFDM 16QAM	1	1	17.22	16.92		0-1	0.0
CP-OFDM QPSK	1	1	17.21	16.96		0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth								
NR Band n41 80 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)				
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.33	16.98			0	0.0
	1	109	16.90	17.05				0.0
	1	215	16.86	17.32				0.0
	108	0	17.11	16.94			0-1	0.0
	108	55	16.97	17.15			0	0.0
	108	109	16.88	17.07			0-1	0.0
	216	0	17.10	17.12				0.0
DFT-s-OFDM 16QAM	1	1	17.22	16.79			0-1	0.0
CP-OFDM QPSK	1	1	17.20	17.03			0-1.5	0.0

NR Band n41 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.32	16.99		0	0.0
	1	95	16.95	17.05			0.0
	1	187	16.84	17.31			0.0
	90	0	17.11	16.96		0-1	0.0
	90	50	16.93	17.17		0	0.0
	90	99	16.96	17.08		0-1	0.0
	180	0	17.06	17.16			0.0
	DFT-s-OFDM 16QAM	1	1	17.28		17.18	
CP-OFDM QPSK	1	1	17.25	17.13		0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth								
NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.26	16.75	16.94	0	0.0	
	1	81	16.86	16.78	17.06		0.0	
	1	160	16.84	17.01	17.28		0.0	
	81	0	17.02	16.73	16.95	0-1	0.0	
	81	41	16.94	16.76	17.03	0	0.0	
	81	81	16.88	16.80	17.05	0-1	0.0	
	162	0	16.96	16.80	17.13		0.0	
	DFT-s-OFDM 16QAM	1	1	17.06	16.71	16.94	0-1	0.0
CP-OFDM QPSK	1	1	17.21	17.07	16.78	0-1.5	0.0	

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth								
NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	17.20	17.14	17.10	0	0.0	
	1	67	17.27	16.98	17.35		0.0	
	1	131	17.11	17.24	17.25		0.0	
	64	0	17.15	16.98	17.19	0-1	0.0	
	64	35	17.13	17.08	17.12	0	0.0	
	64	69	17.15	17.10	17.16	0-1	0.0	
	128	0	17.15	17.05	17.15		0.0	
DFT-s-OFDM 16QAM	1	1	17.25	17.11	17.10	0-1	0.0	
CP-OFDM QPSK	1	1	17.26	17.14	17.23	0-1.5	0.0	

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.35	16.89	16.97	17.03		0	0.0
	1	53	17.10	16.93	16.88	17.07			0.0
	1	104	17.07	16.98	17.07	17.26			0.0
	50	0	17.10	16.96	16.89	17.08		0-1	0.0
	50	28	17.16	17.05	17.03	17.13		0	0.0
	50	56	17.05	16.94	16.95	17.14		0-1	0.0
	100	0	17.10	17.11	17.12	17.13			0.0
DFT-s-OFDM 16QAM	1	1	17.13	16.80	16.83	16.97		0-1	0.0
CP-OFDM QPSK	1	1	17.24	17.17	16.81	17.17		0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.38	17.12	17.02	17.09	17.19	0	0.0
	1	39	17.19	17.06	16.85	17.01	17.25		0.0
	1	76	17.07	17.02	16.99	17.09	17.25		0.0
	36	0	17.11	16.95	16.86	16.94	17.16	0-1	0.0
	36	21	17.19	17.03	16.81	17.09	17.15	0	0.0
	36	42	17.11	17.02	16.92	17.07	17.14	0-1	0.0
	75	0	17.08	16.98	16.94	17.10	17.12		0.0
DFT-s-OFDM 16QAM	1	1	17.23	17.05	17.05	17.00	17.16	0-1	0.0
CP-OFDM QPSK	1	1	17.28	17.17	16.88	17.23	17.20	0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.20	16.92	16.91	17.04	17.12	0	0.0
	1	26	17.31	17.05	17.07	16.98	17.30		0.0
	1	49	17.15	16.86	17.08	17.16	17.31		0.0
	25	0	17.16	17.00	16.93	16.91	17.04	0-1	0.0
	25	13	17.19	16.98	16.93	17.02	17.14	0	0.0
	25	26	17.21	16.92	16.86	16.98	17.04	0-1	0.0
	50	0	17.14	17.04	16.99	17.03	17.09		0.0
DFT-s-OFDM 16QAM	1	1	17.22	17.09	17.03	16.91	17.14	0-1	0.0
CP-OFDM QPSK	1	1	17.24	16.90	16.91	17.03	17.13	0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.21	16.99	17.06	17.03	17.23	0	0.0
	1	19	17.20	16.98	17.03	17.08	17.23		0.0
	1	36	17.39	16.91	16.90	17.01	17.30		0.0
	18	0	17.14	16.91	16.92	16.92	17.06	0-1	0.0
	18	10	17.14	17.05	17.00	17.09	17.16	0	0.0
	18	20	17.08	16.83	16.90	16.98	17.01	0-1	0.0
	36	0	17.15	16.94	16.93	16.96	17.12		0.0
DFT-s-OFDM 16QAM	1	1	17.15	16.86	16.89	17.13	17.28	0-1	0.0
CP-OFDM QPSK	1	1	17.26	17.12	17.04	16.98	17.20	0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	17.28	17.07	16.98	17.00	17.30	0	0.0
	1	12	17.36	16.98	16.89	17.14	17.20		0.0
	1	22	17.37	17.04	16.97	17.05	17.17		0.0
	12	0	17.11	17.00	16.82	16.95	17.08	0-1	0.0
	12	6	17.19	16.98	16.93	17.04	17.17	0	0.0
	12	12	17.12	16.97	16.81	17.05	17.13	0-1	0.0
	24	0	17.16	17.00	16.81	16.98	17.15		0.0
DFT-s-OFDM 16QAM	1	1	17.25	17.00	16.81	17.09	17.19	0-1	0.0
CP-OFDM QPSK	1	1	17.23	17.08	16.93	17.00	17.18	0-1.5	0.0

NR Band n41							
90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.46	21.09		0	0.0
	1	123	20.99	21.17			0.0
	1	243	21.15	21.46			0.0
	120	0	21.13	21.06		0-1	0.0
	120	63	21.08	21.24		0	0.0
	120	125	20.97	21.25		0-1	0.0
	243	0	21.20	21.20		0	0.0
DFT-s-OFDM 16QAM	1	1	21.47	21.12		0-1	0.0
CP-OFDM QPSK	1	1	21.65	21.09		0-1.5	0.0

NR Band n41							
80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.43	21.10		0	0.0
	1	109	21.02	21.17			0.0
	1	215	21.05	21.45			0.0
	108	0	21.25	21.07		0-1	0.0
	108	55	21.14	21.30		0	0.0
	108	109	21.01	21.31		0-1	0.0
	216	0	21.21	21.22		0	0.0
DFT-s-OFDM 16QAM	1	1	21.53	20.94		0-1	0.0
CP-OFDM QPSK	1	1	21.63	21.23		0-1.5	0.0

NR Band n41							
70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	21.43	21.08		0	0.0
	1	95	21.09	21.12			0.0
	1	187	21.02	21.38			0.0
	90	0	21.34	21.15		0-1	0.0
	90	50	21.17	21.29		0	0.0
	90	99	21.02	21.37		0-1	0.0
	180	0	21.14	21.16		0	0.0
	DFT-s-OFDM 16QAM	1	1	21.44		20.96	0-1
CP-OFDM QPSK	1	1	21.62	21.25		0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 60 MHz Bandwidth								
NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	21.54	20.95	21.12		0	0.0
	1	81	21.00	20.89	21.12			0.0
	1	160	21.16	21.08	21.43			0.0
	81	0	21.14	20.93	21.14		0-1	0.0
	81	41	21.15	20.90	21.30		0	0.0
	81	81	21.00	21.00	21.19		0-1	0.0
	162	0	21.15	21.11	21.17			0.0
	DFT-s-OFDM 16QAM	1	1	21.50	20.93		20.99	0-1
CP-OFDM QPSK	1	1	21.53	21.03	21.23	0-1.5	0.0	

NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	21.65	21.23	21.28	0	0.0	
	1	67	21.33	21.13	21.37		0.0	
	1	131	21.41	21.30	21.63		0.0	
	64	0	21.49	21.18	21.40	0-1	0.0	
	64	35	21.45	21.27	21.51	0	0.0	
	64	69	21.31	21.21	21.48	0-1	0.0	
	128	0	21.37	21.16	21.39	0	0.0	
DFT-s-OFDM 16QAM	1	1	21.53	21.18	21.49	0-1	0.0	
CP-OFDM QPSK	1	1	21.59	21.16	21.41	0-1.5	0.0	

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.56	21.10	20.99	21.28		0	0.0
	1	53	21.37	21.11	21.11	21.33			0.0
	1	104	21.16	21.18	21.17	21.57			0.0
	50	0	21.38	21.05	21.06	21.24		0-1	0.0
	50	28	21.29	21.10	21.17	21.42		0	0.0
	50	56	21.21	21.05	21.10	21.38		0-1	0.0
	100	0	21.38	21.26	21.25	21.38		0.0	
DFT-s-OFDM 16QAM	1	1	21.46	21.07	21.03	21.21		0-1	0.0
CP-OFDM QPSK	1	1	21.44	21.26	21.12	21.43		0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.64	21.17	21.31	21.19	21.41	0	0.0
	1	39	21.46	21.23	21.07	21.24	21.39		0.0
	1	76	21.30	21.28	21.15	21.41	21.48		0.0
	36	0	21.46	21.17	21.02	21.13	21.29	0-1	0.0
	36	21	21.38	21.18	21.05	21.23	21.43	0	0.0
	36	42	21.34	21.06	21.14	21.21	21.39	0-1	0.0
	75	0	21.46	21.14	21.01	21.24	21.34	0-1	0.0
DFT-s-OFDM 16QAM	1	1	21.52	21.17	21.04	21.16	21.33	0-1	0.0
CP-OFDM QPSK	1	1	21.50	21.34	21.00	21.22	21.35	0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	21.55	21.21	21.08	21.14	21.36	0	0.0	
	1	26	21.49	21.26	21.22	21.26	21.40		0.0	
	1	49	21.53	21.04	21.31	21.14	21.40		0.0	
	25	0	21.43	21.22	21.06	21.12	21.24	0-1	0.0	
	25	13	21.51	21.23	21.10	21.14	21.37	0	0.0	
	25	26	21.38	21.09	21.00	21.18	21.36	0-1	0.0	
	50	0	21.50	21.23	21.11	21.24	21.42	0.0		
DFT-s-OFDM 16QAM	1	1	21.42	21.09	21.04	21.12	21.40	0-1	0.0	
CP-OFDM QPSK	1	1	21.72	21.17	20.99	21.17	21.39	0-1.5	0.0	

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.30	21.35	21.23	21.14	21.52	0	0.0
	1	19	21.46	21.20	21.21	21.21	21.42		0.0
	1	36	21.56	21.29	21.12	21.23	21.38		0.0
	18	0	21.48	21.07	21.10	21.13	21.22	0-1	0.0
	18	10	21.51	21.22	21.18	21.26	21.50	0	0.0
	18	20	21.41	21.20	21.12	21.14	21.31	0-1	0.0
	36	0	21.45	21.19	21.00	21.12	21.33		0.0
DFT-s-OFDM 16QAM	1	1	21.56	21.12	21.05	21.08	21.49	0-1	0.0
CP-OFDM QPSK	1	1	21.64	21.27	21.21	21.41	21.39	0-1.5	0.0

NR Band n41 Antenna B Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	21.65	21.24	21.18	20.99	21.40	0	0.0
	1	12	21.49	21.32	21.07	21.18	21.40		0.0
	1	22	21.63	21.34	21.26	21.32	21.43		0.0
	12	0	21.52	21.14	21.23	21.09	21.23	0-1	0.0
	12	6	21.54	21.34	21.26	21.20	21.42	0	0.0
	12	12	21.46	21.08	21.26	21.17	21.34	0-1	0.0
	24	0	21.50	21.09	21.27	21.11	21.27	0.0	
DFT-s-OFDM 16QAM	1	1	21.53	21.25	21.34	21.14	21.31	0-1	0.0
CP-OFDM QPSK	1	1	21.74	21.33	21.31	21.23	21.25	0-1.5	0.0

NR Band n41 PC3 Path 1 Antenna F

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth							
NR Band n41 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.91	18.97		0	0.0
	1	123	18.77	18.73			0.0
	1	243	19.07	19.00			0.0
	120	0	18.74	18.69		0-1	0.0
	120	63	18.77	18.75		0	0.0
	120	125	18.83	18.82		0-1	0.0
	243	0	18.81	18.82			0.0
DFT-s-OFDM 16QAM	1	1	18.96	19.10		0-1	0.0
CP-OFDM QPSK	1	1	19.21	19.21		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth							
NR Band n41 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.96	18.89		0	0.0
	1	109	18.76	18.60			0.0
	1	215	18.98	19.08			0.0
	108	0	18.84	18.74		0-1	0.0
	108	55	18.91	18.80		0	0.0
	108	109	18.80	18.83		0-1	0.0
	216	0	18.99	18.87			0.0
DFT-s-OFDM 16QAM	1	1	19.12	18.92		0-1	0.0
CP-OFDM QPSK	1	1	19.03	18.93		0-1.5	0.0

NR Band n41 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	18.89	18.71		0	0.0
	1	95	18.86	18.71			0.0
	1	187	18.93	18.94			0.0
	90	0	18.79	18.67		0-1	0.0
	90	50	18.90	18.69		0	0.0
	90	99	18.90	18.91		0-1	0.0
	180	0	18.91	18.77			0.0
DFT-s-OFDM 16QAM	1	1	18.93	18.67		0-1	0.0
CP-OFDM QPSK	1	1	19.09	18.86		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth								
NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	18.84	19.00	18.64		0	0.0
	1	81	18.64	18.87	18.59			0.0
	1	160	18.72	18.79	19.07			0.0
	81	0	18.77	18.89	18.57		0-1	0.0
	81	41	18.80	18.96	18.72		0	0.0
	81	81	18.68	18.86	18.73		0-1	0.0
	162	0	18.76	18.97	18.77			0.0
DFT-s-OFDM 16QAM	1	1	18.83	18.79	18.72		0-1	0.0
CP-OFDM QPSK	1	1	18.86	19.19	18.80		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth								
NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	19.04	19.14	18.71	0	0.0	
	1	67	18.92	19.09	18.84		0.0	
	1	131	18.98	19.14	19.38		0.0	
	64	0	18.99	19.16	18.82	0-1	0.0	
	64	35	19.08	19.24	18.99	0	0.0	
	64	69	18.96	19.10	19.06	0-1	0.0	
	128	0	18.98	19.15	18.92		0.0	
DFT-s-OFDM 16QAM	1	1	19.04	19.12	18.86	0-1	0.0	
CP-OFDM QPSK	1	1	19.12	19.34	18.79	0-1.5	0.0	

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.85	18.77	18.95	18.53		0	0.0
	1	53	18.84	19.01	18.75	18.67			0.0
	1	104	18.78	19.00	18.66	18.97			0.0
	50	0	18.87	18.83	18.89	18.69		0-1	0.0
	50	28	18.90	19.00	18.86	18.84		0	0.0
	50	56	18.83	19.01	18.78	18.93		0-1	0.0
	100	0	18.91	19.06	18.87	18.82			0.0
DFT-s-OFDM 16QAM	1	1	18.76	18.84	18.89	18.62	0-1	0.0	
CP-OFDM QPSK	1	1	18.90	18.78	19.19	18.78	0-1.5	0.0	

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.10	18.82	19.27	18.92	18.86	0	0.0
	1	39	19.03	19.13	19.13	18.77	18.91		0.0
	1	76	18.93	19.03	19.17	18.65	19.17		0.0
	36	0	18.88	18.94	19.00	18.80	18.74	0-1	0.0
	36	21	18.99	19.02	19.10	18.77	18.96	0	0.0
	36	42	18.92	18.94	19.07	18.62	18.99	0-1	0.0
	75	0	18.86	18.98	18.98	18.70	18.88	0	0.0
DFT-s-OFDM 16QAM	1	1	18.86	18.88	19.21	19.02	18.73	0-1	0.0
CP-OFDM QPSK	1	1	19.03	19.04	19.25	18.98	18.86	0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	18.94	18.80	19.02	18.99	19.03	0	0.0
	1	26	19.02	19.09	19.14	18.83	19.17		0.0
	1	49	18.94	18.86	19.49	18.76	19.27		0.0
	25	0	18.79	18.83	19.15	18.88	19.03	0-1	0.0
	25	13	18.89	18.99	19.20	18.90	19.13	0	0.0
	25	26	18.85	18.85	19.21	18.83	19.09	0-1	0.0
	50	0	18.92	18.91	19.13	18.95	19.19		0.0
DFT-s-OFDM 16QAM	1	1	18.96	18.67	19.28	18.83	18.79	0-1	0.0
CP-OFDM QPSK	1	1	18.91	18.86	19.22	18.94	18.90	0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	19.09	18.81	18.98	18.91	19.16	0	0.0
	1	19	19.15	18.84	19.23	18.90	19.15		0.0
	1	36	18.99	19.28	19.29	18.78	19.26		0.0
	18	0	18.95	18.96	18.93	18.74	19.00	0-1	0.0
	18	10	19.05	18.95	19.14	18.81	19.17	0	0.0
	18	20	18.99	19.07	19.02	18.65	19.11	0-1	0.0
	36	0	18.94	18.98	19.06	18.79	19.06		0.0
DFT-s-OFDM 16QAM	1	1	18.96	19.16	19.02	18.69	19.05	0-1	0.0
CP-OFDM QPSK	1	1	19.02	18.77	19.21	19.00	19.04	0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth										
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	18.94	18.93	19.07	18.78	19.03		0	0.0
	1	12	19.08	18.84	19.06	18.93	19.11			0.0
	1	22	19.11	18.93	19.05	19.02	19.15			0.0
	12	0	18.91	18.78	19.03	18.72	19.03		0-1	0.0
	12	6	18.96	18.78	19.08	18.77	19.05		0	0.0
	12	12	18.95	18.86	19.10	18.77	19.04		0-1	0.0
	24	0	18.90	18.83	19.04	18.75	19.02			0.0
	DFT-s-OFDM 16QAM	1	1	18.78	18.76	19.09	18.79		19.15	0-1
CP-OFDM QPSK	1	1	18.71	19.12	19.17	19.10	19.33	0-1.5	0.0	

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 90 MHz Bandwidth								
NR Band n41 90 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	508200 (2541 MHz)	528996 (2644.98 MHz)				
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.30	16.41			0	0.0
	1	123	16.15	16.08				0.0
	1	243	16.52	16.42				0.0
	120	0	16.26	16.24			0-1	0.0
	120	63	16.27	16.09			0	0.0
	120	125	16.28	16.26			0-1	0.0
	243	0	16.34	16.26			0	0.0
DFT-s-OFDM 16QAM	1	1	16.36	16.33			0-1	0.0
CP-OFDM QPSK	1	1	16.25	16.41			0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 80 MHz Bandwidth								
NR Band n41 80 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	507204 (2536.02 MHz)	529998 (2649.99 MHz)				
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.27	16.27			0	0.0
	1	109	16.18	15.96				0.0
	1	215	16.39	16.37				0.0
	108	0	16.25	16.15			0-1	0.0
	108	55	16.20	16.07			0	0.0
	108	109	16.30	16.27			0-1	0.0
	216	0	16.42	16.22			0	0.0
DFT-s-OFDM 16QAM	1	1	16.25	16.21			0-1	0.0
CP-OFDM QPSK	1	1	16.40	16.39			0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 70 MHz Bandwidth							
NR Band n41 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	506202 (2531.01 MHz)	531000 (2655 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.26	16.11		0	0.0
	1	95	16.16	16.02			0.0
	1	187	16.42	16.35			0.0
	90	0	16.25	16.06		0-1	0.0
	90	50	16.14	16.09		0	0.0
	90	99	16.26	16.27		0-1	0.0
	180	0	16.23	16.15		0	0.0
DFT-s-OFDM 16QAM	1	1	16.20	16.05		0-1	0.0
CP-OFDM QPSK	1	1	16.45	16.18		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 60 MHz Bandwidth								
NR Band n41 60 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.05	16.22	16.08		0	0.0
	1	81	16.02	16.35	15.98			0.0
	1	160	16.17	16.09	16.45			0.0
	81	0	16.11	16.22	15.90		0-1	0.0
	81	41	16.07	16.34	16.00		0	0.0
	81	81	16.09	16.32	16.21		0-1	0.0
	162	0	16.19	16.44	16.24		0	0.0
DFT-s-OFDM 16QAM	1	1	16.22	16.33	15.91		0-1	0.0
CP-OFDM QPSK	1	1	16.21	16.37	16.10		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 50 MHz Bandwidth								
NR Band n41 50 MHz Bandwidth								
			Channel				MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)			
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	16.41	16.34	16.23		0	0.0
	1	67	16.26	16.65	16.31			0.0
	1	131	16.27	16.41	16.65			0.0
	64	0	16.38	16.48	16.15		0-1	0.0
	64	35	16.34	16.58	16.27		0	0.0
	64	69	16.33	16.57	16.48		0-1	0.0
	128	0	16.22	16.56	16.42		0	0.0
DFT-s-OFDM 16QAM	1	1	16.44	16.27	16.39		0-1	0.0
CP-OFDM QPSK	1	1	16.45	16.52	16.30		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n41 40 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)			
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.17	16.11	16.13	16.02		0	0.0
	1	53	16.23	16.35	16.23	16.12		0	0.0
	1	104	16.10	16.36	16.07	16.40		0	0.0
	50	0	16.20	16.19	16.25	16.08		0-1	0.0
	50	28	16.21	16.23	16.32	16.17		0	0.0
	50	56	16.14	16.29	16.16	16.36		0-1	0.0
	100	0	16.22	16.28	15.81	15.77			0.0
DFT-s-OFDM 16QAM	1	1	16.36	16.14	16.19	16.12	0-1	0.0	
CP-OFDM QPSK	1	1	16.30	16.16	16.23	15.91	0-1.5	0.0	

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n41 30 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.39	16.23	16.41	16.20	16.17	0	0.0
	1	39	16.06	16.20	16.30	16.06	16.29		0.0
	1	76	16.20	16.20	16.37	15.66	16.63		0.0
	36	0	16.16	16.13	16.36	16.19	16.21	0-1	0.0
	36	21	16.13	16.21	16.43	16.08	16.33	0	0.0
	36	42	16.17	16.38	16.38	16.11	16.53	0-1	0.0
	75	0	16.14	16.26	16.35	16.13	16.30		0.0
DFT-s-OFDM 16QAM	1	1	16.28	16.31	16.25	16.35	16.04	0-1	0.0
CP-OFDM QPSK	1	1	16.24	16.03	16.52	16.27	16.36	0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n41 20 MHz Bandwidth										
			Channel						MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)			
			Conducted Power [dBm]							
DFT-s-OFDM QPSK	1	1	16.21	16.01	16.40	16.27	16.24		0	0.0
	1	26	16.27	16.30	16.42	16.32	16.46			0.0
	1	49	16.32	16.30	16.30	16.21	16.71			0.0
	25	0	16.35	16.19	16.37	16.20	16.40		0-1	0.0
	25	13	16.22	16.24	16.41	16.24	16.56		0	0.0
	25	26	16.22	16.31	16.36	16.15	16.44		0	0.0
	50	0	16.30	16.27	16.47	16.29	16.41		0-1	0.0
DFT-s-OFDM 16QAM	1	1	16.26	16.12	16.46	16.15	16.54		0-1	0.0
CP-OFDM QPSK	1	1	16.39	16.27	16.44	16.20	16.45		0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n41 15 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.34	16.25	16.49	16.17	16.49	0	0.0
	1	19	16.40	16.28	16.49	16.23	16.44		0.0
	1	36	16.34	16.41	16.47	16.21	16.62		0.0
	18	0	16.31	16.24	16.32	16.28	16.39	0-1	0.0
	18	10	16.44	16.32	16.43	16.27	16.50	0	0.0
	18	20	16.26	16.29	16.40	16.18	16.51	0-1	0.0
	36	0	16.25	16.21	16.36	16.14	16.41		0.0
DFT-s-OFDM 16QAM	1	1	16.33	16.33	16.41	16.21	16.40	0-1	0.0
CP-OFDM QPSK	1	1	16.33	16.31	16.59	16.31	16.61	0-1.5	0.0

NR Band n41 Antenna F Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n41 10 MHz Bandwidth									
			Channel					MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)		
			Conducted Power [dBm]						
DFT-s-OFDM QPSK	1	1	16.50	16.50	16.47	16.26	16.62	0	0.0
	1	12	16.30	16.41	16.33	16.27	16.57		0.0
	1	22	16.38	16.37	16.70	16.13	16.56		0.0
	12	0	16.37	16.34	16.40	16.25	16.53	0-1	0.0
	12	6	16.41	16.28	16.52	16.21	16.56	0	0.0
	12	12	16.35	16.33	16.48	16.30	16.51	0-1	0.0
	24	0	16.38	16.33	16.48	16.26	16.54		0.0
DFT-s-OFDM 16QAM	1	1	16.39	16.41	16.74	16.35	16.45	0-1	0.0
CP-OFDM QPSK	1	1	16.64	16.30	16.61	16.39	16.56	0-1.5	0.0

NR Band n41 PC3 Path 1 Antennas B, E, D

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	Conducted Power [dBm]
SRS #2 Ant B	16.56	16.05	
SRS #3 Ant E	16.21	15.72	
SRS #4 Ant D	14.50	14.52	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	Conducted Power [dBm]
SRS #2 Ant B	16.53	16.04	
SRS #3 Ant E	16.26	15.66	
SRS #4 Ant D	14.58	14.50	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	Conducted Power [dBm]
SRS #2 Ant B	16.50	16.05	
SRS #3 Ant E	16.17	15.61	
SRS #4 Ant D	14.52	14.51	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	Conducted Power [dBm]
SRS #2 Ant B	16.57	16.38	16.18	
SRS #3 Ant E	16.07	16.18	15.70	
SRS #4 Ant D	14.54	14.55	14.56	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	Conducted Power [dBm]
SRS #2 Ant B	16.52	16.40	16.13	
SRS #3 Ant E	16.36	16.39	15.92	
SRS #4 Ant D	14.73	14.56	14.58	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
	Conducted Power [dBm]				
SRS #2 Ant B	16.56	16.49	16.09	16.01	
SRS #3 Ant E	16.28	16.18	15.99	15.99	
SRS #4 Ant D	14.64	14.58	14.59	14.50	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth						
NR Band n41 30 MHz Bandwidth						
Channel						
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	16.52	16.46	16.44	16.10	16.13	
SRS #3 Ant E	16.30	16.28	16.29	15.89	15.98	
SRS #4 Ant D	14.60	14.51	14.51	14.53	14.50	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth						
NR Band n41 20 MHz Bandwidth						
Channel						
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	16.58	16.38	16.46	16.08	16.20	
SRS #3 Ant E	16.37	16.31	16.19	15.91	15.99	
SRS #4 Ant D	14.65	14.50	14.52	14.55	14.52	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth						
NR Band n41 15 MHz Bandwidth						
Channel						
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	16.51	16.39	16.46	16.08	16.24	
SRS #3 Ant E	16.39	16.33	16.17	15.93	15.99	
SRS #4 Ant D	14.67	14.52	14.54	14.56	14.51	

NR Band n41 PC3 Path 1 Antennas B, E, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth						
NR Band n41 10 MHz Bandwidth						
Channel						
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	16.52	16.41	16.39	16.08	16.27	
SRS #3 Ant E	16.44	16.34	16.20	15.93	15.99	
SRS #4 Ant D	14.63	14.59	14.50	14.55	14.55	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant B	20.62	20.10	
SRS #3 Ant E	15.24	14.62	
SRS #4 Ant D	13.50	13.52	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant B	20.63	20.12	
SRS #3 Ant E	15.29	14.66	
SRS #4 Ant D	13.65	13.55	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant B	20.65	20.10	
SRS #3 Ant E	15.20	14.63	
SRS #4 Ant D	13.68	13.54	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	Conducted Power [dBm]
SRS #2 Ant B	20.63	20.48	20.01	
SRS #3 Ant E	15.10	15.22	14.72	
SRS #4 Ant D	13.68	13.58	13.51	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
	Conducted Power [dBm]			
SRS #2 Ant B	20.69	20.62	20.14	
SRS #3 Ant E	15.30	15.28	14.88	
SRS #4 Ant D	13.65	13.68	13.59	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
	Conducted Power [dBm]				
SRS #2 Ant B	20.67	20.56	20.24	20.19	
SRS #3 Ant E	15.24	15.27	15.05	14.87	
SRS #4 Ant D	13.50	13.53	13.53	13.59	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 30 MHz Bandwidth						
NR Band n41 30 MHz Bandwidth						
Channel						
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	20.65	20.52	20.64	20.01	20.26	
SRS #3 Ant E	15.27	15.20	15.26	14.90	14.92	
SRS #4 Ant D	13.76	13.67	13.65	13.61	13.50	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 20 MHz Bandwidth						
NR Band n41 20 MHz Bandwidth						
Channel						
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	20.63	20.52	20.46	20.03	20.27	
SRS #3 Ant E	15.20	15.19	15.19	14.91	14.91	
SRS #4 Ant D	13.68	13.61	13.62	13.58	13.56	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 15 MHz Bandwidth						
NR Band n41 15 MHz Bandwidth						
Channel						
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	20.63	20.54	20.45	20.03	20.30	
SRS #3 Ant E	15.21	15.23	15.22	14.87	14.89	
SRS #4 Ant D	13.68	13.63	13.51	13.50	13.56	

NR Band n41 PC3 Path 1 Antenna B Pmax for DSI = 1 (Head) & PC3 Antennas E, D Plimit for DSI = 1 (Head) - 10 MHz Bandwidth						
NR Band n41 10 MHz Bandwidth						
Channel						
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant B	20.69	20.54	20.35	20.03	20.32	
SRS #3 Ant E	15.26	15.29	15.22	14.84	14.97	
SRS #4 Ant D	13.59	13.61	13.69	13.50	13.52	

NR Band n41 PC3 Path 2 Antennas F, D, E

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	Conducted Power [dBm]
SRS #2 Ant F	19.05	18.45	
SRS #3 Ant D	15.26	15.33	
SRS #4 Ant E	15.64	15.21	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	Conducted Power [dBm]
SRS #2 Ant F	19.10	18.10	
SRS #3 Ant D	15.25	15.22	
SRS #4 Ant E	15.82	14.60	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	Conducted Power [dBm]
SRS #2 Ant F	18.97	18.00	
SRS #3 Ant D	15.24	15.23	
SRS #4 Ant E	15.70	14.61	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	Conducted Power [dBm]
SRS #2 Ant F	18.86	19.37	18.04	
SRS #3 Ant D	15.17	15.20	15.21	
SRS #4 Ant E	15.78	15.97	14.51	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	Conducted Power [dBm]
SRS #2 Ant F	19.24	19.47	18.02	
SRS #3 Ant D	15.23	15.11	15.20	
SRS #4 Ant E	16.14	16.13	14.55	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
	Conducted Power [dBm]				
SRS #2 Ant F	19.17	18.60	19.49	18.04	
SRS #3 Ant D	15.22	15.18	15.20	15.20	
SRS #4 Ant E	16.03	15.98	16.15	14.50	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth						
NR Band n41 30 MHz Bandwidth						
Channel						
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	19.13	19.10	19.47	19.44	18.08	
SRS #3 Ant D	15.11	15.15	15.16	15.16	15.21	
SRS #4 Ant E	16.12	15.90	16.06	16.20	14.88	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth						
NR Band n41 20 MHz Bandwidth						
Channel						
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	19.33	19.09	19.46	19.47	18.17	
SRS #3 Ant D	15.11	15.19	15.17	15.17	15.14	
SRS #4 Ant E	16.07	15.95	16.07	16.20	15.19	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth						
NR Band n41 15 MHz Bandwidth						
Channel						
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	19.32	19.09	19.46	19.47	18.17	
SRS #3 Ant D	15.20	15.09	15.19	15.24	15.21	
SRS #4 Ant E	16.10	15.96	16.07	16.11	15.36	

NR Band n41 Path 2 PC3 Antennas F, D, E Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth						
NR Band n41 10 MHz Bandwidth						
Channel						
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	19.25	19.08	19.49	19.49	18.35	
SRS #3 Ant D	15.20	15.09	15.05	15.21	15.23	
SRS #4 Ant E	16.10	15.88	16.11	16.13	15.39	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 90 MHz Bandwidth			
NR Band n41 90 MHz Bandwidth			
Channel			
Antenna	508200 (2541 MHz)	528996 (2644.98 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	16.41	16.49	
SRS #3 Ant D	14.35	14.31	
SRS #4 Ant E	14.78	13.93	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 80 MHz Bandwidth			
NR Band n41 80 MHz Bandwidth			
Channel			
Antenna	507204 (2536.02 MHz)	529998 (2649.99 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	16.43	16.14	
SRS #3 Ant D	14.41	14.45	
SRS #4 Ant E	14.75	13.71	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 70 MHz Bandwidth			
NR Band n41 70 MHz Bandwidth			
Channel			
Antenna	506202 (2531.01 MHz)	531000 (2655 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant F	16.34	16.00	
SRS #3 Ant D	14.29	14.46	
SRS #4 Ant E	14.73	13.52	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 60 MHz Bandwidth				
NR Band n41 60 MHz Bandwidth				
Channel				
Antenna	505200 (2526 MHz)	518598 (2592.99 MHz)	531996 (2659.98 MHz)	
	Conducted Power [dBm]			
SRS #2 Ant F	16.36	16.82	16.00	
SRS #3 Ant D	14.42	14.33	14.32	
SRS #4 Ant E	14.72	14.90	13.54	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 50 MHz Bandwidth				
NR Band n41 50 MHz Bandwidth				
Channel				
Antenna	504204 (2521.02 MHz)	518598 (2592.99 MHz)	532998 (2664.99 MHz)	
	Conducted Power [dBm]			
SRS #2 Ant F	16.65	16.99	15.99	
SRS #3 Ant D	14.50	14.30	14.35	
SRS #4 Ant E	15.03	15.06	13.64	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 40 MHz Bandwidth					
NR Band n41 40 MHz Bandwidth					
Channel					
Antenna	503202 (2516.01 MHz)	513468 (2567.34 MHz)	523734 (2618.67 MHz)	534000 (2670 MHz)	
	Conducted Power [dBm]				
SRS #2 Ant F	16.58	16.79	16.99	16.01	
SRS #3 Ant D	14.47	14.26	14.20	14.25	
SRS #4 Ant E	14.92	15.03	15.07	13.68	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 30 MHz Bandwidth						
NR Band n41 30 MHz Bandwidth						
Channel						
Antenna	502200 (2511 MHz)	510402 (2552.01 MHz)	518598 (2592.99 MHz)	526800 (2634 MHz)	534996 (2674.98 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	16.62	16.66	16.97	16.99	16.00	
SRS #3 Ant D	14.39	14.26	14.25	14.26	14.28	
SRS #4 Ant E	15.02	14.92	14.93	15.03	14.20	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 20 MHz Bandwidth						
NR Band n41 20 MHz Bandwidth						
Channel						
Antenna	501204 (2506.02 MHz)	509898 (2549.49 MHz)	518598 (2592.99 MHz)	527298 (2636.49 MHz)	535998 (2679.99 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	16.72	16.65	16.98	16.98	16.09	
SRS #3 Ant D	14.35	14.09	14.18	14.26	14.39	
SRS #4 Ant E	15.02	14.89	15.04	15.01	14.42	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 15 MHz Bandwidth						
NR Band n41 15 MHz Bandwidth						
Channel						
Antenna	500700 (2503.5 MHz)	509652 (2548.26 MHz)	518598 (2592.99 MHz)	527550 (2637.75 MHz)	536496 (2682.48 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	16.70	16.64	16.89	16.98	16.18	
SRS #3 Ant D	14.35	14.11	14.15	14.20	14.38	
SRS #4 Ant E	15.01	14.90	15.05	15.06	14.54	

NR Band n41 PC3 Path 2 Antennas F, D, E Plimit for DSI = 1 (Head) - 10 MHz Bandwidth						
NR Band n41 10 MHz Bandwidth						
Channel						
Antenna	500202 (2501.01 MHz)	509400 (2547 MHz)	518598 (2592.99 MHz)	527802 (2639.01 MHz)	537000 (2685 MHz)	
	Conducted Power [dBm]					
SRS #2 Ant F	16.64	16.63	16.90	16.99	16.18	
SRS #3 Ant D	14.43	14.22	14.21	14.25	14.38	
SRS #4 Ant E	15.00	14.82	14.97	15.06	14.53	

NR Band n77 Antenna F

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth							
NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.84	17.49		0	0.0
	1	123	16.65	17.11			0.0
	1	243	16.61	16.89			0.0
	120	0	16.66	17.16		0-1	0.0
	120	63	16.63	17.06		0	0.0
	120	125	16.51	16.86		0-1	0.0
	243	0	16.69	17.05			0.0
DFT-s-OFDM 16QAM	1	1	16.90	17.24		0-1	0.0
CP-OFDM QPSK	1	1	16.76	17.32		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth							
NR Band n77 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.01	17.46		0	0.0
	1	109	16.64	16.97			0.0
	1	215	16.54	16.72			0.0
	108	0	16.66	17.11		0-1	0.0
	108	55	16.69	17.04		0	0.0
	108	109	16.50	16.87		0-1	0.0
	216	0	16.67	17.01			0.0
	DFT-s-OFDM 16QAM	1	1	16.89		17.31	
CP-OFDM QPSK	1	1	16.87	17.31		0-1.5	0.0

NR Band n77 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.63	17.23		0	0.0
	1	95	16.52	16.91			0.0
	1	187	16.44	16.72			0.0
	90	0	16.62	17.07			0-1
	90	50	16.66	17.02		0	0.0
	90	99	16.50	16.90		0-1	0.0
	180	0	16.60	16.97		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	16.72		17.16	
CP-OFDM QPSK	1	1	16.99	17.18		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth							
NR Band n77 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.70	17.23		0	0.0
	1	81	16.46	16.87			0.0
	1	160	16.45	16.79			0.0
	81	0	16.46	17.00		0-1	0.0
	81	41	16.43	16.97		0	0.0
	81	81	16.33	16.74		0-1	0.0
	162	0	16.48	16.98			
	DFT-s-OFDM 16QAM	1	1	16.59		17.00	
CP-OFDM QPSK	1	1	16.86	17.18		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth							
NR Band n77 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.80	17.37		0	0.0
	1	67	16.55	17.15			0.0
	1	131	16.66	16.98			0.0
	64	0	16.65	17.23		0-1	0.0
	64	35	16.74	17.13		0	0.0
	64	69	16.64	17.04		0-1	0.0
	128	0	16.58	17.17			0.0
	DFT-s-OFDM 16QAM	1	1	16.62		17.33	
CP-OFDM QPSK	1	1	16.72	17.18		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.59	17.25		0	0.0
	1	53	16.53	17.00			0.0
	1	104	16.57	16.89		0.0	
	50	0	16.49	17.04		0-1	
	50	28	16.49	17.04		0	
	50	56	16.48	16.93		0.0	
	100	0	16.56	17.11		0-1	
						0.0	
DFT-s-OFDM 16QAM	1	1	16.49	17.10		0-1	0.0
CP-OFDM QPSK	1	1	16.72	17.20		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.63	17.16		0	0.0
	1	39	16.57	17.07			0.0
	1	76	16.55	16.99		0.0	
	36	0	16.48	17.06		0-1	
	36	21	16.55	17.03		0	
	36	42	16.48	16.90		0.0	
	75	0	16.52	17.02		0-1	
						0.0	
DFT-s-OFDM 16QAM	1	1	16.51	17.21		0-1	0.0
CP-OFDM QPSK	1	1	16.58	17.47		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.52	17.02		0	0.0
	1	26	16.64	17.05			0.0
	1	49	16.60	16.98			0.0
	25	0	16.46	17.08		0-1	0.0
	25	13	16.57	17.12		0	0.0
	25	26	16.57	16.96		0.0	
	50	0	16.57	17.12		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	16.44		16.97	0-1
CP-OFDM QPSK	1	1	16.73	17.18	0-1.5	0.0	

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.47	17.00		0	0.0
	1	19	16.53	17.00			0.0
	1	36	16.72	17.13			0.0
	18	0	16.51	17.05		0-1	
	18	10	16.62	17.14		0	
	18	20	16.47	17.05		0.0	
	36	0	16.50	17.00		0-1	
						0.0	
DFT-s-OFDM 16QAM	1	1	16.35	17.08		0-1	0.0
CP-OFDM QPSK	1	1	16.71	17.24		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	16.60	17.04		0	0.0
	1	12	16.67	17.14			0.0
	1	22	16.76	17.13		0.0	
	12	0	16.49	17.08		0-1	0.0
	12	6	16.60	17.11		0	0.0
	12	12	16.58	17.04		0.0	
	24	0	16.51	17.04		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	16.46		17.02	
CP-OFDM QPSK	1	1	16.53	17.11	0-1.5	0.0	

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.43	15.96		0	0.0
	1	123	15.18	15.61			0.0
	1	243	15.10	15.53			0.0
	120	0	15.19	15.66		0-1	0.0
	120	63	15.17	15.64		0	0.0
	120	125	14.96	15.54		0.0	
	243	0	15.24	15.58		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.30	15.88		0-1	0.0
CP-OFDM QPSK	1	1	15.55	15.85		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.42	15.84		0	0.0
	1	109	15.01	15.37			0.0
	1	215	15.06	15.38			0.0
	108	0	15.18	15.60		0-1	0.0
	108	55	15.14	15.51		0	0.0
	108	109	14.97	15.34		0	0.0
	216	0	15.18	15.58		0-1	0.0
DFT-s-OFDM 16QAM	1	1	15.28	15.72		0-1	0.0
CP-OFDM QPSK	1	1	15.41	15.82		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 70 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.28	15.74		0	0.0
	1	95	15.02	15.36			0.0
	1	187	15.03	15.23		0.0	
	90	0	15.10	15.57		0-1	
	90	50	15.10	15.57		0	
	90	99	14.97	15.37		0.0	
	180	0	15.08	15.44		0-1	
						0.0	
DFT-s-OFDM 16QAM	1	1	15.12	15.62		0-1	0.0
CP-OFDM QPSK	1	1	15.24	15.68		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.31	15.66		0	0.0
	1	81	14.93	15.35			0.0
	1	160	15.02	15.34		0.0	
	81	0	14.98	15.48		0-1	
	81	41	14.92	15.46		0	
	81	81	14.81	15.29		0.0	
	162	0	14.98	15.47		0-1	
DFT-s-OFDM 16QAM	1	1	15.07	15.68		0-1	0.0
CP-OFDM QPSK	1	1	15.18	15.43		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.25	15.84		0	0.0
	1	67	15.15	15.59			0.0
	1	131	15.07	15.52		0.0	
	64	0	15.14	15.72		0-1	
	64	35	15.21	15.71		0	
	64	69	15.06	15.47		0.0	
	128	0	15.11	15.61		0-1	
	0.0						
DFT-s-OFDM 16QAM	1	1	15.21	15.59		0-1	0.0
CP-OFDM QPSK	1	1	15.30	15.66		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 40 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.04	15.64		0	0.0
	1	53	15.06	15.38			0.0
	1	104	15.09	15.51			0.0
	50	0	14.94	15.58		0-1	0.0
	50	28	15.03	15.60		0	0.0
	50	56	14.87	15.39		0.0	
	100	0	15.05	15.54		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	14.89		15.61	0-1
CP-OFDM QPSK	1	1	15.08	15.55	0-1.5	0.0	

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 30 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.11	15.70		0	0.0
	1	39	15.05	15.46			0.0
	1	76	15.07	15.45		0.0	
	36	0	14.93	15.53		0-1	
	36	21	15.02	15.47		0	
	36	42	14.94	15.44		0.0	
	75	0	14.97	15.49		0-1	
							0.0
DFT-s-OFDM 16QAM	1	1	15.04	15.76		0-1	0.0
CP-OFDM QPSK	1	1	15.08	15.88		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 20 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.06	15.69		0	0.0
	1	26	14.98	15.55			0.0
	1	49	15.20	15.37			0.0
	25	0	14.92	15.60		0-1	0.0
	25	13	15.08	15.46		0	0.0
	25	26	15.01	15.45		0.0	
	50	0	15.10	15.49		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	14.88		15.48	
CP-OFDM QPSK	1	1	14.88	15.74	0-1.5	0.0	

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 15 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)	Conducted Power [dBm]		
DFT-s-OFDM QPSK	1	1	15.04	15.53		0	0.0
	1	19	15.03	15.45			0.0
	1	36	15.14	15.53		0.0	
	18	0	14.99	15.53		0-1	
	18	10	15.10	15.44		0	
	18	20	14.88	15.59		0.0	
	36	0	15.04	15.44		0-1	
DFT-s-OFDM 16QAM	1	1	15.18	15.59		0-1	0.0
CP-OFDM QPSK	1	1	14.87	15.50		0-1.5	0.0

NR Band n77 Antenna F Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 10 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	650000 (3750 MHz)	662000 (3930 MHz)			
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.13	15.56		0	0.0
	1	12	15.13	15.56			0.0
	1	22	15.20	15.55			0.0
	12	0	15.07	15.57		0-1	0.0
	12	6	15.16	15.52		0	0.0
	12	12	15.12	15.54		0-1	0.0
	24	0	14.97	15.52			0.0
	DFT-s-OFDM 16QAM	1	1	14.99		15.60	
CP-OFDM QPSK	1	1	15.12	15.87		0-1.5	0.0

NR Band n77 DoD Antenna F

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth							
NR Band n77 DoD 90 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.96			0	0.0
	1	123	16.98				0.0
	1	243	17.23				0.0
	120	0	16.92			0-1	0.0
	120	63	16.93			0	0.0
	120	125	16.94			0-1	0.0
	243	0	17.00				0.0
	DFT-s-OFDM 16QAM	1	1			17.02	
CP-OFDM QPSK	1	1	16.80			0-1.5	0.0

NR Band n77 DoD						
80 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.97		0	0.0
	1	109	16.83			0.0
	1	215	17.21			0.0
	108	0	16.88			0-1
	108	55	16.95		0	0.0
	108	109	16.93		0-1	0.0
	216	0	17.00			0.0
	DFT-s-OFDM 16QAM	1	1		16.92	0-1
CP-OFDM QPSK	1	1	17.05	0-1.5	0.0	

NR Band n77 DoD 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.81		0	0.0
	1	95	16.81			0.0
	1	187	16.98			0.0
	90	0	16.87		0-1	0.0
	90	50	16.93		0	0.0
	90	99	16.91		0-1	0.0
	180	0	16.87			
	DFT-s-OFDM 16QAM	1	1		16.73	
CP-OFDM QPSK	1	1	17.00		0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth							
NR Band n77 DoD 60 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	16.93			0	0.0
	1	81	16.80				0.0
	1	160	17.08				0.0
	81	0	16.84			0-1	0.0
	81	41	16.89			0	0.0
	81	81	16.89			0-1	0.0
	162	0	16.94				0.0
	DFT-s-OFDM 16QAM	1	1			16.77	
CP-OFDM QPSK	1	1	16.65			0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth							
NR Band n77 DoD 50 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	17.20			0	0.0
	1	67	17.08				0.0
	1	131	17.33				0.0
	64	0	17.08			0-1	0.0
	64	35	17.20			0	0.0
	64	69	17.19			0-1	0.0
	128	0	17.17				0.0
	DFT-s-OFDM 16QAM	1	1			16.97	0-1
CP-OFDM QPSK	1	1	17.17	0-1.5	0.0		

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.08		0	0.0
	1	53	16.93			0.0
	1	104	17.16			0.0
	50	0	16.91			0-1
	50	28	17.08		0	0.0
	50	56	17.05		0-1	0.0
	100	0	17.13			0.0
	DFT-s-OFDM 16QAM	1	1		17.07	0-1
CP-OFDM QPSK	1	1	17.14	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.18		0	0.0
	1	39	17.04			0.0
	1	76	17.06			0.0
	36	0	16.97		0-1	0.0
	36	21	17.04		0	0.0
	36	42	17.02		0-1	0.0
	75	0	17.05			0.0
	DFT-s-OFDM 16QAM	1	1		17.06	0-1
CP-OFDM QPSK	1	1	17.12	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	16.97		0	0.0
	1	26	17.08			0.0
	1	49	17.01			0.0
	25	0	16.91			0-1
	25	13	16.90		0	0.0
	25	26	16.92		0	0.0
	50	0	16.98		0-1	0.0
	DFT-s-OFDM 16QAM	1	1		16.97	0-1
CP-OFDM QPSK	1	1	17.05	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.04		0	0.0
	1	19	17.06			0.0
	1	36	17.00			0.0
	18	0	16.87		0-1	0.0
	18	10	17.03		0	0.0
	18	20	16.89		0-1	0.0
	36	0	16.89			0.0
	DFT-s-OFDM 16QAM	1	1		16.89	0-1
CP-OFDM QPSK	1	1	17.05	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	17.06		0	0.0
	1	12	17.11			0.0
	1	22	17.07			0.0
	12	0	16.93		0-1	0.0
	12	6	16.98		0	0.0
	12	12	16.96		0-1	0.0
	24	0	16.96			0.0
	DFT-s-OFDM 16QAM	1	1		17.11	0-1
CP-OFDM QPSK	1	1	17.12	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 90 MHz Bandwidth

NR Band n77 DoD 90 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.39		0	0.0
	1	123	15.22			0.0
	1	243	15.77			0.0
	120	0	15.32		0-1	0.0
	120	63	15.15		0	0.0
	120	125	15.36		0	0.0
	243	0	15.31		0-1	0.0
	DFT-s-OFDM 16QAM	1	1	15.37		0-1
CP-OFDM QPSK	1	1	15.31		0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 80 MHz Bandwidth

NR Band n77 DoD 80 MHz Bandwidth							
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)				
			Conducted Power [dBm]				
DFT-s-OFDM QPSK	1	1	15.41			0	0.0
	1	109	15.25				0.0
	1	215	15.63				0.0
	108	0	15.25			0-1	0.0
	108	55	15.39			0	0.0
	108	109	15.42			0-1	0.0
	216	0	15.45				0.0
	DFT-s-OFDM 16QAM	1	1	15.31			0-1
CP-OFDM QPSK	1	1	15.41			0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 70 MHz Bandwidth

NR Band n77 DoD 70 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.26		0	0.0
	1	95	15.27			0.0
	1	187	15.47			0.0
	90	0	15.34		0-1	0.0
	90	50	15.43		0	0.0
	90	99	15.39		0-1	0.0
	180	0	15.33			0.0
	DFT-s-OFDM 16QAM	1	1		15.24	0-1
CP-OFDM QPSK	1	1	15.48	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 60 MHz Bandwidth

NR Band n77 DoD 60 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.39		0	0.0
	1	81	15.26			0.0
	1	160	15.58			0.0
	81	0	15.27		0-1	0.0
	81	41	15.43		0	0.0
	81	81	15.32		0-1	0.0
	162	0	15.41			0.0
	DFT-s-OFDM 16QAM	1	1		15.26	
CP-OFDM QPSK	1	1	15.51	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 50 MHz Bandwidth

NR Band n77 DoD 50 MHz Bandwidth						
			Channel		MPR Allowed per 3GPP [dB]	MPR [dB]
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)			
			Conducted Power [dBm]			
DFT-s-OFDM QPSK	1	1	15.63		0	0.0
	1	67	15.54			0.0
	1	131	15.71			0.0
	64	0	15.53		0-1	0.0
	64	35	15.63		0	0.0
	64	69	15.63		0-1	0.0
	128	0	15.59			0.0
	DFT-s-OFDM 16QAM	1	1		15.38	0-1
CP-OFDM QPSK	1	1	15.73	0-1.5	0.0	

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 40 MHz Bandwidth

NR Band n77 DoD 40 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.51				0	0.0
	1	53	15.41					0.0
	1	104	15.43					0.0
	50	0	15.40				0-1	0.0
	50	28	15.51				0	0.0
	50	56	15.50				0-1	0.0
	100	0	15.53					0.0
	DFT-s-OFDM 16QAM	1	1				15.39	0-1
CP-OFDM QPSK	1	1	15.61	0-1.5	0.0			

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 30 MHz Bandwidth

NR Band n77 DoD 30 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.44				0	0.0
	1	39	15.46					0.0
	1	76	15.54					0.0
	36	0	15.37				0-1	0.0
	36	21	15.28				0	0.0
	36	42	15.49				0-1	0.0
	75	0	15.44					0.0
	DFT-s-OFDM 16QAM	1	1	15.46				0-1
CP-OFDM QPSK	1	1	15.54				0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 20 MHz Bandwidth

NR Band n77 DoD 20 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.34				0	0.0
	1	26	15.38					0.0
	1	49	15.36					0.0
	25	0	15.30				0-1	0.0
	25	13	15.32				0	0.0
	25	26	15.37				0-1	0.0
	50	0	15.38					0.0
	DFT-s-OFDM 16QAM	1	1				15.51	0-1
CP-OFDM QPSK	1	1	15.33	0-1.5	0.0			

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 15 MHz Bandwidth

NR Band n77 DoD 15 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.44				0	0.0
	1	19	15.42					0.0
	1	36	15.52					0.0
	18	0	15.28				0-1	0.0
	18	10	15.44				0	0.0
	18	20	15.34				0-1	0.0
	36	0	15.30					0.0
	DFT-s-OFDM 16QAM	1	1	15.35				0-1
CP-OFDM QPSK	1	1	15.47				0-1.5	0.0

NR Band n77 DoD Antenna F Measured Plimit for DSI = 1 (Head) - 10 MHz Bandwidth

NR Band n77 DoD 10 MHz Bandwidth								
			Channel			MPR Allowed per 3GPP [dB]	MPR [dB]	
Modulation	RB Size	RB Offset	633334 (3500.01 MHz)					
			Conducted Power [dBm]					
DFT-s-OFDM QPSK	1	1	15.29				0	0.0
	1	12	15.26					0.0
	1	22	15.47					0.0
	12	0	15.39				0-1	0.0
	12	6	15.39				0	0.0
	12	12	15.33				0-1	0.0
	24	0	15.31					0.0
	DFT-s-OFDM 16QAM	1	1				15.51	0-1
CP-OFDM QPSK	1	1	15.54	0-1.5	0.0			

NR Band n77 C-Band Antennas C, H, D

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth			
NR Band n77 90 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	10.84	10.14	
SRS #3 Ant H	15.53	16.24	
SRS #4 Ant D	9.72	10.94	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth			
NR Band n77 80 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.32	10.49	
SRS #3 Ant H	15.53	16.24	
SRS #4 Ant D	9.66	10.92	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 70 MHz Bandwidth			
NR Band n77 70 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.34	10.51	
SRS #3 Ant H	15.53	16.18	
SRS #4 Ant D	9.55	10.90	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth			
NR Band n77 60 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.35	10.50	
SRS #3 Ant H	15.53	16.21	
SRS #4 Ant D	9.57	10.88	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth			
NR Band n77 50 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.24	10.49	
SRS #3 Ant H	15.53	16.21	
SRS #4 Ant D	9.85	10.98	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth			
NR Band n77 40 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.10	10.48	
SRS #3 Ant H	15.53	16.24	
SRS #4 Ant D	9.62	10.99	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth			
NR Band n77 30 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.09	10.40	
SRS #3 Ant H	15.53	16.23	
SRS #4 Ant D	9.62	10.99	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth			
NR Band n77 20 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.20	10.42	
SRS #3 Ant H	15.53	16.24	
SRS #4 Ant D	9.66	10.90	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth			
NR Band n77 15 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.39	10.48	
SRS #3 Ant H	15.53	16.23	
SRS #4 Ant D	9.75	10.92	

NR Band n77 Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth			
NR Band n77 10 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	11.40	10.58	
SRS #3 Ant H	15.53	16.05	
SRS #4 Ant D	9.73	10.92	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 90 MHz Bandwidth			
NR Band n77 90 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.74	9.04	
SRS #3 Ant H	14.46	15.24	
SRS #4 Ant D	8.33	9.71	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 80 MHz Bandwidth			
NR Band n77 80 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.87	9.09	
SRS #3 Ant H	14.43	15.19	
SRS #4 Ant D	8.28	9.71	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 70 MHz Bandwidth			
NR Band n77 70 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.74	9.03	
SRS #3 Ant H	14.34	15.09	
SRS #4 Ant D	8.20	9.61	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 60 MHz Bandwidth			
NR Band n77 60 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.72	9.05	
SRS #3 Ant H	14.34	15.11	
SRS #4 Ant D	8.21	9.50	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 50 MHz Bandwidth			
NR Band n77 50 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	10.00	9.36	
SRS #3 Ant H	14.61	15.39	
SRS #4 Ant D	8.49	9.83	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 40 MHz Bandwidth			
NR Band n77 40 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.83	9.30	
SRS #3 Ant H	14.48	15.27	
SRS #4 Ant D	8.26	9.69	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 30 MHz Bandwidth			
NR Band n77 30 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.79	9.27	
SRS #3 Ant H	14.44	15.28	
SRS #4 Ant D	8.30	9.70	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 20 MHz Bandwidth			
NR Band n77 20 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.88	9.37	
SRS #3 Ant H	14.45	15.30	
SRS #4 Ant D	8.33	9.73	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 15 MHz Bandwidth			
NR Band n77 15 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.81	9.29	
SRS #3 Ant H	14.40	15.29	
SRS #4 Ant D	8.29	9.73	

NR Band n77 Antennas C, H, D Plimit for DSI = 1 (Head) - 10 MHz Bandwidth			
NR Band n77 10 MHz Bandwidth			
Channel			
Antenna	650000 (3750 MHz)	662000 (3930 MHz)	
	Conducted Power [dBm]		
SRS #2 Ant C	9.89	9.35	
SRS #3 Ant H	14.48	15.28	
SRS #4 Ant D	8.32	9.81	

NR Band n77 DoD Antennas C, H, D

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 90 MHz Bandwidth		
NR Band n77 DoD 90 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.84	
SRS #3 Ant H	16.28	
SRS #4 Ant D	10.74	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 80 MHz Bandwidth		
NR Band n77 DoD 80 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.91	
SRS #3 Ant H	16.32	
SRS #4 Ant D	10.76	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 70 MHz Bandwidth		
NR Band n77 DoD 70 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	12.00	
SRS #3 Ant H	16.17	
SRS #4 Ant D	10.72	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 60 MHz Bandwidth		
NR Band n77 DoD 60 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.93	
SRS #3 Ant H	16.33	
SRS #4 Ant D	10.68	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 50 MHz Bandwidth		
NR Band n77 DoD 50 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.99	
SRS #3 Ant H	16.24	
SRS #4 Ant D	10.97	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 40 MHz Bandwidth		
NR Band n77 DoD 40 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.96	
SRS #3 Ant H	16.38	
SRS #4 Ant D	10.86	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 30 MHz Bandwidth		
NR Band n77 DoD 30 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.99	
SRS #3 Ant H	16.32	
SRS #4 Ant D	10.88	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 20 MHz Bandwidth		
NR Band n77 DoD 20 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.95	
SRS #3 Ant H	16.24	
SRS #4 Ant D	10.78	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 15 MHz Bandwidth		
NR Band n77 DoD 15 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.96	
SRS #3 Ant H	16.35	
SRS #4 Ant D	10.73	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 0 (Body-worn, Hotspot, or Phablet) - 10 MHz Bandwidth		
NR Band n77 DoD 10 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
	Conducted Power [dBm]	
SRS #2 Ant C	11.97	
SRS #3 Ant H	16.33	
SRS #4 Ant D	10.83	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 90 MHz Bandwidth		
NR Band n77 DoD 90 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.39	
SRS #3 Ant H	14.76	
SRS #4 Ant D	9.33	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 80 MHz Bandwidth		
NR Band n77 DoD 80 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.45	
SRS #3 Ant H	14.72	
SRS #4 Ant D	9.30	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 70 MHz Bandwidth		
NR Band n77 DoD 70 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.33	
SRS #3 Ant H	14.73	
SRS #4 Ant D	9.22	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 60 MHz Bandwidth		
NR Band n77 DoD 60 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.41	
SRS #3 Ant H	14.71	
SRS #4 Ant D	9.19	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 50 MHz Bandwidth		
NR Band n77 DoD 50 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.67	
SRS #3 Ant H	14.85	
SRS #4 Ant D	9.42	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 40 MHz Bandwidth		
NR Band n77 DoD 40 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.60	
SRS #3 Ant H	14.73	
SRS #4 Ant D	9.33	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 30 MHz Bandwidth		
NR Band n77 DoD 30 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.55	
SRS #3 Ant H	14.73	
SRS #4 Ant D	9.33	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 20 MHz Bandwidth		
NR Band n77 DoD 20 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.49	
SRS #3 Ant H	14.74	
SRS #4 Ant D	9.35	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 15 MHz Bandwidth		
NR Band n77 DoD 15 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.46	
SRS #3 Ant H	14.69	
SRS #4 Ant D	9.37	

NR Band n77 DoD Antennas C, H, D Plimit for DSI = 1 (Head) - 10 MHz Bandwidth		
NR Band n77 DoD 10 MHz Bandwidth		
Channel		
Antenna	633334 (3500.01 MHz)	
		Conducted Power [dBm]
SRS #2 Ant C	10.45	
SRS #3 Ant H	14.62	
SRS #4 Ant D	9.38	