

APPENDIX I: RU SAR EXCLUSION

I.1 IEEE 802.11ax/be RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax/be can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 52T+26T, 106T, 106T+26T, 242T, 484T, 484T+242T, 996T, 996T+484T, 996T+484T+242T, 996T*2, and for WIFI 6E additionally 996T*2+484T, 996T*3, 996T*3+484T, 996T*4.

Per FCC Guidance, 802.11ax/be was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax/be based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes. Please refer to 1M2508270082 -11, 13, 15, 19 for IEEE 802.11ax/be RU powers.

I.2 IEEE 802.11ax/be RU Target Powers

I.2.1 2.4 GHz WLAN 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- Pmax
- DSI=0 (Body-worn, Hotspot or Phablet)

Band		IEEE 802.11ax/be RU (in dBm)											
		SISO Ant G (in dBm)				SISO Ant I (in dBm)				Antenna G & Antenna I in MIMO			
		26T	52T, 52T + 26T	106T, 106T + 26T	242T	26T	52T, 52T + 26T	106T, 106T + 26T	242T	26T	52T, 52T + 26T	106T, 106T + 26T	242T
2.45 GHz	Maximum	14	15	17	18	14	15	17	18	14	15	17	18
					ch. 1: 15.5 ch. 11: 17.0				ch. 1: 15.5 ch. 11: 17.0				ch. 1: 15.5 ch. 11: 17.0
	Nominal	13	14	16	17	13	14	16	17	13	14	16	17
					ch. 1: 14.5 ch. 11: 16.0				ch. 1: 14.5 ch. 11: 16.0				ch. 1: 14.5 ch. 11: 16.0

The below table is applicable in the following conditions:

- DSI=1 (Head)

Band		IEEE 802.11ax/be RU (in dBm)											
		SISO Ant G (in dBm)				SISO Ant I (in dBm)				Antenna G & Antenna I in MIMO			
		26T	52T, 52T + 26T	106T, 106T + 26T	242T	26T	52T, 52T + 26T	106T, 106T + 26T	242T	26T	52T, 52T + 26T	106T, 106T + 26T	242T
2.45 GHz	Maximum	14	15	16	16	14	15	16	16	14	15	16	16
					ch. 1: 15.5				ch. 1: 15.5				ch. 1: 15.5
	Nominal	13	14	15	15	13	14	15	15	13	14	15	15
					ch. 1: 14.5				ch. 1: 14.5				ch. 1: 14.5

FCC ID A3LSMS948JPN	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX I: Page 1 of 3

I.2.2 5 GHz WLAN 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- P_{max}

Mode	Band	IEEE 802.11ac/ax RU (in dBm)																								Antenna G & Antenna E in MIMO							
		SSB								SSB																							
		Antenna G								Antenna E																							
		20T	EST, 52T + 20T	20T	100T, 100T + 20T	242T	484T, 484T + 242T	996T, 996T + 484T 996T + 484T + 242T	996T+2, 996T+2 + 484T, 996T+2 996T+3 + 484T	20T	EST, 52T + 20T	100T, 100T + 20T	242T	484T, 484T + 242T	996T, 996T + 484T 996T + 484T + 242T	996T+2, 996T+2 + 484T, 996T+2 996T+3 + 484T	20T	EST, 52T + 20T	100T, 100T + 20T	242T	484T, 484T + 242T	996T, 996T + 484T 996T + 484T + 242T	996T+2, 996T+2 + 484T, 996T+2 996T+3 + 484T										
UNI-1	10.0	12.5	15.5	17.0				10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0														
5 GHz WiFi (10MHz BW)	Maximum	UNI-2C	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-3	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-4	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-5	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-6	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
5 GHz WiFi (10MHz BW)	Nominal	UNI-2C	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-3	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-4	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-5	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-6	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
5 GHz WiFi (10MHz BW)	Maximum	UNI-2C	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-3	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-4	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-5	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-6	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
5 GHz WiFi (10MHz BW)	Nominal	UNI-2C	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-3	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-4	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-5	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													
		UNI-6	10.0	12.5	15.5	17.0			10.0	12.5	15.5	17.0					10.0	12.5	15.5	17.0													

The below table is applicable in the following conditions:

- DSI=1 (Head)

Mode	Band	IEEE 802.11ac/a/n (in dBm)																Antenna G & Antenna E in MIMO									
		SSID Antenna G								SSID Antenna E																	
		20T	52T, 52T + 20T	100T, 100T + 20T	242T	484T, 484T + 242T	984T, 984T + 484T, 984T + 484T + 242T	994T-2, 994T-2 + 484T, 994T-2, 994T-3 + 484T	20T	52T, 52T + 20T	100T, 100T + 20T	242T	484T, 484T + 242T	984T, 984T + 484T, 984T + 484T + 242T	994T-2, 994T-2 + 484T, 994T-2, 994T-3 + 484T	20T	52T, 52T + 20T	100T, 100T + 20T	242T	484T, 484T + 242T	984T, 984T + 484T, 984T + 484T + 242T	994T-2, 994T-2 + 484T, 994T-2, 994T-3 + 484T					
5 Gire WiFi (20MHz BW)	LNK-1	10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0								
	LNK-2A	10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0								
	LNK-2B	10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0								
	LNK-3	10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0				10.0	12.5	15.5	18.0								
	LNK-4	9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0								
	LNK-2A	9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0								
	LNK-2B	9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0								
	LNK-4	9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0				9.0	11.5	14.5	16.0								
5 Gire WiFi (40MHz BW)	LNK-1	10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0							
	LNK-2A	10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0							
	LNK-2B	10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0							
	LNK-3	10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0			10.0	12.5	15.5	18.0	16.0							
	LNK-4	9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0							
	LNK-2A	9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0							
	LNK-2B	9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0							
	LNK-4	9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0			9.0	11.5	14.5	16.0	15.0							
5 Gire WiFi (80MHz BW)	LNK-1	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-2A	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-2B	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-3	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-4								10.0	11.5	14.5	16.0	15.0			10.0	11.5	14.5	16.0	15.0							
	LNK-2A								10.0	11.5	14.5	16.0	15.0			10.0	11.5	14.5	16.0	15.0							
	LNK-2B								10.0	11.5	14.5	16.0	15.0			10.0	11.5	14.5	16.0	15.0							
	LNK-4								10.0	11.5	14.5	16.0	15.0			10.0	11.5	14.5	16.0	15.0							
5 Gire WiFi (160MHz BW)	LNK-1	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-2A	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-2B	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-3	10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0		10.0	12.5	15.5	18.0	18.0	15.0						
	LNK-4	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5		
	LNK-2A	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5		
	LNK-2B	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5		
	LNK-4	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5	9.0	11.5	14.5	16.0	15.0	14.5		

The below table is applicable in the following conditions:

- DSI=0 (Body-worn, Hotspot or Phablet)

[illegible]

FCC ID A3LSMS948JPN	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX I: Page 2 of 3

I.2.3 6 GHz WLAN Maximum 802.11ax/be RU WLAN Output Power

The below table is applicable in the following conditions:

- P_{max}

[illegible]

The below table is applicable in the following conditions:

- DSI=0 (Body-worn, Hotspot or Phablet)

Area	Block	2019																								2020																								2021																								2022																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Q1						Q2						Q3						Q4						Q1						Q2						Q3						Q4						Q1						Q2						Q3						Q4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Residential - Normal Power	Area 1	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

The below table is applicable in the following conditions:

- DSI=1 (Head)

Entity	Year	2011										2012										2013										2014									
		2011					2012					2013					2014					2015					2016					2017									
		Q1	Q2	Q3	Q4	YTD	Q1	Q2	Q3	Q4	YTD	Q1	Q2	Q3	Q4	YTD	Q1	Q2	Q3	Q4	YTD	Q1	Q2	Q3	Q4	YTD	Q1	Q2	Q3	Q4	YTD										
Entity A (2011-2014)	2011	10	20	30	40	100	15	25	35	45	120	20	30	40	50	140	25	35	45	55	160	30	40	50	60	180	35	45	55	65	200										
Entity B (2011-2014)	2011	5	10	15	20	50	8	12	18	22	60	12	18	25	30	85	15	22	30	35	102	18	25	32	38	113	22	30	38	45	135										
Entity C (2011-2014)	2011	3	5	7	9	24	4	6	8	10	28	6	9	12	15	42	8	12	15	18	53	10	15	20	25	60	12	18	22	28	80										
Entity D (2011-2014)	2011	2	4	6	8	20	3	5	7	9	24	4	6	8	10	28	5	8	10	12	35	7	10	12	15	44	9	12	15	18	54										
Entity E (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity F (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity G (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity H (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity I (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity J (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity K (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity L (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity M (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity N (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity O (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity P (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity Q (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity R (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity S (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity T (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity U (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity V (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity W (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity X (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity Y (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										
Entity Z (2011-2014)	2011	1	2	3	4	10	2	3	4	5	14	3	4	5	6	18	4	5	6	7	22	5	6	7	8	26	6	7	8	9	30										

FCC ID A3LSMS948JPN	RF EXPOSURE PART 1 TEST REPORT	Approved by: Technical Manager
DUT Type: Portable Handset		APPENDIX I: Page 3 of 3