FCC 47 CFR PART 15 SUBPART E

UNII

CERTIFICATION TEST REPORT

FOR

GSM/WCDMA/LTE Tablet + BT/BLE, DTS/UNII a/b/g/n/ac and ANT+

MODEL NUMBER : SM-T719Y

FCC ID: A3LSMT719Y

REPORT NUMBER: 16K23258-E4V1

ISSUE DATE: MAY 20, 2016

Prepared for
SAMSUNG ELECTRONICS CO., LTD.
129 SAMSUNG-RO, YEONGTONG-GU, SUWON-SI,
GYEONGGI-DO, 443-742, KOREA

Prepared by
UL Korea, Ltd. Suwon Laboratory
218 Maeyeong-ro, Yeongtong-gu,
Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902
FAX: (031) 213-5433

ACCREDITED
TL-637

Revision History

Rev.	Issue Date	Revisions	Revised By
V1	05/17/16	Initial issue	SungGil Park
V2	05/20/16	Section 10.4 & 14 revised	SungGil Park

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

TABLE OF CONTENTS

1. ATTESTATION OF TEST RESULTS 7

2. TEST METHODOLOGY 8

3. FACILITIES AND ACCREDITATION 8

4. CALIBRATION AND UNCERTAINTY 8

4.1. MEASURING INSTRUMENT CALIBRATION 8

4.2. SAMPLE CALCULATION 8

4.3. MEASUREMENT UNCERTAINTY 9

5. EQUIPMENT UNDER TEST 10

5.1. DESCRIPTION OF EUT 10

5.2. MAXIMUM OUTPUT POWER 11

5.3. DESCRIPTION OF AVAILABLE ANTENNAS 12

5.4. List of test reduction and modes covering other modes: 12

5.5. WORST-CASE CONFIGURATION AND MODE 14

5.6. DESCRIPTION OF TEST SETUP 15

6. TEST AND MEASUREMENT EQUIPMENT 17

7. SUMMARY TABLE 18

8. ON TIME, DUTY CYCLE AND MEASUREMENT METHODS 19

8.1. ON TIME AND DUTY CYCLE RESULTS 19

8.2. DUTY CYCLE PLOTS 19

9. MEASUREMENT METHOD 22

10. ANTENNA PORT TEST RESULTS 23

10.1. 6 dB BANDWIDTH 23

10.1.1. 802.11a MODE IN THE 5.8 GHz BAND 24
10.1.2. 802.11n HT20 MODE IN THE 5.8 GHz BAND 24
10.1.3. 802.11n HT40 MODE IN THE 5.8 GHz BAND 24
10.1.4. 802.11n VHT80 MODE IN THE 5.8 GHz BAND 24
10.1.5. 6 dB BANDWIDTH PLOTS 25

10.2. 26 dB BANDWIDTH 29

10.2.1. 802.11a MODE IN THE 5.2 GHz BAND 29
10.2.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND 29
10.2.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND 29
10.2.4. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND 29
10.2.5. 802.11a MODE IN THE 5.3 GHz BAND 30

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND 30
10.2.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND 30
10.2.8. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND 30
10.2.9. 802.11a MODE IN THE 5.5 GHz BAND 31
10.2.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND 31
10.2.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND 31
10.2.12. 802.11ac VHT80 MODE IN THE 5.5 GHz BAND 31
10.2.13. 802.11a MODE IN THE 5.8 GHz BAND 32
10.2.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND 32
10.2.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND 32
10.2.16. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND 32
10.2.17. 26 dB BANDWIDTH PLOTS 33

10.3. 99% BANDWIDTH 47
10.3.1. 802.11a MODE IN THE 5.2 GHz BAND 47
10.3.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND 47
10.3.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND 47
10.3.4. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND 47
10.3.5. 802.11a MODE IN THE 5.3 GHz BAND 48
10.3.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND 48
10.3.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND 48
10.3.8. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND 48
10.3.9. 802.11a MODE IN THE 5.5 GHz BAND 49
10.3.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND 49
10.3.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND 49
10.3.12. 802.11ac VHT80 MODE IN THE 5.5 GHz BAND 49
10.3.13. 802.11a MODE IN THE 5.8 GHz BAND 50
10.3.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND 50
10.3.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND 50
10.3.16. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND 50
10.3.17. 99% BANDWIDTH PLOTS 51

10.4. OUTPUT POWER AND PPSD 65
10.4.1. 802.11a MODE IN THE 5.2 GHz BAND 66
10.4.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND 67
10.4.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND 68
10.4.4. 802.11ac HT80 MODE IN THE 5.2 GHz BAND 69
10.4.5. 802.11a MODE IN THE 5.3 GHz BAND 70
10.4.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND 71
10.4.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND 72
10.4.8. 802.11ac HT80 MODE IN THE 5.3 GHz BAND 73
10.4.9. 802.11a MODE IN THE 5.5 GHz BAND 74
10.4.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND 75
10.4.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND 76
10.4.12. 802.11ac HT80 MODE IN THE 5.5 GHz BAND 77
10.4.13. 802.11a MODE IN THE 5.8 GHz BAND 78
10.4.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND 79
10.4.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND 80
10.4.16. 802.11ac HT80 MODE IN THE 5.8 GHz BAND 81
10.4.17. OUTPUT POWER AND PPSD PLOTS 82

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

11. TRANSMITTER ABOVE 1 GHz 95

11.1. 5.2 GHz 97
11.1.1. TX Above 1GHz 802.11a 2TX CDD MODE IN THE 5.2GHz BAND 97
11.1.2. TX Above 1GHz 802.11n HT20 2TX CDD MODE IN THE 5.2GHz BAND 105
11.1.3. TX Above 1GHz 802.11n HT40 2TX CDD MODE IN THE 5.2GHz BAND 113
11.1.4. TX ABOVE 1GHz 802.11ac HT80 2TX CDD MODE IN THE 5.2GHz BAND 119

11.2. 5.3 GHz 123
11.2.1. TX ABOVE 1 GHz 802.11a 2TX CDD MODE IN THE 5.3 GHz BAND 123
11.2.2. TX ABOVE 1GHz 802.11n HT20 2TX CDD MODE IN THE 5.3GHz BAND 131
11.2.3. TX ABOVE 1GHz 802.11n HT40 2TX CDD MODE IN THE 5.3GHz BAND 139
11.2.4. TX ABOVE 1GHz 802.11ac HT80 2TX CDD MODE IN THE 5.3GHz BAND 145

11.3. 5.5-5.6 GHz 149
11.3.1. TX ABOVE 1 GHz 802.11a 2TX CDD MODE IN THE 5.5 GHz BAND 149
11.3.2. TX ABOVE 1GHz 802.11n HT20 2TX CDD MODE IN THE 5.5GHz BAND 159
11.3.3. TX ABOVE 1GHz 802.11n HT40 2TX CDD MODE IN THE 5.5GHz BAND 169
11.3.4. TX ABOVE 1GHz 802.11ac HT80 2TX CDD MODE IN THE 5.5GHz BAND 179

11.4. 5.8 GHz 185
11.4.1. TX ABOVE 1GHz 802.11a 2TX CDD MODE IN THE 5.8GHz BAND 185
11.4.2. TX ABOVE 1GHz 802.11n HT20 2TX CDD MODE IN THE 5.8GHz BAND 195
11.4.3. TX ABOVE 1GHz 802.11n HT40 2TX CDD MODE IN THE 5.8GHz BAND 205
11.4.4. TX ABOVE 1GHz 802.11ac HT80 2TX CDD MODE IN THE 5.8GHz BAND 213

12. WORST-CASE BELOW 1 GHz (in the 5.3 GHz Band) 217

13. AC POWER LINE CONDUCTED EMISSIONS 219

14. DYNAMIC FREQUENCY SELECTION 224

14.1. OVERVIEW 224
14.1.1. LIMITS 224
14.1.1. TEST AND MEASUREMENT SYSTEM 228
14.1.2. SETUP OF EUT 231
14.1.3. DESCRIPTION OF EUT 232

14.2. RESULTS FOR 20 MHz BANDWIDTH 233
14.2.1. TEST CHANNEL 233
14.2.2. RADAR WAVEFORM AND TRAFFIC 233
14.2.3. OVERLAPPING CHANNEL TESTS 235
14.2.4. MOVE AND CLOSING TIME 235

14.3. RESULTS FOR 40 MHz BANDWIDTH 238
14.3.1. TEST CHANNEL 238
14.3.2. RADAR WAVEFORM AND TRAFFIC 238
14.3.3. OVERLAPPING CHANNEL TESTS 240
14.3.4. MOVE AND CLOSING TIME 240

14.4. RESULTS FOR 80 MHz BANDWIDTH 243
14.4.1. TEST CHANNEL 243
14.4.2. RADAR WAVEFORM AND TRAFFIC 243
14.4.3. OVERLAPPING CHANNEL TESTS 245

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

14.4.4. MOVE AND CLOSING TIME 245

15. SETUP PHOTOS 248

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

1. ATTESTATION OF TEST RESULTS

COMPANY NAME:	SAMSUNG ELECTRONICS CO., LTD.
EUT DESCRIPTION:	GSM/WCDMA/LTE Tablet + BT/BLE, DTS/UNII a/b/g/n/ac and ANT+
MODEL NUMBER:	SM-T719Y
SERIAL NUMBER:	R32H30073EF (RADIATED); R32H3005YKX (CONDUCTED)
DATE TESTED:	FEB 15, 2016 - MAY 17, 2016

APPLICABLE STANDARDS	
STANDARD	**TEST RESULTS**
CFR 47 Part 15 Subpart E	Pass

UL Korea, Ltd. tested the above equipment in accordance with the requirements set forth in the above standards. All indications of Pass/Fail in this report are opinions expressed by UL Korea, Ltd. based on interpretations and/or observations of test results. Measurement Uncertainties were not taken into account and are published for informational purposes only. The test results show that the equipment tested is capable of demonstrating compliance with the requirements as documented in this report.


Note: The results documented in this report apply only to the tested sample, under the conditions and modes of operation as described herein. This document may not be altered or revised in any way unless done so by UL Korea, Ltd. and all revisions are duly noted in the revisions section. Any alteration of this document not carried out by UL Korea, Ltd. will constitute fraud and shall nullify the document. This report must not be used by the client to claim product certification, approval, or endorsement by IAS, any agency of the Federal Government, or any agency of any government.

Approved & Released For
UL Korea, Ltd. By:



CY Choi
Suwon Lab Engineer
UL Korea, Ltd.

Tested By:



SungGil Park
Suwon Lab Engineer
UL Korea, Ltd.

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

2. TEST METHODOLOGY

The tests documented in this report were performed in accordance with FCC CFR 47 Part 2, FCC CFR 47 Part 15, FCC 06-96, FCC KDB 789033 D02 v01r01, ANSI C63.10-2009.

3. FACILITIES AND ACCREDITATION

The test sites and measurement facilities used to collect data are located at 218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea. Line conducted emissions are measured only at the 218 address. The following table identifies which facilities were utilized for radiated emission measurements documented in this report. Specific facilities are also identified in the test results sections.

218 Maeyeong-ro
☒ Chamber 1
☒ Chamber 2

UL Korea, Ltd. is accredited by IAS, Laboratory Code TL-637. The full scope of accreditation can be viewed at http://www.iasonline.org/PDF/TL/TL-637.pdf.

4. CALIBRATION AND UNCERTAINTY

4.1. MEASURING INSTRUMENT CALIBRATION

The measuring equipment utilized to perform the tests documented in this report has been calibrated in accordance with the manufacturer's recommendations, and is traceable to recognized national standards.

4.2. SAMPLE CALCULATION

Where relevant, the following sample calculation is provided:

Field Strength (dBuV/m) = Measured Voltage (dBuV) + Antenna Factor (dB/m) + Cable Loss (dB) – Preamp Gain (dB)

36.5 dBuV + 18.7 dB/m + 0.6 dB – 26.9 dB = 28.9 dBuV/m

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

4.3. MEASUREMENT UNCERTAINTY

Where relevant, the following measurement uncertainty levels have been estimated for tests performed on the apparatus:

PARAMETER	UNCERTAINTY
Conducted Disturbance, 0.15 to 30 MHz	2.32 dB
Radiated Disturbance, Below 1GHz	4.14 dB
Radiated Disturbance, Above 1 GHz	5.97 dB

Uncertainty figures are valid to a confidence level of 95%.

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

5. EQUIPMENT UNDER TEST

5.1. DESCRIPTION OF EUT

The EUT is GSM/WCDMA/LTE Tablet + BT/BLE, DTS/UNII a/b/g/n/ac and ANT+.
This test report addresses the NII (UNII) operational mode.

WiFi MIMO Condition

Frequency	Mode	Antenna 1	Antenna 2
2.4 GHz	802.11b	TX / RX	TX / RX
	802.11g	TX / RX	TX / RX
	802.11n	TX / RX	TX / RX
	802.11n MIMO	TX / RX	TX / RX
5 GHz	802.11a	TX / RX	TX / RX
	802.11n	TX / RX	TX / RX
	802.11ac	TX / RX	TX / RX
	802.11n/ac MIMO	TX / RX	TX / RX

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

5.2. MAXIMUM OUTPUT POWER

The transmitter has a maximum total conducted average output power as follows:

Frequency Range [MHz]	Mode	Output Power [dBm]		Output Power [mW]	
		Antenna1	Antenna2	Antenna1	Antenna2
5180 - 5240	802.11a SISO	14.99	14.92	31.56	31.07
	802.11a MIMO	17.97		62.63	
	802.11n HT20 SISO	15.14	14.73	32.68	29.73
	802.11n HT20 MIMO	17.83		60.74	
5190 - 5230	802.11n HT40 SISO	14.22	14.37	26.45	27.33
	802.11n HT40 MIMO	17.31		53.78	
5210	802.11ac VHT80 SISO	12.36	12.85	17.22	19.28
	802.11ac VHT80 MIMO	15.62		36.50	
5260 - 5320	802.11a SISO	14.93	14.90	31.12	30.87
	802.11a MIMO	17.92		61.99	
	802.11n HT20 SISO	14.67	14.62	29.29	28.96
	802.11n HT20 MIMO	17.65		58.25	
5270 - 5310	802.11n HT40 SISO	14.04	14.02	25.37	25.21
	802.11n HT40 MIMO	17.04		50.58	
5290	802.11ac VHT80 SISO	12.77	12.74	18.92	18.81
	802.11ac VHT80 MIMO	15.77		37.73	
5500 - 5700	802.11a SISO	15.09	14.97	32.31	31.43
	802.11a MIMO	17.96		62.49	
	802.11n HT20 SISO	14.99	15.17	31.58	32.91
	802.11n HT20 MIMO	18.09		64.49	
5510 - 5670	802.11n HT40 SISO	14.25	14.24	26.63	26.52
	802.11n HT40 MIMO	17.26		53.15	
5530 - 5610	802.11ac VHT80 SISO	12.82	12.71	19.16	18.66
	802.11ac VHT80 MIMO	15.78		37.82	
5745 - 5825	802.11a SISO	14.92	14.57	31.06	28.62
	802.11a MIMO	17.69		58.69	
	802.11n HT20 SISO	14.74	15.04	29.79	31.90
	802.11n HT20 MIMO	17.90		61.69	
5755 - 5795	802.11n HT40 SISO	14.33	14.34	27.09	27.15
	802.11n HT40 MIMO	17.32		53.98	
5775	802.11ac VHT80 SISO	12.97	12.93	19.83	19.63
	802.11ac VHT80 MIMO	15.96		39.46	

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

5.3. DESCRIPTION OF AVAILABLE ANTENNAS

The radio utilizes an FPCB antenna, with a maximum gain of:

Frequency Range [MHz]	Antenna Gain [dBi]	
	Antenna 1	Antenna 2
UNII 1 5150 – 5250	-0.66	-2.69
UNII 2A 5250 – 5350	-1.70	-2.49
UNII 2C 5470 – 5725	-0.57	-1.93
UNII 3 5725 – 5850	-1.23	-1.93

5.4. List of test reduction and modes covering other modes:

The output power on covered modes is equal to or less than one referenced.

UNII 1

5150 - 5250 MHz Authorized Frequency Band (Radiated Testing)		
Frequency Range [MHz]	**Mode**	**Covered by**
5180 - 5240	802.11a legacy 1TX/STBC 2TX	802.11a 2TX CDD
5180 - 5240	802.11HT20 1TX	802.11n HT20 2TX CDD
5180 - 5240	802.11HT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5180 - 5240	802.11ac VHT20 1TX	802.11n HT20 2TX CDD
5180 - 5240	802.11ac VHT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5180 - 5240	802.11ac VHT20 2TX CDD/Tx BF	802.11n HT20 2TX CDD
5190 - 5230	802.11n HT40 1TX	802.11n HT40 2TX CDD
5190 - 5230	802.11n HT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5190 - 5230	802.11ac VHT40 1TX	802.11n HT40 2TX CDD
5190 - 5230	802.11ac VHT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5190 - 5230	802.11ac VHT40 2TX CDD/Tx BF	802.11n HT40 2TX CDD
5210	802.11ac VHT80 1TX	802.11ac VHT80 2TX CDD
5210	802.11ac VHT80 2TX STBC/SDM/Tx BF	802.11ac VHT80 2TX CDD

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 2A

5250 - 5350 MHz Authorized Frequency Band (Radiated Testing)		
Frequency Range [MHz]	**Mode**	**Covered by**
5260 - 5320	802.11a legacy 1TX/STBC 2TX	802.11a 2TX CDD
5260 - 5320	802.11HT20 1TX	802.11n HT20 2TX CDD
5260 - 5320	802.11HT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5260 - 5320	802.11ac VHT20 1TX	802.11n HT20 2TX CDD
5260 - 5320	802.11ac VHT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5260 - 5320	802.11ac VHT20 2TX CDD/Tx BF	802.11n HT20 2TX CDD
5270 - 5310	802.11n HT40 1TX	802.11n HT40 2TX CDD
5270 - 5310	802.11n HT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5270 - 5310	802.11ac VHT40 1TX	802.11n HT40 2TX CDD
5270 - 5310	802.11ac VHT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5270 - 5310	802.11ac VHT40 2TX CDD/Tx BF	802.11n HT40 2TX CDD
5290	802.11ac VHT80 1TX	802.11ac VHT80 2TX CDD
5290	802.11ac VHT80 2TX STBC/SDM/Tx BF	802.11ac VHT80 2TX CDD

UNII 2C

5470 - 5725 MHz Authorized Frequency Band (Radiated Testing)		
Frequency Range [MHz]	**Mode**	**Covered by**
5500 - 5700	802.11a legacy 1TX/STBC 2TX	802.11a 2TX CDD
5500 - 5700	802.11HT20 1TX	802.11n HT20 2TX CDD
5500 - 5700	802.11HT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5500 - 5700	802.11ac VHT20 1TX	802.11n HT20 2TX CDD
5500 - 5700	802.11ac VHT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5500 - 5700	802.11ac VHT20 2TX CDD/Tx BF	802.11n HT20 2TX CDD
5510 - 5690	802.11n HT40 1TX	802.11n HT40 2TX CDD
5510 - 5690	802.11n HT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5510 - 5690	802.11ac VHT40 1TX	802.11n HT40 2TX CDD
5510 - 5690	802.11ac VHT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5510 - 5690	802.11ac VHT40 2TX CDD/Tx BF	802.11n HT40 2TX CDD
5530 - 5610	802.11ac VHT80 1TX	802.11ac VHT80 2TX CDD
5530 - 5610	802.11ac VHT80 2TX STBC/SDM/Tx BF	802.11ac VHT80 2TX CDD

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 3

5725 - 5850 MHz Authorized Frequency Band (Radiated Testing)		
Frequency Range [MHz]	**Mode**	**Covered by**
5745 - 5825	802.11a legacy 1TX/STBC 2TX	802.11a 2TX CDD
5745 - 5825	802.11HT20 1TX	802.11n HT20 2TX CDD
5745 - 5825	802.11HT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5745 - 5825	802.11ac VHT20 1TX	802.11n HT20 2TX CDD
5745 - 5825	802.11ac VHT20 2TX STBC/SDM	802.11n HT20 2TX CDD
5745 - 5825	802.11ac VHT20 2TX CDD/Tx BF	802.11n HT20 2TX CDD
5755 - 5795	802.11n HT40 1TX	802.11n HT40 2TX CDD
5755 - 5795	802.11n HT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5755 - 5795	802.11ac VHT40 1TX	802.11n HT40 2TX CDD
5755 - 5795	802.11ac VHT40 2TX STBC/SDM	802.11n HT40 2TX CDD
5755 - 5795	802.11ac VHT40 2TX CDD/Tx BF	802.11n HT40 2TX CDD
5775	802.11ac VHT80 1TX	802.11ac VHT80 2TX CDD
5775	802.11ac VHT80 2TX STBC/SDM/Tx BF	802.11ac VHT80 2TX CDD

5.5. WORST-CASE CONFIGURATION AND MODE

Radiated emission and power line conducted emission were performed with the EUT set to transmit at the channel with highest output power as worst-case scenario.

The fundamental of the EUT was investigated in three orthogonal orientations X,Y,Z, it was determined that the X orientation was worst-case orientation; therefore, all final radiated testing was performed with the EUT in the X orientation.

Based on the baseline scan, the worst-case data rates were:

802.11a mode: 6 Mbps
802.11n HT20mode: MCS0
802.11n HT40mode: MCS0
802.11ac VHT80mode: MCS0

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

5.6. DESCRIPTION OF TEST SETUP

SUPPORT EQUIPMENT

Support Equipment List				
Description	Manufacturer	Model	Serial Number	FCC ID
Charger	SAMSUNG	EP-TA20EWE	R37G4AH1402DK3	N/A
Data Cable	SAMSUNG	EP-DG925UWE	N/A	N/A
Earphone	SAMSUNG	EO-EG900BW	N/A	N/A

I/O CABLES


I/O Cable List						
Cable No	Port	# of identical ports	Connector Type	Cable Type	Cable Length (m)	Remarks
1	DC Power	1	Mini-USB	Shielded	0.8m	N/A
2	Audio	1	Mini-Jack	Unshielded	1.0m	N/A

TEST SETUP

The EUT is a stand-alone unit during the tests.
Test software in hidden menu exercised the EUT to enable NII mode.

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

SETUP DIAGRAM FOR TESTS



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

6. TEST AND MEASUREMENT EQUIPMENT

The following test and measurement equipment was utilized for the tests documented in this report:

Test Equipment List				
Description	**Manufacturer**	**Model**	**S/N**	**Cal Due**
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	750	11-17-16
Antenna, Bilog, 30MHz-1GHz	SCHWARZBECK	VULB9163	749	04-25-17
Antenna, Horn, 18 GHz	ETS	3115	00167211	09-20-16
Antenna, Horn, 18 GHz	ETS	3115	00161451	05-17-17
Antenna, Horn, 18 GHz	ETS	3117	00168724	06-17-17
Antenna, Horn, 18 GHz	ETS	3117	00168717	06-17-17
Antenna, Horn, 40 GHz	ETS	3116C	00166155	09-23-16
Antenna, Horn, 40 GHz	ETS	3116C-PA	00168841	08-24-17
Preamplifier, 1000 MHz	Sonoma	310N	341282	08-18-16
Preamplifier, 1000 MHz	Sonoma	310N	351741	08-18-16
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1876511	08-18-16
Preamplifier, 18 GHz	Miteq	AFS42-00101800-25-S-42	1896138	08-18-16
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54170614	08-19-16
Spectrum Analyzer, 44 GHz	Agilent / HP	N9030A	MY54490312	08-19-16
Bluetooth Tester	TESCOM	TC-3000C	3000C000546	08-18-16
Average Power Sensor	R&S	NRZ-Z91	102681	08-18-16
Average Power Sensor	Agilent / HP	U2000	MY54270007	08-18-16
EMI Test Receive, 40 GHz	R&S	ESU40	100439	08-19-16
EMI Test Receive, 40 GHz	R&S	ESU40	100457	08-19-16
EMI Test Receive, 3 GHz	R&S	ESR3	101832	08-19-16
Attenuator / Switch driver	HP	11713A	3748A04272	N/A
Low Pass Filter 3GHz	Micro-Tronics	LPS17541	009	08-18-16
Low Pass Filter 3GHz	Micro-Tronics	LPS17541	015	08-18-16
High Pass Filter 5GHz	Micro-Tronics	HPS17542	009	08-18-16
High Pass Filter 6GHz	Micro-Tronics	HPM17543	010	08-18-16
High Pass Filter 5GHz	Micro-Tronics	HPS17542	016	08-18-16
High Pass Filter 6GHz	Micro-Tronics	HPM17543	015	08-18-16
LISN	R&S	ENV-216	101836	08-19-16
LISN	R&S	ENV-216	101837	08-19-16

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

7. SUMMARY TABLE

FCC Part Section	Test Description	Test Limit	Test Condition	Test Result	Worst Case
15.407 (a)	Occupied Band width (26dB)	N/A	Conducted	Pass	83.84 MHz
15.407	6dB Band width (5.8Ghz)	500KHz		Pass	15.125 MHz
15.407 (a)(2)	TX Cond. Power 5.15-5.25, 5.25-5.35 & 5.47-5.725	<24dBm or 11+10Log(OBW)		Pass	18.09 dBm
15.407 (a)(3)	TX Cond. Power 5.725-5.825	< 30dBm or 17+10Log(OBW)		Pass	17.90 dBm
15.407 (a)(5)	PSD (5.2,5.3,5.5GHz)	<11dBm		Pass	8.11 dBm
15.407 (a)(5)	PSD (5.8GHz)	30dBm per 500kHz		Pass	4.93 dBm
15.207 (a)	AC Power Line conducted emissions	Section 10	Radiated	Pass	47.69 dBuV (QP)
15.407 (b) & 15.209	Radiated Spurious Emission	Section 11		Pass	49.56 dBuV/m (AV)
15.407 (h)(2)	Dynamic Frequency Selection	N/A	Radiated / Condcuted	Pass	N/A

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

8. ON TIME, DUTY CYCLE AND MEASUREMENT METHODS

LIMITS

None; for reporting purposes only.

PROCEDURE

KDB 789033 D02 v01r02 Zero-Span Spectrum Analyzer Method.

8.1. ON TIME AND DUTY CYCLE RESULTS

Mode	ON Time B [msec]	Period [msec]	Duty Cycle x [linear]	Duty Cycle [%]	Duty Cycle Correction Factor [dB]	1/T Minimum VBW [kHz]
802.11a	1.432	1.530	0.936	93.6%	0.29	0.698
802.11n HT20	1.340	1.438	0.932	93.2%	0.31	0.746
802.11n HT40	0.664	0.761	0.872	87.2%	0.59	1.506
802.11ac VHT80	0.332	0.429	0.774	77.4%	1.11	3.012

8.2. DUTY CYCLE PLOTS

DUTY CYCLE 802.11a MODE



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

DUTY CYCLE 802.11n HT20 MODE



DUTY CYCLE 802.11n HT40 MODE



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

DUTY CYCLE 802.11ac VHT80 MODE



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

9. MEASUREMENT METHOD

KDB 789033 D02 General UNII Test Procedures New Rules v01r02
KDB 905462 D02 UNII DFS Compliance Procedures New Rules v02
KDB 905462 D03 UNII Clients Without Radar Detection New Rules v01r01

The Duty Cycle is less than 98% and consistent therefore KDB 789033 Method SA-2 is used for power and PPSD

The Duty Cycle is less than 98% and consistent, KDB 789033 Method AD with Power RMS Averaging and duty cycle correction is used.

MIMO Device: KDB 662911 v02r01

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10. ANTENNA PORT TEST RESULTS

10.1. 6 dB BANDWIDTH

LIMITS

FCC §15.407

The minimum 6 dB bandwidth shall be at least 500 kHz.

TEST PROCEDURE

Reference to 789033 D02 General UNII Test Procedures New Rules v01r02: The transmitter output is connected to a spectrum analyzer with the RBW set to100KHz, the VBW >= 3 x RBW, peak detector and max hold.

RESULTS

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.1.1. 802.11a MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	6 dB Bandwidth [MHz]		Minimum Limit [MHz]
		Primary	Secondary	
Low	5745	15.335	15.125	0.5
Mid	5785	15.138	15.468	0.5
High	5825	15.315	15.268	0.5
Worst		15.125		

10.1.2. 802.11n HT20 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	6 dB Bandwidth [MHz]		Minimum Limit [MHz]
		Chain 0	Chain 1	
Low	5745	15.125	15.135	0.5
Mid	5785	15.138	15.305	0.5
High	5825	15.130	15.330	0.5
Worst		15.125		

10.1.3. 802.11n HT40 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	6 dB Bandwidth [MHz]		Minimum Limit [MHz]
		Chain 0	Chain 1	
Low	5755	35.100	35.110	0.5
High	5795	35.070	35.025	0.5
Worst		35.025		

10.1.4. 802.11n VHT80 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	6 dB Bandwidth [MHz]		Minimum Limit [MHz]
		Chain 0	Chain 1	
Middle	5775	75.080	75.090	0.5
Worst		75.080		

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.


10.1.5. 6 dB BANDWIDTH PLOTS

IEEE 802.11a mode

11a Mode Low Channel Primary




11a Mode Low Channel Secondary



11a Mode Middle Channel Primary




11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0




11n HT20 Mode Low Channel Chain 1




11n HT20 Mode Middle Channel Chain 0




11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0





11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0	11n HT40 Mode Low Channel Chain 1
	
11n HT40 Mode High Channel Chain 0	**11n HT40 Mode High Channel Chain 1**
	

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0	11ac HT80 Mode Middle Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2. 26 dB BANDWIDTH

LIMITS

None; for reporting purposes only.

RESULTS

10.2.1. 802.11a MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Primary	Secondary
Low	5180	19.08	19.33
Mid	5200	18.46	18.54
High	5240	18.50	18.87
Worst		19.33	

10.2.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5180	19.73	19.77
Mid	5200	19.46	19.44
High	5240	19.57	19.59
Worst		19.77	

10.2.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5190	40.10	39.83
High	5230	40.15	39.87
Worst		40.15	

10.2.4. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5210	82.39	82.82
Worst		82.82	

UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.5. 802.11a MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Primary	Secondary
Low	5260	18.62	18.71
Mid	5300	19.20	18.52
High	5320	18.59	18.69
Worst		19.20	

10.2.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5260	19.66	19.84
Mid	5300	19.84	19.59
High	5320	20.00	19.77
Worst		20.00	

10.2.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5270	39.95	39.94
High	5310	40.00	39.50
Worst		40.00	

10.2.8. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5290	81.79	82.42
Worst		82.42	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.9. 802.11a MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Primary	Secondary
Low	5500	18.84	18.65
Mid	5580	18.83	18.58
High	5700	18.67	18.54
Worst		18.84	

10.2.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5500	19.52	19.53
Mid	5580	19.48	19.70
High	5700	19.81	19.71
Worst		19.81	

10.2.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5510	40.04	40.10
Mid	5550	40.34	39.85
High	5670	39.48	39.47
Worst		40.34	

10.2.12. 802.11ac VHT80 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5530	82.26	81.91
High	5610	82.22	81.95
Worst		82.26	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.2.13. 802.11a MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Primary	Secondary
Low	5745	18.60	19.12
Mid	5785	19.17	19.35
High	5825	19.22	18.81
Worst		19.35	

10.2.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5745	19.44	19.67
Mid	5785	19.70	19.72
High	5825	19.70	19.50
Worst		19.72	

10.2.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5755	40.02	40.24
High	5795	39.93	39.71
Worst		40.24	

10.2.16. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND


Channel	Frequency [MHz]	26 dB Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5775	82.43	83.84
Worst		83.84	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.


10.2.17. 26 dB BANDWIDTH PLOTS

UNII 5.2 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary




11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT20 mode


11n HT20 Mode Low Channel Chain 0




11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0




11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0




11n HT40 Mode High Channel Chain 1




UNII 5.2 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0




11ac HT80 Mode Middle Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11a mode


11a Mode Low Channel Primary




11a Mode Low Channel Secondary




11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary




11a Mode High Channel Secondary



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT20 mode


11n HT20 Mode Low Channel Chain 0




11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0




11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0




11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT40 mode


11n HT40 Mode Low Channel Chain 0




11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0




11n HT40 Mode High Channel Chain 1




UNII 5.3 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0




11ac HT80 Mode Middle Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11a mode


11a Mode Low Channel Primary




11a Mode Low Channel Secondary



11a Mode Middle Channel Primary




11a Mode Middle Channel Secondary



11a Mode High Channel Primary




11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11n HT20 mode


11n HT20 Mode Low Channel Chain 0




11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0




11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0








11n HT20 Mode High Channel Chain 1



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.


UNII 5.5 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0	11n HT40 Mode Low Channel Chain 1
	
11n HT40 Mode Middle Channel Chain 0	11n HT40 Mode Middle Channel Chain 1
	
11n HT40 Mode High Channel Chain 0	11n HT40 Mode High Channel Chain 1
	


UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11ac VHT80 mode


11ac HT80 Mode Low Channel Chain 0




11ac HT80 Mode Low Channel Chain 1



11ac HT80 Mode High Channel Chain 0



11ac HT80 Mode High Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11a mode


11a Mode Low Channel Primary




11a Mode Low Channel Secondary



11a Mode Middle Channel Primary




11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11n HT20 mode


11n HT20 Mode Low Channel Chain 0




11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0




11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11n HT40 mode


11n HT40 Mode Low Channel Chain 0




11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0





11n HT40 Mode High Channel Chain 1



UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0	11ac HT80 Mode Middle Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.3. 99% BANDWIDTH

LIMITS

None; for reporting purposes only.

RESULTS

10.3.1. 802.11a MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Primary	Secondary
Low	5180	16.332	16.303
Mid	5200	16.289	16.337
High	5240	16.323	16.336
Worst		16.337	

10.3.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5180	17.409	17.404
Mid	5200	17.452	17.445
High	5240	17.501	17.492
Worst		17.501	

10.3.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5190	35.786	35.861
High	5230	35.839	35.784
Worst		35.861	

10.3.4. 802.11ac VHT80 MODE IN THE 5.2 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5210	74.985	74.969
Worst		74.985	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.3.5. 802.11a MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Primary	Secondary
Low	5260	16.316	16.349
Mid	5300	16.330	16.306
High	5320	16.286	16.350
Worst		16.350	

10.3.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5260	17.438	17.456
Mid	5300	17.457	17.482
High	5320	17.484	17.458
Worst		17.484	

10.3.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5270	35.861	35.850
High	5310	35.867	35.773
Worst		35.867	

10.3.8. 802.11ac VHT80 MODE IN THE 5.3 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5290	74.972	74.988
Worst		74.988	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.3.9. 802.11a MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Primary	Secondary
Low	5500	16.344	16.323
Mid	5580	16.363	16.356
High	5700	16.259	16.328
Worst		16.363	

10.3.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5500	17.503	17.458
Mid	5580	17.422	17.481
High	5700	17.423	17.482
Worst		17.503	

10.3.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5510	35.800	35.806
Mid	5550	35.804	35.806
High	5670	35.914	35.822
Worst		35.914	

10.3.12. 802.11ac VHT80 MODE IN THE 5.5 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5530	75.008	74.973
High	5610	74.984	74.811
Worst		75.008	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.3.13. 802.11a MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Primary	Secondary
Low	5745	16.323	16.314
Mid	5785	16.358	16.266
High	5825	16.354	16.287
Worst		16.358	

10.3.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5745	17.491	17.503
Mid	5785	17.471	17.452
High	5825	17.498	17.484
Worst		17.503	

10.3.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Low	5755	35.751	35.813
High	5795	35.807	35.845
Worst		35.845	

10.3.16. 802.11ac VHT80 MODE IN THE 5.8 GHz BAND

Channel	Frequency [MHz]	99% Bandwidth [MHz]	
		Chain 0	Chain 1
Middle	5775	74.885	74.931
Worst		74.931	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.


10.3.17. 99% BANDWIDTH PLOTS

UNII 5.2 GHz IEEE 802.11a mode


11a Mode Low Channel Primary




11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary



UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1




11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0



11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0



11n HT40 Mode High Channel Chain 1



UNII 5.2 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0




11ac HT80 Mode Middle Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary




11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1




11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0




11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0



11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0



11n HT40 Mode High Channel Chain 1



UNII 5.3 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0



11ac HT80 Mode Middle Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary




11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1




11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0




11n HT40 Mode Low Channel Chain 1



11n HT40 Mode Middle Channel Chain 0



11n HT40 Mode Middle Channel Chain 1



11n HT40 Mode High Channel Chain 0



11n HT40 Mode High Channel Chain 1



UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Low Channel Chain 0



11ac HT80 Mode Low Channel Chain 1



11ac HT80 Mode High Channel Chain 0




11ac HT80 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary




11a Mode Middle Channel Primary




11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1




11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0



11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0



11n HT40 Mode High Channel Chain 1



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0	11ac HT80 Mode Middle Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4. OUTPUT POWER AND PPSD

LIMITS

FCC §15.407 (a) (1) (2) (3)

For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

DIRECTIONAL ANTENNA GAIN

For Power : The TX chains are uncorrelated and the antenna gains are unequal among the chains.

For PSD : The TX chains are correlated and the antenna gains are unequal among the chains.

The directional gain is:

5 GHz

Frequency Band [MHz]	Chain 0 Antenna Gain [dBi]	Chain 1 Antenna Gain [dBi]	Uncorrelated Chains Directional Gain [dBi]	Correlated Chains Directional Gain [dBi]
5150 - 5250	-0.66	-2.69	-1.56	1.39
5250 - 5350	-1.70	-2.49	-2.08	0.92
5470 - 5725	-0.57	-1.93	-1.20	1.79
5725 - 5850	-1.23	-1.93	-1.57	1.44

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

RESULTS

10.4.1. 802.11a MODE IN THE 5.2 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5180	19.33	16.33	-1.56	1.39
Mid	5200	18.54	16.34	-1.56	1.39
High	5240	18.87	16.34	-1.56	1.39

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5180	24.00	11.00
Mid	5200	24.00	11.00
High	5240	24.00	11.00

Duty Cycle CF [dB]	0.29	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Primary Antenna 1 Power [dBm]	Secendary Antenna 2 Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5180	14.70	14.64	17.97	24.00	-6.03
Mid	5200	14.08	14.51	17.60	24.00	-6.40
High	5240	14.49	14.39	17.73	24.00	-6.27

PPSD Results

Channel	Frequency [MHz]	Primary Antenna 1 PPSD [dBm]	Secondary Antenna 2 PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5180	4.59	4.48	7.83	11.00	-3.17
Mid	5200	4.24	4.63	7.73	11.00	-3.27
High	5240	4.24	4.49	7.66	11.00	-3.34

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.2. 802.11n HT20 MODE IN THE 5.2 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5180	19.77	17.41	-1.56	1.39
Mid	5200	19.46	17.45	-1.56	1.39
High	5240	19.59	17.50	-1.56	1.39

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5180	24.00	11.00
Mid	5200	24.00	11.00
High	5240	24.00	11.00

Duty Cycle CF [dB]	0.31	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5180	14.50	14.43	17.78	24.00	-6.22
Mid	5200	14.84	14.17	17.83	24.00	-6.17
High	5240	14.31	14.19	17.56	24.00	-6.44

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5180	4.55	4.14	7.67	11.00	-3.33
Mid	5200	4.74	4.07	7.74	11.00	-3.26
High	5240	4.22	4.22	7.54	11.00	-3.46

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.3. 802.11n HT40 MODE IN THE 5.2 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5190	40.10	35.86	-1.56	1.39
High	5230	40.15	35.84	-1.56	1.39

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5190	24.00	11.00
High	5230	24.00	11.00

Duty Cycle CF [dB]	0.59	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5190	13.63	13.77	17.31	24.00	-6.69
High	5230	12.98	13.68	16.95	24.00	-7.05

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5190	0.43	0.81	4.23	11.00	-6.77
High	5230	0.13	0.55	3.95	11.00	-7.05

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.4. 802.11ac HT80 MODE IN THE 5.2 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Middle	5210	82.82	74.99	-1.56	1.39

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Middle	5210	24.00	11.00

Duty Cycle CF [dB]	1.11	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Middle	5210	11.25	11.74	15.62	24.00	-8.38

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Middle	5210	-4.87	-4.45	-0.53	11.00	-11.53

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.5. 802.11a MODE IN THE 5.3 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5260	18.71	16.35	-2.08	0.92
Mid	5300	19.20	16.33	-2.08	0.92
High	5320	18.69	16.35	-2.08	0.92

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5260	23.72	11.00
Mid	5300	23.83	11.00
High	5320	23.72	11.00

Duty Cycle CF [dB]	0.29	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Primary Antenna 1 Power [dBm]	Secendary Antenna 2 Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5260	14.41	14.32	17.67	23.72	-6.06
Mid	5300	14.64	14.61	17.92	23.83	-5.91
High	5320	14.43	14.39	17.70	23.72	-6.01

PPSD Results

Channel	Frequency [MHz]	Primary Antenna 1 PPSD [dBm]	Secendary Antenna 2 PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5260	4.34	4.27	7.60	11.00	-3.40
Mid	5300	4.59	4.72	7.95	11.00	-3.05
High	5320	4.28	4.42	7.65	11.00	-3.35

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.6. 802.11n HT20 MODE IN THE 5.3 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5260	19.84	17.46	-2.08	0.92
Mid	5300	19.84	17.48	-2.08	0.92
High	5320	20.00	17.48	-2.08	0.92

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5260	23.98	11.00
Mid	5300	23.97	11.00
High	5320	24.00	11.00

Duty Cycle CF [dB]	0.31	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5260	14.28	14.15	17.54	23.98	-6.44
Mid	5300	14.36	14.31	17.65	23.97	-6.32
High	5320	14.24	14.09	17.48	24.00	-6.52

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5260	4.06	4.02	7.36	11.00	-3.64
Mid	5300	4.15	4.21	7.50	11.00	-3.50
High	5320	4.15	4.08	7.43	11.00	-3.57

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.7. 802.11n HT40 MODE IN THE 5.3 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5270	39.95	35.86	-2.08	0.92
High	5310	40.00	35.87	-2.08	0.92

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5270	24.00	11.00
High	5310	24.00	11.00

Duty Cycle CF [dB]	0.59	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5270	13.40	13.33	16.97	24.00	-7.03
High	5310	13.45	13.42	17.04	24.00	-6.96

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5270	0.25	0.29	3.87	11.00	-7.13
High	5310	0.33	0.17	3.85	11.00	-7.15

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.8. 802.11ac HT80 MODE IN THE 5.3 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Middle	5290	82.42	74.99	-2.08	0.92

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Middle	5290	24.00	11.00

Duty Cycle CF [dB]	1.11	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Middle	5290	11.66	11.63	15.77	24.00	-8.23

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Middle	5290	-4.71	-4.65	-0.55	11.00	-11.55

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.9. 802.11a MODE IN THE 5.5 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5500	18.84	16.34	-1.20	1.79
Mid	5580	18.83	16.36	-1.20	1.79
High	5700	18.67	16.33	-1.20	1.79

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5500	23.75	11.00
Mid	5580	23.75	11.00
High	5700	23.71	11.00

Duty Cycle CF [dB]	0.29	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Primary Antenna 1 Power [dBm]	Secendary Antenna 2 Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5500	14.58	14.69	17.93	23.75	-5.82
Mid	5580	14.76	14.56	17.96	23.75	-5.79
High	5700	14.81	14.29	17.85	23.71	-5.86

PPSD Results

Channel	Frequency [MHz]	Primary Antenna 1 PPSD [dBm]	Secendary Antenna 2 PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5500	4.51	4.68	7.89	11.00	-3.11
Mid	5580	4.72	4.89	8.10	11.00	-2.90
High	5700	4.71	4.74	8.02	11.00	-2.98

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.10. 802.11n HT20 MODE IN THE 5.5 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5500	19.53	17.50	-1.20	1.79
Mid	5580	19.70	17.48	-1.20	1.79
High	5700	19.81	17.48	-1.20	1.79

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5500	23.91	11.00
Mid	5580	23.94	11.00
High	5700	23.97	11.00

Duty Cycle CF [dB]	0.31	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5500	14.43	14.43	17.74	23.91	-6.16
Mid	5580	14.47	14.28	17.69	23.94	-6.25
High	5700	14.69	14.87	18.09	23.97	-5.87

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5500	4.40	4.42	7.73	11.00	-3.27
Mid	5580	4.33	3.92	7.45	11.00	-3.55
High	5700	4.54	5.04	8.11	11.00	-2.89

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.11. 802.11n HT40 MODE IN THE 5.5 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5510	40.10	35.81	-1.20	1.79
Mid	5550	40.34	35.81	-1.20	1.79
High	5670	39.48	35.91	-1.20	1.79

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5510	24.00	11.00
Mid	5550	24.00	11.00
High	5670	24.00	11.00

Duty Cycle CF [dB]	0.59	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5510	13.37	13.35	16.97	24.00	-7.03
Mid	5550	13.55	13.30	17.03	24.00	-6.97
High	5670	13.66	13.64	17.26	24.00	-6.74

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5510	0.49	0.24	3.97	11.00	-7.03
Mid	5550	0.64	0.19	4.02	11.00	-6.98
High	5670	0.54	0.79	4.27	11.00	-6.73

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.12. 802.11ac HT80 MODE IN THE 5.5 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5530	82.26	75.01	-1.20	1.79
High	5610	82.22	74.98	-1.20	1.79

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5530	24.00	11.00
High	5610	24.00	11.00

Duty Cycle CF [dB]	1.11	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5530	11.71	11.60	15.78	24.00	-8.22
High	5610	11.66	11.58	15.74	24.00	-8.26

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5530	-4.53	-4.65	-0.47	11.00	-11.47
High	5610	-4.56	-4.88	-0.59	11.00	-11.59

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.13. 802.11a MODE IN THE 5.8 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5745	19.12	16.32	-1.57	1.44
Mid	5785	19.35	16.36	-1.57	1.44
High	5825	19.22	16.35	-1.57	1.44

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5745	30.00	30.00
Mid	5785	30.00	30.00
High	5825	30.00	30.00

Duty Cycle CF [dB]	0.29	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Primary Antenna 1 Power [dBm]	Secendary Antenna 2 Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5745	14.64	14.13	17.69	30.00	-12.31
Mid	5785	14.11	14.26	17.49	30.00	-12.51
High	5825	13.61	14.28	17.26	30.00	-12.74

PPSD Results

Channel	Frequency [MHz]	Primary Antenna 1 PPSD [dBm]	Secendary Antenna 2 PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5745	1.77	1.22	4.80	30.00	-25.20
Mid	5785	0.98	1.28	4.43	30.00	-25.57
High	5825	0.55	1.25	4.21	30.00	-25.79

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.14. 802.11n HT20 MODE IN THE 5.8 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5745	19.67	17.50	-1.57	1.44
Mid	5785	19.72	17.47	-1.57	1.44
High	5825	19.70	17.50	-1.57	1.44

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5745	30.00	30.00
Mid	5785	30.00	30.00
High	5825	30.00	30.00

Duty Cycle CF [dB]	0.31	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5745	14.43	14.73	17.90	30.00	-12.10
Mid	5785	13.92	13.98	17.27	30.00	-12.73
High	5825	13.51	14.02	17.09	30.00	-12.91

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5745	1.50	1.73	4.93	30.00	-25.07
Mid	5785	0.77	1.02	4.21	30.00	-25.79
High	5825	0.26	1.22	4.08	30.00	-25.92

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.15. 802.11n HT40 MODE IN THE 5.8 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Low	5755	40.24	35.81	-1.57	1.44
High	5795	39.93	35.85	-1.57	1.44

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Low	5755	30.00	30.00
High	5795	30.00	30.00

Duty Cycle CF [dB]	0.59	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Low	5755	13.73	13.55	17.25	30.00	-12.75
High	5795	13.69	13.74	17.32	30.00	-12.68

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Low	5755	-2.18	-2.74	1.15	30.00	-28.85
High	5795	-2.38	-2.33	1.25	30.00	-28.75

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.16. 802.11ac HT80 MODE IN THE 5.8 GHz BAND

Bandwidth and Antenna Gain

Channel	Frequency [MHz]	Min 26 dB BW [MHz]	Min 99% BW [MHz]	Directional Gain for Power [dBi]	Directional Gain for PPSD [dBi]
Middle	5775	83.84	74.93	-1.57	1.44

Limits

Channel	Frequency [MHz]	FCC Power Limit [dBm]	FCC PPSD Limit [dBm]
Middle	5775	30.00	30.00

Duty Cycle CF [dB]	1.11	Included in Calculations of Corr'd Power & PPSD

Output Power Results

Channel	Frequency [MHz]	Chain 0 Meas Power [dBm]	Chain 1 Meas Power [dBm]	Total Corr'd Power [dBm]	Power Limit [dBm]	Power Margin [dB]
Middle	5775	11.86	11.82	15.96	30.00	-14.04

PPSD Results

Channel	Frequency [MHz]	Chain 0 Meas PPSD [dBm]	Chain 1 Meas PPSD [dBm]	Total Corr'd PPSD [dBm]	PPSD Limit [dBm]	PPSD Margin [dB]
Middle	5775	-7.34	-7.36	-3.23	30.00	-33.23

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

10.4.17. OUTPUT POWER AND PPSD PLOTS

UNII 5.2 GHz IEEE 802.11a mode


11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary




11a Mode High Channel Secondary



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0	11n HT20 Mode Low Channel Chain 1
	
11n HT20 Mode Middle Channel Chain 0	11n HT20 Mode Middle Channel Chain 1
	
11n HT20 Mode High Channel Chain 0	11n HT20 Mode High Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.2 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0	11n HT40 Mode Low Channel Chain 1
	
11n HT40 Mode High Channel Chain 0	11n HT40 Mode High Channel Chain 1
	

UNII 5.2 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0	11ac HT80 Mode Middle Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.3 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0



11n HT40 Mode Low Channel Chain 1



11n HT40 Mode High Channel Chain 0




11n HT40 Mode High Channel Chain 1




UNII 5.3 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Middle Channel Chain 0




11ac HT80 Mode Middle Channel Chain 1



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary



11a Mode High Channel Secondary




UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0



11n HT20 Mode Low Channel Chain 1



11n HT20 Mode Middle Channel Chain 0



11n HT20 Mode Middle Channel Chain 1



11n HT20 Mode High Channel Chain 0



11n HT20 Mode High Channel Chain 1



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.


UNII 5.5 GHz IEEE 802.11n HT40 mode

11n HT40 Mode Low Channel Chain 0	11n HT40 Mode Low Channel Chain 1
	
11n HT40 Mode Middle Channel Chain 0	11n HT40 Mode Middle Channel Chain 1
	
11n HT40 Mode High Channel Chain 0	11n HT40 Mode High Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.5 GHz IEEE 802.11ac VHT80 mode

11ac HT80 Mode Low Channel Chain 0



11ac HT80 Mode Low Channel Chain 1



11ac HT80 Mode High Channel Chain 0




11ac HT80 Mode High Channel Chain 1



UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11a mode

11a Mode Low Channel Primary



11a Mode Low Channel Secondary



11a Mode Middle Channel Primary



11a Mode Middle Channel Secondary



11a Mode High Channel Primary




11a Mode High Channel Secondary



UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.

UNII 5.8 GHz IEEE 802.11n HT20 mode

11n HT20 Mode Low Channel Chain 0	11n HT20 Mode Low Channel Chain 1
	
11n HT20 Mode Middle Channel Chain 0	11n HT20 Mode Middle Channel Chain 1
	
11n HT20 Mode High Channel Chain 0	11n HT20 Mode High Channel Chain 1
	

UL Korea, Ltd. Suwon Laboratory FORM ID: FCC_15E
218 Maeyeong-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 443-823, Korea
TEL: (031) 337-9902 FAX: (031) 213-5433
UL Korea, Ltd. Confidential
This report shall not be reproduced except in full, without the written approval of UL Korea, Ltd.