



HCT CO.,LTD.

2-6, 73, 74, Seoicheon-ro 578beon-gil, Majang-myeon, Icheon-si, Gyeonggi-do, Republic of Korea
Tel. +82 31 645 6300 Fax. +82 31 645 6401

Appendix A: Test Setup Photo

FCC ID: A3LSMX400

File No.
HCT-SR-2506-FC019-P

REVISION HISTORY

The revision history for this document is shown in table.

Revision No.	Date of Issue	Description
0	Jun. 26, 2025	Initial Release

- DUT Antenna Information




- SAR Test Setup Photo.

1 Body

1.1 Body All (ELI Phantom)



1.2 Body Rear



Distance of 0 mm from the EUT




Distance of 19 mm from the EUT

1.3 Body Left



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT

1.4 Body Right



Distance of 0 mm from the EUT



Distance of 11 mm from the EUT

1.5 Body Top



Distance of 0 mm from the EUT




Distance of 22 mm from the EUT



Distance of 25 mm from the EUT

2.1 Body All (SAM Phantom)



2.2 Body Rear




Distance of 0 mm from the EUT



Distance of 19 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1



Distance of 0 mm from the EUT with Cover Variant 2



Distance of 0 mm from the EUT (DUT Holder)

2.3 Body Left



Distance of 0 mm from the EUT



Distance of 10 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1



Distance of 0 mm from the EUT with Cover Variant 2

2.4 Body Right



Distance of 0 mm from the EUT



Distance of 11 mm from the EUT



Distance of 0 mm from the EUT with Cover Variant 1



Distance of 0 mm from the EUT with Cover Variant 2

2.5 Body Top



Distance of 0 mm from the EUT



Distance of 22 mm from the EUT



Distance of 25 mm from the EUT