

Appendix I. –Pmax Conducted Power

I.1 NR Band Maximum Conducted Output Power

I.1.1 NR TDD Band n41 Conducted Power

NR TDD Band n41 _ Conducted Power_ Pmax _ Main1 ANT.

NR TDD Band n41 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500202	509400	518598	527802	537000	
						2 501.01 MHz	2 547 MHz	2 592.99 MHz	2 639.01 MHz	2 685 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.30	24.32	24.11	23.92	23.68	0
				1	12	24.34	24.33	24.25	24.37	23.71	0
				1	22	24.33	24.26	24.25	24.39	23.72	0
				12	0	23.80	23.79	23.73	23.75	23.19	0.5
				12	6	24.34	24.27	24.25	24.31	23.72	0
				12	12	23.86	23.78	23.74	23.86	23.24	0.5
				24	0	23.84	23.79	23.75	23.83	23.21	0.5
			QPSK	1	1	24.27	24.30	24.21	24.22	23.63	0
				1	12	24.36	24.28	24.20	24.30	23.75	0
				1	22	24.33	24.27	24.24	24.39	23.70	0
				12	0	23.33	23.29	23.24	23.26	22.68	1
				12	6	24.35	24.27	24.25	24.32	23.71	0
				12	12	23.35	23.27	23.25	23.38	22.71	1
				24	0	23.35	23.29	23.25	23.32	22.72	1
			16QAM	1	1	23.27	23.23	23.22	23.21	22.65	1
			64QAM	1	1	21.81	21.78	21.73	21.81	21.20	2.5
			256QAM	1	1	19.78	19.91	19.73	19.71	19.09	4.5
		CP	QPSK	1	1	22.78	22.79	22.69	22.68	22.14	1.5

NR TDD Band n41 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						500700	509652	518598	527550	536502	
						2 503.5 MHz	2 548.26 MHz	2 592.99 MHz	2 637.75 MHz	2 682.51 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.33	23.89	24.41	23.46	23.78	0
				1	18	24.31	24.25	24.20	24.21	23.78	0
				1	36	24.30	24.26	24.26	24.41	23.89	0
				18	0	23.87	23.82	23.72	23.66	23.29	0.5
				18	9	24.37	24.28	24.24	24.25	23.84	0
				18	18	23.85	23.79	23.74	23.84	23.38	0.5
				36	0	23.88	23.80	23.74	23.76	23.34	0.5
			QPSK	1	1	24.32	24.33	24.19	24.05	23.71	0
				1	18	24.32	24.21	24.16	24.15	23.77	0
				1	36	24.30	24.26	24.23	24.38	23.84	0
				18	0	23.39	23.34	23.22	23.16	22.80	1
				18	9	24.37	24.29	24.24	24.25	23.84	0
				18	18	23.35	23.28	23.26	23.33	22.89	1
				36	0	23.39	23.30	23.25	23.26	22.86	1
			16QAM	1	1	23.24	23.31	23.27	23.18	22.78	1
			64QAM	1	1	21.89	21.87	21.75	21.57	21.22	2.5
			256QAM	1	1	19.84	19.83	19.68	19.55	19.26	4.5
		CP	QPSK	1	1	22.82	22.81	22.68	22.55	22.21	1.5

NR TDD Band n41 _20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						501204	509898	518598	527298	535998	
						2 506.02 MHz	2 549.49 MHz	2 592.99 MHz	2 636.49 MHz	2 679.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.14	24.07	24.18	24.33	23.05	0
				1	26	24.16	24.30	24.22	24.18	23.76	0
				1	49	24.09	24.18	24.22	24.37	23.84	0
				25	0	23.68	23.84	23.71	23.56	23.20	0.5
				25	13	24.19	24.32	24.25	24.21	23.77	0
				25	26	23.65	23.78	23.75	23.81	23.38	0.5
				50	0	23.71	23.80	23.74	23.71	23.28	0.5
			QPSK	1	1	24.15	24.35	24.17	23.94	23.64	0
				1	26	24.15	24.28	24.21	24.18	23.75	0
				1	49	24.07	24.19	24.22	24.36	23.83	0
				25	0	23.22	23.35	23.21	23.06	22.71	1
				25	13	24.19	24.32	24.25	24.21	23.79	0
				25	26	23.15	23.29	23.25	23.33	22.87	1
				50	0	23.20	23.32	23.23	23.21	22.79	1
			16QAM	1	1	23.20	23.40	23.22	23.03	22.71	1
			64QAM	1	1	21.72	21.85	21.70	21.40	21.21	2.5
			256QAM	1	1	19.64	19.82	19.63	19.43	19.13	4.5
		CP	QPSK	1	1	22.65	22.86	22.67	22.44	22.13	1.5

NR TDD Band n41 _30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						502200	510402	518598	526800	534996	
						2 511 MHz	2 552.01 MHz	2 592.99 MHz	2 634 MHz	2 674.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.25	24.40	23.68	23.99	23.82	0
				1	39	24.30	24.42	24.25	24.36	23.86	0
				1	76	24.10	24.10	24.24	24.45	23.93	0
				36	0	23.80	23.92	23.69	23.61	23.27	0.5
				36	21	24.25	24.38	24.25	24.31	23.81	0
				36	42	23.67	23.73	23.76	23.96	23.43	0.5
				75	0	23.76	23.87	23.73	23.77	23.30	0.5
			QPSK	1	1	24.28	24.42	24.14	23.96	23.79	0
				1	39	24.33	24.38	24.25	24.35	23.84	0
				1	76	24.14	24.12	24.21	24.48	23.91	0
				36	0	23.34	23.42	23.20	23.11	22.79	1
				36	21	24.29	24.39	24.25	24.31	23.84	0
				36	42	23.19	23.24	23.25	23.47	22.93	1
				75	0	23.26	23.38	23.27	23.26	22.79	1
			16QAM	1	1	23.17	23.34	23.24	23.05	22.87	1
			64QAM	1	1	21.61	21.92	21.60	21.52	21.30	2.5
			256QAM	1	1	19.63	19.87	19.68	19.45	19.30	4.5
		CP	QPSK	1	1	22.77	22.93	22.66	22.47	22.31	1.5

NR TDD Band n41 _40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						503202	513468		523734	534000	
						2 516.01 MHz	2 567.34 MHz		2 618.67 MHz	2 670 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.16	24.25		23.64	23.52	0
				1	53	24.12	24.00		23.95	23.71	0
				1	104	24.11	23.99		24.25	23.86	0
				50	0	23.69	23.66		23.36	23.24	0.5
				50	28	24.10	24.02		23.90	23.70	0
				50	56	23.55	23.47		23.54	23.31	0.5
				100	0	23.61	23.51		23.37	23.17	0.5
			QPSK	1	1	24.16	24.19		23.78	23.85	0
				1	53	24.15	23.97		23.87	23.75	0
				1	104	24.10	23.99		24.26	23.84	0
				50	0	23.20	23.17		22.87	22.74	1
				50	28	24.10	24.01		23.91	23.70	0
				50	56	23.05	23.00		23.03	22.81	1
				100	0	23.11	23.02		22.90	22.69	1
			16QAM	1	1	23.26	23.46		22.95	22.95	1
			64QAM	1	1	21.66	21.61		21.35	21.28	2.5
			256QAM	1	1	19.69	19.78		19.17	19.33	4.5
		CP	QPSK	1	1	22.65	22.78		22.28	22.31	1.5

NR TDD Band n41_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						504204		518598		532998	
						2 521.02 MHz		2 592.99 MHz		2 664.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.12		23.76		23.58	0
				1	67	24.16		24.24		23.77	0
				1	131	24.11		24.20		23.86	0
				64	0	23.78		23.67		23.47	0.5
				64	35	24.21		24.25		23.83	0
				64	69	23.69		23.75		23.32	0.5
				128	0	23.67		23.73		23.30	0.5
			QPSK	1	1	24.22		24.11		23.92	0
				1	67	24.16		24.22		23.76	0
				1	131	24.12		24.19		23.81	0
				64	0	23.29		23.17		22.98	1
				64	35	24.19		24.27		23.83	0
				64	69	23.19		23.25		22.82	1
				128	0	23.18		23.24		22.81	1
			16QAM	1	1	23.19		23.06		22.82	1
			64QAM	1	1	21.65		21.65		21.44	2.5
			256QAM	1	1	19.81		19.18		19.42	4.5
		CP	QPSK	1	1	22.68		22.61		22.38	1.5

NR TDD Band n41_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						505200		518598			531996
						2 526 MHz		2 592.99 MHz			2 659.98 MHz
60 MHz	30	DFT-s	pi/2 BPSK	1	1	24.13		24.14		23.16	0
				1	81	24.06		24.27		23.76	0
				1	160	24.00		24.19		23.78	0
				81	0	23.63		23.64		23.37	0.5
				81	41	24.05		24.24		23.73	0
				81	81	23.62		23.75		23.22	0.5
				162	0	23.54		23.71		23.23	0.5
			QPSK	1	1	24.09		24.14		23.54	0
				1	81	23.99		24.29		23.77	0
				1	160	23.99		24.23		23.83	0
				81	0	23.15		23.16		22.90	1
				81	41	24.06		24.25		23.74	0
				81	81	23.13		23.26		22.72	1
				162	0	23.04		23.21		22.74	1
			16QAM	1	1	23.08		22.87		22.53	1
			64QAM	1	1	21.81		21.48		21.07	2.5
			256QAM	1	1	19.48		19.45		18.93	4.5
		CP	QPSK	1	1	22.57		22.60		22.03	1.5

NR TDD Band n41_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						506202			531000		
						2 531.01 MHz			2 655 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1	23.84				23.92	0
				1	95	24.15				23.73	0
				1	187	23.81				23.77	0
				90	0	23.70				23.15	0.5
				90	50	24.18				23.76	0
				90	99	23.62				23.13	0.5
				180	0	23.63				23.25	0.5
			QPSK	1	1	24.17				23.29	0
				1	95	24.18				23.74	0
				1	187	23.82				23.80	0
				90	0	23.21				22.66	1
				90	50	24.19				23.74	0
				90	99	23.13				22.63	1
				180	0	23.14				22.73	1
			16QAM	1	1	23.09				22.37	1
			64QAM	1	1	21.70				20.71	2.5
			256QAM	1	1	19.68				18.64	4.5
		CP	QPSK	1	1	22.64				21.72	1.5

NR TDD Band n41_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]	
						507204					529998
						2536.02 MHz					2649.99 MHz
80 MHz	30	DFT-s	pi/2 BPSK	1	1	24.08				23.98	0
				1	109	24.06				23.89	0
				1	215	23.74				23.79	0
				108	0	23.55				23.06	0.5
				108	55	24.09				23.91	0
				108	109	23.51				23.15	0.5
				216	0	23.58				23.36	0.5
			QPSK	1	1	24.11				23.31	0
				1	109	24.10				23.94	0
				1	215	23.81				23.81	0
				108	0	23.06				22.57	1
				108	55	24.09				23.91	0
				108	109	23.00				22.66	1
				216	0	23.11				22.88	1
			16QAM	1	1	23.17				22.28	1
			64QAM	1	1	21.68				20.87	2.5
			256QAM	1	1	19.58				18.73	4.5
		CP	QPSK	1	1	22.56				21.99	1.5

NR TDD Band n41_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
						508200			528996	
						2 541 MHz			2 644.98 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1	24.13			23.30	0
				1	123	24.18			23.95	0
				1	243	23.77			23.71	0
				120	0	23.62			22.99	0.5
				120	63	24.22			23.95	0
				120	125	23.37			23.16	0.5
				243	0	23.67			23.43	0.5
			QPSK	1	1	24.15			23.29	0
				1	123	24.20			23.99	0
				1	243	23.77			23.68	0
				120	0	23.14			22.50	1
				120	63	24.20			23.91	0
				120	125	22.87			22.67	1
				243	0	23.16			22.93	1
			16QAM	1	1	23.31			22.43	1
			64QAM	1	1	21.67			20.79	2.5
			256QAM	1	1	19.64			18.76	4.5
		CP	QPSK	1	1	22.58			21.80	1.5

NR TDD Band n41_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)				MPR [dB]
								518598		
								2 592.99 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1			24.31		0
				1	137			24.23		0
				1	271			24.44		0
				135	0			23.61		0.5
				135	69			24.22		0
				135	138			23.71		0.5
				270	0			23.68		0.5
			QPSK	1	1			24.35		0
				1	137			24.27		0
				1	271			24.45		0
				135	0			23.13		1
				135	69			24.24		0
				135	138			23.22		1
				270	0			23.16		1
			16QAM	1	1			23.31		1
			64QAM	1	1			21.94		2.5
			256QAM	1	1			19.78		4.5
		CP	QPSK	1	1			22.81		1.5

I.1.2 NR TDD Band n77 Conducted Power

NR TDD Band n77 Conducted Power_ Measured Pmax _ Main2 ANT.

NR TDD Band n77_ 10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647000	650600	654200	657800	661400	665000	
						3 705 MHz	3 759 MHz	3 813 MHz	3 867 MHz	3 921 MHz	3 975 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.46	25.04	24.46	24.25	24.93	25.18	0
				1	12	24.47	24.52	24.35	24.30	24.96	25.27	0
				1	22	24.56	24.94	24.23	24.37	24.94	25.27	0
				12	0	23.91	24.47	23.88	23.74	24.44	24.68	0.5
				12	6	24.43	25.10	24.30	24.29	24.94	25.19	0
				12	12	23.94	24.42	23.73	23.84	24.45	24.75	0.5
				24	0	23.89	24.02	23.81	23.78	24.46	24.71	0.5
			QPSK	1	1	24.34	25.01	24.46	24.23	24.91	25.16	0
				1	12	24.37	24.93	24.34	24.28	24.95	25.19	0
				1	22	24.46	24.90	24.22	24.36	24.94	25.26	0
				12	0	23.33	23.95	23.38	23.25	23.94	24.19	1
				12	6	24.36	24.94	24.31	24.29	24.94	25.21	0
				12	12	23.39	23.90	23.26	23.32	23.96	24.24	1
				24	0	23.37	23.93	23.30	23.29	23.96	24.20	1
			16QAM	1	1	23.36	23.92	23.45	23.30	23.98	24.22	1
			64QAM	1	1	21.87	22.44	21.97	21.68	22.43	22.70	2.5
			256QAM	1	1	19.83	20.44	19.85	19.69	20.43	20.78	4.5
		CP	QPSK	1	1	22.81	23.52	22.93	22.71	23.45	23.69	1.5

NR TDD Band n77_ 15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647168	650700	654234	657766	661300	664832	
						3 707.52 MHz	3 760.5 MHz	3 813.51 MHz	3 866.5 MHz	3 919.5 MHz	3 972.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.21	24.94	24.47	24.17	24.83	25.22	0
				1	18	24.26	24.84	24.25	24.23	24.90	25.20	0
				1	36	24.40	24.77	24.10	24.34	24.95	25.29	0
				18	0	23.79	24.43	23.88	23.68	24.36	24.70	0.5
				18	9	24.32	24.89	24.27	24.25	24.91	25.21	0
				18	18	23.86	24.33	23.67	23.82	23.97	24.75	0.5
				36	0	23.83	24.38	23.77	23.22	24.41	24.71	0.5
			QPSK	1	1	24.22	24.93	24.45	23.73	24.78	25.16	0
				1	18	24.25	24.80	24.21	24.20	24.84	25.16	0
				1	36	24.40	24.75	24.04	24.30	24.92	25.24	0
				18	0	23.27	23.93	23.39	23.18	23.86	24.19	1
				18	9	24.31	24.90	24.28	24.24	24.91	25.21	0
				18	18	23.38	23.84	23.19	23.31	23.94	24.24	1
				36	0	23.33	23.89	23.30	23.26	23.91	24.22	1
			16QAM	1	1	23.29	24.03	23.47	23.61	23.74	24.08	1
			64QAM	1	1	21.81	22.59	21.89	21.64	22.39	22.67	2.5
			256QAM	1	1	19.78	20.44	19.93	19.59	20.23	20.59	4.5
		CP	QPSK	1	1	22.77	23.51	22.93	22.67	23.35	23.74	1.5

NR TDD Band n77_ 20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647334	650800	654266	657734	661200	664666	
						3 710.01 MHz	3 762 MHz	3 813.99 MHz	3 866.01 MHz	3 918 MHz	3 969.99 MHz	
20 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.30	24.99	24.49	24.02	24.69	25.07	0
				1	26	24.38	24.86	24.20	24.23	24.86	25.19	0
				1	49	24.49	24.70	23.97	24.31	24.92	25.26	0
				25	0	23.83	24.42	23.88	23.62	24.27	24.61	0.5
				25	13	24.37	24.85	24.25	24.21	24.28	25.19	0
				25	26	23.93	24.25	23.59	23.80	24.39	24.71	0.5
			QPSK	50	0	23.86	24.36	23.74	23.71	24.36	24.68	0.5
				1	1	24.20	24.94	24.44	24.00	24.65	25.02	0
				1	26	24.31	24.83	24.18	24.19	24.85	25.15	0
				1	49	24.46	24.68	23.94	24.24	24.87	25.21	0
				25	0	23.33	23.91	23.38	23.12	23.76	24.13	1
				25	13	24.38	24.86	24.22	24.22	24.87	25.16	0
				25	26	23.44	23.76	23.09	23.31	23.92	24.22	1
				50	0	23.37	23.85	23.25	23.22	23.86	24.18	1
			16QAM	1	1	23.26	23.98	23.33	23.02	23.76	24.13	1
			64QAM	1	1	21.74	22.41	21.90	21.61	22.11	22.58	2.5
			256QAM	1	1	19.69	20.48	19.94	19.50	20.14	20.58	4.5
		CP	QPSK	1	1	22.79	23.50	22.95	22.53	23.20	23.56	1.5

NR TDD Band n77_ 25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647500	650900	654300	657700	661100	664500	
						3712.5 MHz	3763.5 MHz	3814.5 MHz	3865.5 MHz	3916.5 MHz	3967.5 MHz	
25 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.26	25.00	24.46	23.90	24.52	24.97	0
				1	32	24.44	24.74	24.25	24.18	24.85	25.09	0
				1	63	24.56	24.63	23.87	24.27	24.90	25.23	0
				32	0	23.92	24.39	23.87	23.56	24.19	24.54	0.5
				32	17	24.39	24.60	24.20	24.21	24.81	25.12	0
				32	33	23.98	24.42	24.26	23.79	24.52	24.68	0.5
			QPSK	64	0	23.87	24.28	23.99	23.71	24.28	24.61	0.5
				1	1	24.26	24.95	24.50	23.90	24.54	24.96	0
				1	32	24.39	24.76	24.15	24.16	24.78	25.07	0
				1	63	24.53	24.57	23.86	24.27	24.90	25.24	0
				32	0	23.30	23.90	23.38	23.08	23.69	24.06	1
				32	17	24.40	24.78	24.21	24.19	24.81	25.12	0
				32	33	23.45	24.13	22.98	23.30	23.89	24.19	1
				64	0	23.42	23.78	23.20	23.19	23.81	24.13	1
			16QAM	1	1	23.23	23.95	23.53	22.77	23.48	24.02	1
			64QAM	1	1	21.78	22.52	21.98	21.38	22.04	22.50	2.5
			256QAM	1	1	19.74	20.39	19.95	19.36	20.01	20.53	4.5
		CP	QPSK	1	1	22.75	23.42	22.97	22.42	23.04	23.51	1.5

NR TDD Band n77_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						647668	651000	654334	657666	661000	664332	
						3 715.02 MHz	3 765 MHz	3 815.01 MHz	3 864.99 MHz	3 915 MHz	3 964.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.15	24.84	24.36	23.95	24.37	25.07	0
				1	39	24.48	24.71	24.14	24.28	24.77	25.15	0
				1	76	24.74	24.61	23.84	24.21	24.89	25.15	0
				36	0	23.75	24.31	23.78	23.60	24.07	24.60	0.5
				36	21	24.41	24.73	23.91	24.26	24.48	25.13	0
				36	42	24.07	24.15	23.45	23.78	24.40	24.66	0.5
			QPSK	75	0	23.88	24.23	23.64	23.74	24.26	24.63	0.5
				1	1	24.14	24.83	24.38	23.92	24.39	25.02	0
				1	39	24.44	24.70	24.14	24.18	24.79	25.13	0
				1	76	24.76	24.61	23.85	24.14	24.90	25.13	0
				36	0	23.26	23.80	23.28	23.13	23.58	24.10	1
				36	21	24.40	24.74	24.13	24.24	24.79	25.16	0
				36	42	23.57	23.68	22.95	23.28	23.67	24.17	1
				75	0	23.38	23.73	23.13	23.23	23.77	24.13	1
			16QAM	1	1	23.16	23.86	23.45	23.00	23.46	24.11	1
			64QAM	1	1	21.58	22.33	22.01	21.50	21.95	22.64	2.5
			256QAM	1	1	19.64	20.28	19.84	19.42	19.83	20.54	4.5
		CP	QPSK	1	1	22.66	23.37	22.92	22.49	22.86	23.59	1.5

NR TDD Band n77_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648000	651200	654400	657600	660800	664000	
						3720 MHz	3768 MHz	3816 MHz	3864 MHz	3912 MHz	3960 MHz	
40 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.21	24.93	24.44	23.85	24.32	24.87	0
				1	53	24.53	24.76	24.11	24.28	24.78	25.10	0
				1	104	24.85	24.60	23.85	24.18	24.85	25.19	0
				50	0	23.83	24.32	23.82	23.51	24.01	24.49	0.5
				50	28	24.52	24.69	24.10	24.22	24.75	25.04	0
				50	56	24.23	24.08	23.39	23.76	24.36	24.63	0.5
			QPSK	100	0	23.98	24.19	23.62	23.70	24.23	24.53	0.5
				1	1	24.14	24.84	24.36	23.82	24.23	24.83	0
				1	53	24.51	24.64	24.08	24.18	24.77	24.99	0
				1	104	24.86	24.49	23.76	24.10	24.79	25.16	0
				50	0	23.35	23.83	23.33	23.01	23.51	24.00	1
				50	28	24.51	24.69	24.10	24.22	24.77	25.06	0
				50	56	23.75	23.59	22.91	23.27	23.89	24.20	1
				100	0	23.48	23.70	23.12	23.18	23.73	24.04	1
			16QAM	1	1	23.21	23.87	23.36	22.63	23.15	23.95	1
			64QAM	1	1	21.87	22.47	21.74	21.50	21.85	22.32	2.5
			256QAM	1	1	19.65	20.41	19.88	19.26	19.74	20.34	4.5
		CP	QPSK	1	1	22.68	23.40	23.00	22.31	22.88	23.28	1.5

NR TDD Band n77_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648334	652166	656000		659834	663666	
						3 725.01 MHz	3 782.49 MHz	3 840 MHz		3 897.51 MHz	3 954.99 MHz	
50 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.06	24.89	24.06		24.13	24.88	0
				1	67	24.59	24.60	23.76		24.36	25.06	0
				1	131	24.96	24.33	24.20		24.84	25.08	0
				64	0	23.77	24.18	23.32		23.67	24.48	0.5
				64	35	24.58	24.57	23.74		24.39	25.06	0
				64	69	24.35	24.00	23.45		24.20	24.58	0.5
				128	0	24.03	24.07	23.24		23.84	24.54	0.5
			QPSK	1	1	24.10	24.80	23.99		24.13	24.84	0
				1	67	24.53	24.54	23.72		24.38	25.05	0
				1	131	24.88	24.29	24.13		24.85	25.07	0
				64	0	23.26	23.70	22.83		23.17	23.97	1
				64	35	24.58	24.58	23.75		24.40	25.07	0
				64	69	23.85	23.51	22.95		23.70	24.07	1
				128	0	23.54	23.57	22.74		23.34	24.04	1
			16QAM	1	1	23.05	23.83	23.11		22.93	23.95	1
			64QAM	1	1	21.51	22.38	21.60		21.65	22.53	2.5
			256QAM	1	1	19.60	20.38	19.48		19.64	20.38	4.5
		CP	QPSK	1	1	22.57	23.52	22.59		22.65	23.37	1.5

NR TDD Band n77_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						648668	653556			658444	663332	
						3 730.02 MHz	3 803.34 MHz			3 876.66 MHz	3 949.98 MHz	
60 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	23.68	24.65			23.69	24.79	0
				1	81	24.75	24.48			24.26	25.07	0
				1	160	24.78	23.74			24.57	25.17	0
				81	0	23.88	24.06			23.57	24.38	0.5
				81	41	24.73	24.46			24.21	25.04	0
				81	81	24.40	23.54			23.76	24.61	0.5
			162	0	24.21	23.93			23.71	24.54	0.5	
			QPSK	1	1	24.10	24.59			23.66	24.82	0
				1	81	24.72	24.43			24.23	25.09	0
				1	160	24.74	23.66			24.61	25.16	0
				81	0	23.38	23.56			23.09	23.89	1
				81	41	24.72	24.46			24.23	25.06	0
				81	81	23.89	23.04			23.27	24.10	1
			162	0	23.70	23.43			23.22	24.04	1	
			16QAM	1	1	23.14	23.22			22.95	24.08	1
			64QAM	1	1	21.71	22.32			21.08	22.21	2.5
			256QAM	1	1	19.48	20.06			19.17	20.28	4.5
		CP	QPSK	1	1	22.59	23.17			22.21	22.94	1.5

NR TDD Band n77_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649000	653666			658334	663000	
						3 750 MHz	3 804.99 MHz			3 875.01 MHz	3 945 MHz	
70 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.05	24.68			23.55	24.56	0
				1	95	24.79	24.42			24.24	24.95	0
				1	187	24.74	23.62			24.71	25.27	0
				90	0	23.64	23.74			23.50	24.26	0.5
				90	50	24.77	24.47			24.49	24.96	0
				90	99	24.47	23.39			23.64	24.62	0.5
			QPSK	180	0	24.22	23.42			23.75	24.45	0.5
				1	1	24.03	24.68			23.59	24.55	0
				1	95	24.83	24.43			24.27	25.00	0
				1	187	24.77	23.66			24.72	25.30	0
				90	0	23.30	23.60			22.94	23.76	1
				90	50	24.78	24.44			24.24	24.96	0
				90	99	23.94	22.89			23.33	24.13	1
				180	0	23.72	23.45			23.24	23.91	1
			16QAM	1	1	23.03	23.74			22.55	23.73	1
			64QAM	1	1	21.53	22.21			21.03	22.12	2.5
			256QAM	1	1	19.52	20.14			19.05	20.11	4.5
		CP	QPSK	1	1	22.56	23.20			22.11	23.12	1.5

NR TDD Band n77_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)						MPR [dB]
						649334		656000		662666		
						3 740.01 MHz		3 840 MHz		3 939.99 MHz		
80 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.23		24.38		24.43		0
				1	109	24.36		23.77		24.94		0
				1	215	24.53		24.23		25.19		0
				108	0	23.95		23.25		24.45		0.5
				108	55	24.88		23.73		24.96		0
				108	109	24.33		23.70		24.57		0.5
			QPSK	216	0	24.15		23.23		24.41		0.5
				1	1	24.15		24.42		24.39		0
				1	109	24.91		23.79		24.89		0
				1	215	24.55		24.28		25.18		0
				108	0	23.46		22.97		23.86		1
				108	55	24.92		23.76		24.94		0
				108	109	23.83		23.15		24.08		1
				216	0	23.87		22.73		23.91		1
			16QAM	1	1	23.21		23.37		23.49		1
			64QAM	1	1	21.71		22.00		21.91		2.5
			256QAM	1	1	19.62		19.88		19.86		4.5
		CP	QPSK	1	1	22.69		22.93		22.97		1.5

NR TDD Band n77_ 90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						649668		656000		662332	
						3 745.02 MHz		3 840 MHz		3 934.98 MHz	
90 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.13		24.50		24.36	0
				1	123	24.88		23.77		24.94	0
				1	243	24.65		24.27		25.08	0
				120	0	23.76		23.54		24.88	0.5
				120	63	24.89		24.80		24.75	0
				120	125	24.27		23.69		24.48	0.5
				243	0	24.38		23.01		24.39	0.5
			QPSK	1	1	24.12		24.44		24.29	0
				1	123	24.85		23.75		24.88	0
				1	243	24.62		24.17		25.08	0
				120	0	23.45		23.05		23.80	1
				120	63	24.90		23.77		24.91	0
				120	125	23.76		23.18		23.98	1
				243	0	23.89		22.76		23.90	1
			16QAM	1	1	23.12		23.46		23.34	1
			64QAM	1	1	21.77		21.32		21.85	2.5
			256QAM	1	1	19.54		19.89		19.81	4.5
		CP	QPSK	1	1	22.66		23.05		22.83	1.5

NR TDD Band n77_ 100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)					MPR [dB]
						650000				662000	
						3 750 MHz				3 930 MHz	
100 MHz	30	DFT-s OFDM	pi/2 BPSK	1	1	24.26				24.30	0
				1	137	24.92				24.93	0
				1	271	24.52				25.24	0
				135	0	24.10				24.20	0.5
				135	69	24.97				24.86	0
				135	138	24.14				24.57	0.5
				270	0	24.45				24.83	0.5
			QPSK	1	1	24.24				24.23	0
				1	137	24.99				24.90	0
				1	271	24.53				25.22	0
				135	0	23.62				23.57	1
				135	69	24.97				24.86	0
				135	138	23.64				24.04	1
				270	0	23.96				23.85	1
			16QAM	1	1	23.04				23.07	1
			64QAM	1	1	21.70				21.74	2.5
			256QAM	1	1	19.67				19.72	4.5
		CP	QPSK	1	1	22.77				22.77	1.5

I.1.3 NR TDD Band n77 DoD Conducted Power

NR TDD Band n77 DoD Conducted Power_ Measured Pmax _ Main2 ANT.

NR TDD Band n77 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3 445.01 MHz	3 500.01 MHz	3 544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	25.20	25.20	24.75	0
				1	12	25.22	25.16	24.73	0
				1	22	25.31	25.07	24.71	0
				12	0	24.68	24.66	24.26	0.5
				12	6	25.23	25.14	24.66	0
				12	12	24.77	24.60	24.14	0.5
				24	0	24.72	24.66	24.17	0.5
			QPSK	1	1	25.15	25.21	24.68	0
				1	12	25.23	25.16	24.60	0
				1	22	25.27	25.11	24.58	0
				12	0	24.17	23.62	23.69	1
				12	6	25.21	25.16	24.66	0
				12	12	24.26	24.12	23.69	1
				24	0	24.22	24.16	23.71	1
			16QAM	1	1	24.19	24.33	23.77	1
			64QAM	1	1	22.63	22.68	22.18	2.5
			256QAM	1	1	20.67	20.64	20.26	4.5
		CP	QPSK	1	1	23.69	23.69	23.24	1.5

NR TDD Band n77 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3 457.5 MHz	3 500.01 MHz	3 542.49 MHz	
15MHz	30	DFT-s	pi/2 BPSK	1	1	25.18	25.21	24.75	0
				1	18	25.23	25.13	24.68	0
				1	36	25.31	25.02	24.66	0
				18	0	24.75	24.66	24.21	0.5
				18	9	25.29	25.14	24.69	0
				18	18	24.84	24.56	24.17	0.5
				36	0	24.81	24.65	24.20	0.5
			QPSK	1	1	25.15	25.17	24.71	0
				1	18	25.22	25.06	24.63	0
				1	36	25.33	24.98	24.61	0
				18	0	24.25	24.18	23.72	1
				18	9	25.30	25.15	24.69	0
				18	18	24.36	24.08	23.67	1
				36	0	24.31	24.13	23.72	1
			16QAM	1	1	24.07	24.16	23.70	1
			64QAM	1	1	22.65	22.65	22.17	2.5
			256QAM	1	1	20.68	20.67	20.17	4.5
		CP	QPSK	1	1	23.77	23.74	23.21	1.5

NR TDD Band n77 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3 460.02 MHz	3 500.01 MHz	3 540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	25.25	25.21	24.71	0
				1	26	25.38	25.16	24.66	0
				1	49	25.35	24.95	24.62	0
				25	0	24.83	24.69	24.20	0.5
				25	13	25.39	25.17	24.68	0
				25	26	24.86	24.54	24.13	0.5
				50	0	24.89	24.66	24.18	0.5
			QPSK	1	1	25.24	25.16	24.70	0
				1	26	25.34	25.11	24.67	0
				1	49	25.30	24.89	24.60	0
				25	0	24.34	24.20	23.69	1
				25	13	25.39	25.17	24.66	0
				25	26	24.37	24.04	23.65	1
				50	0	24.39	24.16	23.68	1
			16QAM	1	1	24.21	24.23	23.69	1
			64QAM	1	1	22.77	22.70	22.17	2.5
			256QAM	1	1	20.71	20.73	20.26	4.5
		CP	QPSK	1	1	23.81	23.72	23.22	1.5

NR TDD Band n77 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3 462.51 MHz	3 500.01 MHz	3 537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	25.36	25.20	24.66	0
				1	26	25.44	25.24	24.60	0
				1	49	25.36	24.86	24.55	0
				25	0	24.93	24.70	24.14	0.5
				25	13	25.44	25.17	24.61	0
				25	26	24.90	24.53	24.09	0.5
				50	0	24.95	24.67	24.13	0.5
			QPSK	1	1	25.33	25.20	24.60	0
				1	26	25.40	25.13	24.59	0
				1	49	25.35	24.85	24.51	0
				25	0	24.43	24.21	23.64	1
				25	13	25.45	25.16	24.62	0
				25	26	24.41	24.01	23.60	1
				50	0	24.45	24.18	23.63	1
			16QAM	1	1	24.40	24.26	23.53	1
			64QAM	1	1	22.85	22.72	22.15	2.5
			256QAM	1	1	20.85	20.72	20.14	4.5
		CP	QPSK	1	1	23.86	23.68	23.10	1.5

NR TDD Band n77 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3 465 MHz	3 500.01 MHz	3 534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	25.15	25.19	24.82	0
				1	39	25.36	25.17	24.81	0
				1	76	25.18	24.82	24.64	0
				36	0	24.77	24.71	24.31	0.5
				36	21	25.27	25.17	24.79	0
				36	42	24.74	24.44	24.23	0.5
				75	0	24.77	24.66	24.29	0.5
			QPSK	1	1	25.19	25.20	24.79	0
				1	39	25.30	25.19	24.79	0
				1	76	25.26	24.82	24.64	0
				36	0	24.26	24.20	23.82	1
				36	21	25.28	24.66	24.80	0
				36	42	24.25	23.96	23.74	1
				75	0	24.28	24.17	23.79	1
			16QAM	1	1	24.15	24.28	23.77	1
			64QAM	1	1	22.63	22.67	22.27	2.5
			256QAM	1	1	20.64	20.66	20.35	4.5
		CP	QPSK	1	1	23.65	23.73	23.34	1.5

NR TDD Band n77 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3 470.01 MHz		3 529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	25.23		24.84	0
				1	53	25.38		24.72	0
				1	104	25.27		24.57	0
				50	0	24.91		23.71	0.5
				50	28	25.34		24.71	0
				50	56	24.77		24.15	0.5
				100	0	24.84		24.19	0.5
			QPSK	1	1	25.26		24.77	0
				1	53	25.37		24.65	0
				1	104	25.29		24.57	0
				50	0	24.39		23.73	1
				50	28	25.35		24.70	0
				50	56	24.28		23.67	1
				100	0	24.34		23.70	1
			16QAM	1	1	24.27		23.81	1
			64QAM	1	1	22.70		21.28	2.5
			256QAM	1	1	20.72		20.31	4.5
		CP	QPSK	1	1	23.77		23.40	1.5

NR TDD Band n77 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3 475.02 MHz		3 525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	25.14		24.96	0
				1	67	25.21		24.61	0
				1	131	25.17		24.50	0
				64	0	24.77		24.22	0.5
				64	35	25.20		24.63	0
				64	69	24.65		24.09	0.5
				128	0	24.70		24.11	0.5
			QPSK	1	1	25.06		24.95	0
				1	67	25.19		24.60	0
				1	131	25.09		24.50	0
				64	0	24.27		23.73	1
				64	35	25.22		24.63	0
				64	69	24.18		23.59	1
				128	0	24.21		23.61	1
			16QAM	1	1	24.05		23.79	1
			64QAM	1	1	21.56		22.49	2.5
			256QAM	1	1	20.67		20.41	4.5
		CP	QPSK	1	1	23.67		23.43	1.5

NR TDD Band n77 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		25.22		0
				1	81		25.19		0
				1	160		24.67		0
				81	0		24.70		0.5
				81	41		25.15		0
				81	81		24.30		0.5
				162	0		24.64		0.5
			QPSK	1	1		25.18		0
				1	81		25.20		0
				1	160		24.60		0
				81	0		24.21		1
				81	41		25.14		0
				81	81		23.80		1
				162	0		24.12		1
			16QAM	1	1		24.28		1
			64QAM	1	1		22.95		2.5
			256QAM	1	1		20.66		4.5
		CP	QPSK	1	1		23.75		1.5

NR TDD Band n77 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.26		0
				1	95		25.18		0
				1	187		24.64		0
				90	0		24.70		0.5
				90	50		25.16		0
				90	99		24.27		0.5
				180	0		24.64		0.5
			QPSK	1	1		25.24		0
				1	95		25.17		0
				1	187		24.66		0
				90	0		24.20		1
				90	50		25.15		0
				90	99		23.75		1
				180	0		24.12		1
			16QAM	1	1		24.41		1
			64QAM	1	1		22.75		2.5
			256QAM	1	1		20.69		4.5
		CP	QPSK	1	1		23.78		1.5

NR TDD Band n77 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.30		0
				1	109		25.17		0
				1	215		24.64		0
				108	0		24.72		0.5
				108	55		25.16		0
				108	109		24.24		0.5
				216	0		24.62		0.5
			QPSK	1	1		25.28		0
				1	109		25.18		0
				1	215		24.62		0
				108	0		24.21		1
				108	55		25.15		0
				108	109		23.75		1
				216	0		24.11		1
			16QAM	1	1		24.26		1
			64QAM	1	1		22.94		2.5
			256QAM	1	1		20.73		4.5
		CP	QPSK	1	1		23.80		1.5

NR TDD Band n77 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3 500.01 MHz	
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.22	0
				1	123		25.15	0
				1	243		24.62	0
				120	0		24.74	0.5
				120	63		25.15	0
				120	125		24.23	0.5
				243	0		24.61	0.5
			QPSK	1	1		25.23	0
				1	123		25.15	0
				1	243		24.60	0
				120	0		24.23	1
				120	63		25.15	0
				120	125		23.71	1
				243	0		22.68	1
			16QAM	1	1		24.18	1
			64QAM	1	1		22.76	2.5
			256QAM	1	1		20.70	4.5
		CP	QPSK	1	1		23.79	1.5

NR TDD Band n77 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)		MPR [dB]
							633334	
							3 500.01 MHz	
100MHz	30	DFT-s	pi/2 BPSK	1	1		25.21	0
				1	137		25.16	0
				1	271		24.60	0
				135	0		24.74	0.5
				135	69		25.14	0
				135	138		24.21	0.5
				270	0		24.61	0.5
			QPSK	1	1		25.21	0
				1	137		25.18	0
				1	271		24.61	0
				135	0		24.24	1
				135	69		25.15	0
				135	138		23.71	1
				270	0		24.11	1
			16QAM	1	1		24.23	1
			64QAM	1	1		22.73	2.5
			256QAM	1	1		20.66	4.5
		CP	QPSK	1	1		23.75	1.5

I.1.4. NR TDD Band n78 Conducted Power

NR TDD Band n78 Conducted Power_ Measured Pmax _ Main2 ANT.

NR TDD Band n78 _10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647000	650000	653000	
						3 705 MHz	3 750 MHz	3 795 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.23	25.02	24.54	0
				1	12	24.31	25.01	24.52	0
				1	22	24.37	24.98	24.55	0
				12	0	23.74	24.50	24.01	0.5
				12	6	24.28	25.02	24.52	0
				12	12	23.81	24.50	24.01	0.5
				24	0	23.76	24.52	24.02	0.5
			QPSK	1	1	24.24	25.01	24.53	0
				1	12	24.31	25.00	24.51	0
				1	22	24.35	24.97	24.56	0
				12	0	23.25	24.01	23.70	1
				12	6	24.28	25.01	24.66	0
				12	12	23.32	23.99	23.66	1
				24	0	23.28	24.02	23.69	1
			16QAM	1	1	23.08	23.95	23.71	1
			64QAM	1	1	21.80	22.60	22.28	2.5
			256QAM	1	1	19.46	20.57	20.05	4.5
		CP	QPSK	1	1	22.72	23.52	23.02	1.5

NR TDD Band n78 _15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647168	650000	652832	
						3 707.52 MHz	3 750 MHz	3 792.48 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.19	24.97	24.63	0
				1	18	24.24	24.94	24.56	0
				1	36	24.40	24.93	24.56	0
				18	0	23.78	24.50	24.11	0.5
				18	10	24.35	25.01	24.60	0
				18	20	23.88	24.48	24.07	0.5
				36	0	23.82	24.52	24.09	0.5
			QPSK	1	1	24.24	24.96	24.59	0
				1	18	24.28	24.96	24.51	0
				1	36	24.41	24.93	24.53	0
				18	0	23.28	24.00	23.62	1
				18	10	24.33	25.01	24.58	0
				18	20	23.38	23.99	23.58	1
				36	0	23.33	24.02	23.61	1
			16QAM	1	1	23.38	23.85	23.63	1
			64QAM	1	1	21.75	22.49	22.20	2.5
			256QAM	1	1	19.76	20.46	20.12	4.5
		CP	QPSK	1	1	22.80	23.50	23.20	1.5

NR TDD Band n78_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647334	650000	652666	
						3 710.01 MHz	3 750 MHz	3 789.99 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.30	25.01	24.62	0
				1	26	24.39	25.04	24.59	0
				1	49	24.53	24.94	24.58	0
				25	0	23.84	24.48	24.09	0.5
				25	13	24.39	25.01	24.61	0
				25	26	23.96	24.47	24.09	0.5
				50	0	23.89	24.51	24.09	0.5
			QPSK	1	1	24.25	24.93	24.57	0
				1	26	24.34	24.99	24.55	0
				1	49	24.49	24.90	24.54	0
				25	0	23.33	23.99	23.59	1
				25	13	24.40	25.02	24.60	0
				25	26	23.47	23.97	23.59	1
				50	0	23.38	24.02	23.59	1
			16QAM	1	1	23.33	23.88	23.60	1
			64QAM	1	1	21.77	22.47	22.15	2.5
			256QAM	1	1	19.79	20.43	20.07	4.5
		CP	QPSK	1	1	22.76	23.46	23.11	1.5

NR TDD Band n78_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647500	650000	652500	
						3 712.5 MHz	3 750 MHz	3 787.5 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.31	24.93	24.58	0
				1	32	24.47	25.00	24.56	0
				1	63	24.59	24.89	24.54	0
				32	0	23.85	24.45	24.05	0.5
				32	17	24.43	24.97	24.56	0
				32	33	24.00	24.43	24.05	0.5
				64	0	23.91	24.48	24.06	0.5
			QPSK	1	1	24.29	24.91	24.57	0
				1	32	24.39	24.96	24.51	0
				1	63	24.59	24.86	24.53	0
				32	0	23.35	23.96	23.57	1
				32	17	24.42	24.97	24.55	0
				32	33	23.50	23.93	23.55	1
				64	0	23.42	23.97	23.57	1
			16QAM	1	1	23.25	23.92	23.50	1
			64QAM	1	1	21.83	22.42	22.12	2.5
			256QAM	1	1	19.80	20.38	20.03	4.5

		CP	QPSK	1	1	22.76	23.40	23.06	1.5
--	--	----	------	---	---	-------	-------	-------	-----

NR TDD Band n78_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						647668	650000	652332	
						3 715.02 MHz	3 750 MHz	3 784.98 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.36	24.89	24.78	0
				1	39	24.56	25.01	24.63	0
				1	76	24.71	24.83	24.50	0
				36	0	23.92	24.48	24.20	0.5
				36	21	24.50	25.03	24.61	0
				36	42	24.11	24.44	24.07	0.5
				75	0	23.98	24.52	24.13	0.5
			QPSK	1	1	24.34	24.87	24.75	0
				1	39	24.57	25.04	24.62	0
				1	76	24.70	24.84	24.50	0
				36	0	23.43	23.99	23.70	1
				36	21	24.51	25.03	24.63	0
				36	42	23.60	23.93	23.57	1
				75	0	23.50	24.02	23.65	1
			16QAM	1	1	23.36	23.93	23.76	1
			64QAM	1	1	21.88	22.42	22.30	2.5
			256QAM	1	1	19.83	20.35	20.24	4.5
		CP	QPSK	1	1	22.90	23.42	23.29	1.5

NR TDD Band n78_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648000		652000	
						3 720 MHz		3 780 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.20		24.88	0
				1	53	24.48		24.68	0
				1	104	24.88		24.54	0
				50	0	23.79		24.20	0.5
				50	28	24.48		24.61	0
				50	56	24.20		24.06	0.5
				100	0	23.96		24.11	0.5
			QPSK	1	1	24.14		24.79	0
				1	53	24.50		24.59	0
				1	104	24.87		24.51	0
				50	0	23.30		23.70	1
				50	28	24.47		24.62	0
				50	56	23.70		23.58	1
				100	0	23.45		23.61	1
			16QAM	1	1	23.27		23.88	1
			64QAM	1	1	21.59		22.35	2.5
			256QAM	1	1	19.64		20.15	4.5
		CP	QPSK	1	1	22.59		23.37	1.5

NR TDD Band n78_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						648334		651666	
						3 725.01 MHz		3 774.99 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	23.56		25.03	0
				1	67	24.65		24.70	0
				1	131	25.02		24.44	0
				64	0	23.81		24.38	0.5
				64	35	24.60		24.68	0
				64	69	24.38		24.07	0.5
				128	0	24.07		24.18	0.5
			QPSK	1	1	24.10		24.99	0
				1	67	24.58		24.64	0
				1	131	24.93		24.38	0
				64	0	23.31		23.88	1
				64	35	24.61		24.68	0
				64	69	23.89		23.54	1
				128	0	23.58		23.68	1
			16QAM	1	1	23.08		23.96	1
			64QAM	1	1	21.50		22.31	2.5
			256QAM	1	1	19.78		20.56	4.5
		CP	QPSK	1	1	22.59		23.45	1.5

NR TDD Band n78_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3 750 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		24.48		0
				1	81		25.00		0
				1	160		24.57		0
				81	0		24.34		0.5
				81	41		24.99		0
				81	81		24.29		0.5
				162	0		24.49		0.5
			QPSK	1	1		24.47		0
				1	81		24.98		0
				1	160		24.51		0
				81	0		23.85		1
				81	41		25.01		0
				81	81		23.79		1
				162	0		23.97		1
			16QAM	1	1		23.52		1
			64QAM	1	1		22.04		2.5
			256QAM	1	1		20.06		4.5

		CP	QPSK	1	1		23.02		1.5
--	--	----	------	---	---	--	-------	--	-----

NR TDD Band n78_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3 750 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		24.42		0
				1	95		25.02		0
				1	187		24.57		0
				90	0		24.28		0.5
				90	50		25.02		0
				90	99		24.24		0.5
				180	0		24.46		0.5
			QPSK	1	1		24.41		0
				1	95		25.02		0
				1	187		24.55		0
				90	0		23.80		1
				90	50		25.00		0
				90	99		23.74		1
				180	0		23.97		1
			16QAM	1	1		23.46		1
			64QAM	1	1		21.98		2.5
			256QAM	1	1		19.87		4.5
		CP	QPSK	1	1		22.95		1.5

NR TDD Band n78_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3 750 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		24.35		0
				1	109		25.03		0
				1	215		24.56		0
				108	0		24.24		0.5
				108	55		25.01		0
				108	109		24.19		0.5
				216	0		24.46		0.5
			QPSK	1	1		24.34		0
				1	109		25.00		0
				1	215		24.54		0
				108	0		23.75		1
				108	55		24.97		0
				108	109		23.69		1
				216	0		23.96		1
			16QAM	1	1		23.54		1
			64QAM	1	1		21.87		2.5
			256QAM	1	1		19.82		4.5
		CP	QPSK	1	1		22.87		1.5

NR TDD Band n78_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3 750 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		24.29		0
				1	123		24.99		0
				1	243		24.54		0
				120	0		24.17		0.5
				120	63		24.98		0
				120	125		24.15		0.5
				243	0		24.45		0.5
			QPSK	1	1		24.27		0
				1	123		24.98		0
				1	243		24.51		0
				120	0		23.68		1
				120	63		24.99		0
				120	125		23.66		1
				243	0		23.95		1
			16QAM	1	1		23.19		1
			64QAM	1	1		21.78		2.5
			256QAM	1	1		19.72		4.5
		CP	QPSK	1	1		22.81		1.5

NR TDD Band n78_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							650000		
							3 750 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		24.24		0
				1	137		24.97		0
				1	271		24.54		0
				135	0		24.11		0.5
				135	69		25.00		0
				135	138		24.14		0.5
				270	0		24.46		0.5
			QPSK	1	1		24.25		0
				1	137		24.99		0
				1	271		24.54		0
				135	0		23.63		1
				135	69		24.98		0
				135	138		23.65		1
				270	0		23.96		1
			16QAM	1	1		23.25		1
			64QAM	1	1		21.94		2.5
			256QAM	1	1		19.78		4.5
		CP	QPSK	1	1		22.88		1.5

I.1.5 NR TDD Band n78 DoD Conducted Power

NR TDD Band n78 DoD Conducted Power_ Measured Pmax _ Main2 ANT.

NR TDD Band n78 DoD_10 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630334	633334	636332	
						3 455.01 MHz	3 500.01 MHz	3 544.98 MHz	
10 MHz	30	DFT-s	pi/2 BPSK	1	1	24.72	25.21	25.30	0
				1	12	24.81	24.96	25.27	0
				1	22	24.83	25.10	25.22	0
				12	0	24.21	24.69	24.76	0.5
				12	6	24.76	25.20	25.25	0
				12	12	24.29	24.64	24.74	0.5
				24	0	24.27	24.70	24.77	0.5
			QPSK	1	1	24.65	25.22	25.29	0
				1	12	24.74	25.19	25.30	0
				1	22	24.80	25.13	25.21	0
				12	0	23.71	24.20	24.27	1
				12	6	24.75	25.19	25.27	0
				12	12	23.79	24.15	24.25	1
				24	0	23.77	24.19	24.24	1
			16QAM	1	1	23.70	24.17	24.38	1
			64QAM	1	1	22.22	22.69	22.69	2.5
			256QAM	1	1	20.16	20.73	20.83	4.5
		CP	QPSK	1	1	23.19	23.71	23.78	1.5

NR TDD Band n78 DoD_15 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630500	633334	636166	
						3 457.5 MHz	3 500.01 MHz	3 542.49 MHz	
15 MHz	30	DFT-s	pi/2 BPSK	1	1	24.73	25.23	25.26	0
				1	18	24.76	25.18	25.19	0
				1	36	24.86	25.04	25.20	0
				18	0	24.27	24.69	24.73	0.5
				18	10	24.82	25.17	25.20	0
				18	20	24.36	24.57	24.68	0.5
				36	0	24.31	24.68	24.70	0.5
			QPSK	1	1	24.70	25.18	25.19	0
				1	18	24.76	25.09	25.14	0
				1	36	24.82	24.98	25.15	0
				18	0	23.77	24.20	24.23	1
				18	10	24.82	25.17	25.20	0
				18	20	23.85	24.09	24.19	1
				36	0	23.81	24.17	24.21	1
			16QAM	1	1	23.71	24.12	24.36	1
			64QAM	1	1	22.30	22.75	22.75	2.5
			256QAM	1	1	20.26	20.67	20.67	4.5
		CP	QPSK	1	1	23.23	23.75	23.78	1.5

NR TDD Band n78 DoD_20 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630668	633334	636000	
						3 460.02 MHz	3 500.01 MHz	3 540 MHz	
20 MHz	30	DFT-s	pi/2 BPSK	1	1	24.78	25.23	25.49	0
				1	26	24.89	25.17	25.44	0
				1	49	24.86	24.98	25.23	0
				25	0	24.34	24.72	24.96	0.5
				25	13	24.91	25.16	25.44	0
				25	26	24.39	24.56	24.81	0.5
				50	0	24.41	24.68	24.93	0.5
			QPSK	1	1	24.75	25.20	25.46	0
				1	26	24.86	25.13	25.40	0
				1	49	24.81	24.90	25.16	0
				25	0	23.84	24.21	24.46	1
				25	13	24.91	25.18	25.42	0
				25	26	23.90	24.07	24.31	1
				50	0	23.92	24.19	24.43	1
			16QAM	1	1	23.83	24.27	24.41	1
			64QAM	1	1	22.27	22.69	22.89	2.5
			256QAM	1	1	20.24	20.68	20.92	4.5
		CP	QPSK	1	1	23.30	23.74	23.98	1.5

NR TDD Band n78 DoD_25 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						630834	633334	635832	
						3 462.51 MHz	3 500.01 MHz	3 537.48 MHz	
25 MHz	30	DFT-s	pi/2 BPSK	1	1	24.88	25.23	25.16	0
				1	32	24.95	25.23	25.12	0
				1	63	24.84	24.84	25.07	0
				32	0	24.45	24.72	24.66	0.5
				32	17	24.96	25.17	25.14	0
				32	33	24.41	24.52	24.61	0.5
				64	0	24.46	24.67	24.65	0.5
			QPSK	1	1	24.83	25.23	25.15	0
				1	32	24.93	25.14	25.10	0
				1	63	24.86	24.87	25.06	0
				32	0	23.94	24.22	24.16	1
				32	17	24.94	25.19	25.16	0
				32	33	23.91	24.02	24.13	1
				64	0	23.96	24.19	24.15	1
			16QAM	1	1	23.94	24.25	24.16	1
			64QAM	1	1	22.41	22.69	22.69	2.5
			256QAM	1	1	20.35	20.74	20.76	4.5
		CP	QPSK	1	1	23.34	23.67	23.62	1.5

NR TDD Band n78 DoD_30 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631000	633334	635666	
						3 465 MHz	3 500.01 MHz	3 534.99 MHz	
30 MHz	30	DFT-s	pi/2 BPSK	1	1	24.66	25.21	25.32	0
				1	39	24.81	25.17	25.32	0
				1	76	24.72	24.83	25.17	0
				36	0	24.27	24.71	24.83	0.5
				36	21	24.79	25.19	25.12	0
				36	42	24.27	24.48	24.76	0.5
				75	0	24.29	24.69	24.80	0.5
			QPSK	1	1	24.67	25.19	25.32	0
				1	39	24.81	25.18	25.32	0
				1	76	24.76	24.83	25.15	0
				36	0	23.77	24.21	24.33	1
				36	21	24.80	25.19	25.31	0
				36	42	23.77	23.97	24.26	1
				75	0	23.80	24.20	24.31	1
			16QAM	1	1	23.65	24.25	24.29	1
			64QAM	1	1	22.08	22.82	22.88	2.5
			256QAM	1	1	20.19	20.75	20.85	4.5
		CP	QPSK	1	1	23.21	23.76	23.90	1.5

NR TDD Band n78 DoD_40 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631334		635332	
						3 470.01 MHz		3 529.98 MHz	
40 MHz	30	DFT-s	pi/2 BPSK	1	1	24.75		25.35	0
				1	53	24.86		25.26	0
				1	104	24.80		25.11	0
				50	0	24.41		24.73	0.5
				50	28	24.86		25.22	0
				50	56	24.29		24.67	0.5
				100	0	24.36		24.72	0.5
			QPSK	1	1	24.79		25.28	0
				1	53	24.88		25.19	0
				1	104	24.75		25.05	0
				50	0	23.91		24.22	1
				50	28	24.85		25.22	0
				50	56	23.80		24.18	1
				100	0	23.85		24.21	1
			16QAM	1	1	23.92		24.10	1
			64QAM	1	1	22.22		22.95	2.5
			256QAM	1	1	20.29		20.71	4.5
		CP	QPSK	1	1	23.24		23.86	1.5

NR TDD Band n78 DoD_50 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
						631668		635000	
						3 475.02 MHz		3 525 MHz	
50 MHz	30	DFT-s	pi/2 BPSK	1	1	24.67		25.47	0
				1	67	24.74		25.12	0
				1	131	24.68		25.03	0
				64	0	24.29		24.73	0.5
				64	35	24.73		25.14	0
				64	69	24.20		24.60	0.5
				128	0	24.22		24.64	0.5
			QPSK	1	1	24.63		25.41	0
				1	67	24.67		25.16	0
				1	131	24.64		25.02	0
				64	0	23.78		24.23	1
				64	35	24.71		25.13	0
				64	69	23.70		24.11	1
				128	0	23.72		24.13	1
			16QAM	1	1	23.74		24.49	1
			64QAM	1	1	22.05		22.95	2.5
			256QAM	1	1	20.21		20.97	4.5
		CP	QPSK	1	1	23.20		23.99	1.5

NR TDD Band n78 DoD_60 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
60 MHz	30	DFT-s	pi/2 BPSK	1	1		25.24		0
				1	81		25.19		0
				1	160		24.69		0
				81	0		24.72		0.5
				81	41		25.17		0
				81	81		24.33		0.5
				162	0		24.65		0.5
			QPSK	1	1		25.20		0
				1	81		25.16		0
				1	160		24.67		0
				81	0		24.23		1
				81	41		25.17		0
				81	81		23.81		1
				162	0		24.14		1
			16QAM	1	1		24.25		1
			64QAM	1	1		22.74		2.5
			256QAM	1	1		20.66		4.5
		CP	QPSK	1	1		23.79		1.5

NR TDD Band n78 DoD_70 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
70 MHz	30	DFT-s	pi/2 BPSK	1	1		25.25		0
				1	95		25.19		0
				1	187		24.66		0
				90	0		24.70		0.5
				90	50		25.15		0
				90	99		24.31		0.5
				180	0		24.63		0.5
			QPSK	1	1		25.18		0
				1	95		25.14		0
				1	187		24.65		0
				90	0		24.21		1
				90	50		25.15		0
				90	99		23.79		1
				180	0		24.12		1
			16QAM	1	1		24.23		1
			64QAM	1	1		22.73		2.5
			256QAM	1	1		20.73		4.5
		CP	QPSK	1	1		23.69		1.5

NR TDD Band n78 DoD_80 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
80 MHz	30	DFT-s	pi/2 BPSK	1	1		25.29		0
				1	109		25.17		0
				1	215		24.63		0
				108	0		24.71		0.5
				108	55		25.16		0
				108	109		24.24		0.5
				216	0		24.62		0.5
			QPSK	1	1		25.30		0
				1	109		25.17		0
				1	215		24.62		0
				108	0		24.22		1
				108	55		25.15		0
				108	109		23.74		1
				216	0		24.14		1
			16QAM	1	1		24.26		1
			64QAM	1	1		22.86		2.5
			256QAM	1	1		20.79		4.5
		CP	QPSK	1	1		23.83		1.5

NR TDD Band n78 DoD_90 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
90 MHz	30	DFT-s	pi/2 BPSK	1	1		25.25		0
				1	123		25.14		0
				1	243		24.62		0
				120	0		24.74		0.5
				120	63		25.18		0
				120	125		24.22		0.5
				243	0		24.62		0.5
			QPSK	1	1		25.25		0
				1	123		25.16		0
				1	243		24.62		0
				120	0		24.25		1
				120	63		25.15		0
				120	125		23.73		1
				243	0		24.11		1
			16QAM	1	1		24.29		1
			64QAM	1	1		22.82		2.5
			256QAM	1	1		20.77		4.5
		CP	QPSK	1	1		23.80		1.5

NR TDD Band n78 DoD_100 MHz Bandwidth Conducted Power

Bandwidth	SCS(kHz)	OFDM	Modulation	RB Size	RB Offset	Max. Average Power (dBm)			MPR [dB]
							633334		
							3 500.01 MHz		
100 MHz	30	DFT-s	pi/2 BPSK	1	1		25.22		0
				1	137		25.19		0
				1	271		24.61		0
				135	0		24.74		0.5
				135	69		25.16		0
				135	138		24.22		0.5
				270	0		24.62		0.5
			QPSK	1	1		25.22		0
				1	137		25.17		0
				1	271		24.60		0
				135	0		24.25		1
				135	69		25.15		0
				135	138		23.72		1
				270	0		24.11		1
			16QAM	1	1		24.15		1
			64QAM	1	1		22.68		2.5
			256QAM	1	1		20.70		4.5
		CP	QPSK	1	1		23.74		1.5