

Appendix K. LTE Bands Maximum Conducted Power

LTE Maximum Conducted Power

LTE B4/B5/B12/B13/B17/B26 at Max Bandwidth does not support three non-overlapping channels. Per KDB 941225 D05v02r05, when a device supports overlapping channel assignment in a channel Bandwidth configuration.

K.1 LTE FDD Band 2 Maximum Conducted Output Power

LTE FDD Band 2 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1 ANT.

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	23.15	23.17	23.07	0	0
		1	3	23.14	23.09	23.12	0	0
		1	5	23.24	23.22	23.23	0	0
		3	0	23.20	23.18	23.20	0	0
		3	1	23.19	23.18	23.19	0	0
		3	3	23.24	23.22	23.24	0	0
		6	0	22.21	22.15	22.22	0-1	1
	16QAM	1	0	22.48	22.47	22.56	0-1	1
		1	3	22.53	22.40	22.53	0-1	1
		1	5	22.61	22.47	22.46	0-1	1
		3	0	22.37	22.34	22.35	0-1	1
		3	1	22.30	22.35	22.31	0-1	1
		3	3	22.33	22.26	22.29	0-1	1
		6	0	21.26	21.29	21.30	0-2	2
	64QAM	1	0	21.45	21.40	21.40	0-2	2
		1	3	21.43	21.31	21.38	0-2	2
		1	5	21.41	21.38	21.39	0-2	2
		3	0	21.29	21.25	21.27	0-2	2
		3	1	21.19	21.19	21.22	0-2	2
		3	3	21.30	21.24	21.29	0-2	2
		6	0	20.18	20.20	20.27	0-3	3
	256QAM	1	0	18.27	18.22	18.33	0-5	5
		1	3	18.13	18.15	18.13	0-5	5
		1	5	18.26	18.21	18.17	0-5	5
		3	0	18.24	18.22	18.25	0-5	5
		3	1	18.17	18.14	18.21	0-5	5
		3	3	18.29	18.19	18.23	0-5	5
		6	0	18.14	18.13	18.16	0-5	5

LTE FDD Band 2_ 3 Mhz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 Mhz	QPSK	1	0	23.25	23.21	23.28	0	0
		1	7	23.29	23.24	23.26	0	0
		1	14	23.20	23.19	23.26	0	0
		8	0	22.26	22.23	22.28	0-1	1
		8	3	22.23	22.22	22.32	0-1	1
		8	7	22.27	22.27	22.35	0-1	1
		15	0	22.38	22.35	22.37	0-1	1
	16QAM	1	0	22.61	22.51	22.50	0-1	1
		1	7	22.64	22.52	22.57	0-1	1
		1	14	22.52	22.53	22.56	0-1	1
		8	0	21.35	21.38	21.44	0-2	2
		8	3	21.38	21.34	21.40	0-2	2
		8	7	21.38	21.32	21.39	0-2	2
		15	0	21.29	21.27	21.31	0-2	2
	64QAM	1	0	21.47	21.39	21.41	0-2	2
		1	7	21.20	21.12	21.17	0-2	2
		1	14	21.48	21.46	21.52	0-2	2
		8	0	20.29	20.30	20.31	0-3	3
		8	3	20.32	20.27	20.33	0-3	3
		8	7	20.29	20.26	20.33	0-3	3
		15	0	20.29	20.22	20.30	0-3	3
	256QAM	1	0	18.30	18.21	18.29	0-5	5
		1	7	18.24	18.18	18.22	0-5	5
		1	14	18.29	18.26	18.28	0-5	5
		8	0	18.22	18.16	18.23	0-5	5
		8	3	18.26	18.14	18.23	0-5	5
		8	7	18.22	18.20	18.26	0-5	5
		15	0	18.21	18.17	18.25	0-5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.21	23.14	23.23	0	0
		1	12	23.29	23.25	23.33	0	0
		1	24	23.29	23.27	23.34	0	0
		12	0	22.27	22.28	22.34	0-1	1
		12	6	22.28	22.28	22.30	0-1	1
		12	11	22.29	22.31	22.33	0-1	1
		25	0	22.29	22.26	22.33	0-1	1
	16QAM	1	0	22.60	22.59	22.50	0-1	1
		1	12	22.58	22.57	22.58	0-1	1
		1	24	22.63	22.59	22.54	0-1	1
		12	0	21.41	21.34	21.42	0-2	2
		12	6	21.40	21.37	21.41	0-2	2
		12	11	21.39	21.38	21.45	0-2	2
		25	0	21.28	21.25	21.30	0-2	2
	64QAM	1	0	21.56	21.48	21.50	0-2	2
		1	12	21.21	21.17	21.20	0-2	2
		1	24	21.48	21.43	21.40	0-2	2
		12	0	20.34	20.33	20.36	0-3	3
		12	6	20.28	20.29	20.32	0-3	3
		12	11	20.32	20.32	20.34	0-3	3
		25	0	20.21	20.18	20.25	0-3	3
	256QAM	1	0	18.32	18.27	18.30	0-5	5
		1	12	18.19	18.19	18.23	0-5	5
		1	24	18.28	18.29	18.32	0-5	5
		12	0	18.20	18.14	18.22	0-5	5
		12	6	18.19	18.13	18.21	0-5	5
		12	11	18.19	18.18	18.25	0-5	5
		25	0	18.19	18.15	18.23	0-5	5

LTE FDD Band 2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.27	23.23	23.25	0	0
		1	24	23.25	23.22	23.20	0	0
		1	49	23.29	23.26	23.24	0	0
		25	0	22.27	22.27	22.29	0-1	1
		25	12	22.32	22.24	22.30	0-1	1
		25	24	22.33	22.31	22.34	0-1	1
		50	0	22.30	22.28	22.33	0-1	1
	16QAM	1	0	22.51	22.59	22.56	0-1	1
		1	24	22.45	22.56	22.46	0-1	1
		1	49	22.57	22.54	22.50	0-1	1
		25	0	21.29	21.26	21.34	0-2	2
		25	12	21.31	21.29	21.30	0-2	2
		25	24	21.31	21.26	21.31	0-2	2
		50	0	21.35	21.28	21.32	0-2	2
	64QAM	1	0	21.39	21.35	21.42	0-2	2
		1	24	21.45	21.44	21.43	0-2	2
		1	49	21.53	21.52	21.48	0-2	2
		25	0	20.25	20.22	20.28	0-3	3
		25	12	20.29	20.23	20.25	0-3	3
		25	24	20.27	20.26	20.25	0-3	3
		50	0	20.28	20.24	20.24	0-3	3
	256QAM	1	0	18.35	18.28	18.36	0-5	5
		1	24	18.24	18.26	18.26	0-5	5
		1	49	18.35	18.30	18.29	0-5	5
		25	0	18.18	18.15	18.19	0-5	5
		25	12	18.18	18.14	18.19	0-5	5
		25	24	18.22	18.19	18.20	0-5	5
		50	0	18.22	18.22	18.21	0-5	5

LTE FDD Band 2_ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.22	23.17	23.15	0	0
		1	36	23.31	23.26	23.22	0	0
		1	74	23.36	23.29	23.24	0	0
		36	0	22.32	22.27	22.25	0-1	1
		36	18	22.30	22.27	22.24	0-1	1
		36	39	22.37	22.32	22.29	0-1	1
		75	0	22.31	22.27	22.25	0-1	1
	16QAM	1	0	22.64	22.55	22.54	0-1	1
		1	36	22.59	22.59	22.47	0-1	1
		1	74	22.63	22.58	22.57	0-1	1
		36	0	21.34	21.29	21.27	0-2	2
		36	18	21.35	21.28	21.29	0-2	2
		36	39	21.36	21.30	21.25	0-2	2
		75	0	21.27	21.27	21.23	0-2	2
	64QAM	1	0	21.49	21.50	21.41	0-2	2
		1	36	21.24	21.12	21.12	0-2	2
		1	74	21.52	21.46	21.41	0-2	2
		36	0	20.29	20.27	20.21	0-3	3
		36	18	20.28	20.27	20.27	0-3	3
		36	39	20.33	20.26	20.27	0-3	3
		75	0	20.29	20.21	20.22	0-3	3
	256QAM	1	0	18.33	18.32	18.26	0-5	5
		1	36	18.27	18.20	18.11	0-5	5
		1	74	18.38	18.30	18.27	0-5	5
		36	0	18.27	18.22	18.21	0-5	5
		36	18	18.25	18.22	18.19	0-5	5
		36	39	18.31	18.21	18.19	0-5	5
		75	0	18.23	18.16	18.13	0-5	5

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.20	23.18	23.12	0	0
		1	49	23.24	23.25	23.14	0	0
		1	99	23.25	23.26	23.17	0	0
		50	0	22.30	22.27	22.21	0-1	1
		50	25	22.34	22.32	22.21	0-1	1
		50	49	22.30	22.30	22.24	0-1	1
		100	0	22.30	22.31	22.20	0-1	1
	16QAM	1	0	22.56	22.57	22.47	0-1	1
		1	49	22.45	22.53	22.38	0-1	1
		1	99	22.69	22.54	22.55	0-1	1
		50	0	21.33	21.32	21.23	0-2	2
		50	25	21.32	21.33	21.26	0-2	2
		50	49	21.36	21.32	21.21	0-2	2
		100	0	21.32	21.26	21.19	0-2	2
	64QAM	1	0	21.38	21.42	21.34	0-2	2
		1	49	21.40	21.49	21.26	0-2	2
		1	99	21.63	21.50	21.42	0-2	2
		50	0	20.31	20.24	20.18	0-3	3
		50	25	20.31	20.29	20.17	0-3	3
		50	49	20.29	20.26	20.18	0-3	3
		100	0	20.25	20.20	20.16	0-3	3
	256QAM	1	0	18.30	18.30	18.25	0-5	5
		1	49	18.32	18.27	18.23	0-5	5
		1	99	18.40	18.34	18.25	0-5	5
		50	0	18.23	18.21	18.11	0-5	5
		50	25	18.23	18.19	18.14	0-5	5
		50	49	18.24	18.21	18.10	0-5	5
		100	0	18.24	18.20	18.11	0-5	5

LTE FDD Band 2 Conducted Power _ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _ Main1 ANT.

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	17.24	17.10	17.12	0	0
		1	3	17.20	17.07	17.03	0	0
		1	5	17.30	17.21	17.20	0	0
		3	0	17.25	17.09	17.10	0	0
		3	1	17.24	17.14	17.14	0	0
		3	3	17.28	17.14	17.16	0	0
		6	0	17.22	17.06	17.08	0-1	0
	16QAM	1	0	17.53	17.51	17.41	0-1	0
		1	3	17.53	17.40	17.29	0-1	0
		1	5	17.61	17.42	17.43	0-1	0
		3	0	17.43	17.23	17.25	0-1	0
		3	1	17.37	17.16	17.20	0-1	0
		3	3	17.34	17.26	17.23	0-1	0
		6	0	17.32	17.17	17.21	0-2	0
	64QAM	1	0	17.54	17.39	17.32	0-2	0
		1	3	17.41	17.29	17.30	0-2	0
		1	5	17.39	17.33	17.34	0-2	0
		3	0	17.33	17.24	17.21	0-2	0
		3	1	17.27	17.17	17.12	0-2	0
		3	3	17.34	17.20	17.19	0-2	0
		6	0	17.29	17.20	17.16	0-3	0
	256QAM	1	0	17.33	17.20	17.25	0-5	0
		1	3	17.26	17.13	17.09	0-5	0
		1	5	17.36	17.21	17.28	0-5	0
		3	0	17.39	17.21	17.26	0-5	0
		3	1	17.32	17.22	17.19	0-5	0
		3	3	17.38	17.28	17.30	0-5	0
		6	0	17.31	17.13	17.18	0-5	0

LTE FDD Band 2_ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	17.29	17.13	17.12	0	0
		1	7	17.29	17.16	17.19	0	0
		1	14	17.27	17.12	17.12	0	0
		8	0	17.27	17.13	17.16	0-1	0
		8	3	17.28	17.15	17.13	0-1	0
		8	7	17.32	17.20	17.18	0-1	0
		15	0	17.34	17.20	17.22	0-1	0
	16QAM	1	0	17.58	17.37	17.44	0-1	0
		1	7	17.54	17.49	17.44	0-1	0
		1	14	17.57	17.50	17.48	0-1	0
		8	0	17.36	17.30	17.20	0-2	0
		8	3	17.40	17.29	17.25	0-2	0
		8	7	17.40	17.25	17.21	0-2	0
		15	0	17.35	17.15	17.14	0-2	0
	64QAM	1	0	17.47	17.31	17.28	0-2	0
		1	7	17.23	17.05	17.10	0-2	0
		1	14	17.50	17.36	17.34	0-2	0
		8	0	17.38	17.23	17.19	0-3	0
		8	3	17.41	17.22	17.26	0-3	0
		8	7	17.37	17.25	17.19	0-3	0
		15	0	17.38	17.23	17.19	0-3	0
	256QAM	1	0	17.39	17.25	17.24	0-5	0
		1	7	17.39	17.20	17.23	0-5	0
		1	14	17.40	17.28	17.18	0-5	0
		8	0	17.35	17.19	17.18	0-5	0
		8	3	17.38	17.23	17.20	0-5	0
		8	7	17.34	17.19	17.17	0-5	0
		15	0	17.33	17.18	17.20	0-5	0

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	17.19	17.12	17.15	0	0
		1	12	17.26	17.20	17.18	0	0
		1	24	17.28	17.22	17.17	0	0
		12	0	17.27	17.18	17.15	0-1	0
		12	6	17.22	17.17	17.18	0-1	0
		12	11	17.26	17.14	17.17	0-1	0
		25	0	17.29	17.22	17.17	0-1	0
	16QAM	1	0	17.60	17.45	17.59	0-1	0
		1	12	17.66	17.59	17.50	0-1	0
		1	24	17.70	17.53	17.52	0-1	0
		12	0	17.36	17.31	17.27	0-2	0
		12	6	17.40	17.24	17.26	0-2	0
		12	11	17.42	17.31	17.32	0-2	0
		25	0	17.32	17.21	17.21	0-2	0
	64QAM	1	0	17.56	17.42	17.40	0-2	0
		1	12	17.20	17.12	17.11	0-2	0
		1	24	17.48	17.38	17.28	0-2	0
		12	0	17.33	17.24	17.23	0-3	0
		12	6	17.31	17.24	17.21	0-3	0
		12	11	17.38	17.29	17.25	0-3	0
		25	0	17.25	17.21	17.15	0-3	0
	256QAM	1	0	17.41	17.36	17.32	0-5	0
		1	12	17.33	17.24	17.25	0-5	0
		1	24	17.34	17.24	17.23	0-5	0
		12	0	17.28	17.23	17.18	0-5	0
		12	6	17.30	17.18	17.16	0-5	0
		12	11	17.31	17.24	17.23	0-5	0
		25	0	17.30	17.20	17.17	0-5	0

LTE FDD Band 2 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	17.21	17.22	17.24	0	0
		1	24	17.17	17.16	17.12	0	0
		1	49	17.21	17.16	17.22	0	0
		25	0	17.26	17.18	17.25	0-1	0
		25	12	17.27	17.20	17.21	0-1	0
		25	24	17.28	17.26	17.25	0-1	0
		50	0	17.26	17.21	17.25	0-1	0
	16QAM	1	0	17.48	17.46	17.54	0-1	0
		1	24	17.27	17.33	17.37	0-1	0
		1	49	17.64	17.43	17.49	0-1	0
		25	0	17.25	17.17	17.22	0-2	0
		25	12	17.23	17.18	17.21	0-2	0
		25	24	17.27	17.18	17.20	0-2	0
		50	0	17.32	17.23	17.26	0-2	0
	64QAM	1	0	17.39	17.38	17.35	0-2	0
		1	24	17.37	17.35	17.39	0-2	0
		1	49	17.47	17.41	17.45	0-2	0
		25	0	17.22	17.18	17.20	0-3	0
		25	12	17.24	17.21	17.21	0-3	0
		25	24	17.25	17.22	17.22	0-3	0
		50	0	17.28	17.24	17.27	0-3	0
	256QAM	1	0	17.39	17.24	17.23	0-5	0
		1	24	17.28	17.20	17.18	0-5	0
		1	49	17.36	17.33	17.36	0-5	0
		25	0	17.22	17.14	17.20	0-5	0
		25	12	17.20	17.20	17.17	0-5	0
		25	24	17.31	17.21	17.22	0-5	0
		50	0	17.26	17.18	17.27	0-5	0

LTE FDD Band 2_ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	17.14	17.19	17.18	0	0
		1	36	17.20	17.14	17.18	0	0
		1	74	17.29	17.26	17.25	0	0
		36	0	17.25	17.22	17.27	0-1	0
		36	18	17.26	17.23	17.25	0-1	0
		36	39	17.33	17.21	17.30	0-1	0
		75	0	17.26	17.25	17.23	0-1	0
	16QAM	1	0	17.58	17.59	17.52	0-1	0
		1	36	17.56	17.54	17.60	0-1	0
		1	74	17.69	17.52	17.48	0-1	0
		36	0	17.32	17.23	17.26	0-2	0
		36	18	17.27	17.16	17.26	0-2	0
		36	39	17.33	17.22	17.25	0-2	0
		75	0	17.23	17.19	17.27	0-2	0
	64QAM	1	0	17.42	17.43	17.43	0-2	0
		1	36	17.16	17.14	17.13	0-2	0
		1	74	17.54	17.36	17.40	0-2	0
		36	0	17.29	17.26	17.27	0-3	0
		36	18	17.32	17.20	17.23	0-3	0
		36	39	17.34	17.21	17.28	0-3	0
		75	0	17.24	17.17	17.24	0-3	0
	256QAM	1	0	17.36	17.34	17.36	0-5	0
		1	36	17.38	17.31	17.28	0-5	0
		1	74	17.39	17.31	17.31	0-5	0
		36	0	17.30	17.27	17.30	0-5	0
		36	18	17.29	17.26	17.30	0-5	0
		36	39	17.35	17.25	17.31	0-5	0
		75	0	17.26	17.18	17.24	0-5	0

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	17.25	17.18	17.22	0	0
		1	49	17.17	17.09	17.18	0	0
		1	99	17.24	17.17	17.22	0	0
		50	0	17.28	17.18	17.29	0-1	0
		50	25	17.29	17.23	17.30	0-1	0
		50	49	17.31	17.25	17.29	0-1	0
		100	0	17.26	17.22	17.28	0-1	0
	16QAM	1	0	17.53	17.51	17.45	0-1	0
		1	49	17.32	17.24	17.40	0-1	0
		1	99	17.61	17.45	17.58	0-1	0
		50	0	17.27	17.19	17.28	0-2	0
		50	25	17.31	17.22	17.30	0-2	0
		50	49	17.30	17.26	17.28	0-2	0
		100	0	17.27	17.23	17.28	0-2	0
	64QAM	1	0	17.42	17.29	17.39	0-2	0
		1	49	17.38	17.39	17.35	0-2	0
		1	99	17.50	17.41	17.51	0-2	0
		50	0	17.26	17.24	17.29	0-3	0
		50	25	17.30	17.23	17.28	0-3	0
		50	49	17.28	17.23	17.30	0-3	0
		100	0	17.30	17.21	17.27	0-3	0
	256QAM	1	0	17.30	17.19	17.34	0-5	0
		1	49	17.24	17.25	17.37	0-5	0
		1	99	17.43	17.34	17.44	0-5	0
		50	0	17.30	17.23	17.29	0-5	0
		50	25	17.28	17.20	17.30	0-5	0
		50	49	17.28	17.21	17.30	0-5	0
		100	0	17.29	17.25	17.28	0-5	0

LTE FDD Band 2 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	11.42	11.29	11.27	0	0
		1	3	11.37	11.20	11.20	0	0
		1	5	11.44	11.35	11.34	0	0
		3	0	11.43	11.26	11.29	0	0
		3	1	11.40	11.24	11.24	0	0
		3	3	11.43	11.33	11.30	0	0
		6	0	11.36	11.28	11.25	0-1	0
	16QAM	1	0	11.73	11.60	11.56	0-1	0
		1	3	11.57	11.55	11.48	0-1	0
		1	5	11.70	11.66	11.49	0-1	0
		3	0	11.56	11.38	11.40	0-1	0
		3	1	11.49	11.34	11.34	0-1	0
		3	3	11.50	11.37	11.37	0-1	0
		6	0	11.46	11.35	11.31	0-2	0
	64QAM	1	0	11.63	11.45	11.54	0-2	0
		1	3	11.58	11.35	11.35	0-2	0
		1	5	11.57	11.43	11.47	0-2	0
		3	0	11.48	11.32	11.32	0-2	0
		3	1	11.39	11.28	11.19	0-2	0
		3	3	11.43	11.29	11.32	0-2	0
		6	0	11.39	11.33	11.32	0-3	0
	256QAM	1	0	11.50	11.36	11.31	0-5	0
		1	3	11.35	11.22	11.24	0-5	0
		1	5	11.51	11.41	11.35	0-5	0
		3	0	11.52	11.35	11.40	0-5	0
		3	1	11.47	11.32	11.33	0-5	0
		3	3	11.54	11.38	11.46	0-5	0
		6	0	11.39	11.31	11.31	0-5	0

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	11.46	11.31	11.31	0	0
		1	7	11.47	11.36	11.33	0	0
		1	14	11.39	11.26	11.27	0	0
		8	0	11.38	11.32	11.29	0-1	0
		8	3	11.44	11.32	11.26	0-1	0
		8	7	11.48	11.35	11.34	0-1	0
		15	0	11.51	11.39	11.35	0-1	0
	16QAM	1	0	11.73	11.61	11.60	0-1	0
		1	7	11.62	11.67	11.57	0-1	0
		1	14	11.62	11.61	11.58	0-1	0
		8	0	11.51	11.35	11.35	0-2	0
		8	3	11.54	11.44	11.39	0-2	0
		8	7	11.51	11.39	11.38	0-2	0
		15	0	11.40	11.31	11.31	0-2	0
	64QAM	1	0	11.55	11.48	11.41	0-2	0
		1	7	11.27	11.18	11.16	0-2	0
		1	14	11.63	11.55	11.53	0-2	0
		8	0	11.48	11.35	11.33	0-3	0
		8	3	11.47	11.37	11.35	0-3	0
		8	7	11.46	11.39	11.36	0-3	0
		15	0	11.49	11.37	11.31	0-3	0
	256QAM	1	0	11.52	11.39	11.42	0-5	0
		1	7	11.50	11.32	11.33	0-5	0
		1	14	11.49	11.39	11.39	0-5	0
		8	0	11.48	11.39	11.35	0-5	0
		8	3	11.50	11.34	11.33	0-5	0
		8	7	11.49	11.36	11.34	0-5	0
		15	0	11.49	11.38	11.36	0-5	0

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	11.37	11.28	11.35	0	0
		1	12	11.43	11.35	11.34	0	0
		1	24	11.44	11.33	11.38	0	0
		12	0	11.42	11.35	11.31	0-1	0
		12	6	11.39	11.33	11.33	0-1	0
		12	11	11.44	11.38	11.35	0-1	0
		25	0	11.49	11.41	11.39	0-1	0
	16QAM	1	0	11.72	11.64	11.71	0-1	0
		1	12	11.66	11.54	11.49	0-1	0
		1	24	11.75	11.60	11.69	0-1	0
		12	0	11.50	11.40	11.37	0-2	0
		12	6	11.46	11.39	11.40	0-2	0
		12	11	11.52	11.47	11.42	0-2	0
		25	0	11.50	11.40	11.35	0-2	0
	64QAM	1	0	11.21	11.50	11.51	0-2	0
		1	12	11.37	11.19	11.22	0-2	0
		1	24	11.61	11.49	11.50	0-2	0
		12	0	11.46	11.39	11.35	0-3	0
		12	6	11.48	11.37	11.33	0-3	0
		12	11	11.49	11.38	11.34	0-3	0
		25	0	11.48	11.36	11.36	0-3	0
	256QAM	1	0	11.51	11.51	11.43	0-5	0
		1	12	11.46	11.39	11.33	0-5	0
		1	24	11.54	11.45	11.42	0-5	0
		12	0	11.43	11.30	11.34	0-5	0
		12	6	11.45	11.32	11.33	0-5	0
		12	11	11.45	11.34	11.37	0-5	0
		25	0	11.47	11.39	11.37	0-5	0

LTE FDD Band 2_ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	11.45	11.38	11.39	0	0
		1	24	11.40	11.33	11.35	0	0
		1	49	11.36	11.34	11.35	0	0
		25	0	11.47	11.37	11.40	0-1	0
		25	12	11.47	11.41	11.44	0-1	0
		25	24	11.49	11.42	11.42	0-1	0
		50	0	11.51	11.40	11.46	0-1	0
	16QAM	1	0	11.75	11.66	11.63	0-1	0
		1	24	11.58	11.45	11.43	0-1	0
		1	49	11.64	11.67	11.63	0-1	0
		25	0	11.43	11.37	11.38	0-2	0
		25	12	11.45	11.41	11.44	0-2	0
		25	24	11.43	11.39	11.41	0-2	0
		50	0	11.48	11.42	11.43	0-2	0
	64QAM	1	0	11.41	11.50	11.50	0-2	0
		1	24	11.55	11.52	11.51	0-2	0
		1	49	11.56	11.55	11.49	0-2	0
		25	0	11.43	11.34	11.38	0-3	0
		25	12	11.44	11.37	11.41	0-3	0
		25	24	11.43	11.38	11.39	0-3	0
		50	0	11.44	11.43	11.41	0-3	0
	256QAM	1	0	11.54	11.44	11.41	0-5	0
		1	24	11.50	11.42	11.46	0-5	0
		1	49	11.54	11.49	11.50	0-5	0
		25	0	11.43	11.34	11.40	0-5	0
		25	12	11.47	11.35	11.38	0-5	0
		25	24	11.44	11.37	11.40	0-5	0
		50	0	11.44	11.38	11.40	0-5	0

LTE FDD Band 2_ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	11.40	11.30	11.35	0	0
		1	36	11.41	11.39	11.41	0	0
		1	74	11.41	11.39	11.42	0	0
		36	0	11.45	11.41	11.41	0-1	0
		36	18	11.45	11.38	11.43	0-1	0
		36	39	11.43	11.41	11.47	0-1	0
		75	0	11.49	11.38	11.46	0-1	0
	16QAM	1	0	11.69	11.69	11.59	0-1	0
		1	36	11.62	11.67	11.66	0-1	0
		1	74	11.75	11.70	11.77	0-1	0
		36	0	11.44	11.35	11.43	0-2	0
		36	18	11.43	11.36	11.42	0-2	0
		36	39	11.43	11.41	11.41	0-2	0
		75	0	11.48	11.37	11.43	0-2	0
	64QAM	1	0	11.59	11.48	11.58	0-2	0
		1	36	11.32	11.20	11.23	0-2	0
		1	74	11.66	11.57	11.61	0-2	0
		36	0	11.44	11.37	11.45	0-3	0
		36	18	11.46	11.37	11.44	0-3	0
		36	39	11.45	11.41	11.45	0-3	0
		75	0	11.46	11.36	11.46	0-3	0
	256QAM	1	0	11.47	11.44	11.57	0-5	0
		1	36	11.43	11.36	11.37	0-5	0
		1	74	11.55	11.50	11.57	0-5	0
		36	0	11.45	11.44	11.44	0-5	0
		36	18	11.49	11.41	11.44	0-5	0
		36	39	11.47	11.44	11.49	0-5	0
		75	0	11.46	11.43	11.42	0-5	0

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	11.39	11.38	11.43	0	0
		1	49	11.39	11.30	11.43	0	0
		1	99	11.40	11.36	11.44	0	0
		50	0	11.47	11.42	11.48	0-1	0
		50	25	11.50	11.45	11.53	0-1	0
		50	49	11.50	11.41	11.48	0-1	0
		100	0	11.48	11.41	11.51	0-1	0
	16QAM	1	0	11.77	11.60	11.76	0-1	0
		1	49	11.55	11.60	11.54	0-1	0
		1	99	11.70	11.63	11.73	0-1	0
		50	0	11.44	11.40	11.45	0-2	0
		50	25	11.51	11.42	11.47	0-2	0
		50	49	11.48	11.40	11.47	0-2	0
		100	0	11.45	11.39	11.44	0-2	0
	64QAM	1	0	11.65	11.47	11.46	0-2	0
		1	49	11.54	11.48	11.57	0-2	0
		1	99	11.67	11.64	11.66	0-2	0
		50	0	11.46	11.42	11.50	0-3	0
		50	25	11.48	11.40	11.46	0-3	0
		50	49	11.50	11.42	11.48	0-3	0
		100	0	11.45	11.38	11.44	0-3	0
	256QAM	1	0	11.51	11.48	11.53	0-5	0
		1	49	11.51	11.41	11.49	0-5	0
		1	99	11.56	11.50	11.57	0-5	0
		50	0	11.47	11.41	11.47	0-5	0
		50	25	11.47	11.39	11.43	0-5	0
		50	49	11.48	11.38	11.46	0-5	0
		100	0	11.46	11.41	11.46	0-5	0

LTE FDD Band 2 (FR1 ENDC Combination) Conducted Power _ Measured Pmax, RSI = 0
(Free, Grip Sensor Off) _Sub2 ANT.

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	23.00	23.14	23.14	0	0
		1	3	22.98	23.08	23.15	0	0
		1	5	23.02	23.19	23.23	0	0
		3	0	22.95	23.11	23.11	0	0
		3	1	23.07	23.25	23.30	0	0
		3	3	23.07	23.22	23.23	0	0
		6	0	22.07	22.19	22.23	0-1	1
	16QAM	1	0	22.37	22.48	22.44	0-1	1
		1	3	22.22	22.36	22.39	0-1	1
		1	5	22.43	22.56	22.62	0-1	1
		3	0	22.00	22.30	22.38	0-1	1
		3	1	22.12	22.44	22.35	0-1	1
		3	3	22.12	22.32	22.35	0-1	1
		6	0	21.17	21.19	21.20	0-2	2
	64QAM	1	0	21.18	21.42	21.46	0-2	2
		1	3	21.29	21.31	21.37	0-2	2
		1	5	21.20	21.33	21.37	0-2	2
		3	0	21.09	21.22	21.20	0-2	2
		3	1	21.01	21.29	21.27	0-2	2
		3	3	21.09	21.29	21.28	0-2	2
		6	0	20.07	20.22	20.21	0-3	3
	256QAM	1	0	18.06	18.25	18.28	0-5	5
		1	3	18.14	18.27	18.26	0-5	5
		1	5	18.13	18.20	18.24	0-5	5
		3	0	18.06	18.20	18.22	0-5	5
		3	1	18.09	18.29	18.26	0-5	5
		3	3	18.10	18.26	18.27	0-5	5
		6	0	17.99	18.14	18.17	0-5	5

LTE FDD Band 2_ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	23.10	23.21	23.18	0	0
		1	7	23.07	23.19	23.17	0	0
		1	14	23.02	23.16	23.18	0	0
		8	0	22.07	22.23	22.26	0-1	1
		8	3	22.05	22.17	22.23	0-1	1
		8	7	22.14	22.27	22.31	0-1	1
		15	0	22.15	22.27	22.33	0-1	1
	16QAM	1	0	22.50	22.64	22.62	0-1	1
		1	7	22.46	22.58	22.61	0-1	1
		1	14	22.43	22.62	22.61	0-1	1
		8	0	21.14	21.33	21.35	0-2	2
		8	3	21.22	21.35	21.41	0-2	2
		8	7	21.18	21.27	21.34	0-2	2
		15	0	21.13	21.26	21.33	0-2	2
	64QAM	1	0	21.22	21.38	21.41	0-2	2
		1	7	21.13	21.24	21.31	0-2	2
		1	14	21.29	21.47	21.49	0-2	2
		8	0	20.15	20.26	20.29	0-3	3
		8	3	20.20	20.31	20.33	0-3	3
		8	7	20.16	20.30	20.33	0-3	3
		15	0	20.14	20.32	20.32	0-3	3
	256QAM	1	0	18.10	18.28	18.23	0-5	5
		1	7	18.11	18.25	18.30	0-5	5
		1	14	18.18	18.25	18.36	0-5	5
		8	0	18.15	18.23	18.23	0-5	5
		8	3	18.08	18.27	18.24	0-5	5
		8	7	18.13	18.24	18.27	0-5	5
		15	0	18.10	18.21	18.25	0-5	5

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	23.07	23.13	23.23	0	0
		1	12	23.10	23.18	23.23	0	0
		1	24	23.17	23.28	23.30	0	0
		12	0	22.12	22.26	22.29	0-1	1
		12	6	22.13	22.24	22.28	0-1	1
		12	11	22.11	22.23	22.31	0-1	1
		25	0	22.18	22.24	22.30	0-1	1
	16QAM	1	0	22.49	22.61	22.61	0-1	1
		1	12	22.41	22.49	22.56	0-1	1
		1	24	22.36	22.54	22.72	0-1	1
		12	0	21.18	21.35	21.44	0-2	2
		12	6	21.21	21.36	21.41	0-2	2
		12	11	21.27	21.40	21.47	0-2	2
		25	0	21.15	21.24	21.31	0-2	2
	64QAM	1	0	21.44	21.36	21.57	0-2	2
		1	12	21.18	21.33	21.33	0-2	2
		1	24	21.33	21.42	21.53	0-2	2
		12	0	20.20	20.31	20.37	0-3	3
		12	6	20.21	20.33	20.35	0-3	3
		12	11	20.21	20.39	20.40	0-3	3
		25	0	20.16	20.24	20.33	0-3	3
	256QAM	1	0	18.30	18.35	18.35	0-5	5
		1	12	18.17	18.29	18.37	0-5	5
		1	24	18.18	18.33	18.33	0-5	5
		12	0	18.09	18.23	18.22	0-5	5
		12	6	18.09	18.21	18.23	0-5	5
		12	11	18.16	18.20	18.29	0-5	5
		25	0	18.12	18.22	18.26	0-5	5

LTE FDD Band 2_ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	23.13	23.25	23.24	0	0
		1	24	23.03	23.10	23.17	0	0
		1	49	23.10	23.21	23.22	0	0
		25	0	22.15	22.22	22.26	0-1	1
		25	12	22.13	22.25	22.27	0-1	1
		25	24	22.11	22.25	22.32	0-1	1
		50	0	22.16	22.23	22.27	0-1	1
	16QAM	1	0	22.47	22.66	22.52	0-1	1
		1	24	22.35	22.38	22.35	0-1	1
		1	49	22.39	22.58	22.62	0-1	1
		25	0	21.17	21.27	21.30	0-2	2
		25	12	21.13	21.28	21.34	0-2	2
		25	24	21.13	21.22	21.29	0-2	2
		50	0	21.18	21.28	21.26	0-2	2
	64QAM	1	0	21.32	21.45	21.42	0-2	2
		1	24	21.34	21.45	21.42	0-2	2
		1	49	21.37	21.47	21.51	0-2	2
		25	0	20.14	20.22	20.25	0-3	3
		25	12	20.14	20.22	20.28	0-3	3
		25	24	20.16	20.23	20.29	0-3	3
		50	0	20.13	20.29	20.28	0-3	3
	256QAM	1	0	18.27	18.32	18.34	0-5	5
		1	24	18.10	18.26	18.23	0-5	5
		1	49	18.28	18.38	18.39	0-5	5
		25	0	18.13	18.18	18.18	0-5	5
		25	12	18.07	18.17	18.25	0-5	5
		25	24	18.13	18.19	18.27	0-5	5
		50	0	18.10	18.21	18.26	0-5	5

LTE FDD Band 2_ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	23.14	23.21	23.16	0	0
		1	36	23.05	23.19	23.22	0	0
		1	74	23.13	23.29	23.31	0	0
		36	0	22.19	22.28	22.31	0-1	1
		36	18	22.17	22.28	22.27	0-1	1
		36	39	22.18	22.29	22.30	0-1	1
		75	0	22.18	22.26	22.29	0-1	1
	16QAM	1	0	22.60	22.55	22.57	0-1	1
		1	36	22.51	22.50	22.63	0-1	1
		1	74	22.49	22.58	22.59	0-1	1
		36	0	21.24	21.33	21.35	0-2	2
		36	18	21.19	21.30	21.32	0-2	2
		36	39	21.26	21.32	21.36	0-2	2
		75	0	21.17	21.26	21.27	0-2	2
	64QAM	1	0	21.41	21.60	21.50	0-2	2
		1	36	21.13	21.36	21.31	0-2	2
		1	74	21.38	21.43	21.47	0-2	2
		36	0	20.18	20.31	20.32	0-3	3
		36	18	20.21	20.30	20.32	0-3	3
		36	39	20.16	20.34	20.35	0-3	3
		75	0	20.15	20.25	20.24	0-3	3
	256QAM	1	0	18.29	18.38	18.31	0-5	5
		1	36	18.25	18.30	18.25	0-5	5
		1	74	18.27	18.35	18.38	0-5	5
		36	0	18.20	18.30	18.27	0-5	5
		36	18	18.16	18.31	18.25	0-5	5
		36	39	18.16	18.30	18.28	0-5	5
		75	0	18.15	18.27	18.22	0-5	5

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	23.17	23.20	23.15	0	0
		1	49	23.03	23.15	23.08	0	0
		1	99	23.08	23.22	23.21	0	0
		50	0	22.15	22.28	22.23	0-1	1
		50	25	22.12	22.26	22.20	0-1	1
		50	49	22.11	22.24	22.21	0-1	1
		100	0	22.14	22.25	22.19	0-1	1
	16QAM	1	0	22.57	22.63	22.47	0-1	1
		1	49	22.32	22.43	22.36	0-1	1
		1	99	22.45	22.60	22.65	0-1	1
		50	0	21.15	21.29	21.24	0-2	2
		50	25	21.13	21.27	21.24	0-2	2
		50	49	21.13	21.27	21.25	0-2	2
		100	0	21.14	21.26	21.19	0-2	2
	64QAM	1	0	21.28	21.50	21.45	0-2	2
		1	49	21.28	21.40	21.38	0-2	2
		1	99	21.30	21.48	21.49	0-2	2
		50	0	20.13	20.28	20.20	0-3	3
		50	25	20.10	20.30	20.23	0-3	3
		50	49	20.15	20.26	20.22	0-3	3
		100	0	20.10	20.30	20.24	0-3	3
	256QAM	1	0	18.26	18.40	18.21	0-5	5
		1	49	18.15	18.24	18.19	0-5	5
		1	99	18.21	18.41	18.32	0-5	5
		50	0	18.15	18.26	18.19	0-5	5
		50	25	18.08	18.27	18.19	0-5	5
		50	49	18.09	18.24	18.20	0-5	5
		100	0	18.14	18.26	18.20	0-5	5

LTE FDD Band 2 (FR1 ENDC Combination) Conducted Power _ Measured RSI = 5 (GRIP 5 ON)

Sub2 ANT.

LTE FDD Band 2 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18607 Ch. 1850.7 MHz	18900 Ch. 1880 MHz	19193 Ch. 1909.3 MHz		
1.4 MHz	QPSK	1	0	9.81	10.00	10.18	0	0
		1	3	9.58	9.85	9.91	0	0
		1	5	9.87	9.92	9.97	0	0
		3	0	9.96	10.03	10.01	0	0
		3	1	9.80	10.01	10.14	0	0
		3	3	9.92	9.95	9.98	0	0
		6	0	9.94	9.91	10.07	0-1	0
	16QAM	1	0	10.13	10.13	10.22	0-1	0
		1	3	10.03	10.06	10.08	0-1	0
		1	5	9.99	10.14	10.38	0-1	0
		3	0	9.99	9.97	10.23	0-1	0
		3	1	9.95	10.04	10.10	0-1	0
		3	3	9.80	9.99	9.97	0-1	0
		6	0	9.70	9.93	9.97	0-2	0
	64QAM	1	0	9.95	10.14	10.20	0-2	0
		1	3	10.06	9.97	10.30	0-2	0
		1	5	9.81	9.97	10.15	0-2	0
		3	0	9.84	10.07	10.04	0-2	0
		3	1	9.82	9.86	9.95	0-2	0
		3	3	9.75	10.00	10.06	0-2	0
		6	0	9.77	9.98	10.20	0-3	0
	256QAM	1	0	9.90	10.26	10.05	0-5	0
		1	3	10.26	10.25	10.39	0-5	0
		1	5	10.12	10.38	10.38	0-5	0
		3	0	9.96	10.31	10.06	0-5	0
		3	1	10.06	10.28	10.38	0-5	0
		3	3	10.04	10.30	10.37	0-5	0
		6	0	10.26	10.32	10.47	0-5	0

LTE FDD Band 2_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18615 Ch. 1851.5 MHz	18900 Ch. 1880 MHz	19185 Ch. 1908.5 MHz		
3 MHz	QPSK	1	0	9.86	10.02	10.01	0	0
		1	7	9.63	9.81	10.06	0	0
		1	14	9.85	9.91	9.98	0	0
		8	0	9.97	9.99	10.07	0-1	0
		8	3	9.87	9.96	10.05	0-1	0
		8	7	9.92	10.02	10.04	0-1	0
		15	0	9.80	10.11	10.17	0-1	0
	16QAM	1	0	10.04	10.12	10.26	0-1	0
		1	7	9.90	10.05	10.09	0-1	0
		1	14	9.93	10.08	10.28	0-1	0
		8	0	9.95	10.03	10.24	0-2	0
		8	3	9.99	9.88	10.05	0-2	0
		8	7	9.91	9.92	10.02	0-2	0
		15	0	9.77	9.88	10.18	0-2	0
	64QAM	1	0	10.05	10.00	10.15	0-2	0
		1	7	10.07	10.11	10.31	0-2	0
		1	14	9.78	10.12	10.21	0-2	0
		8	0	9.85	9.99	10.13	0-3	0
		8	3	9.95	9.97	10.08	0-3	0
		8	7	9.78	9.95	10.06	0-3	0
		15	0	9.90	10.05	10.23	0-3	0
	256QAM	1	0	9.96	10.26	10.01	0-5	0
		1	7	10.19	10.36	10.53	0-5	0
		1	14	10.21	10.37	10.43	0-5	0
		8	0	9.83	10.30	10.00	0-5	0
		8	3	9.98	10.25	10.28	0-5	0
		8	7	10.04	10.21	10.40	0-5	0
		15	0	10.39	10.43	10.34	0-5	0

LTE FDD Band 2_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18625 Ch. 1852.5 MHz	18900 Ch. 1880 MHz	19175 Ch. 1907.5 MHz		
5 MHz	QPSK	1	0	10.27	10.38	10.49	0	0
		1	12	10.05	10.23	10.35	0	0
		1	24	10.29	10.32	10.43	0	0
		12	0	10.26	10.36	10.47	0-1	0
		12	6	10.15	10.33	10.46	0-1	0
		12	11	10.33	10.36	10.41	0-1	0
		25	0	10.25	10.37	10.43	0-1	0
	16QAM	1	0	10.49	10.49	10.61	0-1	0
		1	12	10.34	10.46	10.54	0-1	0
		1	24	10.38	10.49	10.69	0-1	0
		12	0	10.36	10.36	10.54	0-2	0
		12	6	10.26	10.33	10.51	0-2	0
		12	11	10.22	10.32	10.37	0-2	0
		25	0	10.14	10.32	10.45	0-2	0
	64QAM	1	0	10.40	10.44	10.57	0-2	0
		1	12	10.35	10.41	10.62	0-2	0
		1	24	10.23	10.43	10.57	0-2	0
		12	0	10.28	10.39	10.50	0-3	0
		12	6	10.29	10.32	10.42	0-3	0
		12	11	10.13	10.34	10.42	0-3	0
		25	0	10.20	10.36	10.53	0-3	0
	256QAM	1	0	10.32	10.67	10.46	0-5	0
		1	12	10.60	10.64	10.79	0-5	0
		1	24	10.58	10.69	10.82	0-5	0
		12	0	10.27	10.61	10.45	0-5	0
		12	6	10.39	10.60	10.72	0-5	0
		12	11	10.46	10.65	10.72	0-5	0
		25	0	10.65	10.72	10.75	0-5	0

LTE FDD Band 2_ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18650 Ch. 1855 MHz	18900 Ch. 1880 MHz	19150 Ch. 1905 MHz		
10 MHz	QPSK	1	0	9.97	10.01	10.06	0	0
		1	24	9.73	9.95	9.89	0	0
		1	49	10.01	10.00	10.03	0	0
		25	0	9.86	10.00	10.02	0-1	0
		25	12	9.74	9.94	10.01	0-1	0
		25	24	9.92	10.01	9.97	0-1	0
		50	0	9.94	10.04	10.05	0-1	0
	16QAM	1	0	10.09	10.14	10.16	0-1	0
		1	24	10.05	10.06	10.26	0-1	0
		1	49	9.92	10.22	10.29	0-1	0
		25	0	10.06	9.90	10.24	0-2	0
		25	12	9.86	10.05	10.20	0-2	0
		25	24	9.86	9.96	10.07	0-2	0
		50	0	9.81	9.87	10.14	0-2	0
	64QAM	1	0	10.05	10.09	10.24	0-2	0
		1	24	9.97	10.06	10.18	0-2	0
		1	49	9.95	10.03	10.10	0-2	0
		25	0	9.86	9.99	10.15	0-3	0
		25	12	9.85	9.88	9.97	0-3	0
		25	24	9.76	9.99	10.01	0-3	0
		50	0	9.73	10.05	10.14	0-3	0
	256QAM	1	0	9.99	10.37	10.07	0-5	0
		1	24	10.20	10.36	10.49	0-5	0
		1	49	10.20	10.35	10.35	0-5	0
		25	0	9.86	10.32	10.05	0-5	0
		25	12	9.93	10.18	10.28	0-5	0
		25	24	10.13	10.27	10.27	0-5	0
		50	0	10.27	10.32	10.29	0-5	0

LTE FDD Band 2 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18675 Ch. 1857.5 MHz	18900 Ch. 1880 MHz	19125 Ch. 1902.5 MHz		
15 MHz	QPSK	1	0	10.00	10.10	10.11	0	0
		1	36	9.81	10.04	10.04	0	0
		1	74	10.00	10.07	10.08	0	0
		36	0	10.06	10.13	10.11	0-1	0
		36	18	9.81	10.04	10.16	0-1	0
		36	39	10.12	10.06	10.09	0-1	0
		75	0	10.04	10.19	10.19	0-1	0
	16QAM	1	0	10.17	10.22	10.25	0-1	0
		1	36	10.07	10.16	10.34	0-1	0
		1	74	10.05	10.14	10.35	0-1	0
		36	0	10.06	10.04	10.27	0-2	0
		36	18	9.88	10.07	10.24	0-2	0
		36	39	10.00	10.02	10.04	0-2	0
		75	0	9.78	9.97	10.19	0-2	0
	64QAM	1	0	10.08	10.22	10.35	0-2	0
		1	36	10.03	10.06	10.25	0-2	0
		1	74	9.89	10.16	10.25	0-2	0
		36	0	9.97	10.11	10.16	0-3	0
		36	18	10.03	10.07	10.06	0-3	0
		36	39	9.86	9.99	10.08	0-3	0
		75	0	9.89	10.06	10.30	0-3	0
	256QAM	1	0	9.96	10.35	10.17	0-5	0
		1	36	10.25	10.38	10.58	0-5	0
		1	74	10.38	10.34	10.59	0-5	0
		36	0	10.02	10.39	10.19	0-5	0
		36	18	10.04	10.22	10.54	0-5	0
		36	39	10.20	10.29	10.47	0-5	0
		75	0	10.34	10.40	10.54	0-5	0

LTE FDD Band 2_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				18700 Ch. 1860 MHz	18900 Ch. 1880 MHz	19100 Ch. 1900 MHz		
20 MHz	QPSK	1	0	10.01	10.07	10.14	0	0
		1	49	9.82	9.96	10.01	0	0
		1	99	10.05	10.08	10.16	0	0
		50	0	10.02	9.96	10.24	0-1	0
		50	25	9.91	10.10	10.22	0-1	0
		50	49	9.93	10.00	10.14	0-1	0
		100	0	10.04	10.13	10.05	0-1	0
	16QAM	1	0	10.19	10.17	10.24	0-1	0
		1	49	10.05	10.23	10.16	0-1	0
		1	99	10.05	10.16	10.37	0-1	0
		50	0	9.98	10.10	10.15	0-2	0
		50	25	9.98	10.03	10.22	0-2	0
		50	49	9.83	10.01	10.01	0-2	0
		100	0	9.78	9.96	10.09	0-2	0
	64QAM	1	0	10.08	10.08	10.26	0-2	0
		1	49	9.99	10.02	10.39	0-2	0
		1	99	9.84	10.06	10.21	0-2	0
		50	0	9.93	10.06	10.21	0-3	0
		50	25	9.89	10.08	10.05	0-3	0
		50	49	9.75	10.06	10.20	0-3	0
		100	0	9.99	10.00	10.15	0-3	0
	256QAM	1	0	9.98	10.39	10.06	0-5	0
		1	49	10.24	10.25	10.47	0-5	0
		1	99	10.33	10.42	10.49	0-5	0
		50	0	9.98	10.21	10.09	0-5	0
		50	25	10.11	10.29	10.41	0-5	0
		50	49	10.09	10.37	10.33	0-5	0
		100	0	10.26	10.31	10.40	0-5	0

K.2 LTE FDD Band 4 Maximum Conducted Output Power

LTE FDD Band 4 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1
ANT.

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.66	23.14	23.53	0	0
		1	3	23.58	23.03	23.51	0	0
		1	5	23.71	23.15	23.67	0	0
		3	0	23.68	23.14	23.64	0	0
		3	1	23.65	23.12	23.62	0	0
		3	3	23.69	23.17	23.65	0	0
		6	0	22.65	22.11	22.66	0-1	1
	16QAM	1	0	22.99	22.51	22.90	0-1	1
		1	3	22.93	22.51	22.86	0-1	1
		1	5	22.96	22.45	22.99	0-1	1
		3	0	22.73	22.35	22.72	0-1	1
		3	1	22.74	22.25	22.81	0-1	1
		3	3	22.63	22.27	22.74	0-1	1
		6	0	21.82	21.22	21.68	0-2	2
	64QAM	1	0	21.83	21.36	21.84	0-2	2
		1	3	21.84	21.32	21.78	0-2	2
		1	5	21.82	21.36	21.78	0-2	2
		3	0	21.75	21.21	21.74	0-2	2
		3	1	21.67	21.12	21.66	0-2	2
		3	3	21.69	21.23	21.77	0-2	2
		6	0	20.75	20.18	20.72	0-3	3
	256QAM	1	0	18.75	18.30	18.76	0-5	5
		1	3	18.61	18.11	18.61	0-5	5
		1	5	18.73	18.19	18.72	0-5	5
		3	0	18.75	18.14	18.70	0-5	5
		3	1	18.68	18.15	18.66	0-5	5
		3	3	18.78	18.23	18.73	0-5	5
		6	0	18.67	18.15	18.62	0-5	5

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	23.62	23.15	23.69	0	0
		1	7	23.68	23.20	23.69	0	0
		1	14	23.63	23.16	23.64	0	0
		8	0	22.66	22.16	22.71	0-1	1
		8	3	22.70	22.14	22.69	0-1	1
		8	7	22.70	22.22	22.77	0-1	1
		15	0	22.75	22.25	22.81	0-1	1
	16QAM	1	0	22.91	22.48	22.95	0-1	1
		1	7	22.97	22.50	22.94	0-1	1
		1	14	22.99	22.46	22.92	0-1	1
		8	0	21.79	21.34	21.83	0-2	2
		8	3	21.82	21.30	21.86	0-2	2
		8	7	21.81	21.27	21.83	0-2	2
		15	0	21.76	21.23	21.79	0-2	2
	64QAM	1	0	21.85	21.33	21.91	0-2	2
		1	7	21.57	21.14	21.67	0-2	2
		1	14	21.95	21.47	21.93	0-2	2
		8	0	20.75	20.24	20.83	0-3	3
		8	3	20.84	20.25	20.78	0-3	3
		8	7	20.85	20.21	20.82	0-3	3
		15	0	20.73	20.25	20.80	0-3	3
	256QAM	1	0	18.74	18.22	18.71	0-5	5
		1	7	18.74	18.19	18.67	0-5	5
		1	14	18.69	18.17	18.79	0-5	5
		8	0	18.73	18.17	18.68	0-5	5
		8	3	18.68	18.14	18.71	0-5	5
		8	7	18.68	18.13	18.71	0-5	5
		15	0	18.72	18.14	18.71	0-5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	23.53	23.10	23.63	0	0
		1	12	23.61	23.16	23.75	0	0
		1	24	23.71	23.21	23.73	0	0
		12	0	22.68	22.22	22.76	0-1	1
		12	6	22.67	22.22	22.74	0-1	1
		12	11	22.68	22.17	22.72	0-1	1
		25	0	22.67	22.22	22.71	0-1	1
	16QAM	1	0	22.95	22.55	22.98	0-1	1
		1	12	22.97	22.52	22.92	0-1	1
		1	24	22.92	22.51	22.95	0-1	1
		12	0	21.79	21.27	21.84	0-2	2
		12	6	21.79	21.29	21.78	0-2	2
		12	11	21.86	21.32	21.90	0-2	2
		25	0	21.71	21.26	21.76	0-2	2
	64QAM	1	0	21.95	21.40	21.97	0-2	2
		1	12	21.67	21.04	21.59	0-2	2
		1	24	21.92	21.39	21.96	0-2	2
		12	0	20.77	20.29	20.76	0-3	3
		12	6	20.74	20.27	20.78	0-3	3
		12	11	20.77	20.30	20.85	0-3	3
		25	0	20.66	20.20	20.71	0-3	3
	256QAM	1	0	18.74	18.26	18.77	0-5	5
		1	12	18.72	18.16	18.71	0-5	5
		1	24	18.72	18.26	18.80	0-5	5
		12	0	18.61	18.15	18.66	0-5	5
		12	6	18.62	18.19	18.68	0-5	5
		12	11	18.65	18.14	18.71	0-5	5
		25	0	18.64	18.15	18.62	0-5	5

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	23.50	23.04	23.52	0	0
		1	24	23.46	23.04	23.55	0	0
		1	49	23.55	23.13	23.68	0	0
		25	0	22.51	22.15	22.62	0-1	1
		25	12	22.55	22.14	22.65	0-1	1
		25	24	22.57	22.20	22.69	0-1	1
		50	0	22.58	22.15	22.69	0-1	1
	16QAM	1	0	22.91	22.38	22.89	0-1	1
		1	24	22.65	22.30	22.88	0-1	1
		1	49	22.98	22.47	22.96	0-1	1
		25	0	21.96	21.13	21.67	0-2	2
		25	12	21.93	21.18	21.69	0-2	2
		25	24	21.90	21.16	21.70	0-2	2
		50	0	21.92	21.18	21.70	0-2	2
	64QAM	1	0	21.20	21.32	21.87	0-2	2
		1	24	21.38	21.31	21.89	0-2	2
		1	49	21.44	21.44	21.90	0-2	2
		25	0	20.15	20.14	20.67	0-3	3
		25	12	20.11	20.15	20.73	0-3	3
		25	24	20.17	20.19	20.68	0-3	3
		50	0	20.16	20.18	20.72	0-3	3
	256QAM	1	0	18.15	18.22	18.70	0-5	5
		1	24	18.11	18.11	18.68	0-5	5
		1	49	18.32	18.31	18.88	0-5	5
		25	0	18.05	18.10	18.64	0-5	5
		25	12	18.07	18.09	18.64	0-5	5
		25	24	18.09	18.12	18.69	0-5	5
		50	0	18.11	18.11	18.64	0-5	5

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	23.28	23.11	23.52	0	0
		1	36	23.38	23.18	23.60	0	0
		1	74	23.50	23.26	23.75	0	0
		36	0	22.42	22.17	22.65	0-1	1
		36	18	22.45	22.21	22.67	0-1	1
		36	39	22.52	22.26	22.71	0-1	1
		75	0	22.44	22.22	22.65	0-1	1
	16QAM	1	0	22.78	22.49	22.90	0-1	1
		1	36	22.85	22.52	22.97	0-1	1
		1	74	22.87	22.63	22.92	0-1	1
		36	0	21.50	21.19	21.66	0-2	2
		36	18	21.47	21.23	21.67	0-2	2
		36	39	21.51	21.31	21.72	0-2	2
		75	0	21.44	21.19	21.68	0-2	2
	64QAM	1	0	21.73	21.42	21.85	0-2	2
		1	36	21.40	21.12	21.50	0-2	2
		1	74	21.68	21.49	21.96	0-2	2
		36	0	20.47	20.22	20.68	0-3	3
		36	18	20.45	20.27	20.69	0-3	3
		36	39	20.52	20.27	20.72	0-3	3
		75	0	20.44	20.15	20.63	0-3	3
	256QAM	1	0	18.53	18.25	18.69	0-5	5
		1	36	18.49	18.11	18.65	0-5	5
		1	74	18.57	18.29	18.76	0-5	5
		36	0	18.43	18.18	18.63	0-5	5
		36	18	18.42	18.19	18.61	0-5	5
		36	39	18.44	18.23	18.67	0-5	5
		75	0	18.41	18.15	18.59	0-5	5

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 ch. 1732.5 MHz			
20 MHz	QPSK	1	0		23.03		0	0
		1	49		23.07		0	0
		1	99		23.19		0	0
		50	0		22.15		0-1	1
		50	25		22.17		0-1	1
		50	49		22.21		0-1	1
		100	0		22.19		0-1	1
	16QAM	1	0		22.43		0-1	1
		1	49		22.38		0-1	1
		1	99		22.61		0-1	1
		50	0		21.17		0-2	2
		50	25		21.18		0-2	2
		50	49		21.26		0-2	2
		100	0		21.16		0-2	2
	64QAM	1	0		21.33		0-2	2
		1	49		21.33		0-2	2
		1	99		21.51		0-2	2
		50	0		20.16		0-3	3
		50	25		20.18		0-3	3
		50	49		20.22		0-3	3
		100	0		20.20		0-3	3
	256QAM	1	0		18.23		0-5	5
		1	49		18.19		0-5	5
		1	99		18.38		0-5	5
		50	0		18.10		0-5	5
		50	25		18.13		0-5	5
		50	49		18.16		0-5	5
		100	0		18.17		0-5	5

LTE FDD Band 4 Conducted Power _ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _ Main1 ANT.

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	17.14	17.03	17.06	0	0
		1	3	17.07	17.06	17.09	0	0
		1	5	17.17	17.13	17.13	0	0
		3	0	17.16	17.04	17.06	0	0
		3	1	17.20	17.07	17.11	0	0
		3	3	17.21	17.04	17.08	0	0
		6	0	17.16	17.01	17.05	0-1	0
	16QAM	1	0	17.54	17.45	17.47	0-1	0
		1	3	17.41	17.36	17.32	0-1	0
		1	5	17.47	17.36	17.40	0-1	0
		3	0	17.33	17.21	17.16	0-1	0
		3	1	17.29	17.21	17.16	0-1	0
		3	3	17.34	17.11	17.12	0-1	0
		6	0	17.20	17.14	17.12	0-2	0
	64QAM	1	0	17.43	17.26	17.21	0-2	0
		1	3	17.31	17.22	17.17	0-2	0
		1	5	17.32	17.29	17.31	0-2	0
		3	0	17.23	17.14	17.16	0-2	0
		3	1	17.16	17.06	17.09	0-2	0
		3	3	17.27	17.20	17.19	0-2	0
		6	0	17.23	17.08	17.19	0-3	0
	256QAM	1	0	17.15	17.14	17.07	0-5	0
		1	3	17.11	17.07	17.02	0-5	0
		1	5	17.21	17.07	17.05	0-5	0
		3	0	17.16	17.06	17.04	0-5	0
		3	1	17.15	17.03	17.08	0-5	0
		3	3	17.24	17.10	17.11	0-5	0
		6	0	17.12	17.03	17.00	0-5	0

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	17.20	17.13	17.07	0	0
		1	7	17.25	17.10	17.12	0	0
		1	14	17.20	17.08	17.11	0	0
		8	0	17.24	17.04	17.08	0-1	0
		8	3	17.23	17.04	17.08	0-1	0
		8	7	17.27	17.13	17.10	0-1	0
		15	0	17.34	17.15	17.14	0-1	0
	16QAM	1	0	17.58	17.39	17.39	0-1	0
		1	7	17.57	17.44	17.42	0-1	0
		1	14	17.58	17.41	17.46	0-1	0
		8	0	17.34	17.15	17.20	0-2	0
		8	3	17.38	17.23	17.23	0-2	0
		8	7	17.36	17.19	17.18	0-2	0
		15	0	17.32	17.14	17.13	0-2	0
	64QAM	1	0	17.45	17.25	17.28	0-2	0
		1	7	17.21	17.05	17.03	0-2	0
		1	14	17.50	17.37	17.33	0-2	0
		8	0	17.31	17.19	17.18	0-3	0
		8	3	17.40	17.18	17.24	0-3	0
		8	7	17.40	17.15	17.22	0-3	0
		15	0	17.35	17.20	17.20	0-3	0
	256QAM	1	0	17.28	17.07	17.07	0-5	0
		1	7	17.23	17.05	17.07	0-5	0
		1	14	17.25	17.12	17.08	0-5	0
		8	0	17.21	17.03	17.06	0-5	0
		8	3	17.24	17.04	17.03	0-5	0
		8	7	17.21	17.01	17.04	0-5	0
		15	0	17.21	17.03	17.04	0-5	0

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	17.23	17.08	17.03	0	0
		1	12	17.21	17.11	17.08	0	0
		1	24	17.27	17.19	17.11	0	0
		12	0	17.27	17.14	17.11	0-1	0
		12	6	17.25	17.11	17.08	0-1	0
		12	11	17.23	17.14	17.10	0-1	0
		25	0	17.29	17.10	17.13	0-1	0
	16QAM	1	0	17.59	17.44	17.43	0-1	0
		1	12	17.59	17.43	17.34	0-1	0
		1	24	17.58	17.56	17.42	0-1	0
		12	0	17.37	17.23	17.17	0-2	0
		12	6	17.40	17.22	17.20	0-2	0
		12	11	17.43	17.31	17.30	0-2	0
		25	0	17.30	17.16	17.15	0-2	0
	64QAM	1	0	17.54	17.34	17.29	0-2	0
		1	12	17.22	17.10	17.04	0-2	0
		1	24	17.51	17.31	17.36	0-2	0
		12	0	17.38	17.21	17.18	0-3	0
		12	6	17.36	17.20	17.16	0-3	0
		12	11	17.40	17.22	17.23	0-3	0
		25	0	17.33	17.10	17.14	0-3	0
	256QAM	1	0	17.27	17.17	17.03	0-5	0
		1	12	17.21	17.02	17.03	0-5	0
		1	24	17.27	17.06	17.10	0-5	0
		12	0	17.16	17.04	17.01	0-5	0
		12	6	17.22	17.04	17.08	0-5	0
		12	11	17.22	17.05	17.04	0-5	0
		25	0	17.19	17.05	17.09	0-5	0

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	17.25	17.07	17.09	0	0
		1	24	17.19	17.01	17.04	0	0
		1	49	17.25	17.07	17.12	0	0
		25	0	17.24	17.13	17.12	0-1	0
		25	12	17.25	17.12	17.07	0-1	0
		25	24	17.30	17.14	17.10	0-1	0
		50	0	17.31	17.11	17.14	0-1	0
	16QAM	1	0	17.59	17.50	17.41	0-1	0
		1	24	17.54	17.28	17.30	0-1	0
		1	49	17.60	17.42	17.46	0-1	0
		25	0	17.31	17.14	17.06	0-2	0
		25	12	17.30	17.16	17.13	0-2	0
		25	24	17.32	17.18	17.11	0-2	0
		50	0	17.31	17.21	17.15	0-2	0
	64QAM	1	0	17.50	17.33	17.26	0-2	0
		1	24	17.47	17.29	17.28	0-2	0
		1	49	17.55	17.38	17.37	0-2	0
		25	0	17.26	17.16	17.09	0-3	0
		25	12	17.26	17.15	17.10	0-3	0
		25	24	17.33	17.17	17.14	0-3	0
		50	0	17.33	17.17	17.14	0-3	0
	256QAM	1	0	17.28	17.14	17.05	0-5	0
		1	24	17.23	17.03	17.07	0-5	0
		1	49	17.29	17.18	17.22	0-5	0
		25	0	17.15	17.02	17.09	0-5	0
		25	12	17.17	17.01	17.06	0-5	0
		25	24	17.17	17.06	17.03	0-5	0
		50	0	17.21	17.04	17.01	0-5	0

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	17.16	17.06	17.01	0	0
		1	36	17.23	17.16	17.07	0	0
		1	74	17.32	17.22	17.17	0	0
		36	0	17.28	17.16	17.07	0-1	0
		36	18	17.25	17.17	17.09	0-1	0
		36	39	17.31	17.17	17.15	0-1	0
		75	0	17.26	17.19	17.09	0-1	0
	16QAM	1	0	17.56	17.39	17.31	0-1	0
		1	36	17.62	17.54	17.39	0-1	0
		1	74	17.62	17.45	17.47	0-1	0
		36	0	17.30	17.19	17.07	0-2	0
		36	18	17.32	17.19	17.12	0-2	0
		36	39	17.37	17.21	17.15	0-2	0
		75	0	17.26	17.13	17.09	0-2	0
	64QAM	1	0	17.54	17.37	17.30	0-2	0
		1	36	17.21	17.07	17.01	0-2	0
		1	74	17.54	17.43	17.36	0-2	0
		36	0	17.36	17.20	17.10	0-3	0
		36	18	17.36	17.23	17.12	0-3	0
		36	39	17.34	17.23	17.15	0-3	0
		75	0	17.29	17.20	17.08	0-3	0
	256QAM	1	0	17.31	17.13	17.08	0-5	0
		1	36	17.19	17.15	17.04	0-5	0
		1	74	17.36	17.23	17.15	0-5	0
		36	0	17.21	17.10	17.01	0-5	0
		36	18	17.23	17.07	17.01	0-5	0
		36	39	17.24	17.09	17.09	0-5	0
		75	0	17.19	17.04	17.00	0-5	0

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 ch. 1732.5 MHz			
20 MHz	QPSK	1	0		17.06		0	0
		1	49		17.05		0	0
		1	99		17.14		0	0
		50	0		17.11		0-1	0
		50	25		17.12		0-1	0
		50	49		17.13		0-1	0
		100	0		17.17		0-1	0
	16QAM	1	0		17.39		0-1	0
		1	49		17.29		0-1	0
		1	99		17.52		0-1	0
		50	0		17.14		0-2	0
		50	25		17.17		0-2	0
		50	49		17.20		0-2	0
		100	0		17.18		0-2	0
	64QAM	1	0		17.35		0-2	0
		1	49		17.29		0-2	0
		1	99		17.41		0-2	0
		50	0		17.18		0-3	0
		50	25		17.17		0-3	0
		50	49		17.22		0-3	0
		100	0		17.20		0-3	0
	256QAM	1	0		17.12		0-5	0
		1	49		17.09		0-5	0
		1	99		17.27		0-5	0
		50	0		17.04		0-5	0
		50	25		17.02		0-5	0
		50	49		17.04		0-5	0
		100	0		17.06		0-5	0

LTE FDD Band 4 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	11.24	11.11	11.16	0	0
		1	3	11.20	11.04	11.11	0	0
		1	5	11.33	11.19	11.21	0	0
		3	0	11.26	11.14	11.15	0	0
		3	1	11.25	11.12	11.15	0	0
		3	3	11.31	11.18	11.16	0	0
		6	0	11.27	11.14	11.13	0-1	0
	16QAM	1	0	11.57	11.51	11.46	0-1	0
		1	3	11.59	11.30	11.42	0-1	0
		1	5	11.54	11.42	11.40	0-1	0
		3	0	11.41	11.29	11.30	0-1	0
		3	1	11.34	11.22	11.22	0-1	0
		3	3	11.38	11.24	11.24	0-1	0
		6	0	11.30	11.16	11.18	0-2	0
	64QAM	1	0	11.43	11.35	11.40	0-2	0
		1	3	11.37	11.26	11.26	0-2	0
		1	5	11.44	11.36	11.32	0-2	0
		3	0	11.32	11.19	11.22	0-2	0
		3	1	11.27	11.18	11.14	0-2	0
		3	3	11.36	11.21	11.23	0-2	0
		6	0	11.27	11.13	11.24	0-3	0
	256QAM	1	0	11.37	11.20	11.30	0-5	0
		1	3	11.24	11.12	11.07	0-5	0
		1	5	11.38	11.21	11.27	0-5	0
		3	0	11.36	11.25	11.23	0-5	0
		3	1	11.34	11.17	11.20	0-5	0
		3	3	11.37	11.24	11.26	0-5	0
		6	0	11.31	11.18	11.18	0-5	0

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	11.36	11.18	11.19	0	0
		1	7	11.32	11.23	11.18	0	0
		1	14	11.28	11.15	11.15	0	0
		8	0	11.31	11.19	11.20	0-1	0
		8	3	11.31	11.14	11.16	0-1	0
		8	7	11.38	11.24	11.23	0-1	0
		15	0	11.38	11.25	11.25	0-1	0
	16QAM	1	0	11.64	11.40	11.46	0-1	0
		1	7	11.65	11.38	11.54	0-1	0
		1	14	11.65	11.54	11.41	0-1	0
		8	0	11.37	11.26	11.26	0-2	0
		8	3	11.44	11.27	11.29	0-2	0
		8	7	11.41	11.27	11.25	0-2	0
		15	0	11.31	11.19	11.17	0-2	0
	64QAM	1	0	11.46	11.33	11.32	0-2	0
		1	7	11.41	11.01	11.06	0-2	0
		1	14	11.50	11.42	11.41	0-2	0
		8	0	11.43	11.18	11.22	0-3	0
		8	3	11.43	11.25	11.27	0-3	0
		8	7	11.44	11.22	11.27	0-3	0
		15	0	11.39	11.23	11.23	0-3	0
	256QAM	1	0	11.35	11.22	11.21	0-5	0
		1	7	11.36	11.20	11.17	0-5	0
		1	14	11.38	11.27	11.27	0-5	0
		8	0	11.38	11.17	11.22	0-5	0
		8	3	11.39	11.17	11.23	0-5	0
		8	7	11.35	11.19	11.23	0-5	0
		15	0	11.36	11.18	11.21	0-5	0

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	11.29	11.17	11.13	0	0
		1	12	11.35	11.27	11.19	0	0
		1	24	11.40	11.24	11.22	0	0
		12	0	11.36	11.18	11.17	0-1	0
		12	6	11.38	11.17	11.12	0-1	0
		12	11	11.38	11.21	11.19	0-1	0
		25	0	11.39	11.28	11.21	0-1	0
	16QAM	1	0	11.54	11.46	11.44	0-1	0
		1	12	11.59	11.43	11.42	0-1	0
		1	24	11.70	11.45	11.39	0-1	0
		12	0	11.42	11.24	11.25	0-2	0
		12	6	11.45	11.25	11.24	0-2	0
		12	11	11.51	11.32	11.29	0-2	0
		25	0	11.39	11.25	11.20	0-2	0
	64QAM	1	0	11.56	11.40	11.29	0-2	0
		1	12	11.25	11.04	11.12	0-2	0
		1	24	11.51	11.44	11.38	0-2	0
		12	0	11.40	11.27	11.20	0-3	0
		12	6	11.43	11.21	11.23	0-3	0
		12	11	11.42	11.26	11.25	0-3	0
		25	0	11.34	11.19	11.19	0-3	0
	256QAM	1	0	11.42	11.35	11.26	0-5	0
		1	12	11.41	11.28	11.21	0-5	0
		1	24	11.43	11.29	11.24	0-5	0
		12	0	11.35	11.21	11.10	0-5	0
		12	6	11.35	11.23	11.16	0-5	0
		12	11	11.40	11.22	11.21	0-5	0
		25	0	11.37	11.28	11.20	0-5	0

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	11.37	11.29	11.17	0	0
		1	24	11.30	11.20	11.13	0	0
		1	49	11.34	11.21	11.22	0	0
		25	0	11.37	11.26	11.21	0-1	0
		25	12	11.35	11.23	11.24	0-1	0
		25	24	11.40	11.33	11.26	0-1	0
		50	0	11.42	11.26	11.24	0-1	0
	16QAM	1	0	11.68	11.48	11.44	0-1	0
		1	24	11.50	11.41	11.34	0-1	0
		1	49	11.68	11.50	11.57	0-1	0
		25	0	11.39	11.25	11.19	0-2	0
		25	12	11.34	11.23	11.21	0-2	0
		25	24	11.37	11.26	11.23	0-2	0
		50	0	11.40	11.28	11.25	0-2	0
	64QAM	1	0	11.47	11.39	11.31	0-2	0
		1	24	11.52	11.41	11.37	0-2	0
		1	49	11.60	11.39	11.42	0-2	0
		25	0	11.33	11.23	11.23	0-3	0
		25	12	11.34	11.25	11.19	0-3	0
		25	24	11.41	11.26	11.23	0-3	0
		50	0	11.39	11.26	11.22	0-3	0
	256QAM	1	0	11.40	11.33	11.28	0-5	0
		1	24	11.39	11.26	11.18	0-5	0
		1	49	11.49	11.35	11.34	0-5	0
		25	0	11.36	11.21	11.18	0-5	0
		25	12	11.35	11.22	11.15	0-5	0
		25	24	11.41	11.24	11.21	0-5	0
		50	0	11.38	11.24	11.22	0-5	0

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	11.28	11.12	11.12	0	0
		1	36	11.34	11.22	11.20	0	0
		1	74	11.42	11.25	11.26	0	0
		36	0	11.36	11.26	11.19	0-1	0
		36	18	11.37	11.23	11.18	0-1	0
		36	39	11.40	11.27	11.24	0-1	0
		75	0	11.41	11.25	11.21	0-1	0
	16QAM	1	0	11.58	11.44	11.49	0-1	0
		1	36	11.61	11.45	11.38	0-1	0
		1	74	11.70	11.59	11.53	0-1	0
		36	0	11.35	11.22	11.21	0-2	0
		36	18	11.33	11.22	11.19	0-2	0
		36	39	11.42	11.26	11.19	0-2	0
		75	0	11.38	11.22	11.22	0-2	0
	64QAM	1	0	11.29	11.28	11.32	0-2	0
		1	36	11.17	11.01	11.03	0-2	0
		1	74	11.59	11.45	11.40	0-2	0
		36	0	11.40	11.22	11.18	0-3	0
		36	18	11.38	11.26	11.22	0-3	0
		36	39	11.44	11.28	11.21	0-3	0
		75	0	11.38	11.25	11.17	0-3	0
	256QAM	1	0	11.47	11.33	11.24	0-5	0
		1	36	11.38	11.30	11.19	0-5	0
		1	74	11.51	11.34	11.39	0-5	0
		36	0	11.39	11.27	11.21	0-5	0
		36	18	11.38	11.26	11.20	0-5	0
		36	39	11.36	11.28	11.24	0-5	0
		75	0	11.34	11.24	11.15	0-5	0

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 ch. 1732.5 MHz			
20 MHz	QPSK	1	0		11.20		0	0
		1	49		11.22		0	0
		1	99		11.27		0	0
		50	0		11.24		0-1	0
		50	25		11.28		0-1	0
		50	49		11.28		0-1	0
		100	0		11.25		0-1	0
	16QAM	1	0		11.52		0-1	0
		1	49		11.43		0-1	0
		1	99		11.57		0-1	0
		50	0		11.23		0-2	0
		50	25		11.25		0-2	0
		50	49		11.33		0-2	0
		100	0		11.24		0-2	0
	64QAM	1	0		11.31		0-2	0
		1	49		11.27		0-2	0
		1	99		11.44		0-2	0
		50	0		11.23		0-3	0
		50	25		11.27		0-3	0
		50	49		11.27		0-3	0
		100	0		11.24		0-3	0
	256QAM	1	0		11.27		0-5	0
		1	49		11.26		0-5	0
		1	99		11.36		0-5	0
		50	0		11.22		0-5	0
		50	25		11.26		0-5	0
		50	49		11.26		0-5	0
		100	0		11.24		0-5	0

LTE FDD Band 4 (FR1 ENDC combination) Conducted Power - Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Sub2 ANT.

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	23.44	22.74	23.28	0	0
		1	3	23.39	22.75	23.27	0	0
		1	5	23.52	22.59	23.38	0	0
		3	0	23.44	22.74	23.31	0	0
		3	1	23.54	22.87	23.45	0	0
		3	3	23.52	22.82	23.41	0	0
		6	0	22.51	21.79	22.34	0-1	1
	16QAM	1	0	22.91	22.12	22.63	0-1	1
		1	3	22.71	22.04	22.49	0-1	1
		1	5	22.80	22.02	22.69	0-1	1
		3	0	22.66	21.94	22.52	0-1	1
		3	1	22.70	22.03	22.50	0-1	1
		3	3	22.56	21.87	22.53	0-1	1
		6	0	21.48	20.84	21.36	0-2	2
	64QAM	1	0	21.73	21.01	21.58	0-2	2
		1	3	21.73	21.16	21.52	0-2	2
		1	5	21.69	20.97	21.54	0-2	2
		3	0	21.59	20.88	21.45	0-2	2
		3	1	21.60	20.89	21.43	0-2	2
		3	3	21.60	20.88	21.47	0-2	2
		6	0	20.46	19.85	20.42	0-3	3
	256QAM	1	0	18.56	17.65	18.44	0-5	5
		1	3	18.56	17.88	18.42	0-5	5
		1	5	18.55	17.89	18.51	0-5	5
		3	0	18.55	17.88	18.40	0-5	5
		3	1	18.61	17.93	18.42	0-5	5
		3	3	18.59	17.91	18.50	0-5	5
		6	0	18.48	17.84	18.42	0-5	5

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	23.56	22.79	23.36	0	0
		1	7	23.51	22.82	23.37	0	0
		1	14	23.47	22.80	23.33	0	0
		8	0	22.54	21.84	22.38	0-1	1
		8	3	22.53	21.80	22.38	0-1	1
		8	7	22.61	21.87	22.46	0-1	1
		15	0	22.61	21.89	22.49	0-1	1
	16QAM	1	0	22.87	22.13	22.74	0-1	1
		1	7	22.88	22.07	22.79	0-1	1
		1	14	22.87	22.09	22.66	0-1	1
		8	0	21.64	20.94	21.49	0-2	2
		8	3	21.66	21.00	21.60	0-2	2
		8	7	21.64	20.95	21.46	0-2	2
		15	0	21.56	20.84	21.42	0-2	2
	64QAM	1	0	21.67	20.94	21.58	0-2	2
		1	7	21.58	20.83	21.45	0-2	2
		1	14	21.75	21.06	21.61	0-2	2
		8	0	20.60	19.90	20.50	0-3	3
		8	3	20.64	19.93	20.52	0-3	3
		8	7	20.62	19.89	20.52	0-3	3
		15	0	20.63	19.93	20.50	0-3	3
	256QAM	1	0	18.57	17.89	18.52	0-5	5
		1	7	18.58	17.89	18.48	0-5	5
		1	14	18.61	17.85	18.47	0-5	5
		8	0	18.57	17.83	18.47	0-5	5
		8	3	18.58	17.89	18.45	0-5	5
		8	7	18.59	17.88	18.48	0-5	5
		15	0	18.53	17.85	18.43	0-5	5

LTE FDD Band 4_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	23.52	22.83	23.43	0	0
		1	12	23.50	22.87	23.46	0	0
		1	24	23.58	22.83	23.49	0	0
		12	0	22.56	21.92	22.51	0-1	1
		12	6	22.52	21.89	22.45	0-1	1
		12	11	22.53	21.90	22.44	0-1	1
		25	0	22.61	21.89	22.47	0-1	1
	16QAM	1	0	22.85	22.29	22.79	0-1	1
		1	12	22.83	22.12	22.83	0-1	1
		1	24	22.87	22.19	22.71	0-1	1
		12	0	21.70	20.99	21.58	0-2	2
		12	6	21.68	20.96	21.55	0-2	2
		12	11	21.72	21.00	21.57	0-2	2
		25	0	21.55	20.90	21.46	0-2	2
	64QAM	1	0	21.82	21.06	21.73	0-2	2
		1	12	21.56	20.92	21.53	0-2	2
		1	24	21.77	20.99	21.64	0-2	2
		12	0	20.65	19.95	20.56	0-3	3
		12	6	20.64	19.95	20.53	0-3	3
		12	11	20.70	19.96	20.57	0-3	3
		25	0	20.59	19.88	20.48	0-3	3
	256QAM	1	0	18.71	18.01	18.56	0-5	5
		1	12	18.69	17.94	18.52	0-5	5
		1	24	18.53	17.95	18.54	0-5	5
		12	0	18.56	17.92	18.47	0-5	5
		12	6	18.58	17.89	18.51	0-5	5
		12	11	18.58	17.94	18.47	0-5	5
		25	0	18.54	17.88	18.45	0-5	5

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	23.49	22.86	23.47	0	0
		1	24	23.39	22.72	23.37	0	0
		1	49	23.40	22.77	23.42	0	0
		25	0	22.46	21.85	22.48	0-1	1
		25	12	22.44	21.87	22.49	0-1	1
		25	24	22.46	21.84	22.47	0-1	1
		50	0	22.43	21.90	22.48	0-1	1
	16QAM	1	0	22.69	22.30	22.94	0-1	1
		1	24	22.57	22.02	22.59	0-1	1
		1	49	22.71	22.13	22.87	0-1	1
		25	0	21.50	20.91	21.52	0-2	2
		25	12	21.49	20.91	21.50	0-2	2
		25	24	21.45	20.89	21.46	0-2	2
		50	0	21.48	20.90	21.46	0-2	2
	64QAM	1	0	21.66	21.15	21.63	0-2	2
		1	24	21.60	21.07	21.65	0-2	2
		1	49	21.69	21.09	21.71	0-2	2
		25	0	20.45	19.89	20.47	0-3	3
		25	12	20.43	19.86	20.49	0-3	3
		25	24	20.43	19.86	20.45	0-3	3
		50	0	20.49	19.91	20.48	0-3	3
	256QAM	1	0	18.56	18.00	18.61	0-5	5
		1	24	18.48	17.95	18.54	0-5	5
		1	49	18.50	18.02	18.59	0-5	5
		25	0	18.40	17.85	18.46	0-5	5
		25	12	18.38	17.80	18.47	0-5	5
		25	24	18.43	17.87	18.44	0-5	5
		50	0	18.42	17.84	18.47	0-5	5

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	23.41	22.87	23.41	0	0
		1	36	23.36	22.84	23.32	0	0
		1	74	23.36	22.88	23.39	0	0
		36	0	22.44	21.98	22.49	0-1	1
		36	18	22.40	21.92	22.40	0-1	1
		36	39	22.43	21.90	22.41	0-1	1
		75	0	22.38	21.91	22.46	0-1	1
	16QAM	1	0	22.73	22.28	22.85	0-1	1
		1	36	22.75	22.19	22.75	0-1	1
		1	74	22.71	22.20	22.72	0-1	1
		36	0	21.47	20.98	21.51	0-2	2
		36	18	21.42	20.94	21.46	0-2	2
		36	39	21.44	20.96	21.48	0-2	2
		75	0	21.41	20.91	21.42	0-2	2
	64QAM	1	0	21.73	21.23	21.66	0-2	2
		1	36	21.42	20.93	21.49	0-2	2
		1	74	21.58	21.13	21.59	0-2	2
		36	0	20.46	19.96	20.50	0-3	3
		36	18	20.45	19.96	20.48	0-3	3
		36	39	20.41	19.93	20.49	0-3	3
		75	0	20.40	19.91	20.42	0-3	3
	256QAM	1	0	18.66	18.10	18.50	0-5	5
		1	36	18.51	18.08	18.47	0-5	5
		1	74	18.45	17.95	18.53	0-5	5
		36	0	18.47	17.95	18.50	0-5	5
		36	18	18.45	17.91	18.49	0-5	5
		36	39	18.39	17.92	18.48	0-5	5
		75	0	18.39	17.91	18.41	0-5	5

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 ch. 1732.5 MHz			
20 MHz	QPSK	1	0		22.96		0	0
		1	49		22.81		0	0
		1	99		22.81		0	0
		50	0		21.88		0-1	1
		50	25		21.86		0-1	1
		50	49		21.84		0-1	1
		100	0		21.87		0-1	1
	16QAM	1	0		22.25		0-1	1
		1	49		22.05		0-1	1
		1	99		22.15		0-1	1
		50	0		20.91		0-2	2
		50	25		20.89		0-2	2
		50	49		20.87		0-2	2
		100	0		20.87		0-2	2
	64QAM	1	0		21.11		0-2	2
		1	49		21.07		0-2	2
		1	99		21.09		0-2	2
		50	0		19.93		0-3	3
		50	25		19.89		0-3	3
		50	49		19.88		0-3	3
		100	0		19.92		0-3	3
	256QAM	1	0		18.07		0-5	5
		1	49		17.93		0-5	5
		1	99		17.96		0-5	5
		50	0		17.85		0-5	5
		50	25		17.89		0-5	5
		50	49		17.81		0-5	5
		100	0		17.87		0-5	5

LTE FDD Band 4 (FR1 ENDC combination) Conducted Power - Measured RSI = 5 (GRIP 5 ON)

Sub2 ANT.

LTE FDD Band 4 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19957 Ch. 1710.7 MHz	20175 Ch. 1732.5 MHz	20393 Ch. 1754.3 MHz		
1.4 MHz	QPSK	1	0	11.19	10.27	11.14	0	0
		1	3	11.30	10.37	11.11	0	0
		1	5	11.20	10.41	11.04	0	0
		3	0	11.15	10.44	11.35	0	0
		3	1	11.24	10.54	11.25	0	0
		3	3	11.46	10.59	10.88	0	0
		6	0	11.09	10.71	11.43	0-1	0
	16QAM	1	0	11.51	10.64	11.04	0-1	0
		1	3	11.36	10.69	11.35	0-1	0
		1	5	11.68	10.76	11.26	0-1	0
		3	0	11.51	10.48	11.01	0-1	0
		3	1	11.21	10.50	11.04	0-1	0
		3	3	11.14	10.46	11.00	0-1	0
		6	0	11.26	10.49	11.09	0-2	0
	64QAM	1	0	11.35	10.65	11.07	0-2	0
		1	3	11.42	10.47	11.16	0-2	0
		1	5	11.40	10.75	11.34	0-2	0
		3	0	11.10	10.45	11.16	0-2	0
		3	1	11.22	10.42	11.28	0-2	0
		3	3	11.01	10.76	11.04	0-2	0
		6	0	11.30	10.66	11.41	0-3	0
	256QAM	1	0	11.28	10.57	11.18	0-5	0
		1	3	11.31	10.55	11.21	0-5	0
		1	5	11.04	10.39	10.96	0-5	0
		3	0	11.39	10.66	11.22	0-5	0
		3	1	11.34	10.44	11.09	0-5	0
		3	3	11.27	10.45	10.99	0-5	0
		6	0	11.30	10.79	11.38	0-5	0

LTE FDD Band 4 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19965 Ch. 1711.5 MHz	20175 Ch. 1732.5 MHz	20385 Ch. 1753.5 MHz		
3 MHz	QPSK	1	0	11.18	10.21	11.14	0	0
		1	7	11.23	10.39	10.97	0	0
		1	14	11.11	10.35	11.00	0	0
		8	0	11.11	10.44	11.22	0-1	0
		8	3	11.19	10.43	11.15	0-1	0
		8	7	11.28	10.55	10.84	0-1	0
		15	0	11.11	10.54	11.34	0-1	0
	16QAM	1	0	11.38	10.60	11.02	0-1	0
		1	7	11.20	10.59	11.23	0-1	0
		1	14	11.53	10.70	11.27	0-1	0
		8	0	11.34	10.46	10.97	0-2	0
		8	3	11.15	10.37	11.03	0-2	0
		8	7	11.10	10.45	10.99	0-2	0
		15	0	11.24	10.41	10.93	0-2	0
	64QAM	1	0	11.26	10.64	11.00	0-2	0
		1	7	11.27	10.46	11.15	0-2	0
		1	14	11.30	10.69	11.18	0-2	0
		8	0	11.11	10.42	11.09	0-3	0
		8	3	11.05	10.34	11.22	0-3	0
		8	7	11.01	10.65	10.88	0-3	0
		15	0	11.16	10.55	11.26	0-3	0
	256QAM	1	0	11.12	10.51	11.07	0-5	0
		1	7	11.15	10.56	11.20	0-5	0
		1	14	11.05	10.28	10.81	0-5	0
		8	0	11.29	10.51	11.06	0-5	0
		8	3	11.20	10.45	11.00	0-5	0
		8	7	11.16	10.30	10.86	0-5	0
		15	0	11.18	10.68	11.26	0-5	0

LTE FDD Band 4 _5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				19975 Ch. 1712.5 MHz	20175 Ch. 1732.5 MHz	20375 Ch. 1752.5 MHz		
5 MHz	QPSK	1	0	10.92	10.22	10.80	0	0
		1	12	10.77	10.15	10.67	0	0
		1	24	10.87	10.21	10.82	0	0
		12	0	10.93	10.31	10.84	0-1	0
		12	6	10.84	10.16	10.71	0-1	0
		12	11	10.86	10.25	10.74	0-1	0
		25	0	10.93	10.25	10.86	0-1	0
	16QAM	1	0	11.20	10.42	10.92	0-1	0
		1	12	11.06	10.40	10.89	0-1	0
		1	24	11.22	10.60	11.19	0-1	0
		12	0	11.09	10.31	10.77	0-2	0
		12	6	11.01	10.27	10.93	0-2	0
		12	11	10.89	10.24	10.84	0-2	0
		25	0	11.01	10.21	10.86	0-2	0
	64QAM	1	0	11.03	10.36	10.96	0-2	0
		1	12	11.06	10.36	11.01	0-2	0
		1	24	11.02	10.36	11.04	0-2	0
		12	0	10.92	10.30	10.80	0-3	0
		12	6	10.90	10.24	10.80	0-3	0
		12	11	10.87	10.27	10.81	0-3	0
		25	0	10.82	10.21	10.81	0-3	0
	256QAM	1	0	11.01	10.31	10.81	0-5	0
		1	12	11.01	10.32	10.92	0-5	0
		1	24	10.83	10.21	10.74	0-5	0
		12	0	11.06	10.28	10.77	0-5	0
		12	6	10.88	10.26	10.75	0-5	0
		12	11	10.99	10.20	10.78	0-5	0
		25	0	10.86	10.26	10.85	0-5	0

LTE FDD Band 4 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20000 Ch. 1715 MHz	20175 Ch. 1732.5 MHz	20350 Ch. 1750 MHz		
10 MHz	QPSK	1	0	10.92	10.30	10.93	0	0
		1	24	10.95	10.15	10.82	0	0
		1	49	11.02	10.30	10.95	0	0
		25	0	11.06	10.31	11.01	0-1	0
		25	12	10.99	10.32	10.89	0-1	0
		25	24	11.03	10.32	10.84	0-1	0
		50	0	11.05	10.32	11.04	0-1	0
	16QAM	1	0	11.20	10.55	11.03	0-1	0
		1	24	11.08	10.51	11.01	0-1	0
		1	49	11.36	10.62	11.27	0-1	0
		25	0	11.08	10.39	10.91	0-2	0
		25	12	11.08	10.26	10.91	0-2	0
		25	24	11.03	10.39	10.83	0-2	0
		50	0	11.02	10.26	10.85	0-2	0
	64QAM	1	0	11.06	10.36	10.94	0-2	0
		1	24	11.17	10.43	11.04	0-2	0
		1	49	11.14	10.42	11.12	0-2	0
		25	0	10.92	10.40	10.95	0-3	0
		25	12	11.01	10.31	10.93	0-3	0
		25	24	10.94	10.42	10.91	0-3	0
		50	0	10.89	10.38	10.94	0-3	0
	256QAM	1	0	11.03	10.37	10.83	0-5	0
		1	24	11.02	10.42	10.97	0-5	0
		1	49	10.86	10.31	10.81	0-5	0
		25	0	11.08	10.29	10.87	0-5	0
		25	12	10.92	10.40	10.76	0-5	0
		25	24	10.99	10.23	10.78	0-5	0
		50	0	10.99	10.44	10.97	0-5	0

LTE FDD Band 4 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20025 Ch. 1717.5 MHz	20175 Ch. 1732.5 MHz	20325 Ch. 1747.5 MHz		
15 MHz	QPSK	1	0	11.01	10.28	11.02	0	0
		1	36	11.12	10.32	10.88	0	0
		1	74	11.07	10.31	11.01	0	0
		36	0	11.07	10.31	11.12	0-1	0
		36	18	11.04	10.40	11.04	0-1	0
		36	39	11.14	10.38	10.84	0-1	0
		75	0	11.03	10.41	11.16	0-1	0
	16QAM	1	0	11.33	10.57	11.03	0-1	0
		1	36	11.14	10.59	11.10	0-1	0
		1	74	11.44	10.71	11.27	0-1	0
		36	0	11.18	10.43	10.94	0-2	0
		36	18	11.11	10.38	10.94	0-2	0
		36	39	11.11	10.44	10.87	0-2	0
		75	0	11.14	10.40	10.86	0-2	0
	64QAM	1	0	11.14	10.52	10.97	0-2	0
		1	36	11.24	10.45	11.09	0-2	0
		1	74	11.27	10.58	11.18	0-2	0
		36	0	11.08	10.41	10.97	0-3	0
		36	18	11.07	10.33	11.11	0-3	0
		36	39	10.94	10.52	10.90	0-3	0
		75	0	11.02	10.56	11.09	0-3	0
	256QAM	1	0	11.05	10.35	10.98	0-5	0
		1	36	11.15	10.57	11.14	0-5	0
		1	74	11.02	10.30	10.79	0-5	0
		36	0	11.15	10.39	11.00	0-5	0
		36	18	11.04	10.42	10.88	0-5	0
		36	39	11.14	10.24	10.78	0-5	0
		75	0	11.01	10.56	11.09	0-5	0

LTE FDD Band 4 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20175 ch. 1732.5 MHz			
20 MHz	QPSK	1	0		10.32		0	0
		1	49		10.24		0	0
		1	99		10.35		0	0
		50	0		10.29		0-1	0
		50	25		10.46		0-1	0
		50	49		10.30		0-1	0
		100	0		10.35		0-1	0
	16QAM	1	0		10.58		0-1	0
		1	49		10.48		0-1	0
		1	99		10.68		0-1	0
		50	0		10.48		0-2	0
		50	25		10.33		0-2	0
		50	49		10.34		0-2	0
		100	0		10.47		0-2	0
	64QAM	1	0		10.45		0-2	0
		1	49		10.41		0-2	0
		1	99		10.62		0-2	0
		50	0		10.35		0-3	0
		50	25		10.36		0-3	0
		50	49		10.56		0-3	0
		100	0		10.56		0-3	0
	256QAM	1	0		10.32		0-5	0
		1	49		10.64		0-5	0
		1	99		10.23		0-5	0
		50	0		10.34		0-5	0
		50	25		10.45		0-5	0
		50	49		10.19		0-5	0
		100	0		10.52		0-5	0

K.3 LTE FDD Band 5 Maximum Conducted Output Power

LTE FDD Band 5 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1
ANT.

LTE FDD Band 5 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	23.55	24.00	23.32	0	0
		1	3	23.55	23.99	23.30	0	0
		1	5	23.55	24.10	23.42	0	0
		3	0	23.55	24.06	23.36	0	0
		3	1	23.55	24.10	23.41	0	0
		3	3	23.55	24.10	23.43	0	0
		6	0	23.55	23.10	22.43	0-1	1
	16QAM	1	0	23.55	23.24	22.68	0-1	1
		1	3	23.55	23.31	22.67	0-1	1
		1	5	23.39	23.43	22.77	0-1	1
		3	0	23.11	23.21	22.52	0-1	1
		3	1	23.22	23.19	22.51	0-1	1
		3	3	23.22	23.12	22.43	0-1	1
		6	0	22.28	22.10	21.43	0-2	2
	64QAM	1	0	22.25	22.29	21.60	0-2	2
		1	3	22.28	22.22	21.51	0-2	2
		1	5	22.17	22.26	21.52	0-2	2
		3	0	22.16	22.14	21.45	0-2	2
		3	1	22.13	22.15	21.39	0-2	2
		3	3	22.20	22.18	21.45	0-2	2
		6	0	21.18	21.11	20.41	0-3	3
	256QAM	1	0	19.25	19.18	18.47	0-5	5
		1	3	19.09	19.05	18.35	0-5	5
		1	5	19.23	19.18	18.43	0-5	5
		3	0	19.23	19.19	18.47	0-5	5
		3	1	19.16	19.17	18.45	0-5	5
		3	3	19.24	19.19	18.51	0-5	5
		6	0	19.10	19.06	18.38	0-5	5

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	24.20	24.07	23.40	0	0
		1	7	24.19	24.09	23.42	0	0
		1	14	24.15	24.03	23.37	0	0
		8	0	23.18	23.09	22.47	0-1	1
		8	3	23.18	23.10	22.45	0-1	1
		8	7	23.25	23.14	22.51	0-1	1
		15	0	23.30	23.17	22.50	0-1	1
	16QAM	1	0	23.52	23.42	22.75	0-1	1
		1	7	23.50	23.33	22.70	0-1	1
		1	14	23.53	23.40	22.73	0-1	1
		8	0	22.31	22.24	21.56	0-2	2
		8	3	22.35	22.21	21.59	0-2	2
		8	7	22.30	22.21	21.54	0-2	2
		15	0	22.23	22.12	21.45	0-2	2
	64QAM	1	0	22.38	22.25	21.63	0-2	2
		1	7	22.14	21.98	21.36	0-2	2
		1	14	22.42	22.31	21.64	0-2	2
		8	0	21.28	21.19	20.52	0-3	3
		8	3	21.32	21.20	20.53	0-3	3
		8	7	21.28	21.19	20.51	0-3	3
		15	0	21.23	21.18	20.49	0-3	3
	256QAM	1	0	19.26	19.20	18.56	0-5	5
		1	7	19.20	19.15	18.47	0-5	5
		1	14	19.25	19.16	18.55	0-5	5
		8	0	19.18	19.18	18.45	0-5	5
		8	3	19.20	19.17	18.44	0-5	5
		8	7	19.20	19.17	18.43	0-5	5
		15	0	19.24	19.17	18.48	0-5	5

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	24.19	24.08	23.48	0	0
		1	12	24.22	24.11	23.55	0	0
		1	24	24.21	24.14	23.52	0	0
		12	0	23.26	23.19	22.56	0-1	1
		12	6	23.24	23.14	22.53	0-1	1
		12	11	23.24	23.15	22.54	0-1	1
		25	0	23.31	23.23	22.60	0-1	1
	16QAM	1	0	23.61	23.41	22.90	0-1	1
		1	12	23.45	23.47	22.81	0-1	1
		1	24	23.58	23.44	22.68	0-1	1
		12	0	22.30	22.27	21.62	0-2	2
		12	6	22.33	22.25	21.63	0-2	2
		12	11	22.40	22.30	21.65	0-2	2
		25	0	22.29	22.20	21.55	0-2	2
	64QAM	1	0	22.54	22.40	21.72	0-2	2
		1	12	22.16	22.07	21.37	0-2	2
		1	24	22.39	22.25	21.64	0-2	2
		12	0	21.30	21.22	20.61	0-3	3
		12	6	21.28	21.18	20.54	0-3	3
		12	11	21.28	21.26	20.61	0-3	3
		25	0	21.26	21.18	20.53	0-3	3
	256QAM	1	0	19.36	19.22	18.63	0-5	5
		1	12	19.27	19.12	18.55	0-5	5
		1	24	19.25	19.23	18.57	0-5	5
		12	0	19.24	19.17	18.51	0-5	5
		12	6	19.22	19.15	18.51	0-5	5
		12	11	19.27	19.14	18.55	0-5	5
		25	0	19.25	19.16	18.51	0-5	5

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20525 Ch.			
					836.5 MHz			
10 MHz	QPSK	1	0		24.17		0	0
		1	24		24.08		0	0
		1	49		24.06		0	0
		25	0		23.25		0-1	1
		25	12		23.22		0-1	1
		25	24		23.24		0-1	1
		50	0		23.27		0-1	1
	16QAM	1	0		23.47		0-1	1
		1	24		23.23		0-1	1
		1	49		23.40		0-1	1
		25	0		22.22		0-2	2
		25	12		22.21		0-2	2
		25	24		22.17		0-2	2
		50	0		22.23		0-2	2
	64QAM	1	0		22.42		0-2	2
		1	24		22.25		0-2	2
		1	49		22.34		0-2	2
		25	0		21.23		0-3	3
		25	12		21.19		0-3	3
		25	24		21.17		0-3	3
		50	0		21.22		0-3	3
	256QAM	1	0		19.29		0-5	5
		1	24		19.17		0-5	5
		1	49		19.22		0-5	5
		25	0		19.18		0-5	5
		25	12		19.17		0-5	5
		25	24		19.14		0-5	5
		50	0		19.19		0-5	5

LTE FDD Band 5 Conducted Power _ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _ Main1 ANT.

LTE FDD Band 5 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	21.43	21.45	21.70	0	0
		1	3	21.39	21.43	21.61	0	0
		1	5	21.52	21.56	21.70	0	0
		3	0	21.45	21.54	21.65	0-1	0
		3	1	21.49	21.55	21.69	0-1	0
		3	3	21.50	21.49	21.70	0-1	0
		6	0	21.46	21.48	21.68	0-1	0
	16QAM	1	0	21.70	21.79	22.05	0-1	0
		1	3	21.80	21.82	21.85	0-1	0
		1	5	21.73	21.74	22.00	0-1	0
		3	0	21.55	21.69	21.77	0-2	0
		3	1	21.54	21.58	21.72	0-2	0
		3	3	21.48	21.59	21.74	0-2	0
		6	0	21.64	21.58	21.70	0-2	0
	64QAM	1	0	21.59	21.70	21.85	0-2	0
		1	3	21.58	21.66	21.79	0-2	0
		1	5	21.64	21.64	21.84	0-2	0
		3	0	21.54	21.57	21.76	0-3	1
		3	1	21.46	21.52	21.69	0-3	1
		3	3	21.43	21.58	21.69	0-3	1
		6	0	21.53	20.55	20.71	0-3	1
	256QAM	1	0	18.49	18.62	18.77	0-5	3
		1	3	18.49	18.44	18.63	0-5	3
		1	5	18.55	18.58	18.76	0-5	3
		3	0	18.55	18.60	18.74	0-5	3
		3	1	18.54	18.58	18.74	0-5	3
		3	3	18.61	18.65	18.78	0-5	3
		6	0	18.47	18.49	18.62	0-5	3

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	21.62	21.61	21.78	0	0
		1	7	21.55	21.64	21.78	0	0
		1	14	21.48	21.52	21.70	0	0
		8	0	21.54	21.62	21.75	0-1	0
		8	3	21.55	21.60	21.72	0-1	0
		8	7	21.57	21.62	21.77	0-1	0
		15	0	21.66	21.67	21.83	0-1	0
	16QAM	1	0	21.96	21.89	21.99	0-1	0
		1	7	21.88	21.90	21.99	0-1	0
		1	14	21.83	21.94	21.90	0-1	0
		8	0	21.66	21.69	21.83	0-2	0
		8	3	21.66	21.69	21.84	0-2	0
		8	7	21.65	21.66	21.82	0-2	0
		15	0	21.54	21.61	21.74	0-2	0
	64QAM	1	0	21.59	21.67	21.93	0-2	0
		1	7	21.43	21.47	21.66	0-2	0
		1	14	21.81	21.80	21.91	0-2	0
		8	0	20.61	20.64	20.80	0-3	1
		8	3	20.67	20.65	20.87	0-3	1
		8	7	20.59	20.68	20.80	0-3	1
		15	0	20.62	20.66	20.79	0-3	1
	256QAM	1	0	18.57	18.70	18.79	0-5	3
		1	7	18.51	18.60	18.78	0-5	3
		1	14	18.60	18.64	18.82	0-5	3
		8	0	18.56	18.59	18.75	0-5	3
		8	3	18.58	18.60	18.80	0-5	3
		8	7	18.56	18.61	18.74	0-5	3
		15	0	18.57	18.57	18.76	0-5	3

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	21.51	21.64	21.79	0	0
		1	12	21.52	21.63	21.74	0	0
		1	24	21.52	21.60	21.77	0	0
		12	0	21.55	21.65	21.77	0-1	0
		12	6	21.52	21.60	21.74	0-1	0
		12	11	21.57	21.59	21.75	0-1	0
		25	0	21.60	21.65	21.82	0-1	0
	16QAM	1	0	21.96	21.88	22.06	0-1	0
		1	12	21.88	21.86	22.04	0-1	0
		1	24	21.88	21.98	22.11	0-1	0
		12	0	21.65	21.74	21.86	0-2	0
		12	6	21.62	21.70	21.84	0-2	0
		12	11	21.66	21.76	21.82	0-2	0
		25	0	21.55	21.63	21.79	0-2	0
	64QAM	1	0	21.78	21.90	22.01	0-2	0
		1	12	21.44	21.43	21.66	0-2	0
		1	24	21.68	21.76	21.84	0-2	0
		12	0	20.58	20.65	20.85	0-3	1
		12	6	20.55	20.62	20.75	0-3	1
		12	11	20.56	20.66	20.80	0-3	1
		25	0	20.55	20.66	20.78	0-3	1
	256QAM	1	0	18.68	18.71	18.90	0-5	3
		1	12	18.57	18.57	18.75	0-5	3
		1	24	18.59	18.65	18.82	0-5	3
		12	0	18.48	18.57	18.75	0-5	3
		12	6	18.47	18.58	18.75	0-5	3
		12	11	18.48	18.59	18.75	0-5	3
		25	0	18.54	18.61	18.73	0-5	3

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
					20525 Ch.			
					836.5 MHz			
10 MHz	QPSK	1	0		21.64		0	0
		1	24		21.55		0	0
		1	49		21.55		0	0
		25	0		21.68		0-1	0
		25	12		21.66		0-1	0
		25	24		21.67		0-1	0
		50	0		21.71		0-1	0
	16QAM	1	0		21.95		0-1	0
		1	24		21.69		0-1	0
		1	49		21.80		0-1	0
		25	0		21.68		0-2	0
		25	12		21.68		0-2	0
		25	24		21.65		0-2	0
		50	0		21.74		0-2	0
	64QAM	1	0		21.86		0-2	0
		1	24		21.88		0-2	0
		1	49		21.83		0-2	0
		25	0		20.70		0-3	1
		25	12		20.67		0-3	1
		25	24		20.67		0-3	1
		50	0		20.67		0-3	1
	256QAM	1	0		18.76		0-5	3
		1	24		18.62		0-5	3
		1	49		18.67		0-5	3
		25	0		18.65		0-5	3
		25	12		18.62		0-5	3
		25	24		18.60		0-5	3
		50	0		18.62		0-5	3

LTE FDD Band 5 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 5 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20407 Ch. 824.7 MHz	20525 Ch. 836.5 MHz	20643 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	13.49	13.54	13.69	0	0
		1	3	13.42	13.44	13.55	0	0
		1	5	13.54	13.58	13.67	0	0
		3	0	13.47	13.51	13.68	0	0
		3	1	13.52	13.55	13.73	0	0
		3	3	13.46	13.52	13.64	0	0
		6	0	13.46	13.53	13.65	0-1	0
	16QAM	1	0	13.89	13.85	13.98	0-1	0
		1	3	13.86	13.85	14.03	0-1	0
		1	5	13.77	13.88	14.10	0-1	0
		3	0	13.52	13.70	13.85	0-1	0
		3	1	13.63	13.68	13.81	0-1	0
		3	3	13.52	13.63	13.73	0-1	0
		6	0	13.64	13.60	13.76	0-2	0
	64QAM	1	0	13.68	13.61	13.94	0-2	0
		1	3	13.74	13.73	13.96	0-2	0
		1	5	13.60	13.77	13.93	0-2	0
		3	0	13.55	13.63	13.75	0-2	0
		3	1	13.56	13.64	13.72	0-2	0
		3	3	13.59	13.65	13.85	0-2	0
		6	0	13.58	13.61	13.74	0-3	0
	256QAM	1	0	13.63	13.40	13.85	0-5	0
		1	3	13.60	13.53	13.75	0-5	0
		1	5	13.60	13.69	13.83	0-5	0
		3	0	13.65	13.66	13.81	0-5	0
		3	1	13.60	13.70	13.82	0-5	0
		3	3	13.64	13.74	13.86	0-5	0
		6	0	13.55	13.59	13.76	0-5	0

LTE FDD Band 5_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20415 Ch. 825.5 MHz	20525 Ch. 836.5 MHz	20635 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	13.52	13.57	13.76	0	0
		1	7	13.53	13.63	13.76	0	0
		1	14	13.43	13.51	13.70	0	0
		8	0	13.52	13.56	13.74	0-1	0
		8	3	13.48	13.58	13.75	0-1	0
		8	7	13.55	13.61	13.76	0-1	0
		15	0	13.56	13.65	13.81	0-1	0
	16QAM	1	0	13.96	13.97	14.16	0-1	0
		1	7	13.99	14.00	14.01	0-1	0
		1	14	13.88	13.88	14.10	0-1	0
		8	0	13.64	13.66	13.83	0-2	0
		8	3	13.70	13.73	13.89	0-2	0
		8	7	13.64	13.68	13.82	0-2	0
		15	0	13.59	13.61	13.82	0-2	0
	64QAM	1	0	13.73	13.79	13.96	0-2	0
		1	7	13.51	13.62	13.74	0-2	0
		1	14	13.81	13.81	14.03	0-2	0
		8	0	13.65	13.71	13.82	0-3	0
		8	3	13.69	13.70	13.88	0-3	0
		8	7	13.68	13.72	13.84	0-3	0
		15	0	13.61	13.67	13.86	0-3	0
	256QAM	1	0	13.61	13.69	13.87	0-5	0
		1	7	13.65	13.64	13.86	0-5	0
		1	14	13.60	13.64	13.87	0-5	0
		8	0	13.61	13.70	13.85	0-5	0
		8	3	13.68	13.67	13.80	0-5	0
		8	7	13.61	13.68	13.81	0-5	0
		15	0	13.60	13.67	13.81	0-5	0

LTE FDD Band 5_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20425 Ch. 826.5 MHz	20525 Ch. 836.5 MHz	20625 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	13.50	13.58	13.49	0	0
		1	12	13.51	13.57	13.79	0	0
		1	24	13.52	13.63	13.69	0	0
		12	0	13.54	13.59	13.77	0-1	0
		12	6	13.47	13.55	13.72	0-1	0
		12	11	13.46	13.55	13.72	0-1	0
		25	0	13.47	13.60	13.68	0-1	0
	16QAM	1	0	14.04	14.10	14.13	0-1	0
		1	12	13.80	13.94	14.03	0-1	0
		1	24	13.89	14.06	14.07	0-1	0
		12	0	13.65	13.75	13.88	0-2	0
		12	6	13.63	13.70	13.86	0-2	0
		12	11	13.66	13.80	13.90	0-2	0
		25	0	13.54	13.60	13.70	0-2	0
	64QAM	1	0	13.79	13.96	13.99	0-2	0
		1	12	13.45	13.59	13.72	0-2	0
		1	24	13.73	13.76	13.95	0-2	0
		12	0	13.63	13.73	13.86	0-3	0
		12	6	13.65	13.66	13.82	0-3	0
		12	11	13.63	13.73	13.84	0-3	0
		25	0	13.53	13.59	13.76	0-3	0
	256QAM	1	0	13.76	13.78	13.95	0-5	0
		1	12	13.62	13.72	13.58	0-5	0
		1	24	13.64	13.75	13.90	0-5	0
		12	0	13.62	13.63	13.83	0-5	0
		12	6	13.62	13.67	13.79	0-5	0
		12	11	13.55	13.67	13.81	0-5	0
		25	0	13.56	13.60	13.73	0-5	0

LTE FDD Band 5_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				20450 ch.	20525 Ch.	20600 ch		
				829 MHz	836.5 MHz	844 MHz		
10 MHz	QPSK	1	0	13.63	13.72	13.80	0	0
		1	24	13.46	13.55	13.68	0	0
		1	49	13.43	13.52	13.66	0	0
		25	0	13.52	13.59	13.75	0-1	0
		25	12	13.51	13.58	13.72	0-1	0
		25	24	13.48	13.57	13.68	0-1	0
		50	0	13.50	13.59	13.72	0-1	0
	16QAM	1	0	13.86	13.95	14.14	0-1	0
		1	24	13.72	13.69	13.93	0-1	0
		1	49	13.89	14.01	14.11	0-1	0
		25	0	13.56	13.68	13.74	0-2	0
		25	12	13.54	13.63	13.73	0-2	0
		25	24	13.50	13.56	13.72	0-2	0
		50	0	13.52	13.61	13.75	0-2	0
	64QAM	1	0	13.81	13.96	14.10	0-2	0
		1	24	13.65	13.76	13.96	0-2	0
		1	49	13.75	13.81	13.92	0-2	0
		25	0	13.65	13.62	13.76	0-3	0
		25	12	13.52	13.60	13.74	0-3	0
		25	24	13.51	13.61	13.72	0-3	0
		50	0	13.51	13.59	13.79	0-3	0
	256QAM	1	0	13.75	13.83	13.96	0-5	0
		1	24	13.62	13.68	13.84	0-5	0
		1	49	13.63	13.79	13.88	0-5	0
		25	0	13.55	13.63	13.75	0-5	0
		25	12	13.55	13.57	13.70	0-5	0
		25	24	13.51	13.60	13.73	0-5	0
		50	0	13.53	13.63	13.73	0-5	0

K.4 LTE FDD Band 12 Maximum Conducted Output Power

LTE FDD Band 12 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

_Main1 ANT.

LTE FDD Band 12 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23017 Ch. 699.7 MHz	23095 Ch. 707.5 MHz	23173 Ch. 715.3 MHz		
1.4 MHz	QPSK	1	0	23.43	23.40	23.46	0	0
		1	3	23.35	23.37	23.44	0	0
		1	5	23.43	23.47	23.57	0	0
		3	0	23.38	23.41	23.53	0	0
		3	1	23.48	23.46	23.55	0	0
		3	3	23.47	23.42	23.55	0	0
	16QAM	6	0	22.41	22.39	22.52	0-1	1
		1	0	22.66	22.79	22.90	0-1	1
		1	3	22.70	22.61	22.72	0-1	1
		1	5	22.69	22.66	22.88	0-1	1
		3	0	22.53	22.52	22.62	0-1	1
		3	1	22.44	22.45	22.59	0-1	1
	64QAM	3	3	22.53	22.52	22.66	0-1	1
		6	0	21.43	21.43	21.54	0-2	2
		1	0	21.61	21.65	21.72	0-2	2
		1	3	21.55	21.56	21.68	0-2	2
		1	5	21.46	21.60	21.66	0-2	2
		3	0	21.45	21.49	21.56	0-2	2
	256QAM	3	1	21.43	21.41	21.53	0-2	2
		3	3	21.51	21.50	21.60	0-2	2
		6	0	20.44	20.42	20.56	0-3	3
		1	0	18.51	18.48	18.63	0-5	5
		1	3	18.40	18.39	18.48	0-5	5
		1	5	18.44	18.49	18.57	0-5	5
		3	0	18.49	18.48	18.59	0-5	5
		3	1	18.44	18.47	18.61	0-5	5
		3	3	18.49	18.51	18.62	0-5	5
		6	0	18.40	18.44	18.49	0-5	5

LTE FDD Band 12_3 Mhz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23025 Ch. 700.5 Mhz	23095 Ch. 707.5 Mhz	23165 Ch. 714.5 Mhz		
3 Mhz	QPSK	1	0	23.42	23.43	23.56	0	0
		1	7	23.42	23.47	23.59	0	0
		1	14	23.35	23.42	23.51	0	0
		8	0	22.41	22.44	22.58	0-1	1
		8	3	22.41	22.41	22.57	0-1	1
		8	7	22.45	22.45	22.62	0-1	1
		15	0	22.45	22.50	22.64	0-1	1
	16QAM	1	0	22.65	22.75	22.90	0-1	1
		1	7	22.70	22.80	22.81	0-1	1
		1	14	22.72	22.68	22.89	0-1	1
		8	0	21.51	21.52	21.67	0-2	2
		8	3	21.52	21.54	21.68	0-2	2
		8	7	21.46	21.51	21.61	0-2	2
		15	0	21.36	21.48	21.56	0-2	2
	64QAM	1	0	21.52	21.57	21.71	0-2	2
		1	7	21.37	21.39	21.51	0-2	2
		1	14	21.58	21.61	21.74	0-2	2
		8	0	20.46	20.51	20.70	0-3	3
		8	3	20.46	20.48	20.63	0-3	3
		8	7	20.42	20.50	20.62	0-3	3
		15	0	20.45	20.49	20.62	0-3	3
	256QAM	1	0	18.46	18.52	18.65	0-5	5
		1	7	18.44	18.49	18.68	0-5	5
		1	14	18.47	18.49	18.68	0-5	5
		8	0	18.43	18.41	18.60	0-5	5
		8	3	18.44	18.46	18.55	0-5	5
		8	7	18.41	18.38	18.60	0-5	5
		15	0	18.42	18.45	18.61	0-5	5

LTE FDD Band 12_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23035 Ch. 701.5 MHz	23095 Ch. 707.5 MHz	23155 Ch. 713.5 MHz		
5 MHz	QPSK	1	0	23.34	23.49	23.64	0	0
		1	12	23.30	23.52	23.62	0	0
		1	24	23.34	23.50	23.63	0	0
		12	0	22.39	22.48	22.66	0-1	1
		12	6	22.37	22.46	22.63	0-1	1
		12	11	22.34	22.47	22.60	0-1	1
		25	0	22.48	22.53	22.69	0-1	1
	16QAM	1	0	22.57	22.84	22.98	0-1	1
		1	12	22.70	22.67	22.85	0-1	1
		1	24	22.52	22.68	22.90	0-1	1
		12	0	21.47	21.55	21.66	0-2	2
		12	6	21.45	21.50	21.66	0-2	2
		12	11	21.46	21.59	21.70	0-2	2
		25	0	21.41	21.51	21.67	0-2	2
	64QAM	1	0	21.59	21.68	21.76	0-2	2
		1	12	21.22	21.37	21.55	0-2	2
		1	24	21.48	21.54	21.76	0-2	2
		12	0	20.43	20.51	20.67	0-3	3
		12	6	20.37	20.50	20.64	0-3	3
		12	11	20.37	20.53	20.65	0-3	3
		25	0	20.40	20.47	20.62	0-3	3
	256QAM	1	0	18.50	18.55	18.65	0-5	5
		1	12	18.37	18.50	18.68	0-5	5
		1	24	18.39	18.51	18.66	0-5	5
		12	0	18.33	18.42	18.58	0-5	5
		12	6	18.30	18.45	18.58	0-5	5
		12	11	18.34	18.45	18.58	0-5	5
		25	0	18.37	18.47	18.61	0-5	5

LTE FDD Band 12_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23095 Ch. 707.5 MHz		
10 MHz	QPSK	1	0	23.57	0	0
		1	24	23.45	0	0
		1	49	23.41	0	0
		25	0	22.57	0-1	1
		25	12	22.54	0-1	1
		25	24	22.50	0-1	1
		50	0	22.60	0-1	1
	16QAM	1	0	22.74	0-1	1
		1	24	22.66	0-1	1
		1	49	22.73	0-1	1
		25	0	21.53	0-2	2
		25	12	21.51	0-2	2
		25	24	21.45	0-2	2
		50	0	21.53	0-2	2
	64QAM	1	0	21.70	0-2	2
		1	24	21.65	0-2	2
		1	49	21.61	0-2	2
		25	0	20.54	0-3	3
		25	12	20.46	0-3	3
		25	24	20.48	0-3	3
		50	0	20.51	0-3	3
	256QAM	1	0	18.61	0-5	5
		1	24	18.51	0-5	5
		1	49	18.52	0-5	5
		25	0	18.51	0-5	5
		25	12	18.47	0-5	5
		25	24	18.43	0-5	5
		50	0	18.46	0-5	5

LTE FDD Band 12 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 12 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23017 Ch. 699.7 MHz	23095 Ch. 707.5 MHz	23173 Ch. 715.3 MHz		
1.4 MHz	QPSK	1	0	14.52	14.74	14.85	0	0
		1	3	14.48	14.73	14.77	0	0
		1	5	14.55	14.76	14.90	0	0
		3	0	14.50	14.73	14.81	0	0
		3	1	14.56	14.76	14.86	0	0
		3	3	14.53	14.74	14.87	0	0
		6	0	14.54	14.68	14.78	0-1	0
	16QAM	1	0	14.94	15.11	15.13	0-1	0
		1	3	14.91	14.97	15.19	0-1	0
		1	5	14.90	15.12	15.20	0-1	0
		3	0	14.66	14.89	14.97	0-1	0
		3	1	14.65	14.78	14.99	0-1	0
		3	3	14.58	14.88	14.92	0-1	0
		6	0	14.59	14.81	14.89	0-2	0
	64QAM	1	0	14.72	14.94	15.04	0-2	0
		1	3	14.71	14.89	14.94	0-2	0
		1	5	14.69	14.89	15.03	0-2	0
		3	0	14.61	14.79	14.92	0-2	0
		3	1	14.62	14.73	14.85	0-2	0
		3	3	14.65	14.83	14.95	0-2	0
		6	0	14.66	14.74	14.89	0-3	0
	256QAM	1	0	14.66	14.83	14.94	0-5	0
		1	3	14.53	14.74	14.91	0-5	0
		1	5	14.66	14.86	14.94	0-5	0
		3	0	14.65	14.85	14.95	0-5	0
		3	1	14.62	14.81	14.94	0-5	0
		3	3	14.68	14.90	14.95	0-5	0
		6	0	14.57	14.80	14.84	0-5	0

LTE FDD Band 12_3 Mhz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23025 Ch. 700.5 Mhz	23095 Ch. 707.5 Mhz	23165 Ch. 714.5 Mhz		
3 Mhz	QPSK	1	0	14.64	14.79	14.91	0	0
		1	7	14.60	14.77	14.93	0	0
		1	14	14.59	14.71	14.84	0	0
		8	0	14.61	14.80	14.87	0-1	0
		8	3	14.57	14.79	14.87	0-1	0
		8	7	14.65	14.81	14.92	0-1	0
		15	0	14.66	14.84	14.98	0-1	0
	16QAM	1	0	15.00	15.11	15.28	0-1	0
		1	7	14.99	15.03	15.22	0-1	0
		1	14	14.86	15.16	15.17	0-1	0
		8	0	14.68	14.90	15.00	0-2	0
		8	3	14.75	14.86	15.02	0-2	0
		8	7	14.66	14.83	14.91	0-2	0
		15	0	14.60	14.78	14.92	0-2	0
	64QAM	1	0	14.69	14.97	15.08	0-2	0
		1	7	14.58	14.74	14.82	0-2	0
		1	14	14.78	14.95	15.11	0-2	0
		8	0	14.65	14.89	14.97	0-3	0
		8	3	14.66	14.87	14.97	0-3	0
		8	7	14.68	14.91	15.00	0-3	0
		15	0	14.68	14.81	14.94	0-3	0
	256QAM	1	0	14.75	14.83	15.02	0-5	0
		1	7	14.71	14.88	14.88	0-5	0
		1	14	14.72	14.87	15.02	0-5	0
		8	0	14.65	14.88	14.91	0-5	0
		8	3	14.66	14.83	14.97	0-5	0
		8	7	14.65	14.84	14.91	0-5	0
		15	0	14.68	14.81	14.92	0-5	0

LTE FDD Band 12_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23035 Ch. 701.5 MHz	23095 Ch. 707.5 MHz	23155 Ch. 713.5 MHz		
5 MHz	QPSK	1	0	14.62	14.80	14.93	0	0
		1	12	14.66	14.82	14.92	0	0
		1	24	14.68	14.81	14.93	0	0
		12	0	14.69	14.82	14.93	0-1	0
		12	6	14.68	14.78	14.93	0-1	0
		12	11	14.62	14.82	14.88	0-1	0
		25	0	14.74	14.87	14.96	0-1	0
	16QAM	1	0	14.99	15.26	15.26	0-1	0
		1	12	14.96	15.09	15.26	0-1	0
		1	24	14.89	15.00	15.21	0-1	0
		12	0	14.76	14.89	15.00	0-2	0
		12	6	14.76	14.85	14.99	0-2	0
		12	11	14.75	14.90	15.05	0-2	0
		25	0	14.75	14.87	14.97	0-2	0
	64QAM	1	0	14.88	15.03	15.23	0-2	0
		1	12	14.57	14.73	14.83	0-2	0
		1	24	14.82	14.91	15.08	0-2	0
		12	0	14.74	14.87	14.97	0-3	0
		12	6	14.69	14.83	14.99	0-3	0
		12	11	14.74	14.83	14.99	0-3	0
		25	0	14.70	14.86	14.93	0-3	0
	256QAM	1	0	14.78	14.96	15.03	0-5	0
		1	12	14.74	14.88	14.98	0-5	0
		1	24	14.68	14.87	15.03	0-5	0
		12	0	14.68	14.79	14.94	0-5	0
		12	6	14.66	14.78	14.95	0-5	0
		12	11	14.70	14.81	14.92	0-5	0
		25	0	14.72	14.81	14.94	0-5	0

LTE FDD Band 12_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23095 Ch. 707.5 MHz		
10 MHz	QPSK	1	0	14.90	0	0
		1	24	14.75	0	0
		1	49	14.73	0	0
		25	0	14.87	0-1	0
		25	12	14.83	0-1	0
		25	24	14.84	0-1	0
		50	0	14.89	0-1	0
	16QAM	1	0	15.21	0-1	0
		1	24	14.96	0-1	0
		1	49	15.01	0-1	0
		25	0	14.89	0-2	0
		25	12	14.83	0-2	0
		25	24	14.81	0-2	0
		50	0	14.84	0-2	0
	64QAM	1	0	15.06	0-2	0
		1	24	15.01	0-2	0
		1	49	14.91	0-2	0
		25	0	14.89	0-3	0
		25	12	14.83	0-3	0
		25	24	14.80	0-3	0
		50	0	14.89	0-3	0
	256QAM	1	0	15.06	0-5	0
		1	24	14.87	0-5	0
		1	49	14.91	0-5	0
		25	0	14.84	0-5	0
		25	12	14.82	0-5	0
		25	24	14.80	0-5	0
		50	0	14.89	0-5	0

K.5 LTE FDD Band 13 Maximum Conducted Output Power

LTE FDD Band 13 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

_Main1 ANT.

LTE FDD Band 13 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23205 779.5 MHz	23230 Ch. 782 MHz	23255 784.5 MHz		
5 MHz	QPSK	1	0	23.05	22.88	22.92	0	0
		1	12	23.03	22.90	22.89	0	0
		1	24	23.05	22.85	22.91	0	0
		12	0	22.10	21.93	21.96	0-1	1
		12	6	22.07	21.91	21.91	0-1	1
		12	11	22.01	21.88	21.91	0-1	1
		25	0	22.20	22.01	22.05	0-1	1
	16QAM	1	0	22.29	22.02	22.16	0-1	1
		1	12	22.27	22.10	22.15	0-1	1
		1	24	22.26	22.04	22.12	0-1	1
		12	0	21.18	21.00	21.03	0-2	2
		12	6	21.14	20.95	21.01	0-2	2
		12	11	21.18	21.00	21.05	0-2	2
		25	0	21.15	20.98	21.00	0-2	2
	64QAM	1	0	21.29	21.07	21.17	0-2	2
		1	12	21.00	20.81	20.87	0-2	2
		1	24	21.21	21.04	21.02	0-2	2
		12	0	20.18	19.99	20.01	0-3	3
		12	6	20.14	19.92	19.99	0-3	3
		12	11	20.14	19.97	20.00	0-3	3
		25	0	20.08	19.94	19.95	0-3	3
	256QAM	1	0	18.20	18.04	18.07	0-5	5
		1	12	18.10	18.00	18.00	0-5	5
		1	24	18.16	17.96	17.98	0-5	5
		12	0	18.10	17.92	17.89	0-5	5
		12	6	18.08	17.86	17.93	0-5	5
		12	11	18.07	17.86	17.94	0-5	5
		25	0	18.10	17.91	17.96	0-5	5

LTE FDD Band 13 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23230 Ch. 782 MHz		
10 MHz	QPSK	1	0	22.94	0	0
		1	24	22.85	0	0
		1	49	22.79	0	0
		25	0	22.04	0-1	1
		25	12	22.03	0-1	1
		25	24	21.97	0-1	1
		50	0	22.06	0-1	1
	16QAM	1	0	22.08	0-1	1
		1	24	22.00	0-1	1
		1	49	22.01	0-1	1
		25	0	21.03	0-2	2
		25	12	20.97	0-2	2
		25	24	20.91	0-2	2
		50	0	20.99	0-2	2
	64QAM	1	0	21.05	0-2	2
		1	24	21.05	0-2	2
		1	49	21.01	0-2	2
		25	0	19.99	0-3	3
		25	12	19.95	0-3	3
		25	24	19.89	0-3	3
		50	0	19.98	0-3	3
	256QAM	1	0	18.01	0-5	5
		1	24	17.91	0-5	5
		1	49	17.92	0-5	5
		25	0	17.94	0-5	5
		25	12	17.88	0-5	5
		25	24	17.86	0-5	5
		50	0	17.93	0-5	5

LTE FDD Band 13 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 13 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23205 779.5 MHz	23230 Ch. 782 MHz	23255 784.5 MHz		
5 MHz	QPSK	1	0	12.09	12.11	12.10	0	0
		1	12	12.13	12.12	12.07	0	0
		1	24	12.08	12.07	12.06	0	0
		12	0	12.14	12.13	12.07	0-1	0
		12	6	12.10	12.12	12.07	0-1	0
		12	11	12.10	12.07	12.03	0-1	0
		25	0	12.14	12.10	12.08	0-1	0
	16QAM	1	0	12.57	12.54	12.45	0-1	0
		1	12	12.50	12.43	12.34	0-1	0
		1	24	12.54	12.51	12.35	0-1	0
		12	0	12.22	12.23	12.18	0-2	0
		12	6	12.19	12.22	12.18	0-2	0
		12	11	12.21	12.26	12.20	0-2	0
		25	0	12.16	12.11	12.08	0-2	0
	64QAM	1	0	12.27	12.36	12.29	0-2	0
		1	12	12.24	12.06	12.04	0-2	0
		1	24	12.19	12.17	12.27	0-2	0
		12	0	12.20	12.19	12.17	0-3	0
		12	6	12.10	12.17	12.12	0-3	0
		12	11	12.16	12.17	12.13	0-3	0
		25	0	12.14	12.10	12.06	0-3	0
	256QAM	1	0	12.28	12.27	12.30	0-5	0
		1	12	12.22	12.17	12.15	0-5	0
		1	24	12.18	12.15	12.12	0-5	0
		12	0	12.13	12.18	12.11	0-5	0
		12	6	12.15	12.10	12.11	0-5	0
		12	11	12.14	12.12	12.08	0-5	0
		25	0	12.15	12.12	12.08	0-5	0

LTE FDD Band 13 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23230 Ch. 782 MHz		
10 MHz	QPSK	1	0	12.23	0	0
		1	24	12.02	0	0
		1	49	12.01	0	0
		25	0	12.17	0-1	0
		25	12	12.09	0-1	0
		25	24	12.10	0-1	0
		50	0	12.11	0-1	0
	16QAM	1	0	12.56	0-1	0
		1	24	12.33	0-1	0
		1	49	12.44	0-1	0
		25	0	12.19	0-2	0
		25	12	12.10	0-2	0
		25	24	12.07	0-2	0
		50	0	12.11	0-2	0
	64QAM	1	0	12.39	0-2	0
		1	24	12.32	0-2	0
		1	49	12.35	0-2	0
		25	0	12.15	0-3	0
		25	12	12.10	0-3	0
		25	24	12.06	0-3	0
		50	0	12.13	0-3	0
	256QAM	1	0	12.34	0-5	0
		1	24	12.25	0-5	0
		1	49	12.22	0-5	0
		25	0	12.16	0-5	0
		25	12	12.10	0-5	0
		25	24	12.07	0-5	0
		50	0	12.12	0-5	0

K.6 LTE FDD Band 17 Maximum Conducted Output Power

LTE FDD Band 17 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

_Main1 ANT.

LTE FDD Band 17 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23755 706.5 MHz	23790 710 MHz	23825 713.5 MHz		
5 MHz	QPSK	1	0	23.45	23.62	23.69	0	0
		1	12	23.49	23.67	23.72	0	0
		1	24	23.52	23.67	23.76	0	0
		12	0	22.55	22.70	22.75	0-1	1
		12	6	22.51	22.67	22.72	0-1	1
		12	11	22.49	22.66	22.68	0-1	1
		25	0	22.56	22.73	22.77	0-1	1
	16QAM	1	0	22.75	22.97	22.95	0-1	1
		1	12	22.73	22.96	22.95	0-1	1
		1	24	22.74	22.95	22.94	0-1	1
		12	0	21.58	21.78	21.77	0-2	2
		12	6	21.61	21.73	21.78	0-2	2
		12	11	21.62	21.79	21.79	0-2	2
		25	0	21.54	21.75	21.75	0-2	2
	64QAM	1	0	21.71	21.90	21.96	0-2	2
		1	12	21.40	21.61	21.62	0-2	2
		1	24	21.66	21.78	21.85	0-2	2
		12	0	20.54	20.76	20.75	0-3	3
		12	6	20.51	20.75	20.70	0-3	3
		12	11	20.55	20.76	20.73	0-3	3
		25	0	20.53	20.68	20.75	0-3	3
	256QAM	1	0	18.58	18.78	18.74	0-5	5
		1	12	18.52	18.70	18.73	0-5	5
		1	24	18.46	18.75	18.72	0-5	5
		12	0	18.48	18.67	18.68	0-5	5
		12	6	18.50	18.67	18.66	0-5	5
		12	11	18.49	18.67	18.69	0-5	5
		25	0	18.50	18.67	18.74	0-5	5

LTE FDD Band 17 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				23790 Ch. 710 MHz		
10 MHz	QPSK	1	0	23.77	0	0
		1	24	23.68	0	0
		1	49	23.61	0	0
		25	0	22.76	0-1	1
		25	12	22.76	0-1	1
		25	24	22.71	0-1	1
		50	0	22.78	0-1	1
	16QAM	1	0	22.97	0-1	1
		1	24	22.71	0-1	1
		1	49	22.87	0-1	1
		25	0	21.78	0-2	2
		25	12	21.74	0-2	2
		25	24	21.67	0-2	2
		50	0	21.75	0-2	2
	64QAM	1	0	21.83	0-2	2
		1	24	21.86	0-2	2
		1	49	21.71	0-2	2
		25	0	20.75	0-3	3
		25	12	20.69	0-3	3
		25	24	20.67	0-3	3
		50	0	20.75	0-3	3
	256QAM	1	0	18.80	0-5	5
		1	24	18.68	0-5	5
		1	49	18.71	0-5	5
		25	0	18.70	0-5	5
		25	12	18.63	0-5	5
		25	24	18.63	0-5	5
		50	0	18.68	0-5	5

LTE FDD Band 17 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _ Main1 ANT.

LTE FDD Band 17 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23755 706.5 MHz	23790 710 MHz	23825 713.5 MHz		
5 MHz	QPSK	1	0	14.80	14.80	14.93	0	0
		1	12	14.77	14.82	14.88	0	0
		1	24	14.74	14.79	14.90	0	0
		12	0	14.74	14.83	14.95	0-1	0
		12	6	14.76	14.82	14.87	0-1	0
		12	11	14.72	14.81	14.89	0-1	0
		25	0	14.79	14.89	14.94	0-1	0
	16QAM	1	0	15.14	15.17	15.18	0-1	0
		1	12	15.13	15.07	15.21	0-1	0
		1	24	15.03	15.05	15.28	0-1	0
		12	0	14.85	14.98	15.04	0-2	0
		12	6	14.86	14.92	14.96	0-2	0
		12	11	14.90	14.95	15.03	0-2	0
		25	0	14.82	14.88	14.97	0-2	0
	64QAM	1	0	15.01	15.11	15.13	0-2	0
		1	12	14.69	14.76	14.82	0-2	0
		1	24	14.90	14.87	15.08	0-2	0
		12	0	14.83	14.88	14.96	0-3	0
		12	6	14.80	14.87	14.95	0-3	0
		12	11	14.83	14.88	14.96	0-3	0
		25	0	14.76	14.84	14.93	0-3	0
	256QAM	1	0	14.87	14.94	15.07	0-5	0
		1	12	14.87	14.85	14.97	0-5	0
		1	24	14.88	14.88	14.86	0-5	0
		12	0	14.77	14.85	14.92	0-5	0
		12	6	14.79	14.83	14.90	0-5	0
		12	11	14.74	14.85	14.89	0-5	0
		25	0	14.80	14.84	14.94	0-5	0

LTE FDD Band 17 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				23780 Ch. 709 MHz	23790 Ch. 710 MHz	23800 Ch. 711 MHz		
10 MHz	QPSK	1	0	14.93	14.74	14.96	0	0
		1	24	14.79	14.78	14.79	0	0
		1	49	14.74	14.74	14.79	0	0
		25	0	14.93	14.90	15.01	0-1	0
		25	12	14.90	14.87	14.92	0-1	0
		25	24	14.87	14.87	14.89	0-1	0
		50	0	14.90	14.92	14.95	0-1	0
	16QAM	1	0	15.22	15.23	15.23	0-1	0
		1	24	14.97	14.89	15.06	0-1	0
		1	49	15.02	15.11	15.19	0-1	0
		25	0	14.90	14.89	14.97	0-2	0
		25	12	14.86	14.90	14.91	0-2	0
		25	24	14.83	14.84	14.90	0-2	0
		50	0	14.91	14.91	14.93	0-2	0
	64QAM	1	0	15.06	15.10	15.09	0-2	0
		1	24	14.96	15.02	15.01	0-2	0
		1	49	14.97	14.94	15.03	0-2	0
		25	0	14.89	14.92	14.93	0-3	0
		25	12	14.87	14.85	14.94	0-3	0
		25	24	14.85	14.84	14.88	0-3	0
		50	0	14.88	14.90	14.94	0-3	0
	256QAM	1	0	15.08	15.00	15.05	0-5	0
		1	24	14.88	14.86	14.90	0-5	0
		1	49	14.87	14.80	14.86	0-5	0
		25	0	14.89	14.91	14.96	0-5	0
		25	12	14.90	14.88	14.90	0-5	0
		25	24	14.81	14.81	14.88	0-5	0
		50	0	14.91	14.89	14.93	0-5	0

K.6 LTE FDD Band 25 Maximum Conducted Output Power

LTE FDD Band 25 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1
ANT.

LTE FDD Band 25 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	23.14	22.91	23.21	0	0
		1	3	23.13	22.95	23.14	0	0
		1	5	23.22	23.05	23.26	0	0
		3	0	23.13	23.04	23.22	0	0
		3	1	23.20	23.06	23.27	0	0
		3	3	23.21	23.06	23.29	0	0
		6	0	22.14	22.04	22.25	0-1	1
	16QAM	1	0	22.52	22.41	22.47	0-1	1
		1	3	22.57	22.36	22.57	0-1	1
		1	5	22.53	22.40	22.56	0-1	1
		3	0	22.31	22.20	22.36	0-1	1
		3	1	22.21	22.18	22.37	0-1	1
		3	3	22.30	22.18	22.35	0-1	1
		6	0	21.29	21.12	21.27	0-2	2
	64QAM	1	0	21.34	21.20	21.47	0-2	2
		1	3	21.30	21.23	21.34	0-2	2
		1	5	21.37	21.24	21.43	0-2	2
		3	0	21.24	21.11	21.32	0-2	2
		3	1	21.17	21.06	21.19	0-2	2
		3	3	21.26	21.14	21.31	0-2	2
		6	0	20.17	20.12	20.21	0-3	3
	256QAM	1	0	18.19	18.11	18.25	0-5	5
		1	3	18.09	17.98	18.21	0-5	5
		1	5	18.24	18.08	18.24	0-5	5
		3	0	18.16	18.06	18.24	0-5	5
		3	1	18.23	18.02	18.21	0-5	5
		3	3	18.22	18.07	18.25	0-5	5
		6	0	18.14	18.00	18.19	0-5	5

LTE FDD Band 25 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	23.19	23.12	23.26	0	0
		1	7	23.21	23.07	23.29	0	0
		1	14	23.16	23.04	23.26	0	0
		8	0	22.20	22.12	22.29	0-1	1
		8	3	22.19	22.12	22.31	0-1	1
		8	7	22.27	22.16	22.34	0-1	1
		15	0	22.29	22.15	22.35	0-1	1
	16QAM	1	0	22.56	22.41	22.56	0-1	1
		1	7	22.61	22.40	22.67	0-1	1
		1	14	22.62	22.42	22.55	0-1	1
		8	0	21.31	21.17	21.38	0-2	2
		8	3	21.32	21.27	21.38	0-2	2
		8	7	21.28	21.21	21.39	0-2	2
		15	0	21.24	21.12	21.35	0-2	2
	64QAM	1	0	21.37	21.19	21.39	0-2	2
		1	7	21.17	20.98	21.14	0-2	2
		1	14	21.45	21.31	21.40	0-2	2
		8	0	20.24	20.12	20.31	0-3	3
		8	3	20.30	20.17	20.31	0-3	3
		8	7	20.31	20.15	20.30	0-3	3
		15	0	20.31	20.11	20.29	0-3	3
	256QAM	1	0	18.27	18.12	18.28	0-5	5
		1	7	18.17	18.12	18.24	0-5	5
		1	14	18.29	18.12	18.29	0-5	5
		8	0	18.20	18.09	18.22	0-5	5
		8	3	18.22	18.08	18.26	0-5	5
		8	7	18.21	18.08	18.19	0-5	5
		15	0	18.19	18.06	18.25	0-5	5

LTE FDD Band 25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	23.18	23.03	23.22	0	0
		1	12	23.23	23.12	23.27	0	0
		1	24	23.25	23.10	23.27	0	0
		12	0	22.22	22.13	22.30	0-1	1
		12	6	22.23	22.10	22.33	0-1	1
		12	11	22.22	22.14	22.33	0-1	1
		25	0	22.21	22.13	22.33	0-1	1
	16QAM	1	0	22.54	22.33	22.58	0-1	1
		1	12	22.63	22.42	22.66	0-1	1
		1	24	22.53	22.49	22.61	0-1	1
		12	0	21.35	21.17	21.37	0-2	2
		12	6	21.29	21.23	21.35	0-2	2
		12	11	21.41	21.25	21.43	0-2	2
		25	0	21.25	21.09	21.33	0-2	2
	64QAM	1	0	21.39	21.32	21.56	0-2	2
		1	12	21.14	21.03	21.23	0-2	2
		1	24	21.40	21.23	21.47	0-2	2
		12	0	20.27	20.12	20.33	0-3	3
		12	6	20.23	20.13	20.30	0-3	3
		12	11	20.32	20.18	20.36	0-3	3
		25	0	20.18	20.06	20.26	0-3	3
	256QAM	1	0	18.18	18.15	18.33	0-5	5
		1	12	18.21	18.04	18.27	0-5	5
		1	24	18.21	18.16	18.28	0-5	5
		12	0	18.16	18.02	18.20	0-5	5
		12	6	18.17	18.03	18.20	0-5	5
		12	11	18.18	18.05	18.22	0-5	5
		25	0	18.12	18.00	18.22	0-5	5

LTE FDD Band 25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	23.22	23.17	23.19	0	0
		1	24	23.16	23.06	23.18	0	0
		1	49	23.26	23.09	23.26	0	0
		25	0	22.25	22.16	22.32	0-1	1
		25	12	22.26	22.10	22.31	0-1	1
		25	24	22.27	22.16	22.38	0-1	1
		50	0	22.25	22.15	22.39	0-1	1
	16QAM	1	0	22.53	22.44	22.64	0-1	1
		1	24	22.38	22.34	22.44	0-1	1
		1	49	22.54	22.44	22.69	0-1	1
		25	0	21.25	21.14	21.34	0-2	2
		25	12	21.27	21.17	21.34	0-2	2
		25	24	21.22	21.18	21.32	0-2	2
		50	0	21.26	21.14	21.38	0-2	2
	64QAM	1	0	21.41	21.28	21.51	0-2	2
		1	24	21.43	21.19	21.47	0-2	2
		1	49	21.48	21.31	21.48	0-2	2
		25	0	20.19	20.14	20.28	0-3	3
		25	12	20.20	20.10	20.27	0-3	3
		25	24	20.24	20.11	20.31	0-3	3
		50	0	20.22	20.11	20.33	0-3	3
	256QAM	1	0	18.29	18.19	18.28	0-5	5
		1	24	18.25	18.12	18.25	0-5	5
		1	49	18.38	18.15	18.41	0-5	5
		25	0	18.16	18.03	18.24	0-5	5
		25	12	18.15	18.05	18.25	0-5	5
		25	24	18.15	18.04	18.25	0-5	5
		50	0	18.19	18.08	18.24	0-5	5

LTE FDD Band 25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	23.17	22.93	23.21	0	0
		1	36	23.21	23.05	23.30	0	0
		1	74	23.30	23.13	23.36	0	0
		36	0	22.30	22.11	22.35	0-1	1
		36	18	22.25	22.14	22.38	0-1	1
		36	39	22.33	22.18	22.39	0-1	1
		75	0	22.25	22.14	22.34	0-1	1
	16QAM	1	0	22.59	22.38	22.57	0-1	1
		1	36	22.48	22.44	22.66	0-1	1
		1	74	22.69	22.49	22.69	0-1	1
		36	0	21.29	21.15	21.36	0-2	2
		36	18	21.26	21.19	21.36	0-2	2
		36	39	21.33	21.18	21.39	0-2	2
		75	0	21.24	21.13	21.30	0-2	2
	64QAM	1	0	21.45	21.31	21.53	0-2	2
		1	36	21.19	21.07	21.19	0-2	2
		1	74	21.44	21.30	21.48	0-2	2
		36	0	20.28	20.15	20.36	0-3	3
		36	18	20.31	20.18	20.34	0-3	3
		36	39	20.29	20.16	20.34	0-3	3
		75	0	20.19	20.09	20.28	0-3	3
	256QAM	1	0	18.33	18.20	18.43	0-5	5
		1	36	18.23	18.09	18.33	0-5	5
		1	74	18.34	18.17	18.36	0-5	5
		36	0	18.22	18.10	18.28	0-5	5
		36	18	18.22	18.08	18.27	0-5	5
		36	39	18.24	18.10	18.27	0-5	5
		75	0	18.18	18.05	18.23	0-5	5

LTE FDD Band 25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	23.22	22.95	23.13	0	0
		1	49	23.16	23.01	23.15	0	0
		1	99	23.26	23.09	23.24	0	0
		50	0	22.26	22.11	22.30	0-1	1
		50	25	22.23	22.12	22.31	0-1	1
		50	49	22.26	22.13	22.28	0-1	1
		100	0	22.26	22.13	22.29	0-1	1
	16QAM	1	0	22.64	22.31	22.54	0-1	1
		1	49	22.30	22.35	22.49	0-1	1
		1	99	22.53	22.39	22.68	0-1	1
		50	0	21.28	21.13	21.30	0-2	2
		50	25	21.25	21.12	21.28	0-2	2
		50	49	21.31	21.17	21.33	0-2	2
		100	0	21.22	21.10	21.29	0-2	2
	64QAM	1	0	21.38	21.28	21.47	0-2	2
		1	49	21.46	21.27	21.41	0-2	2
		1	99	21.53	21.29	21.53	0-2	2
		50	0	20.23	20.10	20.28	0-3	3
		50	25	20.24	20.10	20.30	0-3	3
		50	49	20.21	20.14	20.30	0-3	3
		100	0	20.21	20.07	20.26	0-3	3
	256QAM	1	0	18.28	18.15	18.33	0-5	5
		1	49	18.23	18.10	18.28	0-5	5
		1	99	18.38	18.20	18.35	0-5	5
		50	0	18.19	18.06	18.19	0-5	5
		50	25	18.22	18.07	18.21	0-5	5
		50	49	18.15	18.07	18.23	0-5	5
		100	0	18.20	18.08	18.21	0-5	5

LTE FDD Band 25 Conducted Power_ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _Main1 ANT.

LTE FDD Band 25 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	17.27	17.13	17.18	0	0
		1	3	17.19	17.06	17.09	0	0
		1	5	17.30	17.17	17.23	0	0
		3	0	17.25	17.13	17.12	0	0
		3	1	17.26	17.17	17.18	0	0
		3	3	17.28	17.16	17.21	0	0
		6	0	17.30	17.12	17.14	0-1	0
	16QAM	1	0	17.59	17.42	17.52	0-1	0
		1	3	17.65	17.46	17.39	0-1	0
		1	5	17.60	17.53	17.40	0-1	0
		3	0	17.33	17.29	17.28	0-1	0
		3	1	17.36	17.23	17.24	0-1	0
		3	3	17.38	17.19	17.20	0-1	0
		6	0	17.33	17.17	17.20	0-2	0
	64QAM	1	0	17.49	17.30	17.38	0-2	0
		1	3	17.38	17.25	17.30	0-2	0
		1	5	17.44	17.25	17.30	0-2	0
		3	0	17.36	17.22	17.21	0-2	0
		3	1	17.27	17.17	17.15	0-2	0
		3	3	17.37	17.24	17.20	0-2	0
		6	0	17.31	17.14	17.16	0-3	0
	256QAM	1	0	17.40	17.20	17.26	0-5	0
		1	3	17.33	17.12	17.12	0-5	0
		1	5	17.36	17.20	17.15	0-5	0
		3	0	17.40	17.24	17.25	0-5	0
		3	1	17.40	17.21	17.23	0-5	0
		3	3	17.41	17.28	17.30	0-5	0
		6	0	17.33	17.19	17.19	0-5	0

LTE FDD Band 25 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	17.29	17.17	17.22	0	0
		1	7	17.27	17.20	17.18	0	0
		1	14	17.27	17.17	17.11	0	0
		8	0	17.27	17.20	17.17	0-1	0
		8	3	17.25	17.16	17.18	0-1	0
		8	7	17.35	17.22	17.23	0-1	0
		15	0	17.34	17.26	17.23	0-1	0
	16QAM	1	0	17.55	17.57	17.48	0-1	0
		1	7	17.66	17.43	17.46	0-1	0
		1	14	17.55	17.45	17.48	0-1	0
		8	0	17.36	17.31	17.24	0-2	0
		8	3	17.43	17.26	17.29	0-2	0
		8	7	17.40	17.25	17.28	0-2	0
		15	0	17.30	17.17	17.19	0-2	0
	64QAM	1	0	17.46	17.33	17.40	0-2	0
		1	7	17.26	17.08	17.07	0-2	0
		1	14	17.47	17.41	17.37	0-2	0
		8	0	17.34	17.25	17.23	0-3	0
		8	3	17.42	17.25	17.24	0-3	0
		8	7	17.35	17.26	17.22	0-3	0
		15	0	17.34	17.22	17.19	0-3	0
	256QAM	1	0	17.34	17.26	17.26	0-5	0
		1	7	17.40	17.30	17.18	0-5	0
		1	14	17.36	17.30	17.26	0-5	0
		8	0	17.37	17.22	17.23	0-5	0
		8	3	17.39	17.27	17.27	0-5	0
		8	7	17.37	17.25	17.24	0-5	0
		15	0	17.35	17.22	17.21	0-5	0

LTE FDD Band 25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	17.22	17.12	17.17	0	0
		1	12	17.26	17.18	17.19	0	0
		1	24	17.31	17.22	17.24	0	0
		12	0	17.28	17.16	17.19	0-1	0
		12	6	17.25	17.15	17.18	0-1	0
		12	11	17.29	17.13	17.16	0-1	0
		25	0	17.32	17.17	17.22	0-1	0
	16QAM	1	0	17.70	17.47	17.44	0-1	0
		1	12	17.59	17.40	17.47	0-1	0
		1	24	17.56	17.42	17.52	0-1	0
		12	0	17.40	17.23	17.30	0-2	0
		12	6	17.40	17.26	17.26	0-2	0
		12	11	17.40	17.31	17.35	0-2	0
		25	0	17.34	17.18	17.23	0-2	0
	64QAM	1	0	17.55	17.39	17.45	0-2	0
		1	12	17.23	17.10	17.14	0-2	0
		1	24	17.38	17.30	17.38	0-2	0
		12	0	17.40	17.21	17.27	0-3	0
		12	6	17.31	17.22	17.22	0-3	0
		12	11	17.39	17.26	17.25	0-3	0
		25	0	17.26	17.22	17.18	0-3	0
	256QAM	1	0	17.42	17.31	17.29	0-5	0
		1	12	17.39	17.26	17.25	0-5	0
		1	24	17.36	17.21	17.25	0-5	0
		12	0	17.28	17.19	17.17	0-5	0
		12	6	17.26	17.20	17.19	0-5	0
		12	11	17.34	17.20	17.22	0-5	0
		25	0	17.30	17.18	17.25	0-5	0

LTE FDD Band 25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	17.24	17.15	17.21	0	0
		1	24	17.14	17.11	17.15	0	0
		1	49	17.24	17.16	17.19	0	0
		25	0	17.27	17.18	17.21	0-1	0
		25	12	17.25	17.20	17.25	0-1	0
		25	24	17.31	17.20	17.25	0-1	0
		50	0	17.28	17.20	17.25	0-1	0
	16QAM	1	0	17.57	17.47	17.47	0-1	0
		1	24	17.36	17.26	17.33	0-1	0
		1	49	17.59	17.48	17.47	0-1	0
		25	0	17.25	17.18	17.23	0-2	0
		25	12	17.26	17.25	17.21	0-2	0
		25	24	17.28	17.20	17.25	0-2	0
		50	0	17.28	17.21	17.24	0-2	0
	64QAM	1	0	17.47	17.39	17.42	0-2	0
		1	24	17.44	17.36	17.33	0-2	0
		1	49	17.47	17.42	17.43	0-2	0
		25	0	17.24	17.17	17.19	0-3	0
		25	12	17.25	17.24	17.20	0-3	0
		25	24	17.24	17.23	17.24	0-3	0
		50	0	17.28	17.24	17.24	0-3	0
	256QAM	1	0	17.38	17.29	17.37	0-5	0
		1	24	17.32	17.26	17.24	0-5	0
		1	49	17.40	17.31	17.25	0-5	0
		25	0	17.23	17.18	17.24	0-5	0
		25	12	17.22	17.18	17.20	0-5	0
		25	24	17.29	17.19	17.20	0-5	0
		50	0	17.28	17.23	17.19	0-5	0

LTE FDD Band 25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	17.18	17.15	17.11	0	0
		1	36	17.23	17.18	17.16	0	0
		1	74	17.26	17.22	17.18	0	0
		36	0	17.25	17.19	17.19	0-1	0
		36	18	17.28	17.23	17.22	0-1	0
		36	39	17.30	17.20	17.21	0-1	0
		75	0	17.29	17.20	17.22	0-1	0
	16QAM	1	0	17.49	17.41	17.48	0-1	0
		1	36	17.56	17.60	17.43	0-1	0
		1	74	17.56	17.54	17.47	0-1	0
		36	0	17.29	17.23	17.20	0-2	0
		36	18	17.28	17.20	17.18	0-2	0
		36	39	17.31	17.24	17.20	0-2	0
		75	0	17.27	17.19	17.19	0-2	0
	64QAM	1	0	17.46	17.35	17.48	0-2	0
		1	36	17.20	17.15	17.12	0-2	0
		1	74	17.53	17.37	17.34	0-2	0
		36	0	17.31	17.27	17.21	0-3	0
		36	18	17.28	17.25	17.24	0-3	0
		36	39	17.28	17.23	17.20	0-3	0
		75	0	17.23	17.21	17.17	0-3	0
	256QAM	1	0	17.39	17.38	17.30	0-5	0
		1	36	17.31	17.26	17.25	0-5	0
		1	74	17.40	17.37	17.31	0-5	0
		36	0	17.32	17.25	17.21	0-5	0
		36	18	17.32	17.25	17.20	0-5	0
		36	39	17.30	17.27	17.22	0-5	0
		75	0	17.25	17.23	17.19	0-5	0

LTE FDD Band 25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	17.22	17.18	17.21	0	0
		1	49	17.17	17.13	17.11	0	0
		1	99	17.21	17.21	17.21	0	0
		50	0	17.29	17.19	17.22	0-1	0
		50	25	17.30	17.25	17.23	0-1	0
		50	49	17.31	17.24	17.23	0-1	0
		100	0	17.27	17.18	17.23	0-1	0
	16QAM	1	0	17.55	17.51	17.50	0-1	0
		1	49	17.45	17.40	17.34	0-1	0
		1	99	17.58	17.48	17.48	0-1	0
		50	0	17.24	17.21	17.23	0-2	0
		50	25	17.27	17.21	17.24	0-2	0
		50	49	17.30	17.25	17.23	0-2	0
		100	0	17.28	17.21	17.20	0-2	0
	64QAM	1	0	17.44	17.35	17.36	0-2	0
		1	49	17.40	17.34	17.33	0-2	0
		1	99	17.56	17.44	17.40	0-2	0
		50	0	17.30	17.19	17.23	0-3	0
		50	25	17.27	17.22	17.23	0-3	0
		50	49	17.30	17.23	17.24	0-3	0
		100	0	17.25	17.20	17.21	0-3	0
	256QAM	1	0	17.31	17.21	17.30	0-5	0
		1	49	17.30	17.24	17.21	0-5	0
		1	99	17.45	17.28	17.33	0-5	0
		50	0	17.27	17.20	17.24	0-5	0
		50	25	17.30	17.21	17.24	0-5	0
		50	49	17.30	17.21	17.25	0-5	0
		100	0	17.30	17.23	17.26	0-5	0

LTE FDD Band 25 Conducted Power_ Measured RSI = 2 (GRIP 2 ON)_Main1 ANT.

LTE FDD Band 25 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26047 Ch. 1850.7 MHz	26365 Ch. 1882.5 MHz	26683 Ch. 1914.3 MHz		
1.4 MHz	QPSK	1	0	11.45	11.28	11.32	0	0
		1	3	11.36	11.22	11.21	0	0
		1	5	11.44	11.34	11.35	0	0
		3	0	11.39	11.29	11.31	0	0
		3	1	11.38	11.26	11.28	0	0
		3	3	11.45	11.30	11.32	0	0
		6	0	11.38	11.27	11.25	0-1	0
	16QAM	1	0	11.72	11.49	11.56	0-1	0
		1	3	11.64	11.45	11.56	0-1	0
		1	5	11.79	11.58	11.61	0-1	0
		3	0	11.47	11.41	11.45	0-1	0
		3	1	11.43	11.37	11.35	0-1	0
		3	3	11.53	11.36	11.38	0-1	0
		6	0	11.43	11.33	11.36	0-2	0
	64QAM	1	0	11.60	11.53	11.53	0-2	0
		1	3	11.50	11.36	11.40	0-2	0
		1	5	11.55	11.46	11.43	0-2	0
		3	0	11.48	11.30	11.34	0-2	0
		3	1	11.43	11.25	11.28	0-2	0
		3	3	11.52	11.35	11.34	0-2	0
		6	0	11.46	11.33	11.34	0-3	0
	256QAM	1	0	11.57	11.36	11.38	0-5	0
		1	3	11.42	11.23	11.30	0-5	0
		1	5	11.50	11.36	11.44	0-5	0
		3	0	11.53	11.37	11.44	0-5	0
		3	1	11.46	11.35	11.39	0-5	0
		3	3	11.53	11.42	11.43	0-5	0
		6	0	11.43	11.26	11.33	0-5	0

LTE FDD Band 25 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26055 Ch. 1851.5 MHz	26365 Ch. 1882.5 MHz	26675 Ch. 1913.5 MHz		
3 MHz	QPSK	1	0	11.41	11.33	11.37	0	0
		1	7	11.44	11.35	11.36	0	0
		1	14	11.39	11.30	11.31	0	0
		8	0	11.43	11.31	11.31	0-1	0
		8	3	11.44	11.29	11.32	0-1	0
		8	7	11.48	11.38	11.36	0-1	0
		15	0	11.53	11.41	11.42	0-1	0
	16QAM	1	0	11.75	11.59	11.67	0-1	0
		1	7	11.65	11.59	11.58	0-1	0
		1	14	11.71	11.50	11.63	0-1	0
		8	0	11.48	11.37	11.39	0-2	0
		8	3	11.54	11.43	11.43	0-2	0
		8	7	11.48	11.40	11.43	0-2	0
		15	0	11.43	11.35	11.35	0-2	0
	64QAM	1	0	11.56	11.39	11.43	0-2	0
		1	7	11.33	11.25	11.18	0-2	0
		1	14	11.68	11.57	11.54	0-2	0
		8	0	11.52	11.36	11.33	0-3	0
		8	3	11.50	11.34	11.40	0-3	0
		8	7	11.51	11.37	11.42	0-3	0
		15	0	11.49	11.36	11.37	0-3	0
	256QAM	1	0	11.51	11.33	11.35	0-5	0
		1	7	11.40	11.38	11.43	0-5	0
		1	14	11.50	11.44	11.39	0-5	0
		8	0	11.51	11.33	11.41	0-5	0
		8	3	11.49	11.36	11.38	0-5	0
		8	7	11.51	11.35	11.39	0-5	0
		15	0	11.51	11.35	11.42	0-5	0

LTE FDD Band 25 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26065 Ch. 1852.5 MHz	26365 Ch. 1882.5 MHz	26665 Ch. 1912.5 MHz		
5 MHz	QPSK	1	0	11.41	11.28	11.31	0	0
		1	12	11.40	11.38	11.37	0	0
		1	24	11.45	11.36	11.37	0	0
		12	0	11.47	11.35	11.35	0-1	0
		12	6	11.41	11.32	11.37	0-1	0
		12	11	11.42	11.35	11.37	0-1	0
		25	0	11.50	11.40	11.39	0-1	0
	16QAM	1	0	11.72	11.63	11.56	0-1	0
		1	12	11.76	11.55	11.58	0-1	0
		1	24	11.73	11.59	11.63	0-1	0
		12	0	11.51	11.43	11.43	0-2	0
		12	6	11.49	11.42	11.44	0-2	0
		12	11	11.60	11.49	11.49	0-2	0
		25	0	11.47	11.37	11.42	0-2	0
	64QAM	1	0	11.61	11.57	11.51	0-2	0
		1	12	11.32	11.23	11.23	0-2	0
		1	24	11.49	11.47	11.46	0-2	0
		12	0	11.47	11.36	11.38	0-3	0
		12	6	11.41	11.35	11.36	0-3	0
		12	11	11.46	11.39	11.38	0-3	0
		25	0	11.45	11.35	11.37	0-3	0
	256QAM	1	0	11.52	11.48	11.38	0-5	0
		1	12	11.45	11.35	11.41	0-5	0
		1	24	11.51	11.40	11.41	0-5	0
		12	0	11.44	11.36	11.35	0-5	0
		12	6	11.43	11.33	11.37	0-5	0
		12	11	11.48	11.34	11.40	0-5	0
		25	0	11.49	11.33	11.38	0-5	0

LTE FDD Band 25 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26090 Ch. 1855 MHz	26365 Ch. 1882.5 MHz	26640 Ch. 1910 MHz		
10 MHz	QPSK	1	0	11.42	11.33	11.28	0	0
		1	24	11.37	11.31	11.32	0	0
		1	49	11.39	11.34	11.35	0	0
		25	0	11.45	11.39	11.42	0-1	0
		25	12	11.46	11.41	11.42	0-1	0
		25	24	11.46	11.42	11.44	0-1	0
		50	0	11.47	11.43	11.47	0-1	0
	16QAM	1	0	11.67	11.55	11.68	0-1	0
		1	24	11.55	11.48	11.39	0-1	0
		1	49	11.78	11.54	11.62	0-1	0
		25	0	11.43	11.38	11.40	0-2	0
		25	12	11.45	11.40	11.38	0-2	0
		25	24	11.45	11.39	11.40	0-2	0
		50	0	11.45	11.42	11.39	0-2	0
	64QAM	1	0	11.52	11.51	11.45	0-2	0
		1	24	11.56	11.42	11.49	0-2	0
		1	49	11.60	11.58	11.58	0-2	0
		25	0	11.42	11.39	11.39	0-3	0
		25	12	11.42	11.38	11.39	0-3	0
		25	24	11.42	11.37	11.40	0-3	0
		50	0	11.45	11.37	11.41	0-3	0
	256QAM	1	0	11.48	11.49	11.46	0-5	0
		1	24	11.47	11.35	11.42	0-5	0
		1	49	11.54	11.48	11.46	0-5	0
		25	0	11.44	11.37	11.40	0-5	0
		25	12	11.42	11.40	11.38	0-5	0
		25	24	11.45	11.37	11.41	0-5	0
		50	0	11.43	11.42	11.39	0-5	0

LTE FDD Band 25 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26115 Ch. 1857.5 MHz	26365 Ch. 1882.5 MHz	26615 Ch. 1907.5 MHz		
15 MHz	QPSK	1	0	11.39	11.32	11.30	0	0
		1	36	11.41	11.37	11.36	0	0
		1	74	11.44	11.42	11.39	0	0
		36	0	11.47	11.37	11.39	0-1	0
		36	18	11.42	11.37	11.38	0-1	0
		36	39	11.47	11.40	11.40	0-1	0
		75	0	11.46	11.43	11.40	0-1	0
	16QAM	1	0	11.65	11.62	11.69	0-1	0
		1	36	11.63	11.63	11.66	0-1	0
		1	74	11.74	11.64	11.55	0-1	0
		36	0	11.45	11.39	11.37	0-2	0
		36	18	11.44	11.36	11.37	0-2	0
		36	39	11.46	11.40	11.33	0-2	0
		75	0	11.41	11.35	11.38	0-2	0
	64QAM	1	0	11.12	11.54	11.56	0-2	0
		1	36	11.26	11.23	11.16	0-2	0
		1	74	11.56	11.49	11.53	0-2	0
		36	0	11.42	11.41	11.35	0-3	0
		36	18	11.47	11.40	11.38	0-3	0
		36	39	11.44	11.39	11.35	0-3	0
		75	0	11.43	11.35	11.37	0-3	0
	256QAM	1	0	11.51	11.45	11.46	0-5	0
		1	36	11.45	11.37	11.39	0-5	0
		1	74	11.53	11.46	11.41	0-5	0
		36	0	11.45	11.40	11.37	0-5	0
		36	18	11.42	11.41	11.37	0-5	0
		36	39	11.48	11.43	11.39	0-5	0
		75	0	11.45	11.44	11.36	0-5	0

LTE FDD Band 25 _ 20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26140 Ch. 1860 MHz	26365 Ch. 1882.5 MHz	26590 Ch. 1905 MHz		
20 MHz	QPSK	1	0	11.37	11.36	11.36	0	0
		1	49	11.36	11.27	11.33	0	0
		1	99	11.39	11.31	11.36	0	0
		50	0	11.48	11.40	11.43	0-1	0
		50	25	11.51	11.40	11.47	0-1	0
		50	49	11.47	11.43	11.43	0-1	0
		100	0	11.49	11.40	11.42	0-1	0
	16QAM	1	0	11.74	11.52	11.61	0-1	0
		1	49	11.50	11.45	11.47	0-1	0
		1	99	11.73	11.62	11.55	0-1	0
		50	0	11.45	11.42	11.40	0-2	0
		50	25	11.48	11.40	11.39	0-2	0
		50	49	11.51	11.42	11.42	0-2	0
		100	0	11.49	11.38	11.41	0-2	0
	64QAM	1	0	11.59	11.50	11.46	0-2	0
		1	49	11.56	11.55	11.44	0-2	0
		1	99	11.65	11.52	11.59	0-2	0
		50	0	11.45	11.37	11.41	0-3	0
		50	25	11.46	11.39	11.40	0-3	0
		50	49	11.48	11.39	11.42	0-3	0
		100	0	11.43	11.38	11.42	0-3	0
	256QAM	1	0	11.50	11.46	11.43	0-5	0
		1	49	11.42	11.39	11.37	0-5	0
		1	99	11.57	11.56	11.47	0-5	0
		50	0	11.42	11.38	11.39	0-5	0
		50	25	11.45	11.41	11.42	0-5	0
		50	49	11.48	11.38	11.39	0-5	0
		100	0	11.44	11.40	11.42	0-5	0

K.7 LTE FDD Band 26 Maximum Conducted Output Power

LTE FDD Band 26 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

Main1 ANT.

LTE FDD Band 26 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	23.34	23.23	23.40	0	0
		1	3	23.30	23.16	23.38	0	0
		1	5	23.38	23.28	23.48	0	0
		3	0	23.34	23.22	23.45	0	0
		3	1	23.40	23.29	23.45	0	0
		3	3	23.37	23.29	23.47	0	0
		6	0	22.34	22.27	22.45	0-1	1
	16QAM	1	0	22.74	22.52	22.82	0-1	1
		1	3	22.62	22.53	22.68	0-1	1
		1	5	22.69	22.55	22.78	0-1	1
		3	0	22.46	22.37	22.68	0-1	1
		3	1	22.46	22.38	22.57	0-1	1
		3	3	22.47	22.35	22.60	0-1	1
		6	0	21.40	21.28	21.53	0-2	2
	64QAM	1	0	21.59	21.51	21.63	0-2	2
		1	3	21.56	21.48	21.61	0-2	2
		1	5	21.60	21.43	21.63	0-2	2
		3	0	21.46	21.32	21.56	0-2	2
		3	1	21.43	21.28	21.53	0-2	2
		3	3	21.53	21.36	21.60	0-2	2
		6	0	20.38	20.29	20.46	0-3	3
	256QAM	1	0	18.51	18.36	18.58	0-5	5
		1	3	18.33	18.24	18.45	0-5	5
		1	5	18.49	18.35	18.53	0-5	5
		3	0	18.41	18.33	18.58	0-5	5
		3	1	18.43	18.35	18.52	0-5	5
		3	3	18.47	18.39	18.55	0-5	5
		6	0	18.37	18.25	18.44	0-5	5

LTE FDD Band 26 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	23.44	23.29	23.48	0	0
		1	7	23.43	23.28	23.52	0	0
		1	14	23.36	23.21	23.44	0	0
		8	0	22.44	22.32	22.51	0-1	1
		8	3	22.46	22.28	22.49	0-1	1
		8	7	22.52	22.39	22.53	0-1	1
		15	0	22.53	22.37	22.60	0-1	1
	16QAM	1	0	22.77	22.56	22.71	0-1	1
		1	7	22.70	22.55	22.82	0-1	1
		1	14	22.81	22.50	22.82	0-1	1
		8	0	21.54	21.41	21.65	0-2	2
		8	3	21.61	21.46	21.61	0-2	2
		8	7	21.55	21.37	21.57	0-2	2
		15	0	21.46	21.34	21.49	0-2	2
	64QAM	1	0	21.62	21.47	21.71	0-2	2
		1	7	21.38	21.14	21.43	0-2	2
		1	14	21.65	21.45	21.72	0-2	2
		8	0	20.52	20.37	20.57	0-3	3
		8	3	20.58	20.40	20.59	0-3	3
		8	7	20.54	20.41	20.59	0-3	3
		15	0	20.52	20.36	20.54	0-3	3
	256QAM	1	0	18.46	18.31	18.48	0-5	5
		1	7	18.47	18.33	18.53	0-5	5
		1	14	18.46	18.33	18.59	0-5	5
		8	0	18.49	18.32	18.51	0-5	5
		8	3	18.50	18.34	18.52	0-5	5
		8	7	18.48	18.29	18.50	0-5	5
		15	0	18.44	18.28	18.49	0-5	5

LTE FDD Band 26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	23.45	23.32	23.53	0	0
		1	12	23.46	23.32	23.56	0	0
		1	24	23.44	23.31	23.53	0	0
		12	0	22.47	22.38	22.60	0-1	1
		12	6	22.48	22.36	22.53	0-1	1
		12	11	22.47	22.33	22.53	0-1	1
		25	0	22.54	22.38	22.57	0-1	1
	16QAM	1	0	22.79	22.50	22.77	0-1	1
		1	12	22.82	22.50	22.83	0-1	1
		1	24	22.72	22.55	22.88	0-1	1
		12	0	21.58	21.44	21.66	0-2	2
		12	6	21.56	21.44	21.61	0-2	2
		12	11	21.59	21.47	21.71	0-2	2
		25	0	21.55	21.36	21.58	0-2	2
	64QAM	1	0	21.75	21.55	21.76	0-2	2
		1	12	21.43	21.27	21.46	0-2	2
		1	24	21.60	21.45	21.63	0-2	2
		12	0	20.56	20.39	20.57	0-3	3
		12	6	20.54	20.35	20.58	0-3	3
		12	11	20.58	20.40	20.59	0-3	3
		25	0	20.49	20.34	20.58	0-3	3
	256QAM	1	0	18.58	18.43	18.64	0-5	5
		1	12	18.51	18.33	18.57	0-5	5
		1	24	18.42	18.36	18.54	0-5	5
		12	0	18.47	18.32	18.52	0-5	5
		12	6	18.49	18.28	18.51	0-5	5
		12	11	18.49	18.34	18.53	0-5	5
		25	0	18.48	18.34	18.57	0-5	5

LTE FDD Band 26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26740 Ch. 819 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	23.65	23.34	23.70	0	0
		1	24	23.57	23.28	23.56	0	0
		1	49	23.53	23.25	23.56	0	0
		25	0	22.70	22.41	22.72	0-1	1
		25	12	22.66	22.39	22.71	0-1	1
		25	24	22.65	22.41	22.71	0-1	1
		50	0	22.72	22.45	22.75	0-1	1
	16QAM	1	0	22.89	22.51	22.98	0-1	1
		1	24	22.78	22.38	22.88	0-1	1
		1	49	22.87	22.54	22.92	0-1	1
		25	0	21.67	21.40	21.73	0-2	2
		25	12	21.69	21.39	21.70	0-2	2
		25	24	21.63	21.32	21.67	0-2	2
		50	0	21.68	21.39	21.69	0-2	2
	64QAM	1	0	21.82	21.59	21.86	0-2	2
		1	24	21.82	21.49	21.82	0-2	2
		1	49	21.81	21.52	21.77	0-2	2
		25	0	20.67	20.39	20.73	0-3	3
		25	12	20.64	20.38	20.70	0-3	3
		25	24	20.62	20.35	20.66	0-3	3
		50	0	20.65	20.38	20.71	0-3	3
	256QAM	1	0	18.70	18.49	18.80	0-5	5
		1	24	18.62	18.36	18.63	0-5	5
		1	49	18.69	18.39	18.72	0-5	5
		25	0	18.61	18.38	18.67	0-5	5
		25	12	18.59	18.36	18.64	0-5	5
		25	24	18.58	18.34	18.65	0-5	5
		50	0	18.63	18.38	18.65	0-5	5

LTE FDD Band 26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0	23.39	0	0
		1	36	23.29	0	0
		1	74	23.26	0	0
		36	0	22.44	0-1	1
		36	18	22.42	0-1	1
		36	39	22.35	0-1	1
		75	0	22.44	0-1	1
	16QAM	1	0	22.73	0-1	1
		1	36	22.69	0-1	1
		1	74	22.57	0-1	1
		36	0	21.47	0-2	2
		36	18	21.38	0-2	2
		36	39	21.36	0-2	2
		75	0	21.43	0-2	2
	64QAM	1	0	21.51	0-2	2
		1	36	21.24	0-2	2
		1	74	21.50	0-2	2
		36	0	20.43	0-3	3
		36	18	20.43	0-3	3
		36	39	20.37	0-3	3
		75	0	20.39	0-3	3
	256QAM	1	0	18.55	0-5	5
		1	36	18.38	0-5	5
		1	74	18.36	0-5	5
		36	0	18.42	0-5	5
		36	18	18.37	0-5	5
		36	39	18.33	0-5	5
		75	0	18.35	0-5	5

LTE FDD Band 26 Conducted Power _ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _Main1 ANT.

LTE FDD Band 26 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	21.81	21.58	21.76	0	0
		1	3	21.73	21.49	21.67	0	0
		1	5	21.77	21.61	21.79	0	0
		3	0	21.77	21.55	21.74	0	0
		3	1	21.75	21.60	21.74	0	0
		3	3	21.77	21.61	21.76	0	0
		6	0	21.72	21.53	21.70	0-1	0
	16QAM	1	0	22.04	21.94	22.11	0-1	0
		1	3	22.10	21.85	22.09	0-1	0
		1	5	22.00	21.85	22.01	0-1	0
		3	0	21.89	21.65	21.91	0-1	0
		3	1	21.77	21.66	21.81	0-1	0
		3	3	21.85	21.67	21.82	0-1	0
		6	0	21.27	21.05	21.26	0-2	1
	64QAM	1	0	21.45	21.28	21.45	0-2	1
		1	3	21.35	21.13	21.41	0-2	1
		1	5	21.42	21.22	21.39	0-2	1
		3	0	20.30	20.12	20.34	0-2	1
		3	1	20.24	20.03	20.26	0-2	1
		3	3	20.31	20.16	20.40	0-2	1
		6	0	20.33	20.02	20.33	0-3	2
	256QAM	1	0	18.36	18.12	18.37	0-5	4
		1	3	18.16	17.94	18.22	0-5	4
		1	5	18.34	18.07	18.36	0-5	4
		3	0	18.29	18.13	18.41	0-5	4
		3	1	18.30	18.04	18.31	0-5	4
		3	3	18.35	18.16	18.38	0-5	4
		6	0	18.21	18.02	18.27	0-5	4

LTE FDD Band 26 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	21.77	21.57	21.71	0	0
		1	7	21.77	21.55	21.80	0	0
		1	14	21.65	21.54	21.73	0	0
		8	0	21.77	21.57	21.78	0-1	0
		8	3	21.75	21.52	21.78	0-1	0
		8	7	21.79	21.60	21.79	0-1	0
		15	0	21.83	21.61	21.87	0-1	0
	16QAM	1	0	22.01	21.83	22.19	0-1	0
		1	7	22.00	21.72	22.06	0-1	0
		1	14	21.95	21.89	21.96	0-1	0
		8	0	21.31	21.16	21.40	0-2	1
		8	3	21.39	21.21	21.43	0-2	1
		8	7	21.32	21.14	21.38	0-2	1
		15	0	21.28	21.06	21.32	0-2	1
	64QAM	1	0	21.35	21.21	21.36	0-2	1
		1	7	21.18	20.95	21.13	0-2	1
		1	14	21.44	21.22	21.42	0-2	1
		8	0	20.35	20.12	20.32	0-3	2
		8	3	20.34	20.11	20.35	0-3	2
		8	7	20.33	20.13	20.32	0-3	2
		15	0	20.32	20.06	20.34	0-3	2
	256QAM	1	0	18.31	18.14	18.35	0-5	4
		1	7	18.27	18.15	18.28	0-5	4
		1	14	18.30	18.05	18.30	0-5	4
		8	0	18.29	18.03	18.29	0-5	4
		8	3	18.28	18.06	18.27	0-5	4
		8	7	18.26	18.02	18.28	0-5	4
		15	0	18.27	18.02	18.27	0-5	4

LTE FDD Band 26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	21.74	21.57	21.78	0	0
		1	12	21.79	21.58	21.83	0	0
		1	24	21.73	21.59	21.83	0	0
		12	0	21.83	21.60	21.83	0-1	0
		12	6	21.76	21.60	21.82	0-1	0
		12	11	21.73	21.59	21.81	0-1	0
		25	0	21.83	21.67	21.89	0-1	0
	16QAM	1	0	22.20	22.00	22.14	0-1	0
		1	12	22.03	21.87	22.13	0-1	0
		1	24	22.04	21.98	22.16	0-1	0
		12	0	21.35	21.22	21.39	0-2	1
		12	6	21.37	21.15	21.41	0-2	1
		12	11	21.40	21.21	21.39	0-2	1
		25	0	21.31	21.12	21.32	0-2	1
	64QAM	1	0	21.45	21.40	21.49	0-2	1
		1	12	21.15	21.03	21.20	0-2	1
		1	24	21.39	21.22	21.43	0-2	1
		12	0	20.37	20.15	20.37	0-3	2
		12	6	20.31	20.16	20.35	0-3	2
		12	11	20.33	20.10	20.34	0-3	2
		25	0	20.29	20.10	20.32	0-3	2
	256QAM	1	0	18.40	18.17	18.47	0-5	4
		1	12	18.21	18.05	18.36	0-5	4
		1	24	18.22	18.07	18.39	0-5	4
		12	0	18.27	18.06	18.30	0-5	4
		12	6	18.24	18.10	18.28	0-5	4
		12	11	18.23	18.04	18.26	0-5	4
		25	0	18.28	18.06	18.32	0-5	4

LTE FDD Band 26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26740 Ch. 819 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	21.74	21.59	21.90	0	0
		1	24	21.64	21.56	21.80	0	0
		1	49	21.62	21.51	21.72	0	0
		25	0	21.74	21.67	21.89	0-1	0
		25	12	21.72	21.63	21.86	0-1	0
		25	24	21.72	21.59	21.87	0-1	0
		50	0	21.76	21.66	21.89	0-1	0
	16QAM	1	0	22.06	21.96	22.18	0-1	0
		1	24	21.94	21.63	21.96	0-1	0
		1	49	21.93	21.81	22.05	0-1	0
		25	0	21.29	21.17	21.36	0-2	1
		25	12	21.21	21.09	21.33	0-2	1
		25	24	21.21	21.07	21.34	0-2	1
		50	0	21.22	21.10	21.41	0-2	1
	64QAM	1	0	21.44	21.30	21.43	0-2	1
		1	24	21.30	21.29	21.41	0-2	1
		1	49	21.37	21.21	21.45	0-2	1
		25	0	20.28	20.17	20.37	0-3	2
		25	12	20.23	20.14	20.35	0-3	2
		25	24	20.19	20.09	20.30	0-3	2
		50	0	20.27	20.16	20.36	0-3	2
	256QAM	1	0	18.36	18.23	18.44	0-5	4
		1	24	18.22	17.99	18.32	0-5	4
		1	49	18.28	18.10	18.35	0-5	4
		25	0	18.24	18.11	18.32	0-5	4
		25	12	18.16	18.06	18.31	0-5	4
		25	24	18.14	18.07	18.27	0-5	4
		50	0	18.20	18.09	18.30	0-5	4

LTE FDD Band 26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0	21.59	0	0
		1	36	21.55	0	0
		1	74	21.50	0	0
		36	0	21.68	0-1	0
		36	18	21.60	0-1	0
		36	39	21.57	0-1	0
		75	0	21.66	0-1	0
	16QAM	1	0	22.01	0-1	0
		1	36	21.85	0-1	0
		1	74	21.77	0-1	0
		36	0	21.18	0-2	1
		36	18	21.11	0-2	1
		36	39	21.07	0-2	1
		75	0	21.14	0-2	1
	64QAM	1	0	21.28	0-2	1
		1	36	20.97	0-2	1
		1	74	21.18	0-2	1
		36	0	20.16	0-3	2
		36	18	20.09	0-3	2
		36	39	20.10	0-3	2
		75	0	20.10	0-3	2
	256QAM	1	0	18.29	0-5	4
		1	36	18.03	0-5	4
		1	74	18.08	0-5	4
		36	0	18.14	0-5	4
		36	18	18.11	0-5	4
		36	39	18.05	0-5	4
		75	0	18.12	0-5	4

LTE FDD Band 26 Conducted Power _ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

LTE FDD Band 26 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26697 Ch. 814.7 MHz	26865 Ch. 831.5 MHz	27033 Ch. 848.3 MHz		
1.4 MHz	QPSK	1	0	13.80	13.57	13.77	0	0
		1	3	13.66	13.49	13.69	0	0
		1	5	13.80	13.56	13.82	0	0
		3	0	13.70	13.52	13.75	0	0
		3	1	13.74	13.51	13.80	0	0
		3	3	13.78	13.51	13.78	0	0
		6	0	13.68	13.56	13.71	0-1	0
	16QAM	1	0	14.21	13.82	14.14	0-1	0
		1	3	14.01	13.87	14.06	0-1	0
		1	5	14.20	13.81	14.10	0-1	0
		3	0	13.77	13.75	13.98	0-1	0
		3	1	13.89	13.70	13.84	0-1	0
		3	3	13.78	13.66	13.91	0-1	0
		6	0	13.98	13.65	13.82	0-2	0
	64QAM	1	0	14.03	13.79	14.04	0-2	0
		1	3	13.93	13.75	13.93	0-2	0
		1	5	13.97	13.81	14.02	0-2	0
		3	0	13.95	13.66	13.87	0-2	0
		3	1	13.91	13.58	13.78	0-2	0
		3	3	13.82	13.74	13.92	0-2	0
		6	0	13.81	13.63	13.81	0-3	0
	256QAM	1	0	13.97	13.72	13.90	0-5	0
		1	3	13.79	13.61	13.84	0-5	0
		1	5	13.94	13.65	13.87	0-5	0
		3	0	13.91	13.67	13.89	0-5	0
		3	1	13.87	13.67	13.87	0-5	0
		3	3	13.95	13.76	13.97	0-5	0
		6	0	13.80	13.61	13.84	0-5	0

LTE FDD Band 26 _ 3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26705 Ch. 815.5 MHz	26865 Ch. 831.5 MHz	27025 Ch. 847.5 MHz		
3 MHz	QPSK	1	0	13.75	13.62	13.89	0	0
		1	7	13.78	13.58	13.82	0	0
		1	14	13.70	13.57	13.75	0	0
		8	0	13.76	13.61	13.81	0-1	0
		8	3	13.75	13.57	13.80	0-1	0
		8	7	13.80	13.66	13.85	0-1	0
		15	0	13.83	13.66	13.88	0-1	0
	16QAM	1	0	14.14	13.99	14.31	0-1	0
		1	7	14.21	13.88	14.24	0-1	0
		1	14	14.13	13.90	14.24	0-1	0
		8	0	13.91	13.75	13.99	0-2	0
		8	3	13.97	13.77	13.96	0-2	0
		8	7	13.91	13.73	13.93	0-2	0
		15	0	13.86	13.63	13.90	0-2	0
	64QAM	1	0	13.98	13.83	14.01	0-2	0
		1	7	13.78	13.60	13.80	0-2	0
		1	14	14.01	13.84	14.11	0-2	0
		8	0	13.89	13.73	13.95	0-3	0
		8	3	13.87	13.76	13.94	0-3	0
		8	7	13.86	13.73	13.94	0-3	0
		15	0	13.86	13.68	13.94	0-3	0
	256QAM	1	0	13.83	13.70	14.01	0-5	0
		1	7	13.92	13.71	13.93	0-5	0
		1	14	13.93	13.76	13.92	0-5	0
		8	0	13.85	13.67	13.90	0-5	0
		8	3	13.88	13.73	13.92	0-5	0
		8	7	13.86	13.69	13.92	0-5	0
		15	0	13.84	13.68	13.89	0-5	0

LTE FDD Band 26 _ 5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26715 Ch. 816.5 MHz	26865 Ch. 831.5 MHz	27015 Ch. 846.5 MHz		
5 MHz	QPSK	1	0	13.75	13.61	13.79	0	0
		1	12	13.77	13.60	13.80	0	0
		1	24	13.74	13.55	13.81	0	0
		12	0	13.80	13.60	13.81	0-1	0
		12	6	13.75	13.58	13.81	0-1	0
		12	11	13.74	13.55	13.81	0-1	0
		25	0	13.74	13.60	13.82	0-1	0
	16QAM	1	0	14.11	14.11	14.24	0-1	0
		1	12	14.15	13.95	14.15	0-1	0
		1	24	14.26	13.94	14.19	0-1	0
		12	0	13.93	13.77	13.98	0-2	0
		12	6	13.89	13.78	13.95	0-2	0
		12	11	13.93	13.76	14.00	0-2	0
		25	0	13.81	13.63	13.81	0-2	0
	64QAM	1	0	14.13	13.84	14.13	0-2	0
		1	12	13.74	13.57	13.78	0-2	0
		1	24	13.96	13.77	14.01	0-2	0
		12	0	13.95	13.75	13.96	0-3	0
		12	6	13.86	13.70	13.97	0-3	0
		12	11	13.92	13.72	13.95	0-3	0
		25	0	13.81	13.60	13.79	0-3	0
	256QAM	1	0	13.95	13.79	14.02	0-5	0
		1	12	13.92	13.69	14.01	0-5	0
		1	24	13.91	13.73	13.92	0-5	0
		12	0	13.83	13.65	13.85	0-5	0
		12	6	13.82	13.64	13.90	0-5	0
		12	11	13.82	13.70	13.90	0-5	0
		25	0	13.78	13.64	13.86	0-5	0

LTE FDD Band 26 _ 10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				26740 Ch. 819 MHz	26865 Ch. 831.5 MHz	26990 Ch. 844 MHz		
10 MHz	QPSK	1	0	13.81	13.76	13.91	0	0
		1	24	13.68	13.60	13.83	0	0
		1	49	13.63	13.56	13.79	0	0
		25	0	13.70	13.62	13.81	0-1	0
		25	12	13.72	13.62	13.83	0-1	0
		25	24	13.67	13.58	13.82	0-1	0
		50	0	13.68	13.61	13.79	0-1	0
	16QAM	1	0	14.10	14.04	14.27	0-1	0
		1	24	13.90	13.84	14.01	0-1	0
		1	49	13.99	14.00	14.08	0-1	0
		25	0	13.76	13.63	13.89	0-2	0
		25	12	13.75	13.63	13.84	0-2	0
		25	24	13.69	13.62	13.82	0-2	0
		50	0	13.73	13.65	13.87	0-2	0
	64QAM	1	0	14.07	13.90	14.15	0-2	0
		1	24	13.91	13.90	14.07	0-2	0
		1	49	13.96	13.89	14.09	0-2	0
		25	0	13.74	13.69	13.92	0-3	0
		25	12	13.75	13.65	13.82	0-3	0
		25	24	13.72	13.61	13.84	0-3	0
		50	0	13.76	13.65	13.85	0-3	0
	256QAM	1	0	13.90	13.83	14.12	0-5	0
		1	24	13.84	13.70	14.00	0-5	0
		1	49	13.88	13.81	14.02	0-5	0
		25	0	13.71	13.65	13.86	0-5	0
		25	12	13.70	13.64	13.82	0-5	0
		25	24	13.70	13.57	13.84	0-5	0
		50	0	13.72	13.61	13.84	0-5	0

LTE FDD Band 26 _ 15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]	MPR Allowed Per 3GPP [dB]	MPR [dB]
				26865 Ch. 831.5 MHz		
15 MHz	QPSK	1	0	13.64	0	0
		1	36	13.61	0	0
		1	74	13.56	0	0
		36	0	13.68	0-1	0
		36	18	13.64	0-1	0
		36	39	13.59	0-1	0
		75	0	13.60	0-1	0
	16QAM	1	0	14.08	0-1	0
		1	36	14.02	0-1	0
		1	74	13.93	0-1	0
		36	0	13.69	0-2	0
		36	18	13.66	0-2	0
		36	39	13.64	0-2	0
		75	0	13.62	0-2	0
	64QAM	1	0	14.04	0-2	0
		1	36	13.64	0-2	0
		1	74	13.77	0-2	0
		36	0	13.72	0-3	0
		36	18	13.69	0-3	0
		36	39	13.64	0-3	0
		75	0	13.62	0-3	0
	256QAM	1	0	13.86	0-5	0
		1	36	13.71	0-5	0
		1	74	13.75	0-5	0
		36	0	13.70	0-5	0
		36	18	13.68	0-5	0
		36	39	13.63	0-5	0
		75	0	13.64	0-5	0

K.8 LTE TDD Band 41 Maximum Conducted Output Power

LTE TDD Band 41 Conducted Power _ Measured Pmax, RSI = 0 (Free, Grip Sensor Off)

Main1 ANT.

LTE TDD Band 41 _ 5 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
5 MHz	QPSK	1	0	23.94	23.72	23.35	23.69	23.74	0	0
		1	12	23.91	23.80	23.47	23.77	23.89	0	0
		1	24	23.99	23.79	23.47	23.77	23.88	0	0
		12	0	22.99	22.80	22.48	22.79	22.90	0-1	1
		12	6	22.99	22.79	22.48	22.77	22.88	0-1	1
		12	11	22.99	22.80	22.49	22.76	22.87	0-1	1
		25	0	22.99	22.80	22.47	22.78	22.88	0-1	1
	16QAM	1	0	22.95	22.78	22.48	22.78	22.89	0-1	1
		1	12	22.93	22.74	22.48	22.77	22.89	0-1	1
		1	24	22.98	22.78	22.47	22.77	22.89	0-1	1
		12	0	21.94	21.70	21.41	21.71	21.82	0-2	2
		12	6	21.94	21.71	21.40	21.69	21.79	0-2	2
		12	11	21.97	21.75	21.44	21.73	21.85	0-2	2
		25	0	21.97	21.82	21.49	21.79	21.90	0-2	2
	64QAM	1	0	21.62	21.45	21.14	21.45	21.56	0-2	2
		1	12	21.49	21.12	21.03	21.20	21.33	0-2	2
		1	24	21.62	21.41	21.10	21.41	21.52	0-2	2
		12	0	20.99	20.72	20.42	20.72	20.83	0-3	3
		12	6	20.94	20.69	20.38	20.71	20.82	0-3	3
		12	11	20.98	20.71	20.41	20.74	20.85	0-3	3
		25	0	20.97	20.72	20.41	20.74	20.85	0-3	3
	256QAM	1	0	18.73	18.56	18.26	18.57	18.69	0-5	5
		1	12	18.61	18.49	18.17	18.50	18.66	0-5	5
		1	24	18.68	18.50	18.19	18.51	18.63	0-5	5
		12	0	18.96	18.79	18.48	18.81	18.92	0-5	5
		12	6	18.95	18.80	18.48	18.80	18.93	0-5	5
		12	11	18.98	18.81	18.50	18.83	18.96	0-5	5
		25	0	18.90	18.73	18.42	18.74	18.86	0-5	5

LTE TDD Band 41_ 10 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
10 MHz	QPSK	1	0	23.81	23.71	23.39	23.78	23.83	0	0
		1	24	23.76	23.67	23.35	23.70	23.80	0	0
		1	49	23.84	23.71	23.39	23.73	23.83	0	0
		25	0	22.90	22.79	22.47	22.79	22.90	0-1	1
		25	12	22.92	22.79	22.48	22.80	22.90	0-1	1
		25	24	22.94	22.79	22.48	22.80	22.91	0-1	1
		50	0	22.96	22.80	22.48	22.80	22.91	0-1	1
	16QAM	1	0	22.94	22.78	22.47	22.79	22.90	0-1	1
		1	24	22.79	22.60	22.29	22.61	22.73	0-1	1
		1	49	22.94	22.76	22.43	22.76	22.88	0-1	1
		25	0	21.97	21.80	21.50	21.82	21.93	0-2	2
		25	12	21.98	21.81	21.49	21.81	21.92	0-2	2
		25	24	21.96	21.79	21.47	21.80	21.91	0-2	2
		50	0	21.96	21.82	21.50	21.82	21.92	0-2	2
	64QAM	1	0	21.58	21.43	21.14	21.45	21.55	0-2	2
		1	24	21.57	21.41	21.09	21.42	21.53	0-2	2
		1	49	21.60	21.45	21.11	21.46	21.56	0-2	2
		25	0	20.90	20.75	20.45	20.77	20.87	0-3	3
		25	12	20.90	20.74	20.43	20.76	20.86	0-3	3
		25	24	20.91	20.76	20.43	20.77	20.88	0-3	3
		50	0	20.97	20.82	20.51	20.83	20.93	0-3	3
	256QAM	1	0	18.70	18.57	18.27	18.59	18.69	0-5	5
		1	24	18.64	18.49	18.18	18.50	18.62	0-5	5
		1	49	18.72	18.58	18.23	18.58	18.70	0-5	5
		25	0	18.88	18.75	18.43	18.76	18.88	0-5	5
		25	12	18.86	18.71	18.40	18.76	18.86	0-5	5
		25	24	18.88	18.74	18.41	18.75	18.87	0-5	5
		50	0	18.93	18.78	18.47	18.81	18.92	0-5	5

LTE TDD Band 41 _ 15 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
15 MHz	QPSK	1	0	23.87	23.67	23.37	23.72	23.39	0	0
		1	36	23.93	23.73	23.40	23.77	23.67	0	0
		1	74	23.96	23.79	23.44	23.78	23.56	0	0
		36	0	22.97	22.82	22.52	22.82	22.46	0-1	1
		36	18	22.96	22.81	22.51	22.80	22.53	0-1	1
		36	39	22.98	22.82	22.49	22.80	22.53	0-1	1
		75	0	22.99	22.83	22.51	22.82	22.54	0-1	1
	16QAM	1	0	22.98	22.84	22.54	22.84	22.70	0-1	1
		1	36	22.99	22.79	22.49	22.79	22.85	0-1	1
		1	74	22.99	22.82	22.48	22.80	22.74	0-1	1
		36	0	21.94	21.79	21.48	21.78	21.47	0-2	2
		36	18	21.92	21.77	21.45	21.75	21.48	0-2	2
		36	39	21.93	21.76	21.43	21.75	21.49	0-2	2
		75	0	21.97	21.82	21.50	21.82	21.52	0-2	2
	64QAM	1	0	21.65	21.51	21.23	21.52	21.43	0-2	2
		1	36	21.37	21.26	21.03	21.22	21.50	0-2	2
		1	74	21.64	21.47	21.13	21.45	21.45	0-2	2
		36	0	20.97	20.82	20.51	20.82	20.51	0-3	3
		36	18	20.97	20.80	20.50	20.81	20.53	0-3	3
		36	39	20.96	20.80	20.48	20.79	20.55	0-3	3
		75	0	20.96	20.81	20.49	20.81	20.54	0-3	3
	256QAM	1	0	18.77	18.63	18.34	18.65	18.39	0-5	5
		1	36	18.73	18.58	18.25	18.53	18.62	0-5	5
		1	74	18.74	18.57	18.24	18.58	18.52	0-5	5
		36	0	18.94	18.79	18.48	18.81	18.52	0-5	5
		36	18	18.93	18.78	18.46	18.78	18.57	0-5	5
		36	39	18.94	18.78	18.46	18.78	18.58	0-5	5
		75	0	18.92	18.77	18.46	18.78	18.58	0-5	5

LTE TDD Band 41_20 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
20 MHz	QPSK	1	0	23.93	23.73	23.44	23.79	23.83	0	0
		1	49	23.88	23.70	23.40	23.71	23.82	0	0
		1	99	23.92	23.74	23.40	23.72	23.84	0	0
		50	0	22.98	22.82	22.53	22.81	22.91	0-1	1
		50	25	22.97	22.82	22.51	22.80	22.91	0-1	1
		50	49	22.97	22.80	22.48	22.78	22.89	0-1	1
		100	0	22.99	22.83	22.52	22.82	22.92	0-1	1
	16QAM	1	0	22.97	22.82	22.55	22.82	22.93	0-1	1
		1	49	22.81	22.63	22.32	22.62	22.73	0-1	1
		1	99	22.98	22.80	22.46	22.77	22.90	0-1	1
		50	0	21.91	21.85	21.56	21.84	21.94	0-2	2
		50	25	21.90	21.85	21.53	21.83	21.93	0-2	2
		50	49	21.91	21.83	21.51	21.80	21.93	0-2	2
		100	0	21.92	21.85	21.55	21.84	21.96	0-2	2
	64QAM	1	0	21.64	21.48	21.21	21.48	21.60	0-2	2
		1	49	21.61	21.45	21.13	21.43	21.56	0-2	2
		1	99	21.66	21.48	21.14	21.45	21.58	0-2	2
		50	0	20.92	20.86	20.57	20.86	20.97	0-3	3
		50	25	20.91	20.85	20.54	20.83	20.94	0-3	3
		50	49	20.91	20.84	20.52	20.81	20.93	0-3	3
		100	0	20.97	20.81	20.51	20.79	20.91	0-3	3
	256QAM	1	0	18.75	18.59	18.32	18.61	18.71	0-5	5
		1	49	18.67	18.50	18.21	18.50	18.62	0-5	5
		1	99	18.75	18.57	18.23	18.56	18.69	0-5	5
		50	0	18.97	18.82	18.54	18.83	18.94	0-5	5
		50	25	18.97	18.81	18.50	18.81	18.92	0-5	5
		50	49	18.96	18.80	18.48	18.79	18.91	0-5	5
		100	0	18.92	18.78	18.47	18.78	18.89	0-5	5

Note; LTE Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

LTE TDD Band 41 Conducted Power (Power Class 3) _ Measured RSI = 2 (GRIP 2 ON) _ Main1

ANT.

LTE TDD Band 41 _ 5 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
5 MHz	QPSK	1	0	13.96	14.05	14.02	13.44	13.23	0	0
		1	12	14.15	14.07	14.00	13.35	13.09	0	0
		1	24	14.18	13.99	13.88	13.19	12.85	0	0
		12	0	14.10	14.09	14.05	13.41	13.21	0-1	0
		12	6	14.17	14.08	14.02	13.35	13.11	0-1	0
		12	11	14.21	14.06	13.99	13.30	13.03	0-1	0
		25	0	14.18	14.08	14.02	13.34	13.10	0-1	0
	16QAM	1	0	14.09	14.05	14.03	13.40	13.23	0-1	0
		1	12	14.27	14.06	14.01	13.31	13.08	0-1	0
		1	24	14.31	13.97	13.88	13.15	12.83	0-1	0
		12	0	14.10	14.00	13.97	13.30	13.10	0-2	0
		12	6	14.16	13.99	13.94	13.24	13.01	0-2	0
		12	11	14.20	13.97	13.91	13.19	12.92	0-2	0
		25	0	14.21	14.09	14.04	13.34	13.10	0-2	0
	64QAM	1	0	13.76	13.72	13.72	13.06	12.89	0-2	0
		1	12	13.90	13.75	13.70	13.00	12.75	0-2	0
		1	24	13.95	13.67	13.57	12.82	12.51	0-2	0
		12	0	14.20	14.03	13.99	13.32	13.12	0-3	0
		12	6	14.25	14.01	13.96	13.27	13.03	0-3	0
		12	11	14.28	14.00	13.94	13.21	12.94	0-3	0
		25	0	14.27	14.05	14.01	13.30	13.05	0-3	0
	256QAM	1	0	13.75	13.88	13.80	13.30	13.07	0-5	0
		1	12	13.64	13.70	13.67	13.19	13.00	0-5	0
		1	24	13.69	13.81	13.74	13.23	12.99	0-5	0
		12	0	13.96	14.10	14.02	13.53	13.29	0-5	0
		12	6	13.97	14.10	14.02	13.53	13.27	0-5	0
		12	11	13.97	14.10	14.02	13.55	13.29	0-5	0
		25	0	13.95	14.07	14.01	13.49	13.25	0-5	0

LTE TDD Band 41 _ 10 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
10 MHz	QPSK	1	0	13.99	14.06	14.02	13.54	13.24	0	0
		1	24	14.26	14.03	13.97	13.36	12.94	0	0
		1	49	14.35	13.87	13.72	13.03	12.54	0	0
		25	0	14.15	14.07	14.03	13.46	13.13	0-1	0
		25	12	14.26	14.04	14.03	13.35	12.95	0-1	0
		25	24	14.33	13.99	14.01	13.21	12.73	0-1	0
		50	0	14.24	14.04	14.01	13.33	12.93	0-1	0
	16QAM	1	0	13.94	14.03	14.03	13.47	13.20	0-1	0
		1	24	14.23	14.02	13.97	13.30	12.93	0-1	0
		1	49	14.33	13.87	13.73	13.00	12.54	0-1	0
		25	0	14.14	14.07	14.04	13.45	13.13	0-2	0
		25	12	14.26	14.05	13.98	13.34	12.95	0-2	0
		25	24	14.33	14.00	13.90	13.21	12.73	0-2	0
		50	0	14.25	14.04	13.97	13.33	12.93	0-2	0
	64QAM	1	0	13.64	13.74	13.71	13.17	12.90	0-2	0
		1	24	13.94	13.72	13.65	13.01	12.62	0-2	0
		1	49	14.01	13.56	13.41	12.68	12.52	0-2	0
		25	0	14.10	14.03	13.99	13.40	13.08	0-3	0
		25	12	14.21	14.01	13.93	13.30	12.91	0-3	0
		25	24	14.28	13.95	13.85	13.15	12.69	0-3	0
		50	0	14.27	14.07	13.99	13.35	12.97	0-3	0
	256QAM	1	0	13.71	13.86	13.79	13.31	13.08	0-5	0
		1	24	13.67	13.79	13.74	13.21	12.99	0-5	0
		1	49	13.71	13.81	13.75	13.27	13.05	0-5	0
		25	0	13.89	14.06	13.99	13.49	13.27	0-5	0
		25	12	13.89	14.03	13.97	13.47	13.26	0-5	0
		25	24	13.89	14.02	13.95	13.47	13.24	0-5	0
		50	0	13.94	14.08	14.02	13.54	13.31	0-5	0

LTE TDD Band 41 _ 15 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
15 MHz	QPSK	1	0	13.97	14.05	14.03	13.47	13.19	0	0
		1	36	14.33	14.39	14.40	13.65	13.21	0	0
		1	74	14.06	13.75	13.66	12.82	12.61	0	0
		36	0	13.98	14.27	14.32	13.64	13.29	0-1	0
		36	18	14.27	14.35	14.37	13.62	13.19	0-1	0
		36	39	14.25	14.14	14.10	13.28	12.71	0-1	0
		75	0	14.11	14.20	14.24	13.46	13.01	0-1	0
	16QAM	1	0	13.44	13.99	14.03	13.43	13.12	0-1	0
		1	36	14.29	14.35	14.38	13.61	13.15	0-1	0
		1	74	14.02	13.72	13.64	12.79	12.56	0-1	0
		36	0	13.90	14.18	14.25	13.55	13.20	0-2	0
		36	18	14.18	14.27	14.29	13.52	13.09	0-2	0
		36	39	14.18	14.05	14.04	13.18	12.61	0-2	0
		75	0	14.10	14.18	14.19	13.43	12.98	0-2	0
	64QAM	1	0	13.12	13.67	13.71	13.10	12.80	0-2	0
		1	36	13.98	14.04	14.07	13.30	12.85	0-2	0
		1	74	13.72	13.42	13.34	12.57	12.75	0-2	0
		36	0	13.94	14.24	14.29	13.61	13.25	0-3	0
		36	18	14.24	14.32	14.35	13.59	13.14	0-3	0
		36	39	14.24	14.12	14.08	13.26	12.69	0-3	0
		75	0	14.11	14.20	14.21	13.45	13.00	0-3	0
	256QAM	1	0	13.74	13.93	13.83	13.36	13.13	0-5	0
		1	36	13.60	13.78	13.70	13.25	12.97	0-5	0
		1	74	13.67	13.81	13.73	13.25	13.01	0-5	0
		36	0	13.90	14.08	13.99	13.52	13.29	0-5	0
		36	18	13.89	14.07	13.97	13.50	13.27	0-5	0
		36	39	13.89	14.04	13.96	13.48	13.25	0-5	0
		75	0	13.88	14.06	13.97	13.50	13.27	0-5	0

LTE TDD Band 41_20 MHz Bandwidth Conducted Power - Power Class 3

Band width	Modulation	RB Size	RB Offset	Max. Average Power [dBm]					MPR Allowed Per 3GPP [dB]	MPR [dB]
				39750 Ch. 2506.0 MHz	40185 Ch. 2549.5 MHz	40620 Ch. 2593.0 MHz	41055 Ch. 2636.5 MHz	41490 Ch. 2680.0 MHz		
20 MHz	QPSK	1	0	13.95	14.24	14.04	13.51	13.20	0	0
		1	49	14.05	14.19	13.95	13.25	12.83	0	0
		1	99	14.22	13.92	13.52	12.73	12.95	0	0
		50	0	13.80	14.25	13.52	13.40	13.10	0-1	0
		50	25	14.04	14.20	13.93	13.24	12.84	0-1	0
		50	49	14.16	14.10	13.77	13.02	12.57	0-1	0
		100	0	13.99	14.17	13.89	13.21	12.78	0-1	0
	16QAM	1	0	13.40	14.21	13.95	13.44	13.18	0-1	0
		1	49	14.02	14.17	13.90	13.21	12.82	0-1	0
		1	99	14.21	13.90	13.50	12.72	12.94	0-1	0
		50	0	13.79	14.25	14.00	13.39	13.09	0-2	0
		50	25	14.04	14.19	13.93	13.23	12.83	0-2	0
		50	49	14.16	14.09	13.77	13.01	12.56	0-2	0
		100	0	13.99	14.19	13.90	13.22	12.80	0-2	0
	64QAM	1	0	13.09	13.91	13.65	13.14	12.88	0-2	0
		1	49	13.71	13.87	13.60	12.91	12.51	0-2	0
		1	99	13.89	13.59	13.19	12.89	12.62	0-2	0
		50	0	13.81	14.28	14.02	13.42	13.12	0-3	0
		50	25	14.05	14.22	13.95	13.26	12.86	0-3	0
		50	49	14.17	14.12	13.79	13.04	12.59	0-3	0
		100	0	13.98	14.18	13.88	13.19	12.77	0-3	0
	256QAM	1	0	13.71	13.90	13.80	13.35	13.10	0-5	0
		1	49	13.62	13.77	13.69	13.22	12.98	0-5	0
		1	99	13.65	13.78	13.70	13.23	12.98	0-5	0
		50	0	13.95	14.12	14.03	13.58	13.34	0-5	0
		50	25	13.93	14.09	14.00	13.54	13.29	0-5	0
		50	49	13.91	14.05	13.97	13.50	13.26	0-5	0
		100	0	13.88	14.05	13.96	13.51	13.27	0-5	0

Note; LTE TDD Band 41 has 5 required test channels per FCC KDB 447498 D04v01.

K.9. LTE FDD Band 66 Maximum Conducted Output Power

LTE FDD Band 66 Conducted Power_ Measured Pmax, RSI = 0 (Free, Grip Sensor Off) _Main1 ANT.

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.03	22.98	23.35	0	0
		1	3	22.99	23.03	23.25	0	0
		1	5	23.12	23.14	23.34	0	0
		3	0	23.08	23.09	23.36	0	0
		3	1	23.12	23.11	23.34	0	0
		3	3	23.12	23.12	23.37	0	0
		6	0	22.08	22.08	22.32	0-1	1
	16QAM	1	0	22.38	22.42	22.59	0-1	1
		1	3	22.42	22.43	22.58	0-1	1
		1	5	22.36	22.45	22.54	0-1	1
		3	0	22.28	22.32	22.51	0-1	1
		3	1	22.26	22.22	22.42	0-1	1
		3	3	22.25	22.20	22.43	0-1	1
		6	0	21.17	21.20	21.42	0-2	2
	64QAM	1	0	21.32	21.36	21.59	0-2	2
		1	3	21.28	21.33	21.46	0-2	2
		1	5	21.27	21.34	21.50	0-2	2
		3	0	21.25	21.22	21.42	0-2	2
		3	1	21.12	21.14	21.33	0-2	2
		3	3	21.22	21.20	21.43	0-2	2
		6	0	20.14	20.15	20.36	0-3	3
	256QAM	1	0	18.22	18.19	18.48	0-5	5
		1	3	18.04	18.04	18.24	0-5	5
		1	5	18.15	18.11	18.42	0-5	5
		3	0	18.18	18.17	18.40	0-5	5
		3	1	18.15	18.17	18.38	0-5	5
		3	3	18.22	18.23	18.42	0-5	5
		6	0	18.07	18.09	18.30	0-5	5

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	23.14	23.18	23.37	0	0
		1	7	23.15	23.18	23.42	0	0
		1	14	23.11	23.16	23.40	0	0
		8	0	22.15	22.14	22.43	0-1	1
		8	3	22.16	22.20	22.39	0-1	1
		8	7	22.19	22.23	22.40	0-1	1
		15	0	22.25	22.26	22.51	0-1	1
	16QAM	1	0	22.35	22.46	22.54	0-1	1
		1	7	22.37	22.50	22.51	0-1	1
		1	14	22.44	22.50	22.58	0-1	1
		8	0	21.28	21.34	21.49	0-2	2
		8	3	21.30	21.37	21.53	0-2	2
		8	7	21.28	21.27	21.53	0-2	2
		15	0	21.19	21.23	21.46	0-2	2
	64QAM	1	0	21.34	21.34	21.57	0-2	2
		1	7	21.14	21.11	21.37	0-2	2
		1	14	21.43	21.41	21.55	0-2	2
		8	0	20.25	20.29	20.47	0-3	3
		8	3	20.22	20.27	20.48	0-3	3
		8	7	20.28	20.29	20.52	0-3	3
		15	0	20.25	20.25	20.44	0-3	3
	256QAM	1	0	18.25	18.20	18.43	0-5	5
		1	7	18.20	18.12	18.41	0-5	5
		1	14	18.20	18.24	18.47	0-5	5
		8	0	18.18	18.20	18.39	0-5	5
		8	3	18.17	18.17	18.37	0-5	5
		8	7	18.16	18.13	18.41	0-5	5
		15	0	18.14	18.17	18.40	0-5	5

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.06	22.98	23.25	0	0
		1	12	23.15	23.15	23.40	0	0
		1	24	23.18	23.21	23.43	0	0
		12	0	22.17	22.18	22.42	0-1	1
		12	6	22.18	22.20	22.44	0-1	1
		12	11	22.17	22.25	22.45	0-1	1
		25	0	22.13	22.18	22.47	0-1	1
	16QAM	1	0	22.39	22.54	22.56	0-1	1
		1	12	22.38	22.41	22.58	0-1	1
		1	24	22.37	22.53	22.52	0-1	1
		12	0	21.28	21.29	21.54	0-2	2
		12	6	21.28	21.31	21.55	0-2	2
		12	11	21.34	21.37	21.56	0-2	2
		25	0	21.19	21.21	21.47	0-2	2
	64QAM	1	0	21.44	21.37	21.59	0-2	2
		1	12	21.10	21.11	21.34	0-2	2
		1	24	21.36	21.38	21.51	0-2	2
		12	0	20.25	20.23	20.53	0-3	3
		12	6	20.20	20.21	20.49	0-3	3
		12	11	20.30	20.26	20.54	0-3	3
		25	0	20.16	20.24	20.43	0-3	3
	256QAM	1	0	18.23	18.26	18.56	0-5	5
		1	12	18.18	18.20	18.47	0-5	5
		1	24	18.16	18.19	18.52	0-5	5
		12	0	18.10	18.17	18.38	0-5	5
		12	6	18.11	18.15	18.41	0-5	5
		12	11	18.13	18.18	18.39	0-5	5
		25	0	18.10	18.13	18.39	0-5	5

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.00	23.09	23.50	0	0
		1	24	23.00	23.12	23.48	0	0
		1	49	23.09	23.19	23.45	0	0
		25	0	22.02	22.20	22.44	0-1	1
		25	12	22.01	22.23	22.49	0-1	1
		25	24	22.07	22.26	22.51	0-1	1
		50	0	22.06	22.26	22.50	0-1	1
	16QAM	1	0	22.35	22.52	22.53	0-1	1
		1	24	22.32	22.38	22.56	0-1	1
		1	49	22.30	22.58	22.57	0-1	1
		25	0	21.05	21.20	21.51	0-2	2
		25	12	21.10	21.20	21.47	0-2	2
		25	24	21.07	21.28	21.50	0-2	2
		50	0	21.11	21.23	21.50	0-2	2
	64QAM	1	0	21.24	21.39	21.54	0-2	2
		1	24	21.26	21.35	21.55	0-2	2
		1	49	21.33	21.49	21.53	0-2	2
		25	0	20.05	20.22	20.44	0-3	3
		25	12	20.08	20.24	20.45	0-3	3
		25	24	20.12	20.22	20.46	0-3	3
		50	0	20.04	20.24	20.49	0-3	3
	256QAM	1	0	18.09	18.29	18.54	0-5	5
		1	24	18.12	18.18	18.55	0-5	5
		1	49	18.24	18.34	18.55	0-5	5
		25	0	17.99	18.14	18.39	0-5	5
		25	12	17.97	18.16	18.40	0-5	5
		25	24	18.00	18.14	18.43	0-5	5
		50	0	18.01	18.16	18.44	0-5	5

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	22.84	23.12	23.24	0	0
		1	36	22.95	23.25	23.39	0	0
		1	74	23.00	23.33	23.47	0	0
		36	0	21.97	22.24	22.43	0-1	1
		36	18	21.97	22.21	22.47	0-1	1
		36	39	22.02	22.33	22.48	0-1	1
		75	0	21.98	22.23	22.46	0-1	1
	16QAM	1	0	22.24	22.52	22.56	0-1	1
		1	36	22.23	22.53	22.58	0-1	1
		1	74	22.32	22.55	22.59	0-1	1
		36	0	21.03	21.30	21.48	0-2	2
		36	18	21.00	21.28	21.49	0-2	2
		36	39	21.06	21.36	21.51	0-2	2
		75	0	20.97	21.26	21.47	0-2	2
	64QAM	1	0	21.07	21.38	21.54	0-2	2
		1	36	20.82	21.17	21.39	0-2	2
		1	74	21.23	21.46	21.58	0-2	2
		36	0	20.02	20.26	20.48	0-3	3
		36	18	20.03	20.28	20.53	0-3	3
		36	39	20.02	20.29	20.52	0-3	3
		75	0	20.00	20.25	20.46	0-3	3
	256QAM	1	0	18.00	18.26	18.57	0-5	5
		1	36	17.94	18.19	18.45	0-5	5
		1	74	18.10	18.39	18.55	0-5	5
		36	0	17.95	18.22	18.46	0-5	5
		36	18	17.92	18.24	18.45	0-5	5
		36	39	18.02	18.24	18.46	0-5	5
		75	0	17.89	18.18	18.40	0-5	5

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	22.73	23.05	23.24	0	0
		1	49	22.73	23.16	23.34	0	0
		1	99	22.88	23.26	23.45	0	0
		50	0	21.78	22.19	22.37	0-1	1
		50	25	21.82	22.22	22.43	0-1	1
		50	49	21.83	22.22	22.44	0-1	1
		100	0	21.81	22.21	22.44	0-1	1
	16QAM	1	0	22.01	22.55	22.53	0-1	1
		1	49	21.92	22.45	22.56	0-1	1
		1	99	22.14	22.57	22.58	0-1	1
		50	0	20.84	21.22	21.47	0-2	2
		50	25	20.85	21.28	21.47	0-2	2
		50	49	20.86	21.29	21.52	0-2	2
		100	0	20.83	21.24	21.47	0-2	2
	64QAM	1	0	20.95	21.31	21.51	0-2	2
		1	49	21.11	21.30	21.51	0-2	2
		1	99	21.16	21.58	21.53	0-2	2
		50	0	19.84	20.27	20.43	0-3	3
		50	25	19.83	20.28	20.48	0-3	3
		50	49	19.88	20.30	20.50	0-3	3
		100	0	19.82	20.24	20.46	0-3	3
	256QAM	1	0	17.80	18.30	18.45	0-5	5
		1	49	17.81	18.26	18.49	0-5	5
		1	99	17.98	18.40	18.51	0-5	5
		50	0	17.76	18.20	18.36	0-5	5
		50	25	17.76	18.18	18.39	0-5	5
		50	49	17.77	18.22	18.39	0-5	5
		100	0	17.77	18.22	18.42	0-5	5

LTE FDD Band 66 Conducted Power_ Measured RSI = 1, 3 (GRIP 1, GRIP 3 ON) _Main1 ANT.

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	17.28	17.07	17.35	0	0
		1	3	17.23	17.02	17.30	0	0
		1	5	17.33	17.11	17.45	0	0
		3	0	17.31	17.06	17.41	0	0
		3	1	17.34	17.12	17.46	0	0
		3	3	17.35	17.12	17.43	0	0
		6	0	17.30	17.09	17.38	0-1	0
	16QAM	1	0	17.75	17.40	17.61	0-1	0
		1	3	17.59	17.43	17.59	0-1	0
		1	5	17.69	17.44	17.77	0-1	0
		3	0	17.38	17.31	17.58	0-1	0
		3	1	17.41	17.23	17.54	0-1	0
		3	3	17.32	17.24	17.53	0-1	0
		6	0	17.48	17.15	17.46	0-2	0
	64QAM	1	0	17.48	17.32	17.65	0-2	0
		1	3	17.49	17.27	17.55	0-2	0
		1	5	17.47	17.26	17.54	0-2	0
		3	0	17.38	17.19	17.50	0-2	0
		3	1	17.35	17.16	17.39	0-2	0
		3	3	17.43	17.21	17.50	0-2	0
		6	0	17.40	17.15	17.43	0-3	0
	256QAM	1	0	17.45	17.22	17.51	0-5	0
		1	3	17.36	17.09	17.43	0-5	0
		1	5	17.44	17.19	17.49	0-5	0
		3	0	17.45	17.23	17.48	0-5	0
		3	1	17.43	17.21	17.50	0-5	0
		3	3	17.51	17.26	17.56	0-5	0
		6	0	17.35	17.09	17.37	0-5	0

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	17.38	17.22	17.47	0	0
		1	7	17.38	17.21	17.46	0	0
		1	14	17.34	17.15	17.43	0	0
		8	0	17.42	17.16	17.45	0-1	0
		8	3	17.36	17.14	17.46	0-1	0
		8	7	17.44	17.21	17.48	0-1	0
		15	0	17.47	17.22	17.57	0-1	0
	16QAM	1	0	17.74	17.45	17.81	0-1	0
		1	7	17.64	17.46	17.78	0-1	0
		1	14	17.74	17.47	17.78	0-1	0
		8	0	17.51	17.24	17.57	0-2	0
		8	3	17.55	17.24	17.57	0-2	0
		8	7	17.47	17.25	17.54	0-2	0
		15	0	17.42	17.15	17.49	0-2	0
	64QAM	1	0	17.53	17.27	17.63	0-2	0
		1	7	17.32	17.09	17.39	0-2	0
		1	14	17.70	17.36	17.70	0-2	0
		8	0	17.49	17.21	17.57	0-3	0
		8	3	17.50	17.28	17.58	0-3	0
		8	7	17.52	17.26	17.53	0-3	0
		15	0	17.51	17.26	17.52	0-3	0
	256QAM	1	0	17.47	17.19	17.58	0-5	0
		1	7	17.43	17.25	17.56	0-5	0
		1	14	17.53	17.28	17.55	0-5	0
		8	0	17.48	17.22	17.52	0-5	0
		8	3	17.49	17.24	17.54	0-5	0
		8	7	17.48	17.25	17.50	0-5	0
		15	0	17.46	17.22	17.51	0-5	0

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	17.34	17.13	17.45	0	0
		1	12	17.41	17.23	17.53	0	0
		1	24	17.42	17.22	17.55	0	0
		12	0	17.42	17.22	17.52	0-1	0
		12	6	17.43	17.19	17.50	0-1	0
		12	11	17.46	17.20	17.52	0-1	0
		25	0	17.43	17.23	17.53	0-1	0
	16QAM	1	0	17.75	17.46	17.82	0-1	0
		1	12	17.77	17.48	17.82	0-1	0
		1	24	17.80	17.52	17.82	0-1	0
		12	0	17.53	17.30	17.59	0-2	0
		12	6	17.56	17.27	17.56	0-2	0
		12	11	17.61	17.33	17.67	0-2	0
		25	0	17.46	17.24	17.54	0-2	0
	64QAM	1	0	17.58	17.41	17.77	0-2	0
		1	12	17.43	17.12	17.42	0-2	0
		1	24	17.62	17.36	17.67	0-2	0
		12	0	17.53	17.23	17.58	0-3	0
		12	6	17.51	17.19	17.55	0-3	0
		12	11	17.53	17.29	17.61	0-3	0
		25	0	17.44	17.21	17.52	0-3	0
	256QAM	1	0	17.62	17.33	17.61	0-5	0
		1	12	17.50	17.30	17.57	0-5	0
		1	24	17.56	17.32	17.61	0-5	0
		12	0	17.47	17.22	17.49	0-5	0
		12	6	17.49	17.23	17.52	0-5	0
		12	11	17.49	17.21	17.53	0-5	0
		25	0	17.45	17.23	17.53	0-5	0

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	17.42	17.14	17.50	0	0
		1	24	17.38	17.16	17.46	0	0
		1	49	17.43	17.20	17.53	0	0
		25	0	17.45	17.22	17.53	0-1	0
		25	12	17.49	17.23	17.52	0-1	0
		25	24	17.47	17.21	17.58	0-1	0
		50	0	17.46	17.22	17.51	0-1	0
	16QAM	1	0	17.72	17.47	17.81	0-1	0
		1	24	17.51	17.23	17.57	0-1	0
		1	49	17.87	17.48	17.91	0-1	0
		25	0	17.45	17.20	17.52	0-2	0
		25	12	17.48	17.23	17.52	0-2	0
		25	24	17.51	17.19	17.53	0-2	0
		50	0	17.49	17.22	17.54	0-2	0
	64QAM	1	0	17.58	17.35	17.65	0-2	0
		1	24	17.62	17.38	17.66	0-2	0
		1	49	17.67	17.49	17.70	0-2	0
		25	0	17.42	17.19	17.53	0-3	0
		25	12	17.47	17.19	17.50	0-3	0
		25	24	17.48	17.25	17.53	0-3	0
		50	0	17.48	17.21	17.51	0-3	0
	256QAM	1	0	17.58	17.28	17.58	0-5	0
		1	24	17.51	17.23	17.55	0-5	0
		1	49	17.64	17.38	17.67	0-5	0
		25	0	17.44	17.18	17.48	0-5	0
		25	12	17.48	17.20	17.47	0-5	0
		25	24	17.45	17.20	17.49	0-5	0
		50	0	17.48	17.21	17.50	0-5	0

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	17.38	17.09	17.43	0	0
		1	36	17.38	17.21	17.49	0	0
		1	74	17.45	17.31	17.52	0	0
		36	0	17.43	17.23	17.50	0-1	0
		36	18	17.43	17.24	17.51	0-1	0
		36	39	17.46	17.28	17.56	0-1	0
		75	0	17.45	17.29	17.54	0-1	0
	16QAM	1	0	17.72	17.52	17.79	0-1	0
		1	36	17.83	17.50	17.76	0-1	0
		1	74	17.81	17.59	17.84	0-1	0
		36	0	17.46	17.26	17.50	0-2	0
		36	18	17.46	17.23	17.56	0-2	0
		36	39	17.44	17.30	17.55	0-2	0
		75	0	17.44	17.25	17.50	0-2	0
	64QAM	1	0	17.69	17.39	17.62	0-2	0
		1	36	17.30	17.19	17.44	0-2	0
		1	74	17.65	17.52	17.71	0-2	0
		36	0	17.49	17.28	17.56	0-3	0
		36	18	17.48	17.30	17.54	0-3	0
		36	39	17.52	17.28	17.58	0-3	0
		75	0	17.46	17.27	17.54	0-3	0
	256QAM	1	0	17.56	17.30	17.64	0-5	0
		1	36	17.51	17.21	17.60	0-5	0
		1	74	17.63	17.41	17.62	0-5	0
		36	0	17.45	17.27	17.55	0-5	0
		36	18	17.51	17.28	17.55	0-5	0
		36	39	17.52	17.32	17.55	0-5	0
		75	0	17.48	17.26	17.51	0-5	0

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	17.36	17.12	17.45	0	0
		1	49	17.36	17.18	17.42	0	0
		1	99	17.42	17.23	17.51	0	0
		50	0	17.41	17.24	17.49	0-1	0
		50	25	17.46	17.26	17.50	0-1	0
		50	49	17.43	17.24	17.53	0-1	0
		100	0	17.47	17.27	17.50	0-1	0
	16QAM	1	0	17.80	17.45	17.73	0-1	0
		1	49	17.57	17.32	17.56	0-1	0
		1	99	17.75	17.57	17.85	0-1	0
		50	0	17.46	17.25	17.48	0-2	0
		50	25	17.46	17.26	17.53	0-2	0
		50	49	17.48	17.28	17.57	0-2	0
		100	0	17.46	17.23	17.51	0-2	0
	64QAM	1	0	17.60	17.25	17.66	0-2	0
		1	49	17.61	17.33	17.58	0-2	0
		1	99	17.66	17.47	17.74	0-2	0
		50	0	17.46	17.23	17.50	0-3	0
		50	25	17.44	17.26	17.53	0-3	0
		50	49	17.48	17.30	17.53	0-3	0
		100	0	17.45	17.26	17.51	0-3	0
	256QAM	1	0	17.51	17.27	17.48	0-5	0
		1	49	17.43	17.26	17.55	0-5	0
		1	99	17.64	17.43	17.67	0-5	0
		50	0	17.43	17.26	17.47	0-5	0
		50	25	17.46	17.24	17.50	0-5	0
		50	49	17.47	17.28	17.53	0-5	0
		100	0	17.50	17.27	17.54	0-5	0

LTE FDD Band 66 Conducted Power_ Measured RSI = 2 (GRIP 2 ON) _Main1 ANT.

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	11.27	11.05	11.36	0	0
		1	3	11.21	11.08	11.26	0	0
		1	5	11.33	11.08	11.38	0	0
		3	0	11.29	11.02	11.35	0	0
		3	1	11.27	11.04	11.33	0	0
		3	3	11.29	11.07	11.37	0	0
		6	0	11.23	11.03	11.34	0-1	0
	16QAM	1	0	11.65	11.40	11.59	0-1	0
		1	3	11.58	11.31	11.58	0-1	0
		1	5	11.57	11.26	11.72	0-1	0
		3	0	11.36	11.13	11.44	0-1	0
		3	1	11.33	11.08	11.46	0-1	0
		3	3	11.39	11.10	11.48	0-1	0
		6	0	11.34	11.10	11.43	0-2	0
	64QAM	1	0	11.52	11.23	11.52	0-2	0
		1	3	11.30	11.15	11.47	0-2	0
		1	5	11.46	11.22	11.53	0-2	0
		3	0	11.31	11.11	11.39	0-2	0
		3	1	11.25	11.10	11.30	0-2	0
		3	3	11.36	11.06	11.41	0-2	0
		6	0	11.31	11.07	11.38	0-3	0
	256QAM	1	0	11.34	11.03	11.43	0-5	0
		1	3	11.16	11.07	11.30	0-5	0
		1	5	11.34	11.12	11.41	0-5	0
		3	0	11.36	11.12	11.42	0-5	0
		3	1	11.32	11.08	11.42	0-5	0
		3	3	11.39	11.15	11.45	0-5	0
		6	0	11.27	11.05	11.38	0-5	0

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	11.32	11.09	11.37	0	0
		1	7	11.35	11.09	11.39	0	0
		1	14	11.29	11.06	11.34	0	0
		8	0	11.30	11.05	11.35	0-1	0
		8	3	11.31	11.06	11.41	0-1	0
		8	7	11.37	11.11	11.42	0-1	0
		15	0	11.39	11.12	11.44	0-1	0
	16QAM	1	0	11.59	11.31	11.65	0-1	0
		1	7	11.59	11.32	11.73	0-1	0
		1	14	11.61	11.40	11.77	0-1	0
		8	0	11.40	11.11	11.45	0-2	0
		8	3	11.43	11.16	11.46	0-2	0
		8	7	11.39	11.15	11.45	0-2	0
		15	0	11.34	11.11	11.34	0-2	0
	64QAM	1	0	11.47	11.17	11.48	0-2	0
		1	7	11.22	11.07	11.23	0-2	0
		1	14	11.57	11.26	11.53	0-2	0
		8	0	11.38	11.09	11.42	0-3	0
		8	3	11.38	11.12	11.46	0-3	0
		8	7	11.39	11.18	11.49	0-3	0
		15	0	11.41	11.09	11.47	0-3	0
	256QAM	1	0	11.31	11.62	11.76	0-5	0
		1	7	11.31	11.12	11.44	0-5	0
		1	14	11.34	11.18	11.45	0-5	0
		8	0	11.36	11.09	11.38	0-5	0
		8	3	11.36	11.09	11.45	0-5	0
		8	7	11.37	11.06	11.42	0-5	0
		15	0	11.33	11.08	11.40	0-5	0

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	11.32	11.05	11.36	0	0
		1	12	11.35	11.14	11.40	0	0
		1	24	11.39	11.16	11.45	0	0
		12	0	11.33	11.12	11.38	0-1	0
		12	6	11.31	11.10	11.39	0-1	0
		12	11	11.37	11.14	11.40	0-1	0
		25	0	11.42	11.16	11.44	0-1	0
	16QAM	1	0	11.58	11.38	11.75	0-1	0
		1	12	11.66	11.40	11.62	0-1	0
		1	24	11.66	11.47	11.67	0-1	0
		12	0	11.43	11.21	11.48	0-2	0
		12	6	11.46	11.14	11.44	0-2	0
		12	11	11.51	11.17	11.46	0-2	0
		25	0	11.41	11.17	11.47	0-2	0
	64QAM	1	0	11.15	11.31	11.48	0-2	0
		1	12	11.25	11.05	11.33	0-2	0
		1	24	11.53	11.24	11.56	0-2	0
		12	0	11.43	11.11	11.43	0-3	0
		12	6	11.41	11.10	11.42	0-3	0
		12	11	11.42	11.20	11.44	0-3	0
		25	0	11.34	11.10	11.40	0-3	0
	256QAM	1	0	11.38	11.28	11.55	0-5	0
		1	12	11.36	11.04	11.40	0-5	0
		1	24	11.44	11.16	11.44	0-5	0
		12	0	11.33	11.06	11.38	0-5	0
		12	6	11.31	11.12	11.39	0-5	0
		12	11	11.37	11.14	11.40	0-5	0
		25	0	11.36	11.13	11.44	0-5	0

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	11.34	11.15	11.43	0	0
		1	24	11.34	11.06	11.38	0	0
		1	49	11.31	11.16	11.42	0	0
		25	0	11.38	11.13	11.47	0-1	0
		25	12	11.38	11.15	11.46	0-1	0
		25	24	11.40	11.18	11.46	0-1	0
		50	0	11.39	11.19	11.49	0-1	0
	16QAM	1	0	11.58	11.38	11.65	0-1	0
		1	24	11.41	11.29	11.45	0-1	0
		1	49	11.66	11.43	11.63	0-1	0
		25	0	11.36	11.14	11.43	0-2	0
		25	12	11.35	11.12	11.43	0-2	0
		25	24	11.36	11.14	11.44	0-2	0
		50	0	11.38	11.21	11.40	0-2	0
	64QAM	1	0	11.53	11.23	11.46	0-2	0
		1	24	11.50	11.25	11.47	0-2	0
		1	49	11.60	11.34	11.56	0-2	0
		25	0	11.35	11.09	11.42	0-3	0
		25	12	11.38	11.09	11.42	0-3	0
		25	24	11.37	11.12	11.45	0-3	0
		50	0	11.38	11.14	11.42	0-3	0
	256QAM	1	0	11.41	12.25	11.05	0-5	0
		1	24	11.33	11.15	11.37	0-5	0
		1	49	11.49	11.28	11.52	0-5	0
		25	0	11.33	11.10	11.37	0-5	0
		25	12	11.30	11.11	11.40	0-5	0
		25	24	11.36	11.13	11.41	0-5	0
		50	0	11.38	11.12	11.48	0-5	0

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	11.25	11.07	11.34	0	0
		1	36	11.30	11.13	11.40	0	0
		1	74	11.37	11.16	11.41	0	0
		36	0	11.34	11.15	11.41	0-1	0
		36	18	11.33	11.17	11.42	0-1	0
		36	39	11.37	11.23	11.47	0-1	0
		75	0	11.41	11.18	11.45	0-1	0
	16QAM	1	0	11.59	11.31	11.62	0-1	0
		1	36	11.54	11.45	11.63	0-1	0
		1	74	11.73	11.41	11.65	0-1	0
		36	0	11.38	11.17	11.43	0-2	0
		36	18	11.36	11.16	11.40	0-2	0
		36	39	11.37	11.20	11.45	0-2	0
		75	0	11.34	11.15	11.41	0-2	0
	64QAM	1	0	11.07	11.26	11.55	0-2	0
		1	36	11.13	11.05	11.27	0-2	0
		1	74	11.52	11.27	11.55	0-2	0
		36	0	11.35	11.19	11.43	0-3	0
		36	18	11.36	11.21	11.42	0-3	0
		36	39	11.38	11.22	11.46	0-3	0
		75	0	11.35	11.17	11.37	0-3	0
	256QAM	1	0	11.37	11.22	11.34	0-5	0
		1	36	11.34	11.10	11.37	0-5	0
		1	74	11.41	11.22	11.50	0-5	0
		36	0	11.33	11.11	11.38	0-5	0
		36	18	11.37	11.13	11.42	0-5	0
		36	39	11.40	11.18	11.43	0-5	0
		75	0	11.35	11.14	11.40	0-5	0

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	11.25	11.09	11.32	0	0
		1	49	11.23	11.08	11.32	0	0
		1	99	11.36	11.15	11.37	0	0
		50	0	11.33	11.16	11.40	0-1	0
		50	25	11.37	11.16	11.43	0-1	0
		50	49	11.38	11.19	11.41	0-1	0
		100	0	11.36	11.17	11.44	0-1	0
	16QAM	1	0	11.47	11.44	11.63	0-1	0
		1	49	11.47	11.25	11.49	0-1	0
		1	99	11.63	11.51	11.66	0-1	0
		50	0	11.30	11.14	11.37	0-2	0
		50	25	11.36	11.17	11.40	0-2	0
		50	49	11.38	11.22	11.45	0-2	0
		100	0	11.34	11.15	11.43	0-2	0
	64QAM	1	0	11.38	11.23	11.49	0-2	0
		1	49	11.44	11.29	11.47	0-2	0
		1	99	11.55	11.38	11.60	0-2	0
		50	0	11.36	11.13	11.38	0-3	0
		50	25	11.34	11.17	11.41	0-3	0
		50	49	11.37	11.20	11.46	0-3	0
		100	0	11.38	11.16	11.38	0-3	0
	256QAM	1	0	11.33	11.21	12.48	0-5	0
		1	49	11.32	11.14	11.35	0-5	0
		1	99	11.46	11.25	11.54	0-5	0
		50	0	11.31	11.13	11.35	0-5	0
		50	25	11.32	11.14	11.38	0-5	0
		50	49	11.35	11.21	11.46	0-5	0
		100	0	11.37	11.15	11.40	0-5	0

LTE FDD Band 66 (FR1 ENDC Combination) Conducted Power_ Measured Pmax, RSI = 0
(Free, Grip Sensor Off) _Sub2 ANT.

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	23.47	23.27	23.42	0	0
		1	3	23.41	23.26	23.36	0	0
		1	5	23.53	23.32	23.47	0	0
		3	0	23.41	23.22	23.40	0	0
		3	1	23.56	23.38	23.47	0	0
		3	3	23.51	23.31	23.48	0	0
		6	0	22.52	22.29	22.48	0-1	1
	16QAM	1	0	22.88	22.59	22.84	0-1	1
		1	3	22.75	22.47	22.65	0-1	1
		1	5	22.84	22.69	22.66	0-1	1
		3	0	22.65	22.42	22.59	0-1	1
		3	1	22.68	22.44	22.61	0-1	1
		3	3	22.59	22.37	22.52	0-1	1
		6	0	21.48	21.34	21.47	0-2	2
	64QAM	1	0	21.71	21.44	21.66	0-2	2
		1	3	21.70	21.43	21.62	0-2	2
		1	5	21.69	21.46	21.50	0-2	2
		3	0	21.57	21.32	21.45	0-2	2
		3	1	21.57	21.35	21.45	0-2	2
		3	3	21.59	21.44	21.55	0-2	2
		6	0	20.51	20.34	20.48	0-3	3
	256QAM	1	0	18.58	18.42	18.56	0-5	5
		1	3	18.56	18.38	18.48	0-5	5
		1	5	18.59	18.39	18.47	0-5	5
		3	0	18.51	18.37	18.55	0-5	5
		3	1	18.60	18.43	18.60	0-5	5
		3	3	18.61	18.38	18.57	0-5	5
		6	0	18.55	18.28	18.44	0-5	5

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	23.55	23.35	23.48	0	0
		1	7	23.55	23.33	23.50	0	0
		1	14	23.52	23.28	23.45	0	0
		8	0	22.57	22.39	22.52	0-1	1
		8	3	22.56	22.35	22.48	0-1	1
		8	7	22.65	22.44	22.58	0-1	1
		15	0	22.66	22.40	22.58	0-1	1
	16QAM	1	0	22.89	22.66	22.82	0-1	1
		1	7	22.89	22.70	22.82	0-1	1
		1	14	22.85	22.64	22.88	0-1	1
		8	0	21.67	21.47	21.62	0-2	2
		8	3	21.70	21.51	21.66	0-2	2
		8	7	21.64	21.44	21.59	0-2	2
		15	0	21.66	21.41	21.57	0-2	2
	64QAM	1	0	21.74	21.54	21.67	0-2	2
		1	7	21.62	21.41	21.55	0-2	2
		1	14	21.79	21.56	21.65	0-2	2
		8	0	20.66	20.46	20.62	0-3	3
		8	3	20.72	20.51	20.65	0-3	3
		8	7	20.73	20.49	20.61	0-3	3
		15	0	20.65	20.44	20.57	0-3	3
	256QAM	1	0	18.63	18.39	18.63	0-5	5
		1	7	18.57	18.44	18.57	0-5	5
		1	14	18.66	18.44	18.60	0-5	5
		8	0	18.62	18.44	18.56	0-5	5
		8	3	18.62	18.38	18.58	0-5	5
		8	7	18.61	18.45	18.55	0-5	5
		15	0	18.60	18.41	18.54	0-5	5

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	23.51	23.28	23.44	0	0
		1	12	23.51	23.31	23.49	0	0
		1	24	23.57	23.39	23.53	0	0
		12	0	22.56	22.34	22.57	0-1	1
		12	6	22.55	22.34	22.51	0-1	1
		12	11	22.54	22.31	22.51	0-1	1
		25	0	22.53	22.31	22.56	0-1	1
	16QAM	1	0	22.86	22.73	22.94	0-1	1
		1	12	22.84	22.64	22.87	0-1	1
		1	24	22.94	22.64	22.88	0-1	1
		12	0	21.65	21.46	21.63	0-2	2
		12	6	21.64	21.42	21.60	0-2	2
		12	11	21.67	21.46	21.64	0-2	2
		25	0	21.55	21.37	21.55	0-2	2
	64QAM	1	0	21.78	21.58	21.77	0-2	2
		1	12	21.55	21.37	21.58	0-2	2
		1	24	21.75	21.41	21.67	0-2	2
		12	0	20.65	20.46	20.54	0-3	3
		12	6	20.62	20.43	20.55	0-3	3
		12	11	20.65	20.44	20.63	0-3	3
		25	0	20.54	20.35	20.49	0-3	3
	256QAM	1	0	18.70	18.44	18.64	0-5	5
		1	12	18.60	18.45	18.54	0-5	5
		1	24	18.59	18.41	18.54	0-5	5
		12	0	18.55	18.37	18.48	0-5	5
		12	6	18.52	18.35	18.51	0-5	5
		12	11	18.56	18.37	18.50	0-5	5
		25	0	18.51	18.31	18.50	0-5	5

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	23.52	23.44	23.54	0	0
		1	24	23.42	23.32	23.40	0	0
		1	49	23.46	23.35	23.46	0	0
		25	0	22.48	22.39	22.53	0-1	1
		25	12	22.46	22.41	22.56	0-1	1
		25	24	22.47	22.37	22.55	0-1	1
		50	0	22.50	22.40	22.53	0-1	1
	16QAM	1	0	22.84	22.73	22.97	0-1	1
		1	24	22.56	22.56	22.70	0-1	1
		1	49	22.82	22.64	22.74	0-1	1
		25	0	21.52	21.41	21.54	0-2	2
		25	12	21.48	21.38	21.56	0-2	2
		25	24	21.48	21.38	21.53	0-2	2
		50	0	21.51	21.40	21.54	0-2	2
	64QAM	1	0	21.69	21.62	21.76	0-2	2
		1	24	21.64	21.55	21.71	0-2	2
		1	49	21.72	21.64	21.72	0-2	2
		25	0	20.49	20.41	20.57	0-3	3
		25	12	20.46	20.37	20.53	0-3	3
		25	24	20.49	20.37	20.54	0-3	3
		50	0	20.50	20.44	20.57	0-3	3
	256QAM	1	0	18.61	18.50	18.68	0-5	5
		1	24	18.52	18.43	18.54	0-5	5
		1	49	18.62	18.56	18.59	0-5	5
		25	0	18.46	18.41	18.50	0-5	5
		25	12	18.47	18.34	18.46	0-5	5
		25	24	18.44	18.34	18.48	0-5	5
		50	0	18.44	18.39	18.55	0-5	5

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	23.38	23.40	23.50	0	0
		1	36	23.38	23.39	23.45	0	0
		1	74	23.37	23.39	23.47	0	0
		36	0	22.43	22.46	22.58	0-1	1
		36	18	22.39	22.41	22.53	0-1	1
		36	39	22.37	22.40	22.48	0-1	1
		75	0	22.38	22.40	22.56	0-1	1
	16QAM	1	0	22.84	22.75	22.95	0-1	1
		1	36	22.63	22.69	22.85	0-1	1
		1	74	22.70	22.69	22.80	0-1	1
		36	0	21.47	21.45	21.59	0-2	2
		36	18	21.42	21.44	21.56	0-2	2
		36	39	21.40	21.44	21.51	0-2	2
		75	0	21.40	21.43	21.54	0-2	2
	64QAM	1	0	21.66	21.71	21.88	0-2	2
		1	36	21.41	21.41	21.52	0-2	2
		1	74	21.61	21.61	21.70	0-2	2
		36	0	20.50	20.48	20.61	0-3	3
		36	18	20.45	20.44	20.59	0-3	3
		36	39	20.45	20.45	20.59	0-3	3
		75	0	20.40	20.42	20.52	0-3	3
	256QAM	1	0	18.54	18.57	18.67	0-5	5
		1	36	18.50	18.45	18.58	0-5	5
		1	74	18.50	18.41	18.55	0-5	5
		36	0	18.42	18.45	18.59	0-5	5
		36	18	18.45	18.43	18.54	0-5	5
		36	39	18.38	18.43	18.51	0-5	5
		75	0	18.38	18.41	18.51	0-5	5

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	23.28	23.41	23.58	0	0
		1	49	23.13	23.26	23.48	0	0
		1	99	23.12	23.30	23.47	0	0
		50	0	22.21	22.41	22.54	0-1	1
		50	25	22.19	22.38	22.53	0-1	1
		50	49	22.15	22.35	22.54	0-1	1
		100	0	22.20	22.40	22.57	0-1	1
	16QAM	1	0	22.58	22.82	22.96	0-1	1
		1	49	22.30	22.43	22.75	0-1	1
		1	99	22.48	22.68	22.79	0-1	1
		50	0	21.21	21.41	21.58	0-2	2
		50	25	21.23	21.40	21.62	0-2	2
		50	49	21.20	21.38	21.54	0-2	2
		100	0	21.19	21.42	21.57	0-2	2
	64QAM	1	0	21.43	21.63	21.79	0-2	2
		1	49	21.34	21.51	21.72	0-2	2
		1	99	21.41	21.46	21.72	0-2	2
		50	0	20.25	20.45	20.63	0-3	3
		50	25	20.22	20.39	20.58	0-3	3
		50	49	20.20	20.43	20.58	0-3	3
		100	0	20.21	20.40	20.57	0-3	3
	256QAM	1	0	18.35	18.52	18.70	0-5	5
		1	49	18.20	18.38	18.60	0-5	5
		1	99	18.29	18.43	18.65	0-5	5
		50	0	18.24	18.37	18.58	0-5	5
		50	25	18.17	18.33	18.56	0-5	5
		50	49	18.16	18.32	18.57	0-5	5
		100	0	18.22	18.40	18.59	0-5	5

LTE FDD Band 66 (FR1 ENDC Combination) Conducted Power _ Measured RSI = 5 (GRIP 5 ON) _Sub2 ANT.

LTE FDD Band 66 _ 1.4 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131979Ch. 1710.7 MHz	132322 Ch. 1745 MHz	132665 Ch. 1779.3 MHz		
1.4 MHz	QPSK	1	0	11.03	10.81	10.92	0	0
		1	3	10.73	10.62	10.68	0	0
		1	5	10.90	10.80	10.68	0	0
		3	0	10.99	10.92	10.95	0	0
		3	1	10.96	10.63	10.74	0	0
		3	3	10.87	10.72	10.79	0	0
		6	0	10.93	10.97	11.09	0-1	0
	16QAM	1	0	11.21	10.97	11.06	0-1	0
		1	3	11.12	11.03	10.93	0-1	0
		1	5	11.14	11.05	11.06	0-1	0
		3	0	11.04	10.95	10.88	0-1	0
		3	1	11.01	10.92	10.91	0-1	0
		3	3	11.08	10.95	10.98	0-1	0
		6	0	10.97	10.91	10.97	0-2	0
	64QAM	1	0	11.14	11.05	10.95	0-2	0
		1	3	10.94	10.87	11.05	0-2	0
		1	5	11.16	10.96	11.05	0-2	0
		3	0	10.97	10.82	10.92	0-2	0
		3	1	10.91	10.77	10.68	0-2	0
		3	3	10.89	10.82	10.80	0-2	0
		6	0	10.90	10.81	10.76	0-3	0
	256QAM	1	0	11.23	10.91	11.04	0-5	0
		1	3	10.96	10.82	10.97	0-5	0
		1	5	10.94	10.89	10.90	0-5	0
		3	0	11.16	10.88	10.90	0-5	0
		3	1	11.09	10.77	10.88	0-5	0
		3	3	10.92	10.79	10.87	0-5	0
		6	0	10.88	10.87	10.84	0-5	0

LTE FDD Band 66_3 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131987 Ch. 1711.5 MHz	132322 Ch. 1745 MHz	132657 Ch. 1778.5 MHz		
3 MHz	QPSK	1	0	10.87	10.75	10.90	0	0
		1	7	10.64	10.58	10.66	0	0
		1	14	10.74	10.68	10.71	0	0
		8	0	11.12	10.80	10.91	0-1	0
		8	3	10.89	10.63	10.79	0-1	0
		8	7	10.75	10.66	10.91	0-1	0
		15	0	10.84	10.82	11.05	0-1	0
	16QAM	1	0	11.11	10.91	11.07	0-1	0
		1	7	11.00	10.84	10.88	0-1	0
		1	14	11.09	10.95	11.08	0-1	0
		8	0	10.99	10.80	10.77	0-2	0
		8	3	10.99	10.84	10.90	0-2	0
		8	7	11.07	10.77	10.85	0-2	0
		15	0	10.91	10.82	10.92	0-2	0
	64QAM	1	0	11.20	10.97	10.97	0-2	0
		1	7	10.85	10.76	10.99	0-2	0
		1	14	10.95	10.86	10.94	0-2	0
		8	0	10.94	10.77	10.93	0-3	0
		8	3	11.03	10.67	10.75	0-3	0
		8	7	10.86	10.75	10.74	0-3	0
		15	0	10.88	10.86	10.66	0-3	0
	256QAM	1	0	11.04	10.77	10.99	0-5	0
		1	7	10.87	10.73	10.94	0-5	0
		1	14	10.77	10.85	10.77	0-5	0
		8	0	11.09	10.80	10.76	0-5	0
		8	3	10.99	10.78	10.80	0-5	0
		8	7	10.88	10.74	10.90	0-5	0
		15	0	10.75	10.76	10.82	0-5	0

LTE FDD Band 66_5 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				131997 Ch. 1712.5 MHz	132322Ch. 1745 MHz	132647 Ch. 1777.5 MHz		
5 MHz	QPSK	1	0	10.90	10.76	10.82	0	0
		1	12	10.71	10.67	10.69	0	0
		1	24	10.78	10.70	10.73	0	0
		12	0	11.04	10.78	10.88	0-1	0
		12	6	10.87	10.67	10.78	0-1	0
		12	11	10.86	10.76	10.82	0-1	0
		25	0	10.91	10.82	10.97	0-1	0
	16QAM	1	0	11.22	10.94	11.03	0-1	0
		1	12	11.09	10.88	10.90	0-1	0
		1	24	11.07	11.00	11.04	0-1	0
		12	0	10.99	10.81	10.88	0-2	0
		12	6	11.02	10.80	10.93	0-2	0
		12	11	11.06	10.83	10.91	0-2	0
		25	0	10.88	10.78	10.94	0-2	0
	64QAM	1	0	11.18	10.94	10.89	0-2	0
		1	12	10.88	10.84	10.93	0-2	0
		1	24	11.04	10.92	10.98	0-2	0
		12	0	10.91	10.71	10.87	0-3	0
		12	6	10.94	10.72	10.69	0-3	0
		12	11	10.90	10.76	10.82	0-3	0
		25	0	10.89	10.78	10.76	0-3	0
	256QAM	1	0	11.12	10.82	10.92	0-5	0
		1	12	10.98	10.78	10.89	0-5	0
		1	24	10.88	10.79	10.80	0-5	0
		12	0	11.04	10.77	10.87	0-5	0
		12	6	10.97	10.74	10.82	0-5	0
		12	11	10.87	10.72	10.85	0-5	0
		25	0	10.85	10.74	10.79	0-5	0

LTE FDD Band 66_10 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132022 Ch. 1715 MHz	132322 Ch. 1745 MHz	132622 Ch. 1775 MHz		
10 MHz	QPSK	1	0	10.75	10.68	10.71	0	0
		1	24	10.55	10.59	10.57	0	0
		1	49	10.76	10.52	10.65	0	0
		25	0	10.91	10.61	10.74	0-1	0
		25	12	10.69	10.53	10.74	0-1	0
		25	24	10.76	10.63	10.71	0-1	0
		50	0	10.83	10.73	10.93	0-1	0
	16QAM	1	0	11.10	10.90	10.87	0-1	0
		1	24	11.02	10.82	10.74	0-1	0
		1	49	10.97	10.92	10.99	0-1	0
		25	0	10.87	10.77	10.85	0-2	0
		25	12	11.00	10.67	10.76	0-2	0
		25	24	11.01	10.69	10.76	0-2	0
		50	0	10.84	10.70	10.89	0-2	0
	64QAM	1	0	11.16	10.86	10.79	0-2	0
		1	24	10.81	10.71	10.88	0-2	0
		1	49	10.97	10.77	10.93	0-2	0
		25	0	10.74	10.71	10.78	0-3	0
		25	12	10.76	10.73	10.63	0-3	0
		25	24	10.73	10.62	10.82	0-3	0
		50	0	10.78	10.68	10.73	0-3	0
	256QAM	1	0	11.12	10.67	10.78	0-5	0
		1	24	10.89	10.72	10.75	0-5	0
		1	49	10.72	10.79	10.81	0-5	0
		25	0	11.02	10.75	10.71	0-5	0
		25	12	10.98	10.66	10.76	0-5	0
		25	24	10.77	10.61	10.68	0-5	0
		50	0	10.71	10.68	10.80	0-5	0

LTE FDD Band 66_15 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132047 Ch. 1717.5 MHz	132322 Ch. 1745 MHz	132597 Ch. 1772.5 MHz		
15 MHz	QPSK	1	0	10.95	10.82	10.94	0	0
		1	36	10.72	10.67	10.69	0	0
		1	74	10.78	10.66	10.85	0	0
		36	0	11.01	10.92	10.85	0-1	0
		36	18	10.90	10.69	10.78	0-1	0
		36	39	10.95	10.92	10.91	0-1	0
		75	0	10.93	10.89	11.04	0-1	0
	16QAM	1	0	11.27	10.93	11.08	0-1	0
		1	36	11.22	10.95	10.93	0-1	0
		1	74	11.18	11.00	11.13	0-1	0
		36	0	11.14	10.80	10.89	0-2	0
		36	18	11.17	10.84	11.09	0-2	0
		36	39	11.14	10.87	11.03	0-2	0
		75	0	10.86	10.93	11.08	0-2	0
	64QAM	1	0	11.34	10.94	11.03	0-2	0
		1	36	10.93	10.81	10.93	0-2	0
		1	74	11.15	11.03	11.06	0-2	0
		36	0	10.95	10.67	10.86	0-3	0
		36	18	11.09	10.73	10.67	0-3	0
		36	39	11.03	10.78	10.82	0-3	0
		75	0	10.87	10.79	10.82	0-3	0
	256QAM	1	0	11.22	10.90	10.96	0-5	0
		1	36	11.01	10.90	10.99	0-5	0
		1	74	10.99	10.87	10.84	0-5	0
		36	0	11.05	10.82	10.98	0-5	0
		36	18	11.06	10.77	10.82	0-5	0
		36	39	10.93	10.84	10.98	0-5	0
		75	0	10.83	10.83	10.92	0-5	0

LTE FDD Band 66_20 MHz Bandwidth Conducted Power

Bandwidth	Modulation	RB Size	RB Offset	Max. Average Power [dBm]			MPR Allowed Per 3GPP [dB]	MPR [dB]
				132072 Ch. 1720 MHz	132322 Ch. 1745 MHz	132572 Ch. 1770 MHz		
20 MHz	QPSK	1	0	11.05	10.83	10.86	0	0
		1	49	10.70	10.74	10.77	0	0
		1	99	10.78	10.83	10.78	0	0
		50	0	11.13	10.87	10.97	0-1	0
		50	25	10.93	10.72	10.77	0-1	0
		50	49	10.89	10.86	10.95	0-1	0
		100	0	11.00	10.89	11.06	0-1	0
	16QAM	1	0	11.30	10.99	11.01	0-1	0
		1	49	11.23	10.88	10.87	0-1	0
		1	99	11.13	11.06	11.17	0-1	0
		50	0	11.14	10.82	11.00	0-2	0
		50	25	11.11	10.80	10.98	0-2	0
		50	49	11.08	10.91	10.90	0-2	0
		100	0	10.88	10.86	11.03	0-2	0
	64QAM	1	0	11.34	11.07	11.04	0-2	0
		1	49	10.98	10.84	10.92	0-2	0
		1	99	11.04	10.92	11.07	0-2	0
		50	0	11.01	10.70	10.98	0-3	0
		50	25	11.00	10.69	10.74	0-3	0
		50	49	10.93	10.83	10.81	0-3	0
		100	0	11.02	10.78	10.82	0-3	0
	256QAM	1	0	11.14	10.91	10.90	0-5	0
		1	49	11.03	10.88	10.96	0-5	0
		1	99	10.96	10.96	10.81	0-5	0
		50	0	11.21	10.90	10.90	0-5	0
		50	25	10.97	10.86	10.80	0-5	0
		50	49	10.93	10.79	10.93	0-5	0
		100	0	11.00	10.72	10.80	0-5	0